

Appendix 5: Water Balance and Water Quality Modeling Tabular Data and Figures

Table 1 Catchment area by facility

Facility	Runoff	Source Term	Jan-19	Feb-19	Mar-19	Apr-19	May-19	Jun-19	Jul-19	Aug-19	Sep-19
Footprints (ha)											
CP1-Facilities-1,2 and 3	Hard Surface	Mine Facilities	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
CP1-Landfill	Hard Surface	Mine Facilities									
CP1-Laydown	Hard Surface	Mine Facilities									
CP1-Natural (direct to CP1)	Natural	Baseline	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7
CP1-Natural (to channel 1)	Disturbed	Disturbed	56.2	56.2	56.2	56.2	56.2	56.2	56.2	56.2	56.2
CP1-OP2	Waste Rock	Ore Stockpile	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
CP1-OP2-Ext	Waste Rock	Ore Stockpile									
CP1-TSF	Tailings	TSF	0.9	1.7	2.6	3.4	4.3	5.1	6.0	6.8	7.7
CP1 - Collection Pond 1	Open Water	Precipitation	30.1	30.1	30.1	30.1	30.1	30.1	30.1	30.1	30.1
CP1-WRSF1	Waste Rock	WRSF1	0.2	0.5	0.7	0.9	1.2	1.4	1.6	1.9	2.1
CP1-Tem OVB	Disturbed	Disturbed									
D-CP1	Disturbed	Disturbed									
CP2-Natural	Natural	Baseline									
CP2-Water	Open Water	Precipitation									
CP2-WRSF3-EXT	Waste Rock	WRSF3									
CP3-Disturbed	Disturbed	Disturbed	9.6	8.8	8.1	7.3	6.6	5.8	5.0	4.3	3.5
CP3-Berm	Hard Surface	Mine Facilities	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
CP3-Natural	Disturbed	Disturbed	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9	20.9
CP3-TSF	Tailings	TSF	0.8	1.5	2.3	3.0	3.8	4.5	5.3	6.0	6.8
CP3 - Collection Pond 3	Open Water	Precipitation	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
CP4-Berm	Hard Surface	Mine Facilities	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
CP4-Natural	Disturbed	Disturbed	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5
CP4-Collection Pond 4	Open Water	Precipitation	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
CP4-WRSF1	Waste Rock	WRSF1	0.2	0.5	0.7	1.0	1.2	1.4	1.7	1.9	2.2
CP5-Disturbed	Disturbed	Disturbed	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4
CP5-Facilities	Hard Surface	Mine Facilities	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0
CP5-Saline Ponds (water to Melvin Bay)	Open Water	Precipitation	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
CP5-Collection Pond 5	Open Water	Precipitation	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1
CP5-WRSF1	Waste Rock	WRSF1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CP6-Berm	Hard Surface	Mine Facilities	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CP6-Natural	Natural	Baseline	39.0	38.0	37.1	36.2	35.2	34.3	33.3	32.4	31.5
CP6-Collection Pond 6	Open Water	Precipitation	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
CP6-WRSF3	Waste Rock	WRSF3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CP6-Disturbed	Disturbed	Disturbed	0.9	1.9	2.8	3.8	4.7	5.6	6.6	7.5	8.4
TIR01 Open Pit	Pit Wall	Tiri01 Pit Wall									
TIR01-Natural	Disturbed	Disturbed									
TIR01-SP4 Saline Storage	Open Water	Precipitation									
TIR02 Open Pit	Pit Wall	Tiri 02 Pit Wall									
TIR02-Natural	Disturbed	Disturbed									
TIR02-Stockpiles	Waste Rock	WRSF3									
J6-Sump-WR	Disturbed	Disturbed									

Table 1 Catchment area by facility

Facility	Runoff	Source Term	Oct-19	Nov-19	Dec-19	Jan-20	Feb-20	Mar-20	Apr-20	May-20	Jun-20	Jul-20	Aug-20
Footprints (ha)			Aerial Photo 1										
CP1-Facilities-1,2 and 3	Hard Surface	Mine Facilities	43.0	43.0	43.04	43.04	43.04	43.04	43.04	43.04	43.04	43.04	43.04
CP1-Landfill	Hard Surface	Mine Facilities											
CP1-Laydown	Hard Surface	Mine Facilities											
CP1-Natural (direct to CP1)	Natural	Baseline	6.7	6.7	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73
CP1-Natural (to channel 1)	Disturbed	Disturbed	56.2	55.9	55.54	55.21	54.87	54.54	54.20	53.87	53.53	53.20	52.86
CP1-OP2	Waste Rock	Ore Stockpile	11.0	11.0	11.04	11.04	11.04	11.04	11.04	11.04	11.04	11.04	11.04
CP1-OP2-Ext	Waste Rock	Ore Stockpile											
CP1-TSF	Tailings	TSF	8.5	8.6	8.68	8.76	8.83	8.91	8.98	9.06	9.13	9.21	9.28
CP1 - Collection Pond 1	Open Water	Precipitation	30.1	30.1	30.12	30.12	30.12	30.12	30.12	30.12	30.12	30.12	30.12
CP1-WRSF1	Waste Rock	WRSF1	2.3	2.6	2.75	2.96	3.17	3.38	3.60	3.81	4.02	4.23	4.44
CP1-Tem OVB	Disturbed	Disturbed											
D-CP1	Disturbed	Disturbed											
CP2-Natural	Natural	Baseline											
CP2-Water	Open Water	Precipitation											
CP2-WRSF3-EXT	Waste Rock	WRSF3											
CP3-Disturbed	Disturbed	Disturbed	2.8	2.4	1.86	1.41	0.95	0.49	0.03	0.00	0.00	0.00	0.00
CP3-Berm	Hard Surface	Mine Facilities	1.4	1.4	1.41	1.41	1.41	1.41	1.41	1.41	1.41	1.41	1.41
CP3-Natural	Disturbed	Disturbed	20.9	20.9	20.87	20.87	20.87	20.87	20.44	19.98	19.53	19.07	18.61
CP3-TSF	Tailings	TSF	7.5	8.0	8.46	8.91	9.37	9.83	10.29	10.75	11.21	11.66	12.12
CP3 - Collection Pond 3	Open Water	Precipitation	1.7	1.7	1.66	1.66	1.66	1.66	1.66	1.66	1.66	1.66	1.66
CP4-Berm	Hard Surface	Mine Facilities	3.0	3.0	2.95	2.95	2.95	2.95	2.95	2.95	2.95	2.95	2.95
CP4-Natural	Disturbed	Disturbed	31.5	31.0	30.48	29.97	29.46	28.95	28.44	27.93	27.42	26.91	26.40
CP4-Collection Pond 4	Open Water	Precipitation	1.2	1.2	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
CP4-WRSF1	Waste Rock	WRSF1	2.4	3.0	3.52	4.08	4.64	5.20	5.76	6.32	6.88	7.44	8.00
CP5-Disturbed	Disturbed	Disturbed	22.4	22.3	22.21	22.14	22.06	21.98	21.90	21.82	21.74	21.67	21.59
CP5-Facilities	Hard Surface	Mine Facilities	21.0	20.8	20.55	20.31	20.07	19.83	19.58	19.34	19.10	18.86	18.61
CP5-Saline Ponds (water to Melvin Bay)	Open Water	Precipitation	1.9	1.9	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91
CP5-Collection Pond 5	Open Water	Precipitation	5.1	5.1	5.07	5.07	5.07	5.07	5.07	5.07	5.07	5.07	5.07
CP5-WRSF1	Waste Rock	WRSF1	0.0	0.3	0.64	0.96	1.28	1.60	1.92	2.24	2.56	2.88	3.20
CP6-Berm	Hard Surface	Mine Facilities	0.0	0.0	0.00	2.80	2.80	2.80	2.80	2.80	2.80	2.80	2.80
CP6-Natural	Natural	Baseline	30.5	30.5	30.53	25.84	23.71	17.58	17.58	17.58	17.58	17.58	17.58
CP6-Collection Pond 6	Open Water	Precipitation	2.8	2.8	2.84	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60
CP6-WRSF3	Waste Rock	WRSF3	0.0	0.0	0.00	7.17	14.35	21.74	21.74	21.74	21.74	21.74	21.74
CP6-Disturbed	Disturbed	Disturbed	9.4	9.4	9.38	5.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TIR01 Open Pit	Pit Wall	Tiri01 Pit Wall											
TIR01-Natural	Disturbed	Disturbed											
TIR01-SP4 Saline Storage	Open Water	Precipitation											
TIR02 Open Pit	Pit Wall	Tiri 02 Pit Wall											
TIR02-Natural	Disturbed	Disturbed											
TIR02-Stockpiles	Waste Rock	WRSF3											
J6-Sump-WR	Disturbed	Disturbed											

Table 1 Catchment area by facility

Facility	Runoff	Source Term	Sep-20	Oct-20	Nov-20	Dec-20	Jan-21	Feb-21	Mar-21	Apr-21	May-21	Jun-21	Jul-05
Footprints (ha)			Aerial photo 2										Aerial Photo 3 - July 2021
CP1-Facilities-1,2 and 3	Hard Surface	Mine Facilities	43.04	43.04	43.04	43.04	45.90	45.90	45.90	45.90	45.90	45.90	45.90
CP1-Landfill	Hard Surface	Mine Facilities											
CP1-Laydown	Hard Surface	Mine Facilities											
CP1-Natural (direct to CP1)	Natural	Baseline	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73
CP1-Natural (to channel 1)	Disturbed	Disturbed	52.53	52.53	52.53	52.53	46.86	46.86	46.86	46.86	46.86	46.86	46.86
CP1-OP2	Waste Rock	Ore Stockpile	11.04	11.04	11.04	11.04	11.04	11.04	11.04	11.04	11.04	11.04	11.04
CP1-OP2-Ext	Waste Rock	Ore Stockpile											
CP1-TSF	Tailings	TSF	9.36	9.36	9.36	9.36	9.76	9.76	9.76	9.76	9.76	9.76	9.76
CP1 - Collection Pond 1	Open Water	Precipitation	30.12	30.12	30.12	30.12	30.12	30.12	30.12	30.12	30.12	30.12	30.12
CP1-WRSF1	Waste Rock	WRSF1	4.65	4.65	4.65	4.65	10.60	10.60	10.60	10.60	10.60	10.60	10.60
CP1-Tem OVB	Disturbed	Disturbed											
D-CP1	Disturbed	Disturbed					2.92	2.92	2.92	2.92	2.92	2.92	2.92
CP2-Natural	Natural	Baseline											
CP2-Water	Open Water	Precipitation											
CP2-WRSF3-EXT	Waste Rock	WRSF3											
CP3-Disturbed	Disturbed	Disturbed	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CP3-Berm	Hard Surface	Mine Facilities	1.41	1.41	1.41	1.41	1.41	1.41	1.41	1.41	1.41	1.41	1.41
CP3-Natural	Disturbed	Disturbed	18.61	18.61	18.61	18.61	17.30	17.30	17.30	17.30	17.30	17.30	17.30
CP3-TSF	Tailings	TSF	12.58	12.58	12.58	12.58	13.89	13.89	13.89	13.89	13.89	13.89	13.89
CP3 - Collection Pond 3	Open Water	Precipitation	1.66	1.66	1.66	1.66	1.66	1.66	1.66	1.66	1.66	1.66	1.66
CP4-Berm	Hard Surface	Mine Facilities	2.95	2.95	2.95	2.95	2.95	2.95	2.95	2.95	2.95	2.95	2.95
CP4-Natural	Disturbed	Disturbed	25.89	25.89	25.89	25.89	11.27	11.27	11.27	11.27	11.27	11.27	11.27
CP4-Collection Pond 4	Open Water	Precipitation	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
CP4-WRSF1	Waste Rock	WRSF1	8.56	8.56	8.56	8.56	17.27	17.27	17.27	17.27	17.27	17.27	17.27
CP5-Disturbed	Disturbed	Disturbed	21.51	21.51	21.51	21.51	20.61	20.61	20.61	20.61	20.61	20.61	20.61
CP5-Facilities	Hard Surface	Mine Facilities	18.37	18.37	18.37	18.37	18.05	18.05	18.05	18.05	18.05	18.05	18.05
CP5-Saline Ponds (water to Melvin Bay)	Open Water	Precipitation	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91
CP5-Collection Pond 5	Open Water	Precipitation	5.07	5.07	5.07	5.07	5.07	5.07	5.07	5.07	5.07	5.07	5.07
CP5-WRSF1	Waste Rock	WRSF1	3.52	3.52	3.52	3.52	3.80	3.80	3.80	3.80	3.80	3.80	3.80
CP6-Berm	Hard Surface	Mine Facilities	2.80	2.80	2.80	2.80	2.80	2.80	2.80	2.80	2.80	2.80	2.80
CP6-Natural	Natural	Baseline	17.58	17.58	17.58	17.58	15.09	15.09	15.09	15.09	15.09	15.09	15.09
CP6-Collection Pond 6	Open Water	Precipitation	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60
CP6-WRSF3	Waste Rock	WRSF3	21.74	21.74	21.74	21.74	23.96	23.96	23.96	23.96	23.96	23.96	23.96
CP6-Disturbed	Disturbed	Disturbed	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TIR01 Open Pit	Pit Wall	Tiri01 Pit Wall					13.58	13.58	13.58	13.58	13.58	13.58	13.58
TIR01-Natural	Disturbed	Disturbed					6.55	6.55	6.55	6.55	6.55	6.55	6.55
TIR01-SP4 Saline Storage	Open Water	Precipitation					5.43	5.43	5.43	5.43	5.43	5.43	5.43
TIR02 Open Pit	Pit Wall	Tiri 02 Pit Wall					8.30	8.30	8.30	8.30	8.30	8.30	8.30
TIR02-Natural	Disturbed	Disturbed					6.74	6.74	6.74	6.74	6.74	6.74	6.74
TIR02-Stockpiles	Waste Rock	WRSF3					5.43	5.43	5.43	5.43	5.43	5.43	5.43
J6-Sump-WR	Disturbed	Disturbed					3.85	3.85	3.85	3.85	3.85	3.85	3.85

Table 1 Catchment area by facility

Facility	Runoff	Source Term	Aug-21	Sep-21	Oct-21	Nov-21	Dec-21	2022	2023	2024	2025	Jul-05	2027
Footprints (ha)													EOM DXF
CP1-Facilities-1,2 and 3	Hard Surface	Mine Facilities	45.90	45.90	45.90	45.90	45.90	31.98	31.98	31.98	31.98	31.98	31.98
CP1-Landfill	Hard Surface	Mine Facilities						1.66	1.66	1.66	1.66	1.66	1.66
CP1-Laydown	Hard Surface	Mine Facilities						7.61	7.61	7.61	7.61	7.61	7.61
CP1-Natural (direct to CP1)	Natural	Baseline	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.70
CP1-Natural (to channel 1)	Disturbed	Disturbed	46.86	46.86	46.86	46.86	46.86	37.74	28.61	28.61	28.61	28.61	28.61
CP1-OP2	Waste Rock	Ore Stockpile	11.04	11.04	11.04	11.04	11.04	11.04	11.04	11.04	11.04	11.04	11.04
CP1-OP2-Ext	Waste Rock	Ore Stockpile						8.41	8.41	8.41	8.41	8.41	8.41
CP1-TSF	Tailings	TSF	9.76	9.76	9.76	9.76	9.76	9.76	12.67	12.67	12.67	12.67	12.67
CP1 - Collection Pond 1	Open Water	Precipitation	30.12	30.12	30.12	30.12	30.12	30.12	30.12	30.12	30.12	30.12	30.13
CP1-WRSF1	Waste Rock	WRSF1	10.60	10.60	10.60	10.60	10.60	10.60	10.60	10.60	10.60	10.60	10.60
CP1-Tem OVB	Disturbed	Disturbed						1.75	1.75	1.75	1.75	1.75	1.75
D-CP1	Disturbed	Disturbed	2.92	2.92	2.92	2.92	2.92	2.92	2.92	2.92	2.92	2.92	2.92
CP2-Natural	Natural	Baseline						7.57	7.57	7.57	7.57	7.57	7.57
CP2-Water	Open Water	Precipitation						2.55	2.55	2.55	2.55	2.55	2.55
CP2-WRSF3-EXT	Waste Rock	WRSF3						23.78	23.78	23.78	23.78	23.78	23.78
CP3-Disturbed	Disturbed	Disturbed	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CP3-Berm	Hard Surface	Mine Facilities	1.41	1.41	1.41	1.41	1.41	1.41	1.41	1.41	1.41	1.41	1.41
CP3-Natural	Disturbed	Disturbed	17.30	17.30	17.30	17.30	17.30	17.30	9.18	9.18	9.18	9.18	9.18
CP3-TSF	Tailings	TSF	13.89	13.89	13.89	13.89	13.89	13.89	22.01	22.01	22.01	22.01	22.01
CP3 - Collection Pond 3	Open Water	Precipitation	1.66	1.66	1.66	1.66	1.66	1.66	1.66	1.66	1.66	1.66	1.66
CP4-Berm	Hard Surface	Mine Facilities	2.95	2.95	2.95	2.95	2.95	2.95	2.95	2.95	2.95	2.95	2.95
CP4-Natural	Disturbed	Disturbed	11.27	11.27	11.27	11.27	11.27	11.27	11.27	11.27	11.27	11.27	11.27
CP4-Collection Pond 4	Open Water	Precipitation	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
CP4-WRSF1	Waste Rock	WRSF1	17.27	17.27	17.27	17.27	17.27	17.27	17.27	17.27	17.27	17.27	17.27
CP5-Disturbed	Disturbed	Disturbed	20.61	20.61	20.61	20.61	20.61	20.61	20.61	20.61	20.61	20.61	20.61
CP5-Facilities	Hard Surface	Mine Facilities	18.05	18.05	18.05	18.05	18.05	18.05	18.05	18.05	18.05	18.05	18.05
CP5-Saline Ponds (water to Melvin Bay)	Open Water	Precipitation	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91	1.91
CP5-Collection Pond 5	Open Water	Precipitation	5.07	5.07	5.07	5.07	5.07	5.07	5.07	5.07	5.07	5.07	5.07
CP5-WRSF1	Waste Rock	WRSF1	3.80	3.80	3.80	3.80	3.80	3.80	3.80	3.80	3.80	3.80	3.80
CP6-Berm	Hard Surface	Mine Facilities	2.80	2.80	2.80	2.80	2.80	3.92	3.92	3.92	3.92	3.92	3.92
CP6-Natural	Natural	Baseline	15.09	15.09	15.09	15.09	15.09	6.31	6.31	6.31	6.31	6.31	6.31
CP6-Collection Pond 6	Open Water	Precipitation	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60	2.60
CP6-WRSF3	Waste Rock	WRSF3	23.96	23.96	23.96	23.96	23.96	33.00	33.00	33.00	33.00	33.00	33.00
CP6-Disturbed	Disturbed	Disturbed	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TIR01 Open Pit	Pit Wall	Tiri01 Pit Wall	13.58	13.58	13.58	13.58	13.58	13.58	26.64	26.64	26.64	26.64	26.64
TIR01-Natural	Disturbed	Disturbed	6.55	6.55	6.55	6.55	6.55	6.55	5.01	5.01	5.01	5.01	5.01
TIR01-SP4 Saline Storage	Open Water	Precipitation	5.43	5.43	5.43	5.43	5.43	5.43	0.00	0.00	0.00	0.00	0.00
TIR02 Open Pit	Pit Wall	Tiri 02 Pit Wall	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30
TIR02-Natural	Disturbed	Disturbed	6.74	6.74	6.74	6.74	6.74	6.74	6.74	6.74	6.74	6.74	8.67
TIR02-Stockpiles	Waste Rock	WRSF3	5.43	5.43	5.43	5.43	5.43	0.00	0.00	0.00	0.00	0.00	0.00
J6-Sump-WR	Disturbed	Disturbed	3.85	3.85	3.85	3.85	3.85	0.00	0.00	0.00	0.00	0.00	0.00

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance													Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Channel 1 to CP1	CPS to CP1	STP to CP1	DCP1 to CP1	TIRIO1 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWTP	
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
1/1/2019	0	0.06223	1.049	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/2/2019	0	0.06099	1.028	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/3/2019	0	0.05977	1.007	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/4/2019	0	0.05857	0.9872	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/5/2019	0	0.0574	0.9674	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/6/2019	0	0.05625	0.9481	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/7/2019	0	0.05513	0.9291	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/8/2019	0	0.05403	0.9106	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/9/2019	0	0.05294	0.8923	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/10/2019	0	0.05189	0.8745	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/11/2019	0	0.05085	0.857	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/12/2019	0	0.04983	0.8399	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/13/2019	0	0.04883	0.8231	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/14/2019	0	0.04786	0.8066	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/15/2019	0	0.0469	0.7905	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/16/2019	0	0.04596	0.7747	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/17/2019	0	0.04504	0.7592	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/18/2019	0	0.04414	0.744	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/19/2019	0	0.04326	0.7291	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/20/2019	0	0.04239	0.7145	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/21/2019	0	0.04155	0.7002	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/22/2019	0	0.04072	0.6862	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/23/2019	0	0.0399	0.6725	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/24/2019	0	0.0391	0.6591	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/25/2019	0	0.03832	0.6459	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/26/2019	0	0.03755	0.633	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/27/2019	0	0.0368	0.6203	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/28/2019	0	0.03607	0.6079	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/29/2019	0	0.03535	0.5957	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/30/2019	0	0.03464	0.5838	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/31/2019	0	0.03395	0.5721	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/1/2019	0	0.03327	0.5607	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/2/2019	0	0.0326	0.5495	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/3/2019	0	0.03195	0.5385	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/4/2019	0	0.03131	0.5277	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/5/2019	0	0.03068	0.5172	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/6/2019	0	0.03007	0.5068	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/7/2019	0	0.02947	0.4967	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/8/2019	0	0.02888	0.4868	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/9/2019	0	0.0283	0.477	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/10/2019	0	0.02774	0.4675	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/11/2019	0	0.02718	0.4581	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/12/2019	0	0.02664	0.449	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/13/2019	0	0.02611	0.44	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/14/2019	0	0.02558	0.4312	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/15/2019	0	0.02507	0.4226	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/16/2019	0	0.02457	0.4141	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/17/2019	0	0.02408	0.4058	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/18/2019	0	0.0236	0.3977	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/19/2019	0	0.02313	0.3898	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/20/2019	0	0.02266	0.382	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/21/2019	0	0.02221	0.3743	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/22/2019	0	0.02177	0.3668	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/23/2019	0	0.02133	0.3595	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/24/2019	0	0.0209	0.3523	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/25/2019	0	0.02049	0.3453	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/26/2019	0	0.02008	0.3384	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/27/2019	0	0.01967	0.3316	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/28/2019	0	0.01928	0.325	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/1/2019	0	0.0189	0.3185	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/2/2019	0	0.01852	0.3121	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/3/2019	0	0.01815	0.3059	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/4/2019	0	0.01778	0.2997	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/5/2019	0	0.01743	0.2937	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/6/2019	0	0.01708	0.2879	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/7/2019	0	0.01674	0.2821	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/8/2019	0	0.0164	0.2765	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/9/2019	0	0.01608	0.2709	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/10/2019	0	0.01575	0.2655	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/11/2019	0	0.01544	0.2602	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/12/2019	0	0.01513	0.255	0	144.6	0	0	0	0	0	0	0.00563	0	0	0	
3/13/2019	0	0.01483	0.2499	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/14/2019	0	0.01453	0.2449	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/15/2019	0	0.01424	0.24	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/16/2019	0	0.01396	0.2352	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/17/2019	0	0.01368	0.2305	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/18/2019	0	0.0134	0.2259	0	144.6	0	0	0	0	0	0	0.04555	0	0	0	
3/19/2019	0	0.01313	0.2214	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/20/2019	0	0.01287	0.2169	0	144.6	0	0	0	0	0	0	0.07195	0	0	0	
3/21/2019	0	0.01261	0.2126	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/22/2019	0	0.01236	0.2084	0	144.6	0	0	0	0	0	0	0.4035	0	0	0	
3/23/2019	0	0.01212	0.2042	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/24/2019	0	0.01187	0.2001	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/25/2019	0	0.01164	0.1961	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/26/2019	0	0.0114	0.1922	0	144.6	0	0	0	0	0	0	0.277	0	0	0	
3/27/2019	0	0.01117	0.1883	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/28/2019	0	0.01095	0.1846	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/29/2019	0	0.01073	0.1809	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/30/2019	0	0.01052	0.1773	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/31/2019	0	0.01031	0.1737	0	144.6	0	0	0	0	0	0	0.2349	0	0	0	
4/1/2019	0	0.0101	0.1702	0	144.6	0	0	0	0	0	0	0.3105	0	0	0	
4/2/2019	0	0.00989	0.1668	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/3/2019	0	0.009701	0.1635	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/4/2019	0	0.009507	0.1602	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/5/2019	0	0.009317	0.157	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/6/2019	0	0.00913	0.1539	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/7/2019	0	0.008948	0.1508	0	144.6	0	0	0	0							

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance													Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Channel 1 to CP1	CPS to CP1	STP to CP1	DCP1 to CP1	TIR101 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWTP	
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
5/5/2019	0	0.005082	0.08566	0	144.6	0	0	0	0	0	0	0	0.5561	0	0	
5/6/2019	0	0.00498	0.08394	0	144.6	0	0	0	0	0	0	0	0.7512	0	0	
5/7/2019	0	0.004881	0.08216	0	144.6	0	0	0	0	0	0	0	1.636	0	0	
5/8/2019	0	0.004783	0.08062	0	144.6	0	0	0	0	0	0	0	2.27	0	0	
5/9/2019	0	0.004688	0.07901	0	144.6	0	0	0	0	0	0	0	1.903	0	0	
5/10/2019	0	0.004594	0.07743	0	144.6	0	0	0	0	0	0	0	1.804	0	0	
5/11/2019	0	0.004502	0.07588	0	144.6	0	0	0	0	0	0	0	1.776	0	0	
5/12/2019	0	0.004412	0.07436	0	144.6	0	0	0	0	0	0	0	2.066	0	0	
5/13/2019	0	0.004324	0.07287	0	144.6	0	0	0	0	0	0	0	1.934	0	0	
5/14/2019	0	0.004237	0.07142	0	144.6	0	0	0	0	0	0	0	2.221	0	0	
5/15/2019	0	0.004152	0.06999	0	144.6	0	0	0	0	0	0	0	2.462	0	0	
5/16/2019	0	0.004069	0.06859	0	144.6	0	0	0	0	0	0	0	2.304	0	0	
5/17/2019	0	0.003988	0.06722	0	144.6	0	0	0	0	0	0	0	2.491	0	0	
5/18/2019	0	0.003908	0.06587	0	144.6	0	0	0	0	0	0	0	2.144	0	0	
5/19/2019	0	0.00383	0.06455	0	144.6	0	0	0	0	0	0	0	2.098	0	0	
5/20/2019	0	0.003754	0.06326	0	144.6	0	0	0	0	0	0	0	2.145	0	0	
5/21/2019	0	0.003678	0.062	0	144.6	0	0	0	0	0	0	0	2.257	0	0	
5/22/2019	0	0.003605	0.06076	0	144.6	0	0	0	0	0	0	0	1.921	0	0	
5/23/2019	0	0.003533	0.05954	0	144.6	0	0	0	0	0	0	0	2.269	0	0	
5/24/2019	0	0.003462	0.05835	0	144.6	0	0	0	0	0	0	0	2.165	0	0	
5/25/2019	0	0.003393	0.05718	0	144.6	0	0	0	0	0	0	0	1.869	0	0	
5/26/2019	0	0.003325	0.05604	0	144.6	0	0	0	0	0	0	0	2.064	0	0	
5/27/2019	0	0.003259	0.05492	0	144.6	0	0	0	0	0	0	0	2.711	0	0	
5/28/2019	0	0.003193	0.05382	0	144.6	0	0	0	0	0	0	0	2.71	0	0	
5/29/2019	48	4.026	87.07	0	144.6	0	0	0	0	0	0	57.76	2.912	0	0	
5/30/2019	0	0.003067	0.3097	0	144.6	0	0	0	0	0	0	0	2.423	0	0	
5/31/2019	158.6	8.049	182.9	0	144.6	0	0	0	0	0	0	190.9	2.921	0	0	
6/1/2019	199.7	89.96	1574	0	144.6	0	0	0	0	0	0	241.9	3.134	0	0	
6/2/2019	0	131.4	2216	0	144.6	0	0	0	0	0	0	0	2.754	0	0	
6/3/2019	0	0.003546	1.066	0	144.6	0	0	0	0	0	0	0	2.839	0	0	
6/4/2019	0	0.03664	1.523	0	144.6	0	0	0	0	0	0	0	2.807	0	0	
6/5/2019	139.2	36.81	777.3	0	144.6	0	0	0	0	0	0	194.7	3.247	0	0	
6/6/2019	215.1	148.6	5696	0	144.6	0	0	0	0	0	0	304.5	3.5	0	0	
6/7/2019	160.8	241.7	4270	795.1	144.6	0	0	0	0	0	0	0	326.3	4.026	0	
6/8/2019	372.3	156.4	2851	1289	144.6	0	0	0	0	0	0	1142	3.891	0	0	
6/9/2019	381.7	335.3	2356	2356	144.6	0	0	0	0	0	0	1233	5.106	0	0	
6/10/2019	407.8	571.2	10243	4105	144.6	0	0	0	0	0	0	0	5.413	0	0	
6/11/2019	250.3	731.7	16918	0	144.6	0	0	0	0	0	106.7	1116	5.697	0	0	
6/12/2019	216.1	770.1	17599	0	144.6	0	0	0	0	0	240.6	1240	5.935	0	0	
6/13/2019	247.3	849.8	19232	0	144.6	0	0	0	0	0	12.83	1821	6.564	0	0	
6/14/2019	174.3	1201	25055	4800	144.6	0	0	0	0	0	21.65	1666	6.504	0	0	
6/15/2019	81.7	883.9	25758	4800	144.6	0	0	0	0	0	16.04	1086	6.234	0	0	
6/16/2019	67.02	328.1	8508	4800	144.6	0	0	0	0	0	43.31	1309	6.564	0	0	
6/17/2019	0	146.9	6451	4800	144.6	0	0	0	0	0	13.63	0	5.627	0	0	
6/18/2019	0	101.6	5687	0	144.6	0	0	0	0	0	17.64	0	4.715	0	0	
6/19/2019	71.62	494.6	13316	0	144.6	0	0	0	0	0	70.58	2286	7.523	0	0	
6/20/2019	32.34	191	15724	0	144.6	0	0	0	0	0	0	1378	6.828	0	0	
6/21/2019	53.57	168.5	7049	0	144.6	0	0	0	0	0	28.07	3369	9.435	0	0	
6/22/2019	42.23	147.8	6817	0	144.6	0	0	0	0	0	0	3593	9.426	0	0	
6/23/2019	17.08	139.2	3269	0	144.6	0	0	0	0	0	127.5	2150	7.783	0	0	
6/24/2019	11.09	130.5	2983	0	144.6	0	0	0	0	0	576.6	1829	7.737	0	0	
6/25/2019	11.61	120.8	5936	0	144.6	0	0	0	0	0	0	2795	8.022	0	0	
6/26/2019	4.269	111.8	5778	0	144.6	0	0	0	0	0	0	3353	9.05	0	0	
6/27/2019	0	103.1	8657	0	144.6	0	0	0	0	0	26.47	4227	9.234	0	0	
6/28/2019	0	94.98	3251	0	144.6	0	0	0	0	0	0	3917	9.555	0	0	
6/29/2019	0	87.43	9411	0	144.6	0	0	0	0	0	0	1002	8.408	0	0	
6/30/2019	0	80.6	7589	0	144.6	0	0	0	0	0	48.12	4744	7.707	0	0	
7/1/2019	0	384.8	6593	0	144.6	0	0	0	0	0	0	1458	7.252	0	0	
7/2/2019	0	178.5	3042	0	144.6	0	0	0	0	0	0	130.5	7.194	0	0	
7/3/2019	0	81.32	1767	0	144.6	0	0	0	0	0	120.3	6244	7.822	0	0	
7/4/2019	0	491	8474	0	144.6	0	0	0	0	0	0	2514	7.908	0	0	
7/5/2019	0	282.6	4825	0	144.6	0	0	0	0	0	0	78.83	17.57	0	0	
7/6/2019	0	105.9	1867	0	144.6	0	0	0	0	0	0	526.2	10.04	0	0	
7/7/2019	0	94.88	1652	0	144.6	0	0	0	0	0	10.43	78.97	8.072	0	0.55	
7/8/2019	0	77.66	5955	0	144.6	0	0	0	0	0	0	3976	7.565	0	1147	
7/9/2019	0	324.3	5838	0	144.6	0	0	0	0	0	1001	5332	7.542	0	21.07	
7/10/2019	0	451.6	7692	0	144.6	0	0	0	0	0	1178	79.44	8.773	0	1086	
7/11/2019	0	114.4	2005	0	144.6	0	0	0	0	0	1167	132.7	9.559	0	2240	
7/12/2019	0	97.82	1758	0	144.6	0	0	0	0	0	1280	902.2	10.92	0	1912	
7/13/2019	0	116.5	2028	0	144.6	0	0	0	0	0	1094	79.63	9.384	0	2231	
7/14/2019	0	74.55	1316	0	144.6	0	0	0	0	0	1189	79.64	9.718	0	1817	
7/15/2019	0	69.36	10878	0	144.6	0	0	0	0	0	1133	2230	9.118	0	2104	
7/16/2019	0	191.9	3310	0	144.6	0	0	0	0	0	1221	372.7	10.78	0	1982	
7/17/2019	0	70.51	1270	0	144.6	0	0	0	0	0	1182	532.8	10.6	0	1364	
7/18/2019	0	74.46	1303	0	144.6	0	0	0	0	0	1124	0	9.672	0	846.5	
7/19/2019	0	55.88	7342	0	144.6	0	0	0	0	0	352.1	79.95	9.917	0	1285	
7/20/2019	0	51.53	915.7	0	144.6	0	0	0	0	0	1117	133.4	9.826	0	1110	
7/21/2019	0	47.17	831.1	0	144.6	0	0	0	0	0	0	0	10.12	0	1404	
7/22/2019	0	42.95	761	0	144.6	0	0	0	0	0	1121	80.05	9.859	0	1423	
7/23/2019	0	39.13	693.7	0	144.6	0	0	0	0	0	960.8	80.05	9.248	0	1022	
7/24/2019	0	35.63	627.5	0	144.6	0	0	0	0	0	1103	0	8.217	0	1049	
7/25/2019	0	32.39	584.2	0	144.6	0	0	0	0	0	1081	240.2	8.68	0	1258	
7/26/2019	0	29.49	524.6	0	144.6	0	0	0	0	0	1189	80.05	8.428	0	344.1	
7/27/2019	0	26.83	691.7	0	144.6	0	0	0	0	0	962.4	3737	6.728	0	1159	
7/28/2019	0	239.3	4193	0	144.6	0	0	0	0	0	1252	2110	7.308	0	210	
7/29/2019	0	147.6	4514	0	144.6	0	0	0	0	0	656.8	0	8.648	0	1490	
7/30/2019	0	37.57	2454	0	144.6	0	0	0	0	0	1578	80.34	8.131	0	1876	
7/31/2019	0	28.94	529.6	0	144.6	0	0	0	0	0	1275	134	8.11	0	1380	
8/1/2019	0	29.34	525.8	0	144.6	0	0	0	0	0	1259	0	8.338	0	1686	
8/2/2019	0	28.49	508.4	0	144.6	0	0	0	0	0	1262	0	10.26	0	1739	
8/3/2019	0	25.82	468.7	0	144.6	0	0	0	0	0	1278	133.9	6.795	0	1349	
8/4/2019	0															

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance													Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Cahanne1 to CP1	CPS to CP1	STP to CP1	DCP1 to CP1	TIRIO1 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWTP	
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
9/6/2019	0	49.99	909.1	0	144.6	0	0	0	0	0	1382	318.4	4.317	0	9307	
9/7/2019	0	48.12	854.6	0	144.6	0	0	0	0	0	739.4	0	4.148	0	10956	
9/8/2019	0	45.72	844.8	0	144.6	0	0	0	0	0	1276	0	4.019	0	11412	
9/9/2019	0	43.21	763.5	0	144.6	0	0	0	0	0	949.6	0	4.208	0	5706	
9/10/2019	0	39.98	739.5	0	144.6	0	0	0	0	0	15.24	529.1	4.354	0	7113	
9/11/2019	0	50.09	881	0	144.6	0	0	0	0	0	256.6	79.24	4.593	0	5712	
9/12/2019	0	34.11	2986	0	144.6	0	0	0	0	0	777.9	0	4.766	0	9936	
9/13/2019	0	31.51	3733	0	144.6	0	0	0	0	0	857.3	0	4.547	0	11233	
9/14/2019	0	28.88	4088	0	144.6	0	0	0	0	0	806	78.82	4.342	0	7275	
9/15/2019	0	26.54	736.6	0	144.6	0	0	0	0	0	888.6	4148	3.325	0	681.7	
9/16/2019	0	276.7	4713	0	144.6	0	0	0	0	0	832.5	78.88	3.96	0	893.2	
9/17/2019	0	18.26	724.1	0	144.6	0	0	0	0	0	840.5	6003	3.78	0	1175	
9/18/2019	0	438.1	9058	0	144.6	0	0	0	0	0	817.2	237.4	3.812	0	2348	
9/19/2019	0	89.93	1581	0	144.6	0	0	0	0	0	1428	0	3.425	0	2618	
9/20/2019	0	63.04	1167	0	144.6	0	0	0	0	0	1517	713.8	3.349	0	2300	
9/21/2019	0	84	1676	0	144.6	0	0	0	0	0	1599	3173	3.161	0	3204	
9/22/2019	0	261	9436	0	144.6	0	0	0	0	0	1736	79.4	3	0	3196	
9/23/2019	0	69.55	6019	0	144.6	0	0	0	0	0	1228	530.5	2.958	0	2697	
9/24/2019	0	84.82	4814	0	144.6	0	0	0	0	0	594.6	1169	3.35	0	3331	
9/25/2019	0	125.6	8588	0	144.6	0	0	0	0	0	1014	2658	2.91	0	2468	
9/26/2019	0	233.4	9165	0	144.6	0	0	0	0	0	1268	559.4	2.885	0	3088	
9/27/2019	0	104.8	1899	0	144.6	0	0	0	0	0	731.4	1041	2.029	0	2580	
9/28/2019	0	80.83	1428	0	144.6	0	0	0	0	0	423.5	0	1.894	0	2882	
9/29/2019	0	18.89	377.5	0	144.6	0	0	0	0	0	93.09	0	1.723	0	1775	
9/30/2019	0	11.34	244.3	0	144.6	0	0	0	0	0	52.23	0	1.824	0	1430	
10/1/2019	0	207.8	3551	0	144.6	0	0	0	0	0	1044	0	2.318	0	1741	
10/2/2019	0	53.8	949.9	0	144.6	0	0	0	0	0	334.2	0	2.144	0	2927	
10/3/2019	0	2.617	82.92	0	144.6	0	0	0	0	0	5.449	0	1.857	0	2979	
10/4/2019	0	100.1	1728	0	144.6	0	0	0	0	0	535.9	79.99	2.232	0	2331	
10/5/2019	0	48.21	846.3	0	144.6	0	0	0	0	0	251.3	26.66	2.194	0	729.4	
10/6/2019	0	2.286	67.45	0	144.6	0	0	0	0	0	4.148	0	1.754	0	0	
10/7/2019	0	2.16	62.43	0	144.6	0	0	0	0	0	4.589	0	1.512	0	0	
10/8/2019	0	125.2	2242	0	144.6	0	0	0	0	0	0	933.2	1.851	0	0	
10/9/2019	0	89.89	1568	0	144.6	0	0	0	0	0	0	400.3	1.791	0	0	
10/10/2019	0	20.2	366.9	0	144.6	0	0	0	0	0	0	0	1.425	0	0	
10/11/2019	0	1.72	52.78	0	144.6	0	0	0	0	0	0	0	1.417	0	0	
10/12/2019	0	1.673	49.6	0	144.6	0	0	0	0	0	0	0	1.378	0	0	
10/13/2019	0	34.59	609	0	144.6	0	0	0	0	0	0	0	1.361	0	0	
10/14/2019	0	1.563	43.68	0	144.6	0	0	0	0	0	0	0	1.212	0	0	
10/15/2019	0	1.496	40.82	0	144.6	0	0	0	0	0	0	0	1.079	0	0	
10/16/2019	0	1.428	38.11	0	144.6	0	0	0	0	0	0	0	0.94	0	0	
10/17/2019	0	1.358	35.53	0	144.6	0	0	0	0	0	0	0	1.168	0	0	
10/18/2019	0	67.01	1632	0	144.6	0	0	0	0	0	0	3297	1.141	0	0	
10/19/2019	0	337.3	6185	0	144.6	0	0	0	0	0	0	2622	1.167	0	0	
10/20/2019	0	239.1	4230	0	144.6	0	0	0	0	0	0	514.6	1.105	0	0	
10/21/2019	0	38.67	688.6	0	144.6	0	0	0	0	0	0	0	0.9923	0	0	
10/22/2019	0	16.44	310.2	0	144.6	0	0	0	0	0	0	0	0.7202	0	0	
10/23/2019	0	9.171	184.4	0	144.6	0	0	0	0	0	0	0	0.6387	0	0	
10/24/2019	0	3.527	86.3	0	144.6	0	0	0	0	0	0	0	0.5688	0	0	
10/25/2019	0	1.829	55	0	144.6	0	0	0	0	0	0	0	0.8056	0	0	
10/26/2019	0	1.824	52.49	0	144.6	0	0	0	0	0	0	0	0.7633	0	0	
10/27/2019	0	1.795	49.84	0	144.6	0	0	0	0	0	0	0	0.7482	0	0	
10/28/2019	0	1.749	47.11	0	144.6	0	0	0	0	0	0	0	0.7907	0	0	
10/29/2019	0	1.691	44.36	0	144.6	0	0	0	0	0	0	0	0.7523	0	0	
10/30/2019	0	1.624	41.65	0	144.6	0	0	0	0	0	0	0	0.5819	0	0	
10/31/2019	0	1.552	39	0	144.6	0	0	0	0	0	0	0	0.5192	0	0	
11/1/2019	0	1.476	36.08	0	144.6	0	0	0	0	0	0	0	0.3388	0	0	
11/2/2019	0	1.399	33.66	0	144.6	0	0	0	0	0	0	0	0.1755	0	0	
11/3/2019	0	1.322	31.35	0	144.6	0	0	0	0	0	0	0	0.3368	0	0	
11/4/2019	0	0.3562	14.21	0	144.6	0	0	0	0	0	0	0	0.1361	0	0	
11/5/2019	0	0.3529	13.33	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/6/2019	0	0.349	12.52	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/7/2019	0	0.3445	11.78	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/8/2019	0	0.3396	11.1	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/9/2019	0	0.3343	10.47	0	144.6	0	0	0	0	0	0	0	0.05384	0	0	
11/10/2019	0	0.3289	9.896	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/11/2019	0	0.3234	9.365	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/12/2019	0	0.3177	8.877	0	144.6	0	0	0	0	0	0	0	0.1051	0	0	
11/13/2019	0	0.312	8.427	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/14/2019	0	0.3063	7.913	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/15/2019	0	0.3006	7.63	0	144.6	0	0	0	0	0	0	0	0.03317	0	0	
11/16/2019	0	0.2949	7.277	0	144.6	0	0	0	0	0	0	0	0.07536	0	0	
11/17/2019	0	0.2893	6.95	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/18/2019	0	0.2837	6.648	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/19/2019	0	0.2782	6.367	0	144.6	0	0	0	0	0	0	0	0.0254	0	0	
11/20/2019	0	0.2728	6.107	0	144.6	0	0	0	0	0	0	0	0.0352	0	0	
11/21/2019	0	0.2674	5.864	0	144.6	0	0	0	0	0	0	0	0.03995	0	0	
11/22/2019	0	0.2621	5.639	0	144.6	0	0	0	0	0	0	0	0.1067	0	0	
11/23/2019	0	0.257	5.429	0	144.6	0	0	0	0	0	0	0	0.001593	0	0	
11/24/2019	0	0.2519	5.232	0	144.6	0	0	0	0	0	0	0	0.09719	0	0	
11/25/2019	0	0.2469	5.048	0	144.6	0	0	0	0	0	0	0	0.05317	0	0	
11/26/2019	0	0.242	4.876	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/27/2019	0	0.2372	4.714	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/28/2019	0	0.2325	4.562	0	144.6	0	0	0	0	0	0	0	0.0376	0	0	
11/29/2019	0	0.2278	4.419	0	144.6	0	0	0	0	0	0	0	0.07659	0	0	
11/30/2019	0	0.2233	4.283	0	144.6	0	0	0	0	0	0	0	0.07539	0	0	
12/1/2019	0	0.2188	4.129	0	144.6	0	0	0	0	0	0	0	0.005899	0	0	
12/2/2019	0	0.2145	4.01	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/3/2019	0	0.2102	3.896	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/4/2019	0	0.206	3.788	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/5/2019	0	0.2019	3.685	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/6/2019	0	0.1978	3.587	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/7/2019	0	0.1939	3.493	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/8/2019	0	0.19	3.403	0	144.6	0										

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance													Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Cahanne1 to CP1	CPS to CP1	STP to CP1	DCP1 to CP1	TIRIO1 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWTP	
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
1/8/2020	0	0.1016	1.703	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/9/2020	0	0.09955	1.669	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/10/2020	0	0.09955	1.635	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/11/2020	0	0.09561	1.602	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/12/2020	0	0.09369	1.569	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/13/2020	0	0.09182	1.537	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/14/2020	0	0.08998	1.506	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/15/2020	0	0.08818	1.476	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/16/2020	0	0.08642	1.446	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/17/2020	0	0.08469	1.417	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/18/2020	0	0.083	1.388	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/19/2020	0	0.08134	1.36	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/20/2020	0	0.07971	1.333	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/21/2020	0	0.07812	1.306	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/22/2020	0	0.07655	1.279	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/23/2020	0	0.07502	1.254	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/24/2020	0	0.07352	1.228	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/25/2020	0	0.07205	1.204	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/26/2020	0	0.07061	1.18	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/27/2020	0	0.0692	1.156	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/28/2020	0	0.06782	1.133	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/29/2020	0	0.06646	1.11	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/30/2020	0	0.06513	1.088	0	144.6	0	0	0	0	0	0	0	0.1757	0	0	
1/31/2020	0	0.06383	1.066	0	144.6	0	0	0	0	0	0	0	0.2246	0	0	
2/1/2020	0	0.06255	1.041	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/2/2020	0	0.0613	1.02	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/3/2020	0	0.06007	1	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/4/2020	0	0.05887	0.98	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/5/2020	0	0.05769	0.9603	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/6/2020	0	0.05654	0.9411	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/7/2020	0	0.05541	0.9222	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/8/2020	0	0.0543	0.9038	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/9/2020	0	0.05322	0.8857	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/10/2020	0	0.05215	0.8679	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/11/2020	0	0.05111	0.8505	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/12/2020	0	0.05009	0.8335	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/13/2020	0	0.04908	0.8168	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/14/2020	0	0.0481	0.8005	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/15/2020	0	0.04714	0.7845	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/16/2020	0	0.0462	0.7688	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/17/2020	0	0.04527	0.7534	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/18/2020	0	0.04437	0.7383	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/19/2020	0	0.04348	0.7235	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/20/2020	0	0.04261	0.709	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/21/2020	0	0.04176	0.6948	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/22/2020	0	0.04092	0.6809	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/23/2020	0	0.04011	0.6673	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/24/2020	0	0.0393	0.654	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/25/2020	0	0.03852	0.6409	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/26/2020	0	0.03775	0.6281	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/27/2020	0	0.03699	0.6155	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/28/2020	0	0.03625	0.6032	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/29/2020	0	0.03553	0.5911	0	144.6	0	0	0	0	0	0	0	0.1232	0	0	
3/1/2020	0	0.03482	0.5797	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/2/2020	0	0.03412	0.5684	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/3/2020	0	0.03344	0.5581	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/4/2020	0	0.03277	0.548	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/5/2020	0	0.03211	0.5382	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/6/2020	0	0.03147	0.5285	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/7/2020	0	0.03084	0.5191	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/8/2020	0	0.03023	0.5099	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/9/2020	0	0.02962	0.4999	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/10/2020	0	0.02903	0.4881	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/11/2020	0	0.02845	0.4714	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/12/2020	0	0.02788	0.462	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/13/2020	0	0.02732	0.4527	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/14/2020	0	0.02677	0.4437	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/15/2020	0	0.02624	0.4348	0	144.6	0	0	0	0	0	0	0.08016	0	0	0	
3/16/2020	0	0.02571	0.4261	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/17/2020	0	0.0252	0.4176	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/18/2020	0	0.0247	0.4092	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/19/2020	0	0.0242	0.4011	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/20/2020	0	0.02372	0.393	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/21/2020	0	0.02324	0.3852	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/22/2020	0	0.02278	0.3775	0	144.6	0	0	0	0	0	0	0.5139	0	0	0	
3/23/2020	0	0.02232	0.3699	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/24/2020	0	0.02188	0.3625	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/25/2020	0	0.02144	0.3553	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/26/2020	0	0.02101	0.3482	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/27/2020	0	0.02059	0.3412	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/28/2020	0	0.02018	0.3344	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/29/2020	0	0.01978	0.3277	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/30/2020	0	0.01938	0.3211	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/31/2020	0	0.01899	0.3147	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/1/2020	0	0.01861	0.3075	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/2/2020	0	0.01824	0.3003	0	144.6	0	0	0	0	0	0	0.8813	0	0	0	
4/3/2020	0	0.01788	0.2953	0	144.6	0	0	0	0	0	0	0.7662	0	0	0	
4/4/2020	0	0.01752	0.2894	0	144.6	0	0	0	0	0	0	0.7528	0	0	0	
4/5/2020	0	0.01717	0.2836	0	144.6	0	0	0	0	0	0	0.9666	0	0	0	
4/6/2020	0	0.01682	0.2779	0	144.6	0	0	0	0	0	0	0.4451	0	0	0	
4/7/2020	0	0.01649	0.2724	0	144.6	0	0	0	0	0	0	0.2717	0	0	0	
4/8/2020	0	0.01616	0.2669	0	144.6	0	0	0	0	0	0	0.9263	0	0	0	
4/9/2020	0	0.01583	0.2616	0	144.6	0	0	0	0	0	0	0.444	0	0	0	
4/10/2020	0	0.01552	0.2564	0	144.6	0	0	0	0	0	0	0.2291	0	0	0	
4/11/2020	0	0.01521	0.2512	0	144.6	0	0	0	0	0	0	0.1114	0	0	0	
4/12/2020	0	0.0149	0.2462	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/13/2020	0	0.01461	0.2413	0	144.6	0	0									

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance												Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Channel 1 to CP1	CPS to CP1	STP to CP1	DCP1 to CP1	TIR101 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWP2
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
5/11/2020	0	0.008295	0.13666	0	144.6	0	0	0	0	0	0	0	2,374	0	0
5/12/2020	0	0.00813	0.1339	0	144.6	0	0	0	0	0	0	0	2,41	0	0
5/13/2020	0	0.007967	0.1312	0	144.6	0	0	0	0	0	0	0	1,97	0	0
5/14/2020	0	0.007808	0.1286	0	144.6	0	0	0	0	0	0	0	1,847	0	0
5/15/2020	0	0.007651	0.126	0	144.6	0	0	0	0	0	0	0	2,344	0	0
5/16/2020	0	0.007498	0.1235	0	144.6	0	0	0	0	0	0	0	4,128	0	0
5/17/2020	0	0.007348	0.121	0	144.6	0	0	0	0	0	0	0	4,645	0	0
5/18/2020	0	0.007201	0.1186	0	144.6	0	0	0	0	0	0	0	3,651	0	0
5/19/2020	0	0.007057	0.1162	0	144.6	0	0	0	0	0	0	0	3,647	0	0
5/20/2020	0	0.006916	0.1139	0	144.6	0	0	0	0	0	0	0	3,73	0	0
5/21/2020	0	0.006778	0.1116	0	144.6	0	0	0	0	0	0	0	3,579	0	0
5/22/2020	0	0.006642	0.1094	0	144.6	0	0	0	0	0	0	0	3,388	0	0
5/23/2020	0	0.00651	0.1072	0	144.6	0	0	0	0	0	0	0	4,263	0	0
5/24/2020	0	0.006379	0.1051	0	144.6	0	0	0	0	0	0	0	4,147	0	0
5/25/2020	0	0.006252	0.103	0	144.6	0	0	0	0	0	0	0	4,29	0	0
5/26/2020	0	0.006127	0.1009	0	144.6	0	0	0	0	0	0	0	2,963	0	0
5/27/2020	0	0.006004	0.09889	0	144.6	0	0	0	0	0	0	0	3,032	0	0
5/28/2020	0	0.005884	0.09692	0	144.6	0	0	0	0	0	0	0	4,358	0	0
5/29/2020	0	0.005766	0.09498	0	144.6	0	0	0	0	0	0	0	4,017	0	0
5/30/2020	0	0.005651	0.09308	0	144.6	0	0	0	0	0	0	0	4,348	0	0
5/31/2020	0	0.005538	0.09122	0	144.6	0	0	0	0	0	0	0	4,358	0	0
6/1/2020	0	0.005427	0.08933	0	144.6	0	0	0	0	0	0	0	4,041	0	0
6/2/2020	0	0.005319	0.08725	0	144.6	0	0	0	0	0	0	0	4,082	0	0
6/3/2020	6.856	8.055	201.9	0	144.6	0	0	0	0	0	0	73.35	4,689	0	0
6/4/2020	0	0.005108	0.0838	500	144.6	0	0	0	0	0	0	0	5,086	0	0
6/5/2020	0	0.005006	0.08212	0	144.6	0	0	0	0	0	0	0	5,198	0	900.8
6/6/2020	78.27	177	3673	0	144.6	0	0	0	0	0	0	828.9	5,487	0	8690
6/7/2020	12.45	396.1	6605	0	144.6	0	0	0	0	0	0	132.9	4,162	0	4048
6/8/2020	34.46	91.3	3329	0	144.6	0	0	0	0	0	0	392.1	5,497	0	5121
6/9/2020	18.32	124.3	2320	0	144.6	0	0	0	0	0	0	330.4	5,918	0	6156
6/10/2020	29.03	285.9	7260	3600	144.6	0	0	0	0	0	0	1054	6,565	0	6127
6/11/2020	0	819.1	21389	4800	144.6	0	0	0	0	0	0	1846	7,774	0	6156
6/12/2020	0	888.5	22787	0	144.6	0	0	0	0	0	0	3054	8,992	0	6277
6/13/2020	0	1269	30613	0	144.6	0	0	0	0	0	0	4447	10.2	0	6547
6/14/2020	0	267.6	6727	0	144.6	0	0	0	0	0	0	2940	9,125	0	7155
6/15/2020	0	207.3	5495	0	144.6	0	0	0	0	0	0	2634	8,841	0	6913
6/16/2020	0	173.5	4592	0	144.6	0	0	0	0	0	0	1931	7,984	0	9183
6/17/2020	0	147.1	6300	3264	144.6	0	0	0	0	0	0	3380	9,489	0	8314
6/18/2020	0	124.7	4405	0	144.6	0	0	0	0	0	0	2971	10.5	0	9606
6/19/2020	0	105.4	1729	2205	144.6	0	0	0	0	0	0	0	11.64	0	9318
6/20/2020	0	94.86	1556	4780	144.6	0	0	0	0	0	0	0	11.14	0	8714
6/21/2020	0	89.62	1690	4606	144.6	0	0	0	0	0	0	0	11.04	0	8933
6/22/2020	0	82.63	1956	0	144.6	0	0	0	0	0	0	0	11.3	0	9126
6/23/2020	0	75.84	2279	0	144.6	0	0	0	0	0	0	0	13.17	0	10581
6/24/2020	0	69.36	1957	3881	144.6	0	0	0	0	0	0	0	190.8	10.77	12769
6/25/2020	0	63.74	1053	0	144.6	0	0	0	0	0	0	0	81.64	9.616	9141
6/26/2020	0	58.51	1894	2242	144.6	0	0	0	0	0	0	1141	6.592	0	6456
6/27/2020	0	105.4	1738	0	144.6	0	0	0	0	0	0	0	8.118	0	16678
6/28/2020	0	49.87	826.5	0	144.6	0	0	0	0	0	0	0	10.52	0	16961
6/29/2020	0	45.7	757.3	4272	144.6	0	0	0	0	0	0	0	11.63	0	17518
6/30/2020	0	41.46	11047	0	144.6	0	0	0	0	0	0	0	12.16	0	16786
7/1/2020	0	37.45	4139	0	144.6	0	0	0	0	0	0	0	13.08	0	16656
7/2/2020	0	33.65	555.7	0	144.6	0	0	0	0	0	0	0	11.88	0	14670
7/3/2020	0	30.21	498.9	0	144.6	0	0	0	0	0	0	0	11.09	0	12646
7/4/2020	0	27.08	447.3	0	144.6	0	0	0	0	0	0	0	9.932	0	16860
7/5/2020	0	6.937	117.4	0	144.6	0	0	0	0	0	0	0	9.976	0	17211
7/6/2020	0	6.798	114.7	3798	144.6	0	0	0	0	0	0	0	9.01	0	14792
7/7/2020	0	6.662	2587	4440	144.6	0	0	0	0	0	0	996.8	9.31	0	16313
7/8/2020	0	46.96	5134	3465	144.6	0	0	0	0	0	0	78.47	9.535	0	16529
7/9/2020	0	6.399	120	0	144.6	0	0	0	0	0	0	78.26	9.774	0	15996
7/10/2020	0	6.271	111.6	0	144.6	0	0	0	0	0	0	0	11.45	0	13289
7/11/2020	0	6.145	108.6	0	144.6	0	0	0	0	0	0	0	11.56	0	16202
7/12/2020	0	6.022	105.8	0	144.6	0	0	0	0	0	0	0	9.968	0	15992
7/13/2020	0	5.902	103.1	0	144.6	0	0	0	0	0	0	0	8.321	0	16213
7/14/2020	0.7692	5.784	106.5	0	144.6	0	0	0	0	0	75.84	0	8.558	0	7674
7/15/2020	1.01	5.668	104.5	0	144.6	0	0	0	0	0	75.54	0	8.119	0	15340
7/16/2020	21.18	5.555	179.9	0	144.6	0	0	0	0	0	1049	0	10.73	0	10904
7/17/2020	1.858	50.89	851.2	444.3	144.6	0	0	0	0	0	74.48	0	8.943	0	15378
7/18/2020	0	5.335	99.49	0	144.6	0	0	0	0	0	0	0	10.82	0	15623
7/19/2020	0	5.228	65.2	0	144.6	0	0	0	0	0	0	0	10.27	0	9491
7/20/2020	0	5.124	93.71	0	144.6	0	0	0	0	0	0	0	10.9	0	12456
7/21/2020	0	5.021	91.04	0	144.6	0	0	2816	0	0	0	0	10.81	0	12404
7/22/2020	0	4.921	88.51	0	144.6	0	0	2689	0	0	0	0	9.651	0	12121
7/23/2020	0	4.822	86.1	0	144.6	0	0	0	0	0	0	0	10.02	0	10555
7/24/2020	5.784	4.726	89.73	0	144.6	0	0	6171	0	0	0	69.57	8.995	0	6368
7/25/2020	5.819	4.631	88.09	0	144.6	0	0	0	0	0	0	69.53	7.33	0	5133
7/26/2020	0	4.539	80.55	0	144.6	0	0	0	0	0	0	0	6.893	0	5143
7/27/2020	0	4.448	78.43	0	144.6	0	0	3164	0	0	0	0	6.599	0	5148
7/28/2020	0	4.359	76.41	0	144.6	0	0	2213	0	0	0	0	8.752	0	5149
7/29/2020	6.774	4.272	80.41	0	144.6	0	0	0	0	0	0	68.33	8.086	0	5150
7/30/2020	7.125	4.186	79.1	0	144.6	0	0	0	0	0	0	67.89	9.626	0	5152
7/31/2020	0	4.103	71.88	0	144.6	0	0	0	0	0	0	0	6.754	0	4526
8/1/2020	0	4.021	69.8	0	144.6	0	0	0	0	0	0	0	8.946	0	3878
8/2/2020	0	3.94	68.06	0	144.6	0	0	0	0	0	0	0	9.021	0	3281
8/3/2020	0	3.861	66.4	0	144.6	0	0	0	0	0	0	0	9.232	0	3274
8/4/2020	0	3.784	64.79	0	144.6	0	0	0	0	0	0	0	9.205	0	3320
8/5/2020	15.69	3.708	73.27	0	144.6	0	0	0	0	0	108.4	0	9.042	0	3324
8/6/2020	0	3.634	62.69	0	144.6	0	0	0	0	0	0	0	8.622	0	3322
8/7/2020	0	3.562	61.16	0	144.6	0	0	0	0	0	0	0	6.673	0	2873
8/8/2020	10.56	3.49	65.71	0	144.6	0	0	0	0	0	0	63.6	6.526	0	3282
8/9/2020	109.8	3.421	119	0	144.6	0	0	0	0	0	630.8	0	5.188	0	3077
8/10/2020	11.29	3.245	543.4	0	144.6	0	0	0	0	0	62.69				

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance														Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Cahnhnel 1 to CP1	CPS to CP1	STP to CP1	DCP1 to CP1	TIRIO1 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWP		
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3		
5/18/2021	0	0.07333	2.211	0	176.7	0	0	0	0	0	0	0	0.8841	0	0		
5/19/2021	0	0.07359	2.11	0	176.7	0	0	0	0	0	0	0	1.15	0	0		
5/20/2021	0	0.0735	2.014	0	176.7	0	0	0	0	0	0	0	0.9868	0	0		
5/21/2021	0	0.07314	1.923	0	176.7	0	0	0	0	0	0	0	1.516	0	0		
5/22/2021	0	0.07256	1.837	0	176.7	0	0	0	0	0	0	0	1.611	0	0		
5/23/2021	0	0.07182	1.756	0	176.7	0	0	0	0	0	0	0	1.459	0	0		
5/24/2021	0	0.07095	1.681	0	176.7	0	0	0	0	0	0	0	2.059	0	0		
5/25/2021	0	0.06999	1.61	0	176.7	0	0	0	0	0	0	0	2.065	0	0		
5/26/2021	0	0.06895	1.543	0	176.7	0	0	0	0	0	0	0	2.042	0	0		
5/27/2021	0	0.06786	1.48	0	176.7	0	0	0	0	0	0	0	1.879	0	0		
5/28/2021	0	0.06674	1.422	0	176.7	0	0	0	0	0	0	0	2.449	0	0		
5/29/2021	242.1	8.23	265.2	0	176.7	0	0	0	0	0	0	291.3	2.923	0	0		
5/30/2021	232.6	66.34	1447	0	176.7	0	0	0	0	0	0	282.7	2.842	0	0		
5/31/2021	233.2	86.89	1479	0	176.7	110	0	0	0	0	0	312.7	2.982	0	0		
6/1/2021	0	36.87	2992	0	158	110	0	0	0	0	0	0	2.961	0	0		
6/2/2021	0	0.0837	2410	0	158	110	0	0	0	0	0	0	3.711	0	0		
6/3/2021	117	37.22	3371	0	158	110	0	0	0	0	0	248	3.852	0	0		
6/4/2021	142.3	127.6	4920	4500	158	110	0	0	0	0	0	313.7	4.07	0	0		
6/5/2021	107.9	174.9	5585	4500	158	110	0	0	0	0	0	274.7	4.287	0	0		
6/6/2021	173.2	209.5	6901	4500	158	110	0	0	0	0	0	394.3	4.364	0	0		
6/7/2021	0	277.3	7269	4500	158	110	0	0	0	0	0	0	4.156	0	0		
6/8/2021	139.5	148.9	3812	4500	158	110	0	0	0	0	0	481	4.649	0	0		
6/9/2021	202.2	438.8	8997	4500	158	110	0	0	0	0	0	771.3	5.046	0	0		
6/10/2021	151.4	515	10197	0	158	110	0	2500	0	0	0	711.9	5.2	0	0		
6/11/2021	242.5	507.4	11002	0	158	287	0	4296	0	0	0	1376	5.994	0	0		
6/12/2021	393.2	883.9	17286	0	158	110	0	2500	0	0	0	2785	9.145	0	0		
6/13/2021	342.2	1675	30164	0	158	110	0	2500	0	0	0	3218	8.025	0	0		
6/14/2021	286.2	1404	26537	0	158	110	0	2500	0	0	0	3943	9.256	0	0		
6/15/2021	150.8	409.4	15147	0	158	110	0	2500	0	0	0	3170	8.992	0	0		
6/16/2021	72.54	332.4	12771	4500	158	110	0	2500	0	0	0	2121	7.308	0	0		
6/17/2021	67.59	285	12849	4500	158	110	0	2500	0	0	0	2947	8.574	0	0		
6/18/2021	43.66	246.1	7290	0	158	110	0	2715	0	0	0	3355	9.161	0	0		
6/19/2021	23.88	214.2	6378	0	158	480	0	0	0	0	0	3022	8.153	0	0		
6/20/2021	5.995	188.9	4318	0	158	0	0	0	0	0	0	1354	7.168	0	0		
6/21/2021	4.404	167.6	4431	0	158	0	0	0	0	0	0	1756	7.441	0	0		
6/22/2021	0.955	152.5	4772	0	158	0	0	0	0	0	0	2334	7.719	0	0		
6/23/2021	0	143.7	5005	0	158	0	0	0	0	0	0	2709	8.157	0	0		
6/24/2021	0	134.4	4499	0	158	0	0	0	0	0	0	3931	7.847	0	0		
6/25/2021	0	221.9	4878	0	158	0	0	0	0	0	0	3066	7.262	0	0		
6/26/2021	0	237.9	5569	0	158	0	0	0	0	0	0	1780	7.727	0	0		
6/27/2021	0	108.3	4757	0	158	19.66	0	0	0	0	0	3030	9.021	0	0		
6/28/2021	0	102.8	4917	0	158	0	0	0	0	0	0	3287	8.546	0	0		
6/29/2021	0	96.51	3475	0	158	0	0	0	0	0	0	1945	9.14	0	0		
6/30/2021	0	89	1425	0	158	0	0	0	0	0	0	0	11.28	0	0		
7/1/2021	0	81.72	1308	0	168.7	0	0	4100	0	0	0	0	9.011	0	0		
7/2/2021	0	75.16	1251	0	168.7	0	0	4700	0	0	0	0	9.645	0	0		
7/3/2021	0	72.2	1209	0	168.7	0	0	1200	0	0	0	0	9.336	0	0		
7/4/2021	0	78.44	1421	0	168.7	0	0	0	0	0	0	1600	8.792	0	0		
7/5/2021	0	152.4	2438	0	168.7	0	0	0	0	0	0	0	8.505	0	0		
7/6/2021	0	54.5	887.8	0	168.7	0	0	0	0	0	0	0	9.186	0	0		
7/7/2021	0	51.36	835.4	0	168.7	0	0	0	0	0	0	0	10.17	0	0		
7/8/2021	0	46.84	790.9	1000	168.7	0	0	0	0	0	0	289	10.03	0	0		
7/9/2021	0	42.82	581.2	0	168.7	0	0	0	0	0	0	0	10.59	0	0		
7/10/2021	0	38.97	635.1	0	168.7	0	0	0	0	0	0	0	9.638	0	0		
7/11/2021	0	35.35	576	0	168.7	0	0	0	0	0	0	0	11.16	0	0		
7/12/2021	0	31.84	518.9	0	168.7	0	0	0	0	0	0	0	10.21	0	0		
7/13/2021	0	28.67	512.2	0	168.7	0	0	0	0	0	0	446.8	9.565	0	2600		
7/14/2021	0	27.27	446.9	0	168.7	0	0	0	0	0	0	0	9.704	0	6632		
7/15/2021	0	6.723	120.6	0	168.7	0	0	0	0	0	0	0	17.27	0	7408		
7/16/2021	0	6.589	130.3	0	168.7	20.05	0	0	0	0	0	190.7	10.7	0	3433		
7/17/2021	0	6.457	581	0	168.7	0	0	0	0	0	0	4594	8.027	0	3706		
7/18/2021	0	303.5	4943	4.313	168.7	0	0	0	0	0	0	0	8.778	0	8106		
7/19/2021	0	15.73	289.9	0	168.7	0	0	0	0	0	0	0	9.363	0	8163		
7/20/2021	0	25.42	438.9	0	168.7	0	0	0	0	0	0	0	11.01	0	8158		
7/21/2021	0	25.59	438	0.04688	168.7	0	0	0	0	0	0	0	10.28	0	8247		
7/22/2021	0	6.66	135.3	0.2813	168.7	0	0	0	0	0	0	0	9.681	0	8289		
7/23/2021	0	6.526	130.2	9630	168.7	0	0	0	0	0	0	0	9.73	0	5569		
7/24/2021	0	6.396	790.6	10027	168.7	0	0	0	0	0	0	6467	8.476	0	8326		
7/25/2021	0	441.4	7150	4654	168.7	0	0	0	0	0	0	982.1	8.371	0	5639		
7/26/2021	0	88.93	1720	3.688	168.7	0	0	0	0	0	0	725.5	8.632	0	5056		
7/27/2021	0	81.03	1351	3.5	168.7	0	0	0	0	0	0	3.8	7.678	0	8268		
7/28/2021	0	41.09	712.4	2.297	168.7	0	0	0	0	0	0	0	7.673	0	8269		
7/29/2021	0	32.33	567.6	0	168.7	0	0	0	0	0	0	0	7.867	0	8289		
7/30/2021	0	32.28	611.5	5.531	168.7	0	0	0	0	0	0	487.4	7.723	0	7886		
7/31/2021	0.08269	38.07	664.6	2.969	168.7	0	0	0	0	0	0	127.9	7.621	0	7396		
8/1/2021	0	29.06	504.9	6.063	173.1	0	0	0	0	0	0	0	7.62	0	10808		
8/2/2021	7.33	26.53	5849	9.219	173.1	0	0	1200	0	0	0	1040	7.802	0	11880		
8/3/2021	14.37	54.38	3950	488.3	173.1	0	0	0	0	0	0	152	7.69	0	11324		
8/4/2021	7.744	6.741	1734	2207	173.1	0	0	0	0	0	0	681.5	7.785	0	11838		
8/5/2021	0.7299	34.46	8122	1952	173.1	0	0	0	0	0	0	50.29	7.189	0	5649		
8/6/2021	0	6.48	6029	5367	173.1	0	0	0	0	0	0	0	6.924	0	8943		
8/7/2021	0	6.351	5535	277.5	173.1	0	0	0	0	0	0	0	7.054	0	2755		
8/8/2021	0	6.224	5530	0	173.1	0	0	0	0	0	0	0	7.565	0	0		
8/9/2021	10.5	6.099	246.6	8.875	173.1	0	0	0	0	0	0	1164	7.32	0	0		
8/10/2021	0	63.31	1035	9.109	173.1	0	0	0	0	0	0	0	6.91	0	12474		
8/11/2021	0	5.868	123.7	0	173.1	0	0	2530	0	0	0	0	6.901	0	14738		
8/12/2021	113.3	5.741	762.7	0	173.1	0	0	2700	0	0	0	6079	5.954	0	14813		
8/13/2021	53.2	428.9	7121	8.531	173.1	240	0	0	0	0	0	2519	5.122	0	10456		
8/14/2021	18.57	218.5	3632	3.406	173.1	580	0	0	0	0	0	872.8	6.659	0	14260		
8/15/2021	7.613	93.91	1600	0	173.1	580	0	0	0	0	0	297.7	6.66	0	14773		
8/16/2021	90.84	61.35	1352	0	173.1	499	0	0	0	0	0	2830	6.377	0	14820		
8/17/2021	0	242	3918	0.6719	173.1	499.2	0	0	0	0	0	0	6.159				

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance													Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Channel 1 to CP1	CPS to CP1	STP to CP1	DCP1 to CP1	TIRIO1 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWT	
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
9/19/2021	204.1	35.93	668.6	0	159.1	0	0	0	0	798	0	282.4	1.678	0	9977	
9/20/2021	10.25	55.56	925.6	0	159.1	0	0	730	0	1254	0	12.79	1.343	0	5019	
9/21/2021	20.77	29.82	632.7	0	159.1	0	0	0	0	798	0	25.23	1.242	0	5249	
9/22/2021	10.43	29.96	623.3	0	159.1	0	0	0	0	57	0	12.56	1.285	0	6075	
9/23/2021	0	29.55	690.4	0	159.1	0	0	0	0	0	0	0	1.242	0	1088	
9/24/2021	0	28.68	483.3	0	159.1	0	0	0	0	0	0	0	1.279	0	560.6	
9/25/2021	886.9	27.37	684.9	0	159.1	0	0	0	0	684	0	1067	1.346	0	3147	
9/26/2021	31.25	161	3725	0	159.1	81.68	0	0	0	0	0	37.74	1.299	0	1734	
9/27/2021	0	6.851	145.7	0	159.1	241.8	0	0	0	0	0	0	1.137	0	3051	
9/28/2021	0	25.73	2740	0	159.1	0	0	0	0	171	0	0	1.221	0	2991	
9/29/2021	0	25.71	2117	0	159.1	0	0	0	0	0	0	0	1.079	0	2208	
9/30/2021	62.61	7.197	2159	0	159.1	0	0	0	0	0	0	75.34	1.075	0	2370	
10/1/2021	417.4	25.58	1406	0	166.5	214	0	0	0	228	0	502.3	1.262	0	2850	
10/2/2021	62.61	63.37	1049	0	166.5	220.5	0	0	0	285	0	75.34	1.12	0	1825	
10/3/2021	83.48	8.154	179.2	0	166.5	0	0	0	0	513	0	100.5	0.9795	0	966.2	
10/4/2021	167	10.23	1892	0	166.5	352.6	0	0	0	570	0	200.9	0.9729	0	3275	
10/5/2021	1962	43.57	4043	0	166.5	0	0	0	0	769.5	0	2361	1.125	0	4689	
10/6/2021	91.03	343.3	8608	0	166.5	120	0	0	0	1640	0	1368	1.166	0	4671	
10/7/2021	19.24	68.53	1548	0	166.5	0	0	0	0	535.8	0	27.15	0.9689	0	4268	
10/8/2021	741	46.2	1409	0	166.5	0	0	0	0	2210	0	1191	1006	0.9448	4316	
10/9/2021	47.33	162.3	3429	0	166.5	0	0	0	0	2210	0	404.7	68.83	1.076	5400	
10/10/2021	0	52.24	979.1	0	166.5	0	0	0	0	2210	0	849.3	0	1.006	5352	
10/11/2021	0	44.97	844.6	0	166.5	0	0	0	0	2210	0	1026	0	1.085	1648	
10/12/2021	373.3	39.48	775.8	0	166.5	0	0	0	0	2210	0	0	557.4	0.898	5321	
10/13/2021	592.4	90.91	1653	0	166.5	0	0	0	0	0	0	872.3	0.7878	0	9771	
10/14/2021	0	138.6	2248	0	166.5	0	0	0	0	0	0	0	0.7401	0	11083	
10/15/2021	0	55.32	925.3	7703	166.5	0	0	0	0	0	0	0	0.6196	0	9647	
10/16/2021	208.7	42.19	765.6	0	166.5	0	0	0	0	0	0	251.1	0.6843	0	1375	
10/17/2021	417.4	58.71	1079	0	166.5	0	0	0	0	0	0	0	0.5601	0	0	
10/18/2021	41.12	103.5	1695	0	166.5	0	0	0	0	0	0	51	0.6571	0	0	
10/19/2021	0	41.38	698.4	0	166.5	0	0	0	0	0	0	0	0.6354	0	0	
10/20/2021	0	1.973	71.07	0	166.5	0	0	0	0	0	0	0	0.507	0	0	
10/21/2021	0	1.967	792	0	166.5	0	0	0	0	0	0	0	0.4571	0	0	
10/22/2021	0	1.94	2238	0	166.5	0	0	0	0	0	0	0	0.3814	0	0	
10/23/2021	0	1.896	836.9	0	166.5	0	0	0	0	0	0	0	0.3986	0	0	
10/24/2021	0	1.828	963.8	0	166.5	0	0	0	0	0	0	0	0.3994	0	0	
10/25/2021	0	1.77	51.54	0	166.5	0	0	0	0	0	0	0	0.4335	0	0	
10/26/2021	0	1.695	48	0	166.5	0	0	0	0	0	0	0	0.3865	0	0	
10/27/2021	10.43	179.5	2860	0	166.5	0	0	0	0	0	0	12.56	0.4905	0	0	
10/28/2021	602.4	132	2260	0	166.5	0	0	0	0	0	0	757.4	0.4263	0	0	
10/29/2021	0	118.4	1899	0	166.5	0	0	0	0	0	0	0	0.3484	0	0	
10/30/2021	147.5	6.682	172.5	0	166.5	0	0	0	0	0	0	225.3	0.3823	0	0	
10/31/2021	0	17.73	305.5	0	166.5	0	0	0	0	0	0	0	0.3966	0	0	
11/1/2021	0	1.363	44.2	0	163.2	0	0	0	0	0	0	0	0.2815	0	0	
11/2/2021	0	1.365	41.87	0	163.2	0	0	0	0	0	0	0	0.2038	0	0	
11/3/2021	0	1.355	39.77	0	163.2	0	0	0	0	0	0	0	0.2033	0	0	
11/4/2021	0	1.333	37.58	0	163.2	0	0	0	0	0	0	0	0.2219	0	0	
11/5/2021	0	1.299	35.39	0	163.2	0	0	0	0	1600	0	0	0.2561	0	0	
11/6/2021	0	0.359	19.05	0	163.2	0	0	0	0	2400	0	0	0.2597	0	0	
11/7/2021	0	1.271	32.13	0	163.2	0	0	0	0	943.2	0	0	0.2446	0	0	
11/8/2021	0	0.3468	16.31	0	163.2	0	0	0	0	0	0	0	0.2786	0	0	
11/9/2021	0	0.3471	15.24	0	163.2	0	0	0	0	0	0	0	0.2132	0	0	
11/10/2021	0	0.346	14.24	0	163.2	0	0	0	0	0	0	0	0.1791	0	0	
11/11/2021	0	0.3438	13.33	0	163.2	0	0	0	0	0	0	0	0.04663	0	0	
11/12/2021	0	0.3407	12.49	0	163.2	0	0	0	0	0	0	0	0.02121	0	0	
11/13/2021	0	0.3368	11.72	0	163.2	0	0	0	0	0	0	0	0	0	0	
11/14/2021	0	0.3325	11.01	0	163.2	0	0	0	0	0	0	0	0.005684	0	0	
11/15/2021	0	0.3278	10.36	0	163.2	0	0	0	0	0	0	0	0.1063	0	0	
11/16/2021	0	0.3228	9.765	0	163.2	0	0	0	0	0	0	0	0.1369	0	0	
11/17/2021	0	0.3175	9.217	0	163.2	0	0	0	0	0	0	0	0.09341	0	0	
11/18/2021	0	0.3122	8.742	0	163.2	0	0	0	0	0	0	0	0.02505	0	0	
11/19/2021	0	0.3067	8.248	0	163.2	0	0	0	0	0	0	0	0	0	0	
11/20/2021	0	0.3012	7.821	0	163.2	0	0	0	0	0	0	0	0.005451	0	0	
11/21/2021	0	0.2957	7.428	0	163.2	0	0	0	0	0	0	0	0.08498	0	0	
11/22/2021	0	0.2902	7.066	0	163.2	0	0	0	0	0	0	0	0.04737	0	0	
11/23/2021	0	0.2847	6.731	0	163.2	0	0	0	0	0	0	0	0	0	0	
11/24/2021	0	0.2793	6.422	0	163.2	0	0	0	0	0	0	0	0	0	0	
11/25/2021	0	0.2739	6.137	0	163.2	0	0	0	0	0	0	0	0	0	0	
11/26/2021	0	0.2686	5.872	0	163.2	0	0	0	0	0	0	0	0.01212	0	0	
11/27/2021	0	0.2633	5.627	0	163.2	0	0	0	0	0	0	0	0	0	0	
11/28/2021	0	0.2582	5.399	0	163.2	0	0	0	0	0	0	0	0.05809	0	0	
11/29/2021	0	0.2531	5.187	0	163.2	0	0	0	0	0	0	0	0.04138	0	0	
11/30/2021	0	0.2481	4.989	0	163.2	0	0	0	0	0	0	0	0	0	0	
12/1/2021	0	0.2432	4.805	0	150.9	0	0	0	0	0	0	0	0.008002	0	0	
12/2/2021	0	0.2384	4.633	0	150.9	0	0	0	0	0	0	0	0	0	0	
12/3/2021	0	0.2336	4.471	0	150.9	0	0	0	0	0	0	0	0	0	0	
12/4/2021	0	0.229	4.32	0	150.9	0	0	0	0	0	0	0	0	0	0	
12/5/2021	0	0.2244	4.178	0	150.9	0	0	0	0	0	0	0	0	0	0	
12/6/2021	0	0.22	4.045	0	150.9	0	0	0	0	0	0	0	0	0	0	
12/7/2021	0	0.2156	3.918	0	150.9	0	0	0	0	0	0	0	0	0	0	
12/8/2021	0	0.2113	3.799	0	150.9	0	0	0	0	0	0	0	0	0	0	
12/9/2021	0	0.2071	3.687	0	150.9	0	0	0	0	0	0	0	0	0	0	
12/10/2021	0	0.2029	3.58	0	150.9	0	0	0	0	0	0	0	0.02106	0	0	
12/11/2021	0	0.1989	3.479	0	150.9	0	0	0	0	0	0	0	0.03908	0	0	
12/12/2021	0	0.1949	3.383	0	150.9	0	0	0	0	0	0	0	0.02857	0	0	
12/13/2021	0	0.191	3.291	0	150.9	0	0	0	0	0	0	0	0.01529	0	0	
12/14/2021	0	0.1872	3.204	0	150.9	0	0	0	0	0	0	0	0	0	0	
12/15/2021	0	0.1835	3.12	0	150.9	0	0	0	0	0	0	0	0	0	0	
12/16/2021	0	0.1798	3.04	0	150.9	0	0	0	0	0	0	0	0	0	0	
12/17/2021	0	0.1762	2.963	0	150.9	0	0	0	0	0	0	0	0	0	0	
12/18/2021	0	0.1727	2.89	0	150.9	0	0	0	0	0	0	0	0	0	0	
12/19/2021	0	0.1692	2.819	0	150.9	0	0	0	0	0	0	0	0	0	0	
12/20/2021	0	0.1658	2.751	0	150.9	0	0									

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance													Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Cahanne1 to CP1	CPS to CP1	STP to CP1	DCP1 to CP1	TIRIO1 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWTP	
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
1/21/2022	0	0.08688	1.201	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/22/2022	0	0.08514	1.176	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/23/2022	0	0.08344	1.152	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/24/2022	0	0.08177	1.129	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/25/2022	0	0.08014	1.106	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/26/2022	0	0.07853	1.084	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/27/2022	0	0.07696	1.062	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/28/2022	0	0.07542	1.04	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/29/2022	0	0.07392	1.019	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/30/2022	0	0.07244	0.9989	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/31/2022	0	0.07099	0.9788	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/1/2022	0	0.06957	0.9591	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/2/2022	0	0.06818	0.9398	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/3/2022	0	0.06681	0.9209	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/4/2022	0	0.06548	0.9024	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/5/2022	0	0.06417	0.8843	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/6/2022	0	0.06288	0.8665	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/7/2022	0	0.06163	0.8491	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/8/2022	0	0.06039	0.8321	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/9/2022	0	0.05919	0.8154	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/10/2022	0	0.058	0.799	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/11/2022	0	0.05684	0.783	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/12/2022	0	0.05571	0.7673	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/13/2022	0	0.05459	0.7519	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/14/2022	0	0.0535	0.7369	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/15/2022	0	0.05243	0.7221	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/16/2022	0	0.05138	0.7076	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/17/2022	0	0.05035	0.6935	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/18/2022	0	0.04935	0.6796	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/19/2022	0	0.04836	0.666	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/20/2022	0	0.04739	0.6526	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/21/2022	0	0.04644	0.6396	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/22/2022	0	0.04552	0.6268	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/23/2022	0	0.04461	0.6142	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/24/2022	0	0.04371	0.6019	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/25/2022	0	0.04284	0.5899	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/26/2022	0	0.04198	0.5781	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/27/2022	0	0.04114	0.5665	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/28/2022	0	0.04032	0.5551	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/1/2022	0	0.03951	0.544	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/2/2022	0	0.03872	0.5332	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/3/2022	0	0.03795	0.5225	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/4/2022	0	0.03719	0.512	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/5/2022	0	0.03645	0.5018	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/6/2022	0	0.03572	0.4917	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/7/2022	0	0.035	0.4819	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/8/2022	0	0.0343	0.4723	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/9/2022	0	0.03362	0.4628	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/10/2022	0	0.03294	0.4536	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/11/2022	0	0.03229	0.4445	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/12/2022	0	0.03164	0.4356	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/13/2022	0	0.03101	0.4269	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/14/2022	0	0.03039	0.4183	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/15/2022	0	0.02978	0.41	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/16/2022	0	0.02918	0.4018	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/17/2022	0	0.0286	0.3937	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/18/2022	0	0.02803	0.3859	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/19/2022	0	0.02747	0.3781	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/20/2022	0	0.02692	0.3706	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/21/2022	0	0.02638	0.3632	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/22/2022	0	0.02585	0.3559	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/23/2022	0	0.02533	0.3488	0	144.6	0	0	0	0	0	0	0	0.3768	0	0	
3/24/2022	0	0.02483	0.3418	0	144.6	0	0	0	0	0	0	0	0	0.9407	0	
3/25/2022	0	0.02433	0.335	0	144.6	0	0	0	0	0	0	0	0	0.5513	0	
3/26/2022	0	0.02385	0.3283	0	144.6	0	0	0	0	0	0	0	0	0.1627	0	
3/27/2022	0	0.02337	0.3217	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/28/2022	0	0.0229	0.3153	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/29/2022	0	0.02244	0.309	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/30/2022	0	0.02199	0.3028	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/31/2022	0	0.02155	0.2967	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/1/2022	0	0.02112	0.2908	0	144.6	0	0	0	0	0	0	0	0	0.4143	0	
4/2/2022	0	0.0207	0.285	0	144.6	0	0	0	0	0	0	0	0	0.6352	0	
4/3/2022	0	0.02029	0.2793	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/4/2022	0	0.01988	0.2737	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/5/2022	0	0.01948	0.2682	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/6/2022	0	0.01909	0.2629	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/7/2022	0	0.01871	0.2576	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/8/2022	0	0.01834	0.2524	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/9/2022	0	0.01797	0.2474	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/10/2022	0	0.01761	0.2424	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/11/2022	0	0.01726	0.2376	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/12/2022	0	0.01691	0.2328	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/13/2022	0	0.01658	0.2282	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/14/2022	0	0.01624	0.2236	0	144.6	0	0	0	0	0	0	0	0	0.1959	0	
4/15/2022	0	0.01592	0.2192	0	144.6	0	0	0	0	0	0	0	0	0.7121	0	
4/16/2022	0	0.0156	0.0148	0	144.6	0	0	0	0	0	0	0	0	0.6855	0	
4/17/2022	0	0.01529	0.2105	0	144.6	0	0	0	0	0	0	0	0	0.4789	0	
4/18/2022	0	0.01498	0.2063	0	144.6	0	0	0	0	0	0	0	0	0.3194	0	
4/19/2022	0	0.01468	0.2021	0	144.6	0	0	0	0	0	0	0	0	0.2405	0	
4/20/2022	0	0.01439	0.1981	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/21/2022	0	0.0141	0.1941	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/22/2022	0	0.01382	0.1903	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/23/2022	0	0.01354	0.1864	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/24/2022	0	0.01327	0.1827	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/25/2022	0	0.01301	0.1791	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/26/2022	0	0.01275	0.1755	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/27/2022	0	0.01249	0.172	0	144.6											

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance													Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Cahnhel1 to CP1	CP5 to CP1	STP to CP1	DCP1 to CP1	TIR01 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWP	
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
5/25/2022	288.7	148.8	2307	0	144.6	0	0	0	0	0	0	763.2	3.877	0	0	
5/26/2022	50.8	120.7	1870	0	144.6	0	0	0	0	0	0	138	4.068	0	0	
5/27/2022	19.3	49.1	811	0	144.6	0	0	0	0	0	0	312.7	3.718	0	0	
5/28/2022	68.14	45.06	713.5	0	144.6	0	0	0	0	0	0	189.8	3.696	0	0	
5/29/2022	230.4	81.17	1653	0	144.6	0	0	0	0	0	0	646.2	4.115	0	0	
5/30/2022	320.2	381.4	6472	0	144.6	0	0	0	0	0	0	916.8	4.713	0	0	
5/31/2022	407.1	587.4	9869	0	144.6	0	0	0	0	0	0	1247	5.201	0	0	
6/1/2022	416.2	856	14332	500	144.6	500	1000	250	0	0	0	1425	5.3	0	0	
6/2/2022	298.5	189.5	4877	500	144.6	500	1000	250	500	0	0	1306	6.006	0	0	
6/3/2022	138.4	137	3074	500	144.6	500	1000	250	500	0	0	684.4	4.895	0	0	
6/4/2022	163.1	115.7	3240	500	144.6	500	1000	250	500	0	0	881.5	5.552	0	0	
6/5/2022	160.6	98.47	2992	500	144.6	500	1000	250	500	0	0	950.4	5.558	0	0	
6/6/2022	196.5	83.84	3173	500	144.6	500	1000	250	500	0	0	1265	5.945	0	0	
6/7/2022	235.9	72.46	3480	500	144.6	500	1000	250	500	0	0	1660	6.515	0	0	
6/8/2022	200.7	69.71	1718	500	144.6	500	1000	250	500	0	0	1555	5.73	0	0	
6/9/2022	40.96	169.6	2913	500	144.6	500	1000	250	0	0	0	341.8	6.092	0	0	
6/10/2022	0	76.28	1575	500	144.6	500	1000	250	500	0	0	0	6.197	0	0	
6/11/2022	0	59.08	1336	500	144.6	500	1000	250	0	0	0	0	6.213	0	0	
6/12/2022	0	56.06	1292	500	144.6	500	1000	250	0	0	0	0	5.819	0	0	
6/13/2022	0	51.74	1231	500	144.6	500	1000	250	0	0	0	0	5.811	0	0	
6/14/2022	6.651	47.49	1181	500	144.6	500	1000	250	0	0	0	68.49	6.422	0	0	
6/15/2022	11.66	43.56	1134	500	144.6	500	1000	250	362.5	0	0	123.9	6.817	0	2200	
6/16/2022	6.264	39.93	1075	500	144.6	500	1000	250	0	0	0	68.97	6.319	0	2200	
6/17/2022	6.099	36.52	1027	500	144.6	500	1000	250	0	0	0	69.18	6.485	0	2200	
6/18/2022	5.944	33.3	982	500	144.6	500	1000	250	0	0	0	69.37	6.358	0	2200	
6/19/2022	5.792	30.28	939.7	500	144.6	469.4	1000	250	0	0	0	69.56	5.881	0	2200	
6/20/2022	5.647	27.48	900.5	500	144.6	11.98	1000	250	0	0	0	69.74	5.691	0	2200	
6/21/2022	5.529	24.03	859.4	500	144.6	3.096	1000	250	0	0	0	69.89	6.293	0	2200	
6/22/2022	0	8.961	606.5	500	144.6	3.034	1000	250	0	0	0	0	4.874	0	2200	
6/23/2022	0	6.822	603.5	500	144.6	2.973	1000	250	0	0	0	0	4.046	0	20724	
6/24/2022	0	6.686	600.7	500	144.6	2.914	1000	250	0	0	0	0	3.969	0	0	
6/25/2022	0	6.552	598	500	144.6	2.855	1000	250	0	0	0	0	3.927	0	0	
6/26/2022	0	6.421	595.4	500	144.6	2.798	1000	250	0	0	0	0	4.097	0	3469	
6/27/2022	0	6.293	592.9	500	144.6	2.742	1000	250	0	0	0	0	5.03	0	0	
6/28/2022	0	6.167	590.6	500	144.6	2.688	1000	250	0	0	0	0	6.159	0	0	
6/29/2022	0	6.043	588.3	500	144.6	2.634	1000	250	0	0	0	0	9.884	0	2661	
6/30/2022	0	5.922	586.1	500	144.6	2.581	1000	250	0	0	0	0	16.66	0	0	
7/1/2022	0	5.804	1084	1000	144.6	2.53	1000	500	0	0	0	0	4.235	0	0	
7/2/2022	0	5.688	1082	1000	144.6	2.479	1000	500	0	0	0	0	4.35	0	4779	
7/3/2022	0	5.574	1080	1000	144.6	2.429	1000	500	0	0	0	0	7.128	0	0	
7/4/2022	0	5.463	1078	1000	144.6	2.381	1000	500	0	0	0	0	5.753	0	4350	
7/5/2022	0	5.353	1076	1000	144.6	2.333	1000	500	0	0	0	0	4.13	0	0	
7/6/2022	12.4	5.246	1085	1000	144.6	2.286	1000	291.1	0	0	0	61.3	4.306	0	4336	
7/7/2022	1555	5.141	2139	1000	144.6	2.241	1000	500	0	0	0	587.2	4.251	0	0	
7/8/2022	972.8	540.3	8861	1000	144.6	235.5	1000	500	500	0	0	1929	4.714	0	2200	
7/9/2022	31.5	232.3	4293	1000	144.6	101.2	1000	500	500	0	0	99.13	4.517	0	11631	
7/10/2022	0	45.74	1699	1000	144.6	19.93	1000	500	500	0	0	0	4.339	0	0	
7/11/2022	0	51.7	1775	1000	144.6	22.53	1000	500	500	0	0	0	4.507	0	7138	
7/12/2022	23.71	38.64	1599	1000	144.6	16.84	1000	500	500	0	0	47.16	4.672	0	0	
7/13/2022	0	35.65	1542	1000	144.6	15.54	1000	500	357.9	0	0	0	4.85	0	6639	
7/14/2022	0	34.46	1521	1000	144.6	15.02	1000	214.8	0	0	0	0	4.719	0	0	
7/15/2022	0	31.38	1474	1000	144.6	13.68	1000	12.37	0	0	0	0	6.932	0	4598	
7/16/2022	0	27.87	1421	1000	144.6	12.15	1000	14.29	0	0	0	0	4.733	0	0	
7/17/2022	0	24.93	1372	1000	144.6	11.13	1000	0	0	0	0	0	5.081	0	4059	
7/18/2022	0	7	1127	1000	144.6	3.051	1000	0	0	0	0	0	5.701	0	0	
7/19/2022	0	6.86	1122	1000	144.6	2.99	40.85	0	0	0	0	0	5.012	0	0	
7/20/2022	0	6.723	1117	1000	144.6	2.93	0	0	0	0	0	0	4.942	0	5476	
7/21/2022	31.3	6.588	1123	1000	144.6	2.871	28.53	15.16	0	0	0	37.67	4.845	0	0	
7/22/2022	433.7	6.457	1256	1000	144.6	2.814	400.6	292.4	0	0	0	536.3	4.345	0	5300	
7/23/2022	801.5	54.83	2050	1000	144.6	23.9	730.4	500	0	0	0	964.5	4.117	0	0	
7/24/2022	95.11	100.5	2868	1000	144.6	56.86	92.44	262	500	0	0	124.1	4.051	0	10404	
7/25/2022	3398	9.536	2305	1000	144.6	4.156	1000	500	0	0	0	0	4.142	0	0	
7/26/2022	111	589.2	9249	1000	144.6	256.8	1000	500	500	0	0	156.4	4.437	0	22000	
7/27/2022	0	79.22	2180	1000	144.6	34.53	1000	500	500	0	0	0	4.761	0	7428	
7/28/2022	269.3	61.25	2014	1000	144.6	26.69	450.8	500	500	0	0	324.1	4.034	0	0	
7/29/2022	34	67.39	2017	1000	144.6	29.37	32.04	500	500	0	0	43.78	3.721	0	8506	
7/30/2022	0	42.6	1657	1000	144.6	18.56	0	500	500	0	0	0	3.731	0	0	
7/31/2022	0	38.91	1599	1000	144.6	16.96	0	293.8	320.5	0	0	0	4.027	0	6606	
8/1/2022	0	37.84	1578	556.3	144.6	16.49	0	24.82	0	0	0	0	4.278	0	0	
8/2/2022	0	34.97	1543	146.1	144.6	15.24	0	20.53	0	0	0	0	4.142	0	3441	
8/3/2022	0	31.54	1481	134	144.6	13.75	0	18.59	0	0	0	0	4.395	0	0	
8/4/2022	0	28.48	1434	117	144.6	12.41	0	15.95	0	0	0	0	4.347	0	0	
8/5/2022	30.71	25.65	1041	117.2	144.6	11.18	28.53	34.99	0	0	0	38.42	4.169	0	3905	
8/6/2022	31.3	6.614	657.4	10.68	144.6	2.883	28.53	18.48	0	0	0	37.67	3.537	0	0	
8/7/2022	0	6.482	626.7	0	144.6	2.825	0	0	0	0	0	0	3.681	0	0	
8/8/2022	985.8	6.352	1434	451.7	144.6	2.769	904.9	500	0	0	0	1204	3.657	0	0	
8/9/2022	3416	154.5	4365	1000	144.6	67.33	1000	500	500	0	0	4485	3.814	0	21344	
8/10/2022	633.2	603.9	6035	1000	144.6	272.8	1000	500	500	0	0	759.6	5.925	0	0	
8/11/2022	28.35	183.8	3649	1000	144.6	80.11	1000	500	500	0	0	41.36	3.465	0	21777	
8/12/2022	56.45	80.93	2231	1000	144.6	35.27	906.4	500	500	0	0	67.93	3.132	0	0	
8/13/2022	54.46	67.32	2035	1000	144.6	29.34	51.44	500	500	0	0	70.42	3.585	0	8436	
8/14/2022	0	55.69	1848	1000	144.6	24.27	0	500	500	0	0	0	4.17	0	0	
8/15/2022	0	44.78	1690	1000	144.6	19.52	0	500	500	0	0	0	3.574	0	7301	
8/16/2022	31.3	44	1682	1000	144.6	19.18	28.53	500	0	0	0	37.67	3.388	0	0	
8/17/2022	0	42.12	1640	1000	144.6	18.36	0	211.6	0	0	0	0	4.416	0	5841	
8/18/2022	0	38.64	1554	446.1	144.6	16.84	0	27.24	0</							

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance													Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Cahnhel 1 to CP1	CPS to CP1	STP to CP1	DCP1 to CP1	TIRI01 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWTP	
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
9/26/2022	0	0.3282	33.29	0	144.6	0.143	0	0	0	0	0	0	0.9369	0	0	
9/27/2022	0	0.3256	30.36	0	144.6	0.1419	0	0	0	0	0	0	0.9138	0	0	
9/28/2022	0	0.3239	27.43	0	144.6	0.1407	0	0	0	0	0	0	0.9464	0	0	
9/29/2022	0	0.3198	25.38	0	144.6	0.1394	0	0	0	0	0	0	0.8372	0	0	
9/30/2022	1417	43.67	2337	902.7	144.6	19.03	1000	500	0	0	0	1705	0.8849	0	0	
10/1/2022	0	258.4	4088	500	144.6	0	0	250	250	0	0	0	0.91	0	14700	
10/2/2022	0	11.34	684.6	500	144.6	0	0	250	250	0	0	0	0.6054	0	0	
10/3/2022	0	5.439	600.5	500	144.6	0	0	247.5	250	0	0	0	0.7824	0	0	
10/4/2022	0	1.956	248.7	110.2	144.6	0	0	0	0	0	0	0	0.7681	0	0	
10/5/2022	0	1.457	74.62	0.4286	144.6	0	0	0	0	0	0	0	0.6757	0	0	
10/6/2022	0	1.474	70.39	2.422	144.6	0	0	0.0796	0	0	0	0	0.5204	0	0	
10/7/2022	0	1.467	66.23	4.285	144.6	0	0	0.4624	0	0	0	0	0.3645	0	0	
10/8/2022	0	1.443	61.38	2.744	144.6	0	0	0.1513	0	0	0	0	0.479	0	0	
10/9/2022	0	1.405	57.02	2.433	144.6	0	0	0.09796	0	0	0	0	0.486	0	0	
10/10/2022	0	1.357	52.82	1.963	144.6	0	0	0.01469	0	0	0	0	0.5013	0	0	
10/11/2022	0	1.303	48.65	0.7696	144.6	0	0	0	0	0	0	0	0.5727	0	0	
10/12/2022	0	0.3555	29.03	0	144.6	0	0	0	0	0	0	0	0.5713	0	0	
10/13/2022	0	0.3559	26.62	0	144.6	0	0	0	0	0	0	0	0.5856	0	0	
10/14/2022	0	0.3547	24.6	0	144.6	0	0	0	0	0	0	0	0.4715	0	0	
10/15/2022	0	0.3524	22.61	0	144.6	0	0	0	0	0	0	0	0.4787	0	0	
10/16/2022	0	0.3492	20.81	0	144.6	0	0	0	0	0	0	0	0.4739	0	0	
10/17/2022	0	0.3453	19.24	0	144.6	0	0	0	0	0	0	0	0.425	0	0	
10/18/2022	0	0.3408	17.83	0	144.6	0	0	0	0	0	0	0	0.3683	0	0	
10/19/2022	0	0.3359	16.78	0	144.6	0	0	0	0	0	0	0	0.2655	0	0	
10/20/2022	0	0.3308	15.75	0	144.6	0	0	0	0	0	0	0	0.1966	0	0	
10/21/2022	0	0.3254	14.45	0	144.6	0	0	0	0	0	0	0	0.2519	0	0	
10/22/2022	0	0.3199	13.56	0	144.6	0	0	0	0	0	0	0	0.2064	0	0	
10/23/2022	0	0.3143	12.78	0	144.6	0	0	0	0	0	0	0	0.157	0	0	
10/24/2022	0	0.3087	11.49	0	144.6	0	0	0	0	0	0	0	0.299	0	0	
10/25/2022	0	0.303	10.56	0	144.6	0	0	0	0	0	0	0	0.374	0	0	
10/26/2022	0	0.2974	10.26	0	144.6	0	0	0	0	0	0	0	0.2125	0	0	
10/27/2022	0	0.2917	9.443	0	144.6	0	0	0	0	0	0	0	0.2676	0	0	
10/28/2022	0	0.2862	9.086	0	144.6	0	0	0	0	0	0	0	0.1889	0	0	
10/29/2022	0	0.2807	9.114	1.67	144.6	0	0	0.2639	0	0	0	0	0	0	0	
10/30/2022	0	0.2752	8.063	0	144.6	0	0	0	0	0	0	0	0.182	0	0	
10/31/2022	0	0.2698	7.782	0.08085	144.6	0	0	0	0	0	0	0	0.124	0	0	
11/1/2022	0	0.2646	6.847	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/2/2022	0	0.2594	6.655	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/3/2022	0	0.2542	4.476	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/4/2022	0	0.2492	4.309	0	144.6	0	0	0	0	0	0	0	0.01379	0	0	
11/5/2022	0	0.2443	4.153	0	144.6	0	0	0	0	0	0	0	0.01992	0	0	
11/6/2022	0	0.2394	4.007	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/7/2022	0	0.2347	3.871	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/8/2022	0	0.23	3.742	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/9/2022	0	0.2254	3.622	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/10/2022	0	0.2209	3.508	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/11/2022	0	0.2165	3.401	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/12/2022	0	0.2122	3.299	0	144.6	0	0	0	0	0	0	0	0.01228	0	0	
11/13/2022	0	0.2079	3.203	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/14/2022	0	0.2038	3.112	0	144.6	0	0	0	0	0	0	0	0.05006	0	0	
11/15/2022	0	0.1997	3.025	0	144.6	0	0	0	0	0	0	0	0.08761	0	0	
11/16/2022	0	0.1957	2.943	0	144.6	0	0	0	0	0	0	0	0.1047	0	0	
11/17/2022	0	0.1918	2.864	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/18/2022	0	0.188	2.789	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/19/2022	0	0.1842	2.717	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/20/2022	0	0.1805	2.648	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/21/2022	0	0.1769	2.582	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/22/2022	0	0.1734	2.519	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/23/2022	0	0.1699	2.458	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/24/2022	0	0.1665	2.399	0	144.6	0	0	0	0	0	0	0	0.01879	0	0	
11/25/2022	0	0.1632	2.343	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/26/2022	0	0.1599	2.288	0	144.6	0	0	0	0	0	0	0	0.06293	0	0	
11/27/2022	0	0.1567	2.236	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/28/2022	0	0.1536	2.185	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/29/2022	0	0.1505	2.135	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/30/2022	0	0.1475	2.088	0	144.6	0	0	0	0	0	0	0	0.02391	0	0	
12/1/2022	0	0.1446	2.041	0	144.6	0	0	0	0	0	0	0	0.009174	0	0	
12/2/2022	0	0.1417	1.996	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/3/2022	0	0.1388	1.953	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/4/2022	0	0.1361	1.91	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/5/2022	0	0.1333	1.869	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/6/2022	0	0.1307	1.829	0	144.6	0	0	0	0	0	0	0	0.007545	0	0	
12/7/2022	0	0.1281	1.79	0	144.6	0	0	0	0	0	0	0	0.01056	0	0	
12/8/2022	0	0.1255	1.752	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/9/2022	0	0.123	1.715	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/10/2022	0	0.1205	1.679	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/11/2022	0	0.1181	1.644	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/12/2022	0	0.1158	1.611	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/13/2022	0	0.1134	1.576	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/14/2022	0	0.1112	1.544	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/15/2022	0	0.109	1.512	0	144.6	0	0	0	0	0	0	0	0.01496	0	0	
12/16/2022	0	0.1068	1.48	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/17/2022	0	0.1046	1.45	0	144.6	0	0	0	0	0	0	0	0.01004	0	0	
12/18/2022	0	0.1025	1.42	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/19/2022	0	0.1005	1.391	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/20/2022	0	0.09849	1.363	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/21/2022	0	0.09652	1.335	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/22/2022	0	0.09459	1.308	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/23/2022	0	0.0927	1.281	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/24/2022	0	0.09084	1.255	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/25/2022	0	0.08903	1.23	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/26/2022	0	0.08724	1.205	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/27/2022	0	0.0855	1.18	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/28/2022	0	0.08379	1.156	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/29/2022	0	0.08211	1.133	0	144.6	0										

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance															Outflow		
	Inflow															Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Channel 1 to CP1	CP5 to CP1	STP to CP1	DCP1 to CP1	TIR01 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWP			
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3				
6/1/2023	429	855.9	13874	500	144.6	500	1000	250	500	0	0	1409	5,045	0	0			
6/2/2023	313.2	1049	15851	500	144.6	500	1000	250	500	0	0	1288	5,661	0	0			
6/3/2023	127.3	710.7	10564	500	144.6	500	1000	250	500	0	0	698.3	4,813	0	0			
6/4/2023	138.3	268.1	5402	500	144.6	500	1000	250	500	0	0	912.5	5,587	0	0			
6/5/2023	133.3	214.8	4729	500	144.6	500	1000	250	500	0	0	984.6	5,633	0	0			
6/6/2023	159.6	184.3	4897	500	144.6	122	1000	250	500	0	0	1311	6,05	0	0			
6/7/2023	238.7	159.2	6006	500	144.6	69.39	1000	250	500	0	0	2175	6,646	0	0			
6/8/2023	226.5	138.1	3610	500	144.6	60.2	1000	250	500	0	0	2301	5,868	0	0			
6/9/2023	133.6	225.1	5184	500	144.6	98.09	1000	250	500	0	0	1475	6,252	0	0			
6/10/2023	89.21	134.8	3933	500	144.6	58.74	1000	250	500	0	0	1076	6,377	0	0			
6/11/2023	99.32	109.2	3948	500	144.6	47.6	1000	250	500	0	0	1289	6,41	0	0			
6/12/2023	48.24	101.9	2860	500	144.6	44.39	1000	250	500	0	0	677	6,026	0	0			
6/13/2023	49.33	96.27	2879	500	144.6	41.96	1000	250	500	0	0	737.1	6,028	0	0			
6/14/2023	94.97	90.08	3928	500	144.6	39.26	1000	250	500	0	0	1515	6,677	0	0			
6/15/2023	124.3	83.19	4786	500	144.6	36.26	1000	250	500	0	0	2174	7,116	0	2200			
6/16/2023	82.95	76.78	3914	500	144.6	33.46	1000	250	500	0	0	1632	6,721	0	2200			
6/17/2023	96.35	70.8	4563	500	144.6	30.86	1000	250	500	0	0	2107	7,084	0	2200			
6/18/2023	39.71	65.18	2740	500	144.6	28.41	1000	250	500	0	0	986.9	7,222	0	2200			
6/19/2023	2,686	59.52	1261	500	144.6	26.12	1000	250	500	0	0	73.44	6,946	0	2200			
6/20/2023	2,549	55.05	1201	500	144.6	23.99	1000	250	500	0	0	73.61	6,838	0	2200			
6/21/2023	2,423	50.5	1144	500	144.6	22.01	1000	250	500	0	0	73.77	7,629	0	2200			
6/22/2023	0	46.14	1079	500	144.6	20.11	1000	250	500	0	0	0	6,069	0	2200			
6/23/2023	0	42.15	1029	500	144.6	18.37	1000	250	500	0	0	0	5,232	0	2200			
6/24/2023	0	38.5	982.8	500	144.6	16.78	1000	250	500	0	0	0	5,471	0	2200			
6/25/2023	0	35.03	939.2	500	144.6	15.27	1000	250	500	0	0	0	5,035	0	2200			
6/26/2023	0	31.83	898.9	500	144.6	13.87	1000	250	500	0	0	0	4,764	0	2200			
6/27/2023	0	28.82	861.2	500	144.6	12.56	1000	250	500	0	0	0	5,414	0	13313			
6/28/2023	0	25.83	823.7	500	144.6	11.26	1000	250	500	0	0	0	6,113	0	0			
6/29/2023	0	6,525	586.5	500	144.6	2,844	1000	250	500	0	0	0	9,863	0	0			
6/30/2023	0	6,394	584.3	500	144.6	2,787	1000	250	500	0	0	0	17	0	3384			
7/1/2023	0	6,266	1082	1000	144.6	2,731	1000	500	0	0	0	0	4,234	0	0			
7/2/2023	0	6,141	1080	1000	144.6	2,676	1000	500	0	0	0	0	4,348	0	4727			
7/3/2023	0	6,018	1078	1000	144.6	2,623	1000	500	0	0	0	0	7,128	0	0			
7/4/2023	0	5,898	1076	1000	144.6	2,57	1000	500	0	0	0	0	5,753	0	4347			
7/5/2023	0	5,78	1074	1000	144.6	2,519	1000	500	0	0	0	0	4,13	0	0			
7/6/2023	5,664	5,664	1083	1000	144.6	2,469	1,483	500	0	0	0	0	4,306	69.42	4803			
7/7/2023	717.6	5,551	2181	1000	144.6	2,419	1000	500	0	0	0	0	6,918	0	0			
7/8/2023	268.9	540.7	8080	1000	144.6	235.6	1000	500	500	0	0	0	2309	4,715	0	2200		
7/9/2023	15.37	232.7	3969	1000	144.6	101.4	1000	500	500	0	0	0	119.3	4,495	0	10658		
7/10/2023	0	64.72	1883	1000	144.6	28.2	1000	500	500	0	0	0	4,339	0	0			
7/11/2023	0	51.39	1711	1000	144.6	22.4	1000	500	500	0	0	0	4,544	0	9282			
7/12/2023	14.69	38.34	1554	1000	144.6	16.71	1000	500	500	0	0	0	58.44	4,672	0	0		
7/13/2023	0	35.38	1500	1000	144.6	15.42	1000	500	471	0	0	0	4,882	0	7877			
7/14/2023	0	34.21	1479	1000	144.6	14.91	1000	500	0	0	0	0	4,719	0	0			
7/15/2023	0	31.15	1436	1000	144.6	13.57	1000	500	0	0	0	0	4,944	0	5289			
7/16/2023	0	27.65	1387	1000	144.6	12.05	1000	500	0	0	0	0	4,733	0	0			
7/17/2023	0	7,084	1131	1000	144.6	3,088	5,916	500	0	0	0	0	5,097	0	5007			
7/18/2023	0	6,943	1124	1000	144.6	3,026	5,797	500	0	0	0	0	5,701	0	0			
7/19/2023	0	6,804	1119	1000	144.6	2,965	5,681	500	0	0	0	0	5,029	0	4625			
7/20/2023	0	6,668	1114	1000	144.6	2,906	5,568	500	0	0	0	0	4,819	0	0			
7/21/2023	31.3	6,534	1120	1000	144.6	2,848	6,141	500	0	0	0	0	3,767	0	4768			
7/22/2023	432.2	6,404	1258	1000	144.6	2,791	791.1	500	0	0	0	0	4,925	0	0			
7/23/2023	801.5	64,78	1985	1000	144.6	23,88	1000	500	0	0	0	0	964.5	4,251	0	10076		
7/24/2023	94.98	130.4	2683	1000	144.6	56.83	3,763.9	500	500	0	0	0	3.9	124.2	0	0		
7/25/2023	3398	9,486	2348	1000	144.6	4,134	1000	500	0	0	0	0	4,090	4,286	0	17135		
7/26/2023	111	589.2	8385	1000	144.6	256.8	1000	500	500	0	0	0	156.4	4,108	0	0		
7/27/2023	0	79.17	2086	1000	144.6	34.51	1000	500	500	0	0	0	5,034	0	17195			
7/28/2023	269.3	61.08	1947	1000	144.6	26.62	1000	500	500	0	0	0	324.1	4,034	0	0		
7/29/2023	33.89	67.24	1937	1000	144.6	29.3	1000	500	500	0	0	0	43.91	3,744	0	10356		
7/30/2023	0	42.46	1612	1000	144.6	18.5	1000	500	500	0	0	0	3,731	0	0			
7/31/2023	0	38.78	1527	1000	144.6	16.9	1000	500	500	0	0	0	4,04	0	6941			
8/1/2023	0	37.72	1536	1000	144.6	16.44	1000	500	346.6	0	0	0	4,278	0	0			
8/2/2023	0	34.86	1494	1000	144.6	15.19	29.11	500	0	0	0	0	5,196	0	5951			
8/3/2023	0	31.43	1445	1000	144.6	13.7	26.25	500	0	0	0	0	4,395	0	0			
8/4/2023	0	28.38	1172	1000	144.6	12.37	23.7	489.9	0	0	0	0	4,387	0	5230			
8/5/2023	31.3	25.56	997.5	1000	144.6	11.14	77.3	34.91	0	0	0	0	37.67	4,088	0	0		
8/6/2023	30.88	6.59	728.6	1000	144.6	2,872	61.45	18.46	0	0	0	0	3,584	0	3590			
8/7/2023	0	6,458	694.8	1000	144.6	2,815	5,393	0	0	0	0	0	3,665	0	0			
8/8/2023	982.8	6,329	1372	677.9	144.6	2,758	1000	500	0	0	0	0	3,288	3,668	0	0		
8/9/2023	2401	415.5	4183	1000	144.6	67.32	1000	500	500	0	0	0	4,505	3,819	0	2200		
8/10/2023	630.1	625.9	9025	1000	144.6	272.8	1000	500	500	0	0	0	760.9	2,93	0	0		
8/11/2023	28.46	183.8	3402	1000	144.6	80.1	1000	500	500	0	0	0	41.22	3,452	0	21026		
8/12/2023	56.45	80.85	2137	1000	144.6	35.24	1000	500	500	0	0	0	67.93	3,132	0	0		
8/13/2023	54.46	67.25	1959	1000	144.6	29.31	1000	500	500	0	0	0	70.42	3,607	0	10264		
8/14/2023	0	55.62	1787	1000	144.6	24.24	1000	500	500	0	0	0	4.17	0	0	0		
8/15/2023	0	44.72	1643	1000	144.6	19.49	1000	500	500	0	0	0	3,597	0	9038			
8/16/2023	31.3	43.95	1635	1000	144.6	19.15	1000	500	0	0	0	0	37.67	3,388	0	0		
8/17/2023	0	42.07	1503	1000	144.6	18.33	1000	211.3	0	0	0	0	211.3	4,414	0	5746		
8/18/2023	0	38.59	1542	445.2	144.6	16.82	712.4	27.2	0	0	0	0	3,612	0	0	0		
8/19/2023	0	35.19	1178	169.6	144.6	15.34	29.38	24.88	317.1	0	0	0	3,304	0	3501	0		
8/20/2023	1078	32.1	1825	652.1	144.6	13.99	1000	500	0	0	0	0	1297	2,977	0	0		
8/21/2023	33.69	194.4	3391	1000	144.6	84.72	1000	448.9	500	0	0	0	44.16	3,111	0	12361		
8/22/2023	0	27.1	1057	262.9	144.6	11.81	201.3	18.45	0	0	0	0	2,793	0	0			

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance														Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Channel 1 to CP1	CP5 to CP1	STP to CP1	DCP1 to CP1	TIR01 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWP		
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3		
6/7/2024	806.4	159.2	6006	500	144.6	69.4	1000	250	500	0	0	1465	6.664	0	0		
6/8/2024	828.4	138.1	3610	500	144.6	60.2	1000	250	500	0	0	1549	5.883	0	0		
6/9/2024	926.6	225	5184	500	144.6	250	1000	250	500	0	0	985.3	6.266	0	0		
6/10/2024	377.1	134.7	3932	500	144.6	58.72	1000	250	500	0	0	716.4	6.391	0	0		
6/11/2024	451.2	109.2	3948	500	144.6	47.59	1000	250	500	0	0	849.1	6.422	0	0		
6/12/2024	236.5	101.8	2860	500	144.6	44.39	1000	250	500	0	0	441.7	6.036	0	0		
6/13/2024	260.1	96.26	2879	500	144.6	41.95	1000	250	500	0	0	473.5	6.037	0	0		
6/14/2024	539.2	90.06	3927	500	144.6	39.25	1000	250	500	0	0	959.2	6.685	0	2200		
6/15/2024	771.1	83.17	4785	500	144.6	36.25	1000	250	500	0	0	1366	6.98	0	2200		
6/16/2024	570.9	76.76	3913	500	144.6	33.45	1000	250	500	0	0	1022	6.582	0	2200		
6/17/2024	734.2	70.78	4563	500	144.6	30.85	1000	250	500	0	0	1399	6.905	0	2200		
6/18/2024	327.4	65.16	2682	500	144.6	28.4	1000	250	500	0	0	588.1	6.984	0	2200		
6/19/2024	25.56	59.91	1261	500	144.6	26.11	1000	250	500	0	0	44.86	6.66	0	2200		
6/20/2024	26.21	55.03	1200	500	144.6	23.98	1000	250	500	0	0	44.03	6.471	0	2200		
6/21/2024	26.89	50.49	1144	500	144.6	22	1000	250	500	0	0	43.19	7.122	0	2200		
6/22/2024	0	46.13	1079	500	144.6	20.1	1000	250	500	0	0	0	5.714	0	2200		
6/23/2024	0	42.13	1029	500	144.6	18.36	1000	250	500	0	0	0	4.941	0	2200		
6/24/2024	0	38.49	982.6	500	144.6	16.77	1000	250	500	0	0	0	5.09	0	2200		
6/25/2024	0	35.02	939.1	500	144.6	15.26	1000	250	500	0	0	0	4.566	0	2200		
6/26/2024	0	31.82	898.8	500	144.6	13.87	1000	250	500	0	0	0	4.29	0	11726		
6/27/2024	0	28.81	861.1	500	144.6	12.56	1000	250	500	0	0	0	5.023	0	0		
6/28/2024	0	25.82	823.7	500	144.6	11.25	1000	250	500	0	0	0	6.183	0	3583		
6/29/2024	0	6.524	586.5	500	144.6	2.843	1000	250	500	0	0	0	9.727	0	0		
6/30/2024	0	6.393	584.3	500	144.6	2.786	1000	250	500	0	0	0	16.76	0	0		
7/1/2024	0	6.265	1082	1000	144.6	2.731	1000	500	0	0	0	0	4.274	0	0		
7/2/2024	0	6.14	1080	1000	144.6	2.676	1000	500	0	0	0	0	4.387	0	6410		
7/3/2024	0	6.017	1078	1000	144.6	2.622	1000	500	0	0	0	0	7.109	0	0		
7/4/2024	0	5.897	1076	1000	144.6	2.57	1000	500	0	0	0	0	5.737	0	4350		
7/5/2024	0	5.779	1074	1000	144.6	2.519	1000	500	0	0	0	0	4.117	0	0		
7/6/2024	31.3	5.663	1083	1000	144.6	2.468	1000	500	0	0	0	37.67	4.292	0	4806		
7/7/2024	3186	5.55	2181	1000	144.6	2.419	1000	500	0	0	0	3833	4.237	0	0		
7/8/2024	1053	540.7	8080	1000	144.6	235.7	1000	500	500	0	0	1329	4.698	0	2200		
7/9/2024	56.45	232.7	3970	1000	144.6	101.4	1000	500	500	0	0	67.93	4.478	0	10663		
7/10/2024	0	64.76	1884	1000	144.6	28.22	1000	500	500	0	0	0	4.322	0	0		
7/11/2024	0	51.46	1712	1000	144.6	22.43	1000	500	500	0	0	0	4.524	0	9287		
7/12/2024	31.3	38.43	1555	1000	144.6	16.75	1000	500	500	0	0	37.67	4.651	0	0		
7/13/2024	0	35.41	1500	1000	144.6	15.43	1000	500	464.5	0	0	0	4.859	0	7890		
7/14/2024	0	34.25	1480	1000	144.6	14.93	1000	500	0	0	0	0	4.696	0	0		
7/15/2024	0	31.19	1436	1000	144.6	13.6	1000	500	0	0	0	0	6.909	5296	0		
7/16/2024	0	27.7	1388	1000	144.6	12.07	301.5	500	0	0	0	0	4.708	2665	0		
7/17/2024	0	7.1	1131	1000	144.6	3.094	5.928	500	0	0	0	0	4.976	2356	0		
7/18/2024	0	6.958	1125	1000	144.6	3.032	5.81	500	0	0	0	0	5.668	2289	0		
7/19/2024	0	6.818	1119	1000	144.6	2.972	5.693	500	0	0	0	0	4.921	2348	0		
7/20/2024	0	6.682	1114	1000	144.6	2.912	5.579	500	0	0	0	0	4.79	2354	0		
7/21/2024	31.3	6.548	1120	1000	144.6	2.854	614.2	500	544	0	0	37.67	4.815	0	2427		
7/22/2024	439.6	6.417	1120	1000	144.6	2.797	791.1	500	0	0	0	529	4.259	3967	0		
7/23/2024	801.5	54.87	1986	1000	144.6	23.91	1000	500	0	0	0	964.5	4.089	6122	0		
7/24/2024	99.02	130.5	2684	1000	144.6	56.87	764.1	500	500	0	0	119.2	3.873	4990	0		
7/25/2024	3398	9.571	2349	1000	144.6	4.171	1000	500	0	0	0	4090	4.113	8000	0		
7/26/2024	117	589.3	8386	1000	144.6	256.8	1000	500	500	0	0	149	4.196	8000	8420		
7/27/2024	0	79.39	2089	1000	144.6	34.6	1000	500	500	0	0	0	4.621	4948	0		
7/28/2024	269.3	61.32	1950	1000	144.6	26.72	1000	500	500	0	0	324.1	4.003	5430	0		
7/29/2024	37.56	67.56	1941	1000	144.6	29.44	1000	500	500	0	0	42.32	3.579	4950	0		
7/30/2024	0	42.71	1615	1000	144.6	18.61	1000	500	500	0	0	0	3.701	4021	0		
7/31/2024	0	38.91	1559	1000	144.6	16.96	1000	500	322.1	0	0	0	3.897	3245	0		
8/1/2024	0	37.87	1538	1000	144.6	16.5	603.3	500	0	0	0	0	4.242	2870	0		
8/2/2024	0	35.14	1497	1000	144.6	15.32	29.35	500	0	0	0	0	5.038	2757	0		
8/3/2024	0	31.71	1448	1000	144.6	13.82	26.48	500	0	0	0	0	4.356	2762	0		
8/4/2024	0	28.65	1175	1000	144.6	12.48	23.92	486.4	0	0	0	0	4.264	2486	0		
8/5/2024	31.3	25.81	1001	1000	144.6	11.25	77.51	35.24	0	0	0	37.67	4.05	1937	0		
8/6/2024	31.3	6.659	729.6	1000	144.6	3.903	61.51	18.61	0	0	0	0	3.803	37.67	1669		
8/7/2024	0	6.526	695.8	1000	144.6	2.844	5.449	0	0	0	0	0	3.63	1536	0		
8/8/2024	993.1	6.396	1373	715.5	144.6	2.787	1000	500	0	0	0	1195	3.593	5616	0		
8/9/2024	3569	154.6	4195	1000	144.6	67.39	1000	500	500	0	0	4295	3.623	8000	0		
8/10/2024	601.5	626.1	9027	1000	144.6	272.8	1000	500	500	0	0	796.7	3.036	8000	13318		
8/11/2024	31.3	184	3405	1000	144.6	80.2	1000	500	500	0	0	37.67	3.122	6613	0		
8/12/2024	56.45	81.19	2141	1000	144.6	35.38	1000	500	500	0	0	67.93	3.098	5259	0		
8/13/2024	56.45	67.6	1963	1000	144.6	29.46	1000	500	500	0	0	67.93	3.441	5032	0		
8/14/2024	0	56	1791	1000	144.6	24.41	1000	500	500	0	0	0	4.123	4660	0		
8/15/2024	0	44.97	1646	1000	144.6	19.6	1000	500	500	0	0	0	3.444	4421	0		
8/16/2024	31.3	44.21	1638	1000	144.6	19.27	1000	500	0	0	0	37.67	3.348	3125	0		
8/17/2024	0	42.34	1596	1000	144.6	18.45	1000	215.3	0	0	0	0	4.268	2648	0		
8/18/2024	0	38.87	1546	466.6	144.6	16.94	714.8	27.57	323.6	0	0	0	3.568	2255	0		
8/19/2024	0	35.46	1186	171.7	144.6	15.45	29.61	25.24	0	0	0	0	3.22	1300	0		
8/20/2024	1078	32.35	1828	654.1	144.6	14.1	1000	500	0	0	0	1297	2.94	6295	0		
8/21/2024	35.16	194.7	3396	1000	144.6	84.87	1000	449.6	500	0	0	42.32	2.944	6100	0		
8/22/2024	0	27.33	1061	267.2	144.6	11.91	202	18.76	0	0	0	0	2.756	1292	0		
8/23/2024	31.3	27.44	274.6	144.6	144.6	12	246.5	219.9	0	0	0	0	3.753	2646	0		
8/24/2024	162.9	57.07	1563	379.6	144.6	24.87	338.8	156.5	500	0	0	196	2.876	2938	0		
8/25/2024	31.3	39.37	1224	217.4	144.6	17.16	88.82	51.74	0	0	0	0	3.767	2.56	1542	0	
8/26/2024	31.3	7.109	769.7	24.45	144.6	3.098	61.89	21.18	0	0	0	0	3.767	2.648	810.3	0	
8/27/2024	77.74	7.227	790.3	47.35	144.6	3.15	145	52.84	0	0	0	0	9.355	2.584	993.4	0	
8/28/2024	333.2	7.212	958.9	167.6	144.6	3.143	601.5	226	0	0	0	0	2.379	2301	0		
8/29/2024	31.3	45.97	885.4	259.8													

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance													Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Channel 1 to CP1	CPS to CP1	STP to CP1	DCP1 to CP1	TIRIO1 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWTP	
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
10/9/2024	0	1.381	68.12	2.456	144.6	0	0	0.1097	0	0	0	0	0.4724	0	0	
10/10/2024	0	1.335	62.55	2.005	144.6	0	0	0.02962	0	0	0	0	0.4877	0	0	
10/11/2024	0	1.262	32.19	0.8481	144.6	0	0	0	0	0	0	0	0.5562	0	0	
10/12/2024	0	0.3501	39.13	0	144.6	0	0	0	0	0	0	0	0.5546	0	0	
10/13/2024	0	0.3505	35.61	0	144.6	0	0	0	0	0	0	0	0.5682	0	0	
10/14/2024	0	0.3495	32.59	0	144.6	0	0	0	0	0	0	0	0.4574	0	0	
10/15/2024	0	0.3473	29.7	0	144.6	0	0	0	0	0	0	0	0.4641	0	0	
10/16/2024	0	0.3442	27.11	0	144.6	0	0	0	0	0	0	0	0.4593	0	0	
10/17/2024	0	0.3403	24.82	0	144.6	0	0	0	0	0	0	0	0.4117	0	0	
10/18/2024	0	0.336	22.78	0	144.6	0	0	0	0	0	0	0	0.3566	0	0	
10/19/2024	0	0.3312	21.14	0	144.6	0	0	0	0	0	0	0	0.257	0	0	
10/20/2024	0	0.3262	19.59	0	144.6	0	0	0	0	0	0	0	0.1902	0	0	
10/21/2024	0	0.3209	17.83	0	144.6	0	0	0	0	0	0	0	0.2436	0	0	
10/22/2024	0	0.3155	16.52	0	144.6	0	0	0	0	0	0	0	0.1994	0	0	
10/23/2024	0	0.31	15.36	0	144.6	0	0	0	0	0	0	0	0.1517	0	0	
10/24/2024	0	0.3044	13.76	0	144.6	0	0	0	0	0	0	0	0.2887	0	0	
10/25/2024	0	0.2988	12.52	0	144.6	0	0	0	0	0	0	0	0.361	0	0	
10/26/2024	0	0.2933	11.95	0	144.6	0	0	0	0	0	0	0	0.205	0	0	
10/27/2024	0	0.2877	10.9	0	144.6	0	0	0	0	0	0	0	0.2581	0	0	
10/28/2024	0	0.2823	10.33	0	144.6	0	0	0	0	0	0	0	0.1821	0	0	
10/29/2024	0	0.2768	10.14	1.647	144.6	0	0	0.2503	0	0	0	0	0	0	0	
10/30/2024	0	0.2715	8.945	0	144.6	0	0	0	0	0	0	0	0.1753	0	0	
10/31/2024	0	0.2662	8.506	0.1287	144.6	0	0	0	0	0	0	0	0.1193	0	0	
11/1/2024	0	0.2609	4.758	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/2/2024	0	0.2558	4.539	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/3/2024	0	0.2508	4.337	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/4/2024	0	0.2458	4.149	0	144.6	0	0	0	0	0	0	0	0.01324	0	0	
11/5/2024	0	0.2409	3.976	0	144.6	0	0	0	0	0	0	0	0.01912	0	0	
11/6/2024	0	0.2361	3.815	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/7/2024	0	0.2315	3.665	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/8/2024	0	0.2268	3.526	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/9/2024	0	0.2223	3.396	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/10/2024	0	0.2179	3.274	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/11/2024	0	0.2135	3.16	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/12/2024	0	0.2093	3.054	0	144.6	0	0	0	0	0	0	0	0.01176	0	0	
11/13/2024	0	0.2051	2.954	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/14/2024	0	0.201	2.859	0	144.6	0	0	0	0	0	0	0	0.04791	0	0	
11/15/2024	0	0.197	2.77	0	144.6	0	0	0	0	0	0	0	0.08383	0	0	
11/16/2024	0	0.1931	2.686	0	144.6	0	0	0	0	0	0	0	0.1002	0	0	
11/17/2024	0	0.1892	2.607	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/18/2024	0	0.1854	2.532	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/19/2024	0	0.1817	2.46	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/20/2024	0	0.1781	2.392	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/21/2024	0	0.1745	2.328	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/22/2024	0	0.171	2.266	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/23/2024	0	0.1676	2.207	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/24/2024	0	0.1643	2.151	0	144.6	0	0	0	0	0	0	0	0.01797	0	0	
11/25/2024	0	0.161	2.096	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/26/2024	0	0.1578	2.045	0	144.6	0	0	0	0	0	0	0	0.06023	0	0	
11/27/2024	0	0.1546	1.995	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/28/2024	0	0.1515	1.947	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/29/2024	0	0.1485	1.901	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/30/2024	0	0.1455	1.856	0	144.6	0	0	0	0	0	0	0	0.02394	0	0	
12/1/2024	0	0.1426	1.813	0	144.6	0	0	0	0	0	0	0	0.00881	0	0	
12/2/2024	0	0.1397	1.771	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/3/2024	0	0.137	1.731	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/4/2024	0	0.1342	1.692	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/5/2024	0	0.1315	1.655	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/6/2024	0	0.1289	1.618	0	144.6	0	0	0	0	0	0	0	0.007291	0	0	
12/7/2024	0	0.1263	1.583	0	144.6	0	0	0	0	0	0	0	0.01023	0	0	
12/8/2024	0	0.1238	1.548	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/9/2024	0	0.1213	1.515	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/10/2024	0	0.1189	1.482	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/11/2024	0	0.1165	1.45	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/12/2024	0	0.1142	1.42	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/13/2024	0	0.1119	1.389	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/14/2024	0	0.1097	1.36	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/15/2024	0	0.1075	1.332	0	144.6	0	0	0	0	0	0	0	0.01475	0	0	
12/16/2024	0	0.1053	1.304	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/17/2024	0	0.1032	1.277	0	144.6	0	0	0	0	0	0	0	0.009957	0	0	
12/18/2024	0	0.1011	1.25	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/19/2024	0	0.09913	1.224	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/20/2024	0	0.09714	1.199	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/21/2024	0	0.0952	1.174	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/22/2024	0	0.0933	1.15	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/23/2024	0	0.09143	1.127	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/24/2024	0	0.0896	1.103	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/25/2024	0	0.08781	1.081	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/26/2024	0	0.08605	1.059	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/27/2024	0	0.08433	1.037	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/28/2024	0	0.08265	1.016	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/29/2024	0	0.08099	0.9956	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/30/2024	0	0.07937	0.9754	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/31/2024	0	0.07779	0.9557	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/1/2025	0	0.07623	0.9363	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/2/2025	0	0.07471	0.9174	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/3/2025	0	0.07321	0.8989	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/4/2025	0	0.07175	0.8807	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/5/2025	0	0.07031	0.863	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/6/2025	0	0.06891	0.8456	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/7/2025	0	0.06753	0.8286	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/8/2025	0	0.06618	0.8119	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/9/2025	0	0.06485	0.7955	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/10/2025	0	0.06356	0.7795	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/11/2025	0	0.06229	0.7639	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/12/2025	0	0.06104	0.7485	0	144.6	0	0	0								

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance													Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Channel 1 to CP1	CPS to CP1	STP to CP1	DCP1 to CP1	TIRIO1 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWTP	
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
2/10/2025	0	0.03398	0.4162	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/11/2025	0	0.0333	0.4079	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/12/2025	0	0.03363	0.3998	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/13/2025	0	0.03198	0.3918	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/14/2025	0	0.03134	0.3839	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/15/2025	0	0.03071	0.3762	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/16/2025	0	0.0301	0.3687	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/17/2025	0	0.0295	0.3613	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/18/2025	0	0.02891	0.3541	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/19/2025	0	0.02833	0.347	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/20/2025	0	0.02776	0.3401	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/21/2025	0	0.02721	0.3333	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/22/2025	0	0.02666	0.3266	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/23/2025	0	0.02613	0.3201	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/24/2025	0	0.02561	0.3137	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/25/2025	0	0.02509	0.3074	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/26/2025	0	0.02459	0.3013	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/27/2025	0	0.0241	0.2952	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/28/2025	0	0.02362	0.2893	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/1/2025	0	0.02315	0.2835	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/2/2025	0	0.02268	0.2779	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/3/2025	0	0.02223	0.2723	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/4/2025	0	0.02178	0.2669	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/5/2025	0	0.02135	0.2615	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/6/2025	0	0.02092	0.2563	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/7/2025	0	0.0205	0.2512	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/8/2025	0	0.02009	0.2461	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/9/2025	0	0.01969	0.2412	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/10/2025	0	0.0193	0.2364	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/11/2025	0	0.01891	0.2317	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/12/2025	0	0.01853	0.227	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/13/2025	0	0.01816	0.2225	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/14/2025	0	0.0178	0.218	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/15/2025	0	0.01744	0.2137	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/16/2025	0	0.01709	0.2094	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/17/2025	0	0.01675	0.2052	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/18/2025	0	0.01642	0.2011	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/19/2025	0	0.01609	0.1971	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/20/2025	0	0.01577	0.1932	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/21/2025	0	0.01545	0.1893	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/22/2025	0	0.01514	0.1855	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/23/2025	0	0.01484	0.1818	0	144.6	0	0	0	0	0	0	0	0.3768	0	0	
3/24/2025	0	0.01454	0.1782	0	144.6	0	0	0	0	0	0	0	0.9407	0	0	
3/25/2025	0	0.01425	0.1746	0	144.6	0	0	0	0	0	0	0	0.5513	0	0	
3/26/2025	0	0.01397	0.1711	0	144.6	0	0	0	0	0	0	0	0.1627	0	0	
3/27/2025	0	0.01369	0.1677	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/28/2025	0	0.01341	0.1643	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/29/2025	0	0.01315	0.161	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/30/2025	0	0.01288	0.1578	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/31/2025	0	0.01263	0.1547	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/1/2025	0	0.01237	0.1516	0	144.6	0	0	0	0	0	0	0	0.4143	0	0	
4/2/2025	0	0.01213	0.1485	0	144.6	0	0	0	0	0	0	0	0.6352	0	0	
4/3/2025	0	0.01188	0.1456	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/4/2025	0	0.01165	0.1427	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/5/2025	0	0.01141	0.1398	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/6/2025	0	0.01118	0.137	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/7/2025	0	0.01096	0.1343	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/8/2025	0	0.01074	0.1316	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/9/2025	0	0.01053	0.1289	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/10/2025	0	0.01032	0.1264	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/11/2025	0	0.01011	0.1238	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/12/2025	0	0.009907	0.1214	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/13/2025	0	0.009709	0.1189	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/14/2025	0	0.009515	0.1166	0	144.6	0	0	0	0	0	0	0	0.1959	0	0	
4/15/2025	0	0.009325	0.1142	0	144.6	0	0	0	0	0	0	0	0.7121	0	0	
4/16/2025	0	0.009138	0.1119	0	144.6	0	0	0	0	0	0	0	0.6855	0	0	
4/17/2025	0	0.008956	0.1097	0	144.6	0	0	0	0	0	0	0	0.4789	0	0	
4/18/2025	0	0.008776	0.1075	0	144.6	0	0	0	0	0	0	0	0.3194	0	0	
4/19/2025	0	0.008601	0.1054	0	144.6	0	0	0	0	0	0	0	0.2405	0	0	
4/20/2025	0	0.008439	0.1033	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/21/2025	0	0.00826	0.1012	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/22/2025	0	0.008095	0.09916	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/23/2025	0	0.007933	0.09718	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/24/2025	0	0.007775	0.09524	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/25/2025	0	0.007619	0.09333	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/26/2025	0	0.007467	0.09147	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/27/2025	0	0.007317	0.08964	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/28/2025	0	0.007171	0.08784	0	144.6	0	0	0	0	0	0	0	0.4427	0	0	
4/29/2025	0	0.007028	0.08609	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/30/2025	0	0.006887	0.08437	0	144.6	0	0	0	0	0	0	0	0	0	0	
5/1/2025	0	0.006749	0.08268	0	144.6	0	0	0	0	0	0	0	0.3266	0	0	
5/2/2025	0	0.006614	0.08102	0	144.6	0	0	0	0	0	0	0	1.185	0	0	
5/3/2025	0	0.006482	0.0794	0	144.6	0	0	0	0	0	0	0	1.441	0	0	
5/4/2025	0	0.006352	0.07782	0	144.6	0	0	0	0	0	0	0	1.624	0	0	
5/5/2025	0	0.006225	0.07626	0	144.6	0	0	0	0	0	0	0	0.778	0	0	
5/6/2025	0	0.006101	0.07473	0	144.6	0	0	0	0	0	0	0	1.393	0	0	
5/7/2025	0	0.005979	0.07324	0	144.6	0	0	0	0	0	0	0	1.407	0	0	
5/8/2025	0	0.005859	0.07178	0	144.6	0	0	0	0	0	0	0	1.385	0	0	
5/9/2025	0	0.005742	0.07034	0	144.6	0	0	0	0	0	0	0	2.089	0	0	
5/10/2025	0	0.005627	0.06893	0	144.6	0	0	0	0	0	0	0	2.413	0	0	
5/11/2025	0	0.005515	0.06755	0	144.6	0	0	0	0	0	0	0	2.357	0	0	
5/12/2025	0	0.005404	0.0662	0	144.6	0	0	0	0	0	0	0	2.344	0	0	
5/13/2025	0	0.005296	0.06488	0	144.6	0	0	0	0	0	0	0	2.137	0	0	
5/14/2025	0	0.00519	0.06358	0	144.6	0	0	0	0	0	0	0	2.436	0	0	
5/15/2025	163.5	24.15	679.9	0	144.6	0	0	0	0	0	0	0	1.919	0	0	
5/16/2025	180.2	75.53	1426													

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance													Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Cahnhel1 to CP1	CP5 to CP1	STP to CP1	DCP1 to CP1	TIRO1 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWTP	
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
6/14/2025	538.9	90.08	3928	500	144.6	39.26	1000	250	500	0	0	959.7	6.677	0	0	
6/15/2025	770.6	83.19	4786	500	144.6	36.26	1000	250	500	0	0	1367	7.116	0	22000	
6/16/2025	970.5	96.78	5914	500	144.6	33.46	1000	250	500	0	0	1023	6.732	0	22000	
6/17/2025	733.7	70.8	4563	500	144.6	30.85	1000	250	500	0	0	1310	7.085	0	22000	
6/18/2025	340	65.18	2740	500	144.6	28.41	1000	250	500	0	0	611.5	7.222	0	22000	
6/19/2025	25.53	59.92	1261	500	144.6	26.12	1000	250	500	0	0	44.89	6.947	0	22000	
6/20/2025	26.18	55.05	1201	500	144.6	23.99	1000	250	500	0	0	44.07	6.839	0	22000	
6/21/2025	26.86	50.5	1144	500	144.6	22.01	1000	250	500	0	0	43.23	7.631	0	22000	
6/22/2025	0	46.14	1079	500	144.6	20.11	1000	250	500	0	0	0	6.07	0	22000	
6/23/2025	0	42.15	1029	500	144.6	18.37	1000	250	500	0	0	0	5.235	0	22000	
6/24/2025	0	38.5	982.8	500	144.6	16.78	1000	250	500	0	0	0	5.474	0	22000	
6/25/2025	0	35.03	939.2	500	144.6	15.27	1000	250	500	0	0	0	5.04	0	22000	
6/26/2025	0	31.83	898.9	500	144.6	13.87	1000	250	500	0	0	0	4.768	0	22000	
6/27/2025	0	28.82	861.2	500	144.6	12.56	1000	250	500	0	0	0	5.421	0	13533	
6/28/2025	0	25.83	823.7	500	144.6	11.26	1000	250	500	0	0	0	6.113	0	0	
6/29/2025	0	6.524	586.5	500	144.6	2.844	1000	250	500	0	0	0	9.863	0	0	
6/30/2025	0	6.394	584.3	500	144.6	2.787	1000	250	500	0	0	0	17	0	3384	
7/1/2025	0	6.266	1082	1000	144.6	2.731	1000	500	0	0	0	0	4.234	0	0	
7/2/2025	0	6.141	1080	1000	144.6	2.676	1000	500	0	0	0	0	4.348	0	4727	
7/3/2025	0	6.018	1078	1000	144.6	2.623	1000	500	0	0	0	0	4.738	0	0	
7/4/2025	0	5.898	1076	1000	144.6	2.57	1000	500	0	0	0	0	5.753	0	4347	
7/5/2025	0	5.78	1074	1000	144.6	2.519	1000	500	0	0	0	0	4.13	0	0	
7/6/2025	31.3	5.664	1083	1000	144.6	2.469	1000	500	0	0	0	37.67	4.306	0	4803	
7/7/2025	3186	5.551	2181	1000	144.6	2.419	1000	500	0	0	0	3833	4.251	0	0	
7/8/2025	1053	540.7	8080	1000	144.6	235.6	1000	500	500	0	0	1329	4.715	0	22000	
7/9/2025	56.45	232.7	3969	1000	144.6	101.4	1000	500	500	0	0	67.93	4.495	0	10658	
7/10/2025	0	64.72	1883	1000	144.6	28.2	1000	500	500	0	0	0	4.339	0	0	
7/11/2025	0	51.39	1711	1000	144.6	22.4	1000	500	500	0	0	0	4.544	0	9382	
7/12/2025	31.3	38.34	1554	1000	144.6	16.71	1000	500	500	0	0	37.67	4.672	0	0	
7/13/2025	0	35.38	1500	1000	144.6	15.42	1000	500	486.1	0	0	0	4.882	0	7918	
7/14/2025	0	34.21	1479	1000	144.6	14.91	1000	500	0	0	0	0	4.719	0	0	
7/15/2025	0	31.15	1436	1000	144.6	13.57	1000	500	0	0	0	0	6.944	0	5290	
7/16/2025	0	27.65	1387	1000	144.6	12.05	338.1	500	0	0	0	0	4.733	0	2662	
7/17/2025	0	7.084	1131	1000	144.6	3.088	5.915	500	0	0	0	0	5.003	0	2353	
7/18/2025	0	6.943	1124	1000	144.6	3.026	5.797	500	0	0	0	0	5.701	0	2286	
7/19/2025	0	6.804	1119	1000	144.6	2.965	5.681	500	0	0	0	0	4.95	0	2345	
7/20/2025	0	6.668	1114	1000	144.6	2.905	5.568	500	0	0	0	0	4.819	0	2251	
7/21/2025	31.3	6.534	1120	1000	144.6	2.848	61.41	500	0	0	0	37.67	4.845	0	2424	
7/22/2025	439.6	6.404	1258	1000	144.6	2.791	791.1	500	0	0	0	529	4.286	0	3966	
7/23/2025	801.5	54.78	1985	1000	144.6	23.88	1000	500	0	0	0	964.5	4.117	0	6118	
7/24/2025	99.02	130.4	2683	1000	144.6	56.83	763.9	500	500	0	0	119.2	3.9	0	4990	
7/25/2025	3398	9.486	2348	1000	144.6	4.134	1000	500	0	0	0	4090	4.142	0	8000	
7/26/2025	117	589.2	8385	1000	144.6	256.8	1000	500	500	0	0	149	4.227	0	8000	
7/27/2025	0	79.17	2086	1000	144.6	34.51	1000	500	500	0	0	0	4.656	0	4942	
7/28/2025	269.3	61.08	1947	1000	144.6	26.62	1000	500	500	0	0	324.1	4.034	0	5424	
7/29/2025	35.16	67.24	1937	1000	144.6	29.3	1000	500	500	0	0	42.32	3.608	0	4943	
7/30/2025	0	42.46	1612	1000	144.6	18.5	1000	500	500	0	0	0	3.731	0	4026	
7/31/2025	0	38.78	1557	1000	144.6	16.9	1000	500	0	0	0	0	3.93	0	2918	
8/1/2025	0	37.72	1536	1000	144.6	16.44	602	500	346.6	0	0	0	4.278	0	3212	
8/2/2025	0	34.86	1494	1000	144.6	15.19	29.11	500	0	0	0	0	5.082	0	2749	
8/3/2025	0	31.43	1445	1000	144.6	13.7	26.25	500	0	0	0	0	4.395	0	2755	
8/4/2025	0	28.38	1392	1000	144.6	12.37	23.7	497.9	0	0	0	0	4.303	0	2499	
8/5/2025	31.3	25.56	997.5	1000	144.6	11.14	77.3	34.91	0	0	0	37.67	4.088	0	1931	
8/6/2025	31.3	6.59	728.6	1000	144.6	2.872	61.45	18.46	0	0	0	37.67	3.537	0	1664	
8/7/2025	0	6.458	694.8	1000	144.6	2.815	5.393	0	0	0	0	0	3.665	0	1532	
8/8/2025	993.1	6.329	1372	677.9	144.6	2.758	1000	500	0	0	0	1195	3.63	0	5574	
8/9/2025	3569	154.5	4193	1000	144.6	67.32	1000	500	500	0	0	0	4.295	0	8000	
8/10/2025	601.5	625.9	9025	1000	144.6	272.8	1000	500	500	0	0	796.7	3.068	0	8000	
8/11/2025	31.3	183.8	3402	1000	144.6	80.1	1000	500	500	0	0	37.67	3.155	0	6607	
8/12/2025	56.45	80.85	2137	1000	144.6	35.24	1000	500	500	0	0	67.93	3.132	0	5251	
8/13/2025	96.45	67.25	1959	1000	144.6	29.31	1000	500	500	0	0	67.93	3.08	0	5024	
8/14/2025	0	55.62	1787	1000	144.6	24.24	1000	500	500	0	0	0	4.17	0	4651	
8/15/2025	0	44.72	1643	1000	144.6	19.49	1000	500	500	0	0	0	3.484	0	4427	
8/16/2025	31.3	43.95	1635	1000	144.6	19.15	1000	500	0	0	0	37.67	3.388	0	3118	
8/17/2025	0	42.07	1593	1000	144.6	18.33	1000	211.2	0	0	0	0	4.32	0	2636	
8/18/2025	0	38.59	1542	445.2	144.6	16.82	712.4	27.2	0	0	0	0	3.612	0	1903	
8/19/2025	0	35.19	1178	169.6	144.6	15.34	29.38	24.88	317.1	0	0	0	3.261	0	1603	
8/20/2025	1078	32.1	1825	652.1	144.6	13.99	1000	500	0	0	0	1297	2.977	0	6286	
8/21/2025	35.16	194.4	3391	1000	144.6	84.72	1000	448.9	500	0	0	42.32	2.962	0	6093	
8/22/2025	0	27.1	1057	262.9	144.6	11.81	201.3	18.45	0	0	0	0	2.783	0	1281	
8/23/2025	311.9	27.32	1258	272.8	144.6	11.91	580.3	229.6	0	0	0	375.3	2.754	0	2639	
8/24/2025	162.9	56.68	1558	376.8	144.6	24.7	338.5	156.1	500	0	0	196	2.915	0	2927	
8/25/2025	31.3	39.03	1219	215	144.6	17.01	88.54	51.33	0	0	0	37.67	2.596	0	1531	
8/26/2025	31.3	7.041	768.7	23.59	144.6	3.069	61.83	21.02	0	0	0	37.67	2.686	0	804.9	
8/27/2025	77.74	7.153	789.2	46.45	144.6	3.117	144.9	52.67	0	0	0	93.55	2.622	0	987.9	
8/28/2025	333.2	7.103	957.4	166.5	144.6	3.096	601.4	225.8	0	0	0	400.9	2.414	0	2297	
8/29/2025	31.3	45.69	884.7	257.7	144.6	19.91	94.1	58.24	0	0	0	37.67	2.338	0	1284	
8/30/2025	141.6	6.821	774.7	63.92	144.6	2.973	258.8	96.29	370.4	0	0	170.4	2.33	0	1295	
8/31/2025	31.3	12.72	353.3	63.92	144.6	5.546	66.58	27.71	0	0	0	37.67	2.15	0	490.9	
9/1/2025	31.3	6.753	250.2	28.21	144.6	2.943	61.59	22.06	0	0	0	37.67	2.166	0	336.5	
9/2/2025	35.16	6.635	243.4	28.99	144.6	2.892	68.39	24.5	0	0	0	42.32	2.19	0	339.2	
9/3/2025	135.6	6.503	351.8	75.6	144.6	2.834	247.9	92.51	0	0	0	163.2	2.105	0	790.8	
9/4/2025	93.08	8.096	325.4	64.73	144.6	3.528	173.1	65.08	0	0	0	112	2.163	0	629.6	

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance													Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Cahnnel 1 to CP1	CPS to CP1	STP to CP1	DCP1 to CP1	TIRI01 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWTP	
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
10/16/2025	0	0.3491	27.16	0	144.6	0	0	0	0	0	0	0	0.4739	0	0	
10/17/2025	0	0.3452	24.87	0	144.6	0	0	0	0	0	0	0	0.4275	0	0	
10/18/2025	0	0.3407	22.32	0	144.6	0	0	0	0	0	0	0	0.3683	0	0	
10/19/2025	0	0.3359	21.19	0	144.6	0	0	0	0	0	0	0	0.2655	0	0	
10/20/2025	0	0.3307	19.64	0	144.6	0	0	0	0	0	0	0	0.1966	0	0	
10/21/2025	0	0.3253	17.88	0	144.6	0	0	0	0	0	0	0	0.2519	0	0	
10/22/2025	0	0.3198	16.57	0	144.6	0	0	0	0	0	0	0	0.2064	0	0	
10/23/2025	0	0.3142	15.41	0	144.6	0	0	0	0	0	0	0	0.157	0	0	
10/24/2025	0	0.3086	13.79	0	144.6	0	0	0	0	0	0	0	0.299	0	0	
10/25/2025	0	0.3029	12.56	0	144.6	0	0	0	0	0	0	0	0.374	0	0	
10/26/2025	0	0.2973	11.99	0	144.6	0	0	0	0	0	0	0	0.2125	0	0	
10/27/2025	0	0.2917	10.94	0	144.6	0	0	0	0	0	0	0	0.2676	0	0	
10/28/2025	0	0.2861	10.37	0	144.6	0	0	0	0	0	0	0	0.1889	0	0	
10/29/2025	0	0.2806	10.2	1.669	144.6	0	0	0.2638	0	0	0	0	0	0	0	
10/30/2025	0	0.2752	8.982	0	144.6	0	0	0	0	0	0	0	0.182	0	0	
10/31/2025	0	0.2698	8.548	0.09347	144.6	0	0	0	0	0	0	0	0.124	0	0	
11/1/2025	0	0.2645	4.801	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/2/2025	0	0.2593	4.582	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/3/2025	0	0.2542	4.378	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/4/2025	0	0.2491	4.19	0	144.6	0	0	0	0	0	0	0	0.01379	0	0	
11/5/2025	0	0.2442	4.016	0	144.6	0	0	0	0	0	0	0	0.01992	0	0	
11/6/2025	0	0.2394	3.854	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/7/2025	0	0.2346	3.704	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/8/2025	0	0.2299	3.563	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/9/2025	0	0.2253	3.433	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/10/2025	0	0.2209	3.31	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/11/2025	0	0.2165	3.196	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/12/2025	0	0.2121	3.089	0	144.6	0	0	0	0	0	0	0	0.01228	0	0	
11/13/2025	0	0.2079	2.988	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/14/2025	0	0.2037	2.893	0	144.6	0	0	0	0	0	0	0	0.05006	0	0	
11/15/2025	0	0.1997	2.803	0	144.6	0	0	0	0	0	0	0	0.08761	0	0	
11/16/2025	0	0.1957	2.719	0	144.6	0	0	0	0	0	0	0	0.1047	0	0	
11/17/2025	0	0.1918	2.639	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/18/2025	0	0.1879	2.563	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/19/2025	0	0.1842	2.491	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/20/2025	0	0.1805	2.422	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/21/2025	0	0.1769	2.357	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/22/2025	0	0.1734	2.294	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/23/2025	0	0.1699	2.235	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/24/2025	0	0.1665	2.178	0	144.6	0	0	0	0	0	0	0	0.01879	0	0	
11/25/2025	0	0.1632	2.123	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/26/2025	0	0.1599	2.071	0	144.6	0	0	0	0	0	0	0	0.06293	0	0	
11/27/2025	0	0.1567	2.02	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/28/2025	0	0.1536	1.972	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/29/2025	0	0.1505	1.925	0	144.6	0	0	0	0	0	0	0	0	0	0	
11/30/2025	0	0.1475	1.88	0	144.6	0	0	0	0	0	0	0	0.02391	0	0	
12/1/2025	0	0.1445	1.837	0	144.6	0	0	0	0	0	0	0	0.009174	0	0	
12/2/2025	0	0.1416	1.795	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/3/2025	0	0.1388	1.754	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/4/2025	0	0.136	1.715	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/5/2025	0	0.1333	1.677	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/6/2025	0	0.1307	1.64	0	144.6	0	0	0	0	0	0	0	0.007545	0	0	
12/7/2025	0	0.128	1.604	0	144.6	0	0	0	0	0	0	0	0.01056	0	0	
12/8/2025	0	0.1255	1.569	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/9/2025	0	0.123	1.535	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/10/2025	0	0.1205	1.502	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/11/2025	0	0.1181	1.47	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/12/2025	0	0.1157	1.439	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/13/2025	0	0.1134	1.408	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/14/2025	0	0.1112	1.378	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/15/2025	0	0.109	1.35	0	144.6	0	0	0	0	0	0	0	0.01496	0	0	
12/16/2025	0	0.1068	1.321	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/17/2025	0	0.1046	1.294	0	144.6	0	0	0	0	0	0	0	0.01004	0	0	
12/18/2025	0	0.1025	1.267	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/19/2025	0	0.1005	1.241	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/20/2025	0	0.09846	1.215	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/21/2025	0	0.09649	1.19	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/22/2025	0	0.09457	1.166	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/23/2025	0	0.09267	1.142	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/24/2025	0	0.09082	1.118	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/25/2025	0	0.089	1.096	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/26/2025	0	0.08722	1.073	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/27/2025	0	0.08548	1.051	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/28/2025	0	0.08377	1.03	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/29/2025	0	0.08209	1.009	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/30/2025	0	0.08045	0.9887	0	144.6	0	0	0	0	0	0	0	0	0	0	
12/31/2025	0	0.07884	0.9686	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/1/2026	0	0.07727	0.949	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/2/2026	0	0.07572	0.9298	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/3/2026	0	0.07421	0.9111	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/4/2026	0	0.07272	0.8927	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/5/2026	0	0.07127	0.8747	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/6/2026	0	0.06984	0.8571	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/7/2026	0	0.06845	0.8398	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/8/2026	0	0.06708	0.8229	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/9/2026	0	0.06574	0.8063	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/10/2026	0	0.06442	0.7901	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/11/2026	0	0.06313	0.7742	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/12/2026	0	0.06187	0.7587	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/13/2026	0	0.06063	0.7435	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/14/2026	0	0.05942	0.7285	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/15/2026	0	0.05823	0.7139	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/16/2026	0	0.05707	0.6996	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/17/2026	0	0.05593	0.6855	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/18/2026	0	0.05481	0.6718	0	144.6	0	0	0	0	0	0	0	0	0	0	
1/19/2026	0	0.05371	0.6583	0	144.6	0	0	0	0	0	0	0	0.0008748	0</		

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance													Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Channel 1 to CP1	CP5 to CP1	STP to CP1	DCP1 to CP1	TIRIO1 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWP	
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
2/17/2026	0	0.0299	0.3662	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/18/2026	0	0.0293	0.3589	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/19/2026	0	0.02871	0.3516	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/20/2026	0	0.02814	0.3447	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/21/2026	0	0.02758	0.3378	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/22/2026	0	0.02702	0.331	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/23/2026	0	0.02648	0.3244	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/24/2026	0	0.02595	0.3179	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/25/2026	0	0.02543	0.3116	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/26/2026	0	0.02493	0.3053	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/27/2026	0	0.02443	0.2992	0	144.6	0	0	0	0	0	0	0	0	0	0	
2/28/2026	0	0.02394	0.2933	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/1/2026	0	0.02346	0.2874	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/2/2026	0	0.02299	0.2816	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/3/2026	0	0.02253	0.276	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/4/2026	0	0.02208	0.2705	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/5/2026	0	0.02164	0.2651	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/6/2026	0	0.02121	0.2598	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/7/2026	0	0.02078	0.2546	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/8/2026	0	0.02037	0.2495	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/9/2026	0	0.01996	0.2445	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/10/2026	0	0.01956	0.2396	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/11/2026	0	0.01917	0.2348	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/12/2026	0	0.01879	0.2301	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/13/2026	0	0.01841	0.2255	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/14/2026	0	0.01804	0.221	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/15/2026	0	0.01768	0.2166	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/16/2026	0	0.01733	0.2123	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/17/2026	0	0.01698	0.208	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/18/2026	0	0.01664	0.2038	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/19/2026	0	0.01631	0.1998	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/20/2026	0	0.01598	0.1958	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/21/2026	0	0.01566	0.1919	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/22/2026	0	0.01535	0.188	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/23/2026	0	0.01504	0.1843	0	144.6	0	0	0	0	0	0	0	0.3768	0	0	
3/24/2026	0	0.01474	0.1806	0	144.6	0	0	0	0	0	0	0	0	0.9407	0	
3/25/2026	0	0.01445	0.177	0	144.6	0	0	0	0	0	0	0	0	0.5513	0	
3/26/2026	0	0.01416	0.1734	0	144.6	0	0	0	0	0	0	0	0	0.1627	0	
3/27/2026	0	0.01387	0.17	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/28/2026	0	0.0136	0.1666	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/29/2026	0	0.01332	0.1632	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/30/2026	0	0.01306	0.16	0	144.6	0	0	0	0	0	0	0	0	0	0	
3/31/2026	0	0.0128	0.1568	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/1/2026	0	0.01254	0.1536	0	144.6	0	0	0	0	0	0	0	0	0.4143	0	
4/2/2026	0	0.01229	0.1506	0	144.6	0	0	0	0	0	0	0	0	0.6352	0	
4/3/2026	0	0.01204	0.1475	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/4/2026	0	0.0118	0.1446	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/5/2026	0	0.01157	0.1417	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/6/2026	0	0.01134	0.1389	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/7/2026	0	0.01111	0.1361	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/8/2026	0	0.01089	0.1334	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/9/2026	0	0.01067	0.1307	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/10/2026	0	0.01046	0.1281	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/11/2026	0	0.01025	0.1255	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/12/2026	0	0.01004	0.123	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/13/2026	0	0.009841	0.1206	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/14/2026	0	0.009644	0.1181	0	144.6	0	0	0	0	0	0	0	0	0.1959	0	
4/15/2026	0	0.009452	0.1158	0	144.6	0	0	0	0	0	0	0	0	0.7121	0	
4/16/2026	0	0.009263	0.1135	0	144.6	0	0	0	0	0	0	0	0	0.6855	0	
4/17/2026	0	0.009077	0.1112	0	144.6	0	0	0	0	0	0	0	0	0.4789	0	
4/18/2026	0	0.008896	0.1089	0	144.6	0	0	0	0	0	0	0	0	0.3164	0	
4/19/2026	0	0.008718	0.1068	0	144.6	0	0	0	0	0	0	0	0	0.2405	0	
4/20/2026	0	0.008543	0.1047	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/21/2026	0	0.008373	0.1026	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/22/2026	0	0.008205	0.1005	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/23/2026	0	0.008041	0.0985	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/24/2026	0	0.00788	0.09653	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/25/2026	0	0.007723	0.0946	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/26/2026	0	0.007568	0.09271	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/27/2026	0	0.007417	0.09085	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/28/2026	0	0.007268	0.08904	0	144.6	0	0	0	0	0	0	0	0	0.4427	0	
4/29/2026	0	0.007123	0.08726	0	144.6	0	0	0	0	0	0	0	0	0	0	
4/30/2026	0	0.006981	0.08551	0	144.6	0	0	0	0	0	0	0	0	0	0	
5/1/2026	0	0.006841	0.0838	0	144.6	0	0	0	0	0	0	0	0	0.3266	0	
5/2/2026	0	0.006704	0.08213	0	144.6	0	0	0	0	0	0	0	0	1.185	0	
5/3/2026	0	0.00657	0.08048	0	144.6	0	0	0	0	0	0	0	0	1.441	0	
5/4/2026	0	0.006439	0.07887	0	144.6	0	0	0	0	0	0	0	0	1.624	0	
5/5/2026	0	0.00631	0.0773	0	144.6	0	0	0	0	0	0	0	0	0.778	0	
5/6/2026	0	0.006184	0.07575	0	144.6	0	0	0	0	0	0	0	0	1.393	0	
5/7/2026	0	0.00606	0.07423	0	144.6	0	0	0	0	0	0	0	0	1.407	0	
5/8/2026	0	0.005939	0.07275	0	144.6	0	0	0	0	0	0	0	0	1.385	0	
5/9/2026	0	0.00582	0.0713	0	144.6	0	0	0	0	0	0	0	0	2.089	0	
5/10/2026	0	0.005704	0.06987	0	144.6	0	0	0	0	0	0	0	0	2.413	0	
5/11/2026	0	0.00559	0.06847	0	144.6	0	0	0	0	0	0	0	0	2.357	0	
5/12/2026	0	0.005478	0.0671	0	144.6	0	0	0	0	0	0	0	0	2.344	0	
5/13/2026	0	0.005368	0.06576	0	144.6	0	0	0	0	0	0	0	0	2.137	0	
5/14/2026	0	0.005261	0.06445	0	144.6	0	0	0	0	0	0	0	0	2.436	0	
5/15/2026	163.5	24.15	679.9	0	144.6	0	0	0	0	0	0	0	0	1.919	0	
5/16/2026	180.2	75.53	1426	0	144.6	0	0	0	0	0	0	0	0	2.331	0	
5/17/2026	478.2	107.1	1999	0	144.6	0	0	0	0	0	0	0	0	2.444	0	
5/18/2026	32.09	140	1845	0	144.6	0	0	0	0	0	0	0	0	2.976	0	
5/19/2026	0	9.122	120.8	0	144.6	0	0	0	0	0	0	0	0	3.209	0	
5/20/2026	0	0.07559	9.067	0	144.6	0	0	0	0	0	0	0	0	3.296	0	
5/21/2026	132.4	22.82	534.9	0	144.6	0	0	0	0	0	0	0	0	3.435	0	
5/22/2026	255.3	108.2	2103	0	144.6	0	0	0	0	0	0	0	0	3.72	0	
5/23/2026	322.2	245.4														

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance														Outflow		
	Inflow														Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Cahanne1 to CP1	CP5 to CP1	STP to CP1	DCP1 to CP1	TIR01 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWT		
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3			
6/21/2026	26.88	50.5	1144	500	144.6	22.01	1000	250	500	0	0	43.2	7.623	0	22000		
6/22/2026	0	46.14	1079	500	144.6	20.11	1000	250	500	0	0	0	6.064	0	22000		
6/23/2026	0	42.15	1046	500	144.6	18.37	1000	250	500	0	0	0	5.23	0	22000		
6/24/2026	0	38.5	982.8	500	144.6	16.78	1000	250	500	0	0	0	5.47	0	22000		
6/25/2026	0	35.03	939.2	500	144.6	15.27	1000	250	500	0	0	0	5.033	0	22000		
6/26/2026	0	31.83	898.9	500	144.6	13.87	1000	250	500	0	0	0	4.762	0	22000		
6/27/2026	0	28.82	861.2	500	144.6	12.56	1000	250	500	0	0	0	5.411	0	13212		
6/28/2026	0	25.83	823.7	500	144.6	11.26	1000	250	500	0	0	0	6.113	0	0		
6/29/2026	0	6.525	586.5	500	144.6	2.844	1000	250	500	0	0	0	9.863	0	0		
6/30/2026	0	6.594	584.3	500	144.6	2.787	1000	250	500	0	0	0	17	0	3384		
7/1/2026	0	6.266	1082	1000	144.6	2.731	1000	500	0	0	0	0	4.234	0	0		
7/2/2026	0	6.141	1080	1000	144.6	2.676	1000	500	0	0	0	0	4.348	0	4727		
7/3/2026	0	6.018	1078	1000	144.6	2.623	1000	500	0	0	0	0	7.128	0	0		
7/4/2026	0	5.898	1076	1000	144.6	2.57	1000	500	0	0	0	0	5.753	0	4347		
7/5/2026	0	5.78	1074	1000	144.6	2.519	1000	500	0	0	0	0	4.13	0	0		
7/6/2026	31.3	5.664	1083	1000	144.6	2.469	1000	500	0	0	0	37.67	4.306	0	4803		
7/7/2026	3186	5.551	2181	1000	144.6	2.419	1000	500	0	0	0	0	3833	4.251	0	0	
7/8/2026	1053	540.7	8080	1000	144.6	235.6	1000	500	500	0	0	0	1329	4.715	0	22000	
7/9/2026	56.45	232.7	3969	1000	144.6	101.4	1000	500	500	0	0	0	67.93	4.495	0	10658	
7/10/2026	0	64.72	1883	1000	144.6	28.2	1000	500	500	0	0	0	0	4.339	0	0	
7/11/2026	0	51.39	1711	1000	144.6	22.4	1000	500	500	0	0	0	0	4.544	0	9282	
7/12/2026	31.3	38.34	1554	1000	144.6	16.71	1000	500	500	0	0	37.67	4.672	0	0		
7/13/2026	0	35.38	1500	1000	144.6	15.42	1000	500	470.7	0	0	0	4.882	0	7917		
7/14/2026	0	34.21	1479	1000	144.6	14.91	1000	500	0	0	0	0	4.719	0	0		
7/15/2026	0	31.15	1436	1000	144.6	13.57	1000	500	0	0	0	0	6.944	0	5289		
7/16/2026	0	27.65	1387	1000	144.6	12.05	329.2	500	0	0	0	0	4.733	2662	0		
7/17/2026	0	7.084	1131	1000	144.6	3.088	5.916	500	0	0	0	0	5.003	2353	0		
7/18/2026	0	6.943	1124	1000	144.6	3.026	5.797	500	0	0	0	0	5.701	2286	0		
7/19/2026	0	6.804	1119	1000	144.6	2.965	5.681	500	0	0	0	0	4.95	2345	0		
7/20/2026	0	6.668	1114	1000	144.6	2.906	5.568	500	0	0	0	0	4.819	2351	0		
7/21/2026	31.3	6.534	1120	1000	144.6	2.848	61.41	500	0	0	0	37.67	4.845	2424	0		
7/22/2026	439.6	6.404	1258	1000	144.6	2.791	791.1	500	0	0	0	0	529	4.286	3968	0	
7/23/2026	801.5	54.78	1985	1000	144.6	23.88	1000	500	0	0	0	964.5	4.117	6118	0		
7/24/2026	99.02	130.4	2683	1000	144.6	56.83	763.9	500	500	0	0	0	119.2	3.9	4994	0	
7/25/2026	3398	9.486	2348	1000	144.6	4.134	1000	500	0	0	0	4090	4.142	8000	0		
7/26/2026	117	589.2	8305	1000	144.6	265.8	1000	500	500	0	0	0	149	4.227	8090	8413	
7/27/2026	0	79.17	2086	1000	144.6	34.51	1000	500	500	0	0	0	0	4.656	4942	0	
7/28/2026	269.3	61.08	1947	1000	144.6	26.62	1000	500	500	0	0	0	324.1	4.034	5424	0	
7/29/2026	35.16	67.24	1937	1000	144.6	29.3	1000	500	500	0	0	0	42.32	3.608	4943	0	
7/30/2026	0	42.46	1612	1000	144.6	18.5	1000	500	500	0	0	0	0	3.731	4037	0	
7/31/2026	0	38.78	1557	1000	144.6	16.9	1000	500	0	0	0	0	0	3.93	2918	0	
8/1/2026	0	37.72	1536	1000	144.6	16.44	602	500	346.6	0	0	0	4.278	3212	0		
8/2/2026	0	34.86	1494	1000	144.6	15.19	29.11	500	0	0	0	0	5.082	2749	0		
8/3/2026	0	31.43	1445	1000	144.6	13.7	26.25	500	0	0	0	0	4.395	2755	0		
8/4/2026	0	28.38	1170	1000	144.6	12.37	23.7	489.6	0	0	0	0	4.463	2481	0		
8/5/2026	31.3	25.56	997.5	1000	144.6	11.14	77.3	34.91	0	0	0	37.67	4.088	1929	0		
8/6/2026	31.3	6.59	728.6	1000	144.6	2.872	61.45	18.46	0	0	0	37.67	3.537	1664	0		
8/7/2026	0	6.458	694.8	1000	144.6	2.815	5.393	0	0	0	0	0	3.665	1532	0		
8/8/2026	993.1	6.329	1372	677.9	144.6	2.758	1000	500	0	0	0	1195	3.63	5574	0		
8/9/2026	3569	154.5	4193	1000	144.6	67.32	1000	500	500	0	0	0	4295	3.66	8000	0	
8/10/2026	601.5	625.9	9025	1000	144.6	272.8	1000	500	500	0	0	796.7	3.068	8000	13308		
8/11/2026	31.3	183.8	3402	1000	144.6	80.1	1000	500	500	0	0	37.67	3.155	6607	0		
8/12/2026	56.45	80.85	2137	1000	144.6	35.24	1000	500	500	0	0	0	67.93	3.132	5251	0	
8/13/2026	56.45	67.25	1959	1000	144.6	29.31	1000	500	500	0	0	0	67.93	3.48	5024	0	
8/14/2026	0	55.62	1787	1000	144.6	24.24	1000	500	500	0	0	0	4.17	4651	0		
8/15/2026	0	44.72	1643	1000	144.6	19.49	1000	500	500	0	0	0	3.484	4443	0		
8/16/2026	31.3	43.95	1635	1000	144.6	19.15	1000	500	0	0	0	37.67	3.388	3118	0		
8/17/2026	0	42.07	1593	1000	144.6	18.33	1000	211.2	0	0	0	0	4.32	2636	0		
8/18/2026	0	38.59	1542	445.2	144.6	16.82	712.4	27.2	0	0	0	0	3.612	1903	0		
8/19/2026	0	35.19	1178	169.6	144.6	15.34	29.38	24.88	317.1	0	0	0	3.261	1603	0		
8/20/2026	1078	32.1	1825	65.1	144.6	13.99	1000	500	500	0	0	0	146.6	2.977	6286	0	
8/21/2026	35.16	194.4	3391	1000	144.6	84.72	1000	448.9	590	0	0	42.32	2.982	6097	0		
8/22/2026	0	27.1	1057	262.9	144.6	11.81	201.3	18.45	0	0	0	0	2.793	1281	0		
8/23/2026	311.9	27.32	1258	272.8	144.6	11.91	580.3	229.6	0	0	0	375.3	2.754	2246	0		
8/24/2026	162.9	56.68	1558	376.8	144.6	24.7	338.5	156.1	500	0	0	0	1.96	2.915	2929	0	
8/25/2026	31.3	39.03	1219	215	144.6	17.01	88.54	51.33	0	0	0	37.67	2.596	1531	0		
8/26/2026	31.3	7.041	768.7	23.59	144.6	3.069	61.83	21.02	0	0	0	37.67	2.686	804.9	0		
8/27/2026	77.74	7.153	789.2	46.45	144.6	3.117	144.9	52.67	0	0	0	0	93.55	987.9	0		
8/28/2026	333.2	7.103	946.1	166.5	144.6	3.096	601.4	225.8	0	0	0	0	400.9	2.414	2293	0	
8/29/2026	31.3	45.69	878.5	257.7	144.6	18.91	84.1	58.24	0	0	0	0	37.67	2.338	1273	0	
8/30/2026	141.6	6.821	394.7	77.62	144.6	2.973	258.8	96.29	370.4	0	0	0	2.32	170.4	2205	0	
8/31/2026	31.3	12.72	353.3	63.92	144.6	5.546	66.58	27.71	0	0	0	37.67	2.15	490.9	0		
9/1/2026	31.3	6.753	250.2	28.21	144.6	2.943	61.59	22.06	0	0	0	37.67	2.166	336.5	0		
9/2/2026	35.16	6.635	243.4	28.99	144.6	2.892	68.39	24.5	0	0	0	42.32	2.19	339.2	0		
9/3/2026	135.6	6.503	351.8	75.6	144.6	2.834	247.9	92.51	0	0	0	163.2	2.105	790.8	0		
9/4/2026	93.08	8.096	325.4	64.73	144.6	3.528	173.1	65.08	0	0	0	0	1.12	629.6	0		
9/5/2026	46.64	8.059	266.8	43.6	144.6	3.512	90.1	33.77	0	0	0	56.13	2.121	419.8	0		
9/6/2026	35.16	6.112	217.4	28.57	144.6	2.667	67.86	24.68	0	0	0	42.32	1.966	331.6	0		
9/7/2026	0	5.998	168	12.96	144.6	2.614	5.008	0.9503	0	0	0	0	1.863	174.1	0		
9/8/2026	667.8	5.878	945.4	321.3	144.6	2.562	1000	452.4	0	0	0	0	803.6	1.791	4055	0	
9/9/2026	50.5	101.1	1731	602.2	144.6	44.04	373.1	124.6	500	0	0	0	60.78	1.828	3201	0	
9/10/2026	15.34	5.645	202.6	20.09	144.6	2.46	32.13	11.43	0	0	0	0					

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance														Outflow		
	CP1 Bank Runoff	CP1 Natural Runoff	Canhnel 1 to CP1	CP5 to CP1	STP to CP1	DCP1 to CP1	TIR101 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	CP1 Pond Surface Evaporation	To Water Line	To EWTP		
	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3		
2/24/2027	0	0.02595	0.3179	0	144.6	0	0	0	0	0	0	0	0	0	0		
2/25/2027	0	0.02543	0.3116	0	144.6	0	0	0	0	0	0	0	0	0	0		
2/26/2027	0	0.02493	0.3053	0	144.6	0	0	0	0	0	0	0	0	0	0		
2/27/2027	0	0.02443	0.2992	0	144.6	0	0	0	0	0	0	0	0	0	0		
2/28/2027	0	0.02394	0.2933	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/1/2027	0	0.02346	0.2874	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/2/2027	0	0.02299	0.2816	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/3/2027	0	0.02253	0.276	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/4/2027	0	0.02208	0.2705	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/5/2027	0	0.02164	0.2651	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/6/2027	0	0.02121	0.2598	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/7/2027	0	0.02078	0.2546	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/8/2027	0	0.02037	0.2495	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/9/2027	0	0.01996	0.2445	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/10/2027	0	0.01956	0.2396	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/11/2027	0	0.01917	0.2348	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/12/2027	0	0.01879	0.2301	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/13/2027	0	0.01841	0.2255	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/14/2027	0	0.01804	0.221	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/15/2027	0	0.01768	0.2166	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/16/2027	0	0.01733	0.2123	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/17/2027	0	0.01698	0.208	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/18/2027	0	0.01664	0.2038	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/19/2027	0	0.01631	0.1998	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/20/2027	0	0.01598	0.1958	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/21/2027	0	0.01566	0.1919	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/22/2027	0	0.01535	0.188	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/23/2027	0	0.01504	0.1843	0	144.6	0	0	0	0	0	0	0	0.3268	0	0		
3/24/2027	0	0.01474	0.1806	0	144.6	0	0	0	0	0	0	0	0.9407	0	0		
3/25/2027	0	0.01445	0.177	0	144.6	0	0	0	0	0	0	0	0.5513	0	0		
3/26/2027	0	0.01416	0.1734	0	144.6	0	0	0	0	0	0	0	0.1627	0	0		
3/27/2027	0	0.01387	0.17	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/28/2027	0	0.0136	0.1666	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/29/2027	0	0.01332	0.1632	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/30/2027	0	0.01306	0.16	0	144.6	0	0	0	0	0	0	0	0	0	0		
3/31/2027	0	0.0128	0.1568	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/1/2027	0	0.01254	0.1536	0	144.6	0	0	0	0	0	0	0	0.4143	0	0		
4/2/2027	0	0.01229	0.1506	0	144.6	0	0	0	0	0	0	0	0.6352	0	0		
4/3/2027	0	0.01204	0.1475	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/4/2027	0	0.0118	0.1446	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/5/2027	0	0.01157	0.1417	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/6/2027	0	0.01134	0.1389	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/7/2027	0	0.01111	0.1361	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/8/2027	0	0.01089	0.1334	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/9/2027	0	0.01067	0.1307	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/10/2027	0	0.01046	0.1281	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/11/2027	0	0.01025	0.1255	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/12/2027	0	0.01004	0.123	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/13/2027	0	0.009841	0.1206	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/14/2027	0	0.009644	0.1181	0	144.6	0	0	0	0	0	0	0	0.1959	0	0		
4/15/2027	0	0.009452	0.1158	0	144.6	0	0	0	0	0	0	0	0.7121	0	0		
4/16/2027	0	0.009263	0.1135	0	144.6	0	0	0	0	0	0	0	0.6855	0	0		
4/17/2027	0	0.009077	0.1112	0	144.6	0	0	0	0	0	0	0	0.4789	0	0		
4/18/2027	0	0.008896	0.109	0	144.6	0	0	0	0	0	0	0	0.3194	0	0		
4/19/2027	0	0.008718	0.1068	0	144.6	0	0	0	0	0	0	0	0.2405	0	0		
4/20/2027	0	0.008543	0.1047	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/21/2027	0	0.008373	0.1026	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/22/2027	0	0.008205	0.1005	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/23/2027	0	0.008041	0.0985	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/24/2027	0	0.00788	0.09653	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/25/2027	0	0.007723	0.0946	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/26/2027	0	0.007568	0.09271	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/27/2027	0	0.007417	0.09085	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/28/2027	0	0.007268	0.08904	0	144.6	0	0	0	0	0	0	0	0.4427	0	0		
4/29/2027	0	0.007123	0.08726	0	144.6	0	0	0	0	0	0	0	0	0	0		
4/30/2027	0	0.006981	0.08551	0	144.6	0	0	0	0	0	0	0	0	0	0		
5/1/2027	0	0.006841	0.0838	0	144.6	0	0	0	0	0	0	0	0.3266	0	0		
5/2/2027	0	0.006704	0.08213	0	144.6	0	0	0	0	0	0	0	1.185	0	0		
5/3/2027	0	0.00657	0.08048	0	144.6	0	0	0	0	0	0	0	1.441	0	0		
5/4/2027	0	0.006439	0.07887	0	144.6	0	0	0	0	0	0	0	1.634	0	0		
5/5/2027	0	0.00631	0.0773	0	144.6	0	0	0	0	0	0	0	0.778	0	0		
5/6/2027	0	0.006184	0.07575	0	144.6	0	0	0	0	0	0	0	1.393	0	0		
5/7/2027	0	0.00606	0.07424	0	144.6	0	0	0	0	0	0	0	1.407	0	0		
5/8/2027	0	0.005939	0.07275	0	144.6	0	0	0	0	0	0	0	1.385	0	0		
5/9/2027	0	0.00582	0.0713	0	144.6	0	0	0	0	0	0	0	2.089	0	0		
5/10/2027	0	0.005704	0.06987	0	144.6	0	0	0	0	0	0	0	2.413	0	0		
5/11/2027	0	0.00559	0.06847	0	144.6	0	0	0	0	0	0	0	2.357	0	0		
5/12/2027	0	0.005478	0.06711	0	144.6	0	0	0	0	0	0	0	2.344	0	0		
5/13/2027	0	0.005368	0.06576	0	144.6	0	0	0	0	0	0	0	2.137	0	0		
5/14/2027	0	0.005261	0.06445	0	144.6	0	0	0	0	0	0	0	2.436	0	0		
5/15/2027	163.5	24.15	679.9	0	144.6	0	0	0	0	0	0	196.8	1.919	0	0		
5/16/2027	180.2	75.53	1426	0	144.6	0	0	0	0	0	0	216.9	2.331	0	0		
5/17/2027	478.2	107.1	1999	0	144.6	0	0	0	0	0	0	575.5	2.444	0	0		
5/18/2027	32.09	140	1845	0	144.6	0	0	0	0	0	0	41.81	2.976	0	0		
5/19/2027	0	9.122	120.8	0	144.6	0	0	0	0	0	0	0	3.209	0	0		
5/20/2027	0	0.07559	0.067	0	144.6	0	0	0	0	0	0	0	3.296	0	0		
5/21/2027	132.4	22.82	634.9	0	144.6	0	0	0	0	0	0	174.2	3.435	0	0		
5/22/2027	255.3	108.2	2103	0	144.6	0	0	0	0	0	0	307.3	3.72	0	0		
5/23/2027	322.2	245.4	3890	0	144.6	0	0	0	0	0	0	387.8	3.639	0	0		
5/24/2027	421.1	247.1	3619	0	144.6	0	0	0	0	0	0	506.8	3.499	0	0		
5/25/2027	458.2	148.8	2134	0	144.6	0	0	0	0	0	0	551.4	3.656	0	0		
5/26/2027	82.12	120.7	1695	0	144.6	0	0	0	0	0	0	98.82	3.849	0	0		
5/27/2027	185.2	49.08	770	0	144.6	0	0	0	0	0	0	222.9	3.523	0	0		
5/28/2027	112.1	45.04	669.4	0	144.6	0	0	0	0	0	0	136.9	3.505	0	0		
5/29/2027	280.8	81.08	1722	0	144.6	0	0	0	0								

Table 2: Forecasted inflow and outflow volume (average precipitation year)

Date	CP1 - Water Balance														Outflow		
	Inflow														CP1 Pond Surface Evaporation	To Water Line	To EWTP
	CP1 Bank Runoff	CP1 Natural Runoff	Cahanne1 to CP1	CP5 to CP1	STP to CP1	DCP1 to CP1	TIRO1 to CP1	CP6 to CP1	CP2 to CP1	J6 to CP1	RO to CP1	Rain and Snowmelt	m3	m3			
6/28/2027	0	25.83	823.7	500	144.6	11.26	1000	250	500	0	0	0	0	6.113	0	0	
6/29/2027	0	6.525	586.5	500	144.6	2.844	1000	250	500	0	0	0	0	9.863	0	0	
6/30/2027	0	6.304	584.3	500	144.6	2.787	1000	250	500	0	0	0	0	17	0	3384	
7/1/2027	0	6.266	1082	1000	144.6	2.731	1000	500	0	0	0	0	0	4.234	0	0	
7/2/2027	0	6.141	1080	1000	144.6	2.676	1000	500	0	0	0	0	0	4.348	0	4727	
7/3/2027	0	6.018	1078	1000	144.6	2.623	1000	500	0	0	0	0	0	7.128	0	0	
7/4/2027	0	5.898	1076	1000	144.6	2.57	1000	500	0	0	0	0	0	5.753	0	4347	
7/5/2027	0	5.78	1074	1000	144.6	2.519	1000	500	0	0	0	0	0	4.13	0	0	
7/6/2027	31.3	5.664	1083	1000	144.6	2.469	1000	500	0	0	0	37.67	0	4.306	0	4803	
7/7/2027	3186	5.551	2181	1000	144.6	2.419	1000	500	0	0	0	3833	0	4.251	0	0	
7/8/2027	1053	540.7	8080	1000	144.6	235.6	1000	500	0	0	0	1339	0	4.715	0	22000	
7/9/2027	56.45	232.7	2969	1000	144.6	101.4	1000	500	500	0	0	0	0	4.495	0	10658	
7/10/2027	0	64.72	1883	1000	144.6	28.2	1000	500	500	0	0	0	0	4.339	0	0	
7/11/2027	0	51.39	1711	1000	144.6	22.4	1000	500	500	0	0	0	0	4.544	0	9282	
7/12/2027	31.3	38.34	1554	1000	144.6	16.71	1000	500	500	0	0	37.67	0	4.672	0	0	
7/13/2027	0	35.38	1500	1000	144.6	15.42	1000	500	470.7	0	0	0	0	4.882	0	7930	
7/14/2027	0	34.21	1479	1000	144.6	14.91	1000	500	0	0	0	0	0	4.719	0	0	
7/15/2027	0	31.15	1436	1000	144.6	13.57	1000	500	0	0	0	0	0	6.944	0	5289	
7/16/2027	0	27.65	1387	1000	144.6	12.05	329.2	500	0	0	0	0	0	4.753	0	2662	
7/17/2027	0	7.084	1131	1000	144.6	3.088	5.916	500	0	0	0	0	0	5.003	0	2353	
7/18/2027	0	6.943	1124	1000	144.6	3.026	5.797	500	0	0	0	0	0	5.701	0	2286	
7/19/2027	0	6.804	1119	1000	144.6	2.965	5.681	500	0	0	0	0	0	4.95	0	2345	
7/20/2027	0	6.668	1114	1000	144.6	2.906	5.568	500	0	0	0	0	0	4.819	0	2351	
7/21/2027	31.3	6.534	1120	1000	144.6	2.848	61.41	500	0	0	0	37.67	0	4.845	0	2424	
7/22/2027	439.6	6.404	1258	1000	144.6	2.791	791.1	500	0	0	0	529	0	4.286	0	3970	
7/23/2027	801.5	54.78	1985	1000	144.6	23.88	1000	500	0	0	0	964.5	0	4.117	0	6118	
7/24/2027	99.02	130.4	2683	1000	144.6	56.83	763.9	500	500	0	0	119.2	0	3.9	0	4998	
7/25/2027	3398	9.486	2344	1000	144.6	4.134	1000	500	0	0	0	4090	0	4.142	0	8000	
7/26/2027	117	589.2	8385	1000	144.6	256.8	1000	500	500	0	0	149	0	4.227	0	8000	
7/27/2027	0	79.17	2086	1000	144.6	34.51	1000	500	500	0	0	0	0	4.656	0	4942	
7/28/2027	269.3	61.08	1947	1000	144.6	26.62	1000	500	500	0	0	324.1	0	4.034	0	5424	
7/29/2027	35.16	67.24	1937	1000	144.6	29.3	1000	500	500	0	0	42.32	0	3.608	0	4943	
7/30/2027	0	42.46	1612	1000	144.6	18.5	1000	500	500	0	0	0	0	3.731	0	4049	
7/31/2027	0	38.78	1557	1000	144.6	16.9	1000	500	0	0	0	0	0	3.93	0	2918	
8/1/2027	0	37.72	1536	1000	144.6	16.44	602	500	346.6	0	0	0	0	4.278	0	0	
8/2/2027	0	34.86	1494	1000	144.6	15.19	291.1	500	0	0	0	0	0	5.082	0	2749	
8/3/2027	0	31.43	1445	1000	144.6	13.7	26.25	500	0	0	0	0	0	4.395	0	2755	
8/4/2027	0	28.38	1170	1000	144.6	12.37	23.7	489.8	0	0	0	0	0	4.303	0	2481	
8/5/2027	31.3	25.56	997.5	1000	144.6	11.14	77.3	34.91	0	0	0	37.67	0	4.088	0	1929	
8/6/2027	31.3	6.59	728.6	1000	144.6	2.872	61.45	18.46	0	0	0	37.67	0	3.537	0	1664	
8/7/2027	0	6.458	694.8	1000	144.6	2.815	5.393	0	0	0	0	0	0	3.665	0	1532	
8/8/2027	993.1	6.329	1372	677.9	144.6	2.758	1000	500	0	0	0	1195	0	3.63	0	5574	
8/9/2027	3569	154.5	4193	1000	144.6	67.32	1000	500	500	0	0	4295	0	3.66	0	8000	
8/10/2027	601.5	625.9	9025	1000	144.6	272.8	1000	500	500	0	0	796.7	0	3.068	0	8000	
8/11/2027	31.3	182.8	3402	1000	144.6	80.1	1000	500	500	0	0	37.67	0	3.155	0	13308	
8/12/2027	56.45	80.85	2137	1000	144.6	35.24	1000	500	500	0	0	67.93	0	3.132	0	5251	
8/13/2027	56.45	67.25	1959	1000	144.6	29.31	1000	500	500	0	0	67.93	0	3.48	0	5024	
8/14/2027	0	55.62	1787	1000	144.6	24.24	1000	500	500	0	0	0	0	4.17	0	4651	
8/15/2027	0	44.72	1643	1000	144.6	19.49	1000	500	500	0	0	0	0	3.484	0	4458	
8/16/2027	31.3	43.95	1635	1000	144.6	19.15	1000	500	0	0	0	37.67	0	3.388	0	3118	
8/17/2027	0	42.07	1593	1000	144.6	18.33	1000	211.2	0	0	0	0	0	4.32	0	2636	
8/18/2027	0	38.59	1542	445.2	144.6	16.82	712.4	27.2	0	0	0	0	0	3.612	0	1903	
8/19/2027	0	35.19	1178	249.6	144.6	15.34	29.38	24.88	317.1	0	0	0	0	3.261	0	1603	
8/20/2027	1078	32.1	1825	652.1	144.6	13.99	1000	500	0	0	0	1297	0	2.977	0	6286	
8/21/2027	35.16	194.4	3391	1000	144.6	84.72	1000	448.9	500	0	0	42.32	0	2.982	0	6101	
8/22/2027	0	27.1	1057	262.9	144.6	11.81	201.3	18.45	0	0	0	0	0	2.793	0	1281	
8/23/2027	311.9	27.32	1258	272.8	144.6	11.91	580.3	229.6	0	0	0	375.3	0	2.754	0	2643	
8/24/2027	162.9	56.68	1558	376.8	144.6	24.7	338.5	156.1	500	0	0	196	0	2.915	0	2931	
8/25/2027	31.3	39.03	1219	215	144.6	17.01	88.54	51.33	0	0	0	37.67	0	2.596	0	1531	
8/26/2027	31.3	7.041	768.7	23.59	144.6	3.069	61.83	21.02	0	0	0	37.67	0	2.686	0	804.9	
8/27/2027	77.74	7.153	789.2	46.45	144.6	3.117	144.9	52.67	0	0	0	0	0	2.622	0	987.9	
8/28/2027	332.2	7.103	946.1	166.5	144.6	3.096	601.4	225.8	0	0	0	400.9	0	2.414	0	2209	
8/29/2027	31.3	45.69	875.5	257.7	144.6	19.91	94.1	58.24	0	0	0	37.67	0	2.338	0	1273	
8/30/2027	141.6	6.821	394.7	77.62	144.6	2.973	258.8	96.29	370.4	0	0	170.4	0	2.32	0	1205	
8/31/2027	31.3	12.72	353.3	63.92	144.6	5.546	66.58	27.71	0	0	0	37.67	0	2.15	0	490.9	
9/1/2027	31.3	6.753	250.2	28.21	144.6	2.943	61.59	22.06	0	0	0	37.67	0	2.166	0	336.5	
9/2/2027	35.16	6.635	243.4	28.99	144.6	2.892	68.39	24.5	0	0	0	42.32	0	2.19	0	339.2	
9/3/2027	135.6	6.503	351.8	75.6	144.6	2.834	247.9	92.51	0	0	0	163.2	0	2.105	0	790.8	
9/4/2027	0	8.096	325.4	64.73	144.6	3.528	173.1	65.08	0	0	0	112	0	2.163	0	629.6	
9/5/2027	46.64	8.059	294.8	43.6	144.6	3.512	90.1	32.77	0	0	0	56.13	0	2.121	0	419.8	
9/6/2027	35.16	6.12	217.4	28.67	144.6	2.667	67.96	24.58	0	0	0	42.32	0	1.963	0	331.6	
9/7/2027	0	5.998	168	12.96	144.6	2.614	5.008	0.9503	0	0	0	0	0	1.863	0	174.1	
9/8/2027	667.8	5.878	945.4	321.3	144.6	2.562	1000	452.4	0	0	0	803.6	0	1.791	0	4056	
9/9/2027	50.5	101.1	1731	602.2	144.6	44.04	373.1	124.6	500	0	0	60.78	0	1.828	0	3201	
9/10/2027	15.34	5.645	202.6	20.09	144.6	2.46	32.13	11.43	0	0	0	18.46	0	1.687	0	274.8	
9/11/2027	447.7	5.946	708.7	225.3	144.6	2.591	805.3	304.8	0	0	0	538.8	0	1.368	0	2735	
9/12/2027	184.6	67.09	1367	466	144.6	29.24	885.9	184.1	456.9	0	0	222.1	0	1.495	0	3047	
9/13/2027	0	48.27	549.2	148.5	144.6	12.36	23.9	12.49	0	0	0	0	0	1.664	0	761.7	
9/14/2027	15.34	6.614	219	28.18	144.6	2.883	32.94	12.82	0	0	0	18.46	0	1.496	0	318.6	
9/15/2027	88.48	6.959	300.9	62.11	144.6	3.033	164	62.2	0	0	0	165	0	1.065</			

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3
1/1/2019	0	0	0	0	0	0
1/2/2019	0	0	0	0	0	0
1/3/2019	0	0	0	0	0	0
1/4/2019	0	0	0	0	0	0
1/5/2019	0	0	0	0	0	0
1/6/2019	0	0	0	0	0	0
1/7/2019	0	0	0	0	0	0
1/8/2019	0	0	0	0	0	0
1/9/2019	0	0	0	0	0	0
1/10/2019	0	0	0	0	0	0
1/11/2019	0	0	0	0	0	0
1/12/2019	0	0	0	0	0	0
1/13/2019	0	0	0	0	0	0
1/14/2019	0	0	0	0	0	0
1/15/2019	0	0	0	0	0	0
1/16/2019	0	0	0	0	0	0
1/17/2019	0	0	0	0	0	0
1/18/2019	0	0	0	0	0	0
1/19/2019	0	0	0	0	0	0
1/20/2019	0	0	0	0	0	0
1/21/2019	0	0	0	0	0	0
1/22/2019	0	0	0	0	0	0
1/23/2019	0	0	0	0	0	0
1/24/2019	0	0	0	0	0	0
1/25/2019	0	0	0	0	0	0
1/26/2019	0	0	0	0	0	0
1/27/2019	0	0	0	0	0	0
1/28/2019	0	0	0	0	0	0
1/29/2019	0	0	0	0	0	0
1/30/2019	0	0	0	0	0	0
1/31/2019	0	0	0	0	0	0
2/1/2019	0	0	0	0	0	0
2/2/2019	0	0	0	0	0	0
2/3/2019	0	0	0	0	0	0
2/4/2019	0	0	0	0	0	0
2/5/2019	0	0	0	0	0	0
2/6/2019	0	0	0	0	0	0
2/7/2019	0	0	0	0	0	0
2/8/2019	0	0	0	0	0	0
2/9/2019	0	0	0	0	0	0
2/10/2019	0	0	0	0	0	0
2/11/2019	0	0	0	0	0	0
2/12/2019	0	0	0	0	0	0
2/13/2019	0	0	0	0	0	0
2/14/2019	0	0	0	0	0	0
2/15/2019	0	0	0	0	0	0
2/16/2019	0	0	0	0	0	0
2/17/2019	0	0	0	0	0	0
2/18/2019	0	0	0	0	0	0
2/19/2019	0	0	0	0	0	0
2/20/2019	0	0	0	0	0	0
2/21/2019	0	0	0	0	0	0
2/22/2019	0	0	0	0	0	0
2/23/2019	0	0	0	0	0	0
2/24/2019	0	0	0	0	0	0
2/25/2019	0	0	0	0	0	0
2/26/2019	0	0	0	0	0	0
2/27/2019	0	0	0	0	0	0
2/28/2019	0	0	0	0	0	0
3/1/2019	0	0	0	0	0	0
3/2/2019	0	0	0	0	0	0
3/3/2019	0	0	0	0	0	0
3/4/2019	0	0	0	0	0	0
3/5/2019	0	0	0	0	0	0
3/6/2019	0	0	0	0	0	0
3/7/2019	0	0	0	0	0	0
3/8/2019	0	0	0	0	0	0
3/9/2019	0	0	0	0	0	0
3/10/2019	0	0	0	0	0	0
3/11/2019	0	0	0	0	0	0
3/12/2019	0	0	0	0	0.01745	0
3/13/2019	0	0	0	0	0	0
3/14/2019	0	0	0	0	0	0
3/15/2019	0	0	0	0	0	0
3/16/2019	0	0	0	0	0	0
3/17/2019	0	0	0	0	0	0
3/18/2019	0	0	0	0	0.1412	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
3/19/2019	0	0	0	0	0	0
3/20/2019	0	0	0	0	0.2231	0
3/21/2019	0	0	0	0	0	0
3/22/2019	0	0	0	0	1.251	0
3/23/2019	0	0	0	0	0	0
3/24/2019	0	0	0	0	0	0
3/25/2019	0	0	0	0	0	0
3/26/2019	0	0	0	0	0.8589	0
3/27/2019	0	0	0	0	0	0
3/28/2019	0	0	0	0	0	0
3/29/2019	0	0	0	0	0	0
3/30/2019	0	0	0	0	0	0
3/31/2019	0	0	0	0	0.7282	0
4/1/2019	0	0	0	0	0.9628	0
4/2/2019	0	0	0	0	0	0
4/3/2019	0	0	0	0	0	0
4/4/2019	0	0	0	0	0	0
4/5/2019	0	0	0	0	0	0
4/6/2019	0	0	0	0	0	0
4/7/2019	0	0	0	0	0	0
4/8/2019	0	0	0	0	0	0
4/9/2019	0	0	0	0	0.9108	0
4/10/2019	0	0	0	0	1.799	0
4/11/2019	0	0	0	0	3.261	0
4/12/2019	0	0	0	0	3.809	0
4/13/2019	0	0	0	0	4.509	0
4/14/2019	0	0	0	0	3.605	0
4/15/2019	0	0	0	0	2.71	0
4/16/2019	0	0	0	0	2.679	0
4/17/2019	0	0	0	0	2.373	0
4/18/2019	0	0	0	0	0.4751	0
4/19/2019	0	0	0	0	0.8703	0
4/20/2019	0	0	0	0	0	0
4/21/2019	0	0	0	0	0	0
4/22/2019	0	0	0	0	0	0
4/23/2019	0	0	0	0	3.35	0
4/24/2019	0	0	0	0	3.132	0
4/25/2019	0	0	0	0	0	0
4/26/2019	0	0	0	0	0	0
4/27/2019	0	0	0	0	0	0
4/28/2019	0	0	0	0	0	0
4/29/2019	0	0	0	0	0	0
4/30/2019	0	0	0	0	1.347	0
5/1/2019	0	0	0	0	4.055	0
5/2/2019	0	0	0	0	4.323	0
5/3/2019	0	0	0	0	4.952	0
5/4/2019	0	0	0	0	2.983	0
5/5/2019	0	0	0	0	1.724	0
5/6/2019	0	0	0	0	2.329	0
5/7/2019	0	0	0	0	5.072	0
5/8/2019	0	0	0	0	7.039	0
5/9/2019	0	0	0	0	5.901	0
5/10/2019	0	0	0	0	5.593	0
5/11/2019	0	0	0	0	5.507	0
5/12/2019	0	0	0	0	6.404	0
5/13/2019	0	0	0	0	5.997	0
5/14/2019	0	0	0	0	6.887	0
5/15/2019	0	0	0	0	7.633	0
5/16/2019	0	0	0	0	7.145	0
5/17/2019	0	0	0	0	7.723	0
5/18/2019	0	0	0	0	6.649	0
5/19/2019	0	0	0	0	6.506	0
5/20/2019	0	0	0	0	6.652	0
5/21/2019	0	0	0	0	6.997	0
5/22/2019	0	0	0	0	5.955	0
5/23/2019	0	0	0	0	7.034	0
5/24/2019	0	0	0	0	6.712	0
5/25/2019	0	0	0	0	5.795	0
5/26/2019	0	0	0	0	6.4	0
5/27/2019	0	0	0	0	8.407	0
5/28/2019	0	0	0	0	8.404	0
5/29/2019	0	0	0	2.073	9.028	0
5/30/2019	0	0	0	0	7.508	0
5/31/2019	0	0	0	6.849	9.054	0
6/1/2019	0	0	0	8.652	9.685	0
6/2/2019	0	0	0	0	8.293	0
6/3/2019	0	0	0	0	8.163	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3
6/4/2019	0	0	0	0	8.078	0
6/5/2019	0	0	0	6.489	9.352	0
6/6/2019	0	0	0	10.09	10.02	0
6/7/2019	0	0	0	9.282	9.896	0
6/8/2019	0	0	0	28.3	8.329	0
6/9/2019	0	0	0	30.1	10.77	0
6/10/2019	0	0	0	34.61	11.11	0
6/11/2019	0	0	0	25.14	11.09	0
6/12/2019	0	0	0	26.59	10.99	0
6/13/2019	0	0	0	37.49	11.68	0
6/14/2019	0	0	0	33.16	11.18	0
6/15/2019	0	0	0	20.91	10.37	0
6/16/2019	0	0	0	24.51	10.62	0
6/17/2019	0	0	0	0	9.001	0
6/18/2019	0	0	0	0	7.479	0
6/19/2019	0	0	0	41.82	11.89	0
6/20/2019	0	0	0	24.96	10.69	0
6/21/2019	0	0	0	60.47	14.63	0
6/22/2019	0	0	0	64.17	14.55	0
6/23/2019	0	0	0	38.21	11.95	0
6/24/2019	0	0	0	32.44	11.86	0
6/25/2019	0	0	0	48.39	12.26	0
6/26/2019	0	0	0	59.12	13.78	0
6/27/2019	0	0	0	74.26	14.02	0
6/28/2019	0	0	0	68.49	14.43	0
6/29/2019	0	0	0	17.48	12.67	0
6/30/2019	0	0	0	82.46	11.57	0
7/1/2019	0	0	0	25.23	10.85	0
7/2/2019	0	0	0	2.253	10.73	0
7/3/2019	0	0	0	107.7	11.66	0
7/4/2019	0	0	0	43.26	11.75	0
7/5/2019	0	0	0	1.352	26.02	0
7/6/2019	0	0	0	9.012	14.86	0
7/7/2019	0	0	0	1.352	11.94	0
7/8/2019	0	0	0	68.04	11.18	0
7/9/2019	0	0	0	91.02	11.12	0
7/10/2019	0	0	0	1.352	12.9	0
7/11/2019	0	0	0	2.253	14.03	0
7/12/2019	0	0	0	15.32	16.02	0
7/13/2019	0	0	0	1.352	13.76	0
7/14/2019	0	0	0	1.352	14.25	0
7/15/2019	0	0	0	37.85	13.37	0
7/16/2019	0	0	0	6.308	15.76	0
7/17/2019	0	0	0	9.012	15.5	0
7/18/2019	0	0	0	0	14.13	0
7/19/2019	0	0	0	1.352	14.49	0
7/20/2019	0	0	0	2.253	14.33	0
7/21/2019	0	0	0	0	14.77	0
7/22/2019	0	0	0	1.352	14.38	0
7/23/2019	0	0	0	1.352	13.49	0
7/24/2019	0	0	0	0	11.99	0
7/25/2019	0	0	0	4.055	12.66	0
7/26/2019	0	0	0	1.352	12.3	0
7/27/2019	0	0	0	63.08	9.814	0
7/28/2019	0	0	0	35.6	10.65	0
7/29/2019	0	0	0	0	12.58	0
7/30/2019	0	0	0	1.352	11.82	0
7/31/2019	0	0	0	2.253	11.78	0
8/1/2019	0	0	0	0	12.11	0
8/2/2019	0	0	0	0	14.91	0
8/3/2019	0	0	0	2.253	9.875	0
8/4/2019	0	0	0	52.27	6.26	0
8/5/2019	0	0	0	27.04	10.43	0
8/6/2019	0	0	0	1.352	11.49	0
8/7/2019	0	0	0	1.352	12.16	0
8/8/2019	0	0	0	3.154	12.51	0
8/9/2019	0	0	0	3.154	11.57	0
8/10/2019	0	0	0	9.012	10.03	0
8/11/2019	0	0	0	81.56	8.126	0
8/12/2019	0	0	0	46.86	10.05	0
8/13/2019	0	0	0	23.88	8.456	0
8/14/2019	0	0	0	0	10.19	0
8/15/2019	0	0	0	1.352	10.3	0
8/16/2019	0	0	0	0	9.423	0
8/17/2019	0	0	0	1.352	8.953	0
8/18/2019	0	0	0	0	9.958	0
8/19/2019	0	0	0	4.055	10.1	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3
8/20/2019	0	0	0	0	10.18	0
8/21/2019	0	0	0	0	10.13	0
8/22/2019	0	0	0	0	9.591	0
8/23/2019	0	0	0	9.913	9.879	0
8/24/2019	0	0	0	1.352	9.379	0
8/25/2019	0	0	0	21.18	9.145	0
8/26/2019	0	0	0	1.352	8.782	0
8/27/2019	0	0	0	0	8.6	0
8/28/2019	0	0	0	157.3	6.032	0
8/29/2019	0	0	0	74.35	8.016	0
8/30/2019	0	0	0	1.352	6.672	0
8/31/2019	0	0	0	10.81	6.555	0
9/1/2019	0	0	0	15.77	6.275	0
9/2/2019	0	0	0	1.352	6.752	0
9/3/2019	0	0	0	1.352	6.768	0
9/4/2019	0	0	0	0	6.856	0
9/5/2019	0	0	0	0	6.719	0
9/6/2019	0	0	0	5.407	6.335	0
9/7/2019	0	0	0	0	6.098	0
9/8/2019	0	0	0	0	5.923	0
9/9/2019	0	0	0	0	6.187	0
9/10/2019	0	0	0	9.012	6.409	0
9/11/2019	0	0	0	1.352	6.771	0
9/12/2019	0	0	0	0	7.034	0
9/13/2019	0	0	0	0	6.725	0
9/14/2019	0	0	0	1.352	6.434	0
9/15/2019	0	0	0	71.19	4.93	0
9/16/2019	0	0	0	1.352	5.863	0
9/17/2019	0	0	0	102.7	5.59	0
9/18/2019	0	0	0	4.055	5.626	0
9/19/2019	0	0	0	0	5.044	0
9/20/2019	0	0	0	12.17	4.931	0
9/21/2019	0	0	0	54.07	4.653	0
9/22/2019	0	0	0	1.352	4.412	0
9/23/2019	0	0	0	9.012	4.343	0
9/24/2019	0	0	0	19.83	4.912	0
9/25/2019	0	0	0	45.06	4.262	0
9/26/2019	0	0	0	9.463	4.216	0
9/27/2019	0	0	0	17.57	2.959	0
9/28/2019	0	0	0	0	2.762	0
9/29/2019	0	0	0	0	2.514	0
9/30/2019	0	0	0	0	2.665	0
10/1/2019	0	0	0	0	3.392	0
10/2/2019	0	0	0	0	3.135	0
10/3/2019	0	0	0	0	2.71	0
10/4/2019	0	0	0	1.352	3.259	0
10/5/2019	0	0	0	0.4506	3.203	0
10/6/2019	0	0	0	0	2.561	0
10/7/2019	0	0	0	0	2.207	0
10/8/2019	0	0	0	15.77	2.703	0
10/9/2019	0	0	0	6.759	2.613	0
10/10/2019	0	0	0	0	2.078	0
10/11/2019	0	0	0	0	2.066	0
10/12/2019	0	0	0	0	2.009	0
10/13/2019	0	0	0	0	1.986	0
10/14/2019	0	0	0	0	1.767	0
10/15/2019	0	0	0	0	1.572	0
10/16/2019	0	0	0	0	1.37	0
10/17/2019	0	0	0	0	1.703	0
10/18/2019	0	0	0	55.69	1.665	0
10/19/2019	0	0	0	44.25	1.701	0
10/20/2019	0	0	0	8.652	1.605	0
10/21/2019	0	0	0	0	1.44	0
10/22/2019	0	0	0	0	1.045	0
10/23/2019	0	0	0	0	0.9268	0
10/24/2019	0	0	0	0	0.8259	0
10/25/2019	0	0	0	0	1.17	0
10/26/2019	0	0	0	0	1.11	0
10/27/2019	0	0	0	0	1.088	0
10/28/2019	0	0	0	0	1.15	0
10/29/2019	0	0	0	0	1.095	0
10/30/2019	0	0	0	0	0.8468	0
10/31/2019	0	0	0	0	0.7556	0
11/1/2019	0	0	0	0	0.4932	0
11/2/2019	0	0	0	0	0.2556	0
11/3/2019	0	0	0	0	0.491	0
11/4/2019	0	0	0	0	0.1986	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
11/5/2019	0	0	0	0	0	0
11/6/2019	0	0	0	0	0	0
11/7/2019	0	0	0	0	0	0
11/8/2019	0	0	0	0	0	0
11/9/2019	0	0	0	0	0.0789	0
11/10/2019	0	0	0	0	0	0
11/11/2019	0	0	0	0	0	0
11/12/2019	0	0	0	0	0.1544	0
11/13/2019	0	0	0	0	0	0
11/14/2019	0	0	0	0	0	0
11/15/2019	0	0	0	0	0.04885	0
11/16/2019	0	0	0	0	0.1111	0
11/17/2019	0	0	0	0	0	0
11/18/2019	0	0	0	0	0	0
11/19/2019	0	0	0	0	0.03752	0
11/20/2019	0	0	0	0	0.05203	0
11/21/2019	0	0	0	0	0.05909	0
11/22/2019	0	0	0	0	0.1579	0
11/23/2019	0	0	0	0	0.00236	0
11/24/2019	0	0	0	0	0.144	0
11/25/2019	0	0	0	0	0.07882	0
11/26/2019	0	0	0	0	0	0
11/27/2019	0	0	0	0	0	0
11/28/2019	0	0	0	0	0.05584	0
11/29/2019	0	0	0	0	0.1138	0
11/30/2019	0	0	0	0	0.1121	0
12/1/2019	0	0	0	0	0.008774	0
12/2/2019	0	0	0	0	0	0
12/3/2019	0	0	0	0	0	0
12/4/2019	0	0	0	0	0	0
12/5/2019	0	0	0	0	0	0
12/6/2019	0	0	0	0	0	0
12/7/2019	0	0	0	0	0	0
12/8/2019	0	0	0	0	0	0
12/9/2019	0	0	0	0	0	0
12/10/2019	0	0	0	0	0	0
12/11/2019	0	0	0	0	0	0
12/12/2019	0	0	0	0	0	0
12/13/2019	0	0	0	0	0	0
12/14/2019	0	0	0	0	0	0
12/15/2019	0	0	0	0	0	0
12/16/2019	0	0	0	0	0	0
12/17/2019	0	0	0	0	0	0
12/18/2019	0	0	0	0	0	0
12/19/2019	0	0	0	0	0	0
12/20/2019	0	0	0	0	0	0
12/21/2019	0	0	0	0	0	0
12/22/2019	0	0	0	0	0.01102	0
12/23/2019	0	0	0	0	0	0
12/24/2019	0	0	0	0	0	0
12/25/2019	0	0	0	0	0.08348	0
12/26/2019	0	0	0	0	0.08448	0
12/27/2019	0	0	0	0	0.09479	0
12/28/2019	0	0	0	0	0.05183	0
12/29/2019	0	0	0	0	0.03732	0
12/30/2019	0	0	0	0	0	0
12/31/2019	0	0	0	0	0	0
1/1/2020	0	0	0	0	0.02257	0
1/2/2020	0	0	0	0	0.02185	0
1/3/2020	0	0	0	0	0	0
1/4/2020	0	0	0	0	0	0
1/5/2020	0	0	0	0	0	0
1/6/2020	0	0	0	0	0	0
1/7/2020	0	0	0	0	0	0
1/8/2020	0	0	0	0	0	0
1/9/2020	0	0	0	0	0	0
1/10/2020	0	0	0	0	0	0
1/11/2020	0	0	0	0	0	0
1/12/2020	0	0	0	0	0	0
1/13/2020	0	0	0	0	0	0
1/14/2020	0	0	0	0	0	0
1/15/2020	0	0	0	0	0	0
1/16/2020	0	0	0	0	0	0
1/17/2020	0	0	0	0	0	0
1/18/2020	0	0	0	0	0	0
1/19/2020	0	0	0	0	0	0
1/20/2020	0	0	0	0	0	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
1/21/2020	0	0	0	0	0	0
1/22/2020	0	0	0	0	0	0
1/23/2020	0	0	0	0	0	0
1/24/2020	0	0	0	0	0	0
1/25/2020	0	0	0	0	0	0
1/26/2020	0	0	0	0	0	0
1/27/2020	0	0	0	0	0	0
1/28/2020	0	0	0	0	0	0
1/29/2020	0	0	0	0	0	0
1/30/2020	0	0	0	0	0.2737	0
1/31/2020	0	0	0	0	0.35	0
2/1/2020	0	0	0	0	0	0
2/2/2020	0	0	0	0	0	0
2/3/2020	0	0	0	0	0	0
2/4/2020	0	0	0	0	0	0
2/5/2020	0	0	0	0	0	0
2/6/2020	0	0	0	0	0	0
2/7/2020	0	0	0	0	0	0
2/8/2020	0	0	0	0	0	0
2/9/2020	0	0	0	0	0	0
2/10/2020	0	0	0	0	0	0
2/11/2020	0	0	0	0	0	0
2/12/2020	0	0	0	0	0	0
2/13/2020	0	0	0	0	0	0
2/14/2020	0	0	0	0	0	0
2/15/2020	0	0	0	0	0	0
2/16/2020	0	0	0	0	0	0
2/17/2020	0	0	0	0	0	0
2/18/2020	0	0	0	0	0	0
2/19/2020	0	0	0	0	0	0
2/20/2020	0	0	0	0	0	0
2/21/2020	0	0	0	0	0	0
2/22/2020	0	0	0	0	0	0
2/23/2020	0	0	0	0	0	0
2/24/2020	0	0	0	0	0	0
2/25/2020	0	0	0	0	0	0
2/26/2020	0	0	0	0	0	0
2/27/2020	0	0	0	0	0	0
2/28/2020	0	0	0	0	0	0
2/29/2020	0	0	0	0	0.1975	0
3/1/2020	0	0	0	0	0	0
3/2/2020	0	0	0	0	0	0
3/3/2020	0	0	0	0	0	0
3/4/2020	0	0	0	0	0	0
3/5/2020	0	0	0	0	0	0
3/6/2020	0	0	0	0	0	0
3/7/2020	0	0	0	0	0	0
3/8/2020	0	0	0	0	0	0
3/9/2020	0	0	0	0	0	0
3/10/2020	0	0	0	0	0	0
3/11/2020	0	0	0	0	0	0
3/12/2020	0	0	0	0	0	0
3/13/2020	0	0	0	0	0	0
3/14/2020	0	0	0	0	0	0
3/15/2020	0	0	0	0	0.1304	0
3/16/2020	0	0	0	0	0	0
3/17/2020	0	0	0	0	0	0
3/18/2020	0	0	0	0	0	0
3/19/2020	0	0	0	0	0	0
3/20/2020	0	0	0	0	0	0
3/21/2020	0	0	0	0	0	0
3/22/2020	0	0	0	0	0.8411	0
3/23/2020	0	0	0	0	0	0
3/24/2020	0	0	0	0	0	0
3/25/2020	0	0	0	0	0	0
3/26/2020	0	0	0	0	0	0
3/27/2020	0	0	0	0	0	0
3/28/2020	0	0	0	0	0	0
3/29/2020	0	0	0	0	0	0
3/30/2020	0	0	0	0	0	0
3/31/2020	0	0	0	0	0	0
4/1/2020	0	0	0	0	0	0
4/2/2020	0	0	0	0	1.471	0
4/3/2020	0	0	0	0	1.265	0
4/4/2020	0	0	0	0	1.244	0
4/5/2020	0	0	0	0	1.598	0
4/6/2020	0	0	0	0	0.736	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3
4/7/2020	0	0	0	0	0.4495	0
4/8/2020	0	0	0	0	1.533	0
4/9/2020	0	0	0	0	0.7354	0
4/10/2020	0	0	0	0	0.3796	0
4/11/2020	0	0	0	0	0.1846	0
4/12/2020	0	0	0	0	0	0
4/13/2020	0	0	0	0	0	0
4/14/2020	0	0	0	0	0	0
4/15/2020	0	0	0	0	0.03227	0
4/16/2020	0	0	0	0	0	0
4/17/2020	0	0	0	0	0	0
4/18/2020	0	0	0	0	0	0
4/19/2020	0	0	0	0	0	0
4/20/2020	0	0	0	0	0	0
4/21/2020	0	0	0	0	0	0
4/22/2020	0	0	0	0	0.718	0
4/23/2020	0	0	0	0	2.881	0
4/24/2020	0	0	0	0	1.505	0
4/25/2020	0	0	0	0	1.114	0
4/26/2020	0	0	0	0	2.195	0
4/27/2020	0	0	0	0	0	0
4/28/2020	0	0	0	0	0	0
4/29/2020	0	0	0	0	3.655	0
4/30/2020	0	0	0	0	5.513	0
5/1/2020	0	0	0	0	3.375	0
5/2/2020	0	0	0	0	1.844	0
5/3/2020	0	0	0	0	4.188	0
5/4/2020	0	0	0	0	6.448	0
5/5/2020	0	0	0	0	2.755	0
5/6/2020	0	0	0	0	3.48	0
5/7/2020	0	0	0	0	4.822	0
5/8/2020	0	0	0	0	4.031	0
5/9/2020	0	0	0	0	2.576	0
5/10/2020	0	0	0	0	2.524	0
5/11/2020	0	0	0	0	3.999	0
5/12/2020	0	0	0	0	4.062	0
5/13/2020	0	0	0	0	3.322	0
5/14/2020	0	0	0	0	3.115	0
5/15/2020	0	0	0	0	3.955	0
5/16/2020	0	0	0	0	6.969	0
5/17/2020	0	0	0	0	7.846	0
5/18/2020	0	0	0	0	6.17	0
5/19/2020	0	0	0	0	6.164	0
5/20/2020	0	0	0	0	6.306	0
5/21/2020	0	0	0	0	6.054	0
5/22/2020	0	0	0	0	5.733	0
5/23/2020	0	0	0	0	7.216	0
5/24/2020	0	0	0	0	7.022	0
5/25/2020	0	0	0	0	7.265	0
5/26/2020	0	0	0	0	5.02	0
5/27/2020	0	0	0	0	5.138	0
5/28/2020	0	0	0	0	7.388	0
5/29/2020	0	0	0	0	6.814	0
5/30/2020	0	0	0	0	7.377	0
5/31/2020	0	0	0	0	7.396	0
6/1/2020	0	0	0	0	6.861	0
6/2/2020	0	0	0	0	6.933	0
6/3/2020	0	0	0	1.442	7.965	0
6/4/2020	0	0	0	0	8.64	0
6/5/2020	0	0	0	0	8.827	0
6/6/2020	0	0	0	16.31	9.332	0
6/7/2020	0	0	0	2.613	7.072	0
6/8/2020	0	0	0	7.66	9.279	0
6/9/2020	0	0	0	6.218	9.625	0
6/10/2020	0	0	0	19.2	10.33	0
6/11/2020	0	0	0	32.44	11.8	0
6/12/2020	0	0	0	51.91	13.21	0
6/13/2020	0	0	0	73.54	14.58	0
6/14/2020	0	0	0	48.3	12.95	0
6/15/2020	0	0	0	43.26	12.54	0
6/16/2020	0	0	0	31.72	11.33	0
6/17/2020	0	0	0	55.51	13.47	0
6/18/2020	0	0	0	48.75	14.88	0
6/19/2020	0	0	0	0	16.52	0
6/20/2020	0	0	0	0	15.83	0
6/21/2020	0	0	0	0	15.7	0
6/22/2020	0	0	0	0	16.08	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3
6/23/2020	0	0	0	0	18.77	0
6/24/2020	0	0	0	3.154	15.38	0
6/25/2020	0	0	0	1.352	13.76	0
6/26/2020	0	0	0	18.93	9.449	0
6/27/2020	0	0	0	0	11.64	0
6/28/2020	0	0	0	0	15.14	0
6/29/2020	0	0	0	0	16.79	0
6/30/2020	0	0	0	0	17.62	0
7/1/2020	0	0	0	0	18.98	0
7/2/2020	0	0	0	0	17.29	0
7/3/2020	0	0	0	0	16.2	0
7/4/2020	0	0	0	0	14.56	0
7/5/2020	0	0	0	0	14.68	0
7/6/2020	0	0	0	0	13.33	0
7/7/2020	0	0	0	17.12	13.82	0
7/8/2020	0	0	0	1.352	14.19	0
7/9/2020	0	0	0	1.352	14.59	0
7/10/2020	0	0	0	0	17.18	0
7/11/2020	0	0	0	0	17.43	0
7/12/2020	0	0	0	0	15.13	0
7/13/2020	0	0	0	0	12.72	0
7/14/2020	0	0	0	1.352	13.18	0
7/15/2020	0	0	0	1.352	12.55	0
7/16/2020	0	0	0	18.93	16.72	0
7/17/2020	0	0	0	1.352	14.03	0
7/18/2020	0	0	0	0	17.13	0
7/19/2020	0	0	0	0	16.45	0
7/20/2020	0	0	0	0	17.6	0
7/21/2020	0	0	0	0	17.65	0
7/22/2020	0	0	0	0	15.9	0
7/23/2020	0	0	0	0	16.65	0
7/24/2020	0	0	0	1.352	15.1	0
7/25/2020	0	0	0	1.352	12.32	0
7/26/2020	0	0	0	0	11.64	0
7/27/2020	0	0	0	0	14.61	0
7/28/2020	0	0	0	0	14.91	0
7/29/2020	0	0	0	1.352	13.82	0
7/30/2020	0	0	0	1.352	16.56	0
7/31/2020	0	0	0	0	11.71	0
8/1/2020	0	0	0	0	15.63	0
8/2/2020	0	0	0	0	15.87	0
8/3/2020	0	0	0	0	16.35	0
8/4/2020	0	0	0	0	16.42	0
8/5/2020	0	0	0	2.253	16.24	0
8/6/2020	0	0	0	0	15.6	0
8/7/2020	0	0	0	0	12.17	0
8/8/2020	0	0	0	1.352	11.99	0
8/9/2020	0	0	0	13.52	9.61	0
8/10/2020	0	0	0	1.352	10.77	0
8/11/2020	0	0	0	0	12.46	0
8/12/2020	0	0	0	0	13.76	0
8/13/2020	0	0	0	1.352	10.3	0
8/14/2020	0	0	0	14.42	9.767	0
8/15/2020	0	0	0	0	12.4	0
8/16/2020	0	0	0	9.913	12.32	0
8/17/2020	0	0	0	1.352	11.96	0
8/18/2020	0	0	0	0	8.822	0
8/19/2020	0	0	0	0	10.61	0
8/20/2020	0	0	0	53.62	7.449	0
8/21/2020	0	0	0	14.42	9.339	0
8/22/2020	0	0	0	0	6.984	0
8/23/2020	0	0	0	0	10.05	0
8/24/2020	0	0	0	0	10.29	0
8/25/2020	0	0	0	0	10.27	0
8/26/2020	0	0	0	0	8.908	0
8/27/2020	0	0	0	1.352	7.351	0
8/28/2020	0	0	0	0	8.415	0
8/29/2020	0	0	0	1.352	8.573	0
8/30/2020	0	0	0	0	7.31	0
8/31/2020	0	0	0	45.06	4.763	0
9/1/2020	0	0	0	80.66	4.534	0
9/2/2020	0	0	0	20.73	6.659	0
9/3/2020	0	0	0	18.93	7.287	0
9/4/2020	0	0	0	19.83	7.166	0
9/5/2020	0	0	0	28.39	5.169	0
9/6/2020	0	0	0	47.76	5.6	0
9/7/2020	0	0	0	1.352	6.293	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3
9/8/2020	0	0	0	0	5.56	0
9/9/2020	0	0	0	18.02	5.523	0
9/10/2020	0	0	0	5.407	5.93	0
9/11/2020	0	0	0	0	5.258	0
9/12/2020	0	0	0	0	5.651	0
9/13/2020	0	0	0	29.74	6.215	0
9/14/2020	0	0	0	1.352	4.724	0
9/15/2020	0	0	0	16.67	5.188	0
9/16/2020	0	0	0	19.38	4.751	0
9/17/2020	0	0	0	0.4506	4.321	0
9/18/2020	0	0	0	0.4506	4.75	0
9/19/2020	0	0	0	0	5.533	0
9/20/2020	0	0	0	0	5.505	0
9/21/2020	0	0	0	1.352	3.455	0
9/22/2020	0	0	0	1.352	3.997	0
9/23/2020	0	0	0	1.352	4.02	0
9/24/2020	0	0	0	0	5.021	0
9/25/2020	0	0	0	1.352	2.856	0
9/26/2020	0	0	0	0	2.548	0
9/27/2020	0	0	0	0	4.044	0
9/28/2020	0	0	0	14.42	3.776	0
9/29/2020	0	0	0	2.253	3.002	0
9/30/2020	0	0	0	0.4506	3.138	0
10/1/2020	0	0	0	0	3.069	0
10/2/2020	0	0	0	2.253	2.611	0
10/3/2020	0	0	0	0.4506	2.351	0
10/4/2020	0	0	0	0.4506	2.285	0
10/5/2020	0	0	0	0	2.158	0
10/6/2020	0	0	0	0	2.048	0
10/7/2020	0	0	0	0	2.019	0
10/8/2020	0	0	0	0	2.337	0
10/9/2020	0	0	0	0	2.155	0
10/10/2020	0	0	0	0	1.383	0
10/11/2020	0	0	0	6.759	2.262	0
10/12/2020	0	0	0	51.82	1.628	0
10/13/2020	0	0	0	4.055	1.728	0
10/14/2020	0	0	0	10.36	1.719	0
10/15/2020	0	0	0	7.66	1.655	0
10/16/2020	0	0	0	0.4506	1.75	0
10/17/2020	0	0	0	0.4506	1.573	0
10/18/2020	0	0	0	0	1.666	0
10/19/2020	0	0	0	0	1.222	0
10/20/2020	0	0	0	0	1.108	0
10/21/2020	0	0	0	0	1.156	0
10/22/2020	0	0	0	0	0.9478	0
10/23/2020	0	0	0	0	0.8389	0
10/24/2020	0	0	0	0	0.7623	0
10/25/2020	0	0	0	0	0.7459	0
10/26/2020	0	0	0	0	0.6798	0
10/27/2020	0	0	0	0	0.7489	0
10/28/2020	0	0	0	0	0.4255	0
10/29/2020	0	0	0	0	0.3772	0
10/30/2020	0	0	0	0	0.3649	0
10/31/2020	0	0	0	0	0.2528	0
11/1/2020	0	0	0	0	0.08445	0
11/2/2020	0	0	0	0	0.07909	0
11/3/2020	0	0	0	0	0.4429	0
11/4/2020	0	0	0	0	0.6124	0
11/5/2020	0	0	0	0	0.2396	0
11/6/2020	0	0	0	0	0.137	0
11/7/2020	0	0	0	0	0.3185	0
11/8/2020	0	0	0	0	0.08477	0
11/9/2020	0	0	0	0	0.24	0
11/10/2020	0	0	0	0	0.3174	0
11/11/2020	0	0	0	0	0	0
11/12/2020	0	0	0	0	0.007826	0
11/13/2020	0	0	0	0	0.2909	0
11/14/2020	0	0	0	0	0.03216	0
11/15/2020	0	0	0	0	0	0
11/16/2020	0	0	0	0	0.05059	0
11/17/2020	0	0	0	0	0.1003	0
11/18/2020	0	0	0	0	0.01107	0
11/19/2020	0	0	0	0	0.02584	0
11/20/2020	0	0	0	0	0	0
11/21/2020	0	0	0	0	0	0
11/22/2020	0	0	0	0	0	0
11/23/2020	0	0	0	0	0	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
11/24/2020	0	0	0	0	0	0
11/25/2020	0	0	0	0	0.05052	0
11/26/2020	0	0	0	0	0.1025	0
11/27/2020	0	0	0	0	0	0
11/28/2020	0	0	0	0	0	0
11/29/2020	0	0	0	0	0.05467	0
11/30/2020	0	0	0	0	0.09571	0
12/1/2020	0	0	0	0	0.1228	0
12/2/2020	0	0	0	0	0.1029	0
12/3/2020	0	0	0	0	0.1186	0
12/4/2020	0	0	0	0	0.0943	0
12/5/2020	0	0	0	0	0.1322	0
12/6/2020	0	0	0	0	0.138	0
12/7/2020	0	0	0	0	0.156	0
12/8/2020	0	0	0	0	0.1507	0
12/9/2020	0	0	0	0	0.1253	0
12/10/2020	0	0	0	0	0	0
12/11/2020	0	0	0	0	0	0
12/12/2020	0	0	0	0	0	0
12/13/2020	0	0	0	0	0	0
12/14/2020	0	0	0	0	0	0
12/15/2020	0	0	0	0	0	0
12/16/2020	0	0	0	0	0	0
12/17/2020	0	0	0	0	0	0
12/18/2020	0	0	0	0	0	0
12/19/2020	0	0	0	0	0	0
12/20/2020	0	0	0	0	0	0
12/21/2020	0	0	0	0	0	0
12/22/2020	0	0	0	0	0	0
12/23/2020	0	0	0	0	0	0
12/24/2020	0	0	0	0	0	0
12/25/2020	0	0	0	0	0	0
12/26/2020	0	0	0	0	0	0
12/27/2020	0	0	0	0	0	0
12/28/2020	0	0	0	0	0	0
12/29/2020	0	0	0	0	0	0
12/30/2020	0	0	0	0	0	0
12/31/2020	0	0	0	0	0	0
1/1/2021	0	0	0	0	0	0
1/2/2021	0	0	0	0	0	0
1/3/2021	0	0	0	0	0	0
1/4/2021	0	0	0	0	0	0
1/5/2021	0	0	0	0	0	0
1/6/2021	0	0	0	0	0	0
1/7/2021	0	0	0	0	0	0
1/8/2021	0	0	0	0	0.08529	0
1/9/2021	0	0	0	0	0.01052	0
1/10/2021	0	0	0	0	0	0
1/11/2021	0	0	0	0	0	0
1/12/2021	0	0	0	0	0	0
1/13/2021	0	0	0	0	0.02824	0
1/14/2021	0	0	0	0	0.09942	0
1/15/2021	0	0	0	0	0	0
1/16/2021	0	0	0	0	0	0
1/17/2021	0	0	0	0	0	0
1/18/2021	0	0	0	0	0	0
1/19/2021	0	0	0	0	0	0
1/20/2021	0	0	0	0	0	0
1/21/2021	0	0	0	0	0	0
1/22/2021	0	0	0	0	0	0
1/23/2021	0	0	0	0	0	0
1/24/2021	0	0	0	0	0	0
1/25/2021	0	0	0	0	0	0
1/26/2021	0	0	0	0	0	0
1/27/2021	0	0	0	0	0.01156	0
1/28/2021	0	0	0	0	0	0
1/29/2021	0	0	0	0	0	0
1/30/2021	0	0	0	0	0	0
1/31/2021	0	0	0	0	0.07951	0
2/1/2021	0	0	0	0	0	0
2/2/2021	0	0	0	0	0	0
2/3/2021	0	0	0	0	0	0
2/4/2021	0	0	0	0	0	0
2/5/2021	0	0	0	0	0	0
2/6/2021	0	0	0	0	0	0
2/7/2021	0	0	0	0	0	0
2/8/2021	0	0	0	0	0.7733	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
2/9/2021	0	0	0	0	0	0
2/10/2021	0	0	0	0	0	0
2/11/2021	0	0	0	0	0	0
2/12/2021	0	0	0	0	0.0997	0
2/13/2021	0	0	0	0	0	0
2/14/2021	0	0	0	0	0	0
2/15/2021	0	0	0	0	0	0
2/16/2021	0	0	0	0	0	0
2/17/2021	0	0	0	0	0	0
2/18/2021	0	0	0	0	0	0
2/19/2021	0	0	0	0	0	0
2/20/2021	0	0	0	0	0	0
2/21/2021	0	0	0	0	0.08067	0
2/22/2021	0	0	0	0	0	0
2/23/2021	0	0	0	0	0	0
2/24/2021	0	0	0	0	0	0
2/25/2021	0	0	0	0	0	0
2/26/2021	0	0	0	0	0	0
2/27/2021	0	0	0	0	0	0
2/28/2021	0	0	0	0	0	0
3/1/2021	0	0	0	0	0	0
3/2/2021	0	0	0	0	0	0
3/3/2021	0	0	0	0	0	0
3/4/2021	0	0	0	0	0	0
3/5/2021	0	0	0	0	0	0
3/6/2021	0	0	0	0	0	0
3/7/2021	0	0	0	0	0	0
3/8/2021	0	0	0	0	0.869	0
3/9/2021	0	0	0	0	0	0
3/10/2021	0	0	0	0	0	0
3/11/2021	0	0	0	0	0	0
3/12/2021	0	0	0	0	0	0
3/13/2021	0	0	0	0	0	0
3/14/2021	0	0	0	0	0	0
3/15/2021	0	0	0	0	0	0
3/16/2021	0	0	0	0	0	0
3/17/2021	0	0	0	0	0	0
3/18/2021	0	0	0	0	0	0
3/19/2021	0	0	0	0	0	0
3/20/2021	0	0	0	0	0.5093	0
3/21/2021	0	0	0	0	0.4416	0
3/22/2021	0	0	0	0	0.7406	0
3/23/2021	0	0	0	0	0	0
3/24/2021	0	0	0	0	0	0
3/25/2021	0	0	0	0	0	0
3/26/2021	0	0	0	0	0	0
3/27/2021	0	0	0	0	0	0
3/28/2021	0	0	0	0	0	0
3/29/2021	0	0	0	0	0	0
3/30/2021	0	0	0	0	0	0
3/31/2021	0	0	0	0	0	0
4/1/2021	0	0	0	0	0	0
4/2/2021	0	0	0	0	0	0
4/3/2021	0	0	0	0	0.4836	0
4/4/2021	0	0	0	0	1.591	0
4/5/2021	0	0	0	0	0.05512	0
4/6/2021	0	0	0	0	0.6121	0
4/7/2021	0	0	0	0	2.303	0
4/8/2021	0	0	0	0	1.875	0
4/9/2021	0	0	0	0	1.314	0
4/10/2021	0	0	0	0	3.271	0
4/11/2021	0	0	0	0	2.599	0
4/12/2021	0	0	0	0	0	0
4/13/2021	0	0	0	0	0	0
4/14/2021	0	0	0	0	0	0
4/15/2021	0	0	0	0	2.015	0
4/16/2021	0	0	0	0	2.695	0
4/17/2021	0	0	0	0	2.847	0
4/18/2021	0	0	0	0	0.7011	0
4/19/2021	0	0	0	0	0.07002	0
4/20/2021	0	0	0	0	0	0
4/21/2021	0	0	0	0	1.84	0
4/22/2021	0	0	0	0	2.779	0
4/23/2021	0	0	0	0	1.494	0
4/24/2021	0	0	0	0	0	0
4/25/2021	0	0	0	0	0	0
4/26/2021	0	0	0	0	0.6061	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3
4/27/2021	0	0	0	0	1.561	0
4/28/2021	0	0	0	0	5.159	0
4/29/2021	0	0	0	0	2.321	0
4/30/2021	0	0	0	0	2.48	0
5/1/2021	0	0	0	0	2.083	0
5/2/2021	0	0	0	0	5.75	0
5/3/2021	0	0	0	0	7.386	0
5/4/2021	0	0	0	0	7.488	0
5/5/2021	0	0	0	10.72	7.321	0
5/6/2021	0	0	0	0	6.826	0
5/7/2021	0	0	0	0	6.177	0
5/8/2021	0	0	0	0	5.608	0
5/9/2021	0	0	0	0	5.491	0
5/10/2021	0	0	0	0	6.406	0
5/11/2021	0	0	0	0	6.796	0
5/12/2021	0	0	0	0	6.884	0
5/13/2021	0	0	0	0	3.834	0
5/14/2021	0	0	0	0	4.041	0
5/15/2021	0	0	0	0	1.351	0
5/16/2021	0	0	0	0	3.109	0
5/17/2021	0	0	0	0	3.301	0
5/18/2021	0	0	0	0	2.741	0
5/19/2021	0	0	0	0	3.565	0
5/20/2021	0	0	0	0	3.059	0
5/21/2021	0	0	0	0	4.7	0
5/22/2021	0	0	0	0	4.993	0
5/23/2021	0	0	0	0	4.523	0
5/24/2021	0	0	0	0	6.384	0
5/25/2021	0	0	0	0	6.402	0
5/26/2021	0	0	0	0	6.333	0
5/27/2021	0	0	0	0	5.827	0
5/28/2021	0	0	0	0	7.593	0
5/29/2021	0	0	0	10.45	9.064	0
5/30/2021	0	0	0	10.09	8.767	0
5/31/2021	0	0	0	10.63	8.762	0
6/1/2021	0	0	0	0	8.195	0
6/2/2021	0	0	0	0	9.057	0
6/3/2021	0	0	0	6.939	9.315	0
6/4/2021	0	0	0	8.652	9.699	0
6/5/2021	0	0	0	7.21	9.721	0
6/6/2021	0	0	0	12.26	9.63	0
6/7/2021	0	0	0	0	8.887	0
6/8/2021	0	0	0	11.54	9.633	0
6/9/2021	0	0	0	18.02	10.19	0
6/10/2021	0	0	0	15.86	10.01	0
6/11/2021	0	0	0	29.56	11.12	0
6/12/2021	0	0	0	57.68	16.36	0
6/13/2021	0	0	0	64.17	13.83	0
6/14/2021	0	0	0	75.7	15.35	0
6/15/2021	0	0	0	59.12	14.49	0
6/16/2021	0	0	0	38.93	11.59	0
6/17/2021	0	0	0	53.35	13.41	0
6/18/2021	0	0	0	60.02	14.16	0
6/19/2021	0	0	0	53.71	12.52	0
6/20/2021	0	0	0	23.97	10.96	0
6/21/2021	0	0	0	31	11.35	0
6/22/2021	0	0	0	41.09	11.74	0
6/23/2021	0	0	0	47.58	12.38	0
6/24/2021	0	0	0	68.85	11.87	0
6/25/2021	0	0	0	53.53	10.96	0
6/26/2021	0	0	0	31	11.62	0
6/27/2021	0	0	0	52.63	13.54	0
6/28/2021	0	0	0	56.96	12.79	0
6/29/2021	0	0	0	33.61	13.65	0
6/30/2021	0	0	0	0	16.81	0
7/1/2021	0	0	0	0	13.43	0
7/2/2021	0	0	0	8.111	14.35	0
7/3/2021	0	0	0	8.561	13.87	0
7/4/2021	0	0	0	27.49	13.05	0
7/5/2021	0	0	0	0	12.61	0
7/6/2021	0	0	0	0	13.62	0
7/7/2021	0	0	0	0	15.07	0
7/8/2021	0	0	0	4.957	14.86	0
7/9/2021	0	0	0	0	15.69	0
7/10/2021	0	0	0	0	14.28	0
7/11/2021	0	0	0	0	16.54	0
7/12/2021	0	0	0	0	15.12	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
7/13/2021	0	0	0	7.66	14.17	0
7/14/2021	0	0	0	0	14.39	0
7/15/2021	0	0	0	0	25.65	0
7/16/2021	0	0	0	2.253	15.93	0
7/17/2021	0	0	0	79.31	11.97	0
7/18/2021	0	0	0	0	13.1	0
7/19/2021	0	0	0	0	14	0
7/20/2021	0	0	0	0	16.5	0
7/21/2021	0	0	0	0	15.46	0
7/22/2021	0	0	0	0	14.6	0
7/23/2021	0	0	0	0	14.72	0
7/24/2021	0	0	0	113.1	12.81	0
7/25/2021	0	0	0	17.12	12.61	0
7/26/2021	0	0	0	12.62	12.1	0
7/27/2021	0	0	0	0	11.55	0
7/28/2021	0	0	0	0	11.57	0
7/29/2021	0	0	0	0	11.9	0
7/30/2021	0	0	0	8.561	11.72	0
7/31/2021	0	0	0	2.253	11.6	0
8/1/2021	0	0	0	0	11.63	0
8/2/2021	0	0	0	18.47	11.97	0
8/3/2021	0	0	0	2.704	11.82	0
8/4/2021	0	0	0	12.17	12.01	0
8/5/2021	0	0	0	0.9012	11.13	0
8/6/2021	0	0	0	0	10.7	0
8/7/2021	0	0	0	0	10.89	0
8/8/2021	0	0	0	0	11.66	0
8/9/2021	0	0	0	20.73	11.26	0
8/10/2021	0	0	0	0	10.62	0
8/11/2021	0	0	0	0	10.67	0
8/12/2021	0	0	0	109.5	9.265	0
8/13/2021	0	0	0	45.51	7.995	0
8/14/2021	0	0	0	15.77	10.4	0
8/15/2021	0	0	0	5.407	10.45	0
8/16/2021	0	0	0	51.82	10.09	0
8/17/2021	0	0	0	0	9.817	0
8/18/2021	0	0	0	0.9012	8.97	0
8/19/2021	0	0	0	4.957	9.491	0
8/20/2021	0	0	0	0	9.575	0
8/21/2021	0	0	0	0	8.407	0
8/22/2021	0	0	0	3.154	8.908	0
8/23/2021	0	0	0	82.01	8.562	0
8/24/2021	0	0	0	0	8.818	0
8/25/2021	0	0	0	0	9.697	0
8/26/2021	0	0	0	0	9.863	0
8/27/2021	0	0	0	0	12.01	0
8/28/2021	0	0	0	0	11.68	0
8/29/2021	0	0	0	0	11.97	0
8/30/2021	0	0	0	0	8.893	0
8/31/2021	0	0	0	0	7.801	0
9/1/2021	0	0	0	14.42	8.093	0
9/2/2021	0	0	0	0.4506	8.363	0
9/3/2021	0	0	0	6.308	7.377	0
9/4/2021	0	0	0	9.463	6.708	0
9/5/2021	0	0	0	3.605	7.462	0
9/6/2021	0	0	0	0	6.81	0
9/7/2021	0	0	0	0.9012	6.702	0
9/8/2021	0	0	0	1.802	6.868	0
9/9/2021	0	0	0	3.154	6.368	0
9/10/2021	0	0	0	3.605	6.495	0
9/11/2021	0	0	0	0	6.213	0
9/12/2021	0	0	0	22.53	5.718	0
9/13/2021	0	0	0	0	5.205	0
9/14/2021	0	0	0	51.37	5.631	0
9/15/2021	0	0	0	36.5	5.83	0
9/16/2021	0	0	0	1.352	5.588	0
9/17/2021	0	0	0	0.9012	5.349	0
9/18/2021	0	0	0	6.308	5.173	0
9/19/2021	0	0	0	9.463	4.856	0
9/20/2021	0	0	0	0.4506	4.085	0
9/21/2021	0	0	0	0.9012	3.956	0
9/22/2021	0	0	0	0.4506	3.985	0
9/23/2021	0	0	0	0	3.843	0
9/24/2021	0	0	0	0	3.965	0
9/25/2021	0	0	0	38.3	4.172	0
9/26/2021	0	0	0	1.352	4.021	0
9/27/2021	0	0	0	0	3.461	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3
9/28/2021	0	0	0	0	3.785	0
9/29/2021	0	0	0	0	3.347	0
9/30/2021	0	0	0	2.704	3.332	0
10/1/2021	0	0	0	18.02	3.914	0
10/2/2021	0	0	0	2.704	3.471	0
10/3/2021	0	0	0	3.605	3.037	0
10/4/2021	0	0	0	7.21	3.016	0
10/5/2021	0	0	0	84.71	3.489	0
10/6/2021	0	0	0	4.055	3.056	0
10/7/2021	0	0	0	0.9012	2.779	0
10/8/2021	0	0	0	33.34	2.706	0
10/9/2021	0	0	0	2.253	3.043	0
10/10/2021	0	0	0	0	2.83	0
10/11/2021	0	0	0	0	3.072	0
10/12/2021	0	0	0	18.02	2.509	0
10/13/2021	0	0	0	28.39	2.215	0
10/14/2021	0	0	0	0	2.157	0
10/15/2021	0	0	0	0	1.91	0
10/16/2021	0	0	0	9.012	2.122	0
10/17/2021	0	0	0	18.02	1.737	0
10/18/2021	0	0	0	1.802	2.007	0
10/19/2021	0	0	0	0	1.914	0
10/20/2021	0	0	0	0	1.519	0
10/21/2021	0	0	0	0	1.368	0
10/22/2021	0	0	0	0	1.175	0
10/23/2021	0	0	0	0	1.236	0
10/24/2021	0	0	0	0	1.238	0
10/25/2021	0	0	0	0	1.344	0
10/26/2021	0	0	0	0	1.198	0
10/27/2021	0	0	0	0.4506	1.521	0
10/28/2021	0	0	0	26.59	1.293	0
10/29/2021	0	0	0	0	0.9736	0
10/30/2021	0	0	0	7.21	1.057	0
10/31/2021	0	0	0	0	1.093	0
11/1/2021	0	0	0	0	0.7743	0
11/2/2021	0	0	0	0	0.5625	0
11/3/2021	0	0	0	0	0.5699	0
11/4/2021	0	0	0	0	0.6354	0
11/5/2021	0	0	0	0	0.7487	0
11/6/2021	0	0	0	0	0.763	0
11/7/2021	0	0	0	0	0.7137	0
11/8/2021	0	0	0	0	0.8086	0
11/9/2021	0	0	0	0	0.6228	0
11/10/2021	0	0	0	0	0.5241	0
11/11/2021	0	0	0	0	0.1368	0
11/12/2021	0	0	0	0	0.06287	0
11/13/2021	0	0	0	0	0	0
11/14/2021	0	0	0	0	0.01762	0
11/15/2021	0	0	0	0	0.3297	0
11/16/2021	0	0	0	0	0.4244	0
11/17/2021	0	0	0	0	0.2896	0
11/18/2021	0	0	0	0	0.07766	0
11/19/2021	0	0	0	0	0	0
11/20/2021	0	0	0	0	0.02	0
11/21/2021	0	0	0	0	0.2635	0
11/22/2021	0	0	0	0	0.1469	0
11/23/2021	0	0	0	0	0	0
11/24/2021	0	0	0	0	0	0
11/25/2021	0	0	0	0	0	0
11/26/2021	0	0	0	0	0.03757	0
11/27/2021	0	0	0	0	0	0
11/28/2021	0	0	0	0	0.1801	0
11/29/2021	0	0	0	0	0.1283	0
11/30/2021	0	0	0	0	0	0
12/1/2021	0	0	0	0	0.02481	0
12/2/2021	0	0	0	0	0	0
12/3/2021	0	0	0	0	0	0
12/4/2021	0	0	0	0	0	0
12/5/2021	0	0	0	0	0	0
12/6/2021	0	0	0	0	0	0
12/7/2021	0	0	0	0	0	0
12/8/2021	0	0	0	0	0	0
12/9/2021	0	0	0	0	0	0
12/10/2021	0	0	0	0	0.06529	0
12/11/2021	0	0	0	0	0.1212	0
12/12/2021	0	0	0	0	0.08857	0
12/13/2021	0	0	0	0	0.04742	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
12/14/2021	0	0	0	0	0	0
12/15/2021	0	0	0	0	0	0
12/16/2021	0	0	0	0	0	0
12/17/2021	0	0	0	0	0	0
12/18/2021	0	0	0	0	0	0
12/19/2021	0	0	0	0	0	0
12/20/2021	0	0	0	0	0	0
12/21/2021	0	0	0	0	0	0
12/22/2021	0	0	0	0	0	0
12/23/2021	0	0	0	0	0	0
12/24/2021	0	0	0	0	0	0
12/25/2021	0	0	0	0	0	0
12/26/2021	0	0	0	0	0	0
12/27/2021	0	0	0	0	0.04909	0
12/28/2021	0	0	0	0	0	0
12/29/2021	0	0	0	0	0	0
12/30/2021	0	0	0	0	0	0
12/31/2021	0	0	0	0	0	0
1/1/2022	0	0	0.1476	0	0	0
1/2/2022	0	0	0.1447	0	0	0
1/3/2022	0	0	0.1418	0	0	0
1/4/2022	0	0	0.1389	0	0	0
1/5/2022	0	0	0.1362	0	0	0
1/6/2022	0	0	0.1334	0	0	0
1/7/2022	0	0	0.1308	0	0	0
1/8/2022	0	0	0.1282	0	0	0
1/9/2022	0	0	0.1256	0	0	0
1/10/2022	0	0	0.1231	0	0	0
1/11/2022	0	0	0.1206	0	0	0
1/12/2022	0	0	0.1182	0	0	0
1/13/2022	0	0	0.1158	0	0	0
1/14/2022	0	0	0.1135	0	0	0
1/15/2022	0	0	0.1113	0	0	0
1/16/2022	0	0	0.109	0	0	0
1/17/2022	0	0	0.1068	0	0	0
1/18/2022	0	0	0.1047	0	0	0
1/19/2022	0	0	0.1026	0	0.002712	0
1/20/2022	0	0	0.1006	0	0.0878	0
1/21/2022	0	0	0.09855	0	0	0
1/22/2022	0	0	0.09658	0	0	0
1/23/2022	0	0	0.09465	0	0	0
1/24/2022	0	0	0.09276	0	0	0
1/25/2022	0	0	0.0909	0	0	0
1/26/2022	0	0	0.08908	0	0	0
1/27/2022	0	0	0.0873	0	0	0
1/28/2022	0	0	0.08556	0	0	0
1/29/2022	0	0	0.08384	0	0	0
1/30/2022	0	0	0.08217	0	0	0
1/31/2022	0	0	0.08052	0	0	0
2/1/2022	0	0	0.07891	0	0	0
2/2/2022	0	0	0.07734	0	0	0
2/3/2022	0	0	0.07579	0	0	0
2/4/2022	0	0	0.07427	0	0	0
2/5/2022	0	0	0.07279	0	0	0
2/6/2022	0	0	0.07133	0	0	0
2/7/2022	0	0	0.06991	0	0	0
2/8/2022	0	0	0.06851	0	0	0
2/9/2022	0	0	0.06714	0	0	0
2/10/2022	0	0	0.06579	0	0	0
2/11/2022	0	0	0.06448	0	0	0
2/12/2022	0	0	0.06319	0	0	0
2/13/2022	0	0	0.06193	0	0	0
2/14/2022	0	0	0.06069	0	0	0
2/15/2022	0	0	0.05947	0	0	0
2/16/2022	0	0	0.05828	0	0	0
2/17/2022	0	0	0.05712	0	0	0
2/18/2022	0	0	0.05598	0	0	0
2/19/2022	0	0	0.05486	0	0	0
2/20/2022	0	0	0.05376	0	0	0
2/21/2022	0	0	0.05268	0	0	0
2/22/2022	0	0	0.05163	0	0	0
2/23/2022	0	0	0.0506	0	0	0
2/24/2022	0	0	0.04959	0	0	0
2/25/2022	0	0	0.04859	0	0	0
2/26/2022	0	0	0.04762	0	0	0
2/27/2022	0	0	0.04667	0	0	0
2/28/2022	0	0	0.04574	0	0	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
3/1/2022	0	0	0.04482	0	0	0
3/2/2022	0	0	0.04392	0	0	0
3/3/2022	0	0	0.04305	0	0	0
3/4/2022	0	0	0.04219	0	0	0
3/5/2022	0	0	0.04134	0	0	0
3/6/2022	0	0	0.04052	0	0	0
3/7/2022	0	0	0.0397	0	0	0
3/8/2022	0	0	0.03891	0	0	0
3/9/2022	0	0	0.03813	0	0	0
3/10/2022	0	0	0.03737	0	0	0
3/11/2022	0	0	0.03662	0	0	0
3/12/2022	0	0	0.03589	0	0	0
3/13/2022	0	0	0.03517	0	0	0
3/14/2022	0	0	0.03447	0	0	0
3/15/2022	0	0	0.03378	0	0	0
3/16/2022	0	0	0.0331	0	0	0
3/17/2022	0	0	0.03244	0	0	0
3/18/2022	0	0	0.03179	0	0	0
3/19/2022	0	0	0.03116	0	0	0
3/20/2022	0	0	0.03053	0	0	0
3/21/2022	0	0	0.02992	0	0	0
3/22/2022	0	0	0.02932	0	0	0
3/23/2022	0	0	0.02874	0	1.168	0
3/24/2022	0	0	0.02816	0	2.917	0
3/25/2022	0	0	0.0276	0	1.71	0
3/26/2022	0	0	0.02705	0	0.5044	0
3/27/2022	0	0	0.02651	0	0	0
3/28/2022	0	0	0.02598	0	0	0
3/29/2022	0	0	0.02546	0	0	0
3/30/2022	0	0	0.02495	0	0	0
3/31/2022	0	0	0.02445	0	0	0
4/1/2022	0	0	0.02396	0	1.285	0
4/2/2022	0	0	0.02348	0	1.97	0
4/3/2022	0	0	0.02301	0	0	0
4/4/2022	0	0	0.02255	0	0	0
4/5/2022	0	0	0.0221	0	0	0
4/6/2022	0	0	0.02166	0	0	0
4/7/2022	0	0	0.02123	0	0	0
4/8/2022	0	0	0.0208	0	0	0
4/9/2022	0	0	0.02038	0	0	0
4/10/2022	0	0	0.01998	0	0	0
4/11/2022	0	0	0.01958	0	0	0
4/12/2022	0	0	0.01919	0	0	0
4/13/2022	0	0	0.0188	0	0	0
4/14/2022	0	0	0.01843	0	0.6075	0
4/15/2022	0	0	0.01806	0	2.208	0
4/16/2022	0	0	0.0177	0	2.126	0
4/17/2022	0	0	0.01734	0	1.485	0
4/18/2022	0	0	0.017	0	0.9906	0
4/19/2022	0	0	0.01666	0	0.7456	0
4/20/2022	0	0	0.01632	0	0	0
4/21/2022	0	0	0.016	0	0	0
4/22/2022	0	0	0.01568	0	0	0
4/23/2022	0	0	0.01536	0	0	0
4/24/2022	0	0	0.01506	0	0	0
4/25/2022	0	0	0.01475	0	0	0
4/26/2022	0	0	0.01446	0	0	0
4/27/2022	0	0	0.01417	0	0	0
4/28/2022	0	0	0.01389	0	1.373	0
4/29/2022	0	0	0.01361	0	0	0
4/30/2022	0	0	0.01334	0	0	0
5/1/2022	0	0	0.01307	0	1.013	0
5/2/2022	0	0	0.01281	0	3.675	0
5/3/2022	0	0	0.01255	0	4.47	0
5/4/2022	0	0	0.0123	0	5.036	0
5/5/2022	0	0	0.01206	0	2.412	0
5/6/2022	0	0	0.01181	0	4.319	0
5/7/2022	0	0	0.01158	0	4.364	0
5/8/2022	0	0	0.01135	0	4.293	0
5/9/2022	0	0	0.01112	0	6.477	0
5/10/2022	0	0	0.0109	0	7.483	0
5/11/2022	0	0	0.01068	0	7.308	0
5/12/2022	0	0	0.01047	0	7.268	0
5/13/2022	0	0	0.01026	0	6.628	0
5/14/2022	0	0	0.01005	0	7.552	0
5/15/2022	25.69	37.29	27.43	7.062	5.952	0
5/16/2022	28.3	41.1	85.71	7.797	7.189	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3
5/17/2022	75.06	109.1	121.5	20.76	7.463	0
5/18/2022	5.234	7.616	158.8	1.458	8.428	0
5/19/2022	0	0	10.35	0	8.166	0
5/20/2022	0	0	0.08937	0	8.39	0
5/21/2022	21.69	31.58	25.91	6.068	8.749	0
5/22/2022	39.97	58.24	122.7	11.21	9.443	0
5/23/2022	50.4	73.49	278.4	14.2	9.159	0
5/24/2022	65.76	96.06	280.3	18.71	8.705	0
5/25/2022	71.4	104.5	168.8	20.52	9.005	0
5/26/2022	12.78	18.73	137	3.703	9.43	0
5/27/2022	28.8	42.24	55.7	8.378	8.604	0
5/28/2022	17.41	25.56	51.11	5.082	8.548	0
5/29/2022	59.14	86.85	92.07	17.3	9.514	0
5/30/2022	83.3	122.5	432.6	24.5	10.88	0
5/31/2022	110.8	163.3	666.3	33.05	11.9	0
6/1/2022	122.2	180.9	971	37.25	11.96	0
6/2/2022	104.9	156.1	214.9	32.87	13.05	500
6/3/2022	53.56	79.71	155.4	16.78	10.39	500
6/4/2022	67.86	100.9	131.2	21.17	11.57	500
6/5/2022	72.04	107	111.7	22.38	11.38	500
6/6/2022	94.59	140.4	95.11	29.27	11.98	500
6/7/2022	122.5	181.8	82.19	37.79	12.92	500
6/8/2022	113.2	167.9	79.08	34.85	11.2	500
6/9/2022	24.65	36.53	192.4	7.568	11.77	0
6/10/2022	0	0	86.53	0	11.93	500
6/11/2022	0	0	67.02	0	11.82	0
6/12/2022	0	0	63.59	0	11.04	0
6/13/2022	0	0	58.7	0	11	0
6/14/2022	4.817	7.14	53.87	1.479	12.13	0
6/15/2022	8.685	12.88	49.41	2.669	12.85	500
6/16/2022	4.822	7.14	45.29	1.472	12.22	0
6/17/2022	4.821	7.14	41.43	1.474	13.07	0
6/18/2022	4.82	7.14	37.77	1.475	13.53	0
6/19/2022	4.82	7.14	34.34	1.476	13.34	0
6/20/2022	4.819	7.14	31.17	1.476	13.61	0
6/21/2022	4.818	7.14	8.058	1.477	15.91	0
6/22/2022	0	0	7.896	0	13.44	0
6/23/2022	0	0	7.739	0	12.21	0
6/24/2022	0	0	7.584	0	13.45	0
6/25/2022	0	0	7.432	0	13.2	0
6/26/2022	0	0	7.283	0	13.65	0
6/27/2022	0	0	7.138	0	17.04	0
6/28/2022	0	0	6.995	0	20.7	0
6/29/2022	0	0	6.855	0	32.99	0
6/30/2022	0	0	6.718	0	56.38	0
7/1/2022	0	0	6.584	0	14.31	0
7/2/2022	0	0	6.452	0	14.46	0
7/3/2022	0	0	6.323	0	24.09	0
7/4/2022	0	0	6.197	0	19.16	0
7/5/2022	0	0	6.073	0	13.95	0
7/6/2022	4.822	7.14	5.951	1.473	14.31	0
7/7/2022	490.7	726.6	5.832	149.9	14.36	0
7/8/2022	165.1	245.9	612.8	51.91	15.14	500
7/9/2022	8.626	12.88	263.5	2.743	15.31	500
7/10/2022	0	0	51.88	0	15.08	500
7/11/2022	0	0	58.65	0	15.17	500
7/12/2022	4.806	7.14	43.83	1.492	15.99	500
7/13/2022	0	0	40.44	0	16.08	500
7/14/2022	0	0	39.09	0	15.94	0
7/15/2022	0	0	35.6	0	23.01	0
7/16/2022	0	0	31.61	0	15.99	0
7/17/2022	0	0	8.102	0	16.91	0
7/18/2022	0	0	7.94	0	19.27	0
7/19/2022	0	0	7.782	0	16.72	0
7/20/2022	0	0	7.626	0	16.28	0
7/21/2022	4.822	7.14	7.473	1.473	16.37	0
7/22/2022	67.71	100.3	7.324	20.68	14.48	0
7/23/2022	123.4	182.8	62.2	37.83	13.95	0
7/24/2022	15.22	22.59	148	4.705	13.3	500
7/25/2022	522.9	775.1	10.82	160.6	14.05	0
7/26/2022	18.4	27.44	668.4	5.825	14.28	500
7/27/2022	0	0	89.86	0	16.24	500
7/28/2022	41.23	61.43	69.48	12.99	13.97	500
7/29/2022	5.39	8.021	76.44	1.687	12.43	500
7/30/2022	0	0	48.32	0	12.76	500
7/31/2022	0	0	44.14	0	13.34	500
8/1/2022	0	0	42.93	0	14.45	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
8/2/2022	0	0	39.67	0	17.17	0
8/3/2022	0	0	35.78	0	14.86	0
8/4/2022	0	0	32.31	0	14.55	0
8/5/2022	4.82	7.14	29.1	1.475	13.83	0
8/6/2022	4.82	7.14	7.503	1.475	11.97	0
8/7/2022	0	0	7.353	0	12.4	0
8/8/2022	152.9	226.5	7.206	46.81	12.28	0
8/9/2022	548.5	814	175.2	169.4	12.48	500
8/10/2022	96.53	144	710	30.57	10.17	500
8/11/2022	4.778	7.14	208.5	1.528	11.06	500
8/12/2022	8.626	12.88	91.8	2.742	10.92	500
8/13/2022	8.641	12.88	76.36	2.724	12.06	500
8/14/2022	0	0	63.17	0	14.35	500
8/15/2022	0	0	50.8	0	11.9	500
8/16/2022	4.818	7.14	49.92	1.477	11.48	0
8/17/2022	0	0	47.78	0	14.65	0
8/18/2022	0	0	43.83	0	12.26	0
8/19/2022	0	0	39.97	0	11.07	500
8/20/2022	166.1	245.9	36.46	50.71	10.05	0
8/21/2022	5.406	8.021	220.6	1.668	10.15	500
8/22/2022	0	0	30.78	0	9.466	0
8/23/2022	48	71.14	31.03	14.73	9.339	0
8/24/2022	25.05	37.15	64.34	7.713	9.911	500
8/25/2022	4.822	7.14	44.31	1.473	8.768	0
8/26/2022	4.821	7.14	7.995	1.474	9.08	0
8/27/2022	11.97	17.73	8.122	3.661	8.866	0
8/28/2022	51.3	75.99	8.065	15.7	8.167	0
8/29/2022	4.817	7.14	51.84	1.479	7.928	0
8/30/2022	21.78	32.3	7.746	6.695	7.877	500
8/31/2022	4.822	7.14	14.44	1.472	7.262	0
9/1/2022	4.822	7.14	7.667	1.473	7.317	0
9/2/2022	5.416	8.021	7.534	1.655	7.401	0
9/3/2022	20.89	30.94	7.384	6.386	7.116	0
9/4/2022	14.33	21.23	9.19	4.386	7.318	0
9/5/2022	7.18	10.64	9.149	2.199	7.181	0
9/6/2022	5.413	8.021	6.949	1.659	6.658	0
9/7/2022	0	0	6.811	0	6.312	0
9/8/2022	102.8	152.3	6.674	31.51	6.067	0
9/9/2022	7.764	11.52	114.6	2.395	6.222	500
9/10/2022	2.362	3.499	6.41	0.7228	5.708	0
9/11/2022	68.94	102.1	6.751	21.1	4.628	0
9/12/2022	28.4	42.1	76.11	8.728	5.076	500
9/13/2022	0	0	32.19	0	5.62	0
9/14/2022	2.363	3.499	7.509	0.7218	5.055	0
9/15/2022	13.63	20.18	7.9	4.165	5.575	0
9/16/2022	0	0	0.4064	0	4.584	0
9/17/2022	0	0	0.4101	0	4.266	0
9/18/2022	0	0	1.45	0	4.264	0
9/19/2022	11.97	17.73	42.36	3.656	4.267	0
9/20/2022	0	0	17.76	0	4.847	0
9/21/2022	15.24	22.59	7.923	4.67	4.847	0
9/22/2022	2.361	3.499	7.872	0.7239	4.292	0
9/23/2022	9.748	14.45	7.757	2.99	4.121	0
9/24/2022	0	0	0.3827	0	3.912	0
9/25/2022	0	0	0.376	0	3.614	0
9/26/2022	0	0	0.3723	0	3.154	0
9/27/2022	0	0	0.3693	0	3.095	0
9/28/2022	0	0	0.3662	0	3.2	0
9/29/2022	0	0	0.3628	0	2.828	0
9/30/2022	218.2	323.2	49.53	66.64	2.989	0
10/1/2022	0	0	293.1	0	2.947	250
10/2/2022	0	0	12.87	0	2.076	250
10/3/2022	0	0	6.17	0	2.667	250
10/4/2022	0	0	2.219	0	2.606	0
10/5/2022	0	0	1.653	0	2.291	0
10/6/2022	0	0	1.672	0	1.763	0
10/7/2022	0	0	1.664	0	1.234	0
10/8/2022	0	0	1.637	0	1.619	0
10/9/2022	0	0	1.594	0	1.641	0
10/10/2022	0	0	1.54	0	1.693	0
10/11/2022	0	0	1.478	0	1.934	0
10/12/2022	0	0	0.4033	0	1.929	0
10/13/2022	0	0	0.4037	0	1.978	0
10/14/2022	0	0	0.4024	0	1.592	0
10/15/2022	0	0	0.3997	0	1.617	0
10/16/2022	0	0	0.3961	0	1.601	0
10/17/2022	0	0	0.3916	0	1.435	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
10/18/2022	0	0	0.3866	0	1.244	0
10/19/2022	0	0	0.3811	0	0.8967	0
10/20/2022	0	0	0.3752	0	0.6641	0
10/21/2022	0	0	0.3691	0	0.8508	0
10/22/2022	0	0	0.3629	0	0.6969	0
10/23/2022	0	0	0.3565	0	0.5303	0
10/24/2022	0	0	0.3501	0	1.01	0
10/25/2022	0	0	0.3437	0	1.263	0
10/26/2022	0	0	0.3373	0	0.7175	0
10/27/2022	0	0	0.3309	0	0.9039	0
10/28/2022	0	0	0.3246	0	0.6379	0
10/29/2022	0	0	0.3184	0	0	0
10/30/2022	0	0	0.3122	0	0.6147	0
10/31/2022	0	0	0.3061	0	0.4187	0
11/1/2022	0	0	0.3001	0	0	0
11/2/2022	0	0	0.2942	0	0	0
11/3/2022	0	0	0.2884	0	0	0
11/4/2022	0	0	0.2827	0	0.04656	0
11/5/2022	0	0	0.2771	0	0.06726	0
11/6/2022	0	0	0.2716	0	0	0
11/7/2022	0	0	0.2662	0	0	0
11/8/2022	0	0	0.2609	0	0	0
11/9/2022	0	0	0.2557	0	0	0
11/10/2022	0	0	0.2506	0	0	0
11/11/2022	0	0	0.2456	0	0	0
11/12/2022	0	0	0.2407	0	0.04148	0
11/13/2022	0	0	0.2359	0	0	0
11/14/2022	0	0	0.2312	0	0.1691	0
11/15/2022	0	0	0.2265	0	0.2959	0
11/16/2022	0	0	0.222	0	0.3537	0
11/17/2022	0	0	0.2176	0	0	0
11/18/2022	0	0	0.2132	0	0	0
11/19/2022	0	0	0.209	0	0	0
11/20/2022	0	0	0.2048	0	0	0
11/21/2022	0	0	0.2007	0	0	0
11/22/2022	0	0	0.1967	0	0	0
11/23/2022	0	0	0.1928	0	0	0
11/24/2022	0	0	0.1889	0	0.06345	0
11/25/2022	0	0	0.1851	0	0	0
11/26/2022	0	0	0.1814	0	0.2125	0
11/27/2022	0	0	0.1778	0	0	0
11/28/2022	0	0	0.1742	0	0	0
11/29/2022	0	0	0.1708	0	0	0
11/30/2022	0	0	0.1673	0	0.08074	0
12/1/2022	0	0	0.164	0	0.03098	0
12/2/2022	0	0	0.1607	0	0	0
12/3/2022	0	0	0.1575	0	0	0
12/4/2022	0	0	0.1543	0	0	0
12/5/2022	0	0	0.1513	0	0	0
12/6/2022	0	0	0.1482	0	0.02548	0
12/7/2022	0	0	0.1453	0	0.03568	0
12/8/2022	0	0	0.1424	0	0	0
12/9/2022	0	0	0.1395	0	0	0
12/10/2022	0	0	0.1367	0	0	0
12/11/2022	0	0	0.134	0	0	0
12/12/2022	0	0	0.1313	0	0	0
12/13/2022	0	0	0.1287	0	0	0
12/14/2022	0	0	0.1261	0	0	0
12/15/2022	0	0	0.1236	0	0.05053	0
12/16/2022	0	0	0.1211	0	0	0
12/17/2022	0	0	0.1187	0	0.03392	0
12/18/2022	0	0	0.1163	0	0	0
12/19/2022	0	0	0.114	0	0	0
12/20/2022	0	0	0.1117	0	0	0
12/21/2022	0	0	0.1095	0	0	0
12/22/2022	0	0	0.1073	0	0	0
12/23/2022	0	0	0.1051	0	0	0
12/24/2022	0	0	0.103	0	0	0
12/25/2022	0	0	0.101	0	0	0
12/26/2022	0	0	0.09896	0	0	0
12/27/2022	0	0	0.09698	0	0	0
12/28/2022	0	0	0.09504	0	0	0
12/29/2022	0	0	0.09314	0	0	0
12/30/2022	0	0	0.09128	0	0	0
12/31/2022	0	0	0.08946	0	0	0
1/1/2023	0	0	0.08767	0	0	0
1/2/2023	0	0	0.08591	0	0	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
1/3/2023	0	0	0.08419	0	0	0
1/4/2023	0	0	0.08251	0	0	0
1/5/2023	0	0	0.08086	0	0	0
1/6/2023	0	0	0.07924	0	0	0
1/7/2023	0	0	0.07766	0	0	0
1/8/2023	0	0	0.07611	0	0	0
1/9/2023	0	0	0.07458	0	0	0
1/10/2023	0	0	0.07309	0	0	0
1/11/2023	0	0	0.07163	0	0	0
1/12/2023	0	0	0.0702	0	0	0
1/13/2023	0	0	0.06879	0	0	0
1/14/2023	0	0	0.06742	0	0	0
1/15/2023	0	0	0.06607	0	0	0
1/16/2023	0	0	0.06475	0	0	0
1/17/2023	0	0	0.06345	0	0	0
1/18/2023	0	0	0.06218	0	0	0
1/19/2023	0	0	0.06094	0	0.002954	0
1/20/2023	0	0	0.05972	0	0.09563	0
1/21/2023	0	0	0.05853	0	0	0
1/22/2023	0	0	0.05736	0	0	0
1/23/2023	0	0	0.05621	0	0	0
1/24/2023	0	0	0.05508	0	0	0
1/25/2023	0	0	0.05398	0	0	0
1/26/2023	0	0	0.0529	0	0	0
1/27/2023	0	0	0.05185	0	0	0
1/28/2023	0	0	0.05081	0	0	0
1/29/2023	0	0	0.04979	0	0	0
1/30/2023	0	0	0.0488	0	0	0
1/31/2023	0	0	0.04782	0	0	0
2/1/2023	0	0	0.04686	0	0	0
2/2/2023	0	0	0.04593	0	0	0
2/3/2023	0	0	0.04501	0	0	0
2/4/2023	0	0	0.04411	0	0	0
2/5/2023	0	0	0.04323	0	0	0
2/6/2023	0	0	0.04236	0	0	0
2/7/2023	0	0	0.04151	0	0	0
2/8/2023	0	0	0.04068	0	0	0
2/9/2023	0	0	0.03987	0	0	0
2/10/2023	0	0	0.03907	0	0	0
2/11/2023	0	0	0.03829	0	0	0
2/12/2023	0	0	0.03753	0	0	0
2/13/2023	0	0	0.03678	0	0	0
2/14/2023	0	0	0.03604	0	0	0
2/15/2023	0	0	0.03532	0	0	0
2/16/2023	0	0	0.03461	0	0	0
2/17/2023	0	0	0.03392	0	0	0
2/18/2023	0	0	0.03324	0	0	0
2/19/2023	0	0	0.03258	0	0	0
2/20/2023	0	0	0.03193	0	0	0
2/21/2023	0	0	0.03129	0	0	0
2/22/2023	0	0	0.03066	0	0	0
2/23/2023	0	0	0.03005	0	0	0
2/24/2023	0	0	0.02945	0	0	0
2/25/2023	0	0	0.02886	0	0	0
2/26/2023	0	0	0.02828	0	0	0
2/27/2023	0	0	0.02772	0	0	0
2/28/2023	0	0	0.02716	0	0	0
3/1/2023	0	0	0.02662	0	0	0
3/2/2023	0	0	0.02609	0	0	0
3/3/2023	0	0	0.02556	0	0	0
3/4/2023	0	0	0.02505	0	0	0
3/5/2023	0	0	0.02455	0	0	0
3/6/2023	0	0	0.02406	0	0	0
3/7/2023	0	0	0.02358	0	0	0
3/8/2023	0	0	0.02311	0	0	0
3/9/2023	0	0	0.02265	0	0	0
3/10/2023	0	0	0.02219	0	0	0
3/11/2023	0	0	0.02175	0	0	0
3/12/2023	0	0	0.02131	0	0	0
3/13/2023	0	0	0.02089	0	0	0
3/14/2023	0	0	0.02047	0	0	0
3/15/2023	0	0	0.02006	0	0	0
3/16/2023	0	0	0.01966	0	0	0
3/17/2023	0	0	0.01927	0	0	0
3/18/2023	0	0	0.01888	0	0	0
3/19/2023	0	0	0.0185	0	0	0
3/20/2023	0	0	0.01813	0	0	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
3/21/2023	0	0	0.01777	0	0	0
3/22/2023	0	0	0.01741	0	0	0
3/23/2023	0	0	0.01707	0	1.272	0
3/24/2023	0	0	0.01673	0	3.177	0
3/25/2023	0	0	0.01639	0	1.862	0
3/26/2023	0	0	0.01606	0	0.5493	0
3/27/2023	0	0	0.01574	0	0	0
3/28/2023	0	0	0.01543	0	0	0
3/29/2023	0	0	0.01512	0	0	0
3/30/2023	0	0	0.01482	0	0	0
3/31/2023	0	0	0.01452	0	0	0
4/1/2023	0	0	0.01423	0	1.399	0
4/2/2023	0	0	0.01394	0	2.145	0
4/3/2023	0	0	0.01367	0	0	0
4/4/2023	0	0	0.01339	0	0	0
4/5/2023	0	0	0.01312	0	0	0
4/6/2023	0	0	0.01286	0	0	0
4/7/2023	0	0	0.0126	0	0	0
4/8/2023	0	0	0.01235	0	0	0
4/9/2023	0	0	0.01211	0	0	0
4/10/2023	0	0	0.01186	0	0	0
4/11/2023	0	0	0.01163	0	0	0
4/12/2023	0	0	0.01139	0	0	0
4/13/2023	0	0	0.01117	0	0	0
4/14/2023	0	0	0.01094	0	0.6616	0
4/15/2023	0	0	0.01072	0	2.405	0
4/16/2023	0	0	0.01051	0	2.315	0
4/17/2023	0	0	0.0103	0	1.617	0
4/18/2023	0	0	0.01009	0	1.079	0
4/19/2023	0	0	0.009891	0	0.8121	0
4/20/2023	0	0	0.009693	0	0	0
4/21/2023	0	0	0.0095	0	0	0
4/22/2023	0	0	0.00931	0	0	0
4/23/2023	0	0	0.009123	0	0	0
4/24/2023	0	0	0.008941	0	0	0
4/25/2023	0	0	0.008762	0	0	0
4/26/2023	0	0	0.008587	0	0	0
4/27/2023	0	0	0.008415	0	0	0
4/28/2023	0	0	0.008247	0	1.495	0
4/29/2023	0	0	0.008082	0	0	0
4/30/2023	0	0	0.00792	0	0	0
5/1/2023	0	0	0.007762	0	1.103	0
5/2/2023	0	0	0.007607	0	4.002	0
5/3/2023	0	0	0.007454	0	4.868	0
5/4/2023	0	0	0.007305	0	5.484	0
5/5/2023	0	0	0.007159	0	2.627	0
5/6/2023	0	0	0.007016	0	4.704	0
5/7/2023	0	0	0.006876	0	4.753	0
5/8/2023	0	0	0.006738	0	4.676	0
5/9/2023	0	0	0.006603	0	7.054	0
5/10/2023	0	0	0.006471	0	8.15	0
5/11/2023	0	0	0.006342	0	7.959	0
5/12/2023	0	0	0.006215	0	7.916	0
5/13/2023	0	0	0.006091	0	7.218	0
5/14/2023	0	0	0.005969	0	8.225	0
5/15/2023	25.19	37.29	27.4	7.691	6.482	0
5/16/2023	27.75	41.1	85.67	8.489	7.827	0
5/17/2023	73.59	109.1	121.5	22.59	8.122	0
5/18/2023	5.126	7.616	158.8	1.593	9.207	0
5/19/2023	0	0	10.35	0	8.942	0
5/20/2023	0	0	0.08575	0	9.185	0
5/21/2023	21.23	31.58	25.88	6.642	9.578	0
5/22/2023	39.13	58.24	122.7	12.26	10.33	0
5/23/2023	49.33	73.49	278.4	15.53	10.02	0
5/24/2023	64.37	96.06	280.2	20.44	9.511	0
5/25/2023	69.9	104.5	168.8	22.4	9.828	0
5/26/2023	12.51	18.73	136.9	4.039	10.28	0
5/27/2023	28.19	42.24	55.67	9.133	9.379	0
5/28/2023	17.05	25.56	51.09	5.537	9.314	0
5/29/2023	57.91	86.85	91.97	18.84	10.36	0
5/30/2023	81.56	122.5	432.4	26.67	11.84	0
5/31/2023	108.5	163.3	704.7	35.93	12.94	0
6/1/2023	119.6	180.9	970.9	40.45	12.99	500
6/2/2023	102.9	156.1	1190	35.32	14.03	500
6/3/2023	52.35	79.71	806.1	18.28	11.32	500
6/4/2023	66.16	100.9	304.1	23.29	12.73	500
6/5/2023	70.18	107	243.6	24.7	12.56	500

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
	m3	m3	m3	m3	m3	m3
6/6/2023	92.1	140.4	209.1	32.37	13.25	500
6/7/2023	150.8	229.9	180.6	52.98	14.32	500
6/8/2023	157.5	240.2	156.7	55.44	12.45	500
6/9/2023	100.1	152.7	255.3	35.28	13.13	500
6/10/2023	72.38	110.4	152.9	25.53	13.26	500
6/11/2023	86.16	131.4	123.9	30.3	13.2	500
6/12/2023	44.98	68.54	115.5	15.78	12.3	500
6/13/2023	48.78	74.26	109.2	17.03	12.19	500
6/14/2023	99.84	151.8	102.2	34.7	13.39	500
6/15/2023	142.5	216.6	94.37	49.41	14.15	500
6/16/2023	106.2	161.4	87.1	36.8	13.52	500
6/17/2023	136.3	207.1	80.31	47.14	14.42	500
6/18/2023	63.44	96.37	73.93	21.92	14.91	500
6/19/2023	4.705	7.14	67.97	1.618	14.63	500
6/20/2023	4.713	7.14	62.45	1.608	14.83	500
6/21/2023	4.722	7.14	57.29	1.598	17.21	500
6/22/2023	0	0	52.34	0	14.44	500
6/23/2023	0	0	47.81	0	13.02	500
6/24/2023	0	0	43.67	0	14.24	500
6/25/2023	0	0	39.74	0	13.86	500
6/26/2023	0	0	36.1	0	14.24	500
6/27/2023	0	0	32.69	0	17.63	500
6/28/2023	0	0	29.3	0	21.25	500
6/29/2023	0	0	7.401	0	33.6	500
6/30/2023	0	0	7.253	0	56.95	500
7/1/2023	0	0	7.108	0	14.34	0
7/2/2023	0	0	6.966	0	14.48	0
7/3/2023	0	0	6.826	0	24.13	0
7/4/2023	0	0	6.69	0	19.19	0
7/5/2023	0	0	6.556	0	13.97	0
7/6/2023	4.82	7.14	6.425	1.475	14.33	0
7/7/2023	490.5	726.6	6.297	150.1	14.38	0
7/8/2023	165.1	245.9	613.3	51.99	15.16	500
7/9/2023	8.622	12.88	263.9	2.747	15.33	500
7/10/2023	0	0	73.41	0	15.1	500
7/11/2023	0	0	58.29	0	15.2	500
7/12/2023	4.804	7.14	43.49	1.495	16.02	500
7/13/2023	0	0	40.13	0	16.11	500
7/14/2023	0	0	38.8	0	15.94	0
7/15/2023	0	0	35.33	0	23.01	0
7/16/2023	0	0	31.36	0	15.99	0
7/17/2023	0	0	8.036	0	16.91	0
7/18/2023	0	0	7.875	0	19.27	0
7/19/2023	0	0	7.718	0	16.72	0
7/20/2023	0	0	7.564	0	16.28	0
7/21/2023	4.822	7.14	7.412	1.473	16.37	0
7/22/2023	67.71	100.3	7.264	20.68	14.48	0
7/23/2023	123.4	182.8	62.14	37.83	13.95	0
7/24/2023	15.22	22.59	147.9	4.705	13.3	500
7/25/2023	522.9	775.1	10.76	160.6	14.05	0
7/26/2023	18.4	27.44	668.3	5.825	14.28	500
7/27/2023	0	0	89.81	0	16.24	500
7/28/2023	41.23	61.43	69.29	12.99	13.97	500
7/29/2023	5.39	8.021	76.27	1.687	12.43	500
7/30/2023	0	0	48.16	0	12.76	500
7/31/2023	0	0	43.99	0	13.34	0
8/1/2023	0	0	42.79	0	14.53	500
8/2/2023	0	0	39.54	0	17.16	0
8/3/2023	0	0	35.66	0	14.85	0
8/4/2023	0	0	32.19	0	14.54	0
8/5/2023	4.821	7.14	29	1.474	13.82	0
8/6/2023	4.82	7.14	7.475	1.475	11.96	0
8/7/2023	0	0	7.326	0	12.4	0
8/8/2023	152.9	226.5	7.179	46.78	12.28	0
8/9/2023	548.6	814	175.2	169.3	12.47	500
8/10/2023	96.54	144	710	30.55	10.16	500
8/11/2023	4.778	7.14	208.5	1.527	11.05	500
8/12/2023	8.627	12.88	91.71	2.741	10.92	500
8/13/2023	8.642	12.88	76.28	2.723	12.05	500
8/14/2023	0	0	63.09	0	14.34	500
8/15/2023	0	0	50.73	0	11.89	500
8/16/2023	4.819	7.14	49.85	1.477	11.47	0
8/17/2023	0	0	47.72	0	14.64	0
8/18/2023	0	0	43.78	0	12.25	0
8/19/2023	0	0	39.92	0	11.07	500
8/20/2023	166.1	245.9	36.41	50.71	10.05	0
8/21/2023	5.406	8.021	220.5	1.668	10.15	500

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
8/22/2023	0	0	30.74	0	9.466	0
8/23/2023	48	71.14	30.99	14.73	9.339	0
8/24/2023	25.05	37.15	64.3	7.712	9.911	500
8/25/2023	4.822	7.14	44.27	1.473	8.768	0
8/26/2023	4.821	7.14	7.987	1.474	9.08	0
8/27/2023	11.97	17.73	8.114	3.661	8.866	0
8/28/2023	51.3	75.99	8.057	15.7	8.167	0
8/29/2023	4.817	7.14	51.83	1.479	7.928	0
8/30/2023	21.78	32.3	7.738	6.695	7.877	500
8/31/2023	4.822	7.14	14.43	1.472	7.262	0
9/1/2023	4.822	7.14	7.66	1.473	7.317	0
9/2/2023	5.416	8.021	7.527	1.655	7.401	0
9/3/2023	20.89	30.94	7.376	6.386	7.116	0
9/4/2023	14.33	21.23	9.183	4.386	7.318	0
9/5/2023	7.18	10.64	9.141	2.199	7.181	0
9/6/2023	5.413	8.021	6.942	1.659	6.658	0
9/7/2023	0	0	6.804	0	6.312	0
9/8/2023	102.8	152.3	6.667	31.51	6.067	0
9/9/2023	7.764	11.52	114.6	2.395	6.222	500
9/10/2023	2.362	3.499	6.403	0.7228	5.708	0
9/11/2023	68.94	102.1	6.745	21.1	4.628	0
9/12/2023	28.4	42.1	76.1	8.728	5.076	500
9/13/2023	0	0	32.18	0	5.62	0
9/14/2023	2.363	3.499	7.503	0.7218	5.055	0
9/15/2023	13.63	20.18	7.894	4.165	5.575	0
9/16/2023	0	0	0.4061	0	4.584	0
9/17/2023	0	0	0.4098	0	4.266	0
9/18/2023	0	0	1.449	0	4.264	0
9/19/2023	11.97	17.73	42.36	3.656	4.267	0
9/20/2023	0	0	17.72	0	4.847	0
9/21/2023	15.24	22.59	7.918	4.67	4.847	0
9/22/2023	2.361	3.499	7.867	0.7239	4.292	0
9/23/2023	9.748	14.45	7.752	2.99	4.121	0
9/24/2023	0	0	0.3825	0	3.912	0
9/25/2023	0	0	0.3758	0	3.614	0
9/26/2023	0	0	0.372	0	3.154	0
9/27/2023	0	0	0.3691	0	3.095	0
9/28/2023	0	0	0.366	0	3.2	0
9/29/2023	0	0	0.3626	0	2.828	0
9/30/2023	218.2	323.2	49.5	66.64	2.989	0
10/1/2023	0	0	293.1	0	2.947	250
10/2/2023	0	0	12.87	0	2.076	250
10/3/2023	0	0	6.17	0	2.667	250
10/4/2023	0	0	2.218	0	2.606	0
10/5/2023	0	0	1.652	0	2.291	0
10/6/2023	0	0	1.671	0	1.763	0
10/7/2023	0	0	1.664	0	1.234	0
10/8/2023	0	0	1.636	0	1.619	0
10/9/2023	0	0	1.593	0	1.641	0
10/10/2023	0	0	1.539	0	1.693	0
10/11/2023	0	0	1.478	0	1.934	0
10/12/2023	0	0	0.4032	0	1.929	0
10/13/2023	0	0	0.4036	0	1.978	0
10/14/2023	0	0	0.4023	0	1.592	0
10/15/2023	0	0	0.3996	0	1.617	0
10/16/2023	0	0	0.396	0	1.601	0
10/17/2023	0	0	0.3915	0	1.435	0
10/18/2023	0	0	0.3865	0	1.244	0
10/19/2023	0	0	0.381	0	0.8967	0
10/20/2023	0	0	0.3751	0	0.6641	0
10/21/2023	0	0	0.369	0	0.8508	0
10/22/2023	0	0	0.3628	0	0.6969	0
10/23/2023	0	0	0.3565	0	0.5303	0
10/24/2023	0	0	0.3501	0	1.01	0
10/25/2023	0	0	0.3436	0	1.263	0
10/26/2023	0	0	0.3372	0	0.7175	0
10/27/2023	0	0	0.3309	0	0.9039	0
10/28/2023	0	0	0.3245	0	0.6379	0
10/29/2023	0	0	0.3183	0	0	0
10/30/2023	0	0	0.3121	0	0.6147	0
10/31/2023	0	0	0.306	0	0.4187	0
11/1/2023	0	0	0.3	0	0	0
11/2/2023	0	0	0.2941	0	0	0
11/3/2023	0	0	0.2883	0	0	0
11/4/2023	0	0	0.2826	0	0.04656	0
11/5/2023	0	0	0.277	0	0.06726	0
11/6/2023	0	0	0.2715	0	0	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
11/7/2023	0	0	0.2661	0	0	0
11/8/2023	0	0	0.2608	0	0	0
11/9/2023	0	0	0.2556	0	0	0
11/10/2023	0	0	0.2505	0	0	0
11/11/2023	0	0	0.2455	0	0	0
11/12/2023	0	0	0.2406	0	0.04148	0
11/13/2023	0	0	0.2358	0	0	0
11/14/2023	0	0	0.2311	0	0.1691	0
11/15/2023	0	0	0.2265	0	0.2959	0
11/16/2023	0	0	0.222	0	0.3537	0
11/17/2023	0	0	0.2175	0	0	0
11/18/2023	0	0	0.2132	0	0	0
11/19/2023	0	0	0.2089	0	0	0
11/20/2023	0	0	0.2047	0	0	0
11/21/2023	0	0	0.2007	0	0	0
11/22/2023	0	0	0.1966	0	0	0
11/23/2023	0	0	0.1927	0	0	0
11/24/2023	0	0	0.1889	0	0.06345	0
11/25/2023	0	0	0.1851	0	0	0
11/26/2023	0	0	0.1814	0	0.2125	0
11/27/2023	0	0	0.1778	0	0	0
11/28/2023	0	0	0.1742	0	0	0
11/29/2023	0	0	0.1707	0	0	0
11/30/2023	0	0	0.1673	0	0.08074	0
12/1/2023	0	0	0.164	0	0.03098	0
12/2/2023	0	0	0.1607	0	0	0
12/3/2023	0	0	0.1575	0	0	0
12/4/2023	0	0	0.1543	0	0	0
12/5/2023	0	0	0.1512	0	0	0
12/6/2023	0	0	0.1482	0	0.02548	0
12/7/2023	0	0	0.1452	0	0.03568	0
12/8/2023	0	0	0.1423	0	0	0
12/9/2023	0	0	0.1395	0	0	0
12/10/2023	0	0	0.1367	0	0	0
12/11/2023	0	0	0.134	0	0	0
12/12/2023	0	0	0.1313	0	0	0
12/13/2023	0	0	0.1287	0	0	0
12/14/2023	0	0	0.1261	0	0	0
12/15/2023	0	0	0.1236	0	0.05053	0
12/16/2023	0	0	0.1211	0	0	0
12/17/2023	0	0	0.1187	0	0.03392	0
12/18/2023	0	0	0.1163	0	0	0
12/19/2023	0	0	0.114	0	0	0
12/20/2023	0	0	0.1117	0	0	0
12/21/2023	0	0	0.1095	0	0	0
12/22/2023	0	0	0.1073	0	0	0
12/23/2023	0	0	0.1051	0	0	0
12/24/2023	0	0	0.103	0	0	0
12/25/2023	0	0	0.101	0	0	0
12/26/2023	0	0	0.09894	0	0	0
12/27/2023	0	0	0.09696	0	0	0
12/28/2023	0	0	0.09502	0	0	0
12/29/2023	0	0	0.09312	0	0	0
12/30/2023	0	0	0.09126	0	0	0
12/31/2023	0	0	0.08943	0	0	0
1/1/2024	0	0	0.08765	0	0	0
1/2/2024	0	0	0.08589	0	0	0
1/3/2024	0	0	0.08417	0	0	0
1/4/2024	0	0	0.08249	0	0	0
1/5/2024	0	0	0.08084	0	0	0
1/6/2024	0	0	0.07922	0	0	0
1/7/2024	0	0	0.07764	0	0	0
1/8/2024	0	0	0.07609	0	0	0
1/9/2024	0	0	0.07457	0	0	0
1/10/2024	0	0	0.07307	0	0	0
1/11/2024	0	0	0.07161	0	0	0
1/12/2024	0	0	0.07018	0	0	0
1/13/2024	0	0	0.06878	0	0	0
1/14/2024	0	0	0.0674	0	0	0
1/15/2024	0	0	0.06605	0	0	0
1/16/2024	0	0	0.06473	0	0	0
1/17/2024	0	0	0.06344	0	0	0
1/18/2024	0	0	0.06217	0	0	0
1/19/2024	0	0	0.06093	0	0.002954	0
1/20/2024	0	0	0.05971	0	0.09563	0
1/21/2024	0	0	0.05851	0	0	0
1/22/2024	0	0	0.05734	0	0	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
1/23/2024	0	0	0.0562	0	0	0
1/24/2024	0	0	0.05507	0	0	0
1/25/2024	0	0	0.05397	0	0	0
1/26/2024	0	0	0.05289	0	0	0
1/27/2024	0	0	0.05183	0	0	0
1/28/2024	0	0	0.0508	0	0	0
1/29/2024	0	0	0.04978	0	0	0
1/30/2024	0	0	0.04879	0	0	0
1/31/2024	0	0	0.04781	0	0	0
2/1/2024	0	0	0.04685	0	0	0
2/2/2024	0	0	0.04592	0	0	0
2/3/2024	0	0	0.045	0	0	0
2/4/2024	0	0	0.0441	0	0	0
2/5/2024	0	0	0.04322	0	0	0
2/6/2024	0	0	0.04235	0	0	0
2/7/2024	0	0	0.0415	0	0	0
2/8/2024	0	0	0.04067	0	0	0
2/9/2024	0	0	0.03986	0	0	0
2/10/2024	0	0	0.03906	0	0	0
2/11/2024	0	0	0.03828	0	0	0
2/12/2024	0	0	0.03752	0	0	0
2/13/2024	0	0	0.03677	0	0	0
2/14/2024	0	0	0.03603	0	0	0
2/15/2024	0	0	0.03531	0	0	0
2/16/2024	0	0	0.0346	0	0	0
2/17/2024	0	0	0.03391	0	0	0
2/18/2024	0	0	0.03323	0	0	0
2/19/2024	0	0	0.03257	0	0	0
2/20/2024	0	0	0.03192	0	0	0
2/21/2024	0	0	0.03128	0	0	0
2/22/2024	0	0	0.03065	0	0	0
2/23/2024	0	0	0.03004	0	0	0
2/24/2024	0	0	0.02944	0	0	0
2/25/2024	0	0	0.02885	0	0	0
2/26/2024	0	0	0.02827	0	0	0
2/27/2024	0	0	0.02771	0	0	0
2/28/2024	0	0	0.02715	0	0	0
2/29/2024	0	0	0.02661	0	0	0
3/1/2024	0	0	0.02608	0	0	0
3/2/2024	0	0	0.02556	0	0	0
3/3/2024	0	0	0.02505	0	0	0
3/4/2024	0	0	0.02455	0	0	0
3/5/2024	0	0	0.02405	0	0	0
3/6/2024	0	0	0.02357	0	0	0
3/7/2024	0	0	0.0231	0	0	0
3/8/2024	0	0	0.02264	0	0	0
3/9/2024	0	0	0.02219	0	0	0
3/10/2024	0	0	0.02174	0	0	0
3/11/2024	0	0	0.02131	0	0	0
3/12/2024	0	0	0.02088	0	0	0
3/13/2024	0	0	0.02046	0	0	0
3/14/2024	0	0	0.02006	0	0	0
3/15/2024	0	0	0.01965	0	0	0
3/16/2024	0	0	0.01926	0	0	0
3/17/2024	0	0	0.01888	0	0	0
3/18/2024	0	0	0.0185	0	0	0
3/19/2024	0	0	0.01813	0	0	0
3/20/2024	0	0	0.01777	0	0	0
3/21/2024	0	0	0.01741	0	0	0
3/22/2024	0	0	0.01706	0	0	0
3/23/2024	0	0	0.01672	0	1.299	0
3/24/2024	0	0	0.01639	0	3.242	0
3/25/2024	0	0	0.01606	0	1.9	0
3/26/2024	0	0	0.01574	0	0.5602	0
3/27/2024	0	0	0.01542	0	0	0
3/28/2024	0	0	0.01511	0	0	0
3/29/2024	0	0	0.01481	0	0	0
3/30/2024	0	0	0.01452	0	0	0
3/31/2024	0	0	0.01423	0	0	0
4/1/2024	0	0	0.01394	0	1.424	0
4/2/2024	0	0	0.01366	0	2.183	0
4/3/2024	0	0	0.01339	0	0	0
4/4/2024	0	0	0.01312	0	0	0
4/5/2024	0	0	0.01286	0	0	0
4/6/2024	0	0	0.0126	0	0	0
4/7/2024	0	0	0.01235	0	0	0
4/8/2024	0	0	0.0121	0	0	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
4/9/2024	0	0	0.01186	0	0	0
4/10/2024	0	0	0.01162	0	0	0
4/11/2024	0	0	0.01139	0	0	0
4/12/2024	0	0	0.01116	0	0	0
4/13/2024	0	0	0.01094	0	0	0
4/14/2024	0	0	0.01072	0	0.6712	0
4/15/2024	0	0	0.01051	0	2.439	0
4/16/2024	0	0	0.0103	0	2.347	0
4/17/2024	0	0	0.01009	0	1.639	0
4/18/2024	0	0	0.009889	0	1.093	0
4/19/2024	0	0	0.009691	0	0.8227	0
4/20/2024	0	0	0.009497	0	0	0
4/21/2024	0	0	0.009307	0	0	0
4/22/2024	0	0	0.009121	0	0	0
4/23/2024	0	0	0.008939	0	0	0
4/24/2024	0	0	0.00876	0	0	0
4/25/2024	0	0	0.008585	0	0	0
4/26/2024	0	0	0.008413	0	0	0
4/27/2024	0	0	0.008245	0	0	0
4/28/2024	0	0	0.00808	0	1.511	0
4/29/2024	0	0	0.007918	0	0	0
4/30/2024	0	0	0.00776	0	0	0
5/1/2024	0	0	0.007605	0	1.114	0
5/2/2024	0	0	0.007453	0	4.042	0
5/3/2024	0	0	0.007304	0	4.916	0
5/4/2024	0	0	0.007158	0	5.537	0
5/5/2024	0	0	0.007014	0	2.652	0
5/6/2024	0	0	0.006874	0	4.747	0
5/7/2024	0	0	0.006737	0	4.796	0
5/8/2024	0	0	0.006602	0	4.717	0
5/9/2024	0	0	0.00647	0	7.115	0
5/10/2024	0	0	0.00634	0	8.218	0
5/11/2024	0	0	0.006214	0	8.024	0
5/12/2024	0	0	0.006089	0	7.979	0
5/13/2024	0	0	0.005968	0	7.274	0
5/14/2024	0	0	0.005848	0	8.287	0
5/15/2024	25.19	37.29	27.4	7.691	6.529	0
5/16/2024	27.75	41.1	85.63	8.489	7.883	0
5/17/2024	73.59	109.1	121.4	22.59	8.178	0
5/18/2024	5.126	7.616	158.7	1.593	9.269	0
5/19/2024	0	0	10.23	0	9	0
5/20/2024	0	0	0.08537	0	9.243	0
5/21/2024	21.23	31.58	25.88	6.642	9.636	0
5/22/2024	39.13	58.24	122.6	12.26	10.39	0
5/23/2024	49.33	73.49	278.3	15.53	10.07	0
5/24/2024	64.37	96.06	280.1	20.44	9.563	0
5/25/2024	69.9	104.5	168.7	22.4	9.88	0
5/26/2024	12.51	18.73	136.8	4.039	10.34	0
5/27/2024	28.19	42.24	55.54	9.132	9.425	0
5/28/2024	17.05	25.56	50.97	5.537	9.357	0
5/29/2024	57.91	86.85	91.8	18.84	10.41	0
5/30/2024	81.56	122.5	432.3	26.67	11.89	0
5/31/2024	108.5	163.3	704.1	35.93	12.99	0
6/1/2024	119.6	180.9	970.6	40.44	13.04	500
6/2/2024	102.9	156.1	1190	35.32	14.08	500
6/3/2024	52.35	79.71	809	18.28	11.36	500
6/4/2024	66.16	100.9	304.3	23.29	12.77	500
6/5/2024	70.18	107	243.7	24.7	12.6	500
6/6/2024	92.1	140.4	209.1	32.37	13.29	500
6/7/2024	150.8	229.9	180.6	52.98	14.36	500
6/8/2024	157.5	240.2	156.7	55.43	12.48	500
6/9/2024	100.1	152.7	255.3	35.28	13.16	500
6/10/2024	72.38	110.4	152.8	25.53	13.29	500
6/11/2024	86.16	131.4	123.9	30.3	13.23	500
6/12/2024	44.98	68.54	115.5	15.78	12.32	500
6/13/2024	48.78	74.26	109.2	17.03	12.21	500
6/14/2024	99.84	151.8	102.2	34.7	13.4	500
6/15/2024	142.5	216.6	94.34	49.4	14.16	500
6/16/2024	106.2	161.4	87.07	36.8	13.53	500
6/17/2024	136.3	207.1	80.28	47.14	14.43	500
6/18/2024	61.04	92.72	73.91	21.1	14.91	500
6/19/2024	4.705	7.14	67.95	1.618	14.63	500
6/20/2024	4.713	7.14	62.43	1.608	14.83	500
6/21/2024	4.722	7.14	57.27	1.598	17.21	500
6/22/2024	0	0	52.33	0	14.43	500
6/23/2024	0	0	47.79	0	13.01	500
6/24/2024	0	0	43.66	0	14.22	500

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
6/25/2024	0	0	39.73	0	13.85	500
6/26/2024	0	0	36.09	0	14.22	500
6/27/2024	0	0	32.68	0	17.6	500
6/28/2024	0	0	29.29	0	21.22	500
6/29/2024	0	0	7.4	0	33.54	500
6/30/2024	0	0	7.252	0	56.82	500
7/1/2024	0	0	7.107	0	14.3	0
7/2/2024	0	0	6.965	0	14.44	0
7/3/2024	0	0	6.825	0	24.06	0
7/4/2024	0	0	6.689	0	19.13	0
7/5/2024	0	0	6.555	0	13.93	0
7/6/2024	4.82	7.14	6.424	1.475	14.28	0
7/7/2024	490.5	726.6	6.296	150.1	14.33	0
7/8/2024	165.1	245.9	613.3	51.98	15.11	500
7/9/2024	8.623	12.88	264	2.747	15.27	500
7/10/2024	0	0	73.45	0	15.04	500
7/11/2024	0	0	58.38	0	15.13	500
7/12/2024	4.804	7.14	43.59	1.495	15.95	500
7/13/2024	0	0	40.16	0	16.04	500
7/14/2024	0	0	38.85	0	15.86	0
7/15/2024	0	0	35.38	0	22.89	0
7/16/2024	0	0	31.42	0	15.91	0
7/17/2024	0	0	8.053	0	16.82	0
7/18/2024	0	0	7.892	0	19.16	0
7/19/2024	0	0	7.734	0	16.63	0
7/20/2024	0	0	7.58	0	16.18	0
7/21/2024	4.822	7.14	7.428	1.473	16.26	0
7/22/2024	67.71	100.3	7.279	20.68	14.39	0
7/23/2024	123.4	182.8	62.24	37.83	13.86	0
7/24/2024	15.22	22.59	148	4.705	13.21	500
7/25/2024	522.9	775.1	10.86	160.6	13.95	0
7/26/2024	18.4	27.44	668.4	5.825	14.18	500
7/27/2024	0	0	90.05	0	16.12	500
7/28/2024	41.23	61.43	69.56	12.99	13.87	500
7/29/2024	5.39	8.021	76.63	1.687	12.33	500
7/30/2024	0	0	48.45	0	12.66	500
7/31/2024	0	0	44.14	0	13.23	500
8/1/2024	0	0	42.95	0	14.33	0
8/2/2024	0	0	39.87	0	17.02	0
8/3/2024	0	0	35.97	0	14.72	0
8/4/2024	0	0	32.49	0	14.42	0
8/5/2024	4.82	7.14	29.28	1.475	13.7	0
8/6/2024	4.82	7.14	7.554	1.475	11.85	0
8/7/2024	0	0	7.403	0	12.28	0
8/8/2024	152.9	226.5	7.255	46.81	12.16	0
8/9/2024	548.5	814	175.4	169.4	12.35	500
8/10/2024	96.52	144	710.2	30.57	10.06	500
8/11/2024	4.778	7.14	208.7	1.528	10.94	500
8/12/2024	8.626	12.88	92.1	2.742	10.81	500
8/13/2024	8.64	12.88	76.68	2.724	11.92	500
8/14/2024	0	0	63.52	0	14.19	500
8/15/2024	0	0	51.01	0	11.76	500
8/16/2024	4.818	7.14	50.14	1.478	11.35	0
8/17/2024	0	0	48.03	0	14.48	0
8/18/2024	0	0	44.09	0	12.11	500
8/19/2024	0	0	40.22	0	10.87	0
8/20/2024	166.1	245.9	36.7	50.74	9.932	0
8/21/2024	5.405	8.021	220.9	1.669	10.03	500
8/22/2024	0	0	31	0	9.347	0
8/23/2024	47.99	71.14	31.24	14.74	9.219	0
8/24/2024	25.05	37.15	64.74	7.717	9.782	500
8/25/2024	4.821	7.14	44.66	1.474	8.652	0
8/26/2024	4.82	7.14	8.064	1.475	8.957	0
8/27/2024	11.97	17.73	8.198	3.663	8.744	0
8/28/2024	51.29	75.99	8.181	15.71	8.053	0
8/29/2024	4.816	7.14	52.15	1.48	7.815	0
8/30/2024	21.78	32.3	7.857	6.699	7.763	500
8/31/2024	4.822	7.14	14.71	1.472	7.151	0
9/1/2024	4.822	7.14	7.781	1.473	7.203	0
9/2/2024	5.416	8.021	7.685	1.655	7.284	0
9/3/2024	20.89	30.94	7.531	6.386	7.001	0
9/4/2024	14.33	21.23	9.519	4.386	7.198	0
9/5/2024	7.18	10.64	9.4	2.2	7.062	0
9/6/2024	5.413	8.021	7.088	1.659	6.546	0
9/7/2024	0	0	6.947	0	6.204	0
9/8/2024	102.8	152.3	6.808	31.51	5.961	0
9/9/2024	7.764	11.52	114.9	2.395	6.112	500

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
9/10/2024	2.362	3.499	6.538	0.7228	5.605	0
9/11/2024	68.94	102.1	6.879	21.1	4.543	0
9/12/2024	28.4	42.1	76.37	8.728	4.982	500
9/13/2024	0	0	32.4	0	5.514	0
9/14/2024	2.363	3.499	7.642	0.7218	4.958	0
9/15/2024	13.63	20.18	8.037	4.165	5.467	0
9/16/2024	0	0	1.447	0	4.493	0
9/17/2024	0	0	0.3968	0	4.18	0
9/18/2024	0	0	0.4017	0	4.177	0
9/19/2024	11.97	17.73	42.44	3.656	4.178	0
9/20/2024	0	0	17.71	0	4.745	0
9/21/2024	15.24	22.59	8.098	4.67	4.744	0
9/22/2024	2.361	3.499	8.05	0.7239	4.199	0
9/23/2024	9.748	14.45	7.937	2.99	4.031	0
9/24/2024	0	0	0.3919	0	3.824	0
9/25/2024	0	0	0.3854	0	3.532	0
9/26/2024	0	0	0.3818	0	3.082	0
9/27/2024	0	0	0.379	0	3.023	0
9/28/2024	0	0	0.376	0	3.124	0
9/29/2024	0	0	0.3725	0	2.76	0
9/30/2024	218.2	323.2	50.82	66.64	2.915	0
10/1/2024	0	0	293.2	0	2.874	250
10/2/2024	0	0	12.94	0	2.024	250
10/3/2024	0	0	7.27	0	2.598	250
10/4/2024	0	0	2.211	0	2.538	0
10/5/2024	0	0	1.616	0	2.231	0
10/6/2024	0	0	1.638	0	1.716	0
10/7/2024	0	0	1.633	0	1.2	0
10/8/2024	0	0	1.607	0	1.575	0
10/9/2024	0	0	1.567	0	1.595	0
10/10/2024	0	0	1.514	0	1.645	0
10/11/2024	0	0	1.455	0	1.878	0
10/12/2024	0	0	0.3971	0	1.873	0
10/13/2024	0	0	0.3976	0	1.919	0
10/14/2024	0	0	0.3964	0	1.545	0
10/15/2024	0	0	0.3939	0	1.567	0
10/16/2024	0	0	0.3904	0	1.551	0
10/17/2024	0	0	0.3861	0	1.39	0
10/18/2024	0	0	0.3811	0	1.204	0
10/19/2024	0	0	0.3757	0	0.8678	0
10/20/2024	0	0	0.37	0	0.6424	0
10/21/2024	0	0	0.364	0	0.8226	0
10/22/2024	0	0	0.3579	0	0.6735	0
10/23/2024	0	0	0.3516	0	0.5123	0
10/24/2024	0	0	0.3453	0	0.9749	0
10/25/2024	0	0	0.339	0	1.219	0
10/26/2024	0	0	0.3327	0	0.6922	0
10/27/2024	0	0	0.3264	0	0.8715	0
10/28/2024	0	0	0.3202	0	0.6148	0
10/29/2024	0	0	0.314	0	0	0
10/30/2024	0	0	0.3079	0	0.5919	0
10/31/2024	0	0	0.3019	0	0.4029	0
11/1/2024	0	0	0.296	0	0	0
11/2/2024	0	0	0.2902	0	0	0
11/3/2024	0	0	0.2844	0	0	0
11/4/2024	0	0	0.2788	0	0.04473	0
11/5/2024	0	0	0.2733	0	0.06458	0
11/6/2024	0	0	0.2679	0	0	0
11/7/2024	0	0	0.2625	0	0	0
11/8/2024	0	0	0.2573	0	0	0
11/9/2024	0	0	0.2522	0	0	0
11/10/2024	0	0	0.2472	0	0	0
11/11/2024	0	0	0.2422	0	0	0
11/12/2024	0	0	0.2374	0	0.03972	0
11/13/2024	0	0	0.2327	0	0	0
11/14/2024	0	0	0.228	0	0.1618	0
11/15/2024	0	0	0.2235	0	0.2831	0
11/16/2024	0	0	0.219	0	0.3383	0
11/17/2024	0	0	0.2146	0	0	0
11/18/2024	0	0	0.2103	0	0	0
11/19/2024	0	0	0.2061	0	0	0
11/20/2024	0	0	0.202	0	0	0
11/21/2024	0	0	0.198	0	0	0
11/22/2024	0	0	0.194	0	0	0
11/23/2024	0	0	0.1901	0	0	0
11/24/2024	0	0	0.1863	0	0.06069	0
11/25/2024	0	0	0.1826	0	0	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
11/26/2024	0	0	0.1789	0	0.2034	0
11/27/2024	0	0	0.1754	0	0	0
11/28/2024	0	0	0.1719	0	0	0
11/29/2024	0	0	0.1684	0	0	0
11/30/2024	0	0	0.1651	0	0.07746	0
12/1/2024	0	0	0.1618	0	0.02975	0
12/2/2024	0	0	0.1585	0	0	0
12/3/2024	0	0	0.1553	0	0	0
12/4/2024	0	0	0.1522	0	0	0
12/5/2024	0	0	0.1492	0	0	0
12/6/2024	0	0	0.1462	0	0.02462	0
12/7/2024	0	0	0.1433	0	0.03453	0
12/8/2024	0	0	0.1404	0	0	0
12/9/2024	0	0	0.1376	0	0	0
12/10/2024	0	0	0.1349	0	0	0
12/11/2024	0	0	0.1322	0	0	0
12/12/2024	0	0	0.1295	0	0	0
12/13/2024	0	0	0.1269	0	0	0
12/14/2024	0	0	0.1244	0	0	0
12/15/2024	0	0	0.1219	0	0.04981	0
12/16/2024	0	0	0.1195	0	0	0
12/17/2024	0	0	0.1171	0	0.03362	0
12/18/2024	0	0	0.1147	0	0	0
12/19/2024	0	0	0.1124	0	0	0
12/20/2024	0	0	0.1102	0	0	0
12/21/2024	0	0	0.108	0	0	0
12/22/2024	0	0	0.1058	0	0	0
12/23/2024	0	0	0.1037	0	0	0
12/24/2024	0	0	0.1016	0	0	0
12/25/2024	0	0	0.09961	0	0	0
12/26/2024	0	0	0.09761	0	0	0
12/27/2024	0	0	0.09566	0	0	0
12/28/2024	0	0	0.09375	0	0	0
12/29/2024	0	0	0.09187	0	0	0
12/30/2024	0	0	0.09004	0	0	0
12/31/2024	0	0	0.08824	0	0	0
1/1/2025	0	0	0.08647	0	0	0
1/2/2025	0	0	0.08474	0	0	0
1/3/2025	0	0	0.08305	0	0	0
1/4/2025	0	0	0.08139	0	0	0
1/5/2025	0	0	0.07976	0	0	0
1/6/2025	0	0	0.07816	0	0	0
1/7/2025	0	0	0.0766	0	0	0
1/8/2025	0	0	0.07507	0	0	0
1/9/2025	0	0	0.07357	0	0	0
1/10/2025	0	0	0.07209	0	0	0
1/11/2025	0	0	0.07065	0	0	0
1/12/2025	0	0	0.06924	0	0	0
1/13/2025	0	0	0.06785	0	0	0
1/14/2025	0	0	0.0665	0	0	0
1/15/2025	0	0	0.06517	0	0	0
1/16/2025	0	0	0.06386	0	0	0
1/17/2025	0	0	0.06259	0	0	0
1/18/2025	0	0	0.06134	0	0	0
1/19/2025	0	0	0.06011	0	0.002954	0
1/20/2025	0	0	0.05891	0	0.09563	0
1/21/2025	0	0	0.05773	0	0	0
1/22/2025	0	0	0.05657	0	0	0
1/23/2025	0	0	0.05544	0	0	0
1/24/2025	0	0	0.05433	0	0	0
1/25/2025	0	0	0.05325	0	0	0
1/26/2025	0	0	0.05218	0	0	0
1/27/2025	0	0	0.05114	0	0	0
1/28/2025	0	0	0.05012	0	0	0
1/29/2025	0	0	0.04911	0	0	0
1/30/2025	0	0	0.04813	0	0	0
1/31/2025	0	0	0.04717	0	0	0
2/1/2025	0	0	0.04623	0	0	0
2/2/2025	0	0	0.0453	0	0	0
2/3/2025	0	0	0.04439	0	0	0
2/4/2025	0	0	0.04351	0	0	0
2/5/2025	0	0	0.04264	0	0	0
2/6/2025	0	0	0.04178	0	0	0
2/7/2025	0	0	0.04095	0	0	0
2/8/2025	0	0	0.04013	0	0	0
2/9/2025	0	0	0.03933	0	0	0
2/10/2025	0	0	0.03854	0	0	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
2/11/2025	0	0	0.03777	0	0	0
2/12/2025	0	0	0.03701	0	0	0
2/13/2025	0	0	0.03627	0	0	0
2/14/2025	0	0	0.03555	0	0	0
2/15/2025	0	0	0.03484	0	0	0
2/16/2025	0	0	0.03414	0	0	0
2/17/2025	0	0	0.03346	0	0	0
2/18/2025	0	0	0.03279	0	0	0
2/19/2025	0	0	0.03213	0	0	0
2/20/2025	0	0	0.03149	0	0	0
2/21/2025	0	0	0.03086	0	0	0
2/22/2025	0	0	0.03024	0	0	0
2/23/2025	0	0	0.02964	0	0	0
2/24/2025	0	0	0.02905	0	0	0
2/25/2025	0	0	0.02846	0	0	0
2/26/2025	0	0	0.0279	0	0	0
2/27/2025	0	0	0.02734	0	0	0
2/28/2025	0	0	0.02679	0	0	0
3/1/2025	0	0	0.02625	0	0	0
3/2/2025	0	0	0.02573	0	0	0
3/3/2025	0	0	0.02522	0	0	0
3/4/2025	0	0	0.02471	0	0	0
3/5/2025	0	0	0.02422	0	0	0
3/6/2025	0	0	0.02373	0	0	0
3/7/2025	0	0	0.02326	0	0	0
3/8/2025	0	0	0.02279	0	0	0
3/9/2025	0	0	0.02234	0	0	0
3/10/2025	0	0	0.02189	0	0	0
3/11/2025	0	0	0.02145	0	0	0
3/12/2025	0	0	0.02102	0	0	0
3/13/2025	0	0	0.0206	0	0	0
3/14/2025	0	0	0.02019	0	0	0
3/15/2025	0	0	0.01979	0	0	0
3/16/2025	0	0	0.01939	0	0	0
3/17/2025	0	0	0.019	0	0	0
3/18/2025	0	0	0.01862	0	0	0
3/19/2025	0	0	0.01825	0	0	0
3/20/2025	0	0	0.01789	0	0	0
3/21/2025	0	0	0.01753	0	0	0
3/22/2025	0	0	0.01718	0	0	0
3/23/2025	0	0	0.01683	0	1.272	0
3/24/2025	0	0	0.0165	0	3.177	0
3/25/2025	0	0	0.01617	0	1.862	0
3/26/2025	0	0	0.01584	0	0.5493	0
3/27/2025	0	0	0.01553	0	0	0
3/28/2025	0	0	0.01522	0	0	0
3/29/2025	0	0	0.01491	0	0	0
3/30/2025	0	0	0.01461	0	0	0
3/31/2025	0	0	0.01432	0	0	0
4/1/2025	0	0	0.01404	0	1.399	0
4/2/2025	0	0	0.01375	0	2.145	0
4/3/2025	0	0	0.01348	0	0	0
4/4/2025	0	0	0.01321	0	0	0
4/5/2025	0	0	0.01295	0	0	0
4/6/2025	0	0	0.01269	0	0	0
4/7/2025	0	0	0.01243	0	0	0
4/8/2025	0	0	0.01218	0	0	0
4/9/2025	0	0	0.01194	0	0	0
4/10/2025	0	0	0.0117	0	0	0
4/11/2025	0	0	0.01147	0	0	0
4/12/2025	0	0	0.01124	0	0	0
4/13/2025	0	0	0.01101	0	0	0
4/14/2025	0	0	0.01079	0	0.6616	0
4/15/2025	0	0	0.01058	0	2.405	0
4/16/2025	0	0	0.01037	0	2.315	0
4/17/2025	0	0	0.01016	0	1.617	0
4/18/2025	0	0	0.009955	0	1.079	0
4/19/2025	0	0	0.009756	0	0.8121	0
4/20/2025	0	0	0.009561	0	0	0
4/21/2025	0	0	0.00937	0	0	0
4/22/2025	0	0	0.009183	0	0	0
4/23/2025	0	0	0.008999	0	0	0
4/24/2025	0	0	0.008819	0	0	0
4/25/2025	0	0	0.008643	0	0	0
4/26/2025	0	0	0.00847	0	0	0
4/27/2025	0	0	0.0083	0	0	0
4/28/2025	0	0	0.008134	0	1.495	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
4/29/2025	0	0	0.007972	0	0	0
4/30/2025	0	0	0.007812	0	0	0
5/1/2025	0	0	0.007656	0	1.103	0
5/2/2025	0	0	0.007503	0	4.002	0
5/3/2025	0	0	0.007353	0	4.868	0
5/4/2025	0	0	0.007206	0	5.484	0
5/5/2025	0	0	0.007062	0	2.627	0
5/6/2025	0	0	0.00692	0	4.704	0
5/7/2025	0	0	0.006782	0	4.753	0
5/8/2025	0	0	0.006646	0	4.676	0
5/9/2025	0	0	0.006513	0	7.054	0
5/10/2025	0	0	0.006383	0	8.15	0
5/11/2025	0	0	0.006255	0	7.959	0
5/12/2025	0	0	0.00613	0	7.916	0
5/13/2025	0	0	0.006008	0	7.218	0
5/14/2025	0	0	0.005888	0	8.225	0
5/15/2025	25.19	37.29	27.4	7.691	6.482	0
5/16/2025	27.75	41.1	85.67	8.489	7.827	0
5/17/2025	73.59	109.1	121.5	22.59	8.122	0
5/18/2025	5.126	7.616	158.8	1.593	9.207	0
5/19/2025	0	0	10.35	0	8.943	0
5/20/2025	0	0	0.08568	0	9.186	0
5/21/2025	21.23	31.58	25.88	6.642	9.579	0
5/22/2025	39.13	58.24	122.7	12.26	10.33	0
5/23/2025	49.33	73.49	278.4	15.53	10.02	0
5/24/2025	64.37	96.06	280.2	20.44	9.511	0
5/25/2025	69.9	104.5	168.8	22.4	9.829	0
5/26/2025	12.51	18.73	136.9	4.039	10.28	0
5/27/2025	28.19	42.24	55.67	9.133	9.38	0
5/28/2025	17.05	25.56	51.09	5.538	9.315	0
5/29/2025	57.91	86.85	91.97	18.84	10.36	0
5/30/2025	81.56	122.5	432.4	26.67	11.84	0
5/31/2025	108.5	163.3	714.6	35.94	12.94	0
6/1/2025	119.6	180.9	970.9	40.46	12.99	500
6/2/2025	102.9	156.1	1190	35.33	14.03	500
6/3/2025	52.35	79.71	806.1	18.29	11.33	500
6/4/2025	66.16	100.9	304.1	23.3	12.74	500
6/5/2025	70.18	107	243.6	24.7	12.56	500
6/6/2025	92.09	140.4	209.1	32.38	13.25	500
6/7/2025	150.8	229.9	180.6	52.99	14.33	500
6/8/2025	157.5	240.2	156.7	55.45	12.45	500
6/9/2025	100.1	152.7	255.3	35.29	13.13	500
6/10/2025	72.37	110.4	152.9	25.53	13.26	500
6/11/2025	86.15	131.4	123.9	30.31	13.2	500
6/12/2025	44.97	68.54	115.5	15.78	12.3	500
6/13/2025	48.77	74.26	109.2	17.03	12.2	500
6/14/2025	99.84	151.8	102.2	34.7	13.39	500
6/15/2025	142.5	216.6	94.37	49.42	14.15	500
6/16/2025	106.2	161.4	87.1	36.81	13.52	500
6/17/2025	136.3	207.1	80.31	47.15	14.42	500
6/18/2025	63.44	96.37	73.93	21.93	14.91	500
6/19/2025	4.705	7.14	67.97	1.619	14.64	500
6/20/2025	4.713	7.14	62.45	1.609	14.83	500
6/21/2025	4.721	7.14	57.29	1.598	17.22	500
6/22/2025	0	0	52.34	0	14.44	500
6/23/2025	0	0	47.81	0	13.03	500
6/24/2025	0	0	43.67	0	14.24	500
6/25/2025	0	0	39.74	0	13.87	500
6/26/2025	0	0	36.1	0	14.24	500
6/27/2025	0	0	32.69	0	17.63	500
6/28/2025	0	0	29.3	0	21.26	500
6/29/2025	0	0	7.401	0	33.61	500
6/30/2025	0	0	7.253	0	56.96	500
7/1/2025	0	0	7.108	0	14.34	0
7/2/2025	0	0	6.966	0	14.48	0
7/3/2025	0	0	6.826	0	24.14	0
7/4/2025	0	0	6.69	0	19.19	0
7/5/2025	0	0	6.556	0	13.98	0
7/6/2025	4.82	7.14	6.425	1.475	14.33	0
7/7/2025	490.5	726.6	6.296	150.2	14.39	0
7/8/2025	165.1	245.9	613.3	52	15.17	500
7/9/2025	8.622	12.88	263.9	2.748	15.34	500
7/10/2025	0	0	73.41	0	15.11	500
7/11/2025	0	0	58.29	0	15.2	500
7/12/2025	4.804	7.14	43.49	1.496	16.03	500
7/13/2025	0	0	40.13	0	16.12	500
7/14/2025	0	0	38.8	0	15.94	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
7/15/2025	0	0	35.33	0	23.01	0
7/16/2025	0	0	31.36	0	15.99	0
7/17/2025	0	0	8.036	0	16.91	0
7/18/2025	0	0	7.875	0	19.27	0
7/19/2025	0	0	7.718	0	16.72	0
7/20/2025	0	0	7.563	0	16.28	0
7/21/2025	4.822	7.14	7.412	1.473	16.37	0
7/22/2025	67.71	100.3	7.264	20.68	14.48	0
7/23/2025	123.4	182.8	62.14	37.83	13.95	0
7/24/2025	15.22	22.59	147.9	4.705	13.3	500
7/25/2025	522.9	775.1	10.76	160.6	14.05	0
7/26/2025	18.4	27.44	668.3	5.825	14.28	500
7/27/2025	0	0	89.81	0	16.24	500
7/28/2025	41.23	61.43	69.29	12.99	13.97	500
7/29/2025	5.39	8.021	76.27	1.687	12.43	500
7/30/2025	0	0	48.16	0	12.76	500
7/31/2025	0	0	43.99	0	13.34	0
8/1/2025	0	0	42.79	0	14.53	500
8/2/2025	0	0	39.54	0	17.16	0
8/3/2025	0	0	35.66	0	14.85	0
8/4/2025	0	0	32.19	0	14.54	0
8/5/2025	4.821	7.14	29	1.474	13.82	0
8/6/2025	4.82	7.14	7.475	1.475	11.96	0
8/7/2025	0	0	7.326	0	12.4	0
8/8/2025	152.9	226.5	7.179	46.78	12.28	0
8/9/2025	548.6	814	175.2	169.3	12.47	500
8/10/2025	96.54	144	710	30.55	10.16	500
8/11/2025	4.778	7.14	208.5	1.527	11.05	500
8/12/2025	8.627	12.88	91.71	2.741	10.92	500
8/13/2025	8.642	12.88	76.28	2.723	12.05	500
8/14/2025	0	0	63.09	0	14.34	500
8/15/2025	0	0	50.73	0	11.89	500
8/16/2025	4.819	7.14	49.85	1.477	11.47	0
8/17/2025	0	0	47.72	0	14.64	0
8/18/2025	0	0	43.78	0	12.25	0
8/19/2025	0	0	39.92	0	11.07	500
8/20/2025	166.1	245.9	36.41	50.71	10.05	0
8/21/2025	5.406	8.021	220.5	1.668	10.15	500
8/22/2025	0	0	30.74	0	9.466	0
8/23/2025	48	71.14	30.99	14.73	9.339	0
8/24/2025	25.05	37.15	64.3	7.712	9.911	500
8/25/2025	4.822	7.14	44.27	1.473	8.768	0
8/26/2025	4.821	7.14	7.987	1.474	9.08	0
8/27/2025	11.97	17.73	8.114	3.661	8.866	0
8/28/2025	51.3	75.99	8.057	15.7	8.167	0
8/29/2025	4.817	7.14	51.83	1.479	7.928	0
8/30/2025	21.78	32.3	7.738	6.695	7.877	500
8/31/2025	4.822	7.14	14.43	1.472	7.262	0
9/1/2025	4.822	7.14	7.66	1.473	7.317	0
9/2/2025	5.416	8.021	7.527	1.655	7.401	0
9/3/2025	20.89	30.94	7.376	6.386	7.116	0
9/4/2025	14.33	21.23	9.183	4.386	7.318	0
9/5/2025	7.18	10.64	9.141	2.199	7.181	0
9/6/2025	5.413	8.021	6.942	1.659	6.658	0
9/7/2025	0	0	6.804	0	6.312	0
9/8/2025	102.8	152.3	6.667	31.51	6.067	0
9/9/2025	7.764	11.52	114.6	2.395	6.222	500
9/10/2025	2.362	3.499	6.403	0.7228	5.708	0
9/11/2025	68.94	102.1	6.745	21.1	4.628	0
9/12/2025	28.4	42.1	76.1	8.728	5.076	500
9/13/2025	0	0	32.18	0	5.62	0
9/14/2025	2.363	3.499	7.503	0.7218	5.055	0
9/15/2025	13.63	20.18	7.894	4.165	5.575	0
9/16/2025	0	0	0.4061	0	4.584	0
9/17/2025	0	0	0.4098	0	4.266	0
9/18/2025	0	0	1.449	0	4.264	0
9/19/2025	11.97	17.73	42.36	3.656	4.267	0
9/20/2025	0	0	17.72	0	4.847	0
9/21/2025	15.24	22.59	7.918	4.67	4.847	0
9/22/2025	2.361	3.499	7.867	0.7239	4.292	0
9/23/2025	9.748	14.45	7.752	2.99	4.121	0
9/24/2025	0	0	0.3825	0	3.912	0
9/25/2025	0	0	0.3758	0	3.614	0
9/26/2025	0	0	0.372	0	3.154	0
9/27/2025	0	0	0.3691	0	3.095	0
9/28/2025	0	0	0.366	0	3.2	0
9/29/2025	0	0	0.3626	0	2.828	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3
9/30/2025	218.2	323.2	49.5	66.64	2.989	0
10/1/2025	0	0	293.1	0	2.947	250
10/2/2025	0	0	12.87	0	2.076	250
10/3/2025	0	0	6.17	0	2.667	250
10/4/2025	0	0	2.218	0	2.606	0
10/5/2025	0	0	1.652	0	2.291	0
10/6/2025	0	0	1.671	0	1.763	0
10/7/2025	0	0	1.664	0	1.234	0
10/8/2025	0	0	1.636	0	1.619	0
10/9/2025	0	0	1.593	0	1.641	0
10/10/2025	0	0	1.539	0	1.693	0
10/11/2025	0	0	1.478	0	1.934	0
10/12/2025	0	0	0.4032	0	1.929	0
10/13/2025	0	0	0.4036	0	1.978	0
10/14/2025	0	0	0.4023	0	1.592	0
10/15/2025	0	0	0.3996	0	1.617	0
10/16/2025	0	0	0.396	0	1.601	0
10/17/2025	0	0	0.3915	0	1.435	0
10/18/2025	0	0	0.3865	0	1.244	0
10/19/2025	0	0	0.381	0	0.8967	0
10/20/2025	0	0	0.3751	0	0.6641	0
10/21/2025	0	0	0.369	0	0.8508	0
10/22/2025	0	0	0.3628	0	0.6969	0
10/23/2025	0	0	0.3565	0	0.5303	0
10/24/2025	0	0	0.3501	0	1.01	0
10/25/2025	0	0	0.3436	0	1.263	0
10/26/2025	0	0	0.3372	0	0.7175	0
10/27/2025	0	0	0.3309	0	0.9039	0
10/28/2025	0	0	0.3245	0	0.6379	0
10/29/2025	0	0	0.3183	0	0	0
10/30/2025	0	0	0.3121	0	0.6147	0
10/31/2025	0	0	0.306	0	0.4187	0
11/1/2025	0	0	0.3	0	0	0
11/2/2025	0	0	0.2941	0	0	0
11/3/2025	0	0	0.2883	0	0	0
11/4/2025	0	0	0.2826	0	0.04656	0
11/5/2025	0	0	0.277	0	0.06726	0
11/6/2025	0	0	0.2715	0	0	0
11/7/2025	0	0	0.2661	0	0	0
11/8/2025	0	0	0.2608	0	0	0
11/9/2025	0	0	0.2556	0	0	0
11/10/2025	0	0	0.2505	0	0	0
11/11/2025	0	0	0.2455	0	0	0
11/12/2025	0	0	0.2406	0	0.04148	0
11/13/2025	0	0	0.2358	0	0	0
11/14/2025	0	0	0.2311	0	0.1691	0
11/15/2025	0	0	0.2265	0	0.2959	0
11/16/2025	0	0	0.222	0	0.3537	0
11/17/2025	0	0	0.2175	0	0	0
11/18/2025	0	0	0.2132	0	0	0
11/19/2025	0	0	0.2089	0	0	0
11/20/2025	0	0	0.2047	0	0	0
11/21/2025	0	0	0.2007	0	0	0
11/22/2025	0	0	0.1966	0	0	0
11/23/2025	0	0	0.1927	0	0	0
11/24/2025	0	0	0.1889	0	0.06345	0
11/25/2025	0	0	0.1851	0	0	0
11/26/2025	0	0	0.1814	0	0.2125	0
11/27/2025	0	0	0.1778	0	0	0
11/28/2025	0	0	0.1742	0	0	0
11/29/2025	0	0	0.1707	0	0	0
11/30/2025	0	0	0.1673	0	0.08074	0
12/1/2025	0	0	0.164	0	0.03098	0
12/2/2025	0	0	0.1607	0	0	0
12/3/2025	0	0	0.1575	0	0	0
12/4/2025	0	0	0.1543	0	0	0
12/5/2025	0	0	0.1512	0	0	0
12/6/2025	0	0	0.1482	0	0.02548	0
12/7/2025	0	0	0.1452	0	0.03568	0
12/8/2025	0	0	0.1423	0	0	0
12/9/2025	0	0	0.1395	0	0	0
12/10/2025	0	0	0.1367	0	0	0
12/11/2025	0	0	0.134	0	0	0
12/12/2025	0	0	0.1313	0	0	0
12/13/2025	0	0	0.1287	0	0	0
12/14/2025	0	0	0.1261	0	0	0
12/15/2025	0	0	0.1236	0	0.05053	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
12/16/2025	0	0	0.1211	0	0	0
12/17/2025	0	0	0.1187	0	0.03392	0
12/18/2025	0	0	0.1163	0	0	0
12/19/2025	0	0	0.114	0	0	0
12/20/2025	0	0	0.1117	0	0	0
12/21/2025	0	0	0.1095	0	0	0
12/22/2025	0	0	0.1073	0	0	0
12/23/2025	0	0	0.1051	0	0	0
12/24/2025	0	0	0.103	0	0	0
12/25/2025	0	0	0.101	0	0	0
12/26/2025	0	0	0.09894	0	0	0
12/27/2025	0	0	0.09696	0	0	0
12/28/2025	0	0	0.09502	0	0	0
12/29/2025	0	0	0.09312	0	0	0
12/30/2025	0	0	0.09126	0	0	0
12/31/2025	0	0	0.08943	0	0	0
1/1/2026	0	0	0.08765	0	0	0
1/2/2026	0	0	0.08589	0	0	0
1/3/2026	0	0	0.08417	0	0	0
1/4/2026	0	0	0.08249	0	0	0
1/5/2026	0	0	0.08084	0	0	0
1/6/2026	0	0	0.07922	0	0	0
1/7/2026	0	0	0.07764	0	0	0
1/8/2026	0	0	0.07609	0	0	0
1/9/2026	0	0	0.07457	0	0	0
1/10/2026	0	0	0.07307	0	0	0
1/11/2026	0	0	0.07161	0	0	0
1/12/2026	0	0	0.07018	0	0	0
1/13/2026	0	0	0.06878	0	0	0
1/14/2026	0	0	0.0674	0	0	0
1/15/2026	0	0	0.06605	0	0	0
1/16/2026	0	0	0.06473	0	0	0
1/17/2026	0	0	0.06344	0	0	0
1/18/2026	0	0	0.06217	0	0	0
1/19/2026	0	0	0.06093	0	0.002954	0
1/20/2026	0	0	0.05971	0	0.09563	0
1/21/2026	0	0	0.05851	0	0	0
1/22/2026	0	0	0.05734	0	0	0
1/23/2026	0	0	0.0562	0	0	0
1/24/2026	0	0	0.05507	0	0	0
1/25/2026	0	0	0.05397	0	0	0
1/26/2026	0	0	0.05289	0	0	0
1/27/2026	0	0	0.05183	0	0	0
1/28/2026	0	0	0.0508	0	0	0
1/29/2026	0	0	0.04978	0	0	0
1/30/2026	0	0	0.04879	0	0	0
1/31/2026	0	0	0.04781	0	0	0
2/1/2026	0	0	0.04685	0	0	0
2/2/2026	0	0	0.04592	0	0	0
2/3/2026	0	0	0.045	0	0	0
2/4/2026	0	0	0.0441	0	0	0
2/5/2026	0	0	0.04322	0	0	0
2/6/2026	0	0	0.04235	0	0	0
2/7/2026	0	0	0.0415	0	0	0
2/8/2026	0	0	0.04067	0	0	0
2/9/2026	0	0	0.03986	0	0	0
2/10/2026	0	0	0.03906	0	0	0
2/11/2026	0	0	0.03828	0	0	0
2/12/2026	0	0	0.03752	0	0	0
2/13/2026	0	0	0.03677	0	0	0
2/14/2026	0	0	0.03603	0	0	0
2/15/2026	0	0	0.03531	0	0	0
2/16/2026	0	0	0.0346	0	0	0
2/17/2026	0	0	0.03391	0	0	0
2/18/2026	0	0	0.03323	0	0	0
2/19/2026	0	0	0.03257	0	0	0
2/20/2026	0	0	0.03192	0	0	0
2/21/2026	0	0	0.03128	0	0	0
2/22/2026	0	0	0.03065	0	0	0
2/23/2026	0	0	0.03004	0	0	0
2/24/2026	0	0	0.02944	0	0	0
2/25/2026	0	0	0.02885	0	0	0
2/26/2026	0	0	0.02827	0	0	0
2/27/2026	0	0	0.02771	0	0	0
2/28/2026	0	0	0.02715	0	0	0
3/1/2026	0	0	0.02661	0	0	0
3/2/2026	0	0	0.02608	0	0	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
3/3/2026	0	0	0.02556	0	0	0
3/4/2026	0	0	0.02505	0	0	0
3/5/2026	0	0	0.02455	0	0	0
3/6/2026	0	0	0.02405	0	0	0
3/7/2026	0	0	0.02357	0	0	0
3/8/2026	0	0	0.0231	0	0	0
3/9/2026	0	0	0.02264	0	0	0
3/10/2026	0	0	0.02219	0	0	0
3/11/2026	0	0	0.02174	0	0	0
3/12/2026	0	0	0.02131	0	0	0
3/13/2026	0	0	0.02088	0	0	0
3/14/2026	0	0	0.02046	0	0	0
3/15/2026	0	0	0.02006	0	0	0
3/16/2026	0	0	0.01965	0	0	0
3/17/2026	0	0	0.01926	0	0	0
3/18/2026	0	0	0.01888	0	0	0
3/19/2026	0	0	0.0185	0	0	0
3/20/2026	0	0	0.01813	0	0	0
3/21/2026	0	0	0.01777	0	0	0
3/22/2026	0	0	0.01741	0	0	0
3/23/2026	0	0	0.01706	0	1.272	0
3/24/2026	0	0	0.01672	0	3.177	0
3/25/2026	0	0	0.01639	0	1.862	0
3/26/2026	0	0	0.01606	0	0.5493	0
3/27/2026	0	0	0.01574	0	0	0
3/28/2026	0	0	0.01542	0	0	0
3/29/2026	0	0	0.01511	0	0	0
3/30/2026	0	0	0.01481	0	0	0
3/31/2026	0	0	0.01452	0	0	0
4/1/2026	0	0	0.01423	0	1.399	0
4/2/2026	0	0	0.01394	0	2.145	0
4/3/2026	0	0	0.01366	0	0	0
4/4/2026	0	0	0.01339	0	0	0
4/5/2026	0	0	0.01312	0	0	0
4/6/2026	0	0	0.01286	0	0	0
4/7/2026	0	0	0.0126	0	0	0
4/8/2026	0	0	0.01235	0	0	0
4/9/2026	0	0	0.0121	0	0	0
4/10/2026	0	0	0.01186	0	0	0
4/11/2026	0	0	0.01162	0	0	0
4/12/2026	0	0	0.01139	0	0	0
4/13/2026	0	0	0.01116	0	0	0
4/14/2026	0	0	0.01094	0	0.6616	0
4/15/2026	0	0	0.01072	0	2.405	0
4/16/2026	0	0	0.01051	0	2.315	0
4/17/2026	0	0	0.0103	0	1.617	0
4/18/2026	0	0	0.01009	0	1.079	0
4/19/2026	0	0	0.009889	0	0.8121	0
4/20/2026	0	0	0.009691	0	0	0
4/21/2026	0	0	0.009497	0	0	0
4/22/2026	0	0	0.009307	0	0	0
4/23/2026	0	0	0.009121	0	0	0
4/24/2026	0	0	0.008939	0	0	0
4/25/2026	0	0	0.00876	0	0	0
4/26/2026	0	0	0.008585	0	0	0
4/27/2026	0	0	0.008413	0	0	0
4/28/2026	0	0	0.008245	0	1.495	0
4/29/2026	0	0	0.00808	0	0	0
4/30/2026	0	0	0.007918	0	0	0
5/1/2026	0	0	0.00776	0	1.103	0
5/2/2026	0	0	0.007605	0	4.002	0
5/3/2026	0	0	0.007453	0	4.868	0
5/4/2026	0	0	0.007304	0	5.484	0
5/5/2026	0	0	0.007158	0	2.627	0
5/6/2026	0	0	0.007014	0	4.704	0
5/7/2026	0	0	0.006874	0	4.753	0
5/8/2026	0	0	0.006737	0	4.676	0
5/9/2026	0	0	0.006602	0	7.054	0
5/10/2026	0	0	0.00647	0	8.15	0
5/11/2026	0	0	0.00634	0	7.959	0
5/12/2026	0	0	0.006214	0	7.916	0
5/13/2026	0	0	0.006089	0	7.218	0
5/14/2026	0	0	0.005968	0	8.225	0
5/15/2026	25.19	37.29	27.4	7.691	6.482	0
5/16/2026	27.75	41.1	85.67	8.489	7.827	0
5/17/2026	73.59	109.1	121.5	22.59	8.122	0
5/18/2026	5.126	7.616	158.8	1.593	9.207	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3
5/19/2026	0	0	10.35	0	8.942	0
5/20/2026	0	0	0.08575	0	9.185	0
5/21/2026	21.23	31.58	25.88	6.642	9.578	0
5/22/2026	39.13	58.24	122.7	12.26	10.33	0
5/23/2026	49.33	73.49	278.4	15.53	10.02	0
5/24/2026	64.37	96.06	280.2	20.44	9.51	0
5/25/2026	69.9	104.5	168.8	22.4	9.828	0
5/26/2026	12.51	18.73	136.9	4.039	10.28	0
5/27/2026	28.19	42.24	55.67	9.133	9.379	0
5/28/2026	17.05	25.56	51.09	5.537	9.314	0
5/29/2026	57.91	86.85	91.97	18.84	10.36	0
5/30/2026	81.56	122.5	432.4	26.67	11.84	0
5/31/2026	108.5	163.3	704.5	35.93	12.94	0
6/1/2026	119.6	180.9	970.9	40.45	12.99	500
6/2/2026	102.9	156.1	1190	35.32	14.03	500
6/3/2026	52.35	79.71	806.1	18.28	11.32	500
6/4/2026	66.16	100.9	304.1	23.29	12.73	500
6/5/2026	70.18	107	243.6	24.7	12.56	500
6/6/2026	92.1	140.4	209.1	32.37	13.25	500
6/7/2026	150.8	229.9	180.6	52.98	14.32	500
6/8/2026	157.5	240.2	156.7	55.43	12.45	500
6/9/2026	100.1	152.7	255.3	35.28	13.13	500
6/10/2026	72.38	110.4	152.9	25.53	13.26	500
6/11/2026	86.16	131.4	123.9	30.3	13.2	500
6/12/2026	44.98	68.54	115.5	15.78	12.3	500
6/13/2026	48.78	74.26	109.2	17.03	12.19	500
6/14/2026	99.84	151.8	102.2	34.7	13.39	500
6/15/2026	142.5	216.6	94.37	49.41	14.15	500
6/16/2026	106.2	161.4	87.1	36.8	13.52	500
6/17/2026	136.3	207.1	80.31	47.14	14.42	500
6/18/2026	63.44	96.37	73.93	21.92	14.91	500
6/19/2026	4.705	7.14	67.97	1.618	14.63	500
6/20/2026	4.713	7.14	62.45	1.608	14.83	500
6/21/2026	4.722	7.14	57.29	1.598	17.21	500
6/22/2026	0	0	52.34	0	14.44	500
6/23/2026	0	0	47.81	0	13.02	500
6/24/2026	0	0	43.67	0	14.24	500
6/25/2026	0	0	39.74	0	13.86	500
6/26/2026	0	0	36.1	0	14.24	500
6/27/2026	0	0	32.69	0	17.63	500
6/28/2026	0	0	29.3	0	21.25	500
6/29/2026	0	0	7.401	0	33.6	500
6/30/2026	0	0	7.253	0	56.95	500
7/1/2026	0	0	7.108	0	14.34	0
7/2/2026	0	0	6.966	0	14.48	0
7/3/2026	0	0	6.826	0	24.13	0
7/4/2026	0	0	6.69	0	19.19	0
7/5/2026	0	0	6.556	0	13.97	0
7/6/2026	4.82	7.14	6.425	1.475	14.33	0
7/7/2026	490.5	726.6	6.297	150.1	14.38	0
7/8/2026	165.1	245.9	613.3	51.99	15.16	500
7/9/2026	8.622	12.88	263.9	2.747	15.33	500
7/10/2026	0	0	73.41	0	15.1	500
7/11/2026	0	0	58.29	0	15.2	500
7/12/2026	4.804	7.14	43.49	1.495	16.02	500
7/13/2026	0	0	40.13	0	16.11	500
7/14/2026	0	0	38.8	0	15.94	0
7/15/2026	0	0	35.33	0	23.01	0
7/16/2026	0	0	31.36	0	15.99	0
7/17/2026	0	0	8.036	0	16.91	0
7/18/2026	0	0	7.875	0	19.27	0
7/19/2026	0	0	7.718	0	16.72	0
7/20/2026	0	0	7.564	0	16.28	0
7/21/2026	4.822	7.14	7.412	1.473	16.37	0
7/22/2026	67.71	100.3	7.264	20.68	14.48	0
7/23/2026	123.4	182.8	62.14	37.83	13.95	0
7/24/2026	15.22	22.59	147.9	4.705	13.3	500
7/25/2026	522.9	775.1	10.76	160.6	14.05	0
7/26/2026	18.4	27.44	668.3	5.825	14.28	500
7/27/2026	0	0	89.81	0	16.24	500
7/28/2026	41.23	61.43	69.29	12.99	13.97	500
7/29/2026	5.39	8.021	76.27	1.687	12.43	500
7/30/2026	0	0	48.16	0	12.76	500
7/31/2026	0	0	43.99	0	13.34	0
8/1/2026	0	0	42.79	0	14.53	500
8/2/2026	0	0	39.54	0	17.16	0
8/3/2026	0	0	35.66	0	14.85	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
8/4/2026	0	0	32.19	0	14.54	0
8/5/2026	4.821	7.14	29	1.474	13.82	0
8/6/2026	4.82	7.14	7.475	1.475	11.96	0
8/7/2026	0	0	7.326	0	12.4	0
8/8/2026	152.9	226.5	7.179	46.78	12.28	0
8/9/2026	548.6	814	175.2	169.3	12.47	500
8/10/2026	96.54	144	710	30.55	10.16	500
8/11/2026	4.778	7.14	208.5	1.527	11.05	500
8/12/2026	8.627	12.88	91.71	2.741	10.92	500
8/13/2026	8.642	12.88	76.28	2.723	12.05	500
8/14/2026	0	0	63.09	0	14.34	500
8/15/2026	0	0	50.73	0	11.89	500
8/16/2026	4.819	7.14	49.85	1.477	11.47	0
8/17/2026	0	0	47.72	0	14.64	0
8/18/2026	0	0	43.78	0	12.25	0
8/19/2026	0	0	39.92	0	11.07	500
8/20/2026	166.1	245.9	36.41	50.71	10.05	0
8/21/2026	5.406	8.021	220.5	1.668	10.15	500
8/22/2026	0	0	30.74	0	9.466	0
8/23/2026	48	71.14	30.99	14.73	9.339	0
8/24/2026	25.05	37.15	64.3	7.712	9.911	500
8/25/2026	4.822	7.14	44.27	1.473	8.768	0
8/26/2026	4.821	7.14	7.987	1.474	9.08	0
8/27/2026	11.97	17.73	8.114	3.661	8.866	0
8/28/2026	51.3	75.99	8.057	15.7	8.167	0
8/29/2026	4.817	7.14	51.83	1.479	7.928	0
8/30/2026	21.78	32.3	7.738	6.695	7.877	500
8/31/2026	4.822	7.14	14.43	1.472	7.262	0
9/1/2026	4.822	7.14	7.66	1.473	7.317	0
9/2/2026	5.416	8.021	7.527	1.655	7.401	0
9/3/2026	20.89	30.94	7.376	6.386	7.116	0
9/4/2026	14.33	21.23	9.183	4.386	7.318	0
9/5/2026	7.18	10.64	9.141	2.199	7.181	0
9/6/2026	5.413	8.021	6.942	1.659	6.658	0
9/7/2026	0	0	6.804	0	6.312	0
9/8/2026	102.8	152.3	6.667	31.51	6.067	0
9/9/2026	7.764	11.52	114.6	2.395	6.222	500
9/10/2026	2.362	3.499	6.403	0.7228	5.708	0
9/11/2026	68.94	102.1	6.745	21.1	4.628	0
9/12/2026	28.4	42.1	76.1	8.728	5.076	500
9/13/2026	0	0	32.18	0	5.62	0
9/14/2026	2.363	3.499	7.503	0.7218	5.055	0
9/15/2026	13.63	20.18	7.894	4.165	5.575	0
9/16/2026	0	0	0.4061	0	4.584	0
9/17/2026	0	0	0.4098	0	4.266	0
9/18/2026	0	0	1.449	0	4.264	0
9/19/2026	11.97	17.73	42.36	3.656	4.267	0
9/20/2026	0	0	17.72	0	4.847	0
9/21/2026	15.24	22.59	7.918	4.67	4.847	0
9/22/2026	2.361	3.499	7.867	0.7239	4.292	0
9/23/2026	9.748	14.45	7.752	2.99	4.121	0
9/24/2026	0	0	0.3825	0	3.912	0
9/25/2026	0	0	0.3758	0	3.614	0
9/26/2026	0	0	0.372	0	3.154	0
9/27/2026	0	0	0.3691	0	3.095	0
9/28/2026	0	0	0.366	0	3.2	0
9/29/2026	0	0	0.3626	0	2.828	0
9/30/2026	218.2	323.2	49.5	66.64	2.989	0
10/1/2026	0	0	293.1	0	2.947	250
10/2/2026	0	0	12.87	0	2.076	250
10/3/2026	0	0	6.17	0	2.667	250
10/4/2026	0	0	2.218	0	2.606	0
10/5/2026	0	0	1.652	0	2.291	0
10/6/2026	0	0	1.671	0	1.763	0
10/7/2026	0	0	1.664	0	1.234	0
10/8/2026	0	0	1.636	0	1.619	0
10/9/2026	0	0	1.593	0	1.641	0
10/10/2026	0	0	1.539	0	1.693	0
10/11/2026	0	0	1.478	0	1.934	0
10/12/2026	0	0	0.4032	0	1.929	0
10/13/2026	0	0	0.4036	0	1.978	0
10/14/2026	0	0	0.4023	0	1.592	0
10/15/2026	0	0	0.3996	0	1.617	0
10/16/2026	0	0	0.396	0	1.601	0
10/17/2026	0	0	0.3915	0	1.435	0
10/18/2026	0	0	0.3865	0	1.244	0
10/19/2026	0	0	0.381	0	0.8967	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
10/20/2026	0	0	0.3751	0	0.6641	0
10/21/2026	0	0	0.369	0	0.8508	0
10/22/2026	0	0	0.3628	0	0.6969	0
10/23/2026	0	0	0.3565	0	0.5303	0
10/24/2026	0	0	0.3501	0	1.01	0
10/25/2026	0	0	0.3436	0	1.263	0
10/26/2026	0	0	0.3372	0	0.7175	0
10/27/2026	0	0	0.3309	0	0.9039	0
10/28/2026	0	0	0.3245	0	0.6379	0
10/29/2026	0	0	0.3183	0	0	0
10/30/2026	0	0	0.3121	0	0.6147	0
10/31/2026	0	0	0.306	0	0.4187	0
11/1/2026	0	0	0.3	0	0	0
11/2/2026	0	0	0.2941	0	0	0
11/3/2026	0	0	0.2883	0	0	0
11/4/2026	0	0	0.2826	0	0.04656	0
11/5/2026	0	0	0.277	0	0.06726	0
11/6/2026	0	0	0.2715	0	0	0
11/7/2026	0	0	0.2661	0	0	0
11/8/2026	0	0	0.2608	0	0	0
11/9/2026	0	0	0.2556	0	0	0
11/10/2026	0	0	0.2505	0	0	0
11/11/2026	0	0	0.2455	0	0	0
11/12/2026	0	0	0.2406	0	0.04148	0
11/13/2026	0	0	0.2358	0	0	0
11/14/2026	0	0	0.2311	0	0.1691	0
11/15/2026	0	0	0.2265	0	0.2959	0
11/16/2026	0	0	0.222	0	0.3537	0
11/17/2026	0	0	0.2175	0	0	0
11/18/2026	0	0	0.2132	0	0	0
11/19/2026	0	0	0.2089	0	0	0
11/20/2026	0	0	0.2047	0	0	0
11/21/2026	0	0	0.2007	0	0	0
11/22/2026	0	0	0.1966	0	0	0
11/23/2026	0	0	0.1927	0	0	0
11/24/2026	0	0	0.1889	0	0.06345	0
11/25/2026	0	0	0.1851	0	0	0
11/26/2026	0	0	0.1814	0	0.2125	0
11/27/2026	0	0	0.1778	0	0	0
11/28/2026	0	0	0.1742	0	0	0
11/29/2026	0	0	0.1707	0	0	0
11/30/2026	0	0	0.1673	0	0.08074	0
12/1/2026	0	0	0.164	0	0.03098	0
12/2/2026	0	0	0.1607	0	0	0
12/3/2026	0	0	0.1575	0	0	0
12/4/2026	0	0	0.1543	0	0	0
12/5/2026	0	0	0.1512	0	0	0
12/6/2026	0	0	0.1482	0	0.02548	0
12/7/2026	0	0	0.1452	0	0.03568	0
12/8/2026	0	0	0.1423	0	0	0
12/9/2026	0	0	0.1395	0	0	0
12/10/2026	0	0	0.1367	0	0	0
12/11/2026	0	0	0.134	0	0	0
12/12/2026	0	0	0.1313	0	0	0
12/13/2026	0	0	0.1287	0	0	0
12/14/2026	0	0	0.1261	0	0	0
12/15/2026	0	0	0.1236	0	0.05053	0
12/16/2026	0	0	0.1211	0	0	0
12/17/2026	0	0	0.1187	0	0.03392	0
12/18/2026	0	0	0.1163	0	0	0
12/19/2026	0	0	0.114	0	0	0
12/20/2026	0	0	0.1117	0	0	0
12/21/2026	0	0	0.1095	0	0	0
12/22/2026	0	0	0.1073	0	0	0
12/23/2026	0	0	0.1051	0	0	0
12/24/2026	0	0	0.103	0	0	0
12/25/2026	0	0	0.101	0	0	0
12/26/2026	0	0	0.09894	0	0	0
12/27/2026	0	0	0.09696	0	0	0
12/28/2026	0	0	0.09502	0	0	0
12/29/2026	0	0	0.09312	0	0	0
12/30/2026	0	0	0.09126	0	0	0
12/31/2026	0	0	0.08943	0	0	0
1/1/2027	0	0	0.08765	0	0	0
1/2/2027	0	0	0.08589	0	0	0
1/3/2027	0	0	0.08417	0	0	0
1/4/2027	0	0	0.08249	0	0	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
1/5/2027	0	0	0.08084	0	0	0
1/6/2027	0	0	0.07922	0	0	0
1/7/2027	0	0	0.07764	0	0	0
1/8/2027	0	0	0.07609	0	0	0
1/9/2027	0	0	0.07457	0	0	0
1/10/2027	0	0	0.07307	0	0	0
1/11/2027	0	0	0.07161	0	0	0
1/12/2027	0	0	0.07018	0	0	0
1/13/2027	0	0	0.06878	0	0	0
1/14/2027	0	0	0.0674	0	0	0
1/15/2027	0	0	0.06605	0	0	0
1/16/2027	0	0	0.06473	0	0	0
1/17/2027	0	0	0.06344	0	0	0
1/18/2027	0	0	0.06217	0	0	0
1/19/2027	0	0	0.06093	0	0.002954	0
1/20/2027	0	0	0.05971	0	0.09563	0
1/21/2027	0	0	0.05851	0	0	0
1/22/2027	0	0	0.05734	0	0	0
1/23/2027	0	0	0.0562	0	0	0
1/24/2027	0	0	0.05507	0	0	0
1/25/2027	0	0	0.05397	0	0	0
1/26/2027	0	0	0.05289	0	0	0
1/27/2027	0	0	0.05183	0	0	0
1/28/2027	0	0	0.0508	0	0	0
1/29/2027	0	0	0.04978	0	0	0
1/30/2027	0	0	0.04879	0	0	0
1/31/2027	0	0	0.04781	0	0	0
2/1/2027	0	0	0.04685	0	0	0
2/2/2027	0	0	0.04592	0	0	0
2/3/2027	0	0	0.045	0	0	0
2/4/2027	0	0	0.0441	0	0	0
2/5/2027	0	0	0.04322	0	0	0
2/6/2027	0	0	0.04235	0	0	0
2/7/2027	0	0	0.0415	0	0	0
2/8/2027	0	0	0.04067	0	0	0
2/9/2027	0	0	0.03986	0	0	0
2/10/2027	0	0	0.03906	0	0	0
2/11/2027	0	0	0.03828	0	0	0
2/12/2027	0	0	0.03752	0	0	0
2/13/2027	0	0	0.03677	0	0	0
2/14/2027	0	0	0.03603	0	0	0
2/15/2027	0	0	0.03531	0	0	0
2/16/2027	0	0	0.0346	0	0	0
2/17/2027	0	0	0.03391	0	0	0
2/18/2027	0	0	0.03323	0	0	0
2/19/2027	0	0	0.03257	0	0	0
2/20/2027	0	0	0.03192	0	0	0
2/21/2027	0	0	0.03128	0	0	0
2/22/2027	0	0	0.03065	0	0	0
2/23/2027	0	0	0.03004	0	0	0
2/24/2027	0	0	0.02944	0	0	0
2/25/2027	0	0	0.02885	0	0	0
2/26/2027	0	0	0.02827	0	0	0
2/27/2027	0	0	0.02771	0	0	0
2/28/2027	0	0	0.02715	0	0	0
3/1/2027	0	0	0.02661	0	0	0
3/2/2027	0	0	0.02608	0	0	0
3/3/2027	0	0	0.02556	0	0	0
3/4/2027	0	0	0.02505	0	0	0
3/5/2027	0	0	0.02455	0	0	0
3/6/2027	0	0	0.02405	0	0	0
3/7/2027	0	0	0.02357	0	0	0
3/8/2027	0	0	0.0231	0	0	0
3/9/2027	0	0	0.02264	0	0	0
3/10/2027	0	0	0.02219	0	0	0
3/11/2027	0	0	0.02174	0	0	0
3/12/2027	0	0	0.02131	0	0	0
3/13/2027	0	0	0.02088	0	0	0
3/14/2027	0	0	0.02046	0	0	0
3/15/2027	0	0	0.02006	0	0	0
3/16/2027	0	0	0.01965	0	0	0
3/17/2027	0	0	0.01926	0	0	0
3/18/2027	0	0	0.01888	0	0	0
3/19/2027	0	0	0.0185	0	0	0
3/20/2027	0	0	0.01813	0	0	0
3/21/2027	0	0	0.01777	0	0	0
3/22/2027	0	0	0.01741	0	0	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
3/23/2027	0	0	0.01706	0	1.272	0
3/24/2027	0	0	0.01672	0	3.177	0
3/25/2027	0	0	0.01639	0	1.862	0
3/26/2027	0	0	0.01606	0	0.5493	0
3/27/2027	0	0	0.01574	0	0	0
3/28/2027	0	0	0.01542	0	0	0
3/29/2027	0	0	0.01511	0	0	0
3/30/2027	0	0	0.01481	0	0	0
3/31/2027	0	0	0.01452	0	0	0
4/1/2027	0	0	0.01423	0	1.399	0
4/2/2027	0	0	0.01394	0	2.145	0
4/3/2027	0	0	0.01366	0	0	0
4/4/2027	0	0	0.01339	0	0	0
4/5/2027	0	0	0.01312	0	0	0
4/6/2027	0	0	0.01286	0	0	0
4/7/2027	0	0	0.0126	0	0	0
4/8/2027	0	0	0.01235	0	0	0
4/9/2027	0	0	0.0121	0	0	0
4/10/2027	0	0	0.01186	0	0	0
4/11/2027	0	0	0.01162	0	0	0
4/12/2027	0	0	0.01139	0	0	0
4/13/2027	0	0	0.01116	0	0	0
4/14/2027	0	0	0.01094	0	0.6616	0
4/15/2027	0	0	0.01072	0	2.405	0
4/16/2027	0	0	0.01051	0	2.315	0
4/17/2027	0	0	0.0103	0	1.617	0
4/18/2027	0	0	0.01009	0	1.079	0
4/19/2027	0	0	0.009889	0	0.8121	0
4/20/2027	0	0	0.009691	0	0	0
4/21/2027	0	0	0.009497	0	0	0
4/22/2027	0	0	0.009307	0	0	0
4/23/2027	0	0	0.009121	0	0	0
4/24/2027	0	0	0.008939	0	0	0
4/25/2027	0	0	0.00876	0	0	0
4/26/2027	0	0	0.008585	0	0	0
4/27/2027	0	0	0.008413	0	0	0
4/28/2027	0	0	0.008245	0	1.495	0
4/29/2027	0	0	0.00808	0	0	0
4/30/2027	0	0	0.007918	0	0	0
5/1/2027	0	0	0.00776	0	1.103	0
5/2/2027	0	0	0.007605	0	4.002	0
5/3/2027	0	0	0.007453	0	4.868	0
5/4/2027	0	0	0.007304	0	5.484	0
5/5/2027	0	0	0.007158	0	2.627	0
5/6/2027	0	0	0.007014	0	4.704	0
5/7/2027	0	0	0.006874	0	4.753	0
5/8/2027	0	0	0.006737	0	4.676	0
5/9/2027	0	0	0.006602	0	7.054	0
5/10/2027	0	0	0.00647	0	8.15	0
5/11/2027	0	0	0.00634	0	7.959	0
5/12/2027	0	0	0.006214	0	7.916	0
5/13/2027	0	0	0.006089	0	7.218	0
5/14/2027	0	0	0.005968	0	8.225	0
5/15/2027	25.19	37.29	27.4	7.691	6.482	0
5/16/2027	27.75	41.1	85.67	8.489	7.827	0
5/17/2027	73.59	109.1	121.5	22.59	8.122	0
5/18/2027	5.126	7.616	158.8	1.593	9.207	0
5/19/2027	0	0	10.35	0	8.942	0
5/20/2027	0	0	0.08575	0	9.185	0
5/21/2027	21.23	31.58	25.88	6.642	9.578	0
5/22/2027	39.13	58.24	122.7	12.26	10.33	0
5/23/2027	49.33	73.49	278.4	15.53	10.02	0
5/24/2027	64.37	96.06	280.2	20.44	9.51	0
5/25/2027	69.9	104.5	168.8	22.4	9.828	0
5/26/2027	12.51	18.73	136.9	4.039	10.28	0
5/27/2027	28.19	42.24	55.67	9.133	9.379	0
5/28/2027	17.05	25.56	51.09	5.537	9.314	0
5/29/2027	57.91	86.85	91.97	18.84	10.36	0
5/30/2027	81.56	122.5	432.4	26.67	11.84	0
5/31/2027	108.5	163.3	704.5	35.93	12.94	0
6/1/2027	119.6	180.9	970.9	40.45	12.99	500
6/2/2027	102.9	156.1	1190	35.32	14.03	500
6/3/2027	52.35	79.71	806.1	18.28	11.32	500
6/4/2027	66.16	100.9	304.1	23.29	12.73	500
6/5/2027	70.18	107	243.6	24.7	12.56	500
6/6/2027	92.1	140.4	209.1	32.37	13.25	500
6/7/2027	150.8	229.9	180.6	52.98	14.32	500

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
	m3	m3	m3	m3	m3	m3
6/8/2027	157.5	240.2	156.7	55.43	12.45	500
6/9/2027	100.1	152.7	255.3	35.28	13.13	500
6/10/2027	72.38	110.4	152.9	25.53	13.26	500
6/11/2027	86.16	131.4	123.9	30.3	13.2	500
6/12/2027	44.98	68.54	115.5	15.78	12.3	500
6/13/2027	48.78	74.26	109.2	17.03	12.19	500
6/14/2027	99.84	151.8	102.2	34.7	13.39	500
6/15/2027	142.5	216.6	94.37	49.41	14.15	500
6/16/2027	106.2	161.4	87.1	36.8	13.52	500
6/17/2027	136.3	207.1	80.31	47.14	14.42	500
6/18/2027	63.44	96.37	73.93	21.92	14.91	500
6/19/2027	4.705	7.14	67.97	1.618	14.63	500
6/20/2027	4.713	7.14	62.45	1.608	14.83	500
6/21/2027	4.722	7.14	57.29	1.598	17.21	500
6/22/2027	0	0	52.34	0	14.44	500
6/23/2027	0	0	47.81	0	13.02	500
6/24/2027	0	0	43.67	0	14.24	500
6/25/2027	0	0	39.74	0	13.86	500
6/26/2027	0	0	36.1	0	14.24	500
6/27/2027	0	0	32.69	0	17.63	500
6/28/2027	0	0	29.3	0	21.25	500
6/29/2027	0	0	7.401	0	33.6	500
6/30/2027	0	0	7.253	0	56.95	500
7/1/2027	0	0	7.108	0	14.34	0
7/2/2027	0	0	6.966	0	14.48	0
7/3/2027	0	0	6.826	0	24.13	0
7/4/2027	0	0	6.69	0	19.19	0
7/5/2027	0	0	6.556	0	13.97	0
7/6/2027	4.82	7.14	6.425	1.475	14.33	0
7/7/2027	490.5	726.6	6.297	150.1	14.38	0
7/8/2027	165.1	245.9	613.3	51.99	15.16	500
7/9/2027	8.622	12.88	263.9	2.747	15.33	500
7/10/2027	0	0	73.41	0	15.1	500
7/11/2027	0	0	58.29	0	15.2	500
7/12/2027	4.804	7.14	43.49	1.495	16.02	500
7/13/2027	0	0	40.13	0	16.11	500
7/14/2027	0	0	38.8	0	15.94	0
7/15/2027	0	0	35.33	0	23.01	0
7/16/2027	0	0	31.36	0	15.99	0
7/17/2027	0	0	8.036	0	16.91	0
7/18/2027	0	0	7.875	0	19.27	0
7/19/2027	0	0	7.718	0	16.72	0
7/20/2027	0	0	7.564	0	16.28	0
7/21/2027	4.822	7.14	7.412	1.473	16.37	0
7/22/2027	67.71	100.3	7.264	20.68	14.48	0
7/23/2027	123.4	182.8	62.14	37.83	13.95	0
7/24/2027	15.22	22.59	147.9	4.705	13.3	500
7/25/2027	522.9	775.1	10.76	160.6	14.05	0
7/26/2027	18.4	27.44	668.3	5.825	14.28	500
7/27/2027	0	0	89.81	0	16.24	500
7/28/2027	41.23	61.43	69.29	12.99	13.97	500
7/29/2027	5.39	8.021	76.27	1.687	12.43	500
7/30/2027	0	0	48.16	0	12.76	500
7/31/2027	0	0	43.99	0	13.34	0
8/1/2027	0	0	42.79	0	14.53	500
8/2/2027	0	0	39.54	0	17.16	0
8/3/2027	0	0	35.66	0	14.85	0
8/4/2027	0	0	32.19	0	14.54	0
8/5/2027	4.821	7.14	29	1.474	13.82	0
8/6/2027	4.82	7.14	7.475	1.475	11.96	0
8/7/2027	0	0	7.326	0	12.4	0
8/8/2027	152.9	226.5	7.179	46.78	12.28	0
8/9/2027	548.6	814	175.2	169.3	12.47	500
8/10/2027	96.54	144	710	30.55	10.16	500
8/11/2027	4.778	7.14	208.5	1.527	11.05	500
8/12/2027	8.627	12.88	91.71	2.741	10.92	500
8/13/2027	8.642	12.88	76.28	2.723	12.05	500
8/14/2027	0	0	63.09	0	14.34	500
8/15/2027	0	0	50.73	0	11.89	500
8/16/2027	4.819	7.14	49.85	1.477	11.47	0
8/17/2027	0	0	47.72	0	14.64	0
8/18/2027	0	0	43.78	0	12.25	0
8/19/2027	0	0	39.92	0	11.07	500
8/20/2027	166.1	245.9	36.41	50.71	10.05	0
8/21/2027	5.406	8.021	220.5	1.668	10.15	500
8/22/2027	0	0	30.74	0	9.466	0
8/23/2027	48	71.14	30.99	14.73	9.339	0

Date	CP2 - Water Balance					
	Inflow			Outflow		
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
8/24/2027	25.05	37.15	64.3	7.712	9.911	500
8/25/2027	4.822	7.14	44.27	1.473	8.768	0
8/26/2027	4.821	7.14	7.987	1.474	9.08	0
8/27/2027	11.97	17.73	8.114	3.661	8.866	0
8/28/2027	51.3	75.99	8.057	15.7	8.167	0
8/29/2027	4.817	7.14	51.83	1.479	7.928	0
8/30/2027	21.78	32.3	7.738	6.695	7.877	500
8/31/2027	4.822	7.14	14.43	1.472	7.262	0
9/1/2027	4.822	7.14	7.66	1.473	7.317	0
9/2/2027	5.416	8.021	7.527	1.655	7.401	0
9/3/2027	20.89	30.94	7.376	6.386	7.116	0
9/4/2027	14.33	21.23	9.183	4.386	7.318	0
9/5/2027	7.18	10.64	9.141	2.199	7.181	0
9/6/2027	5.413	8.021	6.942	1.659	6.658	0
9/7/2027	0	0	6.804	0	6.312	0
9/8/2027	102.8	152.3	6.667	31.51	6.067	0
9/9/2027	7.764	11.52	114.6	2.395	6.222	500
9/10/2027	2.362	3.499	6.403	0.7228	5.708	0
9/11/2027	68.94	102.1	6.745	21.1	4.628	0
9/12/2027	28.4	42.1	76.1	8.728	5.076	500
9/13/2027	0	0	32.18	0	5.62	0
9/14/2027	2.363	3.499	7.503	0.7218	5.055	0
9/15/2027	13.63	20.18	7.894	4.165	5.575	0
9/16/2027	0	0	0.4061	0	4.584	0
9/17/2027	0	0	0.4098	0	4.266	0
9/18/2027	0	0	1.449	0	4.264	0
9/19/2027	11.97	17.73	42.36	3.656	4.267	0
9/20/2027	0	0	17.72	0	4.847	0
9/21/2027	15.24	22.59	7.918	4.67	4.847	0
9/22/2027	2.361	3.499	7.867	0.7239	4.292	0
9/23/2027	9.748	14.45	7.752	2.99	4.121	0
9/24/2027	0	0	0.3825	0	3.912	0
9/25/2027	0	0	0.3758	0	3.614	0
9/26/2027	0	0	0.372	0	3.154	0
9/27/2027	0	0	0.3691	0	3.095	0
9/28/2027	0	0	0.366	0	3.2	0
9/29/2027	0	0	0.3626	0	2.828	0
9/30/2027	218.2	323.2	49.5	66.64	2.989	0
10/1/2027	0	0	293.1	0	2.947	250
10/2/2027	0	0	12.87	0	2.076	250
10/3/2027	0	0	6.17	0	2.667	250
10/4/2027	0	0	2.218	0	2.606	0
10/5/2027	0	0	1.652	0	2.291	0
10/6/2027	0	0	1.671	0	1.763	0
10/7/2027	0	0	1.664	0	1.234	0
10/8/2027	0	0	1.636	0	1.619	0
10/9/2027	0	0	1.593	0	1.641	0
10/10/2027	0	0	1.539	0	1.693	0
10/11/2027	0	0	1.478	0	1.934	0
10/12/2027	0	0	0.4032	0	1.929	0
10/13/2027	0	0	0.4036	0	1.978	0
10/14/2027	0	0	0.4023	0	1.592	0
10/15/2027	0	0	0.3996	0	1.617	0
10/16/2027	0	0	0.396	0	1.601	0
10/17/2027	0	0	0.3915	0	1.435	0
10/18/2027	0	0	0.3865	0	1.244	0
10/19/2027	0	0	0.381	0	0.8967	0
10/20/2027	0	0	0.3751	0	0.6641	0
10/21/2027	0	0	0.369	0	0.8508	0
10/22/2027	0	0	0.3628	0	0.6969	0
10/23/2027	0	0	0.3565	0	0.5303	0
10/24/2027	0	0	0.3501	0	1.01	0
10/25/2027	0	0	0.3436	0	1.263	0
10/26/2027	0	0	0.3372	0	0.7175	0
10/27/2027	0	0	0.3309	0	0.9039	0
10/28/2027	0	0	0.3245	0	0.6379	0
10/29/2027	0	0	0.3183	0	0	0
10/30/2027	0	0	0.3121	0	0.6147	0
10/31/2027	0	0	0.306	0	0.4187	0
11/1/2027	0	0	0.3	0	0	0
11/2/2027	0	0	0.2941	0	0	0
11/3/2027	0	0	0.2883	0	0	0
11/4/2027	0	0	0.2826	0	0.04656	0
11/5/2027	0	0	0.277	0	0.06726	0
11/6/2027	0	0	0.2715	0	0	0
11/7/2027	0	0	0.2661	0	0	0
11/8/2027	0	0	0.2608	0	0	0

Date	CP2 - Water Balance					
	Inflow				Outflow	
	CP2 Bank Runoff	WRSF3 to CP2	CP2 Natura Runoff	Rain and Snowmelt	CP1 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	
11/9/2027	0	0	0.2556	0	0	0
11/10/2027	0	0	0.2505	0	0	0
11/11/2027	0	0	0.2455	0	0	0
11/12/2027	0	0	0.2406	0	0.04148	0
11/13/2027	0	0	0.2358	0	0	0
11/14/2027	0	0	0.2311	0	0.1691	0
11/15/2027	0	0	0.2265	0	0.2959	0
11/16/2027	0	0	0.222	0	0.3537	0
11/17/2027	0	0	0.2175	0	0	0
11/18/2027	0	0	0.2132	0	0	0
11/19/2027	0	0	0.2089	0	0	0
11/20/2027	0	0	0.2047	0	0	0
11/21/2027	0	0	0.2007	0	0	0
11/22/2027	0	0	0.1966	0	0	0
11/23/2027	0	0	0.1927	0	0	0
11/24/2027	0	0	0.1889	0	0.06345	0
11/25/2027	0	0	0.1851	0	0	0
11/26/2027	0	0	0.1814	0	0.2125	0
11/27/2027	0	0	0.1778	0	0	0
11/28/2027	0	0	0.1742	0	0	0
11/29/2027	0	0	0.1707	0	0	0
11/30/2027	0	0	0.1673	0	0.08074	0
12/1/2027	0	0	0.164	0	0.03098	0
12/2/2027	0	0	0.1607	0	0	0
12/3/2027	0	0	0.1575	0	0	0
12/4/2027	0	0	0.1543	0	0	0
12/5/2027	0	0	0.1512	0	0	0
12/6/2027	0	0	0.1482	0	0.02548	0
12/7/2027	0	0	0.1452	0	0.03568	0
12/8/2027	0	0	0.1423	0	0	0
12/9/2027	0	0	0.1395	0	0	0
12/10/2027	0	0	0.1367	0	0	0
12/11/2027	0	0	0.134	0	0	0
12/12/2027	0	0	0.1313	0	0	0
12/13/2027	0	0	0.1287	0	0	0
12/14/2027	0	0	0.1261	0	0	0
12/15/2027	0	0	0.1236	0	0.05053	0
12/16/2027	0	0	0.1211	0	0	0
12/17/2027	0	0	0.1187	0	0.03392	0
12/18/2027	0	0	0.1163	0	0	0
12/19/2027	0	0	0.114	0	0	0
12/20/2027	0	0	0.1117	0	0	0
12/21/2027	0	0	0.1095	0	0	0
12/22/2027	0	0	0.1073	0	0	0
12/23/2027	0	0	0.1051	0	0	0
12/24/2027	0	0	0.103	0	0	0
12/25/2027	0	0	0.101	0	0	0
12/26/2027	0	0	0.09894	0	0	0
12/27/2027	0	0	0.09696	0	0	0
12/28/2027	0	0	0.09502	0	0	0
12/29/2027	0	0	0.09312	0	0	0
12/30/2027	0	0	0.09126	0	0	0
12/31/2027	0	0	0.08943	0	0	0

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
1/1/2019	0	0	0	0	0.1941	0.09957	0	0	0	
1/2/2019	0	0	0	0	0.1902	0.09758	0	0	0	
1/3/2019	0	0	0	0	0.1864	0.09563	0	0	0	
1/4/2019	0	0	0	0	0.1827	0.09372	0	0	0	
1/5/2019	0	0	0	0	0.1791	0.09184	0	0	0	
1/6/2019	0	0	0	0	0.1755	0.09	0	0	0	
1/7/2019	0	0	0	0	0.172	0.0882	0	0	0	
1/8/2019	0	0	0	0	0.1685	0.08644	0	0	0	
1/9/2019	0	0	0	0	0.1652	0.08471	0	0	0	
1/10/2019	0	0	0	0	0.1619	0.08302	0	0	0	
1/11/2019	0	0	0	0	0.1586	0.08136	0	0	0	
1/12/2019	0	0	0	0	0.1554	0.07973	0	0	0	
1/13/2019	0	0	0	0	0.1523	0.07814	0	0	0	
1/14/2019	0	0	0	0	0.1493	0.07657	0	0	0	
1/15/2019	0	0	0	0	0.1463	0.07504	0	0	0	
1/16/2019	0	0	0	0	0.1434	0.07354	0	0	0	
1/17/2019	0	0	0	0	0.1405	0.07207	0	0	0	
1/18/2019	0	0	0	0	0.1377	0.07063	0	0	0	
1/19/2019	0	0	0	0	0.1349	0.06922	0	0	0	
1/20/2019	0	0	0	0	0.1322	0.06783	0	0	0	
1/21/2019	0	0	0	0	0.1296	0.06647	0	0	0	
1/22/2019	0	0	0	0	0.127	0.06514	0	0	0	
1/23/2019	0	0	0	0	0.1245	0.06384	0	0	0	
1/24/2019	0	0	0	0	0.122	0.06257	0	0	0	
1/25/2019	0	0	0	0	0.1195	0.06131	0	0	0	
1/26/2019	0	0	0	0	0.1171	0.06009	0	0	0	
1/27/2019	0	0	0	0	0.1148	0.05889	0	0	0	
1/28/2019	0	0	0	0	0.1125	0.05771	0	0	0	
1/29/2019	0	0	0	0	0.1103	0.05655	0	0	0	
1/30/2019	0	0	0	0	0.1081	0.05542	0	0	0	
1/31/2019	0	0	0	0	0.1059	0.05431	0	0	0	
2/1/2019	0	0	0	0	0.1038	0.04879	0	0	0	
2/2/2019	0	0	0	0	0.1017	0.04782	0	0	0	
2/3/2019	0	0	0	0	0.09967	0.04686	0	0	0	
2/4/2019	0	0	0	0	0.09767	0.04592	0	0	0	
2/5/2019	0	0	0	0	0.09572	0.045	0	0	0	
2/6/2019	0	0	0	0	0.0938	0.0441	0	0	0	
2/7/2019	0	0	0	0	0.09193	0.04322	0	0	0	
2/8/2019	0	0	0	0	0.09009	0.04236	0	0	0	
2/9/2019	0	0	0	0	0.08829	0.04151	0	0	0	
2/10/2019	0	0	0	0	0.08652	0.04068	0	0	0	
2/11/2019	0	0	0	0	0.08479	0.03987	0	0	0	
2/12/2019	0	0	0	0	0.0831	0.03907	0	0	0	
2/13/2019	0	0	0	0	0.08143	0.03829	0	0	0	
2/14/2019	0	0	0	0	0.07981	0.03752	0	0	0	
2/15/2019	0	0	0	0	0.07821	0.03677	0	0	0	
2/16/2019	0	0	0	0	0.07665	0.03604	0	0	0	
2/17/2019	0	0	0	0	0.07511	0.03532	0	0	0	
2/18/2019	0	0	0	0	0.07361	0.03461	0	0	0	
2/19/2019	0	0	0	0	0.07214	0.03392	0	0	0	
2/20/2019	0	0	0	0	0.07069	0.03324	0	0	0	
2/21/2019	0	0	0	0	0.06928	0.03257	0	0	0	
2/22/2019	0	0	0	0	0.0679	0.03192	0	0	0	
2/23/2019	0	0	0	0	0.06654	0.03128	0	0	0	
2/24/2019	0	0	0	0	0.06521	0.03066	0	0	0	
2/25/2019	0	0	0	0	0.0639	0.03005	0	0	0	
2/26/2019	0	0	0	0	0.06262	0.02944	0	0	0	
2/27/2019	0	0	0	0	0.06137	0.02886	0	0	0	
2/28/2019	0	0	0	0	0.06014	0.02828	0	0	0	
3/1/2019	0	0	0	0	0.05894	0.02551	0	0	0	
3/2/2019	0	0	0	0	0.05776	0.025	0	0	0	
3/3/2019	0	0	0	0	0.05661	0.0245	0	0	0	
3/4/2019	0	0	0	0	0.05548	0.02401	0	0	0	
3/5/2019	0	0	0	0	0.05437	0.02353	0	0	0	
3/6/2019	0	0	0	0	0.05328	0.02306	0	0	0	
3/7/2019	0	0	0	0	0.05221	0.0226	0	0	0	
3/8/2019	0	0	0	0	0.05117	0.02214	0	0	0	
3/9/2019	0	0	0	0	0.05015	0.0217	0	0	0	
3/10/2019	0	0	0	0	0.04914	0.02127	0	0	0	
3/11/2019	0	0	0	0	0.04816	0.02084	0	0	0	
3/12/2019	0	0	0	0	0.0472	0.02043	0	0.006079	0	
3/13/2019	0	0	0	0	0.04625	0.02002	0	0	0	
3/14/2019	0	0	0	0	0.04533	0.01962	0	0	0	
3/15/2019	0	0	0	0	0.04442	0.01922	0	0	0	
3/16/2019	0	0	0	0	0.04353	0.01884	0	0	0	
3/17/2019	0	0	0	0	0.04266	0.01846	0	0	0	
3/18/2019	0	0	0	0	0.04181	0.01809	0	0.0492	0	
3/19/2019	0	0	0	0	0.04097	0.01773	0	0	0	
3/20/2019	0	0	0	0	0.04015	0.01738	0	0.07773	0	
3/21/2019	0	0	0	0	0.03935	0.01703	0	0	0	
3/22/2019	0	0	0	0	0.03856	0.01669	0	0.4359	0	
3/23/2019	0	0	0	0	0.03779	0.01636	0	0	0	
3/24/2019	0	0	0	0	0.03704	0.01603	0	0	0	
3/25/2019	0	0	0	0	0.0363	0.01571	0	0	0	
3/26/2019	0	0	0	0	0.03557	0.01539	0	0.2993	0	
3/27/2019	0	0	0	0	0.03486	0.01509	0	0	0	
3/28/2019	0	0	0	0	0.03416	0.01478	0	0	0	
3/29/2019	0	0	0	0	0.03348	0.01449	0	0	0	
3/30/2019	0	0	0	0	0.03281	0.0142	0	0	0	
3/31/2019	0	0	0	0	0.03215	0.01391	0	0.2538	0	
4/1/2019	0	0	0	0	0.03151	0.01329	0	0.3356	0	
4/2/2019	0	0	0	0	0.03088	0.01204	0	0	0	
4/3/2019	0	0	0	0	0.03026	0.0118	0	0	0	
4/4/2019	0	0	0	0	0.02966	0.01157	0	0	0	
4/5/2019	0	0	0	0	0.02906	0.01134	0	0	0	
4/6/2019	0	0	0	0	0.02848	0.01111	0	0	0	
4/7/2019	0	0	0	0	0.02791	0.01089	0	0	0	
4/8/2019	0	0	0	0	0.02735	0.01067	0	0	0	
4/9/2019	0	0	0	0	0.02681	0.01046	0	0.3176	0	
4/10/2019	0	0	0	0	0.02627	0.01025	0	0.6272	0	
4/11/2019	0	0	0	0	0.02574	0.01004	0	1.137	0	
4/12/2019	0	0	0	0	0.02523	0.009841	0	1.328	0	
4/13/2019	0	0	0	0	0.02473	0.009644	0	1.572	0	
4/14/2019	0	0	0	0	0.02423	0.009451	0	1.257	0	
4/15/2019	0	0	0	0	0.02375	0.009262	0	0.945	0	
4/16/2019	0	0	0	0	0.02327	0.009077	0	0.9342	0	

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
4/17/2019	0	0	0	0	0.02281	0.008895	0	0.8275	0	
4/18/2019	0	0	0	0	0.02235	0.008717	0	0.1657	0	
4/19/2019	0	0	0	0	0.0219	0.008543	0	0.3035	0	
4/20/2019	0	0	0	0	0.02146	0.008372	0	0	0	
4/21/2019	0	0	0	0	0.02104	0.008205	0	0	0	
4/22/2019	0	0	0	0	0.02061	0.00804	0	0	0	
4/23/2019	0	0	0	0	0.0202	0.00788	0	1.168	0	
4/24/2019	0	0	0	0	0.0198	0.007722	0	1.092	0	
4/25/2019	0	0	0	0	0.0194	0.007568	0	0	0	
4/26/2019	0	0	0	0	0.01901	0.007416	0	0	0	
4/27/2019	0	0	0	0	0.01863	0.007268	0	0	0	
4/28/2019	0	0	0	0	0.01826	0.007123	0	0	0	
4/29/2019	0	0	0	0	0.0179	0.00698	0	0	0	
4/30/2019	0	0	0	0	0.01754	0.006841	0	0.4697	0	
5/1/2019	0	0	0	0	0.01719	0.006661	0	1.415	0	
5/2/2019	0	0	0	0	0.01684	0.006594	0	1.508	0	
5/3/2019	0	0	0	0	0.01651	0.006521	0	1.727	0	
5/4/2019	0	0	0	0	0.01618	0.006454	0	1.04	0	
5/5/2019	0	0	0	0	0.01585	0.00639	0	0.6015	0	
5/6/2019	0	0	0	0	0.01554	0.006329	0	0.8125	0	
5/7/2019	0	0	0	0	0.01523	0.00627	0	1.77	0	
5/8/2019	0	0	0	0	0.01492	0.006216	0	2.455	0	
5/9/2019	0	0	0	0	0.01462	0.006166	0	2.059	0	
5/10/2019	0	0	0	0	0.01433	0.00612	0	1.951	0	
5/11/2019	0	0	0	0	0.01404	0.006077	0	1.921	0	
5/12/2019	0	0	0	0	0.01376	0.006034	0	2.234	0	
5/13/2019	0	0	0	0	0.01349	0.006001	0	2.092	0	
5/14/2019	0	0	0	0	0.01322	0.005968	0	2.403	0	
5/15/2019	0	0	0	0	0.01295	0.005936	0	2.663	0	
5/16/2019	0	0	0	0	0.01269	0.005905	0	2.493	0	
5/17/2019	0	0	0	0	0.01244	0.005875	0	2.694	0	
5/18/2019	0	0	0	0	0.01219	0.005846	0	2.32	0	
5/19/2019	0	0	0	0	0.01195	0.005817	0	2.27	0	
5/20/2019	0	0	0	0	0.01171	0.005789	0	2.321	0	
5/21/2019	0	0	0	0	0.01147	0.005762	0	2.442	0	
5/22/2019	0	0	0	0	0.01125	0.005736	0	2.078	0	
5/23/2019	0	0	0	0	0.01102	0.005711	0	2.454	0	
5/24/2019	0	0	0	0	0.0108	0.005686	0	2.342	0	
5/25/2019	0	0	0	0	0.01058	0.005662	0	2.022	0	
5/26/2019	0	0	0	0	0.01037	0.005639	0	2.233	0	
5/27/2019	0	0	0	0	0.01016	0.005616	0	2.933	0	
5/28/2019	0	0	0	0	0.009961	0.005594	0	2.932	0	
5/29/2019	5.677	0	0.57	5.152	12.56	4.429	0.7233	3.15	0	
5/30/2019	0	0.228	0	0	0.009567	0.005374	0	2.675	0	
5/31/2019	18.72	0.2052	2.28	17.02	25.11	8.854	2.44	3.226	0	
6/1/2019	23.52	1.096	0	21.5	25.2	78.26	3.245	3.632	0	
6/2/2019	0	0.9862	0	0	409.9	127	0	3.896	0	
6/3/2019	0	0.8876	0	0	0.01106	0.003428	0	5.047	0	
6/4/2019	0	0.7988	0	0	0.1143	0.03541	0	4.986	0	
6/5/2019	16.39	0.7189	0	16.13	114.8	35.58	3.998	5.763	0	
6/6/2019	25.18	0.647	0	25.09	463.5	143.6	6.611	6.565	3970	
6/7/2019	24.88	0.5823	0.675	23.07	754	233.7	3.915	4.174	0	
6/8/2019	69.9	0.7941	11.25	70.34	487.9	151.2	19.38	5.705	0	
6/9/2019	71.73	5.215	4.95	74.82	983.7	304.8	23.9	8.552	0	
6/10/2019	80.35	6.673	5.4	86.02	1782	552.2	30.12	9.673	0	
6/11/2019	57.02	8.166	0.675	62.5	2282	707.3	23.58	10.4	0	
6/12/2019	58.73	7.619	0.675	66.08	2402	744.4	26.89	11.12	0	
6/13/2019	80.57	7.127	0	93.18	2651	821.5	40.73	12.69	0	
6/14/2019	69.4	6.415	0	82.43	3748	1161	38.37	12.94	0	
6/15/2019	41.98	5.773	0	51.97	2757	854.4	26.41	13.1	6352	
6/16/2019	50.35	5.196	0	60.93	1024	317.2	29.54	12.8	2382	
6/17/2019	0	4.676	0	0	458.1	142	0	10.69	3970	
6/18/2019	0	4.209	0	0	316.9	98.19	0	8.398	3970	
6/19/2019	90.99	3.788	0	103.9	1543	478.1	44.02	12.52	3970	
6/20/2019	55.2	3.409	0.225	62.05	595.8	184.6	25.17	10.78	3970	
6/21/2019	137.2	3.158	0.675	150.3	525.5	162.9	56.65	13.71	2779	
6/22/2019	147.8	3.112	0	159.5	460.9	142.8	57.39	13.01	2779	
6/23/2019	90.22	2.801	0	94.98	434.3	134.6	31.38	9.817	0	
6/24/2019	75.65	2.521	0	80.64	407.2	126.2	27.84	10.17	0	
6/25/2019	111.8	2.269	1.125	120.3	376.9	116.8	42.8	10.85	2779	
6/26/2019	141.6	2.492	0	146.9	348.6	108	46.05	10.74	2779	
6/27/2019	199.1	2.243	0	184.6	321.5	99.63	31.32	9.512	0	
6/28/2019	171.4	2.019	0	170.2	296.3	91.81	44.1	9.293	0	
6/29/2019	42.02	1.817	0.675	43.46	272.7	84.51	13.43	9.737	0	
6/30/2019	195.4	1.905	41.17	205	251.4	77.92	66.82	9.379	0	
7/1/2019	58.93	18.2	14.84	62.72	1200	320.7	21.54	9.258	0	
7/2/2019	5.164	22.31	1.325	5.6	556.8	148.8	2.045	9.741	0	
7/3/2019	245.3	20.61	63.34	267.7	253.7	67.76	99.65	10.79	0	
7/4/2019	97.71	43.88	25.44	107.5	1532	409.1	41.06	11.16	0	
7/5/2019	2.997	49.67	0.795	3.36	881.7	235.5	1.354	26.06	0	
7/6/2019	19.76	45.02	5.3	22.4	330.4	88.25	9.296	15.33	0	
7/7/2019	2.95	42.64	0.795	3.36	296	79.07	1.412	12.47	0	
7/8/2019	148	38.69	40.02	169.1	242.2	64.71	71.71	11.79	0	
7/9/2019	196.8	50.83	53.53	226.2	1012	270.2	97.35	11.9	0	
7/10/2019	2.883	67.16	0.795	3.36	1409	376.3	1.496	14.27	0	
7/11/2019	4.743	60.76	1.325	5.6	357	95.36	2.572	16.01	0	
7/12/2019	32.13	55.22	9.01	38.08	303.9	81.19	17.64	18.44	0	
7/13/2019	2.824	53.3	0.795	3.36	363.3	97.06	1.57	15.98	0	
7/14/2019	2.814	48.29	0.795	3.36	232.5	62.12	1.583	16.69	0	
7/15/2019	78.58	43.78	22.26	94.08	216.4	57.8	44.57	15.75	0	
7/16/2019	13.04	48.3	3.71	15.68	598.5	159.9	7.494	18.72	0	
7/17/2019	18.52	44.96	5.3	22.4	219.9	58.76	10.85	18.66	0	
7/18/2019	0	42.58	0	0	232.3	62.05	0	17.13	0	
7/19/2019	2.761	38.32	0.795	3.36	174.3	46.56	1.649	17.67	6352	
7/20/2019	4.818	34.81	1.325	5.6	160.7	42.94	2.478	15.76	0	
7/21/2019	0	31.86	0	0	147.1	39.31	0	16.31	0	
7/22/2019	2.881	28.67	0.795	3.36	134	35.79	1.498	15.95	0	
7/23/2019	2.877	26.12	0.795	3.36	122	32.6	1.504	15.01	0	
7/24/2019	0	23.83	0	0	111.1	29.69	0	13.38	0	
7/25/2019	8.611	21.45	2.385	10.08	101	26.99	4.536	14.16	0	
7/26/2019	2.867	20.25	0.795	3.36	91.98	24.57	1.516	13.79	0	
7/27/2019	133.7	18.55	37.1	156.8	83.71	22.36	70.91	11.03	0	
7/28/2019	75.16	31.53	20.93	88.48	746.6	199.4	40.35	12.07	0	
7/29/2019	0	36.75	0	0	460.4	123	0	14.55	1985	
7/30/2019	2.858	33.08	0.795	3.36	117.2	31.31	1.528	13.36	2779	
7/31/2019	4.854	30.09	1.325	5.6	90.26	24.11	2.433	12.72	0	

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
8/1/2019	0	27.59	0	0	91.52	21.03	0	13.11	0	
8/2/2019	0	24.83	0	0	88.88	20.42	0	16.18	0	
8/3/2019	4.84	22.35	1.5	5.6	80.55	18.51	2.45	10.74	0	
8/4/2019	112.2	20.72	34.8	129.9	20.96	4.816	56.96	6.822	0	
8/5/2019	57.87	32.56	18	67.2	617.7	141.9	29.66	11.45	0	
8/6/2019	2.873	36.51	0.9	3.36	334.6	76.87	1.508	12.82	0	
8/7/2019	2.864	33.22	0.9	3.36	34.73	7.979	1.52	13.67	0	
8/8/2019	6.68	30.26	2.1	7.84	86.39	19.85	3.55	14.08	0	
8/9/2019	6.673	28.07	2.1	7.84	86.18	19.8	3.558	13.05	0	
8/10/2019	19.05	26.1	6	22.4	82.76	19.01	10.19	11.34	0	
8/11/2019	172.2	25.89	54.3	202.7	61.33	14.09	92.49	9.215	0	
8/12/2019	98.49	45.02	31.2	116.5	1017	233.7	53.69	11.51	0	
8/13/2019	49.61	53	15.9	59.36	648	148.9	28.09	9.946	0	
8/14/2019	0	54.06	0	0	442.3	101.6	0	12.19	0	
8/15/2019	2.774	48.65	0.9	3.36	165.9	38.12	1.632	12.44	0	
8/16/2019	0	44.15	0	0	133.3	30.63	0	11.43	0	
8/17/2019	2.763	39.73	0.9	3.36	113.1	25.98	1.646	10.9	0	
8/18/2019	0	36.12	0	0	112	25.72	0	12.16	0	
8/19/2019	8.265	32.51	2.7	10.08	107.7	24.74	4.969	12.37	0	
8/20/2019	0	30.34	0	0	99.91	22.95	0	12.51	0	
8/21/2019	0	27.3	0	0	91.33	20.98	0	12.48	0	
8/22/2019	0	24.57	0	0	82.96	19.06	0	11.85	0	
8/23/2019	20.1	22.12	6.6	24.64	21.51	4.942	12.27	12.23	0	
8/24/2019	2.739	22.54	0.9	3.36	65.01	14.94	1.676	11.63	0	
8/25/2019	42.87	20.65	14.1	52.64	20.66	4.746	26.31	11.36	0	
8/26/2019	2.732	24.23	0.9	3.36	222.2	51.05	1.684	10.94	0	
8/27/2019	0	22.16	0	0	19.84	4.558	0	10.77	0	
8/28/2019	317	19.95	104.7	390.9	20.18	4.637	197.1	7.561	2779	
8/29/2019	152.2	59.83	49.5	184.8	1960	450.3	90.3	9.736	0	
8/30/2019	2.698	73.65	0.9	3.36	1145	263.1	1.728	8.528	0	
8/31/2019	21.3	66.64	7.2	26.88	301.3	69.22	14.17	8.589	0	
9/1/2019	30.92	62.89	11.9	39.2	341.9	63.94	20.85	8.298	0	
9/2/2019	2.635	61.36	1.02	3.36	386	72.19	1.806	9.023	0	
9/3/2019	2.62	55.63	1.02	3.36	213.9	40.01	1.825	9.135	0	
9/4/2019	0	50.48	0	0	185.4	34.67	0	9.309	0	
9/5/2019	0	45.43	0	0	159.1	29.75	0	9.169	0	
9/6/2019	10.39	40.89	4.08	13.44	155.9	29.16	7.413	8.685	0	
9/7/2019	0	38.43	0	0	150.1	28.07	0	8.401	0	
9/8/2019	0	34.59	0	0	142.6	26.67	0	8.195	0	
9/9/2019	0	31.13	0	0	134.8	25.21	0	8.592	0	
9/10/2019	17.15	28.01	6.8	22.4	124.7	23.32	12.56	8.932	0	
9/11/2019	2.566	27.93	1.02	3.36	156.3	29.22	1.892	9.478	0	
9/12/2019	0	25.55	0	0	106.4	19.9	0	9.888	0	
9/13/2019	0	22.99	0	0	98.28	18.38	0	9.48	0	
9/14/2019	2.552	20.69	1.02	3.36	90.09	16.85	1.911	9.094	0	
9/15/2019	134.2	19.03	53.72	177	82.78	15.48	100.9	6.988	0	
9/16/2019	2.528	38.62	1.02	3.36	863.3	161.4	1.94	8.415	0	
9/17/2019	189.4	35.16	77.52	255.4	56.97	10.65	150.9	8.209	0	
9/18/2019	7.392	62.66	3.06	10.08	1367	255.5	6.06	8.408	0	
9/19/2019	0	57.61	0	0	280.5	52.46	0	7.856	0	
9/20/2019	21.42	51.85	9.18	30.24	196.6	36.77	19.12	7.751	0	
9/21/2019	94.67	50.34	40.8	134.4	262	49	85.67	7.372	0	
9/22/2019	2.341	61.63	1.02	3.36	814.2	152.3	2.173	7.094	0	
9/23/2019	15.38	55.87	6.8	22.4	217	40.57	14.78	7.122	4750	
9/24/2019	36.25	53	14.96	49.28	264.6	49.48	29.49	7.306	3250	
9/25/2019	85.48	53.69	34	112	392	73.3	63.15	5.974	6250	
9/26/2019	18.96	61.92	7.14	23.52	728.1	136.2	12	5.348	5125	
9/27/2019	36.44	58.58	13.26	43.68	326.9	61.13	20.75	3.494	0	
9/28/2019	0	58.03	0	0	252.1	47.15	0	3.29	0	
9/29/2019	0	52.23	0	0	58.93	11.02	0	3.012	0	
9/30/2019	0	47	0	0	35.37	6.615	0	3.2	0	
10/1/2019	0	42.28	0	0	648.3	96.99	0	4.078	0	
10/2/2019	0	38.05	0	0	167.8	25.11	0	3.824	0	
10/3/2019	0	34.25	0	0	8.164	1.221	0	3.32	0	
10/4/2019	2.754	30.82	1.125	3.36	312.4	46.74	1.657	3.995	0	
10/5/2019	0.9149	28.19	0.375	1.12	150.4	22.5	0.5564	3.956	0	
10/6/2019	0	25.52	0	0	7.13	1.067	0	3.174	0	
10/7/2019	0	22.97	0	0	6.737	1.008	0	2.737	0	
10/8/2019	31.95	20.67	12	39.2	390.6	58.43	19.57	3.353	0	
10/9/2019	13.62	23.41	5.625	16.8	280.4	41.95	8.47	3.274	0	
10/10/2019	0	23.32	0	0	63.01	9.427	0	2.621	0	
10/11/2019	0	20.98	0	0	5.366	0.8028	0	2.609	0	
10/12/2019	0	18.89	0	0	5.219	0.7808	0	2.538	0	
10/13/2019	0	17	0	0	109.1	16.33	0	2.509	0	
10/14/2019	0	15.3	0	0	4.876	0.7294	0	2.239	0	
10/15/2019	0	13.77	0	0	4.667	0.6981	0	1.992	0	
10/16/2019	0	12.39	0	0	4.453	0.6662	0	1.737	0	
10/17/2019	0	11.15	0	0	4.237	0.6338	0	2.159	0	
10/18/2019	111.6	10.04	39.75	138.4	209	31.27	70.62	2.112	0	
10/19/2019	88.21	24.93	29.63	110	1052	157.4	56.67	2.178	0	
10/20/2019	17.02	34.29	4.125	21.5	745.8	111.6	11.37	2.109	0	
10/21/2019	0	32.51	0	0	120.6	18.05	0	1.926	0	
10/22/2019	0	29.26	0	0	51.27	7.67	0	1.402	0	
10/23/2019	0	26.33	0	0	28.61	4.28	0	1.246	0	
10/24/2019	0	23.7	0	0	11	1.646	0	1.111	0	
10/25/2019	0	21.33	0	0	5.705	0.8534	0	1.576	0	
10/26/2019	0	19.2	0	0	5.689	0.8511	0	1.495	0	
10/27/2019	0	17.28	0	0	5.6	0.8378	0	1.466	0	
10/28/2019	0	15.55	0	0	5.457	0.8164	0	1.551	0	
10/29/2019	0	13.99	0	0	5.275	0.7892	0	1.477	0	
10/30/2019	0	12.6	0	0	5.066	0.758	0	1.143	0	
10/31/2019	0	11.34	0	0	4.84	0.7241	0	1.02	0	
11/1/2019	0	10.49	0	0	4.604	0.5658	0	0.666	0	
11/2/2019	0	9.44	0	0	4.364	0.5363	0	0.3452	0	
11/3/2019	0	8.496	0	0	4.125	0.5069	0	0.6633	0	
11/4/2019	0	7.646	0	0	1.111	0.1365	0	0.2684	0	
11/5/2019	0	6.882	0	0	1.101	0.1353	0	0	0	
11/6/2019	0	6.194	0	0	1.089	0.1338	0	0	0	
11/7/2019	0	5.574	0	0	1.075	0.132	0	0	0	
11/8/2019	0	5.017	0	0	1.059	0.1302	0	0	0	
11/9/2019	0	4.515	0	0	1.043	0.1282	0	0.1067	0	
11/10/2019	0	4.064	0	0	1.026	0.1261	0	0	0	
11/11/2019	0	3.657	0	0	1.009	0.124	0	0	0	
11/12/2019	0	3.292	0	0	0.991	0.1218	0	0.2088	0	
11/13/2019	0	2.962	0	0	0.9732	0.1196	0	0	0	
11/14/2019	0	2.666	0	0	0.9554	0.1174	0	0	0	

Date	CP3 - Water Balance								
	Inflow							Outflow	
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3	
11/15/2019	0	2.4	0	0	0.9376	0.1152	0	0.0661	0
11/16/2019	0	2.16	0	0	0.9199	0.113	0	0.1503	0
11/17/2019	0	1.944	0	0	0.9023	0.1109	0	0	0
11/18/2019	0	1.749	0	0	0.8849	0.1087	0	0	0
11/19/2019	0	1.574	0	0	0.8677	0.1066	0	0.05077	0
11/20/2019	0	1.417	0	0	0.8508	0.1046	0	0.07042	0
11/21/2019	0	1.275	0	0	0.8341	0.1025	0	0.07997	0
11/22/2019	0	1.148	0	0	0.8177	0.1005	0	0.2137	0
11/23/2019	0	1.033	0	0	0.8016	0.09851	0	0.003194	0
11/24/2019	0	0.9296	0	0	0.7857	0.09656	0	0.1949	0
11/25/2019	0	0.8367	0	0	0.7702	0.09464	0	0.1067	0
11/26/2019	0	0.753	0	0	0.7549	0.09276	0	0	0
11/27/2019	0	0.6777	0	0	0.7399	0.09092	0	0	0
11/28/2019	0	0.6099	0	0	0.7251	0.08911	0	0.07559	0
11/29/2019	0	0.5489	0	0	0.7107	0.08733	0	0.1541	0
11/30/2019	0	0.494	0	0	0.6965	0.08559	0	0.1517	0
12/1/2019	0	0.456	0	0	0.6826	0.0693	0	0.01188	0
12/2/2019	0	0.4104	0	0	0.669	0.06791	0	0	0
12/3/2019	0	0.3693	0	0	0.6556	0.06656	0	0	0
12/4/2019	0	0.3324	0	0	0.6426	0.06523	0	0	0
12/5/2019	0	0.2991	0	0	0.6297	0.06393	0	0	0
12/6/2019	0	0.2692	0	0	0.6171	0.06265	0	0	0
12/7/2019	0	0.2423	0	0	0.6048	0.0614	0	0	0
12/8/2019	0	0.2181	0	0	0.5927	0.06017	0	0	0
12/9/2019	0	0.1963	0	0	0.5809	0.05897	0	0	0
12/10/2019	0	0.1766	0	0	0.5693	0.05779	0	0	0
12/11/2019	0	0.159	0	0	0.5579	0.05663	0	0	0
12/12/2019	0	0.1431	0	0	0.5467	0.0555	0	0	0
12/13/2019	0	0.1288	0	0	0.5358	0.05439	0	0	0
12/14/2019	0	0.1159	0	0	0.5251	0.0533	0	0	0
12/15/2019	0	0.1043	0	0	0.5146	0.05224	0	0	0
12/16/2019	0	0.09388	0	0	0.5043	0.05119	0	0	0
12/17/2019	0	0.08449	0	0	0.4942	0.05017	0	0	0
12/18/2019	0	0.07604	0	0	0.4843	0.04917	0	0	0
12/19/2019	0	0.06844	0	0	0.4746	0.04818	0	0	0
12/20/2019	0	0.06159	0	0	0.4651	0.04722	0	0	0
12/21/2019	0	0.05543	0	0	0.4558	0.04627	0	0	0
12/22/2019	0	0.04989	0	0	0.4467	0.04535	0	0.01493	0
12/23/2019	0	0.0449	0	0	0.4378	0.04444	0	0	0
12/24/2019	0	0.04041	0	0	0.429	0.04355	0	0	0
12/25/2019	0	0.03637	0	0	0.4204	0.04268	0	0.1131	0
12/26/2019	0	0.03273	0	0	0.412	0.04183	0	0.1144	0
12/27/2019	0	0.02946	0	0	0.4038	0.04099	0	0.1284	0
12/28/2019	0	0.02651	0	0	0.3957	0.04017	0	0.07019	0
12/29/2019	0	0.02386	0	0	0.3878	0.03937	0	0.05055	0
12/30/2019	0	0.02148	0	0	0.3801	0.03858	0	0	0
12/31/2019	0	0.01933	0	0	0.3724	0.03781	0	0	0
1/1/2020	0	0.0177	0	0	0.365	0.0273	0	0.03057	0
1/2/2020	0	0.01593	0	0	0.3577	0.02676	0	0.02959	0
1/3/2020	0	0.01434	0	0	0.3505	0.02622	0	0	0
1/4/2020	0	0.0129	0	0	0.3435	0.0257	0	0	0
1/5/2020	0	0.01161	0	0	0.3367	0.02518	0	0	0
1/6/2020	0	0.01045	0	0	0.3299	0.02468	0	0	0
1/7/2020	0	0.009406	0	0	0.3233	0.02419	0	0	0
1/8/2020	0	0.008466	0	0	0.3169	0.0237	0	0	0
1/9/2020	0	0.007619	0	0	0.3105	0.02323	0	0	0
1/10/2020	0	0.006857	0	0	0.3043	0.02276	0	0	0
1/11/2020	0	0.006171	0	0	0.2982	0.02231	0	0	0
1/12/2020	0	0.005554	0	0	0.2923	0.02186	0	0	0
1/13/2020	0	0.004999	0	0	0.2864	0.02142	0	0	0
1/14/2020	0	0.004499	0	0	0.2807	0.021	0	0	0
1/15/2020	0	0.004049	0	0	0.2751	0.02058	0	0	0
1/16/2020	0	0.003644	0	0	0.2696	0.02016	0	0	0
1/17/2020	0	0.00328	0	0	0.2642	0.01976	0	0	0
1/18/2020	0	0.002952	0	0	0.2589	0.01937	0	0	0
1/19/2020	0	0.002657	0	0	0.2537	0.01898	0	0	0
1/20/2020	0	0.002391	0	0	0.2487	0.0186	0	0	0
1/21/2020	0	0.002152	0	0	0.2437	0.01823	0	0	0
1/22/2020	0	0.001937	0	0	0.2388	0.01786	0	0	0
1/23/2020	0	0.001743	0	0	0.234	0.01751	0	0	0
1/24/2020	0	0.001569	0	0	0.2293	0.01716	0	0	0
1/25/2020	0	0.001412	0	0	0.2248	0.01681	0	0	0
1/26/2020	0	0.001271	0	0	0.2203	0.01648	0	0	0
1/27/2020	0	0.001144	0	0	0.2159	0.01615	0	0	0
1/28/2020	0	0.001029	0	0	0.2115	0.01582	0	0	0
1/29/2020	0	0.0009263	0	0	0.2073	0.01551	0	0	0
1/30/2020	0	0.0008337	0	0	0.2032	0.0152	0	0.3708	0
1/31/2020	0	0.0007503	0	0	0.1991	0.01489	0	0.4741	0
2/1/2020	0	0.0006936	0	0	0.1951	0.009383	0	0	0
2/2/2020	0	0.0006243	0	0	0.1912	0.009195	0	0	0
2/3/2020	0	0.0005618	0	0	0.1874	0.009011	0	0	0
2/4/2020	0	0.0005056	0	0	0.1836	0.008831	0	0	0
2/5/2020	0	0.0004551	0	0	0.18	0.008654	0	0	0
2/6/2020	0	0.0004096	0	0	0.1764	0.008481	0	0	0
2/7/2020	0	0.0003686	0	0	0.1728	0.008311	0	0	0
2/8/2020	0	0.0003318	0	0	0.1694	0.008145	0	0	0
2/9/2020	0	0.0002986	0	0	0.166	0.007982	0	0	0
2/10/2020	0	0.0002687	0	0	0.1627	0.007823	0	0	0
2/11/2020	0	0.0002418	0	0	0.1594	0.007666	0	0	0
2/12/2020	0	0.0002177	0	0	0.1562	0.007513	0	0	0
2/13/2020	0	0.0001959	0	0	0.1531	0.007363	0	0	0
2/14/2020	0	0.0001763	0	0	0.1501	0.007215	0	0	0
2/15/2020	0	0.0001587	0	0	0.1471	0.007071	0	0	0
2/16/2020	0	0.0001428	0	0	0.1441	0.00693	0	0	0
2/17/2020	0	0.0001285	0	0	0.1412	0.006791	0	0	0
2/18/2020	0	0.0001157	0	0	0.1384	0.006655	0	0	0
2/19/2020	0	0.0001041	0	0	0.1356	0.006522	0	0	0
2/20/2020	0	9.37E-05	0	0	0.1329	0.006392	0	0	0
2/21/2020	0	8.43E-05	0	0	0.1303	0.006264	0	0	0
2/22/2020	0	7.59E-05	0	0	0.1277	0.006139	0	0	0
2/23/2020	0	6.83E-05	0	0	0.1251	0.006016	0	0	0
2/24/2020	0	6.15E-05	0	0	0.1226	0.005896	0	0	0
2/25/2020	0	5.53E-05	0	0	0.1202	0.005778	0	0	0
2/26/2020	0	4.98E-05	0	0	0.1177	0.005662	0	0	0
2/27/2020	0	4.48E-05	0	0	0.1154	0.005549	0	0	0
2/28/2020	0	4.03E-05	0	0	0.1131	0.005438	0	0	0

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
2/29/2020	0	3.63E-05	0	0	0.1108	0.005329	0	0.2675	0	
3/1/2020	0	3.32E-05	0	0	0.1086	0.002901	0	0	0	
3/2/2020	0	2.98E-05	0	0	0.1064	0.002843	0	0	0	
3/3/2020	0	2.69E-05	0	0	0.1043	0.002786	0	0	0	
3/4/2020	0	2.42E-05	0	0	0.1022	0.002731	0	0	0	
3/5/2020	0	2.18E-05	0	0	0.1002	0.002676	0	0	0	
3/6/2020	0	1.96E-05	0	0	0.09817	0.002623	0	0	0	
3/7/2020	0	1.76E-05	0	0	0.09621	0.00257	0	0	0	
3/8/2020	0	1.59E-05	0	0	0.09428	0.002519	0	0	0	
3/9/2020	0	1.43E-05	0	0	0.0924	0.002468	0	0	0	
3/10/2020	0	1.28E-05	0	0	0.09055	0.002419	0	0	0	
3/11/2020	0	1.16E-05	0	0	0.08874	0.002371	0	0	0	
3/12/2020	0	1.04E-05	0	0	0.08697	0.002323	0	0	0	
3/13/2020	0	9.36E-06	0	0	0.08523	0.002277	0	0	0	
3/14/2020	0	8.43E-06	0	0	0.08352	0.002231	0	0	0	
3/15/2020	0	7.58E-06	0	0	0.08185	0.002187	0	0.1766	0	
3/16/2020	0	6.83E-06	0	0	0.08021	0.002143	0	0	0	
3/17/2020	0	6.14E-06	0	0	0.07861	0.0021	0	0	0	
3/18/2020	0	5.53E-06	0	0	0.07704	0.002058	0	0	0	
3/19/2020	0	4.98E-06	0	0	0.0755	0.002017	0	0	0	
3/20/2020	0	4.48E-06	0	0	0.07399	0.001977	0	0	0	
3/21/2020	0	4.03E-06	0	0	0.07251	0.001937	0	0	0	
3/22/2020	0	3.63E-06	0	0	0.07106	0.001898	0	1.139	0	
3/23/2020	0	3.26E-06	0	0	0.06964	0.00186	0	0	0	
3/24/2020	0	2.94E-06	0	0	0.06824	0.001823	0	0	0	
3/25/2020	0	2.64E-06	0	0	0.06688	0.001787	0	0	0	
3/26/2020	0	2.38E-06	0	0	0.06554	0.001751	0	0	0	
3/27/2020	0	2.14E-06	0	0	0.06423	0.001716	0	0	0	
3/28/2020	0	1.93E-06	0	0	0.06295	0.001682	0	0	0	
3/29/2020	0	1.74E-06	0	0	0.06169	0.001648	0	0	0	
3/30/2020	0	1.56E-06	0	0	0.06045	0.001615	0	0	0	
3/31/2020	0	1.41E-06	0	0	0.05924	0.001583	0	0	0	
4/1/2020	0	1.29E-06	0	0	0.05667	0	0	0	0	
4/2/2020	0	1.16E-06	0	0	0.05554	0	0	1.993	0	
4/3/2020	0	1.04E-06	0	0	0.05443	0	0	1.714	0	
4/4/2020	0	9.39E-07	0	0	0.05334	0	0	1.685	0	
4/5/2020	0	8.45E-07	0	0	0.05227	0	0	2.164	0	
4/6/2020	0	7.61E-07	0	0	0.05122	0	0	0.997	0	
4/7/2020	0	6.85E-07	0	0	0.0502	0	0	0.6088	0	
4/8/2020	0	6.16E-07	0	0	0.0492	0	0	2.077	0	
4/9/2020	0	5.54E-07	0	0	0.04821	0	0	0.996	0	
4/10/2020	0	4.99E-07	0	0	0.04725	0	0	0.5142	0	
4/11/2020	0	4.49E-07	0	0	0.0463	0	0	0.25	0	
4/12/2020	0	4.04E-07	0	0	0.04538	0	0	0	0	
4/13/2020	0	3.64E-07	0	0	0.04447	0	0	0	0	
4/14/2020	0	3.27E-07	0	0	0.04358	0	0	0	0	
4/15/2020	0	2.95E-07	0	0	0.04271	0	0	0.04371	0	
4/16/2020	0	2.65E-07	0	0	0.04185	0	0	0	0	
4/17/2020	0	2.39E-07	0	0	0.04102	0	0	0	0	
4/18/2020	0	2.15E-07	0	0	0.0402	0	0	0	0	
4/19/2020	0	1.93E-07	0	0	0.03939	0	0	0	0	
4/20/2020	0	1.74E-07	0	0	0.03861	0	0	0	0	
4/21/2020	0	1.57E-07	0	0	0.03783	0	0	0	0	
4/22/2020	0	1.41E-07	0	0	0.03708	0	0	0.9725	0	
4/23/2020	0	1.27E-07	0	0	0.03633	0	0	3.903	0	
4/24/2020	0	1.14E-07	0	0	0.03561	0	0	2.038	0	
4/25/2020	0	1.03E-07	0	0	0.0349	0	0	1.508	0	
4/26/2020	0	9.25E-08	0	0	0.0342	0	0	2.972	0	
4/27/2020	0	8.32E-08	0	0	0.03351	0	0	0	0	
4/28/2020	0	7.49E-08	0	0	0.03284	0	0	0	0	
4/29/2020	0	6.74E-08	0	0	0.03219	0	0	4.95	0	
4/30/2020	0	6.07E-08	0	0	0.03154	0	0	7.465	0	
5/1/2020	0	5.53E-08	0	0	0.03031	0	0	4.569	0	
5/2/2020	0	4.98E-08	0	0	0.0297	0	0	2.496	0	
5/3/2020	0	4.48E-08	0	0	0.02911	0	0	5.669	0	
5/4/2020	0	4.03E-08	0	0	0.02852	0	0	8.727	0	
5/5/2020	0	3.63E-08	0	0	0.02795	0	0	3.728	0	
5/6/2020	0	3.27E-08	0	0	0.02739	0	0	4.709	0	
5/7/2020	0	2.94E-08	0	0	0.02685	0	0	6.524	0	
5/8/2020	0	2.64E-08	0	0	0.02631	0	0	5.454	0	
5/9/2020	0	2.38E-08	0	0	0.02578	0	0	3.484	0	
5/10/2020	0	2.14E-08	0	0	0.02527	0	0	3.414	0	
5/11/2020	0	1.93E-08	0	0	0.02476	0	0	5.409	0	
5/12/2020	0	1.74E-08	0	0	0.02427	0	0	5.494	0	
5/13/2020	0	1.56E-08	0	0	0.02378	0	0	4.492	0	
5/14/2020	0	1.41E-08	0	0	0.02331	0	0	4.211	0	
5/15/2020	0	1.27E-08	0	0	0.02284	0	0	5.348	0	
5/16/2020	0	1.14E-08	0	0	0.02238	0	0	9.422	0	
5/17/2020	0	1.02E-08	0	0	0.02194	0	0	10.61	0	
5/18/2020	0	9.22E-09	0	0	0.0215	0	0	8.338	0	
5/19/2020	0	8.30E-09	0	0	0.02107	0	0	8.329	0	
5/20/2020	0	7.47E-09	0	0	0.02065	0	0	8.519	0	
5/21/2020	0	6.72E-09	0	0	0.02023	0	0	8.178	0	
5/22/2020	0	6.05E-09	0	0	0.01983	0	0	7.742	0	
5/23/2020	0	5.44E-09	0	0	0.01943	0	0	9.743	0	
5/24/2020	0	4.90E-09	0	0	0.01904	0	0	9.48	0	
5/25/2020	0	4.41E-09	0	0	0.01866	0	0	9.807	0	
5/26/2020	0	3.97E-09	0	0	0.01829	0	0	6.775	0	
5/27/2020	0	3.57E-09	0	0	0.01792	0	0	6.934	0	
5/28/2020	0	3.22E-09	0	0	0.01756	0	0	9.967	0	
5/29/2020	0	2.89E-09	0	0	0.01721	0	0	9.191	0	
5/30/2020	0	2.60E-09	0	0	0.01687	0	0	9.949	0	
5/31/2020	0	2.34E-09	0	0	0.01653	0	0	9.973	0	
6/1/2020	0	2.15E-09	0	0	0.0158	0	0	9.25	0	
6/2/2020	0	1.94E-09	0	0	0.01548	0	0	9.346	0	
6/3/2020	2.797	1.74E-09	0	3.584	23.44	0	1.943	10.73	0	
6/4/2020	0	1.57E-09	0	0	0.01487	0	0	11.65	0	
6/5/2020	0	1.41E-09	0	0	0.01457	0	0	11.9	0	
6/6/2020	31.65	1.27E-09	0.56	40.54	515.2	0	21.98	12.58	0	
6/7/2020	5.038	0.224	0.56	6.496	1153	0	3.563	9.641	0	
6/8/2020	14.57	0.4256	0.56	19.04	265.7	0	10.68	12.94	0	
6/9/2020	11.79	0.607	0.56	15.46	361.7	0	8.725	13.51	0	
6/10/2020	36.23	0.7703	0.56	47.71	832.2	0	27.14	14.6	0	
6/11/2020	60.48	0.9173	0	80.64	2384	0	46.8	17.03	0	
6/12/2020	93.16	0.8256	0	129	2586	0	79.39	20.2	0	
6/13/2020	126.1	0.743	0	182.8	3693	0	119.8	23.75	0	

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
6/14/2020	77.54	0.6687	0	120.1	778.7	0	85.31	22.88	0	
6/15/2020	68	0.6018	0	107.5	603.5	0	78.2	22.67	0	
6/16/2020	49.1	0.5417	0	78.85	505	0	58.31	20.83	3150	
6/17/2020	90.14	0.4875	0	138	428.2	0	96.77	23.48	1200	
6/18/2020	79.82	0.4387	0	121.2	362.9	0	84.16	25.69	0	
6/19/2020	0	0.3949	0	0	306.7	0	0	28.88	0	
6/20/2020	0	0.3554	0	0	276.1	0	0	27.85	0	
6/21/2020	0	0.3198	0	0	260.8	0	0	27.77	0	
6/22/2020	0	0.2879	0	0	240.5	0	0	28.59	0	
6/23/2020	0	0.2591	0	0	220.7	0	0	33.53	0	
6/24/2020	4.992	0.2332	3.92	7.84	201.9	0	5.659	27.6	0	
6/25/2020	2.131	1.778	1.68	3.36	185.5	0	2.436	24.79	0	
6/26/2020	29.73	2.272	23.52	47.04	170.3	0	34.24	17.1	0	
6/27/2020	0	11.45	0	0	306.6	0	0	21.19	0	
6/28/2020	0	10.31	0	0	145.2	0	0	27.72	0	
6/29/2020	0	9.277	0	0	133	0	0	30.82	0	
6/30/2020	0	8.349	0	0	120.7	0	0	32.41	4200	
7/1/2020	0	7.624	0	0	106.8	0	0	32.06	0	
7/2/2020	0	6.862	0	0	95.92	0	0	29.26	0	
7/3/2020	0	6.176	0	0	86.12	0	0	27.45	0	
7/4/2020	0	5.558	0	0	77.21	0	0	24.69	0	
7/5/2020	0	5.002	0	0	19.78	0	0	24.94	0	
7/6/2020	0	4.502	0	0	19.38	0	0	22.64	0	
7/7/2020	28.41	4.052	22.23	42.56	18.99	0	29.08	23.47	2400	
7/8/2020	2.322	12.54	1.755	3.36	133.9	0	2.198	23.08	4350	
7/9/2020	2.482	11.99	1.755	3.36	18.24	0	1.998	21.56	0	
7/10/2020	0	11.49	0	0	17.88	0	0	25.4	0	
7/11/2020	0	10.34	0	0	17.52	0	0	25.77	0	
7/12/2020	0	9.307	0	0	17.17	0	0	22.37	0	
7/13/2020	0	8.376	0	0	16.82	0	0	18.81	0	
7/14/2020	2.481	7.539	1.755	3.36	16.49	0	1.999	19.49	0	
7/15/2020	2.48	7.487	1.755	3.36	16.16	0	2	18.57	0	
7/16/2020	34.71	7.44	24.57	47.04	15.84	0	28.01	24.75	0	
7/17/2020	2.475	16.52	1.755	3.36	145.1	0	2.007	20.82	0	
7/18/2020	0	15.57	0	0	15.21	0	0	25.52	0	
7/19/2020	0	14.02	0	0	14.9	0	0	24.5	0	
7/20/2020	0	12.61	0	0	14.61	0	0	26.22	0	
7/21/2020	0	11.35	0	0	14.31	0	0	26.3	0	
7/22/2020	0	10.22	0	0	14.03	0	0	23.68	0	
7/23/2020	0	9.196	0	0	13.75	0	0	24.8	0	
7/24/2020	2.469	8.277	1.755	3.36	13.47	0	2.014	22.51	0	
7/25/2020	2.468	8.151	1.755	3.36	13.2	0	2.015	18.35	0	
7/26/2020	0	8.038	0	0	12.94	0	0	17.35	0	
7/27/2020	0	7.234	0	0	12.68	0	0	21.77	0	
7/28/2020	0	6.511	0	0	12.43	0	0	22.22	0	
7/29/2020	2.468	5.86	1.755	3.36	12.18	0	2.015	20.61	0	
7/30/2020	2.468	5.976	1.755	3.36	11.93	0	2.015	24.69	0	
7/31/2020	0	6.08	0	0	11.7	0	0	17.46	0	
8/1/2020	0	5.527	0	0	11.16	0	0	23.3	0	
8/2/2020	0	4.974	0	0	10.94	0	0	23.66	0	
8/3/2020	0	4.477	0	0	10.72	0	0	24.38	0	
8/4/2020	0	4.029	0	0	10.51	0	0	24.47	0	
8/5/2020	4.115	3.626	3.025	5.6	10.29	0	3.357	24.2	0	
8/6/2020	0	4.474	0	0	10.09	0	0	23.25	0	
8/7/2020	0	4.026	0	0	9.887	0	0	18.14	0	
8/8/2020	2.469	3.624	1.815	3.36	9.69	0	2.014	17.86	0	
8/9/2020	24.69	3.987	18.15	33.6	9.496	0	20.14	14.32	0	
8/10/2020	2.465	10.85	1.815	3.36	90.08	0	2.018	16.08	0	
8/11/2020	0	10.49	0	0	9.12	0	0	18.64	0	
8/12/2020	0	9.441	0	0	8.937	0	0	20.58	0	
8/13/2020	2.462	8.497	1.815	3.36	8.759	0	2.023	15.41	0	
8/14/2020	26.26	8.373	19.36	35.84	8.583	0	21.58	14.62	0	
8/15/2020	0	15.28	0	0	99.1	0	0	18.6	0	
8/16/2020	17.99	13.75	13.31	24.64	8.244	0	14.91	18.53	0	
8/17/2020	2.451	17.7	1.815	3.36	42.12	0	2.037	18.01	0	
8/18/2020	0	16.66	0	0	7.917	0	0	13.31	0	
8/19/2020	0	14.99	0	0	7.759	0	0	16.02	0	
8/20/2020	97.11	13.49	72	133.3	7.604	0	80.92	11.24	0	
8/21/2020	25.95	40.94	19.36	35.84	550	0	21.97	14.23	0	
8/22/2020	0	44.59	0	0	146.3	0	0	10.82	0	
8/23/2020	0	40.13	0	0	11.59	0	0	15.63	0	
8/24/2020	0	36.12	0	0	11.5	0	0	16.02	0	
8/25/2020	0	32.51	0	0	12.69	0	0	16.01	5000	
8/26/2020	0	29.26	0	0	13.01	0	0	12.42	5000	
8/27/2020	2.704	26.33	1.815	3.36	12.75	0	1.72	9.355	5700	
8/28/2020	0	24.42	0	0	12.49	0	0	9.719	0	
8/29/2020	2.83	21.98	1.815	3.36	12.25	0	1.562	9.906	0	
8/30/2020	0	20.51	0	0	12	0	0	8.451	0	
8/31/2020	94.31	18.46	60.5	112	11.76	0	52.12	5.509	0	
9/1/2020	168.4	41.34	112.8	200.5	462.7	0	93.82	5.275	0	
9/2/2020	42.92	82.31	28.98	51.52	912.3	0	24.54	7.885	0	
9/3/2020	38.85	85.67	26.46	47.04	325.6	0	22.84	8.793	0	
9/4/2020	40.51	87.69	27.72	49.28	270.1	0	24.16	8.734	0	
9/5/2020	57.75	90.01	39.69	70.56	327	0	34.92	6.358	0	
9/6/2020	96.64	96.88	66.78	118.7	432.5	0	59.4	6.965	0	
9/7/2020	2.715	113.9	1.89	3.36	670.4	0	1.706	7.941	0	
9/8/2020	0	103.3	0	0	189.1	0	0	7.106	3075	
9/9/2020	36.84	92.95	25.2	44.8	164.3	0	21.95	6.727	0	
9/10/2020	11.01	93.73	7.56	13.44	287.6	0	6.633	7.274	0	
9/11/2020	0	87.38	0	0	169.4	0	0	6.499	0	
9/12/2020	0	78.64	0	0	129.5	0	0	7.016	0	
9/13/2020	60.12	70.78	41.58	73.92	124.8	0	37.06	7.744	0	
9/14/2020	2.723	80.33	1.89	3.36	394.9	0	1.696	5.927	0	
9/15/2020	33.46	73.06	23.31	41.44	116.6	0	21.08	6.56	0	
9/16/2020	38.78	75.07	27.09	48.16	262.8	0	24.62	6.037	0	
9/17/2020	0.8984	78.4	0.63	1.12	303	0	0.577	5.533	0	
9/18/2020	0.8955	70.81	0.63	1.12	117.9	0	0.5806	6.121	5628	
9/19/2020	0	63.99	0	0	112.2	0	0	6.495	0	
9/20/2020	0	57.59	0	0	110.5	0	0	6.48	0	
9/21/2020	2.804	51.83	1.89	3.36	106.8	0	1.595	4.078	0	
9/22/2020	2.8	47.4	1.89	3.36	101.7	0	1.6	4.731	0	
9/23/2020	2.797	43.42	1.89	3.36	95.95	0	1.604	4.769	0	
9/24/2020	0	39.83	0	0	89.81	0	0	5.971	0	
9/25/2020	2.791	35.85	1.89	3.36	82.97	0	1.611	3.402	0	
9/26/2020	0	33.02	0	0	76.76	0	0	3.043	0	
9/27/2020	0	29.72	0	0	71.08	0	0	4.837	0	

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
	m3	m3	m3	m3	m3	m3	m3	m3	m3	
9/28/2020	29.7	26.75	20.16	35.84	18.69	0	17.27	4.524	0	
9/29/2020	4.636	32.14	3.15	5.6	122.6	0	2.705	3.605	0	
9/30/2020	0.9259	30.18	0.63	1.12	17.95	0	0.5426	3.779	0	
10/1/2020	0	27.42	0	0	18.15	0	0	3.699	0	
10/2/2020	4.626	24.67	3.15	5.6	18.32	0	2.718	3.149	0	
10/3/2020	0.9247	23.47	0.63	1.12	18.35	0	0.5441	2.838	0	
10/4/2020	0.9244	21.37	0.63	1.12	18.22	0	0.5445	2.761	0	
10/5/2020	0	19.49	0	0	0.9024	0	0	2.61	0	
10/6/2020	0	17.54	0	0	0.8898	0	0	2.478	0	
10/7/2020	0	15.78	0	0	0.8775	0	0	2.443	0	
10/8/2020	0	14.21	0	0	0.8649	0	0	2.828	0	
10/9/2020	0	12.79	0	0	0.8519	0	0	2.609	0	
10/10/2020	0	11.51	0	0	0.8384	0	0	1.675	0	
10/11/2020	13.85	10.36	9.45	16.8	115.8	0	8.186	2.739	0	
10/12/2020	106	13.1	72.45	128.8	77.79	0	62.96	1.978	0	
10/13/2020	8.264	40.77	5.67	10.08	579.3	0	4.97	2.118	0	
10/14/2020	21	38.96	14.49	25.76	72.93	0	12.85	2.132	0	
10/15/2020	15.5	40.86	10.71	19.04	118.1	0	9.531	2.06	0	
10/16/2020	0.9098	41.06	0.63	1.12	143.5	0	0.5627	2.185	0	
10/17/2020	0.9084	37.21	0.63	1.12	68.85	0	0.5645	1.971	0	
10/18/2020	0	33.74	0	0	3.993	0	0	2.091	0	
10/19/2020	0	30.36	0	0	4.066	0	0	1.535	0	
10/20/2020	0	27.33	0	0	4.076	0	0	1.393	0	
10/21/2020	0	24.59	0	0	4.032	0	0	1.454	0	
10/22/2020	0	22.13	0	0	3.946	0	0	1.192	0	
10/23/2020	0	19.92	0	0	3.828	0	0	1.055	0	
10/24/2020	0	17.93	0	0	3.688	0	0	0.9595	0	
10/25/2020	0	16.14	0	0	3.532	0	0	0.9391	0	
10/26/2020	0	14.52	0	0	0.962	0	0	0.8561	0	
10/27/2020	0	13.07	0	0	0.9616	0	0	0.9433	0	
10/28/2020	0	11.76	0	0	0.9574	0	0	0.5361	0	
10/29/2020	0	10.59	0	0	0.9503	0	0	0.4754	0	
10/30/2020	0	9.528	0	0	0.9409	0	0	0.4599	0	
10/31/2020	0	8.575	0	0	0.9298	0	0	0.3186	0	
11/1/2020	0	7.718	0	0	0.9174	0	0	0.1065	0	
11/2/2020	0	6.946	0	0	0.904	0	0	0.09973	0	
11/3/2020	0	6.251	0	0	0.8899	0	0	0.5586	0	
11/4/2020	0	5.626	0	0	0.8753	0	0	0.7724	0	
11/5/2020	0	5.064	0	0	0.8603	0	0	0.3022	0	
11/6/2020	0	4.557	0	0	0.8451	0	0	0.1728	0	
11/7/2020	0	4.102	0	0	0.8298	0	0	0.4018	0	
11/8/2020	0	3.691	0	0	0.8145	0	0	0.107	0	
11/9/2020	0	3.322	0	0	0.7993	0	0	0.3028	0	
11/10/2020	0	2.99	0	0	0.7841	0	0	0.4006	0	
11/11/2020	0	2.691	0	0	0.7691	0	0	0	0	
11/12/2020	0	2.422	0	0	0.7542	0	0	0.009876	0	
11/13/2020	0	2.18	0	0	0.7396	0	0	0.3671	0	
11/14/2020	0	1.962	0	0	0.7251	0	0	0.04059	0	
11/15/2020	0	1.766	0	0	0.7109	0	0	0	0	
11/16/2020	0	1.589	0	0	0.6969	0	0	0.06385	0	
11/17/2020	0	1.43	0	0	0.6831	0	0	0.1266	0	
11/18/2020	0	1.287	0	0	0.6696	0	0	0.01397	0	
11/19/2020	0	1.158	0	0	0.6563	0	0	0.03262	0	
11/20/2020	0	1.043	0	0	0.6433	0	0	0	0	
11/21/2020	0	0.9383	0	0	0.6305	0	0	0	0	
11/22/2020	0	0.8445	0	0	0.6179	0	0	0	0	
11/23/2020	0	0.76	0	0	0.6056	0	0	0	0	
11/24/2020	0	0.684	0	0	0.5936	0	0	0	0	
11/25/2020	0	0.6156	0	0	0.5817	0	0	0.06378	0	
11/26/2020	0	0.5541	0	0	0.5701	0	0	0.1294	0	
11/27/2020	0	0.4987	0	0	0.5587	0	0	0	0	
11/28/2020	0	0.4488	0	0	0.5476	0	0	0	0	
11/29/2020	0	0.4039	0	0	0.5366	0	0	0.06903	0	
11/30/2020	0	0.3635	0	0	0.5259	0	0	0.1208	0	
12/1/2020	0	0.3272	0	0	0.5154	0	0	0.1551	0	
12/2/2020	0	0.2945	0	0	0.5051	0	0	0.1299	0	
12/3/2020	0	0.265	0	0	0.495	0	0	0.1497	0	
12/4/2020	0	0.2385	0	0	0.4851	0	0	0.1191	0	
12/5/2020	0	0.2147	0	0	0.4754	0	0	0.1669	0	
12/6/2020	0	0.1932	0	0	0.4659	0	0	0.1743	0	
12/7/2020	0	0.1739	0	0	0.4566	0	0	0.197	0	
12/8/2020	0	0.1565	0	0	0.4474	0	0	0.1903	0	
12/9/2020	0	0.1408	0	0	0.4385	0	0	0.1582	0	
12/10/2020	0	0.1268	0	0	0.4297	0	0	0	0	
12/11/2020	0	0.1141	0	0	0.4211	0	0	0	0	
12/12/2020	0	0.1027	0	0	0.4127	0	0	0	0	
12/13/2020	0	0.0924	0	0	0.4045	0	0	0	0	
12/14/2020	0	0.08316	0	0	0.3964	0	0	0	0	
12/15/2020	0	0.07485	0	0	0.3884	0	0	0	0	
12/16/2020	0	0.06736	0	0	0.3807	0	0	0	0	
12/17/2020	0	0.06063	0	0	0.3731	0	0	0	0	
12/18/2020	0	0.05456	0	0	0.3656	0	0	0	0	
12/19/2020	0	0.04911	0	0	0.3583	0	0	0	0	
12/20/2020	0	0.0442	0	0	0.3511	0	0	0	0	
12/21/2020	0	0.03978	0	0	0.3441	0	0	0	0	
12/22/2020	0	0.0358	0	0	0.3372	0	0	0	0	
12/23/2020	0	0.03222	0	0	0.3305	0	0	0	0	
12/24/2020	0	0.029	0	0	0.3239	0	0	0	0	
12/25/2020	0	0.0261	0	0	0.3174	0	0	0	0	
12/26/2020	0	0.02349	0	0	0.311	0	0	0	0	
12/27/2020	0	0.02114	0	0	0.3048	0	0	0	0	
12/28/2020	0	0.01902	0	0	0.2987	0	0	0	0	
12/29/2020	0	0.01712	0	0	0.2927	0	0	0	0	
12/30/2020	0	0.01541	0	0	0.2869	0	0	0	0	
12/31/2020	0	0.01387	0	0	0.2812	0	0	0	0	
1/1/2021	0	0.01278	0	0	0.2563	0	0	0	0	
1/2/2021	0	0.0115	0	0	0.2511	0	0	0	0	
1/3/2021	0	0.01035	0	0	0.2461	0	0	0	0	
1/4/2021	0	0.009318	0	0	0.2412	0	0	0	0	
1/5/2021	0	0.008386	0	0	0.2364	0	0	0	0	
1/6/2021	0	0.007548	0	0	0.2316	0	0	0	0	
1/7/2021	0	0.006793	0	0	0.227	0	0	0	0	
1/8/2021	0	0.006114	0	0	0.2225	0	0	0.1077	0	
1/9/2021	0	0.005502	0	0	0.218	0	0	0.01329	0	
1/10/2021	0	0.004952	0	0	0.2137	0	0	0	0	
1/11/2021	0	0.004457	0	0	0.2094	0	0	0	0	

Date	CP3 - Water Balance									
	Inflow							Outflow		
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
1/12/2021	0	0.004011	0	0	0.2052	0	0	0	0	
1/13/2021	0	0.00361	0	0	0.2011	0	0	0.03566	0	
1/14/2021	0	0.003249	0	0	0.1971	0	0	0.1256	0	
1/15/2021	0	0.002924	0	0	0.1931	0	0	0	0	
1/16/2021	0	0.002632	0	0	0.1893	0	0	0	0	
1/17/2021	0	0.002369	0	0	0.1855	0	0	0	0	
1/18/2021	0	0.002132	0	0	0.1818	0	0	0	0	
1/19/2021	0	0.001919	0	0	0.1781	0	0	0	0	
1/20/2021	0	0.001727	0	0	0.1746	0	0	0	0	
1/21/2021	0	0.001554	0	0	0.1711	0	0	0	0	
1/22/2021	0	0.001399	0	0	0.1677	0	0	0	0	
1/23/2021	0	0.001259	0	0	0.1643	0	0	0	0	
1/24/2021	0	0.001133	0	0	0.161	0	0	0	0	
1/25/2021	0	0.00102	0	0	0.1578	0	0	0	0	
1/26/2021	0	0.0009176	0	0	0.1547	0	0	0	0	
1/27/2021	0	0.0008259	0	0	0.1516	0	0	0.01459	0	
1/28/2021	0	0.0007433	0	0	0.1485	0	0	0	0	
1/29/2021	0	0.000669	0	0	0.1456	0	0	0	0	
1/30/2021	0	0.0006021	0	0	0.1426	0	0	0	0	
1/31/2021	0	0.0005419	0	0	0.1398	0	0	0.1004	0	
2/1/2021	0	0.0004877	0	0	0.137	0	0	0	0	
2/2/2021	0	0.0004389	0	0	0.1343	0	0	0	0	
2/3/2021	0	0.000395	0	0	0.1316	0	0	0	0	
2/4/2021	0	0.0003555	0	0	0.1289	0	0	0	0	
2/5/2021	0	0.00032	0	0	0.1264	0	0	0	0	
2/6/2021	0	0.000288	0	0	0.1238	0	0	0	0	
2/7/2021	0	0.0002592	0	0	0.1214	0	0	0	0	
2/8/2021	0	0.0002333	0	0	0.1189	0	0	0.9767	0	
2/9/2021	0	0.0002099	0	0	0.1166	0	0	0	0	
2/10/2021	0	0.0001889	0	0	0.1142	0	0	0	0	
2/11/2021	0	0.00017	0	0	0.1119	0	0	0	0	
2/12/2021	0	0.000153	0	0	0.1097	0	0	0.1259	0	
2/13/2021	0	0.0001377	0	0	0.1075	0	0	0	0	
2/14/2021	0	0.000124	0	0	0.1054	0	0	0	0	
2/15/2021	0	0.0001116	0	0	0.1032	0	0	0	0	
2/16/2021	0	0.0001004	0	0	0.1012	0	0	0	0	
2/17/2021	0	9.04E-05	0	0	0.09916	0	0	0	0	
2/18/2021	0	8.13E-05	0	0	0.09717	0	0	0	0	
2/19/2021	0	7.32E-05	0	0	0.09523	0	0	0	0	
2/20/2021	0	6.59E-05	0	0	0.09333	0	0	0	0	
2/21/2021	0	5.93E-05	0	0	0.09146	0	0	0.1019	0	
2/22/2021	0	5.34E-05	0	0	0.08963	0	0	0	0	
2/23/2021	0	4.80E-05	0	0	0.08784	0	0	0	0	
2/24/2021	0	4.32E-05	0	0	0.08608	0	0	0	0	
2/25/2021	0	3.89E-05	0	0	0.08436	0	0	0	0	
2/26/2021	0	3.50E-05	0	0	0.08267	0	0	0	0	
2/27/2021	0	3.15E-05	0	0	0.08102	0	0	0	0	
2/28/2021	0	2.84E-05	0	0	0.0794	0	0	0	0	
3/1/2021	0	2.55E-05	0	0	0.07781	0	0	0	0	
3/2/2021	0	2.30E-05	0	0	0.07625	0	0	0	0	
3/3/2021	0	2.07E-05	0	0	0.07473	0	0	0	0	
3/4/2021	0	1.86E-05	0	0	0.07323	0	0	0	0	
3/5/2021	0	1.68E-05	0	0	0.07177	0	0	0	0	
3/6/2021	0	1.51E-05	0	0	0.07033	0	0	0	0	
3/7/2021	0	1.36E-05	0	0	0.06893	0	0	0	0	
3/8/2021	0	1.22E-05	0	0	0.06755	0	0	1.098	0	
3/9/2021	0	1.10E-05	0	0	0.0662	0	0	0	0	
3/10/2021	0	9.89E-06	0	0	0.06487	0	0	0	0	
3/11/2021	0	8.90E-06	0	0	0.06358	0	0	0	0	
3/12/2021	0	8.01E-06	0	0	0.06231	0	0	0	0	
3/13/2021	0	7.21E-06	0	0	0.06106	0	0	0	0	
3/14/2021	0	6.49E-06	0	0	0.05984	0	0	0	0	
3/15/2021	0	5.84E-06	0	0	0.05864	0	0	0	0	
3/16/2021	0	5.26E-06	0	0	0.05747	0	0	0	0	
3/17/2021	0	4.73E-06	0	0	0.05632	0	0	0	0	
3/18/2021	0	4.26E-06	0	0	0.05519	0	0	0	0	
3/19/2021	0	3.83E-06	0	0	0.05409	0	0	0	0	
3/20/2021	0	3.45E-06	0	0	0.05301	0	0	0.6433	0	
3/21/2021	0	3.10E-06	0	0	0.05195	0	0	0.5578	0	
3/22/2021	0	2.79E-06	0	0	0.05091	0	0	0.9355	0	
3/23/2021	0	2.51E-06	0	0	0.04989	0	0	0	0	
3/24/2021	0	2.26E-06	0	0	0.04889	0	0	0	0	
3/25/2021	0	2.04E-06	0	0	0.04791	0	0	0	0	
3/26/2021	0	1.83E-06	0	0	0.04696	0	0	0	0	
3/27/2021	0	1.65E-06	0	0	0.04602	0	0	0	0	
3/28/2021	0	1.48E-06	0	0	0.0451	0	0	0	0	
3/29/2021	0	1.34E-06	0	0	0.04419	0	0	0	0	
3/30/2021	0	1.20E-06	0	0	0.04331	0	0	0	0	
3/31/2021	0	1.08E-06	0	0	0.04244	0	0	0	0	
4/1/2021	0	9.74E-07	0	0	0.0416	0	0	0	0	
4/2/2021	0	8.76E-07	0	0	0.04076	0	0	0	0	
4/3/2021	0	7.89E-07	0	0	0.03995	0	0	0.6108	0	
4/4/2021	0	7.10E-07	0	0	0.03915	0	0	2.009	0	
4/5/2021	0	6.39E-07	0	0	0.03837	0	0	0.06962	0	
4/6/2021	0	5.75E-07	0	0	0.0376	0	0	0.773	0	
4/7/2021	0	5.18E-07	0	0	0.03685	0	0	2.908	0	
4/8/2021	0	4.66E-07	0	0	0.03611	0	0	2.368	0	
4/9/2021	0	4.19E-07	0	0	0.03539	0	0	1.659	0	
4/10/2021	0	3.77E-07	0	0	0.03468	0	0	4.13	0	
4/11/2021	0	3.40E-07	0	0	0.03399	0	0	3.282	0	
4/12/2021	0	3.06E-07	0	0	0.03331	0	0	0	0	
4/13/2021	0	2.75E-07	0	0	0.03264	0	0	0	0	
4/14/2021	0	2.48E-07	0	0	0.03199	0	0	0	0	
4/15/2021	0	2.23E-07	0	0	0.03135	0	0	2.544	0	
4/16/2021	0	2.01E-07	0	0	0.03072	0	0	3.402	0	
4/17/2021	0	1.80E-07	0	0	0.03011	0	0	3.594	0	
4/18/2021	0	1.62E-07	0	0	0.0295	0	0	0.8852	0	
4/19/2021	0	1.46E-07	0	0	0.02891	0	0	0.0884	0	
4/20/2021	0	1.32E-07	0	0	0.02834	0	0	0	0	
4/21/2021	0	1.18E-07	0	0	0.02777	0	0	2.323	0	
4/22/2021	0	1.07E-07	0	0	0.02721	0	0	3.509	0	
4/23/2021	0	9.59E-08	0	0	0.02667	0	0	1.886	0	
4/24/2021	0	8.63E-08	0	0	0.02614	0	0	0	0	
4/25/2021	0	7.77E-08	0	0	0.02561	0	0	0	0	
4/26/2021	0	6.99E-08	0	0	0.0251	0	0	0.7652	0	
4/27/2021	0	6.29E-08	0	0	0.0246	0	0	1.97	0	

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
4/28/2021	0	5.66E-08	0	0	0.02411	0	0	6.512	0	
4/29/2021	0	5.10E-08	0	0	0.02363	0	0	2.93	0	
4/30/2021	0	4.59E-08	0	0	0.02315	0	0	3.13	0	
5/1/2021	0	4.13E-08	0	0	0.02269	0	0	2.629	0	
5/2/2021	0	3.72E-08	0	0	0.02224	0	0	7.256	0	
5/3/2021	0	3.34E-08	0	0	0.02179	0	0	9.32	0	
5/4/2021	0	3.01E-08	0	0	0.02136	0	0	9.447	0	
5/5/2021	21.55	2.71E-08	13.21	26.66	31.22	0	13.53	9.235	0	
5/6/2021	0	5.282	0	0	99.1	0	0	8.624	0	
5/7/2021	0	4.754	0	0	0.0201	0	0	7.817	0	
5/8/2021	0	4.278	0	0	0.05162	0	0	7.096	0	
5/9/2021	0	3.851	0	0	0.08217	0	0	6.948	0	
5/10/2021	0	3.466	0	0	0.1088	0	0	8.105	0	
5/11/2021	0	3.119	0	0	0.1308	0	0	8.597	0	
5/12/2021	0	2.807	0	0	0.1483	0	0	8.708	0	
5/13/2021	0	2.526	0	0	0.1617	0	0	4.85	0	
5/14/2021	0	2.274	0	0	0.1718	0	0	5.111	0	
5/15/2021	0	2.046	0	0	0.1792	0	0	1.708	0	
5/16/2021	0	1.842	0	0	0.1842	0	0	3.932	0	
5/17/2021	0	1.658	0	0	0.1875	0	0	4.175	0	
5/18/2021	0	1.492	0	0	0.1893	0	0	3.467	0	
5/19/2021	0	1.343	0	0	0.19	0	0	4.509	0	
5/20/2021	0	1.208	0	0	0.1898	0	0	3.869	0	
5/21/2021	0	1.088	0	0	0.1889	0	0	5.943	0	
5/22/2021	0	0.9788	0	0	0.1874	0	0	6.314	0	
5/23/2021	0	0.8809	0	0	0.1854	0	0	5.718	0	
5/24/2021	0	0.7928	0	0	0.1832	0	0	8.07	0	
5/25/2021	0	0.7135	0	0	0.1807	0	0	8.093	0	
5/26/2021	0	0.6422	0	0	0.178	0	0	8.004	0	
5/27/2021	0	0.578	0	0	0.1752	0	0	7.364	0	
5/28/2021	0	0.5202	0	0	0.1723	0	0	9.955	0	
5/29/2021	20.99	0.4681	13.9	25.98	21.25	0	13.21	11.45	0	
5/30/2021	20.25	5.981	5.56	25.09	171.3	0	12.77	11.09	0	
5/31/2021	21.29	7.607	15.29	26.43	224.4	0	13.51	11.13	0	
6/1/2021	0	12.96	0	0	95.19	0	0	10.46	2400	
6/2/2021	0	11.67	0	0	0.2161	0	0	11.11	2400	
6/3/2021	14.41	10.5	0.695	17.25	96.12	0	8.167	10.96	2400	
6/4/2021	18.27	9.728	0	21.5	329.4	0	9.806	10.99	2400	
6/5/2021	15.45	8.755	0	17.92	451.6	0	7.891	10.64	2400	
6/6/2021	26.63	7.879	0	30.46	540.9	0	12.95	10.18	0	
6/7/2021	0	7.091	0	0	716	0	0	9.503	0	
6/8/2021	24.82	6.382	0	28.67	384.5	0	12.49	10.43	0	
6/9/2021	38.66	5.744	0	44.8	1133	0	19.68	11.12	0	
6/10/2021	33.71	5.17	0	39.42	1330	0	17.7	11.17	0	
6/11/2021	62.2	4.653	0	73.47	1310	0	33.77	12.71	0	
6/12/2021	120.1	4.187	0	143.4	2282	0	67.53	19.16	0	
6/13/2021	130.8	3.769	0	159.5	4325	0	78.56	16.93	0	
6/14/2021	148.1	3.392	0	188.2	3624	0	100.5	20.38	0	
6/15/2021	110.4	3.053	0	146.9	1057	0	85.04	20.84	2400	
6/16/2021	73.66	2.747	0	96.77	858.3	0	54.8	16.31	2400	
6/17/2021	102.5	2.473	0	132.6	735.9	0	73.15	18.39	2400	
6/18/2021	117	2.225	1.39	149.2	635.3	0	80.14	18.9	0	
6/19/2021	103.7	2.559	2.78	133.5	553.2	0	73.06	17.03	0	
6/20/2021	45.82	3.415	1.39	59.58	487.7	0	33.16	15.16	0	
6/21/2021	58.84	3.629	0	77.06	432.8	0	43.41	15.89	0	
6/22/2021	77.44	3.267	0	102.1	393.8	0	58.24	16.64	0	
6/23/2021	88.94	2.94	0	118.3	371.1	0	68.34	17.78	0	
6/24/2021	127.6	2.646	47.26	171.1	346.9	0	100.2	17.29	0	
6/25/2021	98.14	21.29	51.43	133.1	573	0	79.29	16.23	0	
6/26/2021	56.01	39.73	0	77.06	614.4	0	46.95	17.6	0	
6/27/2021	93.8	35.76	0	130.8	279.6	0	81.31	20.91	0	
6/28/2021	100.5	32.18	0	141.6	265.6	0	89.29	20.05	0	
6/29/2021	58.72	28.96	0	83.55	249.2	0	53.41	21.68	0	
6/30/2021	0	26.07	0	0	229.8	0	0	26.97	0	
7/1/2021	0	23.46	0	0	211	0	0	21.64	0	
7/2/2021	13.98	21.11	12.51	20.16	194.1	0	13.12	23.22	0	
7/3/2021	14.7	24.01	13.21	21.28	186.4	0	13.92	22.54	0	
7/4/2021	47.04	26.89	42.4	68.32	202.5	0	44.91	21.32	0	
7/5/2021	0	41.16	0	0	393.4	0	0	20.77	0	
7/6/2021	0	37.04	0	0	140.7	0	0	22.6	0	
7/7/2021	0	33.34	0	0	132.6	0	0	25.08	0	
7/8/2021	8.342	30	7.645	12.32	121	0	8.273	24.8	0	
7/9/2021	0	30.06	0	0	110.6	0	0	26.27	0	
7/10/2021	0	27.05	0	0	100.6	0	0	23.96	0	
7/11/2021	0	24.35	0	0	91.28	0	0	27.8	0	
7/12/2021	0	21.91	0	0	82.22	0	0	25.47	0	
7/13/2021	12.78	19.72	11.81	19.04	74.03	0	12.92	23.9	0	
7/14/2021	0	22.48	0	0	70.41	0	0	24.32	0	
7/15/2021	0	20.23	0	0	17.36	0	0	43.42	0	
7/16/2021	3.749	18.21	3.475	5.6	17.01	0	3.814	26.97	0	
7/17/2021	131.9	17.78	122.3	197.1	16.67	0	134.3	20.27	0	
7/18/2021	0	64.93	0	0	783.6	0	0	22.45	0	
7/19/2021	0	58.43	0	0	40.62	0	0	24.38	0	
7/20/2021	0	52.59	0	0	65.63	0	0	28.79	0	
7/21/2021	0	47.33	0	0	66.08	0	0	27.02	0	
7/22/2021	0	42.6	0	0	17.2	0	0	25.56	0	
7/23/2021	0	38.34	0	0	16.85	0	0	25.8	0	
7/24/2021	182.7	34.5	174.4	281.1	16.51	0	198.3	22.46	0	
7/25/2021	27.2	100.8	26.41	42.56	1140	0	30.6	22.54	0	
7/26/2021	19.53	101.3	19.46	31.36	255.4	0	23.19	22.24	0	
7/27/2021	0	98.97	0	0	209.2	0	0	21.4	0	
7/28/2021	0	89.07	0	0	106.1	0	0	21.55	0	
7/29/2021	0	80.16	0	0	83.48	0	0	22.23	0	
7/30/2021	13.01	72.15	13.21	21.28	83.34	0	16.03	21.95	0	
7/31/2021	3.412	70.21	3.475	5.6	98.3	0	4.235	21.8	0	
8/1/2021	0	64.58	0	0	75.02	0	0	21.93	0	
8/2/2021	27.84	58.12	28.5	45.92	68.5	0	34.9	22.61	3260	
8/3/2021	4.309	63.71	4.17	6.72	140.4	0	4.813	21.05	0	
8/4/2021	19.31	59.01	18.77	30.24	17.41	0	21.76	21.48	0	
8/5/2021	1.426	60.61	1.39	2.24	88.99	0	1.617	19.98	4500	
8/6/2021	0	55.11	0	0	16.73	0	0	17.58	4500	
8/7/2021	0	49.6	0	0	16.4	0	0	16.21	5400	
8/8/2021	0	44.64	0	0	16.07	0	0	15.55	5400	
8/9/2021	42.42	40.17	31.97	51.52	15.75	0	25.18	13.68	0	
8/10/2021	0	48.94	0	0	163.5	0	0	12.95	0	
8/11/2021	0	44.05	0	0	15.13	0	0	13.06	0	

Date	CP3 - Water Balance								
	Inflow						Outflow		
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3	
8/12/2021	223.2	39.64	168.9	272.2	14.82	0	134.1	11.35	0
8/13/2021	92.07	103.2	70.19	113.1	1107	0	56.61	9.945	0
8/14/2021	31.5	121	24.32	39.2	564.1	0	20.12	13.26	0
8/15/2021	10.73	118.6	8.34	13.44	242.5	0	6.989	13.51	0
8/16/2021	102.5	110.1	79.92	128.8	158.4	0	67.41	13.12	0
8/17/2021	0	131.1	0	0	624.8	0	0	12.91	0
8/18/2021	1.758	117.9	1.39	2.24	156.5	0	1.202	11.96	0
8/19/2021	9.644	106.7	7.645	12.32	130.7	0	6.645	12.72	0
8/20/2021	0	99.1	0	0	107.5	0	0	12.9	0
8/21/2021	0	89.19	0	0	106.5	0	0	11.37	0
8/22/2021	6.095	80.27	4.865	7.84	103.3	0	4.281	12.09	0
8/23/2021	158.1	74.19	126.5	203.8	98.09	0	111.7	11.66	0
8/24/2021	0	117.4	0	0	901.2	0	0	12.2	0
8/25/2021	0	105.6	0	0	117.2	0	0	13.68	3120
8/26/2021	0	95.07	0	0	97	0	0	13.14	5720
8/27/2021	0	85.56	0	0	90.62	0	0	14.53	5720
8/28/2021	0	77	0	0	88.28	0	0	12.88	3120
8/29/2021	0	69.3	0	0	81.95	0	0	12.46	1560
8/30/2021	0	62.37	0	0	74.29	0	0	8.931	0
8/31/2021	0	56.14	0	0	67.65	0	0	7.857	0
9/1/2021	31.87	50.52	22.24	35.84	17.62	0	14.57	8.175	0
9/2/2021	0.9943	54.37	0.695	1.12	105.2	0	0.4571	8.483	0
9/3/2021	13.9	49.21	9.73	15.68	16.92	0	6.424	7.512	0
9/4/2021	20.83	48.18	14.6	23.52	27.55	0	9.663	6.851	0
9/5/2021	7.924	49.2	5.56	8.96	79.15	0	3.695	7.649	0
9/6/2021	0	46.5	0	0	17.25	0	0	7.009	0
9/7/2021	1.977	41.85	1.39	2.24	16.13	0	0.929	6.909	0
9/8/2021	3.951	38.22	2.78	4.48	15.8	0	1.861	7.091	0
9/9/2021	6.911	35.51	4.865	7.84	15.49	0	3.261	6.584	0
9/10/2021	7.893	33.91	5.56	8.96	15.18	0	3.734	6.728	0
9/11/2021	0	32.74	0	0	14.87	0	0	6.446	0
9/12/2021	49.28	29.47	34.75	56	14.58	0	23.4	5.938	0
9/13/2021	0	40.42	0	0	195.5	0	0	5.433	0
9/14/2021	111.9	36.38	79.23	127.7	14	0	53.89	5.907	0
9/15/2021	79.26	64.43	56.3	90.72	509.2	0	38.62	6.169	0
9/16/2021	2.918	80.51	2.085	3.36	397.2	0	1.453	6.005	0
9/17/2021	1.938	73.29	1.39	2.24	55.43	0	0.9769	5.798	0
9/18/2021	13.56	66.52	9.73	15.68	87.08	0	6.854	5.62	0
9/19/2021	20.31	63.76	14.6	23.52	92.77	0	10.32	5.294	0
9/20/2021	0.9654	63.22	0.695	1.12	143.5	0	0.4932	4.472	0
9/21/2021	1.928	57.18	1.39	2.24	77	0	0.9901	4.346	3120
9/22/2021	0.9863	52.01	0.695	1.12	77.35	0	0.4671	4.131	5720
9/23/2021	0	47.09	0	0	76.31	0	0	3.464	190
9/24/2021	0	42.38	0	0	74.06	0	0	3.567	0
9/25/2021	87.95	38.14	59.08	95.2	70.67	0	34.57	3.765	0
9/26/2021	3.094	57.96	2.085	3.36	415.8	0	1.233	3.666	1130
9/27/2021	0	53	0	0	17.69	0	0	3.1	0
9/28/2021	0	47.7	0	0	66.44	0	0	3.397	2300
9/29/2021	0	42.93	0	0	66.38	0	0	2.689	1680
9/30/2021	7.01	38.64	4.17	6.72	18.58	0	1.438	1.772	1200
10/1/2021	48.32	36.44	27.8	44.8	66.06	0	7.603	1.651	2000
10/2/2021	7.248	43.92	4.17	6.72	163.6	0	1.14	1.464	0
10/3/2021	9.489	41.19	5.56	8.96	21.06	0	1.738	1.464	0
10/4/2021	18.83	39.3	11.12	17.92	26.4	0	3.668	1.535	380
10/5/2021	226.2	39.82	130.7	210.6	112.5	0	36.81	1.516	1230
10/6/2021	10.87	88.1	6.255	10.08	886.6	0	1.711	1.289	2580
10/7/2021	2.416	81.79	1.39	2.24	176.9	0	0.3801	1.172	1250
10/8/2021	89.39	74.17	51.43	82.88	119.3	0	14.06	1.142	1250
10/9/2021	6.04	87.32	3.475	5.6	419.2	0	0.9503	1.284	0
10/10/2021	0	79.98	0	0	134.9	0	0	1.613	0
10/11/2021	0	71.98	0	0	116.1	0	0	1.915	0
10/12/2021	44.86	64.78	27.8	44.8	101.9	0	11.92	1.66	0
10/13/2021	69.45	69.43	43.78	70.56	234.7	0	20.29	1.583	0
10/14/2021	0	80	0	0	357.9	0	0	1.69	0
10/15/2021	0	72	0	0	142.8	0	0	1.562	0
10/16/2021	21.22	64.8	13.9	22.4	108.9	0	7.479	1.761	0
10/17/2021	42.26	63.88	27.8	44.8	151.6	0	15.17	1.462	0
10/18/2021	4.205	68.61	2.78	4.48	267.3	0	1.544	1.719	0
10/19/2021	0	62.86	0	0	106.8	0	0	1.666	0
10/20/2021	0	56.57	0	0	5.094	0	0	1.331	0
10/21/2021	0	50.92	0	0	5.079	0	0	1.201	725
10/22/2021	0	45.83	0	0	5.01	0	0	1.002	2175
10/23/2021	0	41.24	0	0	4.897	0	0	0.7696	2175
10/24/2021	0	37.12	0	0	4.747	0	0	0.5224	2175
10/25/2021	0	33.41	0	0	4.571	0	0	0.5669	0
10/26/2021	0	30.07	0	0	4.377	0	0	0.5173	0
10/27/2021	1.201	27.06	0.695	1.12	463.5	0	0.1986	0.6704	0
10/28/2021	67.89	24.63	41.01	66.08	340.7	0	15.44	0.7508	0
10/29/2021	0	38.57	0	0	305.8	0	0	0.6808	0
10/30/2021	17.42	34.71	11.12	17.92	17.25	0	5.421	0.795	0
10/31/2021	0	35.69	0	0	45.78	0	0	0.8357	0
11/1/2021	0	32.12	0	0	3.52	0	0	0.5995	0
11/2/2021	0	28.91	0	0	3.526	0	0	0.4379	0
11/3/2021	0	26.02	0	0	3.499	0	0	0.4459	0
11/4/2021	0	23.42	0	0	3.441	0	0	0.4993	0
11/5/2021	0	21.07	0	0	3.354	0	0	0.5902	0
11/6/2021	0	18.97	0	0	0.9271	0	0	0.6029	0
11/7/2021	0	17.07	0	0	3.281	0	0	0.565	0
11/8/2021	0	15.36	0	0	0.8954	0	0	0.6414	0
11/9/2021	0	13.83	0	0	0.8963	0	0	0.4948	0
11/10/2021	0	12.44	0	0	0.8934	0	0	0.417	0
11/11/2021	0	11.2	0	0	0.8877	0	0	0.1089	0
11/12/2021	0	10.08	0	0	0.8796	0	0	0.05015	0
11/13/2021	0	9.072	0	0	0.8698	0	0	0	0
11/14/2021	0	8.165	0	0	0.8586	0	0	0.01409	0
11/15/2021	0	7.348	0	0	0.8464	0	0	0.2637	0
11/16/2021	0	6.613	0	0	0.8334	0	0	0.3398	0
11/17/2021	0	5.952	0	0	0.8199	0	0	0.232	0
11/18/2021	0	5.357	0	0	0.8061	0	0	0.06226	0
11/19/2021	0	4.821	0	0	0.792	0	0	0	0
11/20/2021	0	4.339	0	0	0.7778	0	0	0.01605	0
11/21/2021	0	3.905	0	0	0.7635	0	0	0.2116	0
11/22/2021	0	3.515	0	0	0.7493	0	0	0.118	0
11/23/2021	0	3.163	0	0	0.7352	0	0	0	0
11/24/2021	0	2.847	0	0	0.7211	0	0	0	0
11/25/2021	0	2.562	0	0	0.7072	0	0	0	0

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
11/26/2021	0	2.306	0	0	0.6935	0	0	0.03023	0	
11/27/2021	0	2.075	0	0	0.68	0	0	0	0	
11/28/2021	0	1.868	0	0	0.6667	0	0	0.145	0	
11/29/2021	0	1.681	0	0	0.6535	0	0	0.1033	0	
11/30/2021	0	1.513	0	0	0.6406	0	0	0	0	
12/1/2021	0	1.362	0	0	0.628	0	0	0.01998	0	
12/2/2021	0	1.225	0	0	0.6155	0	0	0	0	
12/3/2021	0	1.103	0	0	0.6033	0	0	0	0	
12/4/2021	0	0.9926	0	0	0.5913	0	0	0	0	
12/5/2021	0	0.8934	0	0	0.5795	0	0	0	0	
12/6/2021	0	0.804	0	0	0.568	0	0	0	0	
12/7/2021	0	0.7236	0	0	0.5567	0	0	0	0	
12/8/2021	0	0.6513	0	0	0.5456	0	0	0	0	
12/9/2021	0	0.5861	0	0	0.5347	0	0	0	0	
12/10/2021	0	0.5275	0	0	0.524	0	0	0.05267	0	
12/11/2021	0	0.4748	0	0	0.5135	0	0	0.09774	0	
12/12/2021	0	0.4273	0	0	0.5033	0	0	0.07146	0	
12/13/2021	0	0.3846	0	0	0.4932	0	0	0.03826	0	
12/14/2021	0	0.3461	0	0	0.4834	0	0	0	0	
12/15/2021	0	0.3115	0	0	0.4737	0	0	0	0	
12/16/2021	0	0.2804	0	0	0.4642	0	0	0	0	
12/17/2021	0	0.2523	0	0	0.455	0	0	0	0	
12/18/2021	0	0.2271	0	0	0.4459	0	0	0	0	
12/19/2021	0	0.2044	0	0	0.4369	0	0	0	0	
12/20/2021	0	0.1839	0	0	0.4282	0	0	0	0	
12/21/2021	0	0.1655	0	0	0.4196	0	0	0	0	
12/22/2021	0	0.149	0	0	0.4113	0	0	0	0	
12/23/2021	0	0.1341	0	0	0.403	0	0	0	0	
12/24/2021	0	0.1207	0	0	0.395	0	0	0	0	
12/25/2021	0	0.1086	0	0	0.3871	0	0	0	0	
12/26/2021	0	0.09775	0	0	0.3793	0	0	0	0	
12/27/2021	0	0.08798	0	0	0.3717	0	0	0.03964	0	
12/28/2021	0	0.07918	0	0	0.3643	0	0	0	0	
12/29/2021	0	0.07126	0	0	0.357	0	0	0	0	
12/30/2021	0	0.06414	0	0	0.3499	0	0	0	0	
12/31/2021	0	0.05772	0	0	0.3429	0	0	0	0	
1/1/2022	0	0.05195	0	0	0.336	0	0	0	0	
1/2/2022	0	0.04675	0	0	0.3293	0	0	0	0	
1/3/2022	0	0.04208	0	0	0.3227	0	0	0	0	
1/4/2022	0	0.03787	0	0	0.3163	0	0	0	0	
1/5/2022	0	0.03408	0	0	0.3099	0	0	0	0	
1/6/2022	0	0.03068	0	0	0.3037	0	0	0	0	
1/7/2022	0	0.02761	0	0	0.2977	0	0	0	0	
1/8/2022	0	0.02485	0	0	0.2917	0	0	0	0	
1/9/2022	0	0.02236	0	0	0.2859	0	0	0	0	
1/10/2022	0	0.02013	0	0	0.2802	0	0	0	0	
1/11/2022	0	0.01811	0	0	0.2746	0	0	0	0	
1/12/2022	0	0.0163	0	0	0.2691	0	0	0	0	
1/13/2022	0	0.01467	0	0	0.2637	0	0	0	0	
1/14/2022	0	0.0132	0	0	0.2584	0	0	0	0	
1/15/2022	0	0.01188	0	0	0.2532	0	0	0	0	
1/16/2022	0	0.0107	0	0	0.2482	0	0	0	0	
1/17/2022	0	0.009626	0	0	0.2432	0	0	0	0	
1/18/2022	0	0.008664	0	0	0.2384	0	0	0	0	
1/19/2022	0	0.007797	0	0	0.2336	0	0	0.002192	0	
1/20/2022	0	0.007018	0	0	0.2289	0	0	0.07095	0	
1/21/2022	0	0.006316	0	0	0.2243	0	0	0	0	
1/22/2022	0	0.005684	0	0	0.2199	0	0	0	0	
1/23/2022	0	0.005116	0	0	0.2155	0	0	0	0	
1/24/2022	0	0.004604	0	0	0.2111	0	0	0	0	
1/25/2022	0	0.004144	0	0	0.2069	0	0	0	0	
1/26/2022	0	0.003729	0	0	0.2028	0	0	0	0	
1/27/2022	0	0.003357	0	0	0.1987	0	0	0	0	
1/28/2022	0	0.003021	0	0	0.1948	0	0	0	0	
1/29/2022	0	0.002719	0	0	0.1909	0	0	0	0	
1/30/2022	0	0.002447	0	0	0.187	0	0	0	0	
1/31/2022	0	0.002202	0	0	0.1833	0	0	0	0	
2/1/2022	0	0.001982	0	0	0.1796	0	0	0	0	
2/2/2022	0	0.001784	0	0	0.176	0	0	0	0	
2/3/2022	0	0.001605	0	0	0.1725	0	0	0	0	
2/4/2022	0	0.001445	0	0	0.1691	0	0	0	0	
2/5/2022	0	0.0013	0	0	0.1657	0	0	0	0	
2/6/2022	0	0.00117	0	0	0.1624	0	0	0	0	
2/7/2022	0	0.001053	0	0	0.1591	0	0	0	0	
2/8/2022	0	0.000948	0	0	0.1559	0	0	0	0	
2/9/2022	0	0.0008532	0	0	0.1528	0	0	0	0	
2/10/2022	0	0.0007679	0	0	0.1498	0	0	0	0	
2/11/2022	0	0.0006911	0	0	0.1468	0	0	0	0	
2/12/2022	0	0.000622	0	0	0.1438	0	0	0	0	
2/13/2022	0	0.0005598	0	0	0.141	0	0	0	0	
2/14/2022	0	0.0005038	0	0	0.1381	0	0	0	0	
2/15/2022	0	0.0004534	0	0	0.1354	0	0	0	0	
2/16/2022	0	0.0004081	0	0	0.1327	0	0	0	0	
2/17/2022	0	0.0003673	0	0	0.13	0	0	0	0	
2/18/2022	0	0.0003305	0	0	0.1274	0	0	0	0	
2/19/2022	0	0.0002975	0	0	0.1249	0	0	0	0	
2/20/2022	0	0.0002677	0	0	0.1224	0	0	0	0	
2/21/2022	0	0.000241	0	0	0.1199	0	0	0	0	
2/22/2022	0	0.0002169	0	0	0.1175	0	0	0	0	
2/23/2022	0	0.0001952	0	0	0.1152	0	0	0	0	
2/24/2022	0	0.0001757	0	0	0.1129	0	0	0	0	
2/25/2022	0	0.0001581	0	0	0.1106	0	0	0	0	
2/26/2022	0	0.0001423	0	0	0.1084	0	0	0	0	
2/27/2022	0	0.0001281	0	0	0.1062	0	0	0	0	
2/28/2022	0	0.0001153	0	0	0.1041	0	0	0	0	
3/1/2022	0	0.0001037	0	0	0.102	0	0	0	0	
3/2/2022	0	9.34E-05	0	0	0.09999	0	0	0	0	
3/3/2022	0	8.40E-05	0	0	0.09799	0	0	0	0	
3/4/2022	0	7.56E-05	0	0	0.09603	0	0	0	0	
3/5/2022	0	6.81E-05	0	0	0.09411	0	0	0	0	
3/6/2022	0	6.13E-05	0	0	0.09222	0	0	0	0	
3/7/2022	0	5.51E-05	0	0	0.09038	0	0	0	0	
3/8/2022	0	4.96E-05	0	0	0.08857	0	0	0	0	
3/9/2022	0	4.47E-05	0	0	0.0868	0	0	0	0	
3/10/2022	0	4.02E-05	0	0	0.08507	0	0	0	0	
3/11/2022	0	3.62E-05	0	0	0.08336	0	0	0	0	

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
3/12/2022	0	3.26E-05	0	0	0.0817	0	0	0	0	
3/13/2022	0	2.93E-05	0	0	0.08006	0	0	0	0	
3/14/2022	0	2.64E-05	0	0	0.07846	0	0	0	0	
3/15/2022	0	2.37E-05	0	0	0.07689	0	0	0	0	
3/16/2022	0	2.14E-05	0	0	0.07535	0	0	0	0	
3/17/2022	0	1.92E-05	0	0	0.07385	0	0	0	0	
3/18/2022	0	1.73E-05	0	0	0.07237	0	0	0	0	
3/19/2022	0	1.56E-05	0	0	0.07092	0	0	0	0	
3/20/2022	0	1.40E-05	0	0	0.0695	0	0	0	0	
3/21/2022	0	1.26E-05	0	0	0.06811	0	0	0	0	
3/22/2022	0	1.14E-05	0	0	0.06675	0	0	0	0	
3/23/2022	0	1.02E-05	0	0	0.06542	0	0	0.9448	0	
3/24/2022	0	9.19E-06	0	0	0.06411	0	0	2.359	0	
3/25/2022	0	8.27E-06	0	0	0.06283	0	0	1.382	0	
3/26/2022	0	7.45E-06	0	0	0.06157	0	0	0.4077	0	
3/27/2022	0	6.70E-06	0	0	0.06034	0	0	0	0	
3/28/2022	0	6.03E-06	0	0	0.05913	0	0	0	0	
3/29/2022	0	5.43E-06	0	0	0.05795	0	0	0	0	
3/30/2022	0	4.89E-06	0	0	0.05679	0	0	0	0	
3/31/2022	0	4.40E-06	0	0	0.05565	0	0	0	0	
4/1/2022	0	3.96E-06	0	0	0.05454	0	0	1.039	0	
4/2/2022	0	3.56E-06	0	0	0.05345	0	0	1.592	0	
4/3/2022	0	3.21E-06	0	0	0.05238	0	0	0	0	
4/4/2022	0	2.89E-06	0	0	0.05133	0	0	0	0	
4/5/2022	0	2.60E-06	0	0	0.05031	0	0	0	0	
4/6/2022	0	2.34E-06	0	0	0.0493	0	0	0	0	
4/7/2022	0	2.10E-06	0	0	0.04832	0	0	0	0	
4/8/2022	0	1.89E-06	0	0	0.04735	0	0	0	0	
4/9/2022	0	1.70E-06	0	0	0.0464	0	0	0	0	
4/10/2022	0	1.53E-06	0	0	0.04547	0	0	0	0	
4/11/2022	0	1.38E-06	0	0	0.04456	0	0	0	0	
4/12/2022	0	1.24E-06	0	0	0.04367	0	0	0	0	
4/13/2022	0	1.12E-06	0	0	0.0428	0	0	0	0	
4/14/2022	0	1.01E-06	0	0	0.04194	0	0	0.491	0	
4/15/2022	0	9.05E-07	0	0	0.0411	0	0	1.785	0	
4/16/2022	0	8.15E-07	0	0	0.04028	0	0	1.718	0	
4/17/2022	0	7.33E-07	0	0	0.03948	0	0	1.2	0	
4/18/2022	0	6.60E-07	0	0	0.03869	0	0	0.8002	0	
4/19/2022	0	5.94E-07	0	0	0.03791	0	0	0.6023	0	
4/20/2022	0	5.35E-07	0	0	0.03716	0	0	0	0	
4/21/2022	0	4.81E-07	0	0	0.03641	0	0	0	0	
4/22/2022	0	4.33E-07	0	0	0.03568	0	0	0	0	
4/23/2022	0	3.90E-07	0	0	0.03497	0	0	0	0	
4/24/2022	0	3.51E-07	0	0	0.03427	0	0	0	0	
4/25/2022	0	3.16E-07	0	0	0.03359	0	0	0	0	
4/26/2022	0	2.84E-07	0	0	0.03291	0	0	0	0	
4/27/2022	0	2.56E-07	0	0	0.03226	0	0	0	0	
4/28/2022	0	2.30E-07	0	0	0.03161	0	0	1.109	0	
4/29/2022	0	2.07E-07	0	0	0.03098	0	0	0	0	
4/30/2022	0	1.86E-07	0	0	0.03036	0	0	0	0	
5/1/2022	0	1.68E-07	0	0	0.02975	0	0	0.818	0	
5/2/2022	0	1.51E-07	0	0	0.02916	0	0	2.968	0	
5/3/2022	0	1.36E-07	0	0	0.02857	0	0	3.609	0	
5/4/2022	0	1.22E-07	0	0	0.028	0	0	4.064	0	
5/5/2022	0	1.10E-07	0	0	0.02744	0	0	1.946	0	
5/6/2022	0	9.91E-08	0	0	0.02689	0	0	3.484	0	
5/7/2022	0	8.92E-08	0	0	0.02636	0	0	3.519	0	
5/8/2022	0	8.02E-08	0	0	0.02583	0	0	3.461	0	
5/9/2022	0	7.22E-08	0	0	0.02531	0	0	5.219	0	
5/10/2022	0	6.50E-08	0	0	0.02481	0	0	6.027	0	
5/11/2022	0	5.85E-08	0	0	0.02431	0	0	5.882	0	
5/12/2022	0	5.26E-08	0	0	0.02382	0	0	5.847	0	
5/13/2022	0	4.74E-08	0	0	0.02335	0	0	5.329	0	
5/14/2022	0	4.26E-08	0	0	0.02288	0	0	6.069	0	
5/15/2022	16.77	3.84E-08	4.219	17.55	62.43	0	5.671	4.78	0	
5/16/2022	18.44	1.687	3.107	19.34	195.1	0	6.313	5.82	0	
5/17/2022	48.69	2.761	21.29	51.33	276.6	0	17.05	6.132	0	
5/18/2022	3.376	11	0	3.584	361.4	0	1.22	7.052	0	
5/19/2022	0	9.9	0	0	23.56	0	0	6.936	0	
5/20/2022	0	8.91	0	0	0.2034	0	0	7.134	0	
5/21/2022	13.92	8.019	3.107	14.86	58.97	0	5.16	7.44	0	
5/22/2022	25.63	8.46	3.107	27.41	279.4	0	9.556	8.052	0	
5/23/2022	32.21	8.857	5.894	34.59	633.8	0	12.23	7.889	0	
5/24/2022	41.79	10.33	19.15	45.2	638	0	16.38	7.621	0	
5/25/2022	45.17	16.96	27.74	49.18	384.3	0	18.18	7.978	0	
5/26/2022	8.06	26.36	2.134	8.815	311.8	0	3.304	8.413	0	
5/27/2022	18.13	24.57	10.67	19.88	126.8	0	7.518	7.721	0	
5/28/2022	10.95	26.38	6.352	12.03	116.3	0	4.572	7.691	0	
5/29/2022	37.15	26.29	13.68	40.87	209.6	0	15.6	8.581	0	
5/30/2022	52.23	29.13	5.178	57.62	984.8	0	22.18	9.846	0	
5/31/2022	68.98	28.29	2.085	76.83	1517	0	30.4	10.95	0	
6/1/2022	75.27	26.29	0	85.12	2210	0	35.11	11.27	250	
6/2/2022	63.8	23.67	0	73.47	489.2	0	31.77	12.62	250	
6/3/2022	32.47	21.3	6.596	37.51	353.7	0	16.34	10.12	250	
6/4/2022	41.05	21.81	0	47.49	298.6	0	20.76	11.35	250	
6/5/2022	43.49	19.63	2.342	50.37	254.2	0	22.09	11.23	250	
6/6/2022	57	18.6	2.085	66.08	216.5	0	29.05	11.89	250	
6/7/2022	73.73	17.57	2.085	85.55	187.1	0	37.69	12.89	250	
6/8/2022	68.02	16.65	49.03	79	180	0	34.89	11.21	250	
6/9/2022	14.78	34.6	10.67	17.19	438	0	7.616	11.84	250	
6/10/2022	0	35.4	0	0	197	0	0	12.02	250	
6/11/2022	0	31.86	0	0	152.6	0	0	11.98	250	
6/12/2022	0	28.68	0	0	144.7	0	0	11.17	250	
6/13/2022	0	25.81	0	0	133.6	0	0	11.1	250	
6/14/2022	2.89	23.23	2.085	3.36	122.6	0	1.488	12.2	250	
6/15/2022	5.216	21.74	3.76	6.059	112.5	0	2.677	12.9	250	
6/16/2022	2.895	21.07	2.085	3.36	103.1	0	1.482	12.3	250	
6/17/2022	2.897	19.8	2.085	3.36	94.3	0	1.478	13.11	250	
6/18/2022	2.9	18.65	2.085	3.36	85.98	0	1.475	13.53	250	
6/19/2022	2.903	17.62	2.085	3.36	78.18	0	1.471	13.3	250	
6/20/2022	2.907	16.69	2.085	3.36	70.95	0	1.467	13.52	250	
6/21/2022	2.91	15.86	2.085	3.36	64.34	0	1.462	15.75	250	
6/22/2022	0	15.11	0	0	17.97	0	0	13.25	250	
6/23/2022	0	13.59	0	0	17.62	0	0	11.99	250	
6/24/2022	0	12.24	0	0	17.26	0	0	13.15	250	
6/25/2022	0	11.01	0	0	16.92	0	0	12.85	250	

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
6/26/2022	0	9.91	0	0	16.58	0	0	13.24	250	
6/27/2022	0	8.919	0	0	16.25	0	0	16.44	250	
6/28/2022	0	8.027	0	0	15.92	0	0	19.88	250	
6/29/2022	0	7.225	0	0	15.6	0	0	31.51	250	
6/30/2022	0	6.502	0	0	15.29	0	0	53.54	250	
7/1/2022	0	5.852	0	0	14.99	0	0	13.5	500	
7/2/2022	0	5.267	0	0	14.69	0	0	13.46	500	
7/3/2022	0	4.74	0	0	14.39	0	0	22.17	500	
7/4/2022	0	4.266	0	0	14.11	0	0	17.42	500	
7/5/2022	0	3.839	0	0	13.82	0	0	12.55	500	
7/6/2022	3.033	3.456	2.085	3.36	13.55	0	1.309	12.71	500	
7/7/2022	309.9	3.944	212.2	341.9	13.28	0	131.6	12.61	500	
7/8/2022	104.5	88.42	71.81	115.7	13.95	0	45.09	13.15	500	
7/9/2022	5.41	108.3	3.76	6.059	599.7	0	2.435	13.59	500	
7/10/2022	0	98.98	0	0	118.1	0	0	13.51	500	
7/11/2022	0	89.08	0	0	133.5	0	0	13.59	500	
7/12/2022	3.009	80.17	2.085	3.36	99.76	0	1.339	14.35	500	
7/13/2022	0	72.99	0	0	92.06	0	0	14.43	500	
7/14/2022	0	65.69	0	0	88.98	0	0	14.26	500	
7/15/2022	0	59.12	0	0	81.03	0	0	20.4	500	
7/16/2022	0	53.21	0	0	71.96	0	0	14.04	500	
7/17/2022	0	47.89	0	0	18.44	0	0	14.71	500	
7/18/2022	0	43.1	0	0	18.07	0	0	16.57	500	
7/19/2022	0	38.79	0	0	17.71	0	0	14.22	500	
7/20/2022	0	34.91	0	0	17.36	0	0	13.68	500	
7/21/2022	3.102	31.42	2.085	3.36	17.01	0	1.223	13.59	500	
7/22/2022	43.74	29.11	29.28	47.19	16.67	0	16.95	11.87	500	
7/23/2022	80.02	37.91	53.38	86.03	141.6	0	30.55	11.27	500	
7/24/2022	9.896	55.47	6.596	10.63	336.8	0	3.763	10.64	500	
7/25/2022	340	52.57	226.4	364.8	24.62	0	128.7	11.26	500	
7/26/2022	11.95	137.9	8.013	12.91	1521	0	4.658	11.42	500	
7/27/2022	0	127.3	0	0	204.6	0	0	13.36	500	
7/28/2022	26.53	114.5	17.94	28.91	158.1	0	10.71	11.52	500	
7/29/2022	3.469	110.3	2.342	3.774	174	0	1.393	10.26	500	
7/30/2022	0	100.2	0	0	110	0	0	10.55	500	
7/31/2022	0	90.16	0	0	100.5	0	0	11.02	500	
8/1/2022	0	81.14	0	0	97.72	0	0	11.9	500	
8/2/2022	0	73.03	0	0	90.3	0	0	13.98	500	
8/3/2022	0	65.72	0	0	81.44	0	0	11.93	500	
8/4/2022	0	59.15	0	0	73.54	0	0	11.49	500	
8/5/2022	3.165	53.24	2.085	3.36	66.24	0	1.143	10.72	500	
8/6/2022	3.186	48.75	2.085	3.36	17.08	0	1.118	9.066	500	
8/7/2022	0	44.71	0	0	16.74	0	0	9.059	500	
8/8/2022	103.8	40.24	66.14	106.6	16.4	0	32.1	8.422	500	
8/9/2022	375.5	62.67	237.7	383.1	398.9	0	112	8.249	500	
8/10/2022	64.19	151.5	42.04	67.75	1616	0	22.59	7.516	500	
8/11/2022	3.12	153.1	2.085	3.36	474.6	0	1.2	6.883	500	
8/12/2022	5.619	138.7	3.76	6.059	209	0	2.173	8.658	500	
8/13/2022	5.628	126.3	3.76	6.059	173.8	0	2.163	9.571	500	
8/14/2022	0	115.2	0	0	143.8	0	0	11.39	500	
8/15/2022	0	103.7	0	0	115.6	0	0	9.419	500	
8/16/2022	3.149	93.3	2.085	3.36	113.6	0	1.164	9.042	500	
8/17/2022	0	84.8	0	0	108.8	0	0	11.37	500	
8/18/2022	0	76.32	0	0	99.77	0	0	9.342	500	
8/19/2022	0	68.69	0	0	90.98	0	0	8.248	500	
8/20/2022	111.2	61.82	71.81	115.7	82.98	0	36.7	7.275	500	
8/21/2022	3.629	84.36	2.342	3.774	502.1	0	1.193	7.264	500	
8/22/2022	0	76.86	0	0	70.07	0	0	6.868	500	
8/23/2022	32.54	69.18	20.77	33.48	70.62	0	10.14	6.43	500	
8/24/2022	17.22	70.57	10.85	17.48	146.4	0	5.012	6.44	500	
8/25/2022	3.355	67.85	2.085	3.36	100.9	0	0.9058	5.393	500	
8/26/2022	3.433	61.9	2.085	3.36	18.2	0	0.8093	4.985	500	
8/27/2022	8.841	56.54	5.178	8.344	18.49	0	1.614	3.908	500	
8/28/2022	38.57	52.96	22.19	35.76	18.36	0	6.069	3.157	500	
8/29/2022	3.624	56.54	2.085	3.36	118	0	0.5702	3.057	500	
8/30/2022	16.39	51.72	9.431	15.2	17.63	0	2.579	3.034	500	
8/31/2022	3.624	50.32	2.085	3.36	32.87	0	0.5702	2.812	500	
9/1/2022	3.624	46.12	2.085	3.36	17.45	0	0.5702	2.833	500	
9/2/2022	4.071	42.35	2.342	3.774	17.15	0	0.6405	2.864	500	
9/3/2022	15.7	39.05	9.035	14.56	16.81	0	2.471	2.753	500	
9/4/2022	10.77	38.76	6.199	9.99	20.92	0	1.695	2.829	500	
9/5/2022	5.4	37.36	3.107	5.006	20.83	0	0.8496	2.774	500	
9/6/2022	4.071	34.87	2.342	3.774	15.82	0	0.6405	2.571	500	
9/7/2022	0	32.32	0	0	15.5	0	0	2.437	500	
9/8/2022	77.31	29.09	44.48	71.68	15.19	0	12.16	2.342	500	
9/9/2022	5.846	43.97	3.364	5.421	261	0	0.9199	2.39	500	
9/10/2022	1.776	40.92	1.022	1.646	14.59	0	0.2794	2.206	500	
9/11/2022	51.83	37.23	29.82	48.06	15.37	0	8.156	1.789	500	
9/12/2022	21.37	45.44	12.29	19.81	173.2	0	3.362	1.956	500	
9/13/2022	0	45.81	0	0	73.27	0	0	2.177	500	
9/14/2022	1.776	41.23	1.022	1.646	17.09	0	0.2794	1.957	500	
9/15/2022	10.24	37.52	5.894	9.498	17.98	0	1.612	2.158	500	
9/16/2022	0	36.12	0	0	0.9252	0	0	1.773	500	
9/17/2022	0	32.51	0	0	0.9335	0	0	1.65	500	
9/18/2022	0	29.26	0	0	3.301	0	0	1.651	500	
9/19/2022	8.999	26.33	5.178	8.344	96.43	0	1.416	1.652	500	
9/20/2022	0	25.77	0	0	40.43	0	0	1.875	500	
9/21/2022	11.46	23.19	6.596	10.63	18.04	0	1.804	1.872	500	
9/22/2022	1.776	23.51	1.022	1.646	17.92	0	0.2794	1.657	500	
9/23/2022	7.332	21.57	4.219	6.798	17.66	0	1.154	1.591	500	
9/24/2022	0	21.1	0	0	0.8711	0	0	1.509	500	
9/25/2022	0	18.99	0	0	0.8559	0	0	1.394	500	
9/26/2022	0	17.09	0	0	0.8474	0	0	1.217	500	
9/27/2022	0	15.38	0	0	0.8406	0	0	1.195	500	
9/28/2022	0	13.84	0	0	0.8337	0	0	1.238	500	
9/29/2022	0	12.46	0	0	0.8258	0	0	1.095	500	
9/30/2022	164	11.21	86.75	152.1	112.7	0	25.81	1.157	500	
10/1/2022	0	44.79	0	0	667.1	0	0	1.165	250	
10/2/2022	0	40.31	0	0	29.29	0	0	1.066	250	
10/3/2022	0	36.28	0	0	14.04	0	0	1.246	250	
10/4/2022	0	32.65	0	0	5.051	0	0	1.087	250	
10/5/2022	0	29.39	0	0	3.762	0	0	0.8837	250	
10/6/2022	0	26.45	0	0	3.805	0	0	0.6805	250	
10/7/2022	0	23.8	0	0	3.789	0	0	0.4766	250	
10/8/2022	0	21.42	0	0	3.726	0	0	0.6264	250	
10/9/2022	0	19.28	0	0	3.628	0	0	0.6356	250	

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
	m3	m3	m3	m3	m3	m3	m3	m3	m3	
10/10/2022	0	17.35	0	0	3.505	0	0	0.6555	250	
10/11/2022	0	15.62	0	0	3.364	0	0	0.7489	250	
10/12/2022	0	14.06	0	0	0.918	0	0	0.7471	250	
10/13/2022	0	12.65	0	0	0.9189	0	0	0.7658	250	
10/14/2022	0	11.39	0	0	0.9159	0	0	0.6167	250	
10/15/2022	0	10.25	0	0	0.9099	0	0	0.626	250	
10/16/2022	0	9.222	0	0	0.9016	0	0	0.6198	250	
10/17/2022	0	8.3	0	0	0.8915	0	0	0.5558	250	
10/18/2022	0	7.47	0	0	0.88	0	0	0.4816	250	
10/19/2022	0	6.723	0	0	0.8674	0	0	0.3472	250	
10/20/2022	0	6.051	0	0	0.8541	0	0	0.2572	250	
10/21/2022	0	5.446	0	0	0.8403	0	0	0.3295	250	
10/22/2022	0	4.901	0	0	0.8261	0	0	0.2699	250	
10/23/2022	0	4.411	0	0	0.8116	0	0	0.2054	250	
10/24/2022	0	3.97	0	0	0.797	0	0	0.391	250	
10/25/2022	0	3.573	0	0	0.7824	0	0	0.4891	250	
10/26/2022	0	3.216	0	0	0.7678	0	0	0.2779	250	
10/27/2022	0	2.894	0	0	0.7533	0	0	0.35	250	
10/28/2022	0	2.605	0	0	0.7389	0	0	0.247	250	
10/29/2022	0	2.344	0	0	0.7247	0	0	0	250	
10/30/2022	0	2.11	0	0	0.7106	0	0	0.2381	250	
10/31/2022	0	1.899	0	0	0.6968	0	0	0.1621	250	
11/1/2022	0	1.709	0	0	0.6831	0	0	0	0	
11/2/2022	0	1.538	0	0	0.6697	0	0	0	0	
11/3/2022	0	1.384	0	0	0.6565	0	0	0	0	
11/4/2022	0	1.246	0	0	0.6435	0	0	0.0181	0	
11/5/2022	0	1.121	0	0	0.6307	0	0	0.02619	0	
11/6/2022	0	1.009	0	0	0.6182	0	0	0	0	
11/7/2022	0	0.9082	0	0	0.6059	0	0	0	0	
11/8/2022	0	0.8174	0	0	0.5938	0	0	0	0	
11/9/2022	0	0.7356	0	0	0.582	0	0	0	0	
11/10/2022	0	0.6621	0	0	0.5704	0	0	0	0	
11/11/2022	0	0.5959	0	0	0.559	0	0	0	0	
11/12/2022	0	0.5363	0	0	0.5479	0	0	0.01625	0	
11/13/2022	0	0.4827	0	0	0.5369	0	0	0	0	
11/14/2022	0	0.4344	0	0	0.5262	0	0	0.06632	0	
11/15/2022	0	0.3909	0	0	0.5157	0	0	0.1161	0	
11/16/2022	0	0.3519	0	0	0.5054	0	0	0.1389	0	
11/17/2022	0	0.3167	0	0	0.4953	0	0	0	0	
11/18/2022	0	0.285	0	0	0.4854	0	0	0	0	
11/19/2022	0	0.2565	0	0	0.4757	0	0	0	0	
11/20/2022	0	0.2309	0	0	0.4662	0	0	0	0	
11/21/2022	0	0.2078	0	0	0.4569	0	0	0	0	
11/22/2022	0	0.187	0	0	0.4477	0	0	0	0	
11/23/2022	0	0.1683	0	0	0.4388	0	0	0	0	
11/24/2022	0	0.1515	0	0	0.43	0	0	0.025	0	
11/25/2022	0	0.1363	0	0	0.4214	0	0	0	0	
11/26/2022	0	0.1227	0	0	0.413	0	0	0.08381	0	
11/27/2022	0	0.1104	0	0	0.4047	0	0	0	0	
11/28/2022	0	0.09937	0	0	0.3966	0	0	0	0	
11/29/2022	0	0.08944	0	0	0.3887	0	0	0	0	
11/30/2022	0	0.08049	0	0	0.3809	0	0	0.03188	0	
12/1/2022	0	0.07244	0	0	0.3733	0	0	0.01224	0	
12/2/2022	0	0.0652	0	0	0.3658	0	0	0	0	
12/3/2022	0	0.05868	0	0	0.3585	0	0	0	0	
12/4/2022	0	0.05281	0	0	0.3513	0	0	0	0	
12/5/2022	0	0.04753	0	0	0.3443	0	0	0	0	
12/6/2022	0	0.04278	0	0	0.3374	0	0	0.01008	0	
12/7/2022	0	0.0385	0	0	0.3307	0	0	0.01411	0	
12/8/2022	0	0.03465	0	0	0.3241	0	0	0	0	
12/9/2022	0	0.03118	0	0	0.3176	0	0	0	0	
12/10/2022	0	0.02807	0	0	0.3112	0	0	0	0	
12/11/2022	0	0.02526	0	0	0.305	0	0	0	0	
12/12/2022	0	0.02273	0	0	0.2989	0	0	0	0	
12/13/2022	0	0.02046	0	0	0.2929	0	0	0	0	
12/14/2022	0	0.01841	0	0	0.2871	0	0	0	0	
12/15/2022	0	0.01657	0	0	0.2813	0	0	0.02002	0	
12/16/2022	0	0.01492	0	0	0.2757	0	0	0	0	
12/17/2022	0	0.01342	0	0	0.2702	0	0	0.01344	0	
12/18/2022	0	0.01208	0	0	0.2648	0	0	0	0	
12/19/2022	0	0.01087	0	0	0.2595	0	0	0	0	
12/20/2022	0	0.009786	0	0	0.2543	0	0	0	0	
12/21/2022	0	0.008807	0	0	0.2492	0	0	0	0	
12/22/2022	0	0.007927	0	0	0.2442	0	0	0	0	
12/23/2022	0	0.007134	0	0	0.2393	0	0	0	0	
12/24/2022	0	0.006421	0	0	0.2346	0	0	0	0	
12/25/2022	0	0.005779	0	0	0.2299	0	0	0	0	
12/26/2022	0	0.005201	0	0	0.2253	0	0	0	0	
12/27/2022	0	0.004681	0	0	0.2208	0	0	0	0	
12/28/2022	0	0.004213	0	0	0.2164	0	0	0	0	
12/29/2022	0	0.003791	0	0	0.212	0	0	0	0	
12/30/2022	0	0.003412	0	0	0.2078	0	0	0	0	
12/31/2022	0	0.003071	0	0	0.2036	0	0	0	0	
1/1/2023	0	0.002988	0	0	0.1061	0	0	0	0	
1/2/2023	0	0.002689	0	0	0.104	0	0	0	0	
1/3/2023	0	0.00242	0	0	0.1019	0	0	0	0	
1/4/2023	0	0.002178	0	0	0.09988	0	0	0	0	
1/5/2023	0	0.00196	0	0	0.09788	0	0	0	0	
1/6/2023	0	0.001764	0	0	0.09593	0	0	0	0	
1/7/2023	0	0.001588	0	0	0.09401	0	0	0	0	
1/8/2023	0	0.001429	0	0	0.09213	0	0	0	0	
1/9/2023	0	0.001286	0	0	0.09029	0	0	0	0	
1/10/2023	0	0.001158	0	0	0.08848	0	0	0	0	
1/11/2023	0	0.001042	0	0	0.08671	0	0	0	0	
1/12/2023	0	0.0009376	0	0	0.08498	0	0	0	0	
1/13/2023	0	0.0008438	0	0	0.08328	0	0	0	0	
1/14/2023	0	0.0007594	0	0	0.08161	0	0	0	0	
1/15/2023	0	0.0006835	0	0	0.07998	0	0	0	0	
1/16/2023	0	0.0006151	0	0	0.07838	0	0	0	0	
1/17/2023	0	0.0005536	0	0	0.07681	0	0	0	0	
1/18/2023	0	0.0004983	0	0	0.07528	0	0	0	0	
1/19/2023	0	0.0004484	0	0	0.07377	0	0	0.001175	0	
1/20/2023	0	0.0004036	0	0	0.07229	0	0	0.03802	0	
1/21/2023	0	0.0003632	0	0	0.07085	0	0	0	0	
1/22/2023	0	0.0003269	0	0	0.06943	0	0	0	0	
1/23/2023	0	0.0002942	0	0	0.06804	0	0	0	0	

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
1/24/2023	0	0.0002648	0	0	0.06668	0	0	0	0	
1/25/2023	0	0.0002383	0	0	0.06535	0	0	0	0	
1/26/2023	0	0.0002145	0	0	0.06404	0	0	0	0	
1/27/2023	0	0.000193	0	0	0.06276	0	0	0	0	
1/28/2023	0	0.0001737	0	0	0.06151	0	0	0	0	
1/29/2023	0	0.0001564	0	0	0.06028	0	0	0	0	
1/30/2023	0	0.0001407	0	0	0.05907	0	0	0	0	
1/31/2023	0	0.0001267	0	0	0.05789	0	0	0	0	
2/1/2023	0	0.000114	0	0	0.05673	0	0	0	0	
2/2/2023	0	0.0001026	0	0	0.0556	0	0	0	0	
2/3/2023	0	9.23E-05	0	0	0.05448	0	0	0	0	
2/4/2023	0	8.31E-05	0	0	0.05339	0	0	0	0	
2/5/2023	0	7.48E-05	0	0	0.05233	0	0	0	0	
2/6/2023	0	6.73E-05	0	0	0.05128	0	0	0	0	
2/7/2023	0	6.06E-05	0	0	0.05025	0	0	0	0	
2/8/2023	0	5.45E-05	0	0	0.04925	0	0	0	0	
2/9/2023	0	4.91E-05	0	0	0.04826	0	0	0	0	
2/10/2023	0	4.42E-05	0	0	0.0473	0	0	0	0	
2/11/2023	0	3.98E-05	0	0	0.04635	0	0	0	0	
2/12/2023	0	3.58E-05	0	0	0.04543	0	0	0	0	
2/13/2023	0	3.22E-05	0	0	0.04452	0	0	0	0	
2/14/2023	0	2.90E-05	0	0	0.04363	0	0	0	0	
2/15/2023	0	2.61E-05	0	0	0.04275	0	0	0	0	
2/16/2023	0	2.35E-05	0	0	0.0419	0	0	0	0	
2/17/2023	0	2.11E-05	0	0	0.04106	0	0	0	0	
2/18/2023	0	1.90E-05	0	0	0.04024	0	0	0	0	
2/19/2023	0	1.71E-05	0	0	0.03944	0	0	0	0	
2/20/2023	0	1.54E-05	0	0	0.03865	0	0	0	0	
2/21/2023	0	1.39E-05	0	0	0.03787	0	0	0	0	
2/22/2023	0	1.25E-05	0	0	0.03712	0	0	0	0	
2/23/2023	0	1.12E-05	0	0	0.03637	0	0	0	0	
2/24/2023	0	1.01E-05	0	0	0.03565	0	0	0	0	
2/25/2023	0	9.09E-06	0	0	0.03493	0	0	0	0	
2/26/2023	0	8.18E-06	0	0	0.03423	0	0	0	0	
2/27/2023	0	7.37E-06	0	0	0.03355	0	0	0	0	
2/28/2023	0	6.63E-06	0	0	0.03288	0	0	0	0	
3/1/2023	0	5.97E-06	0	0	0.03222	0	0	0	0	
3/2/2023	0	5.37E-06	0	0	0.03158	0	0	0	0	
3/3/2023	0	4.83E-06	0	0	0.03095	0	0	0	0	
3/4/2023	0	4.35E-06	0	0	0.03033	0	0	0	0	
3/5/2023	0	3.91E-06	0	0	0.02972	0	0	0	0	
3/6/2023	0	3.52E-06	0	0	0.02913	0	0	0	0	
3/7/2023	0	3.17E-06	0	0	0.02854	0	0	0	0	
3/8/2023	0	2.85E-06	0	0	0.02797	0	0	0	0	
3/9/2023	0	2.57E-06	0	0	0.02741	0	0	0	0	
3/10/2023	0	2.31E-06	0	0	0.02686	0	0	0	0	
3/11/2023	0	2.08E-06	0	0	0.02633	0	0	0	0	
3/12/2023	0	1.87E-06	0	0	0.0258	0	0	0	0	
3/13/2023	0	1.69E-06	0	0	0.02528	0	0	0	0	
3/14/2023	0	1.52E-06	0	0	0.02478	0	0	0	0	
3/15/2023	0	1.37E-06	0	0	0.02428	0	0	0	0	
3/16/2023	0	1.23E-06	0	0	0.0238	0	0	0	0	
3/17/2023	0	1.11E-06	0	0	0.02332	0	0	0	0	
3/18/2023	0	9.95E-07	0	0	0.02286	0	0	0	0	
3/19/2023	0	8.95E-07	0	0	0.0224	0	0	0	0	
3/20/2023	0	8.06E-07	0	0	0.02195	0	0	0	0	
3/21/2023	0	7.25E-07	0	0	0.02151	0	0	0	0	
3/22/2023	0	6.53E-07	0	0	0.02108	0	0	0	0	
3/23/2023	0	5.88E-07	0	0	0.02066	0	0.5067	0	0	
3/24/2023	0	5.29E-07	0	0	0.02025	0	0	1.265	0	
3/25/2023	0	4.76E-07	0	0	0.01984	0	0	0.7407	0	
3/26/2023	0	4.28E-07	0	0	0.01944	0	0	0.2184	0	
3/27/2023	0	3.85E-07	0	0	0.01906	0	0	0	0	
3/28/2023	0	3.47E-07	0	0	0.01867	0	0	0	0	
3/29/2023	0	3.12E-07	0	0	0.0183	0	0	0	0	
3/30/2023	0	2.81E-07	0	0	0.01794	0	0	0	0	
3/31/2023	0	2.53E-07	0	0	0.01758	0	0	0	0	
4/1/2023	0	2.28E-07	0	0	0.01722	0	0	0.5564	0	
4/2/2023	0	2.05E-07	0	0	0.01688	0	0	0.8526	0	
4/3/2023	0	1.84E-07	0	0	0.01654	0	0	0	0	
4/4/2023	0	1.66E-07	0	0	0.01621	0	0	0	0	
4/5/2023	0	1.49E-07	0	0	0.01589	0	0	0	0	
4/6/2023	0	1.34E-07	0	0	0.01557	0	0	0	0	
4/7/2023	0	1.21E-07	0	0	0.01526	0	0	0	0	
4/8/2023	0	1.09E-07	0	0	0.01495	0	0	0	0	
4/9/2023	0	9.80E-08	0	0	0.01465	0	0	0	0	
4/10/2023	0	8.82E-08	0	0	0.01436	0	0	0	0	
4/11/2023	0	7.94E-08	0	0	0.01407	0	0	0	0	
4/12/2023	0	7.14E-08	0	0	0.01379	0	0	0	0	
4/13/2023	0	6.43E-08	0	0	0.01352	0	0	0	0	
4/14/2023	0	5.79E-08	0	0	0.01325	0	0.2629	0	0	
4/15/2023	0	5.21E-08	0	0	0.01298	0	0.9554	0	0	
4/16/2023	0	4.69E-08	0	0	0.01272	0	0.9192	0	0	
4/17/2023	0	4.22E-08	0	0	0.01247	0	0.6417	0	0	
4/18/2023	0	3.80E-08	0	0	0.01222	0	0.4279	0	0	
4/19/2023	0	3.42E-08	0	0	0.01197	0	0.322	0	0	
4/20/2023	0	3.08E-08	0	0	0.01173	0	0	0	0	
4/21/2023	0	2.77E-08	0	0	0.0115	0	0	0	0	
4/22/2023	0	2.49E-08	0	0	0.01127	0	0	0	0	
4/23/2023	0	2.24E-08	0	0	0.01104	0	0	0	0	
4/24/2023	0	2.02E-08	0	0	0.01082	0	0	0	0	
4/25/2023	0	1.82E-08	0	0	0.01061	0	0	0	0	
4/26/2023	0	1.63E-08	0	0	0.01039	0	0	0	0	
4/27/2023	0	1.47E-08	0	0	0.01019	0	0	0	0	
4/28/2023	0	1.32E-08	0	0	0.009983	0	0.5928	0	0	
4/29/2023	0	1.19E-08	0	0	0.009783	0	0	0	0	
4/30/2023	0	1.07E-08	0	0	0.009588	0	0	0	0	
5/1/2023	0	9.65E-09	0	0	0.009396	0	0.4372	0	0	
5/2/2023	0	8.68E-09	0	0	0.009208	0	1.586	0	0	
5/3/2023	0	7.82E-09	0	0	0.009024	0	1.927	0	0	
5/4/2023	0	7.03E-09	0	0	0.008843	0	2.169	0	0	
5/5/2023	0	6.33E-09	0	0	0.008666	0	1.037	0	0	
5/6/2023	0	5.70E-09	0	0	0.008493	0	1.856	0	0	
5/7/2023	0	5.13E-09	0	0	0.008323	0	1.873	0	0	
5/8/2023	0	4.62E-09	0	0	0.008157	0	1.841	0	0	
5/9/2023	0	4.15E-09	0	0	0.007994	0	2.774	0	0	

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
5/10/2023	0	3.74E-09	0	0	0.007834	0	0	3.199	0	
5/11/2023	0	3.36E-09	0	0	0.007677	0	0	3.118	0	
5/12/2023	0	3.03E-09	0	0	0.007524	0	0	3.095	0	
5/13/2023	0	2.73E-09	0	0	0.007373	0	0	2.817	0	
5/14/2023	0	2.45E-09	0	0	0.007226	0	0	3.205	0	
5/15/2023	18.92	2.21E-09	6.677	17.55	33.17	0	2.99	2.52	0	
5/16/2023	20.72	2.671	4.917	19.34	103.7	0	3.455	3.185	0	
5/17/2023	54.31	4.371	33.69	51.33	147	0	10.02	3.602	0	
5/18/2023	3.692	17.41	0	3.584	192.2	0	0.8257	4.772	0	
5/19/2023	0	15.67	0	0	12.53	0	0	5.038	0	
5/20/2023	0	14.1	0	0	0.1038	0	0	5.216	0	
5/21/2023	15.02	12.69	4.917	14.86	31.33	0	3.783	5.455	0	
5/22/2023	27.56	13.39	4.917	27.41	148.5	0	7.147	6.022	0	
5/23/2023	34.29	14.02	9.328	34.59	337	0	9.635	6.213	0	
5/24/2023	43.87	16.35	30.32	45.2	339.2	0	13.78	6.411	0	
5/25/2023	46.96	26.84	43.9	49.18	204.3	0	15.95	6.996	0	
5/26/2023	8.349	41.72	3.377	8.815	165.8	0	2.943	7.495	0	
5/27/2023	18.76	38.89	16.89	19.88	67.39	0	6.728	6.909	0	
5/28/2023	11.32	41.76	10.05	12.03	61.85	0	4.105	6.905	0	
5/29/2023	38.39	41.6	21.66	40.87	111.3	0	14.04	7.726	0	
5/30/2023	53.94	46.11	8.195	57.62	523.5	0	20.04	8.898	0	
5/31/2023	71.32	44.78	3.3	76.83	853	0	27.48	9.895	0	
6/1/2023	78.26	41.62	0	85.12	1175	0	31.38	10.07	250	
6/2/2023	66.9	37.46	0	73.47	1441	0	27.89	11.08	250	
6/3/2023	33.76	33.71	10.44	37.51	975.8	0	14.73	9.123	250	
6/4/2023	42.44	34.51	0	47.49	368.1	0	19.02	10.4	250	
6/5/2023	44.92	31.06	3.707	50.37	294.9	0	20.3	10.32	250	
6/6/2023	58.85	29.44	3.3	66.08	253.1	0	26.74	10.94	250	
6/7/2023	96.2	27.82	3.3	108.2	218.6	0	43.97	11.89	250	
6/8/2023	100.3	26.35	77.59	113.1	189.7	0	46.23	10.38	250	
6/9/2023	63.56	54.76	16.89	71.85	309	0	29.61	11.02	250	
6/10/2023	45.84	56.03	0	51.97	185.1	0	21.58	11.21	250	
6/11/2023	54.48	50.43	0	61.82	150	0	25.74	11.21	250	
6/12/2023	28.4	45.39	0	32.26	139.9	0	13.46	10.49	250	
6/13/2023	30.77	40.85	0	34.94	132.2	0	14.58	10.44	250	
6/14/2023	62.92	36.76	3.3	71.46	123.7	0	29.81	11.5	250	
6/15/2023	89.7	34.41	5.951	101.9	114.2	0	42.59	12.19	250	
6/16/2023	66.75	33.35	3.3	75.94	105.4	0	31.83	11.69	250	
6/17/2023	85.6	31.33	3.3	97.44	97.22	0	40.9	12.51	250	
6/18/2023	39.81	29.52	3.3	45.35	89.5	0	19.07	12.97	250	
6/19/2023	2.95	27.89	3.3	3.36	82.29	0	1.412	12.77	250	
6/20/2023	2.954	26.42	3.3	3.36	75.59	0	1.407	12.97	250	
6/21/2023	2.958	25.1	3.3	3.36	69.35	0	1.402	15.1	250	
6/22/2023	0	23.91	0	0	63.36	0	0	12.7	250	
6/23/2023	0	21.52	0	0	57.87	0	0	11.49	250	
6/24/2023	0	19.36	0	0	52.86	0	0	12.59	250	
6/25/2023	0	17.43	0	0	48.11	0	0	12.29	250	
6/26/2023	0	15.69	0	0	43.7	0	0	12.66	250	
6/27/2023	0	14.12	0	0	39.57	0	0	15.71	250	
6/28/2023	0	12.71	0	0	35.46	0	0	19	250	
6/29/2023	0	11.43	0	0	8.959	0	0	30.14	250	
6/30/2023	0	10.29	0	0	8.78	0	0	51.22	250	
7/1/2023	0	9.262	0	0	8.604	0	0	12.93	500	
7/2/2023	0	8.336	0	0	8.432	0	0	12.91	500	
7/3/2023	0	7.502	0	0	8.264	0	0	21.25	500	
7/4/2023	0	6.752	0	0	8.098	0	0	16.69	500	
7/5/2023	0	6.077	0	0	7.936	0	0	12.01	500	
7/6/2023	3.078	5.469	3.3	3.36	7.778	0	1.252	12.16	500	
7/7/2023	314.5	6.242	335.8	341.9	7.622	0	125.8	12.05	500	
7/8/2023	105.9	139.9	113.7	115.7	742.4	0	43.27	12.62	500	
7/9/2023	5.511	171.4	5.951	6.059	319.5	0	2.309	12.88	500	
7/10/2023	0	156.7	0	0	88.86	0	0	12.74	500	
7/11/2023	0	141	0	0	70.56	0	0	12.83	500	
7/12/2023	3.071	126.9	3.3	3.36	52.65	0	1.262	13.52	500	
7/13/2023	0	115.5	0	0	48.58	0	0	13.59	500	
7/14/2023	0	104	0	0	46.97	0	0	13.42	500	
7/15/2023	0	93.57	0	0	42.77	0	0	19.19	500	
7/16/2023	0	84.22	0	0	37.96	0	0	13.2	500	
7/17/2023	0	75.79	0	0	9.728	0	0	13.78	500	
7/18/2023	0	68.21	0	0	9.533	0	0	15.45	500	
7/19/2023	0	61.39	0	0	9.343	0	0	13.16	500	
7/20/2023	0	55.25	0	0	9.156	0	0	12.53	500	
7/21/2023	3.201	49.73	3.3	3.36	8.973	0	1.099	12.21	500	
7/22/2023	45.55	46.08	46.34	47.19	8.793	0	14.68	10.28	500	
7/23/2023	84.13	60.01	84.49	86.03	75.22	0	25.41	9.372	500	
7/24/2023	10.45	87.8	10.44	10.63	179.1	0	3.075	8.694	500	
7/25/2023	362.6	83.2	358.3	364.8	13.03	0	100.5	8.793	500	
7/26/2023	12.39	218.2	12.68	12.91	809	0	4.112	10.08	500	
7/27/2023	0	201.4	0	0	108.7	0	0	11.98	500	
7/28/2023	27.49	181.3	28.39	28.91	83.88	0	9.52	10.24	500	
7/29/2023	3.602	174.5	3.707	3.774	92.33	0	1.227	9.035	500	
7/30/2023	0	158.6	0	0	58.3	0	0	9.133	500	
7/31/2023	0	142.7	0	0	53.25	0	0	9.206	500	
8/1/2023	0	128.4	0	0	51.8	0	0	9.404	500	
8/2/2023	0	115.6	0	0	47.86	0	0	10.2	500	
8/3/2023	0	104	0	0	43.16	0	0	7.707	500	
8/4/2023	0	93.62	0	0	38.97	0	0	6.137	500	
8/5/2023	3.624	84.26	3.3	3.36	35.1	0	0.5702	5.346	500	
8/6/2023	3.624	77.15	3.3	3.36	9.049	0	0.5702	4.625	500	
8/7/2023	0	70.76	0	0	8.868	0	0	4.793	500	
8/8/2023	115	63.68	104.7	106.6	8.691	0	18.09	4.747	500	
8/9/2023	413.1	99.19	376.2	383.1	212.1	0	65	4.787	500	
8/10/2023	67.3	239.8	66.54	67.75	859.4	0	18.71	6.224	500	
8/11/2023	3.22	242.4	3.3	3.36	252.4	0	1.075	7.779	500	
8/12/2023	5.807	219.5	5.951	6.059	111	0	1.938	7.721	500	
8/13/2023	5.836	199.9	5.951	6.059	92.34	0	1.902	8.419	500	
8/14/2023	0	182.3	0	0	76.38	0	0	9.781	500	
8/15/2023	0	164.1	0	0	61.41	0	0	7.78	500	
8/16/2023	3.354	147.7	3.3	3.36	60.35	0	0.9072	7.049	500	
8/17/2023	0	134.2	0	0	57.76	0	0	8.165	500	
8/18/2023	0	120.8	0	0	52.99	0	0	5.874	500	
8/19/2023	0	108.7	0	0	48.32	0	0	4.349	500	
8/20/2023	124.8	97.84	113.7	115.7	44.07	0	19.64	3.893	500	
8/21/2023	4.067	133.5	3.707	3.774	266.9	0	0.6453	3.929	500	
8/22/2023	0	121.7	0	0	37.21	0	0	3.652	500	
8/23/2023	36.11	109.5	32.88	33.48	37.51	0	5.681	3.602	500	

Date	CP3 - Water Balance								
	Inflow						Outflow		
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1
	m3	m3	m3	m3	m3	m3	m3	m3	m3
8/24/2023	18.86	111.7	17.17	17.48	77.84	0	2.967	3.812	500
8/25/2023	3.624	107.4	3.3	3.36	53.6	0	0.5702	3.395	500
8/26/2023	3.624	97.97	3.3	3.36	9.668	0	0.5702	3.512	500
8/27/2023	8.999	89.49	8.195	8.344	9.822	0	1.416	3.429	500
8/28/2023	38.57	83.82	35.12	35.76	9.753	0	6.069	3.157	500
8/29/2023	3.624	89.49	3.3	3.36	62.74	0	0.5702	3.057	500
8/30/2023	16.39	81.86	14.93	15.2	9.367	0	2.579	3.034	500
8/31/2023	3.624	79.65	3.3	3.36	17.47	0	0.5702	2.812	500
9/1/2023	3.624	73	3.3	3.36	9.272	0	0.5702	2.833	500
9/2/2023	4.071	67.02	3.707	3.774	9.111	0	0.6405	2.864	500
9/3/2023	15.7	61.8	14.3	14.56	8.929	0	2.471	2.753	500
9/4/2023	10.77	61.34	9.812	9.99	11.12	0	1.695	2.829	500
9/5/2023	5.4	59.13	4.917	5.006	11.07	0	0.8496	2.774	500
9/6/2023	4.071	55.19	3.707	3.774	8.404	0	0.6405	2.571	500
9/7/2023	0	51.15	0	0	8.236	0	0	2.437	500
9/8/2023	77.31	46.03	70.4	71.68	8.071	0	12.16	2.342	500
9/9/2023	5.846	69.59	5.324	5.421	138.8	0	0.9199	2.39	500
9/10/2023	1.776	64.76	1.617	1.646	7.752	0	0.2794	2.206	500
9/11/2023	51.83	58.93	47.2	48.06	8.165	0	8.156	1.789	500
9/12/2023	21.37	71.92	19.46	19.81	92.12	0	3.362	1.956	500
9/13/2023	0	72.51	0	0	38.96	0	0	2.177	500
9/14/2023	1.776	65.26	1.617	1.646	9.082	0	0.2794	1.957	500
9/15/2023	10.24	59.38	9.328	9.498	9.556	0	1.612	2.158	500
9/16/2023	0	57.17	0	0	0.4916	0	0	1.773	500
9/17/2023	0	51.46	0	0	0.4961	0	0	1.65	500
9/18/2023	0	46.31	0	0	1.754	0	0	1.651	500
9/19/2023	8.999	41.68	8.195	8.344	51.28	0	1.416	1.652	500
9/20/2023	0	40.79	0	0	21.45	0	0	1.875	500
9/21/2023	11.46	36.71	10.44	10.63	9.585	0	1.804	1.872	500
9/22/2023	1.776	37.22	1.617	1.646	9.524	0	0.2794	1.657	500
9/23/2023	7.332	34.14	6.677	6.798	9.384	0	1.154	1.591	500
9/24/2023	0	33.4	0	0	0.463	0	0	1.509	500
9/25/2023	0	30.06	0	0	0.4549	0	0	1.394	500
9/26/2023	0	27.05	0	0	0.4503	0	0	1.217	500
9/27/2023	0	24.35	0	0	0.4468	0	0	1.195	500
9/28/2023	0	21.91	0	0	0.4431	0	0	1.238	500
9/29/2023	0	19.72	0	0	0.4389	0	0	1.095	500
9/30/2023	164	17.75	137.3	152.1	59.92	0	25.81	1.157	500
10/1/2023	0	70.89	0	0	354.8	0	0	1.168	250
10/2/2023	0	63.81	0	0	15.57	0	0	0.9079	250
10/3/2023	0	57.42	0	0	7.468	0	0	1.059	250
10/4/2023	0	51.68	0	0	2.685	0	0	1.004	250
10/5/2023	0	46.51	0	0	2	0	0	0.8837	250
10/6/2023	0	41.86	0	0	2.023	0	0	0.6805	250
10/7/2023	0	37.68	0	0	2.014	0	0	0.4766	250
10/8/2023	0	33.91	0	0	1.981	0	0	0.6264	250
10/9/2023	0	30.52	0	0	1.929	0	0	0.6356	250
10/10/2023	0	27.47	0	0	1.863	0	0	0.6555	250
10/11/2023	0	24.72	0	0	1.789	0	0	0.7489	250
10/12/2023	0	22.25	0	0	0.4881	0	0	0.7471	250
10/13/2023	0	20.02	0	0	0.4885	0	0	0.7658	250
10/14/2023	0	18.02	0	0	0.487	0	0	0.6167	250
10/15/2023	0	16.22	0	0	0.4838	0	0	0.626	250
10/16/2023	0	14.6	0	0	0.4793	0	0	0.6198	250
10/17/2023	0	13.14	0	0	0.474	0	0	0.5558	250
10/18/2023	0	11.82	0	0	0.4678	0	0	0.4816	250
10/19/2023	0	10.64	0	0	0.4612	0	0	0.3472	250
10/20/2023	0	9.577	0	0	0.4541	0	0	0.2572	250
10/21/2023	0	8.619	0	0	0.4467	0	0	0.3295	250
10/22/2023	0	7.757	0	0	0.4392	0	0	0.2699	250
10/23/2023	0	6.982	0	0	0.4315	0	0	0.2054	250
10/24/2023	0	6.283	0	0	0.4238	0	0	0.391	250
10/25/2023	0	5.655	0	0	0.416	0	0	0.4891	250
10/26/2023	0	5.09	0	0	0.4082	0	0	0.2779	250
10/27/2023	0	4.581	0	0	0.4005	0	0	0.35	250
10/28/2023	0	4.123	0	0	0.3929	0	0	0.247	250
10/29/2023	0	3.71	0	0	0.3853	0	0	0	250
10/30/2023	0	3.339	0	0	0.3778	0	0	0.2381	250
10/31/2023	0	3.005	0	0	0.3704	0	0	0.1621	250
11/1/2023	0	2.705	0	0	0.3632	0	0	0	0
11/2/2023	0	2.434	0	0	0.356	0	0	0	0
11/3/2023	0	2.191	0	0	0.349	0	0	0	0
11/4/2023	0	1.972	0	0	0.3421	0	0	0.01812	0
11/5/2023	0	1.775	0	0	0.3353	0	0	0.02622	0
11/6/2023	0	1.597	0	0	0.3287	0	0	0	0
11/7/2023	0	1.437	0	0	0.3221	0	0	0	0
11/8/2023	0	1.294	0	0	0.3157	0	0	0	0
11/9/2023	0	1.164	0	0	0.3094	0	0	0	0
11/10/2023	0	1.048	0	0	0.3033	0	0	0	0
11/11/2023	0	0.9431	0	0	0.2972	0	0	0	0
11/12/2023	0	0.8488	0	0	0.2913	0	0	0.01629	0
11/13/2023	0	0.7639	0	0	0.2855	0	0	0	0
11/14/2023	0	0.6875	0	0	0.2798	0	0	0.06647	0
11/15/2023	0	0.6188	0	0	0.2742	0	0	0.1164	0
11/16/2023	0	0.5569	0	0	0.2687	0	0	0.1392	0
11/17/2023	0	0.5012	0	0	0.2633	0	0	0	0
11/18/2023	0	0.4511	0	0	0.2581	0	0	0	0
11/19/2023	0	0.406	0	0	0.2529	0	0	0	0
11/20/2023	0	0.3654	0	0	0.2479	0	0	0	0
11/21/2023	0	0.3288	0	0	0.2429	0	0	0	0
11/22/2023	0	0.296	0	0	0.238	0	0	0	0
11/23/2023	0	0.2664	0	0	0.2333	0	0	0	0
11/24/2023	0	0.2397	0	0	0.2286	0	0	0.02505	0
11/25/2023	0	0.2158	0	0	0.224	0	0	0	0
11/26/2023	0	0.1942	0	0	0.2196	0	0	0.08396	0
11/27/2023	0	0.1748	0	0	0.2152	0	0	0	0
11/28/2023	0	0.1573	0	0	0.2109	0	0	0	0
11/29/2023	0	0.1416	0	0	0.2067	0	0	0	0
11/30/2023	0	0.1274	0	0	0.2025	0	0	0.03192	0
12/1/2023	0	0.1147	0	0	0.1985	0	0	0.01225	0
12/2/2023	0	0.1032	0	0	0.1945	0	0	0	0
12/3/2023	0	0.09287	0	0	0.1906	0	0	0	0
12/4/2023	0	0.08359	0	0	0.1868	0	0	0	0
12/5/2023	0	0.07523	0	0	0.1831	0	0	0	0
12/6/2023	0	0.0677	0	0	0.1794	0	0	0.01008	0
12/7/2023	0	0.06093	0	0	0.1758	0	0	0.01412	0

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3		
12/8/2023	0	0.05484	0	0	0.1723	0	0	0	0	
12/9/2023	0	0.04936	0	0	0.1689	0	0	0	0	
12/10/2023	0	0.04442	0	0	0.1655	0	0	0	0	
12/11/2023	0	0.03998	0	0	0.1622	0	0	0	0	
12/12/2023	0	0.03598	0	0	0.1589	0	0	0	0	
12/13/2023	0	0.03238	0	0	0.1557	0	0	0	0	
12/14/2023	0	0.02914	0	0	0.1526	0	0	0	0	
12/15/2023	0	0.02623	0	0	0.1496	0	0	0.02002	0	
12/16/2023	0	0.02361	0	0	0.1466	0	0	0	0	
12/17/2023	0	0.02125	0	0	0.1437	0	0	0.01344	0	
12/18/2023	0	0.01912	0	0	0.1408	0	0	0	0	
12/19/2023	0	0.01721	0	0	0.138	0	0	0	0	
12/20/2023	0	0.01549	0	0	0.1352	0	0	0	0	
12/21/2023	0	0.01394	0	0	0.1325	0	0	0	0	
12/22/2023	0	0.01255	0	0	0.1299	0	0	0	0	
12/23/2023	0	0.01129	0	0	0.1273	0	0	0	0	
12/24/2023	0	0.01016	0	0	0.1247	0	0	0	0	
12/25/2023	0	0.009146	0	0	0.1222	0	0	0	0	
12/26/2023	0	0.008231	0	0	0.1198	0	0	0	0	
12/27/2023	0	0.007408	0	0	0.1174	0	0	0	0	
12/28/2023	0	0.006667	0	0	0.115	0	0	0	0	
12/29/2023	0	0.006001	0	0	0.1127	0	0	0	0	
12/30/2023	0	0.005401	0	0	0.1105	0	0	0	0	
12/31/2023	0	0.004861	0	0	0.1083	0	0	0	0	
1/1/2024	0	0.004374	0	0	0.1061	0	0	0	0	
1/2/2024	0	0.003937	0	0	0.104	0	0	0	0	
1/3/2024	0	0.003543	0	0	0.1019	0	0	0	0	
1/4/2024	0	0.003189	0	0	0.09986	0	0	0	0	
1/5/2024	0	0.00287	0	0	0.09786	0	0	0	0	
1/6/2024	0	0.002583	0	0	0.0959	0	0	0	0	
1/7/2024	0	0.002325	0	0	0.09399	0	0	0	0	
1/8/2024	0	0.002092	0	0	0.09211	0	0	0	0	
1/9/2024	0	0.001883	0	0	0.09026	0	0	0	0	
1/10/2024	0	0.001695	0	0	0.08846	0	0	0	0	
1/11/2024	0	0.001525	0	0	0.08669	0	0	0	0	
1/12/2024	0	0.001373	0	0	0.08496	0	0	0	0	
1/13/2024	0	0.001235	0	0	0.08326	0	0	0	0	
1/14/2024	0	0.001112	0	0	0.08159	0	0	0	0	
1/15/2024	0	0.001001	0	0	0.07996	0	0	0	0	
1/16/2024	0	0.0009007	0	0	0.07836	0	0	0	0	
1/17/2024	0	0.0008106	0	0	0.07679	0	0	0	0	
1/18/2024	0	0.0007295	0	0	0.07526	0	0	0	0	
1/19/2024	0	0.0006566	0	0	0.07375	0	0.001174	0	0	
1/20/2024	0	0.0005909	0	0	0.07228	0	0.03799	0	0	
1/21/2024	0	0.0005318	0	0	0.07083	0	0	0	0	
1/22/2024	0	0.0004786	0	0	0.06941	0	0	0	0	
1/23/2024	0	0.0004308	0	0	0.06803	0	0	0	0	
1/24/2024	0	0.0003877	0	0	0.06667	0	0	0	0	
1/25/2024	0	0.0003489	0	0	0.06533	0	0	0	0	
1/26/2024	0	0.000314	0	0	0.06403	0	0	0	0	
1/27/2024	0	0.0002826	0	0	0.06275	0	0	0	0	
1/28/2024	0	0.0002544	0	0	0.06149	0	0	0	0	
1/29/2024	0	0.0002289	0	0	0.06026	0	0	0	0	
1/30/2024	0	0.000206	0	0	0.05906	0	0	0	0	
1/31/2024	0	0.0001854	0	0	0.05787	0	0	0	0	
2/1/2024	0	0.0001669	0	0	0.05672	0	0	0	0	
2/2/2024	0	0.0001502	0	0	0.05558	0	0	0	0	
2/3/2024	0	0.0001352	0	0	0.05447	0	0	0	0	
2/4/2024	0	0.0001217	0	0	0.05338	0	0	0	0	
2/5/2024	0	0.0001095	0	0	0.05231	0	0	0	0	
2/6/2024	0	9.86E-05	0	0	0.05127	0	0	0	0	
2/7/2024	0	8.87E-05	0	0	0.05024	0	0	0	0	
2/8/2024	0	7.98E-05	0	0	0.04924	0	0	0	0	
2/9/2024	0	7.18E-05	0	0	0.04825	0	0	0	0	
2/10/2024	0	6.47E-05	0	0	0.04729	0	0	0	0	
2/11/2024	0	5.82E-05	0	0	0.04634	0	0	0	0	
2/12/2024	0	5.24E-05	0	0	0.04542	0	0	0	0	
2/13/2024	0	4.71E-05	0	0	0.04451	0	0	0	0	
2/14/2024	0	4.24E-05	0	0	0.04362	0	0	0	0	
2/15/2024	0	3.82E-05	0	0	0.04274	0	0	0	0	
2/16/2024	0	3.44E-05	0	0	0.04189	0	0	0	0	
2/17/2024	0	3.09E-05	0	0	0.04105	0	0	0	0	
2/18/2024	0	2.78E-05	0	0	0.04023	0	0	0	0	
2/19/2024	0	2.51E-05	0	0	0.03943	0	0	0	0	
2/20/2024	0	2.25E-05	0	0	0.03864	0	0	0	0	
2/21/2024	0	2.03E-05	0	0	0.03786	0	0	0	0	
2/22/2024	0	1.83E-05	0	0	0.03711	0	0	0	0	
2/23/2024	0	1.64E-05	0	0	0.03637	0	0	0	0	
2/24/2024	0	1.48E-05	0	0	0.03564	0	0	0	0	
2/25/2024	0	1.33E-05	0	0	0.03493	0	0	0	0	
2/26/2024	0	1.20E-05	0	0	0.03423	0	0	0	0	
2/27/2024	0	1.08E-05	0	0	0.03354	0	0	0	0	
2/28/2024	0	9.71E-06	0	0	0.03287	0	0	0	0	
2/29/2024	0	8.73E-06	0	0	0.03221	0	0	0	0	
3/1/2024	0	7.86E-06	0	0	0.03157	0	0	0	0	
3/2/2024	0	7.08E-06	0	0	0.03094	0	0	0	0	
3/3/2024	0	6.37E-06	0	0	0.03032	0	0	0	0	
3/4/2024	0	5.73E-06	0	0	0.02971	0	0	0	0	
3/5/2024	0	5.16E-06	0	0	0.02912	0	0	0	0	
3/6/2024	0	4.64E-06	0	0	0.02854	0	0	0	0	
3/7/2024	0	4.18E-06	0	0	0.02797	0	0	0	0	
3/8/2024	0	3.76E-06	0	0	0.02741	0	0	0	0	
3/9/2024	0	3.38E-06	0	0	0.02686	0	0	0	0	
3/10/2024	0	3.05E-06	0	0	0.02632	0	0	0	0	
3/11/2024	0	2.74E-06	0	0	0.02579	0	0	0	0	
3/12/2024	0	2.47E-06	0	0	0.02528	0	0	0	0	
3/13/2024	0	2.22E-06	0	0	0.02477	0	0	0	0	
3/14/2024	0	2.00E-06	0	0	0.02428	0	0	0	0	
3/15/2024	0	1.80E-06	0	0	0.02379	0	0	0	0	
3/16/2024	0	1.62E-06	0	0	0.02332	0	0	0	0	
3/17/2024	0	1.46E-06	0	0	0.02285	0	0	0	0	
3/18/2024	0	1.31E-06	0	0	0.02239	0	0	0	0	
3/19/2024	0	1.18E-06	0	0	0.02195	0	0	0	0	
3/20/2024	0	1.06E-06	0	0	0.02151	0	0	0	0	
3/21/2024	0	9.56E-07	0	0	0.02108	0	0	0	0	
3/22/2024	0	8.60E-07	0	0	0.02065	0	0	0	0	

Date	CP3 - Water Balance								
	Inflow							Outflow	
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3	
3/23/2024	0	7.74E-07	0	0	0.02024	0	0	0.5168	0
3/24/2024	0	6.97E-07	0	0	0.01984	0	0	1.29	0
3/25/2024	0	6.27E-07	0	0	0.01944	0	0	0.755	0
3/26/2024	0	5.64E-07	0	0	0.01905	0	0	0.2226	0
3/27/2024	0	5.08E-07	0	0	0.01867	0	0	0	0
3/28/2024	0	4.57E-07	0	0	0.0183	0	0	0	0
3/29/2024	0	4.11E-07	0	0	0.01793	0	0	0	0
3/30/2024	0	3.70E-07	0	0	0.01757	0	0	0	0
3/31/2024	0	3.33E-07	0	0	0.01722	0	0	0	0
4/1/2024	0	3.00E-07	0	0	0.01688	0	0	0.5659	0
4/2/2024	0	2.70E-07	0	0	0.01654	0	0	0.867	0
4/3/2024	0	2.43E-07	0	0	0.01621	0	0	0	0
4/4/2024	0	2.19E-07	0	0	0.01588	0	0	0	0
4/5/2024	0	1.97E-07	0	0	0.01557	0	0	0	0
4/6/2024	0	1.77E-07	0	0	0.01525	0	0	0	0
4/7/2024	0	1.59E-07	0	0	0.01495	0	0	0	0
4/8/2024	0	1.43E-07	0	0	0.01465	0	0	0	0
4/9/2024	0	1.29E-07	0	0	0.01436	0	0	0	0
4/10/2024	0	1.16E-07	0	0	0.01407	0	0	0	0
4/11/2024	0	1.05E-07	0	0	0.01379	0	0	0	0
4/12/2024	0	9.41E-08	0	0	0.01351	0	0	0	0
4/13/2024	0	8.47E-08	0	0	0.01324	0	0	0	0
4/14/2024	0	7.62E-08	0	0	0.01298	0	0	0.2664	0
4/15/2024	0	6.86E-08	0	0	0.01272	0	0	0.968	0
4/16/2024	0	6.18E-08	0	0	0.01246	0	0	0.9311	0
4/17/2024	0	5.56E-08	0	0	0.01222	0	0	0.6499	0
4/18/2024	0	5.00E-08	0	0	0.01197	0	0	0.4332	0
4/19/2024	0	4.50E-08	0	0	0.01173	0	0	0.3259	0
4/20/2024	0	4.05E-08	0	0	0.0115	0	0	0	0
4/21/2024	0	3.65E-08	0	0	0.01127	0	0	0	0
4/22/2024	0	3.28E-08	0	0	0.01104	0	0	0	0
4/23/2024	0	2.95E-08	0	0	0.01082	0	0	0	0
4/24/2024	0	2.66E-08	0	0	0.0106	0	0	0	0
4/25/2024	0	2.39E-08	0	0	0.01039	0	0	0	0
4/26/2024	0	2.15E-08	0	0	0.01018	0	0	0	0
4/27/2024	0	1.94E-08	0	0	0.009981	0	0	0	0
4/28/2024	0	1.74E-08	0	0	0.009781	0	0	0.5987	0
4/29/2024	0	1.57E-08	0	0	0.009585	0	0	0	0
4/30/2024	0	1.41E-08	0	0	0.009394	0	0	0	0
5/1/2024	0	1.27E-08	0	0	0.009206	0	0	0.4413	0
5/2/2024	0	1.14E-08	0	0	0.009022	0	0	1.6	0
5/3/2024	0	1.03E-08	0	0	0.008841	0	0	1.944	0
5/4/2024	0	9.27E-09	0	0	0.008664	0	0	2.187	0
5/5/2024	0	8.34E-09	0	0	0.008491	0	0	1.046	0
5/6/2024	0	7.51E-09	0	0	0.008321	0	0	1.872	0
5/7/2024	0	6.76E-09	0	0	0.008155	0	0	1.888	0
5/8/2024	0	6.08E-09	0	0	0.007992	0	0	1.855	0
5/9/2024	0	5.47E-09	0	0	0.007832	0	0	2.795	0
5/10/2024	0	4.93E-09	0	0	0.007675	0	0	3.223	0
5/11/2024	0	4.43E-09	0	0	0.007522	0	0	3.141	0
5/12/2024	0	3.99E-09	0	0	0.007371	0	0	3.117	0
5/13/2024	0	3.59E-09	0	0	0.007224	0	0	2.836	0
5/14/2024	0	3.23E-09	0	0	0.007079	0	0	3.225	0
5/15/2024	18.92	2.91E-09	6.677	17.55	33.17	0	2.987	2.536	0
5/16/2024	20.73	2.671	4.917	19.34	103.7	0	3.451	3.205	0
5/17/2024	54.32	4.371	33.69	51.33	147	0	10.01	3.623	0
5/18/2024	3.692	17.41	0	3.584	192.1	0	0.825	4.8	0
5/19/2024	0	15.67	0	0	12.38	0	0	5.067	0
5/20/2024	0	14.1	0	0	10.033	0	0	5.245	0
5/21/2024	15.02	12.69	4.917	14.86	31.33	0	3.78	5.485	0
5/22/2024	27.57	13.39	4.917	27.41	148.5	0	7.142	6.054	0
5/23/2024	34.29	14.02	9.328	34.59	336.9	0	9.629	6.245	0
5/24/2024	43.87	16.35	30.32	45.2	339.1	0	13.77	6.444	0
5/25/2024	46.96	26.84	43.9	49.18	204.2	0	15.94	7.031	0
5/26/2024	8.349	41.72	3.377	8.815	165.6	0	2.943	7.532	0
5/27/2024	18.76	38.89	16.89	19.88	67.23	0	6.727	6.942	0
5/28/2024	11.32	41.76	10.05	12.03	61.69	0	4.105	6.937	0
5/29/2024	38.39	41.6	21.66	40.87	111.1	0	14.04	7.759	0
5/30/2024	53.94	46.11	8.195	57.62	523.3	0	20.04	8.935	0
5/31/2024	71.32	44.78	3.3	76.83	852.3	0	27.47	9.934	0
6/1/2024	78.26	41.62	0	85.12	1175	0	31.37	10.11	250
6/2/2024	66.91	37.46	0	73.47	1441	0	27.89	11.12	250
6/3/2024	33.76	33.71	10.44	37.51	979.3	0	14.73	9.154	250
6/4/2024	42.44	34.51	0	47.49	368.4	0	19.02	10.43	250
6/5/2024	44.92	31.06	3.707	50.37	295	0	20.29	10.35	250
6/6/2024	58.85	29.44	3.3	66.08	253.1	0	26.74	10.98	250
6/7/2024	96.2	27.82	3.3	108.2	218.6	0	43.97	11.92	250
6/8/2024	100.3	26.35	77.59	113.1	189.7	0	46.22	10.4	250
6/9/2024	63.56	54.76	16.89	71.85	309	0	29.61	11.04	250
6/10/2024	45.84	56.03	0	51.97	185	0	21.58	11.23	250
6/11/2024	54.48	50.43	0	61.82	149.9	0	25.74	11.23	250
6/12/2024	28.4	45.39	0	32.26	139.8	0	13.46	10.51	250
6/13/2024	30.77	40.85	0	34.94	132.2	0	14.58	10.45	250
6/14/2024	62.92	36.76	3.3	71.46	123.7	0	29.8	11.51	250
6/15/2024	89.7	34.41	5.951	101.9	114.2	0	42.59	12.21	250
6/16/2024	66.75	33.35	3.3	75.94	105.4	0	31.83	11.7	250
6/17/2024	85.6	31.33	3.3	97.44	97.19	0	40.89	12.52	250
6/18/2024	38.3	29.52	3.3	43.63	89.47	0	18.35	12.97	250
6/19/2024	2.95	27.89	3.3	3.36	82.26	0	1.412	12.77	250
6/20/2024	2.954	26.42	3.3	3.36	75.57	0	1.407	12.97	250
6/21/2024	2.959	25.1	3.3	3.36	69.33	0	1.402	15.1	250
6/22/2024	0	23.91	0	0	63.34	0	0	12.7	250
6/23/2024	0	21.52	0	0	57.85	0	0	11.48	250
6/24/2024	0	19.36	0	0	52.85	0	0	12.58	250
6/25/2024	0	17.43	0	0	48.09	0	0	12.28	250
6/26/2024	0	15.69	0	0	43.69	0	0	12.64	250
6/27/2024	0	14.12	0	0	39.56	0	0	15.69	250
6/28/2024	0	12.71	0	0	35.46	0	0	18.97	250
6/29/2024	0	11.43	0	0	8.958	0	0	30.08	250
6/30/2024	0	10.29	0	0	8.779	0	0	51.11	250
7/1/2024	0	9.262	0	0	8.603	0	0	12.9	500
7/2/2024	0	8.336	0	0	8.431	0	0	12.87	500
7/3/2024	0	7.502	0	0	8.262	0	0	21.19	500
7/4/2024	0	6.752	0	0	8.097	0	0	16.64	500
7/5/2024	0	6.077	0	0	7.935	0	0	11.97	500
7/6/2024	3.079	5.469	3.3	3.36	7.777	0	1.252	12.12	500

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
7/7/2024	314.6	6.242	335.8	341.9	7.621	0	125.8	12.01	500	
7/8/2024	105.9	139.9	113.7	115.7	742.5	0	43.26	12.57	500	
7/9/2024	5.511	171.4	5.951	6.059	319.6	0	2.308	12.83	500	
7/10/2024	0	156.7	0	0	88.92	0	0	12.69	500	
7/11/2024	0	141	0	0	70.66	0	0	12.77	500	
7/12/2024	3.071	126.9	3.3	3.36	52.77	0	1.262	13.46	500	
7/13/2024	0	115.5	0	0	48.62	0	0	13.53	500	
7/14/2024	0	104	0	0	47.03	0	0	13.36	500	
7/15/2024	0	93.57	0	0	42.83	0	0	19.09	500	
7/16/2024	0	84.22	0	0	38.03	0	0	13.13	500	
7/17/2024	0	75.79	0	0	9.749	0	0	13.7	500	
7/18/2024	0	68.21	0	0	9.554	0	0	15.36	500	
7/19/2024	0	61.39	0	0	9.363	0	0	13.08	500	
7/20/2024	0	55.25	0	0	9.175	0	0	12.45	500	
7/21/2024	3.201	49.73	3.3	3.36	8.992	0	1.099	12.13	500	
7/22/2024	45.56	46.08	46.34	47.19	8.812	0	14.67	10.2	500	
7/23/2024	84.15	60.01	84.49	86.03	75.34	0	25.39	9.302	500	
7/24/2024	10.45	87.8	10.44	10.63	179.2	0	3.072	8.627	500	
7/25/2024	362.6	83.2	358.3	364.8	13.14	0	100.4	8.722	500	
7/26/2024	12.39	218.2	12.68	12.91	809.1	0	4.11	10	500	
7/27/2024	0	201.4	0	0	109	0	0	11.89	500	
7/28/2024	27.49	181.3	28.39	28.91	84.2	0	9.518	10.16	500	
7/29/2024	3.602	174.5	3.707	3.774	92.77	0	1.226	8.962	500	
7/30/2024	0	158.6	0	0	58.65	0	0	9.058	500	
7/31/2024	0	142.7	0	0	53.44	0	0	9.128	500	
8/1/2024	0	128.4	0	0	52	0	0	9.322	500	
8/2/2024	0	115.6	0	0	48.26	0	0	10.11	500	
8/3/2024	0	104	0	0	43.54	0	0	7.638	500	
8/4/2024	0	93.62	0	0	39.33	0	0	6.082	500	
8/5/2024	3.624	84.26	3.3	3.36	35.45	0	0.5702	5.296	500	
8/6/2024	3.624	77.15	3.3	3.36	9.144	0	0.5702	4.581	500	
8/7/2024	0	70.76	0	0	8.961	0	0	4.747	500	
8/8/2024	115	63.68	104.7	106.6	8.782	0	18.09	4.699	500	
8/9/2024	413.1	99.19	376.2	383.1	212.3	0	65	4.738	500	
8/10/2024	67.3	239.8	66.54	67.75	859.7	0	18.71	6.16	500	
8/11/2024	3.22	242.4	3.3	3.36	252.7	0	1.075	7.698	500	
8/12/2024	5.807	219.5	5.951	6.059	111.5	0	1.938	7.639	500	
8/13/2024	5.835	199.9	5.951	6.059	92.83	0	1.903	8.329	500	
8/14/2024	0	182.3	0	0	76.9	0	0	9.674	500	
8/15/2024	0	164.1	0	0	61.75	0	0	7.696	500	
8/16/2024	3.354	147.7	3.3	3.36	60.7	0	0.908	6.973	500	
8/17/2024	0	134.2	0	0	58.14	0	0	8.079	500	
8/18/2024	0	120.8	0	0	53.37	0	0	5.816	500	
8/19/2024	0	108.7	0	0	48.69	0	0	4.307	500	
8/20/2024	124.8	97.84	113.7	115.7	44.42	0	19.64	3.844	500	
8/21/2024	4.067	133.5	3.707	3.774	267.4	0	0.6455	3.879	500	
8/22/2024	0	121.7	0	0	37.53	0	0	3.605	500	
8/23/2024	36.11	109.5	32.88	33.48	37.82	0	5.681	3.554	500	
8/24/2024	18.86	111.7	17.17	17.48	78.37	0	2.967	3.761	500	
8/25/2024	3.624	107.4	3.3	3.36	54.06	0	0.5702	3.348	500	
8/26/2024	3.624	97.97	3.3	3.36	9.762	0	0.5702	3.463	500	
8/27/2024	8.999	89.49	8.195	8.344	9.924	0	1.416	3.38	500	
8/28/2024	38.57	83.82	35.12	35.76	9.903	0	6.069	3.111	500	
8/29/2024	3.624	89.49	3.3	3.36	63.13	0	0.5702	3.012	500	
8/30/2024	16.39	81.86	14.93	15.2	9.511	0	2.579	2.989	500	
8/31/2024	3.624	79.65	3.3	3.36	17.8	0	0.5702	2.769	500	
9/1/2024	3.624	73	3.3	3.36	9.419	0	0.5702	2.788	500	
9/2/2024	4.071	67.02	3.707	3.774	9.303	0	0.6405	2.819	500	
9/3/2024	15.7	61.8	14.3	14.56	9.117	0	2.471	2.709	500	
9/4/2024	10.77	61.34	9.812	9.99	11.52	0	1.695	2.782	500	
9/5/2024	5.4	59.13	4.917	5.006	11.38	0	0.8496	2.728	500	
9/6/2024	4.071	55.19	3.707	3.774	8.581	0	0.6405	2.527	500	
9/7/2024	0	51.15	0	0	8.409	0	0	2.395	500	
9/8/2024	77.31	46.03	70.4	71.68	8.241	0	12.16	2.301	500	
9/9/2024	5.846	69.59	5.324	5.421	139	0	0.9199	2.348	500	
9/10/2024	1.776	64.76	1.617	1.646	7.914	0	0.2794	2.167	500	
9/11/2024	51.83	58.93	47.2	48.06	8.327	0	8.156	1.756	500	
9/12/2024	21.37	71.92	19.46	19.81	92.45	0	3.362	1.919	500	
9/13/2024	0	72.51	0	0	39.23	0	0	2.135	500	
9/14/2024	1.776	65.26	1.617	1.646	9.251	0	0.2794	1.919	500	
9/15/2024	10.24	59.38	9.328	9.498	9.729	0	1.612	2.116	500	
9/16/2024	0	57.17	0	0	1.752	0	0	1.738	500	
9/17/2024	0	51.46	0	0	0.4803	0	0	1.617	500	
9/18/2024	0	46.31	0	0	0.4862	0	0	1.617	500	
9/19/2024	8.999	41.68	8.195	8.344	51.37	0	1.416	1.618	500	
9/20/2024	0	40.79	0	0	21.44	0	0	1.835	500	
9/21/2024	11.46	36.71	10.44	10.63	9.803	0	1.804	1.832	500	
9/22/2024	1.776	37.22	1.617	1.646	9.744	0	0.2794	1.621	500	
9/23/2024	7.332	34.14	6.677	6.798	9.608	0	1.154	1.555	500	
9/24/2024	0	33.4	0	0	0.4744	0	0	1.475	500	
9/25/2024	0	30.06	0	0	0.4666	0	0	1.362	500	
9/26/2024	0	27.05	0	0	0.4622	0	0	1.189	500	
9/27/2024	0	24.35	0	0	0.4588	0	0	1.167	500	
9/28/2024	0	21.91	0	0	0.4552	0	0	1.208	500	
9/29/2024	0	19.72	0	0	0.4509	0	0	1.068	500	
9/30/2024	164	17.75	137.3	152.1	61.52	0	25.81	1.129	500	
10/1/2024	0	70.89	0	0	354.9	0	0	1.14	250	
10/2/2024	0	63.81	0	0	15.67	0	0	0.8859	250	
10/3/2024	0	57.42	0	0	8.801	0	0	1.033	250	
10/4/2024	0	51.68	0	0	2.677	0	0	0.9784	250	
10/5/2024	0	46.51	0	0	1.956	0	0	0.8604	250	
10/6/2024	0	41.86	0	0	1.982	0	0	0.6623	250	
10/7/2024	0	37.68	0	0	1.977	0	0	0.4637	250	
10/8/2024	0	33.91	0	0	1.946	0	0	0.6091	250	
10/9/2024	0	30.52	0	0	1.896	0	0	0.6178	250	
10/10/2024	0	27.47	0	0	1.833	0	0	0.6369	250	
10/11/2024	0	24.72	0	0	1.761	0	0	0.7273	250	
10/12/2024	0	22.25	0	0	0.4807	0	0	0.7253	250	
10/13/2024	0	20.02	0	0	0.4813	0	0	0.7431	250	
10/14/2024	0	18.02	0	0	0.4799	0	0	0.5982	250	
10/15/2024	0	16.22	0	0	0.4769	0	0	0.6069	250	
10/16/2024	0	14.6	0	0	0.4726	0	0	0.6007	250	
10/17/2024	0	13.14	0	0	0.4673	0	0	0.5384	250	
10/18/2024	0	11.82	0	0	0.4614	0	0	0.4663	250	
10/19/2024	0	10.64	0	0	0.4548	0	0	0.3361	250	
10/20/2024	0	9.577	0	0	0.4479	0	0	0.2488	250	

Date	CP3 - Water Balance								
	Inflow							Outflow	
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3	
10/21/2024	0	8.619	0	0	0.4406	0	0	0.3186	250
10/22/2024	0	7.757	0	0	0.4332	0	0	0.2608	250
10/23/2024	0	6.982	0	0	0.4256	0	0	0.1984	250
10/24/2024	0	6.283	0	0	0.418	0	0	0.3775	250
10/25/2024	0	5.655	0	0	0.4104	0	0	0.4721	250
10/26/2024	0	5.09	0	0	0.4027	0	0	0.268	250
10/27/2024	0	4.581	0	0	0.3951	0	0	0.3375	250
10/28/2024	0	4.123	0	0	0.3876	0	0	0.2381	250
10/29/2024	0	3.71	0	0	0.3801	0	0	0	250
10/30/2024	0	3.339	0	0	0.3727	0	0	0.2292	250
10/31/2024	0	3.005	0	0	0.3655	0	0	0.156	250
11/1/2024	0	2.705	0	0	0.3583	0	0	0	0
11/2/2024	0	2.434	0	0	0.3513	0	0	0	0
11/3/2024	0	2.191	0	0	0.3443	0	0	0	0
11/4/2024	0	1.972	0	0	0.3375	0	0	0.01741	0
11/5/2024	0	1.775	0	0	0.3308	0	0	0.02518	0
11/6/2024	0	1.597	0	0	0.3243	0	0	0	0
11/7/2024	0	1.437	0	0	0.3178	0	0	0	0
11/8/2024	0	1.294	0	0	0.3115	0	0	0	0
11/9/2024	0	1.164	0	0	0.3053	0	0	0	0
11/10/2024	0	1.048	0	0	0.2992	0	0	0	0
11/11/2024	0	0.9431	0	0	0.2932	0	0	0	0
11/12/2024	0	0.8488	0	0	0.2874	0	0	0.0156	0
11/13/2024	0	0.7639	0	0	0.2816	0	0	0	0
11/14/2024	0	0.6875	0	0	0.276	0	0	0.06362	0
11/15/2024	0	0.6188	0	0	0.2705	0	0	0.1114	0
11/16/2024	0	0.5569	0	0	0.2651	0	0	0.1332	0
11/17/2024	0	0.5012	0	0	0.2598	0	0	0	0
11/18/2024	0	0.4511	0	0	0.2546	0	0	0	0
11/19/2024	0	0.406	0	0	0.2495	0	0	0	0
11/20/2024	0	0.3654	0	0	0.2445	0	0	0	0
11/21/2024	0	0.3288	0	0	0.2396	0	0	0	0
11/22/2024	0	0.296	0	0	0.2348	0	0	0	0
11/23/2024	0	0.2664	0	0	0.2302	0	0	0	0
11/24/2024	0	0.2397	0	0	0.2256	0	0	0.02396	0
11/25/2024	0	0.2158	0	0	0.221	0	0	0	0
11/26/2024	0	0.1942	0	0	0.2166	0	0	0.08035	0
11/27/2024	0	0.1748	0	0	0.2123	0	0	0	0
11/28/2024	0	0.1573	0	0	0.208	0	0	0	0
11/29/2024	0	0.1416	0	0	0.2039	0	0	0	0
11/30/2024	0	0.1274	0	0	0.1998	0	0	0.03063	0
12/1/2024	0	0.1147	0	0	0.1958	0	0	0.01177	0
12/2/2024	0	0.1032	0	0	0.1919	0	0	0	0
12/3/2024	0	0.09287	0	0	0.1881	0	0	0	0
12/4/2024	0	0.08359	0	0	0.1843	0	0	0	0
12/5/2024	0	0.07523	0	0	0.1806	0	0	0	0
12/6/2024	0	0.0677	0	0	0.177	0	0	0.009745	0
12/7/2024	0	0.06093	0	0	0.1735	0	0	0.01367	0
12/8/2024	0	0.05484	0	0	0.17	0	0	0	0
12/9/2024	0	0.04936	0	0	0.1666	0	0	0	0
12/10/2024	0	0.04442	0	0	0.1633	0	0	0	0
12/11/2024	0	0.03998	0	0	0.16	0	0	0	0
12/12/2024	0	0.03598	0	0	0.1568	0	0	0	0
12/13/2024	0	0.03238	0	0	0.1537	0	0	0	0
12/14/2024	0	0.02914	0	0	0.1506	0	0	0	0
12/15/2024	0	0.02623	0	0	0.1476	0	0	0.01974	0
12/16/2024	0	0.02361	0	0	0.1446	0	0	0	0
12/17/2024	0	0.02125	0	0	0.1417	0	0	0.01333	0
12/18/2024	0	0.01912	0	0	0.1389	0	0	0	0
12/19/2024	0	0.01721	0	0	0.1361	0	0	0	0
12/20/2024	0	0.01549	0	0	0.1334	0	0	0	0
12/21/2024	0	0.01394	0	0	0.1307	0	0	0	0
12/22/2024	0	0.01255	0	0	0.1281	0	0	0	0
12/23/2024	0	0.01129	0	0	0.1255	0	0	0	0
12/24/2024	0	0.01016	0	0	0.123	0	0	0	0
12/25/2024	0	0.009146	0	0	0.1206	0	0	0	0
12/26/2024	0	0.008231	0	0	0.1182	0	0	0	0
12/27/2024	0	0.007408	0	0	0.1158	0	0	0	0
12/28/2024	0	0.006667	0	0	0.1135	0	0	0	0
12/29/2024	0	0.006001	0	0	0.1112	0	0	0	0
12/30/2024	0	0.005401	0	0	0.109	0	0	0	0
12/31/2024	0	0.004861	0	0	0.1068	0	0	0	0
1/1/2025	0	0.004374	0	0	0.1047	0	0	0	0
1/2/2025	0	0.003937	0	0	0.1026	0	0	0	0
1/3/2025	0	0.003543	0	0	0.1005	0	0	0	0
1/4/2025	0	0.003189	0	0	0.09852	0	0	0	0
1/5/2025	0	0.00287	0	0	0.09655	0	0	0	0
1/6/2025	0	0.002583	0	0	0.09462	0	0	0	0
1/7/2025	0	0.002325	0	0	0.09273	0	0	0	0
1/8/2025	0	0.002092	0	0	0.09087	0	0	0	0
1/9/2025	0	0.001883	0	0	0.08905	0	0	0	0
1/10/2025	0	0.001695	0	0	0.08727	0	0	0	0
1/11/2025	0	0.001525	0	0	0.08553	0	0	0	0
1/12/2025	0	0.001373	0	0	0.08382	0	0	0	0
1/13/2025	0	0.001235	0	0	0.08214	0	0	0	0
1/14/2025	0	0.001112	0	0	0.0805	0	0	0	0
1/15/2025	0	0.001001	0	0	0.07889	0	0	0	0
1/16/2025	0	0.0009007	0	0	0.07731	0	0	0	0
1/17/2025	0	0.0008106	0	0	0.07576	0	0	0	0
1/18/2025	0	0.0007295	0	0	0.07425	0	0	0	0
1/19/2025	0	0.0006566	0	0	0.07276	0	0	0.001174	0
1/20/2025	0	0.0005909	0	0	0.07131	0	0	0.03799	0
1/21/2025	0	0.0005318	0	0	0.06988	0	0	0	0
1/22/2025	0	0.0004786	0	0	0.06848	0	0	0	0
1/23/2025	0	0.0004308	0	0	0.06711	0	0	0	0
1/24/2025	0	0.0003877	0	0	0.06577	0	0	0	0
1/25/2025	0	0.0003489	0	0	0.06446	0	0	0	0
1/26/2025	0	0.000314	0	0	0.06317	0	0	0	0
1/27/2025	0	0.0002826	0	0	0.0619	0	0	0	0
1/28/2025	0	0.0002544	0	0	0.06067	0	0	0	0
1/29/2025	0	0.0002289	0	0	0.05945	0	0	0	0
1/30/2025	0	0.000206	0	0	0.05826	0	0	0	0
1/31/2025	0	0.0001854	0	0	0.0571	0	0	0	0
2/1/2025	0	0.0001669	0	0	0.05596	0	0	0	0
2/2/2025	0	0.0001502	0	0	0.05484	0	0	0	0
2/3/2025	0	0.0001352	0	0	0.05374	0	0	0	0

Date	CP3 - Water Balance								
	Inflow							Outflow	
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3	
2/4/2025	0	0.0001217	0	0	0.05267	0	0	0	0
2/5/2025	0	0.0001095	0	0	0.05161	0	0	0	0
2/6/2025	0	9.86E-05	0	0	0.05058	0	0	0	0
2/7/2025	0	8.87E-05	0	0	0.04957	0	0	0	0
2/8/2025	0	7.98E-05	0	0	0.04858	0	0	0	0
2/9/2025	0	7.18E-05	0	0	0.04761	0	0	0	0
2/10/2025	0	6.47E-05	0	0	0.04665	0	0	0	0
2/11/2025	0	5.82E-05	0	0	0.04572	0	0	0	0
2/12/2025	0	5.24E-05	0	0	0.04481	0	0	0	0
2/13/2025	0	4.71E-05	0	0	0.04391	0	0	0	0
2/14/2025	0	4.24E-05	0	0	0.04303	0	0	0	0
2/15/2025	0	3.82E-05	0	0	0.04217	0	0	0	0
2/16/2025	0	3.44E-05	0	0	0.04133	0	0	0	0
2/17/2025	0	3.09E-05	0	0	0.0405	0	0	0	0
2/18/2025	0	2.78E-05	0	0	0.03969	0	0	0	0
2/19/2025	0	2.51E-05	0	0	0.0389	0	0	0	0
2/20/2025	0	2.25E-05	0	0	0.03812	0	0	0	0
2/21/2025	0	2.03E-05	0	0	0.03736	0	0	0	0
2/22/2025	0	1.83E-05	0	0	0.03661	0	0	0	0
2/23/2025	0	1.64E-05	0	0	0.03588	0	0	0	0
2/24/2025	0	1.48E-05	0	0	0.03516	0	0	0	0
2/25/2025	0	1.33E-05	0	0	0.03446	0	0	0	0
2/26/2025	0	1.20E-05	0	0	0.03377	0	0	0	0
2/27/2025	0	1.08E-05	0	0	0.03309	0	0	0	0
2/28/2025	0	9.71E-06	0	0	0.03243	0	0	0	0
3/1/2025	0	8.73E-06	0	0	0.03178	0	0	0	0
3/2/2025	0	7.86E-06	0	0	0.03115	0	0	0	0
3/3/2025	0	7.08E-06	0	0	0.03052	0	0	0	0
3/4/2025	0	6.37E-06	0	0	0.02991	0	0	0	0
3/5/2025	0	5.73E-06	0	0	0.02931	0	0	0	0
3/6/2025	0	5.16E-06	0	0	0.02873	0	0	0	0
3/7/2025	0	4.64E-06	0	0	0.02815	0	0	0	0
3/8/2025	0	4.18E-06	0	0	0.02759	0	0	0	0
3/9/2025	0	3.76E-06	0	0	0.02704	0	0	0	0
3/10/2025	0	3.38E-06	0	0	0.0265	0	0	0	0
3/11/2025	0	3.05E-06	0	0	0.02597	0	0	0	0
3/12/2025	0	2.74E-06	0	0	0.02545	0	0	0	0
3/13/2025	0	2.47E-06	0	0	0.02494	0	0	0	0
3/14/2025	0	2.22E-06	0	0	0.02444	0	0	0	0
3/15/2025	0	2.00E-06	0	0	0.02395	0	0	0	0
3/16/2025	0	1.80E-06	0	0	0.02347	0	0	0	0
3/17/2025	0	1.62E-06	0	0	0.023	0	0	0	0
3/18/2025	0	1.46E-06	0	0	0.02254	0	0	0	0
3/19/2025	0	1.31E-06	0	0	0.02209	0	0	0	0
3/20/2025	0	1.18E-06	0	0	0.02165	0	0	0	0
3/21/2025	0	1.06E-06	0	0	0.02122	0	0	0	0
3/22/2025	0	9.56E-07	0	0	0.02079	0	0	0	0
3/23/2025	0	8.60E-07	0	0	0.02038	0	0	0.5062	0
3/24/2025	0	7.74E-07	0	0	0.01997	0	0	1.263	0
3/25/2025	0	6.97E-07	0	0	0.01957	0	0	0.74	0
3/26/2025	0	6.27E-07	0	0	0.01918	0	0	0.2182	0
3/27/2025	0	5.64E-07	0	0	0.0188	0	0	0	0
3/28/2025	0	5.08E-07	0	0	0.01842	0	0	0	0
3/29/2025	0	4.57E-07	0	0	0.01805	0	0	0	0
3/30/2025	0	4.11E-07	0	0	0.01769	0	0	0	0
3/31/2025	0	3.70E-07	0	0	0.01734	0	0	0	0
4/1/2025	0	3.33E-07	0	0	0.01699	0	0	0.5558	0
4/2/2025	0	3.00E-07	0	0	0.01665	0	0	0.8518	0
4/3/2025	0	2.70E-07	0	0	0.01632	0	0	0	0
4/4/2025	0	2.43E-07	0	0	0.01599	0	0	0	0
4/5/2025	0	2.19E-07	0	0	0.01567	0	0	0	0
4/6/2025	0	1.97E-07	0	0	0.01536	0	0	0	0
4/7/2025	0	1.77E-07	0	0	0.01505	0	0	0	0
4/8/2025	0	1.59E-07	0	0	0.01475	0	0	0	0
4/9/2025	0	1.43E-07	0	0	0.01445	0	0	0	0
4/10/2025	0	1.29E-07	0	0	0.01417	0	0	0	0
4/11/2025	0	1.16E-07	0	0	0.01388	0	0	0	0
4/12/2025	0	1.05E-07	0	0	0.0136	0	0	0	0
4/13/2025	0	9.41E-08	0	0	0.01333	0	0	0	0
4/14/2025	0	8.47E-08	0	0	0.01307	0	0	0.2626	0
4/15/2025	0	7.62E-08	0	0	0.0128	0	0	0.9545	0
4/16/2025	0	6.86E-08	0	0	0.01255	0	0	0.9183	0
4/17/2025	0	6.18E-08	0	0	0.0123	0	0	0.6411	0
4/18/2025	0	5.56E-08	0	0	0.01205	0	0	0.4275	0
4/19/2025	0	5.00E-08	0	0	0.01181	0	0	0.3217	0
4/20/2025	0	4.50E-08	0	0	0.01157	0	0	0	0
4/21/2025	0	4.05E-08	0	0	0.01134	0	0	0	0
4/22/2025	0	3.65E-08	0	0	0.01112	0	0	0	0
4/23/2025	0	3.28E-08	0	0	0.01089	0	0	0	0
4/24/2025	0	2.95E-08	0	0	0.01068	0	0	0	0
4/25/2025	0	2.66E-08	0	0	0.01046	0	0	0	0
4/26/2025	0	2.39E-08	0	0	0.01025	0	0	0	0
4/27/2025	0	2.15E-08	0	0	0.01005	0	0	0	0
4/28/2025	0	1.94E-08	0	0	0.009847	0	0	0.5922	0
4/29/2025	0	1.74E-08	0	0	0.00965	0	0	0	0
4/30/2025	0	1.57E-08	0	0	0.009457	0	0	0	0
5/1/2025	0	1.41E-08	0	0	0.009268	0	0	0.4368	0
5/2/2025	0	1.27E-08	0	0	0.009082	0	0	1.584	0
5/3/2025	0	1.14E-08	0	0	0.008901	0	0	1.925	0
5/4/2025	0	1.03E-08	0	0	0.008723	0	0	2.166	0
5/5/2025	0	9.27E-09	0	0	0.008548	0	0	1.036	0
5/6/2025	0	8.34E-09	0	0	0.008377	0	0	1.854	0
5/7/2025	0	7.51E-09	0	0	0.00821	0	0	1.872	0
5/8/2025	0	6.76E-09	0	0	0.008046	0	0	1.839	0
5/9/2025	0	6.08E-09	0	0	0.007885	0	0	2.771	0
5/10/2025	0	5.47E-09	0	0	0.007727	0	0	3.196	0
5/11/2025	0	4.93E-09	0	0	0.007572	0	0	3.115	0
5/12/2025	0	4.43E-09	0	0	0.007421	0	0	3.092	0
5/13/2025	0	3.99E-09	0	0	0.007273	0	0	2.815	0
5/14/2025	0	3.59E-09	0	0	0.007127	0	0	3.201	0
5/15/2025	18.92	3.23E-09	6.677	17.55	33.17	0	2.987	2.518	0
5/16/2025	20.73	2.671	4.917	19.34	103.7	0	3.452	3.182	0
5/17/2025	54.32	4.371	33.69	51.33	147	0	10.01	3.599	0
5/18/2025	3.692	17.41	0	3.584	192.2	0	0.8251	4.769	0
5/19/2025	0	15.67	0	0	12.53	0	0	5.035	0
5/20/2025	0	14.1	0	0	0.1037	0	0	5.213	0

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
5/21/2025	15.02	12.69	4.917	14.86	31.33	0	3.781	5.452	0	
5/22/2025	27.56	13.39	4.917	27.41	148.5	0	7.144	6.02	0	
5/23/2025	34.29	14.02	9.328	34.59	337	0	9.631	6.211	0	
5/24/2025	43.87	16.35	30.32	45.2	339.2	0	13.77	6.41	0	
5/25/2025	46.96	26.84	43.9	49.18	204.3	0	15.94	6.995	0	
5/26/2025	8.349	41.72	3.377	8.815	165.8	0	2.943	7.494	0	
5/27/2025	18.76	38.89	16.89	19.88	67.39	0	6.727	6.909	0	
5/28/2025	11.32	41.76	10.05	12.03	61.85	0	4.105	6.905	0	
5/29/2025	38.39	41.6	21.66	40.87	111.3	0	14.04	7.725	0	
5/30/2025	53.94	46.11	8.195	57.62	523.5	0	20.04	8.898	0	
5/31/2025	71.32	44.78	3.3	76.83	865	0	27.47	9.894	0	
6/1/2025	78.25	41.62	0	85.12	1175	0	31.39	10.08	250	
6/2/2025	66.9	37.46	0	73.47	1441	0	27.9	11.08	250	
6/3/2025	33.76	33.71	10.44	37.51	975.8	0	14.73	9.125	250	
6/4/2025	42.44	34.51	0	47.49	368.1	0	19.03	10.4	250	
6/5/2025	44.92	31.06	3.707	50.37	294.9	0	20.3	10.32	250	
6/6/2025	58.84	29.44	3.3	66.08	253.1	0	26.75	10.95	250	
6/7/2025	96.19	27.82	3.3	108.2	218.6	0	43.99	11.89	250	
6/8/2025	100.3	26.35	77.59	113.1	189.7	0	46.24	10.38	250	
6/9/2025	63.55	54.76	16.89	71.85	309	0	29.62	11.02	250	
6/10/2025	45.83	56.03	0	51.97	185.1	0	21.59	11.21	250	
6/11/2025	54.47	50.43	0	61.82	150	0	25.75	11.22	250	
6/12/2025	28.4	45.39	0	32.26	139.9	0	13.46	10.49	250	
6/13/2025	30.77	40.85	0	34.94	132.2	0	14.58	10.44	250	
6/14/2025	62.92	36.76	3.3	71.46	123.7	0	29.81	11.5	250	
6/15/2025	89.69	34.41	5.951	101.9	114.2	0	42.6	12.2	250	
6/16/2025	66.74	33.35	3.3	75.94	105.4	0	31.84	11.69	250	
6/17/2025	85.59	31.33	3.3	97.44	97.21	0	40.91	12.51	250	
6/18/2025	39.8	29.52	3.3	45.35	89.5	0	19.08	12.97	250	
6/19/2025	2.95	27.89	3.3	3.36	82.28	0	1.413	12.77	250	
6/20/2025	2.954	26.42	3.3	3.36	75.59	0	1.408	12.98	250	
6/21/2025	2.958	25.1	3.3	3.36	69.35	0	1.402	15.11	250	
6/22/2025	0	23.91	0	0	63.36	0	0	12.71	250	
6/23/2025	0	21.52	0	0	57.87	0	0	11.49	250	
6/24/2025	0	19.36	0	0	52.86	0	0	12.59	250	
6/25/2025	0	17.43	0	0	48.11	0	0	12.3	250	
6/26/2025	0	15.69	0	0	43.7	0	0	12.66	250	
6/27/2025	0	14.12	0	0	39.57	0	0	15.72	250	
6/28/2025	0	12.71	0	0	35.46	0	0	19.01	250	
6/29/2025	0	11.43	0	0	8.959	0	0	30.14	250	
6/30/2025	0	10.29	0	0	8.78	0	0	51.23	250	
7/1/2025	0	9.262	0	0	8.604	0	0	12.93	500	
7/2/2025	0	8.336	0	0	8.432	0	0	12.91	500	
7/3/2025	0	7.502	0	0	8.263	0	0	21.26	500	
7/4/2025	0	6.752	0	0	8.098	0	0	16.7	500	
7/5/2025	0	6.077	0	0	7.936	0	0	12.01	500	
7/6/2025	3.078	5.469	3.3	3.36	7.778	0	1.252	12.16	500	
7/7/2025	314.5	6.242	335.8	341.9	7.622	0	125.8	12.06	500	
7/8/2025	105.9	139.9	113.7	115.7	742.4	0	43.28	12.62	500	
7/9/2025	5.51	171.4	5.951	6.059	319.5	0	2.309	12.89	500	
7/10/2025	0	156.7	0	0	88.86	0	0	12.74	500	
7/11/2025	0	141	0	0	70.56	0	0	12.83	500	
7/12/2025	3.07	126.9	3.3	3.36	52.65	0	1.262	13.53	500	
7/13/2025	0	115.5	0	0	48.58	0	0	13.6	500	
7/14/2025	0	104	0	0	46.97	0	0	13.43	500	
7/15/2025	0	93.57	0	0	42.77	0	0	19.2	500	
7/16/2025	0	84.22	0	0	37.96	0	0	13.2	500	
7/17/2025	0	75.79	0	0	9.728	0	0	13.79	500	
7/18/2025	0	68.21	0	0	9.533	0	0	15.46	500	
7/19/2025	0	61.39	0	0	9.343	0	0	13.16	500	
7/20/2025	0	55.25	0	0	9.156	0	0	12.53	500	
7/21/2025	3.2	49.73	3.3	3.36	8.973	0	1.1	12.23	500	
7/22/2025	45.54	46.08	46.34	47.19	8.793	0	14.7	10.29	500	
7/23/2025	84.09	60.01	84.49	86.03	75.22	0	25.47	9.393	500	
7/24/2025	10.44	87.8	10.44	10.63	179.1	0	3.082	8.714	500	
7/25/2025	362.3	83.2	358.3	364.8	13.03	0	100.8	8.819	500	
7/26/2025	12.39	218.2	12.68	12.91	809	0	4.116	10.09	500	
7/27/2025	0	201.4	0	0	108.7	0	0	11.99	500	
7/28/2025	27.48	181.3	28.39	28.91	83.88	0	9.527	10.25	500	
7/29/2025	3.601	174.5	3.707	3.774	92.33	0	1.228	9.044	500	
7/30/2025	0	158.6	0	0	58.3	0	0	9.143	500	
7/31/2025	0	142.7	0	0	53.25	0	0	9.221	500	
8/1/2025	0	128.4	0	0	51.8	0	0	9.426	500	
8/2/2025	0	115.6	0	0	47.86	0	0	10.23	500	
8/3/2025	0	104	0	0	43.16	0	0	7.742	500	
8/4/2025	0	93.62	0	0	38.97	0	0	6.173	500	
8/5/2025	3.624	84.26	3.3	3.36	35.1	0	0.5702	5.346	500	
8/6/2025	3.624	77.15	3.3	3.36	9.049	0	0.5702	4.625	500	
8/7/2025	0	70.76	0	0	8.868	0	0	4.793	500	
8/8/2025	115	63.68	104.7	106.6	8.691	0	18.09	4.747	500	
8/9/2025	413.1	99.19	376.2	383.1	212.1	0	65	4.787	500	
8/10/2025	67.3	239.8	66.54	67.75	859.4	0	18.71	6.224	500	
8/11/2025	3.22	242.4	3.3	3.36	252.4	0	1.075	7.779	500	
8/12/2025	5.807	219.5	5.951	6.059	111	0	1.938	7.721	500	
8/13/2025	5.836	199.9	5.951	6.059	92.34	0	1.902	8.419	500	
8/14/2025	0	182.3	0	0	76.38	0	0	9.781	500	
8/15/2025	0	164.1	0	0	61.41	0	0	7.78	500	
8/16/2025	3.354	147.7	3.3	3.36	60.35	0	0.9072	7.049	500	
8/17/2025	0	134.2	0	0	57.76	0	0	8.165	500	
8/18/2025	0	120.8	0	0	52.99	0	0	5.874	500	
8/19/2025	0	108.7	0	0	48.32	0	0	4.349	500	
8/20/2025	124.8	97.84	113.7	115.7	44.07	0	19.64	3.893	500	
8/21/2025	4.067	133.5	3.707	3.774	266.9	0	0.6453	3.929	500	
8/22/2025	0	121.7	0	0	37.21	0	0	3.652	500	
8/23/2025	36.11	109.5	32.88	33.48	37.51	0	5.681	3.602	500	
8/24/2025	18.86	111.7	17.17	17.48	77.84	0	2.967	3.812	500	
8/25/2025	3.624	107.4	3.3	3.36	53.6	0	0.5702	3.395	500	
8/26/2025	3.624	97.97	3.3	3.36	9.668	0	0.5702	3.512	500	
8/27/2025	8.999	89.49	8.195	8.344	9.822	0	1.416	3.429	500	
8/28/2025	38.57	83.82	35.12	35.76	9.753	0	6.069	3.157	500	
8/29/2025	3.624	89.49	3.3	3.36	62.74	0	0.5702	3.057	500	
8/30/2025	16.39	81.86	14.93	15.2	9.367	0	2.579	3.034	500	
8/31/2025	3.624	79.65	3.3	3.36	17.47	0	0.5702	2.812	500	
9/1/2025	3.624	73	3.3	3.36	9.272	0	0.5702	2.833	500	
9/2/2025	4.071	67.02	3.707	3.774	9.111	0	0.6405	2.864	500	
9/3/2025	15.7	61.8	14.3	14.56	8.929	0	2.471	2.753	500	

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
9/4/2025	10.77	61.34	9.812	9.99	11.12	0	1.695	2.829	500	
9/5/2025	5.4	59.13	4.917	5.006	11.07	0	0.8496	2.774	500	
9/6/2025	4.071	55.19	3.707	3.774	8.404	0	0.6405	2.571	500	
9/7/2025	0	51.15	0	0	8.236	0	0	2.437	500	
9/8/2025	77.31	46.03	70.4	71.68	8.071	0	12.16	2.342	500	
9/9/2025	5.846	69.59	5.324	5.421	138.8	0	0.9199	2.39	500	
9/10/2025	1.776	64.76	1.617	1.646	7.752	0	0.2794	2.206	500	
9/11/2025	51.83	58.93	47.2	48.06	8.165	0	8.156	1.789	500	
9/12/2025	21.37	71.92	19.46	19.81	92.12	0	3.362	1.956	500	
9/13/2025	0	72.51	0	0	38.96	0	0	2.177	500	
9/14/2025	1.776	65.26	1.617	1.646	9.082	0	0.2794	1.957	500	
9/15/2025	10.24	59.38	9.328	9.498	9.556	0	1.612	2.158	500	
9/16/2025	0	57.17	0	0	0.4916	0	0	1.773	500	
9/17/2025	0	51.46	0	0	0.4961	0	0	1.65	500	
9/18/2025	0	46.31	0	0	1.754	0	0	1.651	500	
9/19/2025	8.999	41.68	8.195	8.344	51.28	0	1.416	1.652	500	
9/20/2025	0	40.79	0	0	21.45	0	0	1.875	500	
9/21/2025	11.46	36.71	10.44	10.63	9.585	0	1.804	1.872	500	
9/22/2025	1.776	37.22	1.617	1.646	9.524	0	0.2794	1.657	500	
9/23/2025	7.332	34.14	6.677	6.798	9.384	0	1.154	1.591	500	
9/24/2025	0	33.4	0	0	0.463	0	0	1.509	500	
9/25/2025	0	30.06	0	0	0.4549	0	0	1.394	500	
9/26/2025	0	27.05	0	0	0.4503	0	0	1.217	500	
9/27/2025	0	24.35	0	0	0.4468	0	0	1.195	500	
9/28/2025	0	21.91	0	0	0.4431	0	0	1.238	500	
9/29/2025	0	19.72	0	0	0.4389	0	0	1.095	500	
9/30/2025	164	17.75	137.3	152.1	59.92	0	25.81	1.157	500	
10/1/2025	0	70.89	0	0	354.8	0	0	1.168	250	
10/2/2025	0	63.81	0	0	15.57	0	0	0.9079	250	
10/3/2025	0	57.42	0	0	7.468	0	0	1.059	250	
10/4/2025	0	51.68	0	0	2.685	0	0	1.004	250	
10/5/2025	0	46.51	0	0	2	0	0	0.8837	250	
10/6/2025	0	41.86	0	0	2.023	0	0	0.6805	250	
10/7/2025	0	37.68	0	0	2.014	0	0	0.4766	250	
10/8/2025	0	33.91	0	0	1.981	0	0	0.6264	250	
10/9/2025	0	30.52	0	0	1.929	0	0	0.6356	250	
10/10/2025	0	27.47	0	0	1.863	0	0	0.6555	250	
10/11/2025	0	24.72	0	0	1.789	0	0	0.7489	250	
10/12/2025	0	22.25	0	0	0.4881	0	0	0.7471	250	
10/13/2025	0	20.02	0	0	0.4885	0	0	0.7658	250	
10/14/2025	0	18.02	0	0	0.487	0	0	0.6167	250	
10/15/2025	0	16.22	0	0	0.4838	0	0	0.626	250	
10/16/2025	0	14.6	0	0	0.4793	0	0	0.6198	250	
10/17/2025	0	13.14	0	0	0.474	0	0	0.5558	250	
10/18/2025	0	11.82	0	0	0.4678	0	0	0.4816	250	
10/19/2025	0	10.64	0	0	0.4612	0	0	0.3472	250	
10/20/2025	0	9.577	0	0	0.4541	0	0	0.2572	250	
10/21/2025	0	8.619	0	0	0.4467	0	0	0.3295	250	
10/22/2025	0	7.757	0	0	0.4392	0	0	0.2699	250	
10/23/2025	0	6.982	0	0	0.4315	0	0	0.2054	250	
10/24/2025	0	6.283	0	0	0.4238	0	0	0.391	250	
10/25/2025	0	5.655	0	0	0.416	0	0	0.4891	250	
10/26/2025	0	5.09	0	0	0.4082	0	0	0.2779	250	
10/27/2025	0	4.581	0	0	0.4005	0	0	0.35	250	
10/28/2025	0	4.123	0	0	0.3929	0	0	0.247	250	
10/29/2025	0	3.71	0	0	0.3853	0	0	0	250	
10/30/2025	0	3.339	0	0	0.3778	0	0	0.2381	250	
10/31/2025	0	3.005	0	0	0.3704	0	0	0.1621	250	
11/1/2025	0	2.705	0	0	0.3632	0	0	0	0	
11/2/2025	0	2.434	0	0	0.356	0	0	0	0	
11/3/2025	0	2.191	0	0	0.349	0	0	0	0	
11/4/2025	0	1.972	0	0	0.3421	0	0	0.01812	0	
11/5/2025	0	1.775	0	0	0.3353	0	0	0.02622	0	
11/6/2025	0	1.597	0	0	0.3287	0	0	0	0	
11/7/2025	0	1.437	0	0	0.3221	0	0	0	0	
11/8/2025	0	1.294	0	0	0.3157	0	0	0	0	
11/9/2025	0	1.164	0	0	0.3094	0	0	0	0	
11/10/2025	0	1.048	0	0	0.3033	0	0	0	0	
11/11/2025	0	0.9431	0	0	0.2972	0	0	0	0	
11/12/2025	0	0.8488	0	0	0.2913	0	0	0.01629	0	
11/13/2025	0	0.7639	0	0	0.2855	0	0	0	0	
11/14/2025	0	0.6875	0	0	0.2798	0	0	0.06647	0	
11/15/2025	0	0.6188	0	0	0.2742	0	0	0.1164	0	
11/16/2025	0	0.5569	0	0	0.2687	0	0	0.1392	0	
11/17/2025	0	0.5012	0	0	0.2633	0	0	0	0	
11/18/2025	0	0.4511	0	0	0.2581	0	0	0	0	
11/19/2025	0	0.406	0	0	0.2529	0	0	0	0	
11/20/2025	0	0.3654	0	0	0.2479	0	0	0	0	
11/21/2025	0	0.3288	0	0	0.2429	0	0	0	0	
11/22/2025	0	0.296	0	0	0.238	0	0	0	0	
11/23/2025	0	0.2664	0	0	0.2333	0	0	0	0	
11/24/2025	0	0.2397	0	0	0.2286	0	0	0.02505	0	
11/25/2025	0	0.2158	0	0	0.224	0	0	0	0	
11/26/2025	0	0.1942	0	0	0.2196	0	0	0.08396	0	
11/27/2025	0	0.1748	0	0	0.2152	0	0	0	0	
11/28/2025	0	0.1573	0	0	0.2109	0	0	0	0	
11/29/2025	0	0.1416	0	0	0.2067	0	0	0	0	
11/30/2025	0	0.1274	0	0	0.2025	0	0	0.03192	0	
12/1/2025	0	0.1147	0	0	0.1985	0	0	0.01225	0	
12/2/2025	0	0.1032	0	0	0.1945	0	0	0	0	
12/3/2025	0	0.09287	0	0	0.1906	0	0	0	0	
12/4/2025	0	0.08359	0	0	0.1868	0	0	0	0	
12/5/2025	0	0.07523	0	0	0.1831	0	0	0	0	
12/6/2025	0	0.0677	0	0	0.1794	0	0	0.01008	0	
12/7/2025	0	0.06093	0	0	0.1758	0	0	0.01412	0	
12/8/2025	0	0.05484	0	0	0.1723	0	0	0	0	
12/9/2025	0	0.04936	0	0	0.1689	0	0	0	0	
12/10/2025	0	0.04442	0	0	0.1655	0	0	0	0	
12/11/2025	0	0.03998	0	0	0.1622	0	0	0	0	
12/12/2025	0	0.03598	0	0	0.1589	0	0	0	0	
12/13/2025	0	0.03238	0	0	0.1557	0	0	0	0	
12/14/2025	0	0.02914	0	0	0.1526	0	0	0	0	
12/15/2025	0	0.02623	0	0	0.1496	0	0	0.02002	0	
12/16/2025	0	0.02361	0	0	0.1466	0	0	0	0	
12/17/2025	0	0.02125	0	0	0.1437	0	0	0.01344	0	
12/18/2025	0	0.01912	0	0	0.1408	0	0	0	0	

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3		
12/19/2025	0	0.01721	0	0	0.138	0	0	0	0	
12/20/2025	0	0.01549	0	0	0.1352	0	0	0	0	
12/21/2025	0	0.01394	0	0	0.1325	0	0	0	0	
12/22/2025	0	0.01255	0	0	0.1299	0	0	0	0	
12/23/2025	0	0.01129	0	0	0.1273	0	0	0	0	
12/24/2025	0	0.01016	0	0	0.1247	0	0	0	0	
12/25/2025	0	0.009146	0	0	0.1222	0	0	0	0	
12/26/2025	0	0.008231	0	0	0.1198	0	0	0	0	
12/27/2025	0	0.007408	0	0	0.1174	0	0	0	0	
12/28/2025	0	0.006667	0	0	0.115	0	0	0	0	
12/29/2025	0	0.006001	0	0	0.1127	0	0	0	0	
12/30/2025	0	0.005401	0	0	0.1105	0	0	0	0	
12/31/2025	0	0.004861	0	0	0.1083	0	0	0	0	
1/1/2026	0	0.004374	0	0	0.1061	0	0	0	0	
1/2/2026	0	0.003937	0	0	0.104	0	0	0	0	
1/3/2026	0	0.003543	0	0	0.1019	0	0	0	0	
1/4/2026	0	0.003189	0	0	0.09986	0	0	0	0	
1/5/2026	0	0.00287	0	0	0.09786	0	0	0	0	
1/6/2026	0	0.002583	0	0	0.0959	0	0	0	0	
1/7/2026	0	0.002325	0	0	0.09399	0	0	0	0	
1/8/2026	0	0.002092	0	0	0.09211	0	0	0	0	
1/9/2026	0	0.001883	0	0	0.09026	0	0	0	0	
1/10/2026	0	0.001695	0	0	0.08846	0	0	0	0	
1/11/2026	0	0.001525	0	0	0.08669	0	0	0	0	
1/12/2026	0	0.001373	0	0	0.08496	0	0	0	0	
1/13/2026	0	0.001235	0	0	0.08326	0	0	0	0	
1/14/2026	0	0.001112	0	0	0.08159	0	0	0	0	
1/15/2026	0	0.001001	0	0	0.07996	0	0	0	0	
1/16/2026	0	0.0009007	0	0	0.07836	0	0	0	0	
1/17/2026	0	0.0008106	0	0	0.07679	0	0	0	0	
1/18/2026	0	0.0007295	0	0	0.07526	0	0	0	0	
1/19/2026	0	0.0006566	0	0	0.07375	0	0	0.001174	0	
1/20/2026	0	0.0005909	0	0	0.07228	0	0	0.03799	0	
1/21/2026	0	0.0005318	0	0	0.07083	0	0	0	0	
1/22/2026	0	0.0004786	0	0	0.06941	0	0	0	0	
1/23/2026	0	0.0004308	0	0	0.06803	0	0	0	0	
1/24/2026	0	0.0003877	0	0	0.06667	0	0	0	0	
1/25/2026	0	0.0003489	0	0	0.06533	0	0	0	0	
1/26/2026	0	0.000314	0	0	0.06403	0	0	0	0	
1/27/2026	0	0.0002826	0	0	0.06275	0	0	0	0	
1/28/2026	0	0.0002544	0	0	0.06149	0	0	0	0	
1/29/2026	0	0.0002289	0	0	0.06026	0	0	0	0	
1/30/2026	0	0.000206	0	0	0.05906	0	0	0	0	
1/31/2026	0	0.0001854	0	0	0.05787	0	0	0	0	
2/1/2026	0	0.0001669	0	0	0.05672	0	0	0	0	
2/2/2026	0	0.0001502	0	0	0.05558	0	0	0	0	
2/3/2026	0	0.0001352	0	0	0.05447	0	0	0	0	
2/4/2026	0	0.0001217	0	0	0.05338	0	0	0	0	
2/5/2026	0	0.0001095	0	0	0.05231	0	0	0	0	
2/6/2026	0	9.86E-05	0	0	0.05127	0	0	0	0	
2/7/2026	0	8.87E-05	0	0	0.05024	0	0	0	0	
2/8/2026	0	7.98E-05	0	0	0.04924	0	0	0	0	
2/9/2026	0	7.18E-05	0	0	0.04825	0	0	0	0	
2/10/2026	0	6.47E-05	0	0	0.04729	0	0	0	0	
2/11/2026	0	5.82E-05	0	0	0.04634	0	0	0	0	
2/12/2026	0	5.24E-05	0	0	0.04542	0	0	0	0	
2/13/2026	0	4.71E-05	0	0	0.04451	0	0	0	0	
2/14/2026	0	4.24E-05	0	0	0.04362	0	0	0	0	
2/15/2026	0	3.82E-05	0	0	0.04274	0	0	0	0	
2/16/2026	0	3.44E-05	0	0	0.04189	0	0	0	0	
2/17/2026	0	3.09E-05	0	0	0.04105	0	0	0	0	
2/18/2026	0	2.78E-05	0	0	0.04023	0	0	0	0	
2/19/2026	0	2.51E-05	0	0	0.03943	0	0	0	0	
2/20/2026	0	2.25E-05	0	0	0.03864	0	0	0	0	
2/21/2026	0	2.03E-05	0	0	0.03786	0	0	0	0	
2/22/2026	0	1.83E-05	0	0	0.03711	0	0	0	0	
2/23/2026	0	1.64E-05	0	0	0.03637	0	0	0	0	
2/24/2026	0	1.48E-05	0	0	0.03564	0	0	0	0	
2/25/2026	0	1.33E-05	0	0	0.03493	0	0	0	0	
2/26/2026	0	1.20E-05	0	0	0.03423	0	0	0	0	
2/27/2026	0	1.08E-05	0	0	0.03354	0	0	0	0	
2/28/2026	0	9.71E-06	0	0	0.03287	0	0	0	0	
3/1/2026	0	8.73E-06	0	0	0.03221	0	0	0	0	
3/2/2026	0	7.86E-06	0	0	0.03157	0	0	0	0	
3/3/2026	0	7.08E-06	0	0	0.03094	0	0	0	0	
3/4/2026	0	6.37E-06	0	0	0.03032	0	0	0	0	
3/5/2026	0	5.73E-06	0	0	0.02971	0	0	0	0	
3/6/2026	0	5.16E-06	0	0	0.02912	0	0	0	0	
3/7/2026	0	4.64E-06	0	0	0.02854	0	0	0	0	
3/8/2026	0	4.18E-06	0	0	0.02797	0	0	0	0	
3/9/2026	0	3.76E-06	0	0	0.02741	0	0	0	0	
3/10/2026	0	3.38E-06	0	0	0.02686	0	0	0	0	
3/11/2026	0	3.05E-06	0	0	0.02632	0	0	0	0	
3/12/2026	0	2.74E-06	0	0	0.02579	0	0	0	0	
3/13/2026	0	2.47E-06	0	0	0.02528	0	0	0	0	
3/14/2026	0	2.22E-06	0	0	0.02477	0	0	0	0	
3/15/2026	0	2.00E-06	0	0	0.02428	0	0	0	0	
3/16/2026	0	1.80E-06	0	0	0.02379	0	0	0	0	
3/17/2026	0	1.62E-06	0	0	0.02332	0	0	0	0	
3/18/2026	0	1.46E-06	0	0	0.02285	0	0	0	0	
3/19/2026	0	1.31E-06	0	0	0.02239	0	0	0	0	
3/20/2026	0	1.18E-06	0	0	0.02195	0	0	0	0	
3/21/2026	0	1.06E-06	0	0	0.02151	0	0	0	0	
3/22/2026	0	9.56E-07	0	0	0.02108	0	0	0	0	
3/23/2026	0	8.60E-07	0	0	0.02065	0	0	0.5063	0	
3/24/2026	0	7.74E-07	0	0	0.02024	0	0	1.264	0	
3/25/2026	0	6.97E-07	0	0	0.01984	0	0	0.7401	0	
3/26/2026	0	6.27E-07	0	0	0.01944	0	0	0.2182	0	
3/27/2026	0	5.64E-07	0	0	0.01905	0	0	0	0	
3/28/2026	0	5.08E-07	0	0	0.01867	0	0	0	0	
3/29/2026	0	4.57E-07	0	0	0.0183	0	0	0	0	
3/30/2026	0	4.11E-07	0	0	0.01793	0	0	0	0	
3/31/2026	0	3.70E-07	0	0	0.01757	0	0	0	0	
4/1/2026	0	3.33E-07	0	0	0.01722	0	0	0.5559	0	
4/2/2026	0	3.00E-07	0	0	0.01688	0	0	0.8519	0	
4/3/2026	0	2.70E-07	0	0	0.01654	0	0	0	0	

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
4/4/2026	0	2.43E-07	0	0	0.01621	0	0	0	0	
4/5/2026	0	2.19E-07	0	0	0.01588	0	0	0	0	
4/6/2026	0	1.97E-07	0	0	0.01557	0	0	0	0	
4/7/2026	0	1.77E-07	0	0	0.01525	0	0	0	0	
4/8/2026	0	1.59E-07	0	0	0.01495	0	0	0	0	
4/9/2026	0	1.43E-07	0	0	0.01465	0	0	0	0	
4/10/2026	0	1.29E-07	0	0	0.01436	0	0	0	0	
4/11/2026	0	1.16E-07	0	0	0.01407	0	0	0	0	
4/12/2026	0	1.05E-07	0	0	0.01379	0	0	0	0	
4/13/2026	0	9.41E-08	0	0	0.01351	0	0	0	0	
4/14/2026	0	8.47E-08	0	0	0.01324	0	0	0.2627	0	
4/15/2026	0	7.62E-08	0	0	0.01298	0	0	0.9546	0	
4/16/2026	0	6.86E-08	0	0	0.01272	0	0	0.9184	0	
4/17/2026	0	6.18E-08	0	0	0.01246	0	0	0.6412	0	
4/18/2026	0	5.56E-08	0	0	0.01222	0	0	0.4275	0	
4/19/2026	0	5.00E-08	0	0	0.01197	0	0	0.3217	0	
4/20/2026	0	4.50E-08	0	0	0.01173	0	0	0	0	
4/21/2026	0	4.05E-08	0	0	0.0115	0	0	0	0	
4/22/2026	0	3.65E-08	0	0	0.01127	0	0	0	0	
4/23/2026	0	3.28E-08	0	0	0.01104	0	0	0	0	
4/24/2026	0	2.95E-08	0	0	0.01082	0	0	0	0	
4/25/2026	0	2.66E-08	0	0	0.0106	0	0	0	0	
4/26/2026	0	2.39E-08	0	0	0.01039	0	0	0	0	
4/27/2026	0	2.15E-08	0	0	0.01018	0	0	0	0	
4/28/2026	0	1.94E-08	0	0	0.009981	0	0	0.5923	0	
4/29/2026	0	1.74E-08	0	0	0.009781	0	0	0	0	
4/30/2026	0	1.57E-08	0	0	0.009585	0	0	0	0	
5/1/2026	0	1.41E-08	0	0	0.009394	0	0	0.4368	0	
5/2/2026	0	1.27E-08	0	0	0.009206	0	0	1.584	0	
5/3/2026	0	1.14E-08	0	0	0.009022	0	0	1.925	0	
5/4/2026	0	1.03E-08	0	0	0.008841	0	0	2.167	0	
5/5/2026	0	9.27E-09	0	0	0.008664	0	0	1.037	0	
5/6/2026	0	8.34E-09	0	0	0.008491	0	0	1.855	0	
5/7/2026	0	7.51E-09	0	0	0.008321	0	0	1.872	0	
5/8/2026	0	6.76E-09	0	0	0.008155	0	0	1.839	0	
5/9/2026	0	6.08E-09	0	0	0.007992	0	0	2.772	0	
5/10/2026	0	5.47E-09	0	0	0.007832	0	0	3.197	0	
5/11/2026	0	4.93E-09	0	0	0.007675	0	0	3.116	0	
5/12/2026	0	4.43E-09	0	0	0.007522	0	0	3.093	0	
5/13/2026	0	3.99E-09	0	0	0.007371	0	0	2.815	0	
5/14/2026	0	3.59E-09	0	0	0.007224	0	0	3.202	0	
5/15/2026	18.92	3.23E-09	6.677	17.55	33.17	0	2.988	2.518	0	
5/16/2026	20.73	2.671	4.917	19.34	103.7	0	3.452	3.183	0	
5/17/2026	54.32	4.371	33.69	51.33	147	0	10.01	3.599	0	
5/18/2026	3.692	17.41	0	3.584	192.2	0	0.8252	4.769	0	
5/19/2026	0	15.67	0	0	12.53	0	0	5.036	0	
5/20/2026	0	14.1	0	0	0.1038	0	0	5.214	0	
5/21/2026	15.02	12.69	4.917	14.86	31.33	0	3.781	5.453	0	
5/22/2026	27.56	13.39	4.917	27.41	148.5	0	7.144	6.02	0	
5/23/2026	34.29	14.02	9.328	34.59	337	0	9.632	6.211	0	
5/24/2026	43.87	16.35	30.32	45.2	339.2	0	13.78	6.41	0	
5/25/2026	46.96	26.84	43.9	49.18	204.3	0	15.94	6.995	0	
5/26/2026	8.349	41.72	3.377	8.815	165.8	0	2.943	7.494	0	
5/27/2026	18.76	38.89	16.89	19.88	67.39	0	6.727	6.909	0	
5/28/2026	11.32	41.76	10.05	12.03	61.85	0	4.105	6.905	0	
5/29/2026	38.39	41.6	21.66	40.87	111.3	0	14.04	7.725	0	
5/30/2026	53.94	46.11	8.195	57.62	523.5	0	20.04	8.898	0	
5/31/2026	71.32	44.78	3.3	76.83	852.8	0	27.47	9.894	0	
6/1/2026	78.26	41.62	0	85.12	1175	0	31.38	10.07	250	
6/2/2026	66.9	37.46	0	73.47	1441	0	27.89	11.08	250	
6/3/2026	33.76	33.71	10.44	37.51	975.8	0	14.73	9.123	250	
6/4/2026	42.44	34.51	0	47.49	368.1	0	19.02	10.4	250	
6/5/2026	44.92	31.06	3.707	50.37	294.9	0	20.29	10.32	250	
6/6/2026	58.85	29.44	3.3	66.08	253.1	0	26.74	10.94	250	
6/7/2026	96.2	27.82	3.3	108.2	218.6	0	43.97	11.89	250	
6/8/2026	100.3	26.35	77.59	113.1	189.7	0	46.22	10.38	250	
6/9/2026	63.56	54.76	16.89	71.85	309	0	29.61	11.02	250	
6/10/2026	45.84	56.03	0	51.97	185.1	0	21.58	11.21	250	
6/11/2026	54.48	50.43	0	61.82	150	0	25.74	11.21	250	
6/12/2026	28.4	45.39	0	32.26	139.9	0	13.46	10.49	250	
6/13/2026	30.77	40.85	0	34.94	132.2	0	14.58	10.44	250	
6/14/2026	62.92	36.76	3.3	71.46	123.7	0	29.8	11.5	250	
6/15/2026	89.7	34.41	5.951	101.9	114.2	0	42.59	12.19	250	
6/16/2026	66.75	33.35	3.3	75.94	105.4	0	31.83	11.69	250	
6/17/2026	85.6	31.33	3.3	97.44	97.22	0	40.89	12.51	250	
6/18/2026	39.81	29.52	3.3	45.35	89.5	0	19.07	12.97	250	
6/19/2026	2.95	27.89	3.3	3.36	82.29	0	1.412	12.77	250	
6/20/2026	2.954	26.42	3.3	3.36	75.59	0	1.407	12.97	250	
6/21/2026	2.958	25.1	3.3	3.36	69.35	0	1.402	15.1	250	
6/22/2026	0	23.91	0	0	63.36	0	0	12.7	250	
6/23/2026	0	21.52	0	0	57.87	0	0	11.49	250	
6/24/2026	0	19.36	0	0	52.86	0	0	12.59	250	
6/25/2026	0	17.43	0	0	48.11	0	0	12.29	250	
6/26/2026	0	15.69	0	0	43.7	0	0	12.66	250	
6/27/2026	0	14.12	0	0	39.57	0	0	15.71	250	
6/28/2026	0	12.71	0	0	35.46	0	0	19	250	
6/29/2026	0	11.43	0	0	8.959	0	0	30.13	250	
6/30/2026	0	10.29	0	0	8.78	0	0	51.22	250	
7/1/2026	0	9.262	0	0	8.604	0	0	12.93	500	
7/2/2026	0	8.336	0	0	8.432	0	0	12.91	500	
7/3/2026	0	7.502	0	0	8.264	0	0	21.25	500	
7/4/2026	0	6.752	0	0	8.098	0	0	16.69	500	
7/5/2026	0	6.077	0	0	7.936	0	0	12.01	500	
7/6/2026	3.078	5.469	3.3	3.36	7.778	0	1.252	12.16	500	
7/7/2026	314.6	6.242	335.8	341.9	7.622	0	125.8	12.05	500	
7/8/2026	105.9	139.9	113.7	115.7	742.4	0	43.26	12.62	500	
7/9/2026	5.511	171.4	5.951	6.059	319.5	0	2.309	12.88	500	
7/10/2026	0	156.7	0	0	88.86	0	0	12.74	500	
7/11/2026	0	141	0	0	70.56	0	0	12.82	500	
7/12/2026	3.071	126.9	3.3	3.36	52.65	0	1.262	13.52	500	
7/13/2026	0	115.5	0	0	48.58	0	0	13.59	500	
7/14/2026	0	104	0	0	46.97	0	0	13.42	500	
7/15/2026	0	93.57	0	0	42.77	0	0	19.19	500	
7/16/2026	0	84.22	0	0	37.96	0	0	13.2	500	
7/17/2026	0	75.79	0	0	9.728	0	0	13.78	500	
7/18/2026	0	68.21	0	0	9.533	0	0	15.45	500	

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
7/19/2026	0	61.39	0	0	9.343	0	0	13.16	500	
7/20/2026	0	55.25	0	0	9.156	0	0	12.52	500	
7/21/2026	3.201	49.73	3.3	3.36	8.973	0	1.099	10.21	500	
7/22/2026	45.56	46.08	46.34	47.19	8.793	0	14.67	12.27	500	
7/23/2026	84.14	60.01	84.49	86.03	75.22	0	25.4	9.368	500	
7/24/2026	10.45	87.8	10.44	10.63	179.1	0	3.074	8.691	500	
7/25/2026	362.6	83.2	358.3	364.8	13.03	0	100.4	8.789	500	
7/26/2026	12.39	218.2	12.68	12.91	809	0	4.111	10.08	500	
7/27/2026	0	201.4	0	0	108.7	0	0	11.98	500	
7/28/2026	27.49	181.3	28.39	28.91	83.88	0	9.519	10.24	500	
7/29/2026	3.602	174.5	3.707	3.774	92.33	0	1.226	9.034	500	
7/30/2026	0	158.6	0	0	58.3	0	0	9.132	500	
7/31/2026	0	142.7	0	0	53.25	0	0	9.204	500	
8/1/2026	0	128.4	0	0	51.8	0	0	9.401	500	
8/2/2026	0	115.6	0	0	47.86	0	0	10.2	500	
8/3/2026	0	104	0	0	43.16	0	0	7.702	500	
8/4/2026	0	93.62	0	0	38.97	0	0	6.132	500	
8/5/2026	3.624	84.26	3.3	3.36	35.1	0	0.5702	5.346	500	
8/6/2026	3.624	77.15	3.3	3.36	9.049	0	0.5702	4.625	500	
8/7/2026	0	70.76	0	0	8.868	0	0	4.793	500	
8/8/2026	115	63.68	104.7	106.6	8.691	0	18.09	4.747	500	
8/9/2026	413.1	99.19	376.2	383.1	212.1	0	65	4.787	500	
8/10/2026	67.3	239.8	66.54	67.75	859.4	0	18.71	6.224	500	
8/11/2026	3.22	242.4	3.3	3.36	252.4	0	1.075	7.779	500	
8/12/2026	5.807	219.5	5.951	6.059	111	0	1.938	7.721	500	
8/13/2026	5.836	199.9	5.951	6.059	92.34	0	1.902	8.419	500	
8/14/2026	0	182.3	0	0	76.38	0	0	9.781	500	
8/15/2026	0	164.1	0	0	61.41	0	0	7.78	500	
8/16/2026	3.354	147.7	3.3	3.36	60.35	0	0.9072	7.049	500	
8/17/2026	0	134.2	0	0	57.76	0	0	8.165	500	
8/18/2026	0	120.8	0	0	52.99	0	0	5.874	500	
8/19/2026	0	108.7	0	0	48.32	0	0	4.349	500	
8/20/2026	124.8	97.84	113.7	115.7	44.07	0	19.64	3.893	500	
8/21/2026	4.067	133.5	3.707	3.774	266.9	0	0.6453	3.929	500	
8/22/2026	0	121.7	0	0	37.21	0	0	3.652	500	
8/23/2026	36.11	109.5	32.88	33.48	37.51	0	5.681	3.602	500	
8/24/2026	18.86	111.7	17.17	17.48	77.84	0	2.967	3.812	500	
8/25/2026	3.624	107.4	3.3	3.36	53.6	0	0.5702	3.395	500	
8/26/2026	3.624	97.97	3.3	3.36	9.668	0	0.5702	3.512	500	
8/27/2026	8.999	89.49	8.195	8.344	9.822	0	1.416	3.429	500	
8/28/2026	38.57	83.82	35.12	35.76	9.753	0	6.069	3.157	500	
8/29/2026	3.624	89.49	3.3	3.36	62.74	0	0.5702	3.057	500	
8/30/2026	16.39	81.86	14.93	15.2	9.367	0	2.579	3.034	500	
8/31/2026	3.624	79.65	3.3	3.36	17.47	0	0.5702	2.812	500	
9/1/2026	3.624	73	3.3	3.36	9.272	0	0.5702	2.833	500	
9/2/2026	4.071	67.02	3.707	3.774	9.111	0	0.6405	2.864	500	
9/3/2026	15.7	61.8	14.3	14.56	8.929	0	2.471	2.753	500	
9/4/2026	10.77	61.34	9.812	9.99	11.12	0	1.695	2.829	500	
9/5/2026	5.4	59.13	4.917	5.006	11.07	0	0.8496	2.774	500	
9/6/2026	4.071	55.19	3.707	3.774	8.404	0	0.6405	2.571	500	
9/7/2026	0	51.15	0	0	8.236	0	0	2.437	500	
9/8/2026	77.31	46.03	70.4	71.68	8.071	0	12.16	2.342	500	
9/9/2026	5.846	69.59	5.324	5.421	138.8	0	0.9199	2.39	500	
9/10/2026	1.776	64.76	1.617	1.646	7.752	0	0.2794	2.206	500	
9/11/2026	51.83	58.93	47.2	48.06	8.165	0	8.156	1.789	500	
9/12/2026	21.37	71.92	19.46	19.81	92.12	0	3.362	1.956	500	
9/13/2026	0	72.51	0	0	38.96	0	0	2.177	500	
9/14/2026	1.776	65.26	1.617	1.646	9.082	0	0.2794	1.957	500	
9/15/2026	10.24	59.38	9.328	9.498	9.556	0	1.612	2.158	500	
9/16/2026	0	57.17	0	0	0.4916	0	0	1.773	500	
9/17/2026	0	51.46	0	0	0.4961	0	0	1.65	500	
9/18/2026	0	46.31	0	0	1.754	0	0	1.651	500	
9/19/2026	8.999	41.68	8.195	8.344	51.28	0	1.416	1.652	500	
9/20/2026	0	40.79	0	0	21.45	0	0	1.875	500	
9/21/2026	11.46	36.71	10.44	10.63	9.585	0	1.804	1.872	500	
9/22/2026	1.776	37.22	1.617	1.646	9.524	0	0.2794	1.657	500	
9/23/2026	7.332	34.14	6.677	6.798	9.384	0	1.154	1.591	500	
9/24/2026	0	33.4	0	0	0.463	0	0	1.509	500	
9/25/2026	0	30.06	0	0	0.4549	0	0	1.394	500	
9/26/2026	0	27.05	0	0	0.4503	0	0	1.217	500	
9/27/2026	0	24.35	0	0	0.4468	0	0	1.195	500	
9/28/2026	0	21.91	0	0	0.4431	0	0	1.238	500	
9/29/2026	0	19.72	0	0	0.4389	0	0	1.095	500	
9/30/2026	164	17.75	137.3	152.1	59.92	0	25.81	1.157	500	
10/1/2026	0	70.89	0	0	354.8	0	0	1.168	250	
10/2/2026	0	63.81	0	0	15.57	0	0	0.9079	250	
10/3/2026	0	57.42	0	0	7.468	0	0	1.059	250	
10/4/2026	0	51.68	0	0	2.685	0	0	1.004	250	
10/5/2026	0	46.51	0	0	2	0	0	0.8837	250	
10/6/2026	0	41.86	0	0	2.023	0	0	0.6805	250	
10/7/2026	0	37.68	0	0	2.014	0	0	0.4766	250	
10/8/2026	0	33.91	0	0	1.981	0	0	0.6264	250	
10/9/2026	0	30.52	0	0	1.929	0	0	0.6356	250	
10/10/2026	0	27.47	0	0	1.863	0	0	0.6555	250	
10/11/2026	0	24.72	0	0	1.789	0	0	0.7489	250	
10/12/2026	0	22.25	0	0	0.4881	0	0	0.7471	250	
10/13/2026	0	20.02	0	0	0.4885	0	0	0.7658	250	
10/14/2026	0	18.02	0	0	0.487	0	0	0.6167	250	
10/15/2026	0	16.22	0	0	0.4838	0	0	0.626	250	
10/16/2026	0	14.6	0	0	0.4793	0	0	0.6198	250	
10/17/2026	0	13.14	0	0	0.474	0	0	0.5558	250	
10/18/2026	0	11.82	0	0	0.4678	0	0	0.4816	250	
10/19/2026	0	10.64	0	0	0.4612	0	0	0.3472	250	
10/20/2026	0	9.577	0	0	0.4541	0	0	0.2572	250	
10/21/2026	0	8.619	0	0	0.4467	0	0	0.3295	250	
10/22/2026	0	7.757	0	0	0.4392	0	0	0.2699	250	
10/23/2026	0	6.982	0	0	0.4315	0	0	0.2054	250	
10/24/2026	0	6.283	0	0	0.4238	0	0	0.391	250	
10/25/2026	0	5.655	0	0	0.416	0	0	0.4891	250	
10/26/2026	0	5.09	0	0	0.4082	0	0	0.2779	250	
10/27/2026	0	4.581	0	0	0.4005	0	0	0.35	250	
10/28/2026	0	4.123	0	0	0.3929	0	0	0.247	250	
10/29/2026	0	3.71	0	0	0.3853	0	0	0	250	
10/30/2026	0	3.339	0	0	0.3778	0	0	0.2381	250	
10/31/2026	0	3.005	0	0	0.3704	0	0	0.1621	250	
11/1/2026	0	2.705	0	0	0.3632	0	0	0	0	

Date	CP3 - Water Balance								
	Inflow							Outflow	
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3	
11/2/2026	0	2.434	0	0	0.356	0	0	0	0
11/3/2026	0	2.191	0	0	0.349	0	0	0	0
11/4/2026	0	1.972	0	0	0.3421	0	0	0.01812	0
11/5/2026	0	1.775	0	0	0.3353	0	0	0.02622	0
11/6/2026	0	1.597	0	0	0.3287	0	0	0	0
11/7/2026	0	1.437	0	0	0.3221	0	0	0	0
11/8/2026	0	1.294	0	0	0.3157	0	0	0	0
11/9/2026	0	1.164	0	0	0.3094	0	0	0	0
11/10/2026	0	1.048	0	0	0.3033	0	0	0	0
11/11/2026	0	0.9431	0	0	0.2972	0	0	0	0
11/12/2026	0	0.8488	0	0	0.2913	0	0	0.01629	0
11/13/2026	0	0.7639	0	0	0.2855	0	0	0	0
11/14/2026	0	0.6875	0	0	0.2798	0	0	0.06647	0
11/15/2026	0	0.6188	0	0	0.2742	0	0	0.1164	0
11/16/2026	0	0.5569	0	0	0.2687	0	0	0.1392	0
11/17/2026	0	0.5012	0	0	0.2633	0	0	0	0
11/18/2026	0	0.4511	0	0	0.2581	0	0	0	0
11/19/2026	0	0.406	0	0	0.2529	0	0	0	0
11/20/2026	0	0.3654	0	0	0.2479	0	0	0	0
11/21/2026	0	0.3288	0	0	0.2429	0	0	0	0
11/22/2026	0	0.296	0	0	0.238	0	0	0	0
11/23/2026	0	0.2664	0	0	0.2333	0	0	0	0
11/24/2026	0	0.2397	0	0	0.2286	0	0	0.02505	0
11/25/2026	0	0.2158	0	0	0.224	0	0	0	0
11/26/2026	0	0.1942	0	0	0.2196	0	0	0.08396	0
11/27/2026	0	0.1748	0	0	0.2152	0	0	0	0
11/28/2026	0	0.1573	0	0	0.2109	0	0	0	0
11/29/2026	0	0.1416	0	0	0.2067	0	0	0	0
11/30/2026	0	0.1274	0	0	0.2025	0	0	0.03192	0
12/1/2026	0	0.1147	0	0	0.1985	0	0	0.01225	0
12/2/2026	0	0.1032	0	0	0.1945	0	0	0	0
12/3/2026	0	0.09287	0	0	0.1906	0	0	0	0
12/4/2026	0	0.08359	0	0	0.1868	0	0	0	0
12/5/2026	0	0.07523	0	0	0.1831	0	0	0	0
12/6/2026	0	0.0677	0	0	0.1794	0	0	0.01008	0
12/7/2026	0	0.06093	0	0	0.1758	0	0	0.01412	0
12/8/2026	0	0.05484	0	0	0.1723	0	0	0	0
12/9/2026	0	0.04936	0	0	0.1689	0	0	0	0
12/10/2026	0	0.04442	0	0	0.1655	0	0	0	0
12/11/2026	0	0.03998	0	0	0.1622	0	0	0	0
12/12/2026	0	0.03598	0	0	0.1589	0	0	0	0
12/13/2026	0	0.03238	0	0	0.1557	0	0	0	0
12/14/2026	0	0.02914	0	0	0.1526	0	0	0	0
12/15/2026	0	0.02623	0	0	0.1496	0	0	0.02002	0
12/16/2026	0	0.02361	0	0	0.1466	0	0	0	0
12/17/2026	0	0.02125	0	0	0.1437	0	0	0.01344	0
12/18/2026	0	0.01912	0	0	0.1408	0	0	0	0
12/19/2026	0	0.01721	0	0	0.138	0	0	0	0
12/20/2026	0	0.01549	0	0	0.1352	0	0	0	0
12/21/2026	0	0.01394	0	0	0.1325	0	0	0	0
12/22/2026	0	0.01255	0	0	0.1299	0	0	0	0
12/23/2026	0	0.01129	0	0	0.1273	0	0	0	0
12/24/2026	0	0.01016	0	0	0.1247	0	0	0	0
12/25/2026	0	0.009146	0	0	0.1222	0	0	0	0
12/26/2026	0	0.008231	0	0	0.1198	0	0	0	0
12/27/2026	0	0.007408	0	0	0.1174	0	0	0	0
12/28/2026	0	0.006667	0	0	0.115	0	0	0	0
12/29/2026	0	0.006001	0	0	0.1127	0	0	0	0
12/30/2026	0	0.005401	0	0	0.1105	0	0	0	0
12/31/2026	0	0.004861	0	0	0.1083	0	0	0	0
1/1/2027	0	0.004374	0	0	0.1061	0	0	0	0
1/2/2027	0	0.003937	0	0	0.104	0	0	0	0
1/3/2027	0	0.003543	0	0	0.1019	0	0	0	0
1/4/2027	0	0.003189	0	0	0.09986	0	0	0	0
1/5/2027	0	0.00287	0	0	0.09786	0	0	0	0
1/6/2027	0	0.002583	0	0	0.0959	0	0	0	0
1/7/2027	0	0.002325	0	0	0.09399	0	0	0	0
1/8/2027	0	0.002092	0	0	0.09211	0	0	0	0
1/9/2027	0	0.001883	0	0	0.09026	0	0	0	0
1/10/2027	0	0.001695	0	0	0.08846	0	0	0	0
1/11/2027	0	0.001525	0	0	0.08669	0	0	0	0
1/12/2027	0	0.001373	0	0	0.08496	0	0	0	0
1/13/2027	0	0.001235	0	0	0.08326	0	0	0	0
1/14/2027	0	0.001112	0	0	0.08159	0	0	0	0
1/15/2027	0	0.001001	0	0	0.07996	0	0	0	0
1/16/2027	0	0.0009007	0	0	0.07836	0	0	0	0
1/17/2027	0	0.0008106	0	0	0.07679	0	0	0	0
1/18/2027	0	0.0007295	0	0	0.07526	0	0	0	0
1/19/2027	0	0.0006566	0	0	0.07375	0	0	0.001174	0
1/20/2027	0	0.0005909	0	0	0.07228	0	0	0.03799	0
1/21/2027	0	0.0005318	0	0	0.07083	0	0	0	0
1/22/2027	0	0.0004786	0	0	0.06941	0	0	0	0
1/23/2027	0	0.0004308	0	0	0.06803	0	0	0	0
1/24/2027	0	0.0003877	0	0	0.06667	0	0	0	0
1/25/2027	0	0.0003489	0	0	0.06533	0	0	0	0
1/26/2027	0	0.000314	0	0	0.06403	0	0	0	0
1/27/2027	0	0.0002826	0	0	0.06275	0	0	0	0
1/28/2027	0	0.0002544	0	0	0.06149	0	0	0	0
1/29/2027	0	0.0002289	0	0	0.06026	0	0	0	0
1/30/2027	0	0.000206	0	0	0.05906	0	0	0	0
1/31/2027	0	0.0001854	0	0	0.05787	0	0	0	0
2/1/2027	0	0.0001669	0	0	0.05672	0	0	0	0
2/2/2027	0	0.0001502	0	0	0.05558	0	0	0	0
2/3/2027	0	0.0001352	0	0	0.05447	0	0	0	0
2/4/2027	0	0.0001217	0	0	0.05338	0	0	0	0
2/5/2027	0	0.0001095	0	0	0.05231	0	0	0	0
2/6/2027	0	9.86E-05	0	0	0.05127	0	0	0	0
2/7/2027	0	8.87E-05	0	0	0.05024	0	0	0	0
2/8/2027	0	7.98E-05	0	0	0.04924	0	0	0	0
2/9/2027	0	7.18E-05	0	0	0.04825	0	0	0	0
2/10/2027	0	6.47E-05	0	0	0.04729	0	0	0	0
2/11/2027	0	5.82E-05	0	0	0.04634	0	0	0	0
2/12/2027	0	5.24E-05	0	0	0.04542	0	0	0	0
2/13/2027	0	4.71E-05	0	0	0.04451	0	0	0	0
2/14/2027	0	4.24E-05	0	0	0.04362	0	0	0	0
2/15/2027	0	3.82E-05	0	0	0.04274	0	0	0	0

Date	CP3 - Water Balance								
	Inflow							Outflow	
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3	
2/16/2027	0	3.44E-05	0	0	0.04189	0	0	0	0
2/17/2027	0	3.09E-05	0	0	0.04105	0	0	0	0
2/18/2027	0	2.78E-05	0	0	0.04023	0	0	0	0
2/19/2027	0	2.51E-05	0	0	0.03943	0	0	0	0
2/20/2027	0	2.25E-05	0	0	0.03864	0	0	0	0
2/21/2027	0	2.03E-05	0	0	0.03786	0	0	0	0
2/22/2027	0	1.83E-05	0	0	0.03711	0	0	0	0
2/23/2027	0	1.64E-05	0	0	0.03637	0	0	0	0
2/24/2027	0	1.48E-05	0	0	0.03564	0	0	0	0
2/25/2027	0	1.33E-05	0	0	0.03493	0	0	0	0
2/26/2027	0	1.20E-05	0	0	0.03423	0	0	0	0
2/27/2027	0	1.08E-05	0	0	0.03354	0	0	0	0
2/28/2027	0	9.71E-06	0	0	0.03287	0	0	0	0
3/1/2027	0	8.73E-06	0	0	0.03221	0	0	0	0
3/2/2027	0	7.86E-06	0	0	0.03157	0	0	0	0
3/3/2027	0	7.08E-06	0	0	0.03094	0	0	0	0
3/4/2027	0	6.37E-06	0	0	0.03032	0	0	0	0
3/5/2027	0	5.73E-06	0	0	0.02971	0	0	0	0
3/6/2027	0	5.16E-06	0	0	0.02912	0	0	0	0
3/7/2027	0	4.64E-06	0	0	0.02854	0	0	0	0
3/8/2027	0	4.18E-06	0	0	0.02797	0	0	0	0
3/9/2027	0	3.76E-06	0	0	0.02741	0	0	0	0
3/10/2027	0	3.38E-06	0	0	0.02686	0	0	0	0
3/11/2027	0	3.05E-06	0	0	0.02632	0	0	0	0
3/12/2027	0	2.74E-06	0	0	0.02579	0	0	0	0
3/13/2027	0	2.47E-06	0	0	0.02528	0	0	0	0
3/14/2027	0	2.22E-06	0	0	0.02477	0	0	0	0
3/15/2027	0	2.00E-06	0	0	0.02428	0	0	0	0
3/16/2027	0	1.80E-06	0	0	0.02379	0	0	0	0
3/17/2027	0	1.62E-06	0	0	0.02332	0	0	0	0
3/18/2027	0	1.46E-06	0	0	0.02285	0	0	0	0
3/19/2027	0	1.31E-06	0	0	0.02239	0	0	0	0
3/20/2027	0	1.18E-06	0	0	0.02195	0	0	0	0
3/21/2027	0	1.06E-06	0	0	0.02151	0	0	0	0
3/22/2027	0	9.56E-07	0	0	0.02108	0	0	0	0
3/23/2027	0	8.60E-07	0	0	0.02065	0	0	0.5063	0
3/24/2027	0	7.74E-07	0	0	0.02024	0	0	1.264	0
3/25/2027	0	6.97E-07	0	0	0.01984	0	0	0.7401	0
3/26/2027	0	6.27E-07	0	0	0.01944	0	0	0.2182	0
3/27/2027	0	5.64E-07	0	0	0.01905	0	0	0	0
3/28/2027	0	5.08E-07	0	0	0.01867	0	0	0	0
3/29/2027	0	4.57E-07	0	0	0.0183	0	0	0	0
3/30/2027	0	4.11E-07	0	0	0.01793	0	0	0	0
3/31/2027	0	3.70E-07	0	0	0.01757	0	0	0	0
4/1/2027	0	3.33E-07	0	0	0.01722	0	0	0.5559	0
4/2/2027	0	3.00E-07	0	0	0.01688	0	0	0.8519	0
4/3/2027	0	2.70E-07	0	0	0.01654	0	0	0	0
4/4/2027	0	2.43E-07	0	0	0.01621	0	0	0	0
4/5/2027	0	2.19E-07	0	0	0.01588	0	0	0	0
4/6/2027	0	1.97E-07	0	0	0.01557	0	0	0	0
4/7/2027	0	1.77E-07	0	0	0.01525	0	0	0	0
4/8/2027	0	1.59E-07	0	0	0.01495	0	0	0	0
4/9/2027	0	1.43E-07	0	0	0.01465	0	0	0	0
4/10/2027	0	1.29E-07	0	0	0.01436	0	0	0	0
4/11/2027	0	1.16E-07	0	0	0.01407	0	0	0	0
4/12/2027	0	1.05E-07	0	0	0.01379	0	0	0	0
4/13/2027	0	9.41E-08	0	0	0.01351	0	0	0	0
4/14/2027	0	8.47E-08	0	0	0.01324	0	0	0.2627	0
4/15/2027	0	7.62E-08	0	0	0.01298	0	0	0.9546	0
4/16/2027	0	6.86E-08	0	0	0.01272	0	0	0.9184	0
4/17/2027	0	6.18E-08	0	0	0.01246	0	0	0.6412	0
4/18/2027	0	5.56E-08	0	0	0.01222	0	0	0.4275	0
4/19/2027	0	5.00E-08	0	0	0.01197	0	0	0.3217	0
4/20/2027	0	4.50E-08	0	0	0.01173	0	0	0	0
4/21/2027	0	4.05E-08	0	0	0.0115	0	0	0	0
4/22/2027	0	3.65E-08	0	0	0.01127	0	0	0	0
4/23/2027	0	3.28E-08	0	0	0.01104	0	0	0	0
4/24/2027	0	2.95E-08	0	0	0.01082	0	0	0	0
4/25/2027	0	2.66E-08	0	0	0.0106	0	0	0	0
4/26/2027	0	2.39E-08	0	0	0.01039	0	0	0	0
4/27/2027	0	2.15E-08	0	0	0.01018	0	0	0	0
4/28/2027	0	1.94E-08	0	0	0.009981	0	0	0.5923	0
4/29/2027	0	1.74E-08	0	0	0.009781	0	0	0	0
4/30/2027	0	1.57E-08	0	0	0.009585	0	0	0	0
5/1/2027	0	1.41E-08	0	0	0.009394	0	0	0.4368	0
5/2/2027	0	1.27E-08	0	0	0.009206	0	0	1.584	0
5/3/2027	0	1.14E-08	0	0	0.009022	0	0	1.925	0
5/4/2027	0	1.03E-08	0	0	0.008841	0	0	2.167	0
5/5/2027	0	9.27E-09	0	0	0.008664	0	0	1.037	0
5/6/2027	0	8.34E-09	0	0	0.008491	0	0	1.855	0
5/7/2027	0	7.51E-09	0	0	0.008321	0	0	1.872	0
5/8/2027	0	6.76E-09	0	0	0.008155	0	0	1.839	0
5/9/2027	0	6.08E-09	0	0	0.007992	0	0	2.772	0
5/10/2027	0	5.47E-09	0	0	0.007832	0	0	3.197	0
5/11/2027	0	4.93E-09	0	0	0.007675	0	0	3.116	0
5/12/2027	0	4.43E-09	0	0	0.007522	0	0	3.093	0
5/13/2027	0	3.99E-09	0	0	0.007371	0	0	2.815	0
5/14/2027	0	3.59E-09	0	0	0.007224	0	0	3.202	0
5/15/2027	18.92	3.23E-09	6.677	17.55	33.17	0	2.988	2.518	0
5/16/2027	20.73	2.671	4.917	19.34	103.7	0	3.452	3.183	0
5/17/2027	54.32	4.371	33.69	51.33	147	0	10.01	3.599	0
5/18/2027	3.692	17.41	0	3.584	192.2	0	0.8252	4.769	0
5/19/2027	0	15.67	0	0	12.53	0	0	5.036	0
5/20/2027	0	14.1	0	0	0.1038	0	0	5.214	0
5/21/2027	15.02	12.69	4.917	14.86	31.33	0	3.781	5.453	0
5/22/2027	27.56	13.39	4.917	27.41	148.5	0	7.144	6.02	0
5/23/2027	34.29	14.02	9.328	34.59	337	0	9.632	6.211	0
5/24/2027	43.87	16.35	30.32	45.2	339.2	0	13.78	6.41	0
5/25/2027	46.96	26.84	43.9	49.18	204.3	0	15.94	6.995	0
5/26/2027	8.349	41.72	3.377	8.815	165.8	0	2.943	7.494	0
5/27/2027	18.76	38.89	16.89	19.88	67.39	0	6.727	6.909	0
5/28/2027	11.32	41.76	10.05	12.03	61.85	0	4.105	6.905	0
5/29/2027	38.39	41.6	21.66	40.87	111.3	0	14.04	7.725	0
5/30/2027	53.94	46.11	8.195	57.62	523.5	0	20.04	8.898	0
5/31/2027	71.32	44.78	3.3	76.83	852.8	0	27.47	9.894	0
6/1/2027	78.26	41.62	0	85.12	1175	0	31.38	10.07	250

Date	CP3 - Water Balance								Outflow	
	Inflow									
	CP3 Bank Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
9/16/2027	0	57.17	0	0	0.4916	0	0	1.773	500	
9/17/2027	0	51.46	0	0	0.4961	0	0	1.65	500	
9/18/2027	0	46.31	0	0	1.754	0	0	1.651	500	
9/19/2027	8.999	41.68	8.195	8.344	51.28	0	1.416	1.652	500	
9/20/2027	0	40.79	0	0	21.45	0	0	1.875	500	
9/21/2027	11.46	36.71	10.44	10.63	9.585	0	1.804	1.872	500	
9/22/2027	1.776	37.22	1.617	1.646	9.524	0	0.2794	1.657	500	
9/23/2027	7.332	34.14	6.677	6.798	9.384	0	1.154	1.591	500	
9/24/2027	0	33.4	0	0	0.463	0	0	1.509	500	
9/25/2027	0	30.06	0	0	0.4549	0	0	1.394	500	
9/26/2027	0	27.05	0	0	0.4503	0	0	1.217	500	
9/27/2027	0	24.35	0	0	0.4468	0	0	1.195	500	
9/28/2027	0	21.91	0	0	0.4431	0	0	1.238	500	
9/29/2027	0	19.72	0	0	0.4389	0	0	1.095	500	
9/30/2027	164	17.75	137.3	152.1	59.92	0	25.81	1.157	500	
10/1/2027	0	70.89	0	0	354.8	0	0	1.168	250	
10/2/2027	0	63.81	0	0	15.57	0	0	0.9079	250	
10/3/2027	0	57.42	0	0	7.468	0	0	1.059	250	
10/4/2027	0	51.68	0	0	2.685	0	0	1.004	250	
10/5/2027	0	46.51	0	0	2	0	0	0.8837	250	
10/6/2027	0	41.86	0	0	2.023	0	0	0.6805	250	
10/7/2027	0	37.68	0	0	2.014	0	0	0.4766	250	
10/8/2027	0	33.91	0	0	1.981	0	0	0.6264	250	
10/9/2027	0	30.52	0	0	1.929	0	0	0.6356	250	
10/10/2027	0	27.47	0	0	1.863	0	0	0.6555	250	
10/11/2027	0	24.72	0	0	1.789	0	0	0.7489	250	
10/12/2027	0	22.25	0	0	0.4881	0	0	0.7471	250	
10/13/2027	0	20.02	0	0	0.4885	0	0	0.7658	250	
10/14/2027	0	18.02	0	0	0.487	0	0	0.6167	250	
10/15/2027	0	16.22	0	0	0.4838	0	0	0.626	250	
10/16/2027	0	14.6	0	0	0.4793	0	0	0.6198	250	
10/17/2027	0	13.14	0	0	0.474	0	0	0.5558	250	
10/18/2027	0	11.82	0	0	0.4678	0	0	0.4816	250	
10/19/2027	0	10.64	0	0	0.4612	0	0	0.3472	250	
10/20/2027	0	9.577	0	0	0.4541	0	0	0.2572	250	
10/21/2027	0	8.619	0	0	0.4467	0	0	0.3295	250	
10/22/2027	0	7.757	0	0	0.4392	0	0	0.2699	250	
10/23/2027	0	6.982	0	0	0.4315	0	0	0.2054	250	
10/24/2027	0	6.283	0	0	0.4238	0	0	0.391	250	
10/25/2027	0	5.655	0	0	0.416	0	0	0.4891	250	
10/26/2027	0	5.09	0	0	0.4082	0	0	0.2779	250	
10/27/2027	0	4.581	0	0	0.4005	0	0	0.35	250	
10/28/2027	0	4.123	0	0	0.3929	0	0	0.247	250	
10/29/2027	0	3.71	0	0	0.3853	0	0	0	250	
10/30/2027	0	3.339	0	0	0.3778	0	0	0.2381	250	
10/31/2027	0	3.005	0	0	0.3704	0	0	0.1621	250	
11/1/2027	0	2.705	0	0	0.3632	0	0	0	0	
11/2/2027	0	2.434	0	0	0.356	0	0	0	0	
11/3/2027	0	2.191	0	0	0.349	0	0	0	0	
11/4/2027	0	1.972	0	0	0.3421	0	0	0.01812	0	
11/5/2027	0	1.775	0	0	0.3353	0	0	0.02622	0	
11/6/2027	0	1.597	0	0	0.3287	0	0	0	0	
11/7/2027	0	1.437	0	0	0.3221	0	0	0	0	
11/8/2027	0	1.294	0	0	0.3157	0	0	0	0	
11/9/2027	0	1.164	0	0	0.3094	0	0	0	0	
11/10/2027	0	1.048	0	0	0.3033	0	0	0	0	
11/11/2027	0	0.9431	0	0	0.2972	0	0	0	0	
11/12/2027	0	0.8488	0	0	0.2913	0	0	0.01629	0	
11/13/2027	0	0.7639	0	0	0.2855	0	0	0	0	
11/14/2027	0	0.6875	0	0	0.2798	0	0	0.06647	0	
11/15/2027	0	0.6188	0	0	0.2742	0	0	0.1164	0	
11/16/2027	0	0.5569	0	0	0.2687	0	0	0.1392	0	
11/17/2027	0	0.5012	0	0	0.2633	0	0	0	0	
11/18/2027	0	0.4511	0	0	0.2581	0	0	0	0	
11/19/2027	0	0.406	0	0	0.2529	0	0	0	0	
11/20/2027	0	0.3654	0	0	0.2479	0	0	0	0	
11/21/2027	0	0.3288	0	0	0.2429	0	0	0	0	
11/22/2027	0	0.296	0	0	0.238	0	0	0	0	
11/23/2027	0	0.2664	0	0	0.2333	0	0	0	0	
11/24/2027	0	0.2397	0	0	0.2286	0	0	0.02505	0	
11/25/2027	0	0.2158	0	0	0.224	0	0	0	0	
11/26/2027	0	0.1942	0	0	0.2196	0	0	0.08396	0	
11/27/2027	0	0.1748	0	0	0.2152	0	0	0	0	
11/28/2027	0	0.1573	0	0	0.2109	0	0	0	0	
11/29/2027	0	0.1416	0	0	0.2067	0	0	0	0	
11/30/2027	0	0.1274	0	0	0.2025	0	0	0.03192	0	
12/1/2027	0	0.1147	0	0	0.1985	0	0	0.01225	0	
12/2/2027	0	0.1032	0	0	0.1945	0	0	0	0	
12/3/2027	0	0.09287	0	0	0.1906	0	0	0	0	
12/4/2027	0	0.08359	0	0	0.1868	0	0	0	0	
12/5/2027	0	0.07523	0	0	0.1831	0	0	0	0	
12/6/2027	0	0.0677	0	0	0.1794	0	0	0.01008	0	
12/7/2027	0	0.06093	0	0	0.1758	0	0	0.01412	0	
12/8/2027	0	0.05484	0	0	0.1723	0	0	0	0	
12/9/2027	0	0.04936	0	0	0.1689	0	0	0	0	
12/10/2027	0	0.04442	0	0	0.1655	0	0	0	0	
12/11/2027	0	0.03998	0	0	0.1622	0	0	0	0	
12/12/2027	0	0.03598	0	0	0.1589	0	0	0	0	
12/13/2027	0	0.03238	0	0	0.1557	0	0	0	0	
12/14/2027	0	0.02914	0	0	0.1526	0	0	0	0	
12/15/2027	0	0.02623	0	0	0.1496	0	0	0.02002	0	
12/16/2027	0	0.02361	0	0	0.1466	0	0	0	0	
12/17/2027	0	0.02125	0	0	0.1437	0	0	0.01344	0	
12/18/2027	0	0.01912	0	0	0.1408	0	0	0	0	
12/19/2027	0	0.01721	0	0	0.138	0	0	0	0	
12/20/2027	0	0.01549	0	0	0.1352	0	0	0	0	
12/21/2027	0	0.01394	0	0	0.1325	0	0	0	0	
12/22/2027	0	0.01255	0	0	0.1299	0	0	0	0	
12/23/2027	0	0.01129	0	0	0.1273	0	0	0	0	
12/24/2027	0	0.01016	0	0	0.1247	0	0	0	0	
12/25/2027	0	0.009146	0	0	0.1222	0	0	0	0	
12/26/2027	0	0.008231	0	0	0.1198	0	0	0	0	
12/27/2027	0	0.007408	0	0	0.1174	0	0	0	0	
12/28/2027	0	0.006667	0	0	0.115	0	0	0	0	
12/29/2027	0	0.006001	0	0	0.1127	0	0	0	0	
12/30/2027	0	0.005401	0	0	0.1105	0	0	0	0	

Date	CP3 - Water Balance								
	Inflow						Outflow		
	CP3 Bamk Runoff	TSF to CP3 Seepage	TSF to CP3 Runoff	CP3 Berm To to CP3	CP3 Natural Runoff	CP3 Disturbed Runoff	Rain and Snowmelt	CP3 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3	
12/31/2027	0	0.004861	0	0	0.1083	0	0	0	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
1/1/2019	0	0	0	0.3267	0	0	0	0
1/2/2019	0	0	0	0.3202	0	0	0	0
1/3/2019	0	0	0	0.3138	0	0	0	0
1/4/2019	0	0	0	0.3075	0	0	0	0
1/5/2019	0	0	0	0.3014	0	0	0	0
1/6/2019	0	0	0	0.2953	0	0	0	0
1/7/2019	0	0	0	0.2894	0	0	0	0
1/8/2019	0	0	0	0.2836	0	0	0	0
1/9/2019	0	0	0	0.278	0	0	0	0
1/10/2019	0	0	0	0.2724	0	0	0	0
1/11/2019	0	0	0	0.267	0	0	0	0
1/12/2019	0	0	0	0.2616	0	0	0	0
1/13/2019	0	0	0	0.2564	0	0	0	0
1/14/2019	0	0	0	0.2513	0	0	0	0
1/15/2019	0	0	0	0.2462	0	0	0	0
1/16/2019	0	0	0	0.2413	0	0	0	0
1/17/2019	0	0	0	0.2365	0	0	0	0
1/18/2019	0	0	0	0.2317	0	0	0	0
1/19/2019	0	0	0	0.2271	0	0	0	0
1/20/2019	0	0	0	0.2226	0	0	0	0
1/21/2019	0	0	0	0.2181	0	0	0	0
1/22/2019	0	0	0	0.2138	0	0	0	0
1/23/2019	0	0	0	0.2095	0	0	0	0
1/24/2019	0	0	0	0.2053	0	0	0	0
1/25/2019	0	0	0	0.2012	0	0	0	0
1/26/2019	0	0	0	0.1972	0	0	0	0
1/27/2019	0	0	0	0.1932	0	0	0	0
1/28/2019	0	0	0	0.1894	0	0	0	0
1/29/2019	0	0	0	0.1856	0	0	0	0
1/30/2019	0	0	0	0.1819	0	0	0	0
1/31/2019	0	0	0	0.1782	0	0	0	0
2/1/2019	0	0	0	0.1747	0	0	0	0
2/2/2019	0	0	0	0.1712	0	0	0	0
2/3/2019	0	0	0	0.1677	0	0	0	0
2/4/2019	0	0	0	0.1644	0	0	0	0
2/5/2019	0	0	0	0.1611	0	0	0	0
2/6/2019	0	0	0	0.1579	0	0	0	0
2/7/2019	0	0	0	0.1547	0	0	0	0
2/8/2019	0	0	0	0.1516	0	0	0	0
2/9/2019	0	0	0	0.1486	0	0	0	0
2/10/2019	0	0	0	0.1456	0	0	0	0
2/11/2019	0	0	0	0.1427	0	0	0	0
2/12/2019	0	0	0	0.1399	0	0	0	0
2/13/2019	0	0	0	0.1371	0	0	0	0
2/14/2019	0	0	0	0.1343	0	0	0	0
2/15/2019	0	0	0	0.1316	0	0	0	0
2/16/2019	0	0	0	0.129	0	0	0	0
2/17/2019	0	0	0	0.1264	0	0	0	0
2/18/2019	0	0	0	0.1239	0	0	0	0
2/19/2019	0	0	0	0.1214	0	0	0	0
2/20/2019	0	0	0	0.119	0	0	0	0
2/21/2019	0	0	0	0.1166	0	0	0	0
2/22/2019	0	0	0	0.1143	0	0	0	0
2/23/2019	0	0	0	0.112	0	0	0	0
2/24/2019	0	0	0	0.1097	0	0	0	0
2/25/2019	0	0	0	0.1075	0	0	0	0
2/26/2019	0	0	0	0.1054	0	0	0	0
2/27/2019	0	0	0	0.1033	0	0	0	0
2/28/2019	0	0	0	0.1012	0	0	0	0
3/1/2019	0	0	0	0.0992	0	0	0	0
3/2/2019	0	0	0	0.09722	0	0	0	0
3/3/2019	0	0	0	0.09527	0	0	0	0
3/4/2019	0	0	0	0.09337	0	0	0	0
3/5/2019	0	0	0	0.0915	0	0	0	0
3/6/2019	0	0	0	0.08967	0	0	0	0
3/7/2019	0	0	0	0.08788	0	0	0	0
3/8/2019	0	0	0	0.08612	0	0	0	0
3/9/2019	0	0	0	0.0844	0	0	0	0
3/10/2019	0	0	0	0.08271	0	0	0	0
3/11/2019	0	0	0	0.08105	0	0	0	0
3/12/2019	0	0	0	0.07943	0	0	0.0007221	0
3/13/2019	0	0	0	0.07784	0	0	0	0
3/14/2019	0	0	0	0.07629	0	0	0	0
3/15/2019	0	0	0	0.07476	0	0	0	0
3/16/2019	0	0	0	0.07327	0	0	0	0
3/17/2019	0	0	0	0.0718	0	0	0	0
3/18/2019	0	0	0	0.07036	0	0	0.005931	0
3/19/2019	0	0	0	0.06896	0	0	0	0
3/20/2019	0	0	0	0.06758	0	0	0.009412	0
3/21/2019	0	0	0	0.06623	0	0	0	0
3/22/2019	0	0	0	0.0649	0	0	0.05302	0
3/23/2019	0	0	0	0.0636	0	0	0	0
3/24/2019	0	0	0	0.06233	0	0	0	0
3/25/2019	0	0	0	0.06109	0	0	0	0
3/26/2019	0	0	0	0.05986	0	0	0.0367	0
3/27/2019	0	0	0	0.05867	0	0	0	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
3/28/2019	0	0	0	0.05749	0	0	0	0
3/29/2019	0	0	0	0.05634	0	0	0	0
3/30/2019	0	0	0	0.05522	0	0	0	0
3/31/2019	0	0	0	0.05411	0	0	0.03141	0
4/1/2019	0	0	0	0.05303	0	0	0.0416	0
4/2/2019	0	0	0	0.05197	0	0	0	0
4/3/2019	0	0	0	0.05093	0	0	0	0
4/4/2019	0	0	0	0.04991	0	0	0	0
4/5/2019	0	0	0	0.04891	0	0	0	0
4/6/2019	0	0	0	0.04793	0	0	0	0
4/7/2019	0	0	0	0.04698	0	0	0	0
4/8/2019	0	0	0	0.04604	0	0	0	0
4/9/2019	0	0	0	0.04512	0	0	0.03987	0
4/10/2019	0	0	0	0.04421	0	0	0.07887	0
4/11/2019	0	0	0	0.04333	0	0	0.1432	0
4/12/2019	0	0	0	0.04246	0	0	0.1675	0
4/13/2019	0	0	0	0.04161	0	0	0.1985	0
4/14/2019	0	0	0	0.04078	0	0	0.159	0
4/15/2019	0	0	0	0.03997	0	0	0.1197	0
4/16/2019	0	0	0	0.03917	0	0	0.1184	0
4/17/2019	0	0	0	0.03838	0	0	0.105	0
4/18/2019	0	0	0	0.03762	0	0	0.02106	0
4/19/2019	0	0	0	0.03686	0	0	0.03862	0
4/20/2019	0	0	0	0.03613	0	0	0	0
4/21/2019	0	0	0	0.0354	0	0	0	0
4/22/2019	0	0	0	0.0347	0	0	0	0
4/23/2019	0	0	0	0.034	0	0	0.1494	0
4/24/2019	0	0	0	0.03332	0	0	0.1398	0
4/25/2019	0	0	0	0.03265	0	0	0	0
4/26/2019	0	0	0	0.032	0	0	0	0
4/27/2019	0	0	0	0.03136	0	0	0	0
4/28/2019	0	0	0	0.03073	0	0	0	0
4/29/2019	0	0	0	0.03012	0	0	0	0
4/30/2019	0	0	0	0.02952	0	0	0.06049	0
5/1/2019	0	0	0	0.02893	0	0	0.1823	0
5/2/2019	0	0	0	0.02835	0	0	0.1946	0
5/3/2019	0	0	0	0.02778	0	0	0.223	0
5/4/2019	0	0	0	0.02723	0	0	0.1345	0
5/5/2019	0	0	0	0.02668	0	0	0.07781	0
5/6/2019	0	0	0	0.02615	0	0	0.1052	0
5/7/2019	0	0	0	0.02562	0	0	0.2293	0
5/8/2019	0	0	0	0.02511	0	0	0.3184	0
5/9/2019	0	0	0	0.02461	0	0	0.2672	0
5/10/2019	0	0	0	0.02412	0	0	0.2534	0
5/11/2019	0	0	0	0.02364	0	0	0.2497	0
5/12/2019	0	0	0	0.02316	0	0	0.2906	0
5/13/2019	0	0	0	0.0227	0	0	0.2724	0
5/14/2019	0	0	0	0.02225	0	0	0.313	0
5/15/2019	0	0	0	0.0218	0	0	0.3472	0
5/16/2019	0	0	0	0.02136	0	0	0.3252	0
5/17/2019	0	0	0	0.02094	0	0	0.3517	0
5/18/2019	0	0	0	0.02052	0	0	0.303	0
5/19/2019	0	0	0	0.02011	0	0	0.2967	0
5/20/2019	0	0	0	0.01971	0	0	0.3035	0
5/21/2019	0	0	0	0.01931	0	0	0.3195	0
5/22/2019	0	0	0	0.01893	0	0	0.2721	0
5/23/2019	0	0	0	0.01855	0	0	0.3216	0
5/24/2019	0	0	0	0.01818	0	0	0.307	0
5/25/2019	0	0	0	0.01781	0	0	0.2652	0
5/26/2019	0	0	0	0.01746	0	0	0.2931	0
5/27/2019	0	0	0	0.01711	0	0	0.3852	0
5/28/2019	0	0	0	0.01677	0	0	0.3853	0
5/29/2019	3.797	0.552	11.04	21.14	0	0.09508	0.4141	0
5/30/2019	0	0	0	0.0161	0	0	0.6835	0
5/31/2019	12.33	1.824	36.48	42.26	0	0.6236	0.8244	0
6/1/2019	14.92	2.688	46.08	425	0	1.723	1.928	0
6/2/2019	0	0	0	689.9	0	0	4.209	0
6/3/2019	0	0	0	0.01862	0	0	4.672	0
6/4/2019	0	0	0	0.1923	0	0	4.62	0
6/5/2019	9.5	2.016	34.56	193.2	0	3.708	5.345	0
6/6/2019	14.61	3.136	53.76	780	0	6.007	5.965	3970
6/7/2019	13.69	2.884	49.44	1269	0	5.157	5.498	0
6/8/2019	40.1	8.792	150.7	821.2	0	18.08	5.322	0
6/9/2019	42.08	9.352	160.3	1656	0	20.05	7.174	0
6/10/2019	47.52	10.75	184.3	2999	0	24.28	7.798	0
6/11/2019	33.55	7.812	133.9	3841	0	19.04	8.399	4000
6/12/2019	35.46	8.26	141.6	4043	0	20.14	8.327	4000
6/13/2019	49.91	11.65	199.7	4461	0	28.54	8.891	4000
6/14/2019	43.88	10.3	176.6	6308	0	25.64	8.646	4000
6/15/2019	27.09	6.496	111.4	4640	0	16.98	8.421	4000
6/16/2019	31.55	7.616	130.6	1723	0	20.21	8.755	0
6/17/2019	0	0	0	771	0	0	7.68	0
6/18/2019	0	0	0	533.3	0	0	6.47	0
6/19/2019	52.38	12.99	222.7	2597	0	36.54	10.39	0
6/20/2019	30.43	7.756	133	1003	0	23.01	9.853	7940
6/21/2019	78.26	18.79	322.1	884.5	0	49.23	11.91	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
6/22/2019	82.11	19.94	341.8	775.7	0	53.58	12.15	0
6/23/2019	48.39	11.87	203.5	731	0	32.63	10.21	0
6/24/2019	40.72	10.08	172.8	685.2	0	28.23	10.32	0
6/25/2019	60.24	15.04	257.8	634.4	0	42.83	10.85	0
6/26/2019	72.89	18.37	314.9	586.7	0	53.32	12.43	0
6/27/2019	90.67	23.07	395.5	541.1	0	68.24	12.88	5161
6/28/2019	86.8	21.28	364.8	498.6	0	58.41	12.31	0
6/29/2019	21.96	5.432	93.12	459	0	15.19	11.01	7543
6/30/2019	109.7	25.62	439.2	423.2	0	62.82	8.816	5955
7/1/2019	35.08	9.52	134.4	2020	0	17.08	7.34	0
7/2/2019	3.069	0.85	12	937.2	0	1.616	7.696	0
7/3/2019	145.5	40.63	573.6	426.9	0	79	8.551	0
7/4/2019	57.81	16.32	230.4	2578	0	32.62	8.863	0
7/5/2019	1.764	0.51	7.2	1484	0	1.08	20.79	0
7/6/2019	11.62	3.4	48	556	0	7.404	12.21	0
7/7/2019	1.734	0.51	7.2	498.1	0	1.124	9.923	0
7/8/2019	86.89	25.67	362.4	407.7	0	57.07	9.381	4367
7/9/2019	119.6	34.34	484.8	1702	0	71.55	8.745	0
7/10/2019	1.741	0.51	7.2	2371	0	1.112	10.61	0
7/11/2019	2.846	0.85	12	600.8	0	1.935	12.04	0
7/12/2019	19.24	5.78	81.6	511.5	0	13.31	13.92	0
7/13/2019	1.689	0.51	7.2	611.5	0	1.188	12.09	0
7/14/2019	1.679	0.51	7.2	391.4	0	1.201	12.66	0
7/15/2019	46.84	14.28	201.6	364.1	0	33.89	11.97	9528
7/16/2019	8.418	2.38	33.6	1007	0	4.774	11.93	0
7/17/2019	11.92	3.4	48	370.2	0	6.969	11.98	0
7/18/2019	0	0	0	390.9	0	0	11.02	0
7/19/2019	1.777	0.51	7.2	293.4	0	1.062	11.38	0
7/20/2019	2.954	0.85	12	270.5	0	1.78	11.32	0
7/21/2019	0	0	0	247.6	0	0	11.73	0
7/22/2019	1.765	0.51	7.2	225.5	0	1.078	11.48	0
7/23/2019	1.762	0.51	7.2	205.4	0	1.083	10.81	0
7/24/2019	0	0	0	187.1	0	0	9.643	0
7/25/2019	5.269	1.53	21.6	170	0	3.273	10.22	0
7/26/2019	1.754	0.51	7.2	154.8	0	1.095	9.959	0
7/27/2019	81.73	23.8	336	140.9	0	51.24	7.972	0
7/28/2019	45.88	13.43	189.6	1256	0	29.26	8.755	0
7/29/2019	0	0	0	774.9	0	0	10.64	0
7/30/2019	1.709	0.51	7.2	197.2	0	1.158	10.13	0
7/31/2019	2.844	0.85	12	151.9	0	1.937	10.13	0
8/1/2019	0	0	0	154	0	0	10.45	0
8/2/2019	0	0	0	149.6	0	0	12.89	0
8/3/2019	2.833	0.95	12	135.6	0	1.953	8.563	0
8/4/2019	65.63	22.04	278.4	35.28	0	45.45	5.443	0
8/5/2019	33.81	11.4	144	1040	0	23.7	9.147	0
8/6/2019	1.671	0.57	7.2	563.1	0	1.213	10.31	0
8/7/2019	1.662	0.57	7.2	58.45	0	1.225	11.02	0
8/8/2019	3.877	1.33	16.8	145.4	0	2.862	11.35	0
8/9/2019	3.871	1.33	16.8	145	0	2.87	10.53	0
8/10/2019	11.04	3.8	48	139.3	0	8.224	9.149	0
8/11/2019	99.75	34.39	434.4	103.2	0	74.7	7.443	0
8/12/2019	56.91	19.76	249.6	1712	0	43.49	9.325	0
8/13/2019	28.11	10.07	127.2	1091	0	23.45	8.302	0
8/14/2019	0	0	0	744.5	0	0	10.38	0
8/15/2019	1.536	0.57	7.2	279.3	0	1.406	10.72	0
8/16/2019	0	0	0	224.4	0	0	9.888	0
8/17/2019	1.52	0.57	7.2	190.3	0	1.428	9.46	0
8/18/2019	0	0	0	188.4	0	0	10.59	0
8/19/2019	4.523	1.71	21.6	181.2	0	4.339	10.8	0
8/20/2019	0	0	0	168.1	0	0	10.97	0
8/21/2019	0	0	0	153.7	0	0	11.01	0
8/22/2019	0	0	0	139.6	0	0	10.48	0
8/23/2019	10.86	4.18	52.8	36.2	0	10.89	10.85	0
8/24/2019	1.477	0.57	7.2	109.4	0	1.49	10.34	0
8/25/2019	23.08	8.93	112.8	34.77	0	23.43	10.12	0
8/26/2019	1.466	0.57	7.2	374	0	1.506	9.783	0
8/27/2019	0	0	0	33.39	0	0	9.707	0
8/28/2019	168.8	66.31	837.6	33.97	0	177.7	6.815	0
8/29/2019	77.09	31.35	396	3299	0	87.88	9.475	0
8/30/2019	1.261	0.57	7.2	1927	0	1.799	8.88	0
8/31/2019	9.599	4.56	57.6	507.1	0	15.09	9.144	0
9/1/2019	13.79	7.7	84	575.5	0	22.3	8.874	0
9/2/2019	1.161	0.66	7.2	649.7	0	1.942	9.699	5558
9/3/2019	1.317	0.66	7.2	360.1	0	1.718	8.602	0
9/4/2019	0	0	0	312	0	0	8.808	0
9/5/2019	0	0	0	267.7	0	0	8.704	0
9/6/2019	5.142	2.64	28.8	262.4	0	7.054	8.264	0
9/7/2019	0	0	0	252.6	0	0	8.017	0
9/8/2019	0	0	0	240	0	0	7.837	18738
9/9/2019	0	0	0	226.9	0	0	5.031	0
9/10/2019	11.65	4.4	48	209.9	0	7.36	5.234	0
9/11/2019	1.743	0.66	7.2	263	0	1.11	5.559	0
9/12/2019	0	0	0	179.1	0	0	5.804	2382
9/13/2019	0	0	0	165.4	0	0	5.322	3176
9/14/2019	1.816	0.66	7.2	151.6	0	1.006	4.789	3573
9/15/2019	98.61	34.76	379.2	139.3	0	48.74	3.375	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
9/16/2019	1.861	0.66	7.2	1453	0	0.942	4.086	0
9/17/2019	139.5	50.16	547.2	95.88	0	74.3	4.043	0
9/18/2019	5.464	1.98	21.6	2300	0	2.995	4.155	1588
9/19/2019	0	0	0	472.2	0	0	3.785	0
9/20/2019	16.23	5.94	64.8	331	0	9.22	3.737	0
9/21/2019	71.86	26.4	288	441	0	41.34	3.558	0
9/22/2019	1.784	0.66	7.2	1370	0	1.052	3.433	4963
9/23/2019	12.26	4.4	48	365.2	0	6.488	3.126	0
9/24/2019	26.86	9.68	105.6	445.3	0	14.42	3.573	0
9/25/2019	60.74	22	240	659.7	0	33.23	3.144	0
9/26/2019	12.65	4.62	50.4	1225	0	7.133	3.178	0
9/27/2019	23.23	8.58	93.6	550.1	0	13.61	2.292	0
9/28/2019	0	0	0	424.3	0	0	2.168	0
9/29/2019	0	0	0	99.17	0	0	1.989	0
9/30/2019	0	0	0	59.53	0	0	2.113	0
10/1/2019	0	0	0	1091	0	0	2.691	0
10/2/2019	0	0	0	282.4	0	0	2.539	0
10/3/2019	0	0	0	13.74	0	0	2.207	0
10/4/2019	1.749	0.72	7.2	525.8	0	1.101	2.654	0
10/5/2019	0.5805	0.24	2.4	253.1	0	0.3708	2.636	0
10/6/2019	0	0	0	12	0	0	2.117	0
10/7/2019	0	0	0	11.34	0	0	1.825	0
10/8/2019	20.27	8.4	84	657.3	0	13.04	2.236	0
10/9/2019	8.63	3.6	36	471.9	0	5.671	2.192	0
10/10/2019	0	0	0	106.1	0	0	1.76	0
10/11/2019	0	0	0	9.031	0	0	1.753	0
10/12/2019	0	0	0	8.784	0	0	1.705	0
10/13/2019	0	0	0	183.7	0	0	1.685	0
10/14/2019	0	0	0	8.206	0	0	1.505	0
10/15/2019	0	0	0	7.854	0	0	1.339	0
10/16/2019	0	0	0	7.495	0	0	1.167	0
10/17/2019	0	0	0	7.13	0	0	1.451	0
10/18/2019	70.62	29.66	296.6	351.8	0	47.44	1.419	0
10/19/2019	55.72	23.57	235.7	1771	0	38.23	1.47	0
10/20/2019	10.68	4.608	46.08	1255	0	7.779	1.443	0
10/21/2019	0	0	0	203	0	0	1.326	0
10/22/2019	0	0	0	86.29	0	0	0.9656	0
10/23/2019	0	0	0	48.15	0	0	0.8579	0
10/24/2019	0	0	0	18.52	0	0	0.7651	0
10/25/2019	0	0	0	9.601	0	0	1.085	0
10/26/2019	0	0	0	9.574	0	0	1.029	0
10/27/2019	0	0	0	9.425	0	0	1.009	0
10/28/2019	0	0	0	9.185	0	0	1.067	0
10/29/2019	0	0	0	8.879	0	0	1.015	0
10/30/2019	0	0	0	8.527	0	0	0.7853	0
10/31/2019	0	0	0	8.146	0	0	0.7008	0
11/1/2019	0	0	0	7.626	0	0	0.4575	0
11/2/2019	0	0	0	7.229	0	0	0.2371	0
11/3/2019	0	0	0	6.832	0	0	0.4555	0
11/4/2019	0	0	0	1.84	0	0	0.1843	0
11/5/2019	0	0	0	1.823	0	0	0	0
11/6/2019	0	0	0	1.803	0	0	0	0
11/7/2019	0	0	0	1.78	0	0	0	0
11/8/2019	0	0	0	1.754	0	0	0	0
11/9/2019	0	0	0	1.727	0	0	0.07323	0
11/10/2019	0	0	0	1.699	0	0	0	0
11/11/2019	0	0	0	1.671	0	0	0	0
11/12/2019	0	0	0	1.641	0	0	0.1433	0
11/13/2019	0	0	0	1.612	0	0	0	0
11/14/2019	0	0	0	1.582	0	0	0	0
11/15/2019	0	0	0	1.553	0	0	0.04535	0
11/16/2019	0	0	0	1.524	0	0	0.1031	0
11/17/2019	0	0	0	1.494	0	0	0	0
11/18/2019	0	0	0	1.466	0	0	0	0
11/19/2019	0	0	0	1.437	0	0	0.03483	0
11/20/2019	0	0	0	1.409	0	0	0.0483	0
11/21/2019	0	0	0	1.382	0	0	0.05486	0
11/22/2019	0	0	0	1.354	0	0	0.1466	0
11/23/2019	0	0	0	1.328	0	0	0.002191	0
11/24/2019	0	0	0	1.301	0	0	0.1337	0
11/25/2019	0	0	0	1.276	0	0	0.07318	0
11/26/2019	0	0	0	1.25	0	0	0	0
11/27/2019	0	0	0	1.225	0	0	0	0
11/28/2019	0	0	0	1.201	0	0	0.05184	0
11/29/2019	0	0	0	1.177	0	0	0.1057	0
11/30/2019	0	0	0	1.154	0	0	0.1041	0
12/1/2019	0	0	0	1.112	0	0	0.008147	0
12/2/2019	0	0	0	1.09	0	0	0	0
12/3/2019	0	0	0	1.068	0	0	0	0
12/4/2019	0	0	0	1.047	0	0	0	0
12/5/2019	0	0	0	1.026	0	0	0	0
12/6/2019	0	0	0	1.006	0	0	0	0
12/7/2019	0	0	0	0.9856	0	0	0	0
12/8/2019	0	0	0	0.9659	0	0	0	0
12/9/2019	0	0	0	0.9466	0	0	0	0
12/10/2019	0	0	0	0.9276	0	0	0	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
12/11/2019	0	0	0	0.9091	0	0	0	0
12/12/2019	0	0	0	0.8909	0	0	0	0
12/13/2019	0	0	0	0.8731	0	0	0	0
12/14/2019	0	0	0	0.8556	0	0	0	0
12/15/2019	0	0	0	0.8385	0	0	0	0
12/16/2019	0	0	0	0.8218	0	0	0	0
12/17/2019	0	0	0	0.8053	0	0	0	0
12/18/2019	0	0	0	0.7892	0	0	0	0
12/19/2019	0	0	0	0.7734	0	0	0	0
12/20/2019	0	0	0	0.758	0	0	0	0
12/21/2019	0	0	0	0.7428	0	0	0	0
12/22/2019	0	0	0	0.728	0	0	0.01024	0
12/23/2019	0	0	0	0.7134	0	0	0	0
12/24/2019	0	0	0	0.6991	0	0	0	0
12/25/2019	0	0	0	0.6852	0	0	0.07755	0
12/26/2019	0	0	0	0.6714	0	0	0.07848	0
12/27/2019	0	0	0	0.658	0	0	0.08805	0
12/28/2019	0	0	0	0.6449	0	0	0.04814	0
12/29/2019	0	0	0	0.632	0	0	0.03467	0
12/30/2019	0	0	0	0.6193	0	0	0	0
12/31/2019	0	0	0	0.6069	0	0	0	0
1/1/2020	0	0	0	0.585	0	0	0.02097	0
1/2/2020	0	0	0	0.5733	0	0	0.0203	0
1/3/2020	0	0	0	0.5619	0	0	0	0
1/4/2020	0	0	0	0.5506	0	0	0	0
1/5/2020	0	0	0	0.5396	0	0	0	0
1/6/2020	0	0	0	0.5288	0	0	0	0
1/7/2020	0	0	0	0.5183	0	0	0	0
1/8/2020	0	0	0	0.5079	0	0	0	0
1/9/2020	0	0	0	0.4977	0	0	0	0
1/10/2020	0	0	0	0.4878	0	0	0	0
1/11/2020	0	0	0	0.478	0	0	0	0
1/12/2020	0	0	0	0.4685	0	0	0	0
1/13/2020	0	0	0	0.4591	0	0	0	0
1/14/2020	0	0	0	0.4499	0	0	0	0
1/15/2020	0	0	0	0.4409	0	0	0	0
1/16/2020	0	0	0	0.4321	0	0	0	0
1/17/2020	0	0	0	0.4235	0	0	0	0
1/18/2020	0	0	0	0.415	0	0	0	0
1/19/2020	0	0	0	0.4067	0	0	0	0
1/20/2020	0	0	0	0.3986	0	0	0	0
1/21/2020	0	0	0	0.3906	0	0	0	0
1/22/2020	0	0	0	0.3828	0	0	0	0
1/23/2020	0	0	0	0.3751	0	0	0	0
1/24/2020	0	0	0	0.3676	0	0	0	0
1/25/2020	0	0	0	0.3603	0	0	0	0
1/26/2020	0	0	0	0.3531	0	0	0	0
1/27/2020	0	0	0	0.346	0	0	0	0
1/28/2020	0	0	0	0.3391	0	0	0	0
1/29/2020	0	0	0	0.3323	0	0	0	0
1/30/2020	0	0	0	0.3256	0	0	0.2544	0
1/31/2020	0	0	0	0.3191	0	0	0.3252	0
2/1/2020	0	0	0	0.3075	0	0	0	0
2/2/2020	0	0	0	0.3014	0	0	0	0
2/3/2020	0	0	0	0.2954	0	0	0	0
2/4/2020	0	0	0	0.2895	0	0	0	0
2/5/2020	0	0	0	0.2837	0	0	0	0
2/6/2020	0	0	0	0.278	0	0	0	0
2/7/2020	0	0	0	0.2724	0	0	0	0
2/8/2020	0	0	0	0.267	0	0	0	0
2/9/2020	0	0	0	0.2616	0	0	0	0
2/10/2020	0	0	0	0.2564	0	0	0	0
2/11/2020	0	0	0	0.2513	0	0	0	0
2/12/2020	0	0	0	0.2463	0	0	0	0
2/13/2020	0	0	0	0.2413	0	0	0	0
2/14/2020	0	0	0	0.2365	0	0	0	0
2/15/2020	0	0	0	0.2318	0	0	0	0
2/16/2020	0	0	0	0.2271	0	0	0	0
2/17/2020	0	0	0	0.2226	0	0	0	0
2/18/2020	0	0	0	0.2181	0	0	0	0
2/19/2020	0	0	0	0.2138	0	0	0	0
2/20/2020	0	0	0	0.2095	0	0	0	0
2/21/2020	0	0	0	0.2053	0	0	0	0
2/22/2020	0	0	0	0.2012	0	0	0	0
2/23/2020	0	0	0	0.1972	0	0	0	0
2/24/2020	0	0	0	0.1932	0	0	0	0
2/25/2020	0	0	0	0.1894	0	0	0	0
2/26/2020	0	0	0	0.1856	0	0	0	0
2/27/2020	0	0	0	0.1819	0	0	0	0
2/28/2020	0	0	0	0.1782	0	0	0	0
2/29/2020	0	0	0	0.1747	0	0	0.1835	0
3/1/2020	0	0	0	0.1683	0	0	0	0
3/2/2020	0	0	0	0.1649	0	0	0	0
3/3/2020	0	0	0	0.1616	0	0	0	0
3/4/2020	0	0	0	0.1584	0	0	0	0
3/5/2020	0	0	0	0.1552	0	0	0	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
3/6/2020	0	0	0	0.1521	0	0	0	0
3/7/2020	0	0	0	0.1491	0	0	0	0
3/8/2020	0	0	0	0.1461	0	0	0	0
3/9/2020	0	0	0	0.1432	0	0	0	0
3/10/2020	0	0	0	0.1403	0	0	0	0
3/11/2020	0	0	0	0.1375	0	0	0	0
3/12/2020	0	0	0	0.1347	0	0	0	0
3/13/2020	0	0	0	0.1321	0	0	0	0
3/14/2020	0	0	0	0.1294	0	0	0	0
3/15/2020	0	0	0	0.1268	0	0	0.1211	0
3/16/2020	0	0	0	0.1243	0	0	0	0
3/17/2020	0	0	0	0.1218	0	0	0	0
3/18/2020	0	0	0	0.1194	0	0	0	0
3/19/2020	0	0	0	0.117	0	0	0	0
3/20/2020	0	0	0	0.1146	0	0	0	0
3/21/2020	0	0	0	0.1123	0	0	0	0
3/22/2020	0	0	0	0.1101	0	0	0.7816	0
3/23/2020	0	0	0	0.1079	0	0	0	0
3/24/2020	0	0	0	0.1057	0	0	0	0
3/25/2020	0	0	0	0.1036	0	0	0	0
3/26/2020	0	0	0	0.1016	0	0	0	0
3/27/2020	0	0	0	0.09952	0	0	0	0
3/28/2020	0	0	0	0.09753	0	0	0	0
3/29/2020	0	0	0	0.09558	0	0	0	0
3/30/2020	0	0	0	0.09367	0	0	0	0
3/31/2020	0	0	0	0.09179	0	0	0	0
4/1/2020	0	0	0	0.0881	0	0	0	0
4/2/2020	0	0	0	0.08634	0	0	1.367	0
4/3/2020	0	0	0	0.08461	0	0	1.176	0
4/4/2020	0	0	0	0.08292	0	0	1.156	0
4/5/2020	0	0	0	0.08126	0	0	1.485	0
4/6/2020	0	0	0	0.07963	0	0	0.684	0
4/7/2020	0	0	0	0.07804	0	0	0.4177	0
4/8/2020	0	0	0	0.07648	0	0	1.425	0
4/9/2020	0	0	0	0.07495	0	0	0.6833	0
4/10/2020	0	0	0	0.07345	0	0	0.3528	0
4/11/2020	0	0	0	0.07198	0	0	0.1715	0
4/12/2020	0	0	0	0.07054	0	0	0	0
4/13/2020	0	0	0	0.06913	0	0	0	0
4/14/2020	0	0	0	0.06775	0	0	0	0
4/15/2020	0	0	0	0.06639	0	0	0.02999	0
4/16/2020	0	0	0	0.06507	0	0	0	0
4/17/2020	0	0	0	0.06376	0	0	0	0
4/18/2020	0	0	0	0.06249	0	0	0	0
4/19/2020	0	0	0	0.06124	0	0	0	0
4/20/2020	0	0	0	0.06001	0	0	0	0
4/21/2020	0	0	0	0.05881	0	0	0	0
4/22/2020	0	0	0	0.05764	0	0	0.6672	0
4/23/2020	0	0	0	0.05649	0	0	2.677	0
4/24/2020	0	0	0	0.05536	0	0	1.399	0
4/25/2020	0	0	0	0.05425	0	0	1.035	0
4/26/2020	0	0	0	0.05316	0	0	2.039	0
4/27/2020	0	0	0	0.0521	0	0	0	0
4/28/2020	0	0	0	0.05106	0	0	0	0
4/29/2020	0	0	0	0.05004	0	0	3.396	0
4/30/2020	0	0	0	0.04904	0	0	5.122	0
5/1/2020	0	0	0	0.04721	0	0	3.135	0
5/2/2020	0	0	0	0.04627	0	0	1.713	0
5/3/2020	0	0	0	0.04534	0	0	3.89	0
5/4/2020	0	0	0	0.04443	0	0	5.989	0
5/5/2020	0	0	0	0.04354	0	0	2.559	0
5/6/2020	0	0	0	0.04267	0	0	3.232	0
5/7/2020	0	0	0	0.04182	0	0	4.478	0
5/8/2020	0	0	0	0.04098	0	0	3.743	0
5/9/2020	0	0	0	0.04016	0	0	2.392	0
5/10/2020	0	0	0	0.03936	0	0	2.344	0
5/11/2020	0	0	0	0.03857	0	0	3.713	0
5/12/2020	0	0	0	0.0378	0	0	3.771	0
5/13/2020	0	0	0	0.03705	0	0	3.084	0
5/14/2020	0	0	0	0.03631	0	0	2.891	0
5/15/2020	0	0	0	0.03558	0	0	3.671	0
5/16/2020	0	0	0	0.03487	0	0	6.469	0
5/17/2020	0	0	0	0.03417	0	0	7.282	0
5/18/2020	0	0	0	0.03349	0	0	5.725	0
5/19/2020	0	0	0	0.03282	0	0	5.72	0
5/20/2020	0	0	0	0.03216	0	0	5.851	0
5/21/2020	0	0	0	0.03152	0	0	5.616	0
5/22/2020	0	0	0	0.03089	0	0	5.317	0
5/23/2020	0	0	0	0.03027	0	0	6.692	0
5/24/2020	0	0	0	0.02966	0	0	6.512	0
5/25/2020	0	0	0	0.02907	0	0	6.737	0
5/26/2020	0	0	0	0.02849	0	0	4.655	0
5/27/2020	0	0	0	0.02792	0	0	4.764	0
5/28/2020	0	0	0	0.02736	0	0	6.848	0
5/29/2020	0	0	0	0.02681	0	0	6.316	0
5/30/2020	0	0	0	0.02628	0	0	6.837	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
5/31/2020	0	0	0	0.02575	0	0	6.854	0
6/1/2020	0	0	0	0.02478	0	0	6.357	0
6/2/2020	0	0	0	0.02429	0	0	6.424	0
6/3/2020	1.753	2.208	7.68	36.79	0	1.336	7.379	0
6/4/2020	0	0	0	0.02333	0	0	8.01	0
6/5/2020	0	0	0	0.02286	0	0	8.183	0
6/6/2020	19.83	24.98	86.88	808.4	0	15.12	8.649	0
6/7/2020	3.141	4.002	13.92	1809	0	2.473	6.692	0
6/8/2020	8.925	11.73	40.8	416.9	0	7.65	9.267	1480
6/9/2020	7.364	9.522	33.12	567.6	0	6.039	9.348	0
6/10/2020	22.51	29.39	102.2	1306	0	18.96	10.2	1660
6/11/2020	38.16	49.68	172.8	3741	0	31.89	11.6	6383
6/12/2020	63.19	79.49	276.5	4057	0	47.97	12.2	5700
6/13/2020	90.53	112.6	391.7	5794	0	66.51	13.19	6240
6/14/2020	59.36	73.97	257.3	1222	0	43.85	11.76	0
6/15/2020	52.32	66.24	230.4	946.9	0	40.46	11.73	0
6/16/2020	37.54	48.58	169	792.4	0	30.85	11.02	0
6/17/2020	64.56	85.01	295.7	671.9	0	55.61	13.49	0
6/18/2020	55.52	74.66	259.7	569.4	0	50.53	15.43	0
6/19/2020	0	0	0	481.3	0	0	17.68	0
6/20/2020	0	0	0	433.2	0	0	17.28	0
6/21/2020	0	0	0	409.3	0	0	17.4	220
6/22/2020	0	0	0	377.4	0	0	17.93	600
6/23/2020	0	0	0	346.4	0	0	20.75	1035
6/24/2020	3.508	4.83	16.8	316.8	0	3.389	16.53	805
6/25/2020	1.52	2.07	7.2	291.1	0	1.429	14.54	0
6/26/2020	21.14	28.98	100.8	267.2	0	20.2	10.08	850
6/27/2020	0	0	0	481.1	0	0	12.25	0
6/28/2020	0	0	0	227.8	0	0	16.19	0
6/29/2020	0	0	0	208.7	0	0	18.09	0
6/30/2020	0	0	0	189.3	0	0	19.18	6160
7/1/2020	0	0	0	167.9	0	0	17.4	3520
7/2/2020	0	0	0	150.8	0	0	14.9	0
7/3/2020	0	0	0	135.4	0	0	13.99	0
7/4/2020	0	0	0	121.4	0	0	12.6	0
7/5/2020	0	0	0	31.1	0	0	12.74	0
7/6/2020	0	0	0	30.48	0	0	11.57	0
7/7/2020	21.51	28.12	91.2	29.87	0	14.87	12	0
7/8/2020	1.696	2.22	7.2	210.6	0	1.178	12.36	0
7/9/2020	1.692	2.22	7.2	28.69	0	1.182	12.76	0
7/10/2020	0	0	0	28.11	0	0	15.04	0
7/11/2020	0	0	0	27.55	0	0	15.26	0
7/12/2020	0	0	0	27	0	0	13.24	0
7/13/2020	0	0	0	26.46	0	0	11.14	0
7/14/2020	1.691	2.22	7.2	25.93	0	1.184	11.54	0
7/15/2020	1.691	2.22	7.2	25.41	0	1.185	11	0
7/16/2020	23.67	31.08	100.8	24.9	0	16.59	14.66	0
7/17/2020	1.688	2.22	7.2	228.2	0	1.189	12.34	0
7/18/2020	0	0	0	23.92	0	0	15.13	0
7/19/2020	0	0	0	23.44	0	0	14.53	0
7/20/2020	0	0	0	22.97	0	0	15.55	0
7/21/2020	0	0	0	22.51	0	0	15.6	0
7/22/2020	0	0	0	22.06	0	0	14.05	0
7/23/2020	0	0	0	21.62	0	0	14.71	0
7/24/2020	1.684	2.22	7.2	21.19	0	1.195	13.35	0
7/25/2020	1.683	2.22	7.2	20.76	0	1.195	10.89	0
7/26/2020	0	0	0	20.35	0	0	10.3	0
7/27/2020	0	0	0	19.94	0	0	12.92	0
7/28/2020	0	0	0	19.54	0	0	13.19	0
7/29/2020	1.683	2.22	7.2	19.15	0	1.196	12.23	0
7/30/2020	1.682	2.22	7.2	18.77	0	1.197	14.66	0
7/31/2020	0	0	0	18.39	0	0	10.37	0
8/1/2020	0	0	0	17.69	0	0	13.84	0
8/2/2020	0	0	0	17.34	0	0	14.06	0
8/3/2020	0	0	0	16.99	0	0	14.49	0
8/4/2020	0	0	0	16.65	0	0	14.54	0
8/5/2020	2.803	4	12	16.32	0	1.996	14.39	0
8/6/2020	0	0	0	15.99	0	0	13.83	0
8/7/2020	0	0	0	15.67	0	0	10.79	0
8/8/2020	1.681	2.4	7.2	15.36	0	1.198	10.63	0
8/9/2020	16.81	24	72	15.05	0	11.99	8.521	0
8/10/2020	1.679	2.4	7.2	14.28	0	1.202	9.573	0
8/11/2020	0	0	0	14.45	0	0	11.11	0
8/12/2020	0	0	0	14.17	0	0	12.26	0
8/13/2020	1.676	2.4	7.2	13.88	0	1.205	9.182	0
8/14/2020	17.88	25.6	76.8	13.6	0	12.86	8.71	0
8/15/2020	0	0	0	157.1	0	0	11.09	0
8/16/2020	12.26	17.6	52.8	13.07	0	8.89	11.05	0
8/17/2020	1.67	2.4	7.2	66.76	0	1.214	10.74	0
8/18/2020	0	0	0	12.55	0	0	7.935	0
8/19/2020	0	0	0	12.3	0	0	9.548	0
8/20/2020	66.19	95.2	285.6	12.05	0	48.24	6.701	0
8/21/2020	17.72	25.6	76.8	871.8	0	13.09	8.477	0
8/22/2020	0	0	0	231.9	0	0	6.455	0
8/23/2020	0	0	0	18.36	0	0	9.32	0
8/24/2020	0	0	0	18.23	0	0	9.547	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
8/25/2020	0	0	0	20.11	0	0	9.531	0
8/26/2020	0	0	0	20.62	0	0	8.269	0
8/27/2020	1.641	2.4	7.2	20.21	0	1.255	6.825	6700
8/28/2020	0	0	0	19.8	0	0	6.916	0
8/29/2020	1.742	2.4	7.2	19.41	0	1.111	7.047	0
8/30/2020	0	0	0	19.02	0	0	6.012	0
8/31/2020	58.05	80	240	18.64	0	37.07	3.918	0
9/1/2020	103.5	153.9	429.6	719.5	0	66.89	3.761	3600
9/2/2020	27.08	39.56	110.4	1418	0	16.51	5.303	3600
9/3/2020	25.13	36.12	100.8	506.3	0	14.5	5.582	3600
9/4/2020	27	37.84	105.6	420	0	14.23	5.144	3600
9/5/2020	39.77	54.18	151.2	508.5	0	18.78	3.42	1200
9/6/2020	67.28	91.16	254.4	672.5	0	31.08	3.645	0
9/7/2020	1.881	2.58	7.2	1042	0	0.9129	4.25	0
9/8/2020	0	0	0	294	0	0	3.864	0
9/9/2020	24.77	34.4	96	255.5	0	12.62	3.867	0
9/10/2020	7.401	10.32	28.8	447.1	0	3.827	4.197	900
9/11/2020	0	0	0	263.5	0	0	3.682	3600
9/12/2020	0	0	0	201.4	0	0	3.481	1500
9/13/2020	43.87	56.76	158.4	194.1	0	16.52	3.453	0
9/14/2020	1.965	2.58	7.2	614	0	0.7925	2.77	0
9/15/2020	23.74	31.82	88.8	181.2	0	10.48	3.262	0
9/16/2020	27.41	36.98	103.2	408.7	0	12.44	3.05	0
9/17/2020	0.6324	0.86	2.4	471.1	0	0.2966	2.845	0
9/18/2020	0.6292	0.86	2.4	183.3	0	0.3011	3.175	0
9/19/2020	0	0	0	174.4	0	0	3.718	0
9/20/2020	0	0	0	171.9	0	0	3.719	0
9/21/2020	1.877	2.58	7.2	166.1	0	0.918	2.346	0
9/22/2020	1.874	2.58	7.2	158.2	0	0.9227	2.728	0
9/23/2020	1.871	2.58	7.2	149.2	0	0.927	2.757	0
9/24/2020	0	0	0	139.7	0	0	3.458	0
9/25/2020	1.866	2.58	7.2	129	0	0.9341	1.973	7472
9/26/2020	0	0	0	119.4	0	0	1.416	0
9/27/2020	0	0	0	110.5	0	0	2.256	0
9/28/2020	21.18	27.52	76.8	29.06	0	8.144	2.133	0
9/29/2020	3.288	4.3	12	190.7	0	1.303	1.736	0
9/30/2020	0.651	0.86	2.4	27.91	0	0.2699	1.88	0
10/1/2020	0	0	0	28.22	0	0	1.847	0
10/2/2020	3.248	4.3	12	28.48	0	1.361	1.576	0
10/3/2020	0.6484	0.86	2.4	28.54	0	0.2737	1.428	0
10/4/2020	0.6477	0.86	2.4	28.33	0	0.2747	1.393	0
10/5/2020	0	0	0	1.403	0	0	1.32	0
10/6/2020	0	0	0	1.384	0	0	1.253	0
10/7/2020	0	0	0	1.364	0	0	1.235	0
10/8/2020	0	0	0	1.345	0	0	1.429	0
10/9/2020	0	0	0	1.325	0	0	1.318	0
10/10/2020	0	0	0	1.304	0	0	0.8458	0
10/11/2020	9.706	12.9	36	180	0	4.134	1.383	0
10/12/2020	73.94	98.9	276	121	0	32.38	1.017	0
10/13/2020	5.721	7.74	21.6	900.8	0	2.627	1.12	0
10/14/2020	14.46	19.78	55.2	113.4	0	6.939	1.151	0
10/15/2020	10.67	14.62	40.8	183.6	0	5.162	1.115	0
10/16/2020	0.6258	0.86	2.4	223.1	0	0.306	1.188	0
10/17/2020	0.6244	0.86	2.4	107.1	0	0.308	1.075	0
10/18/2020	0	0	0	6.21	0	0	1.142	0
10/19/2020	0	0	0	6.323	0	0	0.838	0
10/20/2020	0	0	0	6.337	0	0	0.7601	0
10/21/2020	0	0	0	6.269	0	0	0.7932	0
10/22/2020	0	0	0	6.135	0	0	0.6502	0
10/23/2020	0	0	0	5.952	0	0	0.5756	0
10/24/2020	0	0	0	5.734	0	0	0.5232	0
10/25/2020	0	0	0	5.492	0	0	0.512	0
10/26/2020	0	0	0	1.496	0	0	0.4666	0
10/27/2020	0	0	0	1.495	0	0	0.5141	0
10/28/2020	0	0	0	1.489	0	0	0.2921	0
10/29/2020	0	0	0	1.478	0	0	0.259	0
10/30/2020	0	0	0	1.463	0	0	0.2505	0
10/31/2020	0	0	0	1.446	0	0	0.1735	0
11/1/2020	0	0	0	1.427	0	0	0.05798	0
11/2/2020	0	0	0	1.406	0	0	0.0543	0
11/3/2020	0	0	0	1.384	0	0	0.3041	0
11/4/2020	0	0	0	1.361	0	0	0.4205	0
11/5/2020	0	0	0	1.338	0	0	0.1645	0
11/6/2020	0	0	0	1.314	0	0	0.09406	0
11/7/2020	0	0	0	1.29	0	0	0.2187	0
11/8/2020	0	0	0	1.267	0	0	0.05821	0
11/9/2020	0	0	0	1.243	0	0	0.1648	0
11/10/2020	0	0	0	1.219	0	0	0.218	0
11/11/2020	0	0	0	1.196	0	0	0	0
11/12/2020	0	0	0	1.173	0	0	0.005375	0
11/13/2020	0	0	0	1.15	0	0	0.1998	0
11/14/2020	0	0	0	1.128	0	0	0.02209	0
11/15/2020	0	0	0	1.105	0	0	0	0
11/16/2020	0	0	0	1.084	0	0	0.03475	0
11/17/2020	0	0	0	1.062	0	0	0.0689	0
11/18/2020	0	0	0	1.041	0	0	0.007603	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
11/19/2020	0	0	0	1.021	0	0	0.01775	0
11/20/2020	0	0	0	1	0	0	0	0
11/21/2020	0	0	0	0.9804	0	0	0	0
11/22/2020	0	0	0	0.9609	0	0	0	0
11/23/2020	0	0	0	0.9417	0	0	0	0
11/24/2020	0	0	0	0.9229	0	0	0	0
11/25/2020	0	0	0	0.9045	0	0	0.03471	0
11/26/2020	0	0	0	0.8865	0	0	0.07044	0
11/27/2020	0	0	0	0.8688	0	0	0	0
11/28/2020	0	0	0	0.8514	0	0	0	0
11/29/2020	0	0	0	0.8344	0	0	0.03757	0
11/30/2020	0	0	0	0.8177	0	0	0.06576	0
12/1/2020	0	0	0	0.8014	0	0	0.0844	0
12/2/2020	0	0	0	0.7854	0	0	0.07071	0
12/3/2020	0	0	0	0.7697	0	0	0.08147	0
12/4/2020	0	0	0	0.7543	0	0	0.0648	0
12/5/2020	0	0	0	0.7392	0	0	0.09084	0
12/6/2020	0	0	0	0.7244	0	0	0.09483	0
12/7/2020	0	0	0	0.7099	0	0	0.1072	0
12/8/2020	0	0	0	0.6957	0	0	0.1036	0
12/9/2020	0	0	0	0.6818	0	0	0.08612	0
12/10/2020	0	0	0	0.6682	0	0	0	0
12/11/2020	0	0	0	0.6548	0	0	0	0
12/12/2020	0	0	0	0.6417	0	0	0	0
12/13/2020	0	0	0	0.6289	0	0	0	0
12/14/2020	0	0	0	0.6163	0	0	0	0
12/15/2020	0	0	0	0.604	0	0	0	0
12/16/2020	0	0	0	0.5919	0	0	0	0
12/17/2020	0	0	0	0.5801	0	0	0	0
12/18/2020	0	0	0	0.5685	0	0	0	0
12/19/2020	0	0	0	0.5571	0	0	0	0
12/20/2020	0	0	0	0.546	0	0	0	0
12/21/2020	0	0	0	0.535	0	0	0	0
12/22/2020	0	0	0	0.5243	0	0	0	0
12/23/2020	0	0	0	0.5139	0	0	0	0
12/24/2020	0	0	0	0.5036	0	0	0	0
12/25/2020	0	0	0	0.4935	0	0	0	0
12/26/2020	0	0	0	0.4836	0	0	0	0
12/27/2020	0	0	0	0.474	0	0	0	0
12/28/2020	0	0	0	0.4645	0	0	0	0
12/29/2020	0	0	0	0.4552	0	0	0	0
12/30/2020	0	0	0	0.4461	0	0	0	0
12/31/2020	0	0	0	0.4372	0	0	0	0
1/1/2021	0	0	0	0.1869	0	0	0	0
1/2/2021	0	0	0	0.1832	0	0	0	0
1/3/2021	0	0	0	0.1795	0	0	0	0
1/4/2021	0	0	0	0.1759	0	0	0	0
1/5/2021	0	0	0	0.1724	0	0	0	0
1/6/2021	0	0	0	0.169	0	0	0	0
1/7/2021	0	0	0	0.1656	0	0	0	0
1/8/2021	0	0	0	0.1623	0	0	0.05863	0
1/9/2021	0	0	0	0.159	0	0	0.007234	0
1/10/2021	0	0	0	0.1558	0	0	0	0
1/11/2021	0	0	0	0.1527	0	0	0	0
1/12/2021	0	0	0	0.1497	0	0	0	0
1/13/2021	0	0	0	0.1467	0	0	0.01941	0
1/14/2021	0	0	0	0.1437	0	0	0.06834	0
1/15/2021	0	0	0	0.1409	0	0	0	0
1/16/2021	0	0	0	0.1381	0	0	0	0
1/17/2021	0	0	0	0.1353	0	0	0	0
1/18/2021	0	0	0	0.1326	0	0	0	0
1/19/2021	0	0	0	0.1299	0	0	0	0
1/20/2021	0	0	0	0.1273	0	0	0	0
1/21/2021	0	0	0	0.1248	0	0	0	0
1/22/2021	0	0	0	0.1223	0	0	0	0
1/23/2021	0	0	0	0.1198	0	0	0	0
1/24/2021	0	0	0	0.1175	0	0	0	0
1/25/2021	0	0	0	0.1151	0	0	0	0
1/26/2021	0	0	0	0.1128	0	0	0	0
1/27/2021	0	0	0	0.1105	0	0	0.007944	0
1/28/2021	0	0	0	0.1083	0	0	0	0
1/29/2021	0	0	0	0.1062	0	0	0	0
1/30/2021	0	0	0	0.104	0	0	0	0
1/31/2021	0	0	0	0.102	0	0	0.05466	0
2/1/2021	0	0	0	0.09992	0	0	0	0
2/2/2021	0	0	0	0.09792	0	0	0	0
2/3/2021	0	0	0	0.09597	0	0	0	0
2/4/2021	0	0	0	0.09405	0	0	0	0
2/5/2021	0	0	0	0.09217	0	0	0	0
2/6/2021	0	0	0	0.09032	0	0	0	0
2/7/2021	0	0	0	0.08852	0	0	0	0
2/8/2021	0	0	0	0.08675	0	0	0.5316	0
2/9/2021	0	0	0	0.08501	0	0	0	0
2/10/2021	0	0	0	0.08331	0	0	0	0
2/11/2021	0	0	0	0.08164	0	0	0	0
2/12/2021	0	0	0	0.08001	0	0	0.06854	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
2/13/2021	0	0	0	0.07841	0	0	0	0
2/14/2021	0	0	0	0.07684	0	0	0	0
2/15/2021	0	0	0	0.07531	0	0	0	0
2/16/2021	0	0	0	0.0738	0	0	0	0
2/17/2021	0	0	0	0.07232	0	0	0	0
2/18/2021	0	0	0	0.07088	0	0	0	0
2/19/2021	0	0	0	0.06946	0	0	0	0
2/20/2021	0	0	0	0.06807	0	0	0	0
2/21/2021	0	0	0	0.06671	0	0	0.05546	0
2/22/2021	0	0	0	0.06538	0	0	0	0
2/23/2021	0	0	0	0.06407	0	0	0	0
2/24/2021	0	0	0	0.06279	0	0	0	0
2/25/2021	0	0	0	0.06153	0	0	0	0
2/26/2021	0	0	0	0.0603	0	0	0	0
2/27/2021	0	0	0	0.05909	0	0	0	0
2/28/2021	0	0	0	0.05791	0	0	0	0
3/1/2021	0	0	0	0.05675	0	0	0	0
3/2/2021	0	0	0	0.05562	0	0	0	0
3/3/2021	0	0	0	0.05451	0	0	0	0
3/4/2021	0	0	0	0.05342	0	0	0	0
3/5/2021	0	0	0	0.05235	0	0	0	0
3/6/2021	0	0	0	0.0513	0	0	0	0
3/7/2021	0	0	0	0.05027	0	0	0	0
3/8/2021	0	0	0	0.04927	0	0	0.5974	0
3/9/2021	0	0	0	0.04828	0	0	0	0
3/10/2021	0	0	0	0.04732	0	0	0	0
3/11/2021	0	0	0	0.04637	0	0	0	0
3/12/2021	0	0	0	0.04544	0	0	0	0
3/13/2021	0	0	0	0.04454	0	0	0	0
3/14/2021	0	0	0	0.04364	0	0	0	0
3/15/2021	0	0	0	0.04277	0	0	0	0
3/16/2021	0	0	0	0.04192	0	0	0	0
3/17/2021	0	0	0	0.04108	0	0	0	0
3/18/2021	0	0	0	0.04026	0	0	0	0
3/19/2021	0	0	0	0.03945	0	0	0	0
3/20/2021	0	0	0	0.03866	0	0	0.3502	0
3/21/2021	0	0	0	0.03789	0	0	0.3036	0
3/22/2021	0	0	0	0.03713	0	0	0.5092	0
3/23/2021	0	0	0	0.03639	0	0	0	0
3/24/2021	0	0	0	0.03566	0	0	0	0
3/25/2021	0	0	0	0.03495	0	0	0	0
3/26/2021	0	0	0	0.03425	0	0	0	0
3/27/2021	0	0	0	0.03356	0	0	0	0
3/28/2021	0	0	0	0.03289	0	0	0	0
3/29/2021	0	0	0	0.03223	0	0	0	0
3/30/2021	0	0	0	0.03159	0	0	0	0
3/31/2021	0	0	0	0.03096	0	0	0	0
4/1/2021	0	0	0	0.03034	0	0	0	0
4/2/2021	0	0	0	0.02973	0	0	0	0
4/3/2021	0	0	0	0.02914	0	0	0.3325	0
4/4/2021	0	0	0	0.02855	0	0	1.094	0
4/5/2021	0	0	0	0.02798	0	0	0.0379	0
4/6/2021	0	0	0	0.02742	0	0	0.4208	0
4/7/2021	0	0	0	0.02688	0	0	1.583	0
4/8/2021	0	0	0	0.02634	0	0	1.289	0
4/9/2021	0	0	0	0.02581	0	0	0.9031	0
4/10/2021	0	0	0	0.0253	0	0	2.248	0
4/11/2021	0	0	0	0.02479	0	0	1.787	0
4/12/2021	0	0	0	0.02429	0	0	0	0
4/13/2021	0	0	0	0.02381	0	0	0	0
4/14/2021	0	0	0	0.02333	0	0	0	0
4/15/2021	0	0	0	0.02286	0	0	1.385	0
4/16/2021	0	0	0	0.02241	0	0	1.852	0
4/17/2021	0	0	0	0.02196	0	0	1.956	0
4/18/2021	0	0	0	0.02152	0	0	0.4818	0
4/19/2021	0	0	0	0.02109	0	0	0.04812	0
4/20/2021	0	0	0	0.02067	0	0	0	0
4/21/2021	0	0	0	0.02025	0	0	1.265	0
4/22/2021	0	0	0	0.01985	0	0	1.91	0
4/23/2021	0	0	0	0.01945	0	0	1.027	0
4/24/2021	0	0	0	0.01906	0	0	0	0
4/25/2021	0	0	0	0.01868	0	0	0	0
4/26/2021	0	0	0	0.01831	0	0	0.4165	0
4/27/2021	0	0	0	0.01794	0	0	1.073	0
4/28/2021	0	0	0	0.01758	0	0	3.545	0
4/29/2021	0	0	0	0.01723	0	0	1.595	0
4/30/2021	0	0	0	0.01689	0	0	1.704	0
5/1/2021	0	0	0	0.01655	0	0	1.431	0
5/2/2021	0	0	0	0.01622	0	0	3.95	0
5/3/2021	0	0	0	0.01589	0	0	5.074	0
5/4/2021	0	0	0	0.01558	0	0	5.143	0
5/5/2021	14.84	41.17	57.12	22.77	0	7.365	5.028	0
5/6/2021	0	0	0	72.28	0	0	4.705	0
5/7/2021	0	0	0	0.01466	0	0	4.265	0
5/8/2021	0	0	0	0.03765	0	0	3.872	0
5/9/2021	0	0	0	0.05993	0	0	3.79	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
5/10/2021	0	0	0	0.07937	0	0	4.421	0
5/11/2021	0	0	0	0.0954	0	0	4.69	0
5/12/2021	0	0	0	0.1081	0	0	4.75	0
5/13/2021	0	0	0	0.118	0	0	2.645	0
5/14/2021	0	0	0	0.1253	0	0	2.788	0
5/15/2021	0	0	0	0.1307	0	0	0.9317	0
5/16/2021	0	0	0	0.1344	0	0	2.145	0
5/17/2021	0	0	0	0.1368	0	0	2.277	0
5/18/2021	0	0	0	0.1381	0	0	1.891	0
5/19/2021	0	0	0	0.1386	0	0	2.459	0
5/20/2021	0	0	0	0.1384	0	0	2.11	0
5/21/2021	0	0	0	0.1377	0	0	3.241	0
5/22/2021	0	0	0	0.1367	0	0	3.443	0
5/23/2021	0	0	0	0.1353	0	0	3.119	0
5/24/2021	0	0	0	0.1336	0	0	4.401	0
5/25/2021	0	0	0	0.1318	0	0	4.414	0
5/26/2021	0	0	0	0.1299	0	0	4.365	0
5/27/2021	0	0	0	0.1278	0	0	4.016	0
5/28/2021	0	0	0	0.1257	0	0	5.233	0
5/29/2021	14.45	40.14	55.68	15.5	0	7.204	6.246	0
5/30/2021	13.93	38.75	53.76	124.9	0	6.978	6.061	0
5/31/2021	14.65	40.83	56.64	163.6	0	7.395	6.093	0
6/1/2021	0	0	0	69.43	0	0	5.739	0
6/2/2021	0	0	0	0.1576	0	0	6.353	0
6/3/2021	9.53	26.64	36.96	70.11	0	4.866	6.532	0
6/4/2021	11.87	33.22	46.08	240.2	0	6.089	6.826	0
6/5/2021	9.858	27.68	38.4	329.4	0	5.118	6.901	0
6/6/2021	16.69	47.06	65.28	394.6	0	8.791	6.907	2880
6/7/2021	0	0	0	522.2	0	0	5.988	2880
6/8/2021	16.83	44.29	61.44	280.5	0	6.673	5.573	2880
6/9/2021	26.59	69.2	96	826.3	0	10.01	5.66	2880
6/10/2021	23.4	60.9	84.48	969.9	0	8.812	5.561	2880
6/11/2021	43.61	113.5	157.4	955.6	0	16.42	6.179	2880
6/12/2021	85.09	221.4	307.2	1665	0	32.04	9.09	0
6/13/2021	89.76	246.4	341.8	3154	0	42.66	9.192	0
6/14/2021	102.1	290.6	403.2	2643	0	55.68	11.29	0
6/15/2021	77.5	227	314.9	771.1	0	46.73	11.45	2880
6/16/2021	51.64	149.5	207.4	626	0	29.9	8.901	2880
6/17/2021	71.86	204.8	284.2	536.7	0	39.42	9.912	2880
6/18/2021	82.13	230.4	319.7	463.4	0	42.51	10.03	0
6/19/2021	72.74	206.2	286.1	403.5	0	39.13	9.121	0
6/20/2021	32.19	92.04	127.7	355.7	0	17.86	8.166	0
6/21/2021	41.41	119	165.1	315.7	0	23.4	8.568	0
6/22/2021	54.59	157.8	218.9	287.2	0	31.45	8.988	0
6/23/2021	62.83	182.7	253.4	270.7	0	36.97	9.616	0
6/24/2021	90.33	264.3	366.7	253.1	0	54.32	9.368	0
6/25/2021	69.65	205.5	285.1	418	0	43.06	8.812	0
6/26/2021	40	119	165.1	448.1	0	25.42	9.532	0
6/27/2021	67.45	202.1	280.3	203.9	0	43.8	11.27	0
6/28/2021	72.52	218.7	303.4	193.7	0	48.08	10.8	0
6/29/2021	42.51	129.1	179	181.8	0	28.79	11.69	0
6/30/2021	0	0	0	167.6	0	0	14.55	0
7/1/2021	0	0	0	153.9	0	0	11.65	0
7/2/2021	10.18	31.14	43.2	141.6	0	7.057	12.49	0
7/3/2021	10.72	32.87	45.6	136	0	7.48	12.11	0
7/4/2021	34.36	105.5	146.4	147.7	0	24.11	11.45	0
7/5/2021	0	0	0	287	0	0	11.15	0
7/6/2021	0	0	0	102.6	0	0	12.1	0
7/7/2021	0	0	0	96.72	0	0	13.42	0
7/8/2021	6.145	19.03	26.4	88.22	0	4.421	13.26	0
7/9/2021	0	0	0	80.65	0	0	14.03	0
7/10/2021	0	0	0	73.39	0	0	12.78	0
7/11/2021	0	0	0	66.58	0	0	14.83	0
7/12/2021	0	0	0	59.97	0	0	13.57	0
7/13/2021	9.464	29.41	40.8	53.99	0	6.88	12.73	0
7/14/2021	0	0	0	51.36	0	0	12.95	0
7/15/2021	0	0	0	12.66	0	0	23.1	0
7/16/2021	2.78	8.65	12	12.41	0	2.029	14.35	0
7/17/2021	97.82	304.5	422.4	12.16	0	71.45	10.79	0
7/18/2021	0	0	0	571.5	0	0	12	0
7/19/2021	0	0	0	29.63	0	0	12.95	0
7/20/2021	0	0	0	47.87	0	0	15.27	0
7/21/2021	0	0	0	48.2	0	0	14.31	0
7/22/2021	0	0	0	12.54	0	0	13.53	0
7/23/2021	0	0	0	12.29	0	0	13.64	0
7/24/2021	137.5	434.2	602.4	12.05	0	104.8	11.86	0
7/25/2021	20.44	65.74	91.2	831.3	0	16.4	12.07	0
7/26/2021	14.82	48.44	67.2	186.3	0	12.42	11.91	0
7/27/2021	0	0	0	152.6	0	0	11.47	0
7/28/2021	0	0	0	77.39	0	0	11.54	0
7/29/2021	0	0	0	60.89	0	0	11.89	0
7/30/2021	9.965	32.87	45.6	60.79	0	8.564	11.72	0
7/31/2021	2.616	8.65	12	71.7	0	2.263	11.65	0
8/1/2021	0	0	0	54.72	0	0	11.71	0
8/2/2021	21.4	70.93	98.4	49.96	0	18.63	12.07	2020
8/3/2021	3.224	10.38	14.4	102.4	0	2.594	11.34	3029

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
8/4/2021	15.01	46.71	64.8	12.7	0	10.96	10.82	1514
8/5/2021	1.126	3.46	4.8	64.91	0	0.7914	9.775	3029
8/6/2021	0	0	0	12.2	0	0	8.902	1388
8/7/2021	0	0	0	11.96	0	0	8.826	0
8/8/2021	0	0	0	11.72	0	0	9.453	0
8/9/2021	26.88	79.58	110.4	11.49	0	16.8	9.125	0
8/10/2021	0	0	0	119.2	0	0	8.65	0
8/11/2021	0	0	0	11.03	0	0	8.706	0
8/12/2021	141.6	420.4	583.2	10.81	0	89.35	7.561	0
8/13/2021	58.23	174.7	242.4	807.7	0	38.01	6.678	0
8/14/2021	19.96	60.55	84	411.4	0	13.48	8.889	0
8/15/2021	6.81	20.76	28.8	176.9	0	4.672	9.031	0
8/16/2021	65.12	199	276	115.5	0	44.97	8.754	0
8/17/2021	0	0	0	455.7	0	0	8.63	0
8/18/2021	1.121	3.46	4.8	114.2	0	0.7986	7.949	0
8/19/2021	6.159	19.03	26.4	95.34	0	4.402	8.429	0
8/20/2021	0	0	0	78.39	0	0	8.527	0
8/21/2021	0	0	0	77.7	0	0	7.498	0
8/22/2021	3.908	12.11	16.8	75.36	0	2.817	7.955	1440
8/23/2021	102.9	314.9	436.8	71.54	0	71.45	7.46	2640
8/24/2021	0	0	0	657.3	0	0	7.455	2640
8/25/2021	0	0	0	85.46	0	0	7.901	1440
8/26/2021	0	0	0	70.75	0	0	7.832	2640
8/27/2021	0	0	0	66.1	0	0	9.059	1200
8/28/2021	0	0	0	64.39	0	0	8.596	0
8/29/2021	0	0	0	59.78	0	0	8.815	2400
8/30/2021	0	0	0	54.18	0	0	6.182	2640
8/31/2021	0	0	0	49.35	0	0	4.971	1440
9/1/2021	21.27	55.36	76.8	12.85	0	8.011	4.496	0
9/2/2021	0.6632	1.73	2.4	76.7	0	0.2526	4.689	0
9/3/2021	9.259	24.22	33.6	12.34	0	3.572	4.177	0
9/4/2021	13.85	36.33	50.4	20.09	0	5.419	3.842	0
9/5/2021	5.246	13.84	19.2	57.73	0	2.106	4.359	0
9/6/2021	0	0	0	12.58	0	0	4.048	0
9/7/2021	1.305	3.46	4.8	11.76	0	0.5363	3.988	0
9/8/2021	2.607	6.92	9.6	11.53	0	1.075	4.097	0
9/9/2021	4.558	12.11	16.8	11.3	0	1.889	3.814	0
9/10/2021	5.199	13.84	19.2	11.07	0	2.173	3.916	2000
9/11/2021	0	0	0	10.85	2000	0	3.452	2000
9/12/2021	33.23	86.5	120	10.63	4000	12.52	3.178	2000
9/13/2021	0	0	0	142.6	1000	0	3.457	2000
9/14/2021	72.7	197.2	273.6	10.21	1800	32.95	3.612	900
9/15/2021	50.75	140.1	194.4	371.4	0	24.7	3.945	750
9/16/2021	1.879	5.19	7.2	289.7	0	0.9155	3.784	0
9/17/2021	1.249	3.46	4.8	40.43	0	0.6158	3.655	170
9/18/2021	8.753	24.22	33.6	63.52	0	4.295	3.522	1060
9/19/2021	13.25	36.33	50.4	67.67	0	6.265	3.215	0
9/20/2021	0.6301	1.73	2.4	104.6	0	0.2999	2.719	0
9/21/2021	1.259	3.46	4.8	56.16	0	0.6016	2.641	0
9/22/2021	0.629	1.73	2.4	56.42	0	0.3014	2.665	0
9/23/2021	0	0	0	55.66	0	0	2.575	0
9/24/2021	0	0	0	54.01	0	0	2.661	0
9/25/2021	53.38	147.1	204	51.55	0	25.74	2.804	0
9/26/2021	1.875	5.19	7.2	303.3	0	0.9219	2.742	0
9/27/2021	0	0	0	12.9	0	0	2.38	0
9/28/2021	0	0	0	48.46	0	0	2.604	0
9/29/2021	0	0	0	48.42	0	0	2.305	0
9/30/2021	3.735	10.38	14.4	13.55	0	1.865	2.298	1540
10/1/2021	25.27	69.2	96	48.18	0	11.89	2.583	640
10/2/2021	3.81	10.38	14.4	119.4	1700	1.757	2.256	0
10/3/2021	4.982	13.84	19.2	15.36	0	2.483	2.092	0
10/4/2021	9.959	27.68	38.4	19.26	0	4.974	2.081	1280
10/5/2021	118.4	325.2	451.2	82.06	0	56.47	2.326	2026
10/6/2021	5.74	15.57	21.6	646.6	0	2.601	1.96	2532
10/7/2021	1.33	3.46	4.8	129.1	0	0.5007	1.544	2701
10/8/2021	49.19	128	177.6	87.01	0	18.53	1.504	0
10/9/2021	3.277	8.65	12	305.7	0	1.318	1.781	2870
10/10/2021	0	0	0	98.39	0	0	1.572	1350
10/11/2021	0	0	0	84.69	0	0	1.706	675.2
10/12/2021	26.59	69.2	96	74.35	0	10.01	1.394	0
10/13/2021	41.62	109	151.2	171.2	0	16.14	1.259	0
10/14/2021	0	0	0	261	0	0	1.319	0
10/15/2021	0	0	0	104.2	0	0	1.195	0
10/16/2021	12.82	34.6	48	79.45	0	5.681	1.337	0
10/17/2021	25.55	69.2	96	110.6	0	11.5	1.108	0
10/18/2021	2.542	6.92	9.6	194.9	0	1.168	1.301	0
10/19/2021	0	0	0	77.92	0	0	1.252	0
10/20/2021	0	0	0	3.715	0	0	0.9959	0
10/21/2021	0	0	0	3.704	0	0	0.897	0
10/22/2021	0	0	0	3.655	0	0	0.7708	0
10/23/2021	0	0	0	3.572	0	0	0.8107	0
10/24/2021	0	0	0	3.462	0	0	0.8125	0
10/25/2021	0	0	0	3.334	0	0	0.8818	0
10/26/2021	0	0	0	3.192	0	0	0.7863	0
10/27/2021	0.633	1.73	2.4	338.1	0	0.2957	0.9982	0
10/28/2021	37.2	102.1	141.6	248.5	0	17.66	0.8585	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
10/29/2021	0	0	0	223	0	0	0.6573	0
10/30/2021	10.01	27.68	38.4	12.58	0	4.901	0.7186	0
10/31/2021	0	0	0	33.39	0	0	0.7451	0
11/1/2021	0	0	0	2.568	0	0	0.5282	0
11/2/2021	0	0	0	2.571	0	0	0.3838	0
11/3/2021	0	0	0	2.552	0	0	0.3888	0
11/4/2021	0	0	0	2.51	0	0	0.4335	0
11/5/2021	0	0	0	2.446	0	0	0.5109	0
11/6/2021	0	0	0	0.6762	0	0	0.5207	0
11/7/2021	0	0	0	2.393	0	0	0.487	0
11/8/2021	0	0	0	0.6531	0	0	0.5518	0
11/9/2021	0	0	0	0.6537	0	0	0.425	0
11/10/2021	0	0	0	0.6517	0	0	0.3577	0
11/11/2021	0	0	0	0.6474	0	0	0.09333	0
11/12/2021	0	0	0	0.6416	0	0	0.04291	0
11/13/2021	0	0	0	0.6344	0	0	0	0
11/14/2021	0	0	0	0.6262	0	0	0.01203	0
11/15/2021	0	0	0	0.6173	0	0	0.225	0
11/16/2021	0	0	0	0.6079	0	0	0.2896	0
11/17/2021	0	0	0	0.598	0	0	0.1977	0
11/18/2021	0	0	0	0.5879	0	0	0.053	0
11/19/2021	0	0	0	0.5777	0	0	0	0
11/20/2021	0	0	0	0.5673	0	0	0.01365	0
11/21/2021	0	0	0	0.5569	0	0	0.1798	0
11/22/2021	0	0	0	0.5465	0	0	0.1002	0
11/23/2021	0	0	0	0.5362	0	0	0	0
11/24/2021	0	0	0	0.526	0	0	0	0
11/25/2021	0	0	0	0.5158	0	0	0	0
11/26/2021	0	0	0	0.5058	0	0	0.02565	0
11/27/2021	0	0	0	0.496	0	0	0	0
11/28/2021	0	0	0	0.4862	0	0	0.1229	0
11/29/2021	0	0	0	0.4767	0	0	0.08758	0
11/30/2021	0	0	0	0.4673	0	0	0	0
12/1/2021	0	0	0	0.458	0	0	0.01694	0
12/2/2021	0	0	0	0.449	0	0	0	0
12/3/2021	0	0	0	0.44	0	0	0	0
12/4/2021	0	0	0	0.4313	0	0	0	0
12/5/2021	0	0	0	0.4227	0	0	0	0
12/6/2021	0	0	0	0.4143	0	0	0	0
12/7/2021	0	0	0	0.406	0	0	0	0
12/8/2021	0	0	0	0.3979	0	0	0	0
12/9/2021	0	0	0	0.39	0	0	0	0
12/10/2021	0	0	0	0.3822	0	0	0.04458	0
12/11/2021	0	0	0	0.3746	0	0	0.08272	0
12/12/2021	0	0	0	0.3671	0	0	0.06047	0
12/13/2021	0	0	0	0.3598	0	0	0.03237	0
12/14/2021	0	0	0	0.3526	0	0	0	0
12/15/2021	0	0	0	0.3455	0	0	0	0
12/16/2021	0	0	0	0.3386	0	0	0	0
12/17/2021	0	0	0	0.3318	0	0	0	0
12/18/2021	0	0	0	0.3252	0	0	0	0
12/19/2021	0	0	0	0.3187	0	0	0	0
12/20/2021	0	0	0	0.3123	0	0	0	0
12/21/2021	0	0	0	0.3061	0	0	0	0
12/22/2021	0	0	0	0.3	0	0	0	0
12/23/2021	0	0	0	0.294	0	0	0	0
12/24/2021	0	0	0	0.2881	0	0	0	0
12/25/2021	0	0	0	0.2823	0	0	0	0
12/26/2021	0	0	0	0.2767	0	0	0	0
12/27/2021	0	0	0	0.2711	0	0	0.03352	0
12/28/2021	0	0	0	0.2657	0	0	0	0
12/29/2021	0	0	0	0.2604	0	0	0	0
12/30/2021	0	0	0	0.2552	0	0	0	0
12/31/2021	0	0	0	0.2501	0	0	0	0
1/1/2022	0	0	0	0.2451	0	0	0	0
1/2/2022	0	0	0	0.2402	0	0	0	0
1/3/2022	0	0	0	0.2354	0	0	0	0
1/4/2022	0	0	0	0.2307	0	0	0	0
1/5/2022	0	0	0	0.2261	0	0	0	0
1/6/2022	0	0	0	0.2215	0	0	0	0
1/7/2022	0	0	0	0.2171	0	0	0	0
1/8/2022	0	0	0	0.2128	0	0	0	0
1/9/2022	0	0	0	0.2085	0	0	0	0
1/10/2022	0	0	0	0.2043	0	0	0	0
1/11/2022	0	0	0	0.2003	0	0	0	0
1/12/2022	0	0	0	0.1963	0	0	0	0
1/13/2022	0	0	0	0.1923	0	0	0	0
1/14/2022	0	0	0	0.1885	0	0	0	0
1/15/2022	0	0	0	0.1847	0	0	0	0
1/16/2022	0	0	0	0.181	0	0	0	0
1/17/2022	0	0	0	0.1774	0	0	0	0
1/18/2022	0	0	0	0.1739	0	0	0	0
1/19/2022	0	0	0	0.1704	0	0	0.001852	0
1/20/2022	0	0	0	0.167	0	0	0.05996	0
1/21/2022	0	0	0	0.1636	0	0	0	0
1/22/2022	0	0	0	0.1604	0	0	0	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
1/23/2022	0	0	0	0.1571	0	0	0	0
1/24/2022	0	0	0	0.154	0	0	0	0
1/25/2022	0	0	0	0.1509	0	0	0	0
1/26/2022	0	0	0	0.1479	0	0	0	0
1/27/2022	0	0	0	0.1449	0	0	0	0
1/28/2022	0	0	0	0.142	0	0	0	0
1/29/2022	0	0	0	0.1392	0	0	0	0
1/30/2022	0	0	0	0.1364	0	0	0	0
1/31/2022	0	0	0	0.1337	0	0	0	0
2/1/2022	0	0	0	0.131	0	0	0	0
2/2/2022	0	0	0	0.1284	0	0	0	0
2/3/2022	0	0	0	0.1258	0	0	0	0
2/4/2022	0	0	0	0.1233	0	0	0	0
2/5/2022	0	0	0	0.1209	0	0	0	0
2/6/2022	0	0	0	0.1184	0	0	0	0
2/7/2022	0	0	0	0.1161	0	0	0	0
2/8/2022	0	0	0	0.1137	0	0	0	0
2/9/2022	0	0	0	0.1115	0	0	0	0
2/10/2022	0	0	0	0.1092	0	0	0	0
2/11/2022	0	0	0	0.1071	0	0	0	0
2/12/2022	0	0	0	0.1049	0	0	0	0
2/13/2022	0	0	0	0.1028	0	0	0	0
2/14/2022	0	0	0	0.1008	0	0	0	0
2/15/2022	0	0	0	0.09874	0	0	0	0
2/16/2022	0	0	0	0.09677	0	0	0	0
2/17/2022	0	0	0	0.09483	0	0	0	0
2/18/2022	0	0	0	0.09294	0	0	0	0
2/19/2022	0	0	0	0.09108	0	0	0	0
2/20/2022	0	0	0	0.08926	0	0	0	0
2/21/2022	0	0	0	0.08747	0	0	0	0
2/22/2022	0	0	0	0.08572	0	0	0	0
2/23/2022	0	0	0	0.08401	0	0	0	0
2/24/2022	0	0	0	0.08233	0	0	0	0
2/25/2022	0	0	0	0.08068	0	0	0	0
2/26/2022	0	0	0	0.07907	0	0	0	0
2/27/2022	0	0	0	0.07749	0	0	0	0
2/28/2022	0	0	0	0.07594	0	0	0	0
3/1/2022	0	0	0	0.07442	0	0	0	0
3/2/2022	0	0	0	0.07293	0	0	0	0
3/3/2022	0	0	0	0.07147	0	0	0	0
3/4/2022	0	0	0	0.07004	0	0	0	0
3/5/2022	0	0	0	0.06864	0	0	0	0
3/6/2022	0	0	0	0.06727	0	0	0	0
3/7/2022	0	0	0	0.06592	0	0	0	0
3/8/2022	0	0	0	0.0646	0	0	0	0
3/9/2022	0	0	0	0.06331	0	0	0	0
3/10/2022	0	0	0	0.06205	0	0	0	0
3/11/2022	0	0	0	0.0608	0	0	0	0
3/12/2022	0	0	0	0.05959	0	0	0	0
3/13/2022	0	0	0	0.0584	0	0	0	0
3/14/2022	0	0	0	0.05723	0	0	0	0
3/15/2022	0	0	0	0.05608	0	0	0	0
3/16/2022	0	0	0	0.05496	0	0	0	0
3/17/2022	0	0	0	0.05386	0	0	0	0
3/18/2022	0	0	0	0.05279	0	0	0	0
3/19/2022	0	0	0	0.05173	0	0	0	0
3/20/2022	0	0	0	0.0507	0	0	0	0
3/21/2022	0	0	0	0.04968	0	0	0	0
3/22/2022	0	0	0	0.04869	0	0	0	0
3/23/2022	0	0	0	0.04771	0	0	0.7979	0
3/24/2022	0	0	0	0.04676	0	0	1.992	0
3/25/2022	0	0	0	0.04582	0	0	1.168	0
3/26/2022	0	0	0	0.04491	0	0	0.3444	0
3/27/2022	0	0	0	0.04401	0	0	0	0
3/28/2022	0	0	0	0.04313	0	0	0	0
3/29/2022	0	0	0	0.04227	0	0	0	0
3/30/2022	0	0	0	0.04142	0	0	0	0
3/31/2022	0	0	0	0.04059	0	0	0	0
4/1/2022	0	0	0	0.03978	0	0	0.8774	0
4/2/2022	0	0	0	0.03899	0	0	1.345	0
4/3/2022	0	0	0	0.03821	0	0	0	0
4/4/2022	0	0	0	0.03744	0	0	0	0
4/5/2022	0	0	0	0.03669	0	0	0	0
4/6/2022	0	0	0	0.03596	0	0	0	0
4/7/2022	0	0	0	0.03524	0	0	0	0
4/8/2022	0	0	0	0.03454	0	0	0	0
4/9/2022	0	0	0	0.03384	0	0	0	0
4/10/2022	0	0	0	0.03317	0	0	0	0
4/11/2022	0	0	0	0.0325	0	0	0	0
4/12/2022	0	0	0	0.03185	0	0	0	0
4/13/2022	0	0	0	0.03122	0	0	0	0
4/14/2022	0	0	0	0.03059	0	0	0.4148	0
4/15/2022	0	0	0	0.02998	0	0	1.508	0
4/16/2022	0	0	0	0.02938	0	0	1.451	0
4/17/2022	0	0	0	0.02879	0	0	1.014	0
4/18/2022	0	0	0	0.02822	0	0	0.6763	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
4/19/2022	0	0	0	0.02765	0	0	0.5091	0
4/20/2022	0	0	0	0.0271	0	0	0	0
4/21/2022	0	0	0	0.02656	0	0	0	0
4/22/2022	0	0	0	0.02603	0	0	0	0
4/23/2022	0	0	0	0.02551	0	0	0	0
4/24/2022	0	0	0	0.025	0	0	0	0
4/25/2022	0	0	0	0.0245	0	0	0	0
4/26/2022	0	0	0	0.02401	0	0	0	0
4/27/2022	0	0	0	0.02353	0	0	0	0
4/28/2022	0	0	0	0.02306	0	0	0.9372	0
4/29/2022	0	0	0	0.0226	0	0	0	0
4/30/2022	0	0	0	0.02214	0	0	0	0
5/1/2022	0	0	0	0.0217	0	0	0.6914	0
5/2/2022	0	0	0	0.02127	0	0	2.509	0
5/3/2022	0	0	0	0.02084	0	0	3.051	0
5/4/2022	0	0	0	0.02042	0	0	3.437	0
5/5/2022	0	0	0	0.02002	0	0	1.647	0
5/6/2022	0	0	0	0.01962	0	0	2.948	0
5/7/2022	0	0	0	0.01922	0	0	2.978	0
5/8/2022	0	0	0	0.01884	0	0	2.93	0
5/9/2022	0	0	0	0.01846	0	0	4.419	0
5/10/2022	0	0	0	0.01809	0	0	5.105	0
5/11/2022	0	0	0	0.01773	0	0	4.985	0
5/12/2022	0	0	0	0.01738	0	0	4.957	0
5/13/2022	0	0	0	0.01703	0	0	4.52	0
5/14/2022	0	0	0	0.01669	0	0	5.15	0
5/15/2022	9.793	27.11	37.61	45.54	0	4.814	4.058	0
5/16/2022	10.78	29.88	41.45	142.3	0	5.324	4.909	0
5/17/2022	28.55	79.29	110	201.7	0	14.21	5.111	0
5/18/2022	1.986	5.536	7.68	263.6	0	1.003	5.799	0
5/19/2022	0	0	0	17.19	0	0	5.639	0
5/20/2022	0	0	0	0.1484	0	0	5.794	0
5/21/2022	8.214	22.96	31.85	43.01	0	4.19	6.042	0
5/22/2022	15.13	42.33	58.73	203.8	0	7.747	6.527	0
5/23/2022	19.04	53.42	74.11	462.3	0	9.857	6.356	0
5/24/2022	24.74	69.82	96.86	465.3	0	13.09	6.09	0
5/25/2022	26.76	75.96	105.4	280.3	0	14.46	6.346	0
5/26/2022	4.776	13.62	18.89	227.4	0	2.622	6.676	0
5/27/2022	10.75	30.71	42.6	92.48	0	5.947	6.107	0
5/28/2022	6.493	18.58	25.78	84.86	0	3.612	6.076	0
5/29/2022	22.04	63.13	87.58	152.9	0	12.31	6.77	0
5/30/2022	30.98	89.01	123.5	718.3	0	17.48	7.759	0
5/31/2022	40.98	118.7	164.6	1106	0	23.78	8.563	0
6/1/2022	44.87	131.5	182.4	1612	0	27.1	8.701	250
6/2/2022	38.18	113.5	157.4	356.8	0	24.18	9.602	250
6/3/2022	19.42	57.94	80.38	258	0	12.44	7.707	250
6/4/2022	24.55	73.35	101.8	217.8	0	15.81	8.64	250
6/5/2022	26	77.8	107.9	185.4	0	16.82	8.554	250
6/6/2022	34.07	102.1	141.6	157.9	0	22.13	9.057	250
6/7/2022	44.03	132.1	183.3	136.5	0	28.75	9.831	250
6/8/2022	40.58	122	169.3	131.3	0	26.68	8.572	250
6/9/2022	8.813	26.56	36.84	319.5	0	5.83	9.067	250
6/10/2022	0	0	0	143.7	0	0	9.177	250
6/11/2022	0	0	0	111.3	0	0	9.137	250
6/12/2022	0	0	0	105.6	0	0	8.506	250
6/13/2022	0	0	0	97.45	0	0	8.442	250
6/14/2022	1.729	5.19	7.2	89.45	0	1.13	9.275	250
6/15/2022	3.121	9.359	12.98	82.04	0	2.033	9.792	250
6/16/2022	1.733	5.19	7.2	75.19	0	1.124	9.333	250
6/17/2022	1.736	5.19	7.2	68.78	0	1.121	9.942	250
6/18/2022	1.738	5.19	7.2	62.71	0	1.117	10.25	250
6/19/2022	1.741	5.19	7.2	57.02	0	1.113	10.06	250
6/20/2022	1.744	5.19	7.2	51.75	0	1.109	10.23	250
6/21/2022	1.746	5.19	7.2	13.38	0	1.105	11.9	250
6/22/2022	0	0	0	13.11	0	0	10.01	250
6/23/2022	0	0	0	12.85	0	0	9.053	250
6/24/2022	0	0	0	12.59	0	0	9.923	250
6/25/2022	0	0	0	12.34	0	0	9.693	250
6/26/2022	0	0	0	12.09	0	0	9.983	250
6/27/2022	0	0	0	11.85	0	0	12.4	250
6/28/2022	0	0	0	11.61	0	0	15	250
6/29/2022	0	0	0	11.38	0	0	23.79	250
6/30/2022	0	0	0	11.15	0	0	40.48	250
7/1/2022	0	0	0	10.93	0	0	10.23	500
7/2/2022	0	0	0	10.71	0	0	10.23	500
7/3/2022	0	0	0	10.5	0	0	16.88	500
7/4/2022	0	0	0	10.29	0	0	13.28	500
7/5/2022	0	0	0	10.08	0	0	9.571	500
7/6/2022	1.82	5.19	7.2	9.881	0	0.9997	9.71	500
7/7/2022	186	528.2	732.7	9.683	0	100.6	9.641	500
7/8/2022	62.4	178.8	248	1018	0	34.85	10.17	500
7/9/2022	3.239	9.359	12.98	437.4	0	1.865	10.41	500
7/10/2022	0	0	0	86.14	0	0	10.28	500
7/11/2022	0	0	0	97.38	0	0	10.33	500
7/12/2022	1.809	5.19	7.2	72.76	0	1.015	10.88	500
7/13/2022	0	0	0	67.14	0	0	10.93	500

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
7/14/2022	0	0	0	64.9	0	0	10.78	500
7/15/2022	0	0	0	59.1	0	0	15.4	500
7/16/2022	0	0	0	52.48	0	0	10.59	500
7/17/2022	0	0	0	13.45	0	0	11.07	500
7/18/2022	0	0	0	13.18	0	0	12.45	500
7/19/2022	0	0	0	12.92	0	0	10.67	500
7/20/2022	0	0	0	12.66	0	0	10.26	500
7/21/2022	1.879	5.19	7.2	12.41	0	0.915	10.17	500
7/22/2022	26.53	72.88	101.1	12.16	0	12.66	8.865	500
7/23/2022	48.5	132.9	184.3	103.3	0	22.89	8.441	500
7/24/2022	5.993	16.42	22.78	245.7	0	2.827	7.992	500
7/25/2022	206.2	563.4	781.7	17.96	0	96.23	8.421	500
7/26/2022	7.212	19.95	27.67	1110	0	3.534	8.663	500
7/27/2022	0	0	0	149.2	0	0	9.994	500
7/28/2022	16.1	44.65	61.94	115.4	0	7.977	8.579	500
7/29/2022	2.107	5.83	8.088	126.9	0	1.034	7.616	500
7/30/2022	0	0	0	80.22	0	0	7.789	500
7/31/2022	0	0	0	73.29	0	0	8.1	500
8/1/2022	0	0	0	71.27	0	0	8.687	500
8/2/2022	0	0	0	65.86	0	0	10.12	500
8/3/2022	0	0	0	59.4	0	0	8.503	500
8/4/2022	0	0	0	53.64	0	0	7.926	500
8/5/2022	1.993	5.19	7.2	48.31	0	0.7528	7.058	500
8/6/2022	1.994	5.19	7.2	12.46	0	0.751	6.092	500
8/7/2022	0	0	0	12.21	0	0	6.313	500
8/8/2022	63.27	164.6	228.4	11.96	0	23.82	6.252	500
8/9/2022	227.4	591.7	820.8	290.9	0	85.62	6.305	500
8/10/2022	38.51	104.6	145.2	1179	0	17.58	5.848	500
8/11/2022	1.887	5.19	7.2	346.2	0	0.9037	6.539	500
8/12/2022	3.409	9.359	12.98	152.4	0	1.623	6.464	500
8/13/2022	3.421	9.359	12.98	126.8	0	1.605	7.104	500
8/14/2022	0	0	0	104.9	0	0	8.397	500
8/15/2022	0	0	0	84.34	0	0	6.87	500
8/16/2022	1.937	5.19	7.2	82.87	0	0.8329	6.471	500
8/17/2022	0	0	0	79.32	0	0	7.801	500
8/18/2022	0	0	0	72.77	0	0	6.222	500
8/19/2022	0	0	0	66.36	0	0	5.616	500
8/20/2022	68.69	178.8	248	60.53	0	25.87	5.128	500
8/21/2022	2.239	5.83	8.088	366.2	0	0.8454	5.147	500
8/22/2022	0	0	0	51.11	0	0	4.811	500
8/23/2022	19.87	51.71	71.74	51.51	0	7.483	4.744	500
8/24/2022	10.38	27.01	37.46	106.8	0	3.908	5.022	500
8/25/2022	1.994	5.19	7.2	73.57	0	0.751	4.471	500
8/26/2022	1.994	5.19	7.2	13.27	0	0.751	4.626	500
8/27/2022	4.952	12.89	17.88	13.49	0	1.865	4.516	500
8/28/2022	21.23	55.24	76.63	13.39	0	7.993	4.158	500
8/29/2022	1.994	5.19	7.2	86.07	0	0.751	4.027	500
8/30/2022	9.021	23.48	32.57	12.86	0	3.397	3.997	500
8/31/2022	1.994	5.19	7.2	23.98	0	0.751	3.704	500
9/1/2022	1.994	5.19	7.2	12.73	0	0.751	3.731	500
9/2/2022	2.24	5.83	8.088	12.51	0	0.8436	3.773	500
9/3/2022	8.642	22.49	31.2	12.26	0	3.254	3.626	500
9/4/2022	5.93	15.43	21.41	15.26	0	2.233	3.726	500
9/5/2022	2.971	7.733	10.73	15.19	0	1.119	3.654	500
9/6/2022	2.24	5.83	8.088	11.54	0	0.8436	3.386	500
9/7/2022	0	0	0	11.31	0	0	3.21	500
9/8/2022	42.54	110.7	153.6	11.08	0	16.02	3.085	500
9/9/2022	3.217	8.373	11.62	190.3	0	1.212	3.148	500
9/10/2022	0.9772	2.543	3.528	10.64	0	0.368	2.906	500
9/11/2022	28.52	74.23	103	11.21	0	10.74	2.356	500
9/12/2022	11.76	30.6	42.46	126.4	0	4.429	2.576	500
9/13/2022	0	0	0	53.44	0	0	2.867	500
9/14/2022	0.9772	2.543	3.528	12.47	0	0.368	2.577	500
9/15/2022	5.637	14.67	20.35	13.12	0	2.123	2.842	500
9/16/2022	0	0	0	0.6748	0	0	2.335	500
9/17/2022	0	0	0	0.6809	0	0	2.173	500
9/18/2022	0	0	0	2.408	0	0	2.175	500
9/19/2022	4.952	12.89	17.88	70.33	0	1.865	2.176	500
9/20/2022	0	0	0	29.49	0	0	2.47	500
9/21/2022	6.309	16.42	22.78	13.16	0	2.376	2.466	500
9/22/2022	0.9772	2.543	3.528	13.07	0	0.368	2.182	500
9/23/2022	4.035	10.5	14.57	12.88	0	1.52	2.095	500
9/24/2022	0	0	0	0.6354	0	0	1.987	500
9/25/2022	0	0	0	0.6243	0	0	1.836	500
9/26/2022	0	0	0	0.6181	0	0	1.603	500
9/27/2022	0	0	0	0.6132	0	0	1.574	500
9/28/2022	0	0	0	0.6081	0	0	1.63	500
9/29/2022	0	0	0	0.6023	0	0	1.442	500
9/30/2022	90.26	234.9	325.9	82.24	0	33.99	1.524	500
10/1/2022	0	0	0	486.6	0	0	1.519	250
10/2/2022	0	0	0	21.36	0	0	1.109	250
10/3/2022	0	0	0	10.24	0	0	1.376	250
10/4/2022	0	0	0	3.684	0	0	1.325	250
10/5/2022	0	0	0	2.744	0	0	1.164	250
10/6/2022	0	0	0	2.775	0	0	0.8963	250
10/7/2022	0	0	0	2.763	0	0	0.6278	250

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
10/8/2022	0	0	0	2.717	0	0	0.825	250
10/9/2022	0	0	0	2.646	0	0	0.8371	250
10/10/2022	0	0	0	2.556	0	0	0.8634	250
10/11/2022	0	0	0	2.454	0	0	0.9864	250
10/12/2022	0	0	0	0.6696	0	0	0.984	250
10/13/2022	0	0	0	0.6702	0	0	1.009	250
10/14/2022	0	0	0	0.6681	0	0	0.8122	250
10/15/2022	0	0	0	0.6637	0	0	0.8245	250
10/16/2022	0	0	0	0.6576	0	0	0.8164	250
10/17/2022	0	0	0	0.6502	0	0	0.732	250
10/18/2022	0	0	0	0.6418	0	0	0.6344	250
10/19/2022	0	0	0	0.6327	0	0	0.4574	250
10/20/2022	0	0	0	0.623	0	0	0.3387	250
10/21/2022	0	0	0	0.6129	0	0	0.434	250
10/22/2022	0	0	0	0.6025	0	0	0.3554	250
10/23/2022	0	0	0	0.592	0	0	0.2705	250
10/24/2022	0	0	0	0.5813	0	0	0.515	250
10/25/2022	0	0	0	0.5707	0	0	0.6442	250
10/26/2022	0	0	0	0.56	0	0	0.366	250
10/27/2022	0	0	0	0.5495	0	0	0.461	250
10/28/2022	0	0	0	0.539	0	0	0.3254	250
10/29/2022	0	0	0	0.5286	0	0	0	250
10/30/2022	0	0	0	0.5183	0	0	0.3136	250
10/31/2022	0	0	0	0.5082	0	0	0.2135	250
11/1/2022	0	0	0	0.4982	0	0	0	0
11/2/2022	0	0	0	0.4884	0	0	0	0
11/3/2022	0	0	0	0.4788	0	0	0	0
11/4/2022	0	0	0	0.4693	0	0	0.02375	0
11/5/2022	0	0	0	0.46	0	0	0.03431	0
11/6/2022	0	0	0	0.4509	0	0	0	0
11/7/2022	0	0	0	0.4419	0	0	0	0
11/8/2022	0	0	0	0.4331	0	0	0	0
11/9/2022	0	0	0	0.4245	0	0	0	0
11/10/2022	0	0	0	0.416	0	0	0	0
11/11/2022	0	0	0	0.4077	0	0	0	0
11/12/2022	0	0	0	0.3996	0	0	0.02116	0
11/13/2022	0	0	0	0.3916	0	0	0	0
11/14/2022	0	0	0	0.3838	0	0	0.08626	0
11/15/2022	0	0	0	0.3761	0	0	0.151	0
11/16/2022	0	0	0	0.3686	0	0	0.1805	0
11/17/2022	0	0	0	0.3613	0	0	0	0
11/18/2022	0	0	0	0.354	0	0	0	0
11/19/2022	0	0	0	0.347	0	0	0	0
11/20/2022	0	0	0	0.34	0	0	0	0
11/21/2022	0	0	0	0.3332	0	0	0	0
11/22/2022	0	0	0	0.3266	0	0	0	0
11/23/2022	0	0	0	0.32	0	0	0	0
11/24/2022	0	0	0	0.3136	0	0	0.03238	0
11/25/2022	0	0	0	0.3074	0	0	0	0
11/26/2022	0	0	0	0.3012	0	0	0.1085	0
11/27/2022	0	0	0	0.2952	0	0	0	0
11/28/2022	0	0	0	0.2893	0	0	0	0
11/29/2022	0	0	0	0.2835	0	0	0	0
11/30/2022	0	0	0	0.2778	0	0	0.04121	0
12/1/2022	0	0	0	0.2723	0	0	0.01581	0
12/2/2022	0	0	0	0.2668	0	0	0	0
12/3/2022	0	0	0	0.2615	0	0	0	0
12/4/2022	0	0	0	0.2563	0	0	0	0
12/5/2022	0	0	0	0.2511	0	0	0	0
12/6/2022	0	0	0	0.2461	0	0	0.013	0
12/7/2022	0	0	0	0.2412	0	0	0.01821	0
12/8/2022	0	0	0	0.2364	0	0	0	0
12/9/2022	0	0	0	0.2316	0	0	0	0
12/10/2022	0	0	0	0.227	0	0	0	0
12/11/2022	0	0	0	0.2225	0	0	0	0
12/12/2022	0	0	0	0.218	0	0	0	0
12/13/2022	0	0	0	0.2137	0	0	0	0
12/14/2022	0	0	0	0.2094	0	0	0	0
12/15/2022	0	0	0	0.2052	0	0	0.02579	0
12/16/2022	0	0	0	0.2011	0	0	0	0
12/17/2022	0	0	0	0.1971	0	0	0.01731	0
12/18/2022	0	0	0	0.1931	0	0	0	0
12/19/2022	0	0	0	0.1893	0	0	0	0
12/20/2022	0	0	0	0.1855	0	0	0	0
12/21/2022	0	0	0	0.1818	0	0	0	0
12/22/2022	0	0	0	0.1781	0	0	0	0
12/23/2022	0	0	0	0.1746	0	0	0	0
12/24/2022	0	0	0	0.1711	0	0	0	0
12/25/2022	0	0	0	0.1677	0	0	0	0
12/26/2022	0	0	0	0.1643	0	0	0	0
12/27/2022	0	0	0	0.161	0	0	0	0
12/28/2022	0	0	0	0.1578	0	0	0	0
12/29/2022	0	0	0	0.1546	0	0	0	0
12/30/2022	0	0	0	0.1516	0	0	0	0
12/31/2022	0	0	0	0.1485	0	0	0	0
1/1/2023	0	0	0	0.1456	0	0	0	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
1/2/2023	0	0	0	0.1426	0	0	0	0
1/3/2023	0	0	0	0.1398	0	0	0	0
1/4/2023	0	0	0	0.137	0	0	0	0
1/5/2023	0	0	0	0.1343	0	0	0	0
1/6/2023	0	0	0	0.1316	0	0	0	0
1/7/2023	0	0	0	0.1289	0	0	0	0
1/8/2023	0	0	0	0.1264	0	0	0	0
1/9/2023	0	0	0	0.1238	0	0	0	0
1/10/2023	0	0	0	0.1214	0	0	0	0
1/11/2023	0	0	0	0.1189	0	0	0	0
1/12/2023	0	0	0	0.1165	0	0	0	0
1/13/2023	0	0	0	0.1142	0	0	0	0
1/14/2023	0	0	0	0.1119	0	0	0	0
1/15/2023	0	0	0	0.1097	0	0	0	0
1/16/2023	0	0	0	0.1075	0	0	0	0
1/17/2023	0	0	0	0.1054	0	0	0	0
1/18/2023	0	0	0	0.1032	0	0	0	0
1/19/2023	0	0	0	0.1012	0	0	0.001509	0
1/20/2023	0	0	0	0.09916	0	0	0.04883	0
1/21/2023	0	0	0	0.09717	0	0	0	0
1/22/2023	0	0	0	0.09523	0	0	0	0
1/23/2023	0	0	0	0.09332	0	0	0	0
1/24/2023	0	0	0	0.09146	0	0	0	0
1/25/2023	0	0	0	0.08963	0	0	0	0
1/26/2023	0	0	0	0.08784	0	0	0	0
1/27/2023	0	0	0	0.08608	0	0	0	0
1/28/2023	0	0	0	0.08436	0	0	0	0
1/29/2023	0	0	0	0.08267	0	0	0	0
1/30/2023	0	0	0	0.08102	0	0	0	0
1/31/2023	0	0	0	0.0794	0	0	0	0
2/1/2023	0	0	0	0.07781	0	0	0	0
2/2/2023	0	0	0	0.07625	0	0	0	0
2/3/2023	0	0	0	0.07473	0	0	0	0
2/4/2023	0	0	0	0.07323	0	0	0	0
2/5/2023	0	0	0	0.07177	0	0	0	0
2/6/2023	0	0	0	0.07033	0	0	0	0
2/7/2023	0	0	0	0.06893	0	0	0	0
2/8/2023	0	0	0	0.06755	0	0	0	0
2/9/2023	0	0	0	0.0662	0	0	0	0
2/10/2023	0	0	0	0.06487	0	0	0	0
2/11/2023	0	0	0	0.06358	0	0	0	0
2/12/2023	0	0	0	0.0623	0	0	0	0
2/13/2023	0	0	0	0.06106	0	0	0	0
2/14/2023	0	0	0	0.05984	0	0	0	0
2/15/2023	0	0	0	0.05864	0	0	0	0
2/16/2023	0	0	0	0.05747	0	0	0	0
2/17/2023	0	0	0	0.05632	0	0	0	0
2/18/2023	0	0	0	0.05519	0	0	0	0
2/19/2023	0	0	0	0.05409	0	0	0	0
2/20/2023	0	0	0	0.05301	0	0	0	0
2/21/2023	0	0	0	0.05195	0	0	0	0
2/22/2023	0	0	0	0.05091	0	0	0	0
2/23/2023	0	0	0	0.04989	0	0	0	0
2/24/2023	0	0	0	0.04889	0	0	0	0
2/25/2023	0	0	0	0.04791	0	0	0	0
2/26/2023	0	0	0	0.04696	0	0	0	0
2/27/2023	0	0	0	0.04602	0	0	0	0
2/28/2023	0	0	0	0.0451	0	0	0	0
3/1/2023	0	0	0	0.04419	0	0	0	0
3/2/2023	0	0	0	0.04331	0	0	0	0
3/3/2023	0	0	0	0.04244	0	0	0	0
3/4/2023	0	0	0	0.04159	0	0	0	0
3/5/2023	0	0	0	0.04076	0	0	0	0
3/6/2023	0	0	0	0.03995	0	0	0	0
3/7/2023	0	0	0	0.03915	0	0	0	0
3/8/2023	0	0	0	0.03837	0	0	0	0
3/9/2023	0	0	0	0.0376	0	0	0	0
3/10/2023	0	0	0	0.03685	0	0	0	0
3/11/2023	0	0	0	0.03611	0	0	0	0
3/12/2023	0	0	0	0.03539	0	0	0	0
3/13/2023	0	0	0	0.03468	0	0	0	0
3/14/2023	0	0	0	0.03399	0	0	0	0
3/15/2023	0	0	0	0.03331	0	0	0	0
3/16/2023	0	0	0	0.03264	0	0	0	0
3/17/2023	0	0	0	0.03199	0	0	0	0
3/18/2023	0	0	0	0.03135	0	0	0	0
3/19/2023	0	0	0	0.03072	0	0	0	0
3/20/2023	0	0	0	0.03011	0	0	0	0
3/21/2023	0	0	0	0.0295	0	0	0	0
3/22/2023	0	0	0	0.02891	0	0	0	0
3/23/2023	0	0	0	0.02834	0	0	0.6498	0
3/24/2023	0	0	0	0.02777	0	0	1.622	0
3/25/2023	0	0	0	0.02721	0	0	0.9508	0
3/26/2023	0	0	0	0.02667	0	0	0.2805	0
3/27/2023	0	0	0	0.02614	0	0	0	0
3/28/2023	0	0	0	0.02561	0	0	0	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
3/29/2023	0	0	0	0.0251	0	0	0	0
3/30/2023	0	0	0	0.0246	0	0	0	0
3/31/2023	0	0	0	0.02411	0	0	0	0
4/1/2023	0	0	0	0.02362	0	0	0.7145	0
4/2/2023	0	0	0	0.02315	0	0	1.095	0
4/3/2023	0	0	0	0.02269	0	0	0	0
4/4/2023	0	0	0	0.02224	0	0	0	0
4/5/2023	0	0	0	0.02179	0	0	0	0
4/6/2023	0	0	0	0.02135	0	0	0	0
4/7/2023	0	0	0	0.02093	0	0	0	0
4/8/2023	0	0	0	0.02051	0	0	0	0
4/9/2023	0	0	0	0.0201	0	0	0	0
4/10/2023	0	0	0	0.0197	0	0	0	0
4/11/2023	0	0	0	0.0193	0	0	0	0
4/12/2023	0	0	0	0.01892	0	0	0	0
4/13/2023	0	0	0	0.01854	0	0	0	0
4/14/2023	0	0	0	0.01817	0	0	0.3378	0
4/15/2023	0	0	0	0.0178	0	0	1.228	0
4/16/2023	0	0	0	0.01745	0	0	1.182	0
4/17/2023	0	0	0	0.0171	0	0	0.8256	0
4/18/2023	0	0	0	0.01676	0	0	0.5507	0
4/19/2023	0	0	0	0.01642	0	0	0.4145	0
4/20/2023	0	0	0	0.01609	0	0	0	0
4/21/2023	0	0	0	0.01577	0	0	0	0
4/22/2023	0	0	0	0.01546	0	0	0	0
4/23/2023	0	0	0	0.01515	0	0	0	0
4/24/2023	0	0	0	0.01484	0	0	0	0
4/25/2023	0	0	0	0.01455	0	0	0	0
4/26/2023	0	0	0	0.01426	0	0	0	0
4/27/2023	0	0	0	0.01397	0	0	0	0
4/28/2023	0	0	0	0.01369	0	0	0.7631	0
4/29/2023	0	0	0	0.01342	0	0	0	0
4/30/2023	0	0	0	0.01315	0	0	0	0
5/1/2023	0	0	0	0.01289	0	0	0.563	0
5/2/2023	0	0	0	0.01263	0	0	2.043	0
5/3/2023	0	0	0	0.01238	0	0	2.484	0
5/4/2023	0	0	0	0.01213	0	0	2.799	0
5/5/2023	0	0	0	0.01189	0	0	1.34	0
5/6/2023	0	0	0	0.01165	0	0	2.4	0
5/7/2023	0	0	0	0.01142	0	0	2.424	0
5/8/2023	0	0	0	0.01119	0	0	2.385	0
5/9/2023	0	0	0	0.01096	0	0	3.598	0
5/10/2023	0	0	0	0.01074	0	0	4.157	0
5/11/2023	0	0	0	0.01053	0	0	4.06	0
5/12/2023	0	0	0	0.01032	0	0	4.037	0
5/13/2023	0	0	0	0.01011	0	0	3.682	0
5/14/2023	0	0	0	0.00991	0	0	4.195	0
5/15/2023	10.42	27.11	37.61	45.49	0	3.923	3.306	0
5/16/2023	11.47	29.88	41.45	142.2	0	4.342	4.003	0
5/17/2023	30.19	79.29	110	201.7	0	11.87	4.267	0
5/18/2023	2.07	5.536	7.68	263.6	0	0.883	5.103	0
5/19/2023	0	0	0	17.18	0	0	5.045	0
5/20/2023	0	0	0	0.1424	0	0	5.187	0
5/21/2023	8.522	22.96	31.85	42.98	0	3.75	5.407	0
5/22/2023	15.68	42.33	58.73	203.7	0	6.968	5.872	0
5/23/2023	19.67	53.42	74.11	462.2	0	8.961	5.778	0
5/24/2023	25.49	69.82	96.86	465.3	0	12.01	5.59	0
5/25/2023	27.55	75.96	105.4	280.3	0	13.34	5.85	0
5/26/2023	4.913	13.62	18.89	227.4	0	2.426	6.177	0
5/27/2023	11.05	30.71	42.6	92.44	0	5.509	5.657	0
5/28/2023	6.678	18.58	25.78	84.83	0	3.348	5.632	0
5/29/2023	22.66	63.13	87.58	152.7	0	11.41	6.279	0
5/30/2023	31.86	89.01	123.5	718	0	16.23	7.205	0
5/31/2023	42.09	118.7	164.6	1170	0	22.19	7.989	0
6/1/2023	46.02	131.5	182.4	1612	0	25.45	8.173	250
6/2/2023	39.15	113.5	157.4	1976	0	22.79	9.051	250
6/3/2023	19.66	57.94	80.38	1338	0	12.11	7.497	250
6/4/2023	24.63	73.35	101.8	504.8	0	15.69	8.578	250
6/5/2023	26.02	77.8	107.9	404.5	0	16.79	8.54	250
6/6/2023	34.03	102.1	141.6	347.1	0	22.18	9.078	250
6/7/2023	55.54	167.1	231.8	299.8	0	36.57	9.888	250
6/8/2023	57.78	174.6	242.3	260.1	0	38.58	8.661	250
6/9/2023	36.57	111	154	423.9	0	24.74	9.206	250
6/10/2023	26.34	80.27	111.4	253.8	0	18.05	9.379	250
6/11/2023	31.27	95.5	132.5	205.7	0	21.58	9.399	250
6/12/2023	16.28	49.82	69.12	191.8	0	11.31	8.812	250
6/13/2023	17.62	53.98	74.88	181.3	0	12.27	8.782	250
6/14/2023	36.01	110.4	153.1	169.6	0	25.12	9.691	250
6/15/2023	51.26	157.4	218.4	156.7	0	35.99	10.3	250
6/16/2023	38.06	117.3	162.7	144.6	0	26.98	9.912	250
6/17/2023	48.74	150.5	208.8	133.3	0	34.77	10.64	250
6/18/2023	22.61	70.05	97.17	122.8	0	16.28	11.07	250
6/19/2023	1.674	5.19	7.2	112.9	0	1.208	10.92	250
6/20/2023	1.677	5.19	7.2	103.7	0	1.205	11.11	250
6/21/2023	1.679	5.19	7.2	95.12	0	1.201	12.94	250
6/22/2023	0	0	0	86.9	0	0	10.9	250

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
6/23/2023	0	0	0	79.37	0	0	9.873	250
6/24/2023	0	0	0	72.5	0	0	10.84	250
6/25/2023	0	0	0	65.98	0	0	10.6	250
6/26/2023	0	0	0	59.94	0	0	10.93	250
6/27/2023	0	0	0	54.28	0	0	13.59	250
6/28/2023	0	0	0	48.64	0	0	16.45	250
6/29/2023	0	0	0	12.29	0	0	26.11	250
6/30/2023	0	0	0	12.04	0	0	44.41	250
7/1/2023	0	0	0	11.8	0	0	11.23	500
7/2/2023	0	0	0	11.57	0	0	11.25	500
7/3/2023	0	0	0	11.33	0	0	18.58	500
7/4/2023	0	0	0	11.11	0	0	14.64	500
7/5/2023	0	0	0	10.89	0	0	10.56	500
7/6/2023	1.747	5.19	7.2	10.67	0	1.105	10.73	500
7/7/2023	178.5	528.2	732.7	10.45	0	111.4	10.67	500
7/8/2023	59.87	178.8	248	1018	0	38.47	11.22	500
7/9/2023	3.108	9.359	12.98	438.2	0	2.052	11.45	500
7/10/2023	0	0	0	121.9	0	0	11.32	500
7/11/2023	0	0	0	96.78	0	0	11.39	500
7/12/2023	1.736	5.19	7.2	72.21	0	1.121	12.01	500
7/13/2023	0	0	0	66.63	0	0	12.07	500
7/14/2023	0	0	0	64.42	0	0	11.93	500
7/15/2023	0	0	0	58.66	0	0	17.07	500
7/16/2023	0	0	0	52.07	0	0	11.76	500
7/17/2023	0	0	0	13.34	0	0	12.33	500
7/18/2023	0	0	0	13.08	0	0	13.91	500
7/19/2023	0	0	0	12.81	0	0	11.96	500
7/20/2023	0	0	0	12.56	0	0	11.53	500
7/21/2023	1.797	5.19	7.2	12.31	0	1.033	11.48	500
7/22/2023	25.34	72.88	101.1	12.06	0	14.36	10.05	500
7/23/2023	46.31	132.9	184.3	103.2	0	26.02	9.594	500
7/24/2023	5.722	16.42	22.78	245.6	0	3.213	9.085	500
7/25/2023	196.7	563.4	781.7	17.87	0	109.8	9.606	500
7/26/2023	6.898	19.95	27.67	1110	0	3.982	9.762	500
7/27/2023	0	0	0	149.1	0	0	11.21	500
7/28/2023	15.4	44.65	61.94	115	0	8.968	9.644	500
7/29/2023	2.016	5.83	8.088	126.6	0	1.165	8.578	500
7/30/2023	0	0	0	79.96	0	0	8.805	500
7/31/2023	0	0	0	73.04	0	0	9.191	500
8/1/2023	0	0	0	71.04	0	0	9.913	500
8/2/2023	0	0	0	65.65	0	0	11.66	500
8/3/2023	0	0	0	59.2	0	0	9.988	500
8/4/2023	0	0	0	53.45	0	0	9.676	500
8/5/2023	1.841	5.19	7.2	48.14	0	0.9695	9.09	500
8/6/2023	1.849	5.19	7.2	12.41	0	0.9585	7.774	500
8/7/2023	0	0	0	12.16	0	0	7.958	500
8/8/2023	59.18	164.6	228.4	11.92	0	29.66	7.783	500
8/9/2023	212.7	591.7	820.8	290.9	0	106.6	7.846	500
8/10/2023	37.1	104.6	145.2	1179	0	19.59	6.516	500
8/11/2023	1.824	5.19	7.2	346.1	0	0.9941	7.194	500
8/12/2023	3.294	9.359	12.98	152.3	0	1.787	7.118	500
8/13/2023	3.303	9.359	12.98	126.6	0	1.773	7.848	500
8/14/2023	0	0	0	104.8	0	0	9.325	500
8/15/2023	0	0	0	84.23	0	0	7.712	500
8/16/2023	1.852	5.19	7.2	82.77	0	0.9547	7.418	500
8/17/2023	0	0	0	79.22	0	0	9.36	500
8/18/2023	0	0	0	72.68	0	0	7.742	500
8/19/2023	0	0	0	66.28	0	0	6.91	500
8/20/2023	64.81	178.8	248	60.45	0	31.41	6.227	500
8/21/2023	2.112	5.83	8.088	366.1	0	1.027	6.252	500
8/22/2023	0	0	0	51.04	0	0	5.833	500
8/23/2023	18.84	51.71	71.74	51.45	0	8.95	5.675	500
8/24/2023	9.874	27.01	37.46	106.8	0	4.626	5.945	500
8/25/2023	1.905	5.19	7.2	73.51	0	0.8781	5.227	500
8/26/2023	1.919	5.19	7.2	13.26	0	0.8593	5.293	500
8/27/2023	4.819	12.89	17.88	13.47	0	2.055	4.976	500
8/28/2023	21.06	55.24	76.63	13.38	0	8.23	4.281	500
8/29/2023	1.994	5.19	7.2	86.05	0	0.751	4.027	500
8/30/2023	9.021	23.48	32.57	12.85	0	3.397	3.997	500
8/31/2023	1.994	5.19	7.2	23.96	0	0.751	3.704	500
9/1/2023	1.994	5.19	7.2	12.72	0	0.751	3.731	500
9/2/2023	2.24	5.83	8.088	12.5	0	0.8436	3.773	500
9/3/2023	8.642	22.49	31.2	12.25	0	3.254	3.626	500
9/4/2023	5.93	15.43	21.41	15.25	0	2.233	3.726	500
9/5/2023	2.971	7.733	10.73	15.18	0	1.119	3.654	500
9/6/2023	2.24	5.83	8.088	11.53	0	0.8436	3.386	500
9/7/2023	0	0	0	11.3	0	0	3.21	500
9/8/2023	42.54	110.7	153.6	11.07	0	16.02	3.085	500
9/9/2023	3.217	8.373	11.62	190.3	0	1.212	3.148	500
9/10/2023	0.9772	2.543	3.528	10.63	0	0.368	2.906	500
9/11/2023	28.52	74.23	103	11.2	0	10.74	2.356	500
9/12/2023	11.76	30.6	42.46	126.3	0	4.429	2.576	500
9/13/2023	0	0	0	53.43	0	0	2.867	500
9/14/2023	0.9772	2.543	3.528	12.46	0	0.368	2.577	500
9/15/2023	5.637	14.67	20.35	13.11	0	2.123	2.842	500
9/16/2023	0	0	0	0.6743	0	0	2.335	500

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
9/17/2023	0	0	0	0.6804	0	0	2.173	500
9/18/2023	0	0	0	2.406	0	0	2.175	500
9/19/2023	4.952	12.89	17.88	70.33	0	1.865	2.176	500
9/20/2023	0	0	0	29.42	0	0	2.47	500
9/21/2023	6.309	16.42	22.78	13.15	0	2.376	2.466	500
9/22/2023	0.9772	2.543	3.528	13.06	0	0.368	2.182	500
9/23/2023	4.035	10.5	14.57	12.87	0	1.52	2.095	500
9/24/2023	0	0	0	0.635	0	0	1.987	500
9/25/2023	0	0	0	0.6239	0	0	1.836	500
9/26/2023	0	0	0	0.6177	0	0	1.603	500
9/27/2023	0	0	0	0.6128	0	0	1.574	500
9/28/2023	0	0	0	0.6077	0	0	1.63	500
9/29/2023	0	0	0	0.602	0	0	1.442	500
9/30/2023	90.26	234.9	325.9	82.19	0	33.99	1.524	500
10/1/2023	0	0	0	486.6	0	0	1.519	250
10/2/2023	0	0	0	21.36	0	0	1.109	250
10/3/2023	0	0	0	10.24	0	0	1.376	250
10/4/2023	0	0	0	3.683	0	0	1.325	250
10/5/2023	0	0	0	2.743	0	0	1.164	250
10/6/2023	0	0	0	2.774	0	0	0.8963	250
10/7/2023	0	0	0	2.762	0	0	0.6278	250
10/8/2023	0	0	0	2.717	0	0	0.825	250
10/9/2023	0	0	0	2.645	0	0	0.8371	250
10/10/2023	0	0	0	2.556	0	0	0.8634	250
10/11/2023	0	0	0	2.453	0	0	0.9864	250
10/12/2023	0	0	0	0.6694	0	0	0.984	250
10/13/2023	0	0	0	0.67	0	0	1.009	250
10/14/2023	0	0	0	0.6679	0	0	0.8122	250
10/15/2023	0	0	0	0.6635	0	0	0.8245	250
10/16/2023	0	0	0	0.6575	0	0	0.8164	250
10/17/2023	0	0	0	0.6501	0	0	0.732	250
10/18/2023	0	0	0	0.6417	0	0	0.6344	250
10/19/2023	0	0	0	0.6325	0	0	0.4574	250
10/20/2023	0	0	0	0.6228	0	0	0.3387	250
10/21/2023	0	0	0	0.6127	0	0	0.434	250
10/22/2023	0	0	0	0.6024	0	0	0.3554	250
10/23/2023	0	0	0	0.5918	0	0	0.2705	250
10/24/2023	0	0	0	0.5812	0	0	0.515	250
10/25/2023	0	0	0	0.5705	0	0	0.6442	250
10/26/2023	0	0	0	0.5599	0	0	0.366	250
10/27/2023	0	0	0	0.5493	0	0	0.461	250
10/28/2023	0	0	0	0.5388	0	0	0.3254	250
10/29/2023	0	0	0	0.5285	0	0	0	250
10/30/2023	0	0	0	0.5182	0	0	0.3136	250
10/31/2023	0	0	0	0.5081	0	0	0.2135	250
11/1/2023	0	0	0	0.4981	0	0	0	0
11/2/2023	0	0	0	0.4883	0	0	0	0
11/3/2023	0	0	0	0.4787	0	0	0	0
11/4/2023	0	0	0	0.4692	0	0	0.02375	0
11/5/2023	0	0	0	0.4599	0	0	0.03431	0
11/6/2023	0	0	0	0.4508	0	0	0	0
11/7/2023	0	0	0	0.4418	0	0	0	0
11/8/2023	0	0	0	0.433	0	0	0	0
11/9/2023	0	0	0	0.4244	0	0	0	0
11/10/2023	0	0	0	0.4159	0	0	0	0
11/11/2023	0	0	0	0.4076	0	0	0	0
11/12/2023	0	0	0	0.3995	0	0	0.02116	0
11/13/2023	0	0	0	0.3915	0	0	0	0
11/14/2023	0	0	0	0.3837	0	0	0.08626	0
11/15/2023	0	0	0	0.3761	0	0	0.151	0
11/16/2023	0	0	0	0.3685	0	0	0.1805	0
11/17/2023	0	0	0	0.3612	0	0	0	0
11/18/2023	0	0	0	0.354	0	0	0	0
11/19/2023	0	0	0	0.3469	0	0	0	0
11/20/2023	0	0	0	0.3399	0	0	0	0
11/21/2023	0	0	0	0.3331	0	0	0	0
11/22/2023	0	0	0	0.3265	0	0	0	0
11/23/2023	0	0	0	0.32	0	0	0	0
11/24/2023	0	0	0	0.3136	0	0	0.03238	0
11/25/2023	0	0	0	0.3073	0	0	0	0
11/26/2023	0	0	0	0.3011	0	0	0.1085	0
11/27/2023	0	0	0	0.2951	0	0	0	0
11/28/2023	0	0	0	0.2892	0	0	0	0
11/29/2023	0	0	0	0.2834	0	0	0	0
11/30/2023	0	0	0	0.2778	0	0	0.04121	0
12/1/2023	0	0	0	0.2722	0	0	0.01581	0
12/2/2023	0	0	0	0.2668	0	0	0	0
12/3/2023	0	0	0	0.2614	0	0	0	0
12/4/2023	0	0	0	0.2562	0	0	0	0
12/5/2023	0	0	0	0.2511	0	0	0	0
12/6/2023	0	0	0	0.2461	0	0	0.013	0
12/7/2023	0	0	0	0.2411	0	0	0.01821	0
12/8/2023	0	0	0	0.2363	0	0	0	0
12/9/2023	0	0	0	0.2316	0	0	0	0
12/10/2023	0	0	0	0.227	0	0	0	0
12/11/2023	0	0	0	0.2224	0	0	0	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
12/12/2023	0	0	0	0.218	0	0	0	0
12/13/2023	0	0	0	0.2136	0	0	0	0
12/14/2023	0	0	0	0.2093	0	0	0	0
12/15/2023	0	0	0	0.2052	0	0	0.02579	0
12/16/2023	0	0	0	0.201	0	0	0	0
12/17/2023	0	0	0	0.197	0	0	0.01731	0
12/18/2023	0	0	0	0.1931	0	0	0	0
12/19/2023	0	0	0	0.1892	0	0	0	0
12/20/2023	0	0	0	0.1854	0	0	0	0
12/21/2023	0	0	0	0.1817	0	0	0	0
12/22/2023	0	0	0	0.1781	0	0	0	0
12/23/2023	0	0	0	0.1745	0	0	0	0
12/24/2023	0	0	0	0.171	0	0	0	0
12/25/2023	0	0	0	0.1676	0	0	0	0
12/26/2023	0	0	0	0.1643	0	0	0	0
12/27/2023	0	0	0	0.161	0	0	0	0
12/28/2023	0	0	0	0.1578	0	0	0	0
12/29/2023	0	0	0	0.1546	0	0	0	0
12/30/2023	0	0	0	0.1515	0	0	0	0
12/31/2023	0	0	0	0.1485	0	0	0	0
1/1/2024	0	0	0	0.1455	0	0	0	0
1/2/2024	0	0	0	0.1426	0	0	0	0
1/3/2024	0	0	0	0.1398	0	0	0	0
1/4/2024	0	0	0	0.137	0	0	0	0
1/5/2024	0	0	0	0.1342	0	0	0	0
1/6/2024	0	0	0	0.1315	0	0	0	0
1/7/2024	0	0	0	0.1289	0	0	0	0
1/8/2024	0	0	0	0.1263	0	0	0	0
1/9/2024	0	0	0	0.1238	0	0	0	0
1/10/2024	0	0	0	0.1213	0	0	0	0
1/11/2024	0	0	0	0.1189	0	0	0	0
1/12/2024	0	0	0	0.1165	0	0	0	0
1/13/2024	0	0	0	0.1142	0	0	0	0
1/14/2024	0	0	0	0.1119	0	0	0	0
1/15/2024	0	0	0	0.1097	0	0	0	0
1/16/2024	0	0	0	0.1075	0	0	0	0
1/17/2024	0	0	0	0.1053	0	0	0	0
1/18/2024	0	0	0	0.1032	0	0	0	0
1/19/2024	0	0	0	0.1012	0	0	0.001509	0
1/20/2024	0	0	0	0.09913	0	0	0.04883	0
1/21/2024	0	0	0	0.09715	0	0	0	0
1/22/2024	0	0	0	0.09521	0	0	0	0
1/23/2024	0	0	0	0.0933	0	0	0	0
1/24/2024	0	0	0	0.09144	0	0	0	0
1/25/2024	0	0	0	0.08961	0	0	0	0
1/26/2024	0	0	0	0.08782	0	0	0	0
1/27/2024	0	0	0	0.08606	0	0	0	0
1/28/2024	0	0	0	0.08434	0	0	0	0
1/29/2024	0	0	0	0.08265	0	0	0	0
1/30/2024	0	0	0	0.081	0	0	0	0
1/31/2024	0	0	0	0.07938	0	0	0	0
2/1/2024	0	0	0	0.07779	0	0	0	0
2/2/2024	0	0	0	0.07623	0	0	0	0
2/3/2024	0	0	0	0.07471	0	0	0	0
2/4/2024	0	0	0	0.07322	0	0	0	0
2/5/2024	0	0	0	0.07175	0	0	0	0
2/6/2024	0	0	0	0.07032	0	0	0	0
2/7/2024	0	0	0	0.06891	0	0	0	0
2/8/2024	0	0	0	0.06753	0	0	0	0
2/9/2024	0	0	0	0.06618	0	0	0	0
2/10/2024	0	0	0	0.06486	0	0	0	0
2/11/2024	0	0	0	0.06356	0	0	0	0
2/12/2024	0	0	0	0.06229	0	0	0	0
2/13/2024	0	0	0	0.06104	0	0	0	0
2/14/2024	0	0	0	0.05982	0	0	0	0
2/15/2024	0	0	0	0.05863	0	0	0	0
2/16/2024	0	0	0	0.05745	0	0	0	0
2/17/2024	0	0	0	0.0563	0	0	0	0
2/18/2024	0	0	0	0.05518	0	0	0	0
2/19/2024	0	0	0	0.05407	0	0	0	0
2/20/2024	0	0	0	0.05299	0	0	0	0
2/21/2024	0	0	0	0.05193	0	0	0	0
2/22/2024	0	0	0	0.05089	0	0	0	0
2/23/2024	0	0	0	0.04988	0	0	0	0
2/24/2024	0	0	0	0.04888	0	0	0	0
2/25/2024	0	0	0	0.0479	0	0	0	0
2/26/2024	0	0	0	0.04694	0	0	0	0
2/27/2024	0	0	0	0.046	0	0	0	0
2/28/2024	0	0	0	0.04508	0	0	0	0
2/29/2024	0	0	0	0.04418	0	0	0	0
3/1/2024	0	0	0	0.0433	0	0	0	0
3/2/2024	0	0	0	0.04243	0	0	0	0
3/3/2024	0	0	0	0.04158	0	0	0	0
3/4/2024	0	0	0	0.04075	0	0	0	0
3/5/2024	0	0	0	0.03994	0	0	0	0
3/6/2024	0	0	0	0.03914	0	0	0	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
3/7/2024	0	0	0	0.03836	0	0	0	0
3/8/2024	0	0	0	0.03759	0	0	0	0
3/9/2024	0	0	0	0.03684	0	0	0	0
3/10/2024	0	0	0	0.0361	0	0	0	0
3/11/2024	0	0	0	0.03538	0	0	0	0
3/12/2024	0	0	0	0.03467	0	0	0	0
3/13/2024	0	0	0	0.03398	0	0	0	0
3/14/2024	0	0	0	0.0333	0	0	0	0
3/15/2024	0	0	0	0.03263	0	0	0	0
3/16/2024	0	0	0	0.03198	0	0	0	0
3/17/2024	0	0	0	0.03134	0	0	0	0
3/18/2024	0	0	0	0.03071	0	0	0	0
3/19/2024	0	0	0	0.0301	0	0	0	0
3/20/2024	0	0	0	0.0295	0	0	0	0
3/21/2024	0	0	0	0.02891	0	0	0	0
3/22/2024	0	0	0	0.02833	0	0	0	0
3/23/2024	0	0	0	0.02776	0	0	0.6634	0
3/24/2024	0	0	0	0.02721	0	0	1.656	0
3/25/2024	0	0	0	0.02666	0	0	0.97	0
3/26/2024	0	0	0	0.02613	0	0	0.2861	0
3/27/2024	0	0	0	0.02561	0	0	0	0
3/28/2024	0	0	0	0.0251	0	0	0	0
3/29/2024	0	0	0	0.02459	0	0	0	0
3/30/2024	0	0	0	0.0241	0	0	0	0
3/31/2024	0	0	0	0.02362	0	0	0	0
4/1/2024	0	0	0	0.02315	0	0	0.7274	0
4/2/2024	0	0	0	0.02268	0	0	1.115	0
4/3/2024	0	0	0	0.02223	0	0	0	0
4/4/2024	0	0	0	0.02179	0	0	0	0
4/5/2024	0	0	0	0.02135	0	0	0	0
4/6/2024	0	0	0	0.02092	0	0	0	0
4/7/2024	0	0	0	0.0205	0	0	0	0
4/8/2024	0	0	0	0.02009	0	0	0	0
4/9/2024	0	0	0	0.01969	0	0	0	0
4/10/2024	0	0	0	0.0193	0	0	0	0
4/11/2024	0	0	0	0.01891	0	0	0	0
4/12/2024	0	0	0	0.01853	0	0	0	0
4/13/2024	0	0	0	0.01816	0	0	0	0
4/14/2024	0	0	0	0.0178	0	0	0.3427	0
4/15/2024	0	0	0	0.01744	0	0	1.245	0
4/16/2024	0	0	0	0.0171	0	0	1.198	0
4/17/2024	0	0	0	0.01675	0	0	0.8369	0
4/18/2024	0	0	0	0.01642	0	0	0.5581	0
4/19/2024	0	0	0	0.01609	0	0	0.42	0
4/20/2024	0	0	0	0.01577	0	0	0	0
4/21/2024	0	0	0	0.01545	0	0	0	0
4/22/2024	0	0	0	0.01514	0	0	0	0
4/23/2024	0	0	0	0.01484	0	0	0	0
4/24/2024	0	0	0	0.01454	0	0	0	0
4/25/2024	0	0	0	0.01425	0	0	0	0
4/26/2024	0	0	0	0.01397	0	0	0	0
4/27/2024	0	0	0	0.01369	0	0	0	0
4/28/2024	0	0	0	0.01342	0	0	0.7715	0
4/29/2024	0	0	0	0.01315	0	0	0	0
4/30/2024	0	0	0	0.01288	0	0	0	0
5/1/2024	0	0	0	0.01263	0	3.0	0.5688	0
5/2/2024	0	0	0	0.01237	0	0	2.063	0
5/3/2024	0	0	0	0.01213	0	0	2.509	0
5/4/2024	0	0	0	0.01188	0	0	2.826	0
5/5/2024	0	0	0	0.01165	0	0	1.353	0
5/6/2024	0	0	0	0.01141	0	0	2.422	0
5/7/2024	0	0	0	0.01118	0	0	2.446	0
5/8/2024	0	0	0	0.01096	0	0	2.406	0
5/9/2024	0	0	0	0.01074	0	0	3.629	0
5/10/2024	0	0	0	0.01053	0	0	4.192	0
5/11/2024	0	0	0	0.01032	0	0	4.093	0
5/12/2024	0	0	0	0.01011	0	0	4.07	0
5/13/2024	0	0	0	0.009908	0	0	3.71	0
5/14/2024	0	0	0	0.00971	0	0	4.227	0
5/15/2024	10.42	27.11	37.61	45.49	0	3.923	3.33	0
5/16/2024	11.47	29.88	41.45	142.2	0	4.342	4.031	0
5/17/2024	30.19	79.29	110	201.6	0	11.87	4.296	0
5/18/2024	2.07	5.536	7.68	263.5	0	0.883	5.138	0
5/19/2024	0	0	0	16.98	0	0	5.078	0
5/20/2024	0	0	0	0.1417	0	0	5.22	0
5/21/2024	8.522	22.96	31.85	42.97	0	3.75	5.44	0
5/22/2024	15.68	42.33	58.73	203.6	0	6.968	5.906	0
5/23/2024	19.67	53.42	74.11	462.1	0	8.961	5.811	0
5/24/2024	25.49	69.82	96.86	465.1	0	12.01	5.62	0
5/25/2024	27.55	75.96	105.4	280.1	0	13.33	5.881	0
5/26/2024	4.913	13.62	18.89	227.1	0	2.426	6.208	0
5/27/2024	11.05	30.71	42.6	92.21	0	5.509	5.685	0
5/28/2024	6.678	18.58	25.78	84.62	0	3.348	5.658	0
5/29/2024	22.66	63.13	87.58	152.4	0	11.41	6.307	0
5/30/2024	31.86	89.01	123.5	717.8	0	16.23	7.235	0
5/31/2024	42.1	118.7	164.6	1169	0	22.18	8.021	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
6/1/2024	46.02	131.5	182.4	1612	0	25.45	8.204	250
6/2/2024	39.15	113.5	157.4	1976	0	22.79	9.084	250
6/3/2024	19.66	57.94	80.38	1343	0	12.1	7.523	250
6/4/2024	24.63	73.35	101.8	505.2	0	15.69	8.607	250
6/5/2024	26.02	77.8	107.9	404.7	0	16.79	8.566	250
6/6/2024	34.03	102.1	141.6	347.2	0	22.18	9.105	250
6/7/2024	55.54	167.1	231.8	299.9	0	36.57	9.915	250
6/8/2024	57.78	174.6	242.3	260.1	0	38.58	8.683	250
6/9/2024	36.57	111	154	423.8	0	24.74	9.227	250
6/10/2024	26.34	80.27	111.4	253.8	0	18.05	9.398	250
6/11/2024	31.26	95.5	132.5	205.7	0	21.58	9.417	250
6/12/2024	16.28	49.82	69.12	191.8	0	11.31	8.826	250
6/13/2024	17.62	53.98	74.88	181.3	0	12.27	8.795	250
6/14/2024	36.01	110.4	153.1	169.6	0	25.12	9.703	250
6/15/2024	51.26	157.4	218.4	156.6	0	35.99	10.31	250
6/16/2024	38.06	117.3	162.7	144.6	0	26.98	9.92	250
6/17/2024	48.74	150.5	208.8	133.3	0	34.77	10.64	250
6/18/2024	21.76	67.4	93.5	122.7	0	15.67	11.08	250
6/19/2024	1.675	5.19	7.2	112.8	0	1.208	10.92	250
6/20/2024	1.677	5.19	7.2	103.6	0	1.205	11.11	250
6/21/2024	1.679	5.19	7.2	95.09	0	1.201	12.94	250
6/22/2024	0	0	0	86.88	0	0	10.89	250
6/23/2024	0	0	0	79.35	0	0	9.866	250
6/24/2024	0	0	0	72.48	0	0	10.83	250
6/25/2024	0	0	0	65.96	0	0	10.59	250
6/26/2024	0	0	0	59.92	0	0	10.91	250
6/27/2024	0	0	0	54.26	0	0	13.57	250
6/28/2024	0	0	0	48.63	0	0	16.42	250
6/29/2024	0	0	0	12.29	0	0	26.06	250
6/30/2024	0	0	0	12.04	0	0	44.32	250
7/1/2024	0	0	0	11.8	0	0	11.2	500
7/2/2024	0	0	0	11.56	0	0	11.22	500
7/3/2024	0	0	0	11.33	0	0	18.53	500
7/4/2024	0	0	0	11.11	0	0	14.6	500
7/5/2024	0	0	0	10.88	0	0	10.53	500
7/6/2024	1.747	5.19	7.2	10.67	0	1.105	10.7	500
7/7/2024	178.5	528.2	732.7	10.45	0	111.4	10.64	500
7/8/2024	59.87	178.8	248	1018	0	38.46	11.18	500
7/9/2024	3.108	9.359	12.98	438.3	0	2.052	11.41	500
7/10/2024	0	0	0	122	0	0	11.27	500
7/11/2024	0	0	0	96.92	0	0	11.34	500
7/12/2024	1.736	5.19	7.2	72.38	0	1.121	11.95	500
7/13/2024	0	0	0	66.68	0	0	12.02	500
7/14/2024	0	0	0	64.5	0	0	11.87	500
7/15/2024	0	0	0	58.75	0	0	16.98	500
7/16/2024	0	0	0	52.17	0	0	11.7	500
7/17/2024	0	0	0	13.37	0	0	12.26	500
7/18/2024	0	0	0	13.1	0	0	13.83	500
7/19/2024	0	0	0	12.84	0	0	11.89	500
7/20/2024	0	0	0	12.58	0	0	11.46	500
7/21/2024	1.797	5.19	7.2	12.33	0	1.033	11.4	500
7/22/2024	25.34	72.88	101.1	12.09	0	14.35	9.984	500
7/23/2024	46.31	132.9	184.3	103.3	0	26.01	9.529	500
7/24/2024	5.723	16.42	22.78	245.8	0	3.213	9.022	500
7/25/2024	196.7	563.4	781.7	18.03	0	109.8	9.537	500
7/26/2024	6.898	19.95	27.67	1110	0	3.981	9.69	500
7/27/2024	0	0	0	149.5	0	0	11.13	500
7/28/2024	15.4	44.65	61.94	115.5	0	8.967	9.569	500
7/29/2024	2.016	5.83	8.088	127.2	0	1.165	8.51	500
7/30/2024	0	0	0	80.44	0	0	8.733	500
7/31/2024	0	0	0	73.29	0	0	9.114	500
8/1/2024	0	0	0	71.32	0	0	9.829	500
8/2/2024	0	0	0	66.19	0	0	11.56	500
8/3/2024	0	0	0	59.72	0	0	9.899	500
8/4/2024	0	0	0	53.95	0	0	9.588	500
8/5/2024	1.841	5.19	7.2	48.62	0	0.9695	9.006	500
8/6/2024	1.849	5.19	7.2	12.54	0	0.9585	7.701	500
8/7/2024	0	0	0	12.29	0	0	7.881	500
8/8/2024	59.18	164.6	228.4	12.05	0	29.66	7.706	500
8/9/2024	212.7	591.7	820.8	291.2	0	106.6	7.767	500
8/10/2024	37.1	104.6	145.2	1179	0	19.59	6.449	500
8/11/2024	1.824	5.19	7.2	346.6	0	0.9942	7.119	500
8/12/2024	3.294	9.359	12.98	152.9	0	1.787	7.042	500
8/13/2024	3.303	9.359	12.98	127.3	0	1.773	7.762	500
8/14/2024	0	0	0	105.5	0	0	9.221	500
8/15/2024	0	0	0	84.69	0	0	7.625	500
8/16/2024	1.852	5.19	7.2	83.26	0	0.9549	7.332	500
8/17/2024	0	0	0	79.74	0	0	9.25	500
8/18/2024	0	0	0	73.21	0	0	7.65	500
8/19/2024	0	0	0	66.78	0	0	6.826	500
8/20/2024	64.8	178.8	248	60.93	0	31.42	6.15	500
8/21/2024	2.112	5.83	8.088	366.8	0	1.027	6.173	500
8/22/2024	0	0	0	51.47	0	0	5.759	500
8/23/2024	18.84	51.71	71.74	51.87	0	8.953	5.601	500
8/24/2024	9.873	27.01	37.46	107.5	0	4.628	5.867	500
8/25/2024	1.905	5.19	7.2	74.14	0	0.8785	5.158	500

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
8/26/2024	1.918	5.19	7.2	13.39	0	0.8599	5.222	500
8/27/2024	4.818	12.89	17.88	13.61	0	2.058	4.911	500
8/28/2024	21.05	55.24	76.63	13.58	0	8.246	4.227	500
8/29/2024	1.994	5.19	7.2	86.58	0	0.7511	3.967	500
8/30/2024	9.021	23.48	32.57	13.04	0	3.397	3.937	500
8/31/2024	1.994	5.19	7.2	24.42	0	0.751	3.647	500
9/1/2024	1.994	5.19	7.2	12.92	0	0.751	3.673	500
9/2/2024	2.24	5.83	8.088	12.76	0	0.8436	3.713	500
9/3/2024	8.642	22.49	31.2	12.5	0	3.254	3.568	500
9/4/2024	5.93	15.43	21.41	15.81	0	2.233	3.665	500
9/5/2024	2.971	7.733	10.73	15.61	0	1.119	3.593	500
9/6/2024	2.24	5.83	8.088	11.77	0	0.8436	3.329	500
9/7/2024	0	0	0	11.53	0	0	3.154	500
9/8/2024	42.54	110.7	153.6	11.3	0	16.02	3.031	500
9/9/2024	3.217	8.373	11.62	190.7	0	1.212	3.092	500
9/10/2024	0.9772	2.543	3.528	10.86	0	0.368	2.854	500
9/11/2024	28.52	74.23	103	11.42	0	10.74	2.313	500
9/12/2024	11.76	30.6	42.46	126.8	0	4.429	2.528	500
9/13/2024	0	0	0	53.8	0	0	2.813	500
9/14/2024	0.9772	2.543	3.528	12.69	0	0.368	2.528	500
9/15/2024	5.637	14.67	20.35	13.34	0	2.123	2.787	500
9/16/2024	0	0	0	2.403	0	0	2.289	500
9/17/2024	0	0	0	0.6588	0	0	2.13	500
9/18/2024	0	0	0	0.6669	0	0	2.13	500
9/19/2024	4.952	12.89	17.88	70.46	0	1.865	2.131	500
9/20/2024	0	0	0	29.41	0	0	2.417	500
9/21/2024	6.309	16.42	22.78	13.45	0	2.376	2.413	500
9/22/2024	0.9772	2.543	3.528	13.36	0	0.368	2.135	500
9/23/2024	4.035	10.5	14.57	13.18	0	1.52	2.049	500
9/24/2024	0	0	0	0.6507	0	0	1.943	500
9/25/2024	0	0	0	0.64	0	0	1.794	500
9/26/2024	0	0	0	0.634	0	0	1.566	500
9/27/2024	0	0	0	0.6293	0	0	1.537	500
9/28/2024	0	0	0	0.6243	0	0	1.591	500
9/29/2024	0	0	0	0.6185	0	0	1.407	500
9/30/2024	90.26	234.9	325.9	84.37	0	33.99	1.487	500
10/1/2024	0	0	0	486.7	0	0	1.482	250
10/2/2024	0	0	0	21.49	0	0	1.082	250
10/3/2024	0	0	0	12.07	0	0	1.341	250
10/4/2024	0	0	0	3.671	0	0	1.291	250
10/5/2024	0	0	0	2.683	0	0	1.133	250
10/6/2024	0	0	0	2.719	0	0	0.8723	250
10/7/2024	0	0	0	2.711	0	0	0.6107	250
10/8/2024	0	0	0	2.669	0	0	0.8023	250
10/9/2024	0	0	0	2.601	0	0	0.8137	250
10/10/2024	0	0	0	2.514	0	0	0.8389	250
10/11/2024	0	0	0	2.415	0	0	0.958	250
10/12/2024	0	0	0	0.6593	0	0	0.9553	250
10/13/2024	0	0	0	0.6602	0	0	0.9788	250
10/14/2024	0	0	0	0.6582	0	0	0.7879	250
10/15/2024	0	0	0	0.6541	0	0	0.7994	250
10/16/2024	0	0	0	0.6482	0	0	0.7912	250
10/17/2024	0	0	0	0.641	0	0	0.7091	250
10/18/2024	0	0	0	0.6328	0	0	0.6142	250
10/19/2024	0	0	0	0.6238	0	0	0.4426	250
10/20/2024	0	0	0	0.6143	0	0	0.3277	250
10/21/2024	0	0	0	0.6044	0	0	0.4196	250
10/22/2024	0	0	0	0.5942	0	0	0.3435	250
10/23/2024	0	0	0	0.5838	0	0	0.2613	250
10/24/2024	0	0	0	0.5733	0	0	0.4973	250
10/25/2024	0	0	0	0.5628	0	0	0.6218	250
10/26/2024	0	0	0	0.5523	0	0	0.3531	250
10/27/2024	0	0	0	0.5419	0	0	0.4445	250
10/28/2024	0	0	0	0.5316	0	0	0.3136	250
10/29/2024	0	0	0	0.5213	0	0	0	250
10/30/2024	0	0	0	0.5112	0	0	0.3019	250
10/31/2024	0	0	0	0.5013	0	0	0.2055	250
11/1/2024	0	0	0	0.4914	0	0	0	0
11/2/2024	0	0	0	0.4818	0	0	0	0
11/3/2024	0	0	0	0.4723	0	0	0	0
11/4/2024	0	0	0	0.4629	0	0	0.02281	0
11/5/2024	0	0	0	0.4538	0	0	0.03295	0
11/6/2024	0	0	0	0.4447	0	0	0	0
11/7/2024	0	0	0	0.4359	0	0	0	0
11/8/2024	0	0	0	0.4272	0	0	0	0
11/9/2024	0	0	0	0.4187	0	0	0	0
11/10/2024	0	0	0	0.4104	0	0	0	0
11/11/2024	0	0	0	0.4022	0	0	0	0
11/12/2024	0	0	0	0.3942	0	0	0.02026	0
11/13/2024	0	0	0	0.3863	0	0	0	0
11/14/2024	0	0	0	0.3786	0	0	0.08255	0
11/15/2024	0	0	0	0.371	0	0	0.1444	0
11/16/2024	0	0	0	0.3636	0	0	0.1726	0
11/17/2024	0	0	0	0.3563	0	0	0	0
11/18/2024	0	0	0	0.3492	0	0	0	0
11/19/2024	0	0	0	0.3422	0	0	0	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
11/20/2024	0	0	0	0.3354	0	0	0	0
11/21/2024	0	0	0	0.3287	0	0	0	0
11/22/2024	0	0	0	0.3221	0	0	0	0
11/23/2024	0	0	0	0.3157	0	0	0	0
11/24/2024	0	0	0	0.3094	0	0	0.03097	0
11/25/2024	0	0	0	0.3032	0	0	0	0
11/26/2024	0	0	0	0.2971	0	0	0.1038	0
11/27/2024	0	0	0	0.2912	0	0	0	0
11/28/2024	0	0	0	0.2853	0	0	0	0
11/29/2024	0	0	0	0.2796	0	0	0	0
11/30/2024	0	0	0	0.274	0	0	0.03953	0
12/1/2024	0	0	0	0.2686	0	0	0.01518	0
12/2/2024	0	0	0	0.2632	0	0	0	0
12/3/2024	0	0	0	0.2579	0	0	0	0
12/4/2024	0	0	0	0.2528	0	0	0	0
12/5/2024	0	0	0	0.2477	0	0	0	0
12/6/2024	0	0	0	0.2428	0	0	0.01257	0
12/7/2024	0	0	0	0.2379	0	0	0.01763	0
12/8/2024	0	0	0	0.2331	0	0	0	0
12/9/2024	0	0	0	0.2285	0	0	0	0
12/10/2024	0	0	0	0.2239	0	0	0	0
12/11/2024	0	0	0	0.2194	0	0	0	0
12/12/2024	0	0	0	0.215	0	0	0	0
12/13/2024	0	0	0	0.2107	0	0	0	0
12/14/2024	0	0	0	0.2065	0	0	0	0
12/15/2024	0	0	0	0.2024	0	0	0.02543	0
12/16/2024	0	0	0	0.1984	0	0	0	0
12/17/2024	0	0	0	0.1944	0	0	0.01716	0
12/18/2024	0	0	0	0.1905	0	0	0	0
12/19/2024	0	0	0	0.1867	0	0	0	0
12/20/2024	0	0	0	0.183	0	0	0	0
12/21/2024	0	0	0	0.1793	0	0	0	0
12/22/2024	0	0	0	0.1757	0	0	0	0
12/23/2024	0	0	0	0.1722	0	0	0	0
12/24/2024	0	0	0	0.1688	0	0	0	0
12/25/2024	0	0	0	0.1654	0	0	0	0
12/26/2024	0	0	0	0.1621	0	0	0	0
12/27/2024	0	0	0	0.1588	0	0	0	0
12/28/2024	0	0	0	0.1557	0	0	0	0
12/29/2024	0	0	0	0.1525	0	0	0	0
12/30/2024	0	0	0	0.1495	0	0	0	0
12/31/2024	0	0	0	0.1465	0	0	0	0
1/1/2025	0	0	0	0.1436	0	0	0	0
1/2/2025	0	0	0	0.1407	0	0	0	0
1/3/2025	0	0	0	0.1379	0	0	0	0
1/4/2025	0	0	0	0.1351	0	0	0	0
1/5/2025	0	0	0	0.1324	0	0	0	0
1/6/2025	0	0	0	0.1298	0	0	0	0
1/7/2025	0	0	0	0.1272	0	0	0	0
1/8/2025	0	0	0	0.1246	0	0	0	0
1/9/2025	0	0	0	0.1221	0	0	0	0
1/10/2025	0	0	0	0.1197	0	0	0	0
1/11/2025	0	0	0	0.1173	0	0	0	0
1/12/2025	0	0	0	0.115	0	0	0	0
1/13/2025	0	0	0	0.1127	0	0	0	0
1/14/2025	0	0	0	0.1104	0	0	0	0
1/15/2025	0	0	0	0.1082	0	0	0	0
1/16/2025	0	0	0	0.106	0	0	0	0
1/17/2025	0	0	0	0.1039	0	0	0	0
1/18/2025	0	0	0	0.1018	0	0	0	0
1/19/2025	0	0	0	0.0998	0	0	0.001509	0
1/20/2025	0	0	0	0.0978	0	0	0.04883	0
1/21/2025	0	0	0	0.09585	0	0	0	0
1/22/2025	0	0	0	0.09393	0	0	0	0
1/23/2025	0	0	0	0.09205	0	0	0	0
1/24/2025	0	0	0	0.09021	0	0	0	0
1/25/2025	0	0	0	0.08841	0	0	0	0
1/26/2025	0	0	0	0.08664	0	0	0	0
1/27/2025	0	0	0	0.08491	0	0	0	0
1/28/2025	0	0	0	0.08321	0	0	0	0
1/29/2025	0	0	0	0.08154	0	0	0	0
1/30/2025	0	0	0	0.07991	0	0	0	0
1/31/2025	0	0	0	0.07831	0	0	0	0
2/1/2025	0	0	0	0.07675	0	0	0	0
2/2/2025	0	0	0	0.07521	0	0	0	0
2/3/2025	0	0	0	0.07371	0	0	0	0
2/4/2025	0	0	0	0.07223	0	0	0	0
2/5/2025	0	0	0	0.07079	0	0	0	0
2/6/2025	0	0	0	0.06937	0	0	0	0
2/7/2025	0	0	0	0.06799	0	0	0	0
2/8/2025	0	0	0	0.06663	0	0	0	0
2/9/2025	0	0	0	0.06529	0	0	0	0
2/10/2025	0	0	0	0.06399	0	0	0	0
2/11/2025	0	0	0	0.06271	0	0	0	0
2/12/2025	0	0	0	0.06145	0	0	0	0
2/13/2025	0	0	0	0.06023	0	0	0	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
2/14/2025	0	0	0	0.05902	0	0	0	0
2/15/2025	0	0	0	0.05784	0	0	0	0
2/16/2025	0	0	0	0.05668	0	0	0	0
2/17/2025	0	0	0	0.05555	0	0	0	0
2/18/2025	0	0	0	0.05444	0	0	0	0
2/19/2025	0	0	0	0.05335	0	0	0	0
2/20/2025	0	0	0	0.05228	0	0	0	0
2/21/2025	0	0	0	0.05124	0	0	0	0
2/22/2025	0	0	0	0.05021	0	0	0	0
2/23/2025	0	0	0	0.04921	0	0	0	0
2/24/2025	0	0	0	0.04822	0	0	0	0
2/25/2025	0	0	0	0.04726	0	0	0	0
2/26/2025	0	0	0	0.04631	0	0	0	0
2/27/2025	0	0	0	0.04539	0	0	1.622	0
2/28/2025	0	0	0	0.04448	0	0	0	0
3/1/2025	0	0	0	0.04359	0	0	0	0
3/2/2025	0	0	0	0.04272	0	0	0	0
3/3/2025	0	0	0	0.04186	0	0	0	0
3/4/2025	0	0	0	0.04103	0	0	0	0
3/5/2025	0	0	0	0.04021	0	0	0	0
3/6/2025	0	0	0	0.0394	0	0	0	0
3/7/2025	0	0	0	0.03861	0	0	0	0
3/8/2025	0	0	0	0.03784	0	0	0	0
3/9/2025	0	0	0	0.03709	0	0	0	0
3/10/2025	0	0	0	0.03634	0	0	0	0
3/11/2025	0	0	0	0.03562	0	0	0	0
3/12/2025	0	0	0	0.0349	0	0	0	0
3/13/2025	0	0	0	0.03421	0	0	0	0
3/14/2025	0	0	0	0.03352	0	0	0	0
3/15/2025	0	0	0	0.03285	0	0	0	0
3/16/2025	0	0	0	0.03219	0	0	0	0
3/17/2025	0	0	0	0.03155	0	0	0	0
3/18/2025	0	0	0	0.03092	0	0	0	0
3/19/2025	0	0	0	0.0303	0	0	0	0
3/20/2025	0	0	0	0.0297	0	0	0	0
3/21/2025	0	0	0	0.0291	0	0	0	0
3/22/2025	0	0	0	0.02852	0	0	0	0
3/23/2025	0	0	0	0.02795	0	0	0.6498	0
3/24/2025	0	0	0	0.02739	0	0	1.622	0
3/25/2025	0	0	0	0.02684	0	0	0.9508	0
3/26/2025	0	0	0	0.02631	0	0	0.2805	0
3/27/2025	0	0	0	0.02578	0	0	0	0
3/28/2025	0	0	0	0.02526	0	0	0	0
3/29/2025	0	0	0	0.02476	0	0	0	0
3/30/2025	0	0	0	0.02426	0	0	0	0
3/31/2025	0	0	0	0.02378	0	0	0	0
4/1/2025	0	0	0	0.0233	0	0	0.7145	0
4/2/2025	0	0	0	0.02284	0	0	1.095	0
4/3/2025	0	0	0	0.02238	0	0	0	0
4/4/2025	0	0	0	0.02193	0	0	0	0
4/5/2025	0	0	0	0.02149	0	0	0	0
4/6/2025	0	0	0	0.02106	0	0	0	0
4/7/2025	0	0	0	0.02064	0	0	0	0
4/8/2025	0	0	0	0.02023	0	0	0	0
4/9/2025	0	0	0	0.01982	0	0	0	0
4/10/2025	0	0	0	0.01943	0	0	0	0
4/11/2025	0	0	0	0.01904	0	0	0	0
4/12/2025	0	0	0	0.01866	0	0	0	0
4/13/2025	0	0	0	0.01829	0	0	0	0
4/14/2025	0	0	0	0.01792	0	0	0.3378	0
4/15/2025	0	0	0	0.01756	0	0	1.228	0
4/16/2025	0	0	0	0.01721	0	0	1.182	0
4/17/2025	0	0	0	0.01687	0	0	0.8256	0
4/18/2025	0	0	0	0.01653	0	0	0.5507	0
4/19/2025	0	0	0	0.0162	0	0	0.4145	0
4/20/2025	0	0	0	0.01587	0	0	0	0
4/21/2025	0	0	0	0.01556	0	0	0	0
4/22/2025	0	0	0	0.01525	0	0	0	0
4/23/2025	0	0	0	0.01494	0	0	0	0
4/24/2025	0	0	0	0.01464	0	0	0	0
4/25/2025	0	0	0	0.01435	0	0	0	0
4/26/2025	0	0	0	0.01406	0	0	0	0
4/27/2025	0	0	0	0.01378	0	0	0	0
4/28/2025	0	0	0	0.01351	0	0	0.7631	0
4/29/2025	0	0	0	0.01324	0	0	0	0
4/30/2025	0	0	0	0.01297	0	0	0	0
5/1/2025	0	0	0	0.01271	0	0	0.563	0
5/2/2025	0	0	0	0.01246	0	0	2.043	0
5/3/2025	0	0	0	0.01221	0	0	2.484	0
5/4/2025	0	0	0	0.01196	0	0	2.799	0
5/5/2025	0	0	0	0.01172	0	0	1.34	0
5/6/2025	0	0	0	0.01149	0	0	2.4	0
5/7/2025	0	0	0	0.01126	0	0	2.424	0
5/8/2025	0	0	0	0.01103	0	0	2.385	0
5/9/2025	0	0	0	0.01081	0	0	3.598	0
5/10/2025	0	0	0	0.0106	0	0	4.157	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
5/11/2025	0	0	0	0.01039	0	0	4.06	0
5/12/2025	0	0	0	0.01018	0	0	4.037	0
5/13/2025	0	0	0	0.009975	0	0	3.682	0
5/14/2025	0	0	0	0.009775	0	0	4.195	0
5/15/2025	10.42	27.11	37.61	45.49	0	3.923	3.306	0
5/16/2025	11.47	29.88	41.45	142.2	0	4.342	4.003	0
5/17/2025	30.19	79.29	110	201.7	0	11.87	4.267	0
5/18/2025	2.07	5.536	7.68	263.6	0	0.883	5.103	0
5/19/2025	0	0	0	17.18	0	0	5.045	0
5/20/2025	0	0	0	0.1423	0	0	5.187	0
5/21/2025	8.522	22.96	31.85	42.98	0	3.75	5.407	0
5/22/2025	15.68	42.33	58.73	203.7	0	6.968	5.872	0
5/23/2025	19.67	53.42	74.11	462.2	0	8.961	5.778	0
5/24/2025	25.49	69.82	96.86	465.3	0	12.01	5.59	0
5/25/2025	27.55	75.96	105.4	280.3	0	13.34	5.85	0
5/26/2025	4.913	13.62	18.89	227.4	0	2.426	6.177	0
5/27/2025	11.05	30.71	42.6	92.43	0	5.509	5.657	0
5/28/2025	6.678	18.58	25.78	84.83	0	3.348	5.632	0
5/29/2025	22.66	63.13	87.58	152.7	0	11.41	6.279	0
5/30/2025	31.86	89.01	123.5	718	0	16.23	7.205	0
5/31/2025	42.09	118.7	164.6	1186	0	22.19	7.989	0
6/1/2025	46.02	131.5	182.4	1612	0	25.46	8.176	250
6/2/2025	39.15	113.5	157.4	1976	0	22.8	9.055	250
6/3/2025	19.66	57.94	80.38	1338	0	12.11	7.499	250
6/4/2025	24.63	73.35	101.8	504.8	0	15.7	8.581	250
6/5/2025	26.02	77.8	107.9	404.5	0	16.8	8.542	250
6/6/2025	34.03	102.1	141.6	347.1	0	22.19	9.081	250
6/7/2025	55.53	167.1	231.8	299.8	0	36.59	9.891	250
6/8/2025	57.78	174.6	242.3	260.1	0	38.59	8.664	250
6/9/2025	36.56	111	154	423.9	0	24.75	9.209	250
6/10/2025	26.33	80.27	111.4	253.8	0	18.06	9.382	250
6/11/2025	31.26	95.5	132.5	205.7	0	21.58	9.402	250
6/12/2025	16.28	49.82	69.12	191.8	0	11.31	8.814	250
6/13/2025	17.62	53.98	74.88	181.3	0	12.27	8.785	250
6/14/2025	36	110.4	153.1	169.6	0	25.13	9.694	250
6/15/2025	51.25	157.4	218.4	156.7	0	36	10.31	250
6/16/2025	38.06	117.3	162.7	144.6	0	26.99	9.915	250
6/17/2025	48.73	150.5	208.8	133.3	0	34.78	10.64	250
6/18/2025	22.61	70.05	97.17	122.7	0	16.29	11.07	250
6/19/2025	1.674	5.19	7.2	112.9	0	1.208	10.92	250
6/20/2025	1.676	5.19	7.2	103.7	0	1.205	11.11	250
6/21/2025	1.679	5.19	7.2	95.11	0	1.202	12.95	250
6/22/2025	0	0	0	86.9	0	0	10.9	250
6/23/2025	0	0	0	79.37	0	0	9.876	250
6/24/2025	0	0	0	72.5	0	0	10.84	250
6/25/2025	0	0	0	65.98	0	0	10.6	250
6/26/2025	0	0	0	59.94	0	0	10.93	250
6/27/2025	0	0	0	54.28	0	0	13.59	250
6/28/2025	0	0	0	48.64	0	0	16.45	250
6/29/2025	0	0	0	12.29	0	0	26.12	250
6/30/2025	0	0	0	12.04	0	0	44.43	250
7/1/2025	0	0	0	11.8	0	0	11.23	500
7/2/2025	0	0	0	11.57	0	0	11.25	500
7/3/2025	0	0	0	11.33	0	0	18.58	500
7/4/2025	0	0	0	11.11	0	0	14.64	500
7/5/2025	0	0	0	10.89	0	0	10.57	500
7/6/2025	1.746	5.19	7.2	10.67	0	1.105	10.74	500
7/7/2025	178.4	528.2	732.7	10.45	0	111.4	10.68	500
7/8/2025	59.86	178.8	248	1018	0	38.48	11.22	500
7/9/2025	3.107	9.359	12.98	438.2	0	2.053	11.46	500
7/10/2025	0	0	0	121.9	0	0	11.32	500
7/11/2025	0	0	0	96.78	0	0	11.39	500
7/12/2025	1.735	5.19	7.2	72.21	0	1.121	12.01	500
7/13/2025	0	0	0	66.63	0	0	12.08	500
7/14/2025	0	0	0	64.42	0	0	11.93	500
7/15/2025	0	0	0	58.66	0	0	17.08	500
7/16/2025	0	0	0	52.07	0	0	11.77	500
7/17/2025	0	0	0	13.34	0	0	12.33	500
7/18/2025	0	0	0	13.08	0	0	13.92	500
7/19/2025	0	0	0	12.81	0	0	11.97	500
7/20/2025	0	0	0	12.56	0	0	11.54	500
7/21/2025	1.797	5.19	7.2	12.31	0	1.033	11.48	500
7/22/2025	25.34	72.88	101.1	12.06	0	14.36	10.05	500
7/23/2025	46.3	132.9	184.3	103.2	0	26.03	9.597	500
7/24/2025	5.722	16.42	22.78	245.6	0	3.214	9.088	500
7/25/2025	196.7	563.4	781.7	17.87	0	109.8	9.609	500
7/26/2025	6.897	19.95	27.67	1110	0	3.983	9.765	500
7/27/2025	0	0	0	149.1	0	0	11.22	500
7/28/2025	15.4	44.65	61.94	115	0	8.971	9.647	500
7/29/2025	2.015	5.83	8.088	126.6	0	1.165	8.581	500
7/30/2025	0	0	0	79.96	0	0	8.808	500
7/31/2025	0	0	0	73.04	0	0	9.194	500
8/1/2025	0	0	0	71.04	0	0	9.917	500
8/2/2025	0	0	0	65.65	0	0	11.67	500
8/3/2025	0	0	0	59.2	0	0	9.991	500
8/4/2025	0	0	0	53.45	0	0	9.68	500

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
8/5/2025	1.841	5.19	7.2	48.14	0	0.9699	9.094	500
8/6/2025	1.849	5.19	7.2	12.41	0	0.9589	7.778	500
8/7/2025	0	0	0	12.16	0	0	7.961	500
8/8/2025	59.17	164.6	228.4	11.92	0	29.67	7.786	500
8/9/2025	212.7	591.7	820.8	290.9	0	106.6	7.85	500
8/10/2025	37.09	104.6	145.2	1179	0	19.6	6.519	500
8/11/2025	1.824	5.19	7.2	346.1	0	0.9945	7.197	500
8/12/2025	3.293	9.359	12.98	152.3	0	1.787	7.121	500
8/13/2025	3.303	9.359	12.98	126.6	0	1.774	7.851	500
8/14/2025	0	0	0	104.8	0	0	9.329	500
8/15/2025	0	0	0	84.23	0	0	7.715	500
8/16/2025	1.851	5.19	7.2	82.77	0	0.9551	7.421	500
8/17/2025	0	0	0	79.22	0	0	9.364	500
8/18/2025	0	0	0	72.68	0	0	7.745	500
8/19/2025	0	0	0	66.28	0	0	6.913	500
8/20/2025	64.8	178.8	248	60.45	0	31.43	6.23	500
8/21/2025	2.112	5.83	8.088	366.1	0	1.027	6.255	500
8/22/2025	0	0	0	51.04	0	0	5.836	500
8/23/2025	18.84	51.71	71.74	51.45	0	8.955	5.677	500
8/24/2025	9.872	27.01	37.46	106.8	0	4.629	5.949	500
8/25/2025	1.905	5.19	7.2	73.51	0	0.8787	5.231	500
8/26/2025	1.918	5.19	7.2	13.26	0	0.8601	5.298	500
8/27/2025	4.817	12.89	17.88	13.47	0	2.058	4.984	500
8/28/2025	21.05	55.24	76.63	13.38	0	8.251	4.292	500
8/29/2025	1.994	5.19	7.2	86.05	0	0.7512	4.028	500
8/30/2025	9.021	23.48	32.57	12.85	0	3.397	3.997	500
8/31/2025	1.994	5.19	7.2	23.96	0	0.751	3.704	500
9/1/2025	1.994	5.19	7.2	12.72	0	0.751	3.731	500
9/2/2025	2.24	5.83	8.088	12.5	0	0.8436	3.773	500
9/3/2025	8.642	22.49	31.2	12.25	0	3.254	3.626	500
9/4/2025	5.93	15.43	21.41	15.25	0	2.233	3.726	500
9/5/2025	2.971	7.733	10.73	15.18	0	1.119	3.654	500
9/6/2025	2.24	5.83	8.088	11.53	0	0.8436	3.386	500
9/7/2025	0	0	0	11.3	0	0	3.21	500
9/8/2025	42.54	110.7	153.6	11.07	0	16.02	3.085	500
9/9/2025	3.217	8.373	11.62	190.3	0	1.212	3.148	500
9/10/2025	0.9772	2.543	3.528	10.63	0	0.368	2.906	500
9/11/2025	28.52	74.23	103	11.2	0	10.74	2.356	500
9/12/2025	11.76	30.6	42.46	126.3	0	4.429	2.576	500
9/13/2025	0	0	0	53.43	0	0	2.867	500
9/14/2025	0.9772	2.543	3.528	12.46	0	0.368	2.577	500
9/15/2025	5.637	14.67	20.35	13.11	0	2.123	2.842	500
9/16/2025	0	0	0	0.6743	0	0	2.335	500
9/17/2025	0	0	0	0.6804	0	0	2.173	500
9/18/2025	0	0	0	2.406	0	0	2.175	500
9/19/2025	4.952	12.89	17.88	70.33	0	1.865	2.176	500
9/20/2025	0	0	0	29.42	0	0	2.47	500
9/21/2025	6.309	16.42	22.78	13.15	0	2.376	2.466	500
9/22/2025	0.9772	2.543	3.528	13.06	0	0.368	2.182	500
9/23/2025	4.035	10.5	14.57	12.87	0	1.52	2.095	500
9/24/2025	0	0	0	0.635	0	0	1.987	500
9/25/2025	0	0	0	0.6239	0	0	1.836	500
9/26/2025	0	0	0	0.6177	0	0	1.603	500
9/27/2025	0	0	0	0.6128	0	0	1.574	500
9/28/2025	0	0	0	0.6077	0	0	1.63	500
9/29/2025	0	0	0	0.602	0	0	1.442	500
9/30/2025	90.26	234.9	325.9	82.19	0	33.99	1.524	500
10/1/2025	0	0	0	486.6	0	0	1.519	250
10/2/2025	0	0	0	21.36	0	0	1.109	250
10/3/2025	0	0	0	10.24	0	0	1.376	250
10/4/2025	0	0	0	3.683	0	0	1.325	250
10/5/2025	0	0	0	2.743	0	0	1.164	250
10/6/2025	0	0	0	2.774	0	0	0.8963	250
10/7/2025	0	0	0	2.762	0	0	0.6278	250
10/8/2025	0	0	0	2.717	0	0	0.825	250
10/9/2025	0	0	0	2.645	0	0	0.8371	250
10/10/2025	0	0	0	2.556	0	0	0.8634	250
10/11/2025	0	0	0	2.453	0	0	0.9864	250
10/12/2025	0	0	0	0.6694	0	0	0.984	250
10/13/2025	0	0	0	0.67	0	0	1.009	250
10/14/2025	0	0	0	0.6679	0	0	0.8122	250
10/15/2025	0	0	0	0.6635	0	0	0.8245	250
10/16/2025	0	0	0	0.6575	0	0	0.8164	250
10/17/2025	0	0	0	0.6501	0	0	0.732	250
10/18/2025	0	0	0	0.6417	0	0	0.6344	250
10/19/2025	0	0	0	0.6325	0	0	0.4574	250
10/20/2025	0	0	0	0.6228	0	0	0.3387	250
10/21/2025	0	0	0	0.6127	0	0	0.434	250
10/22/2025	0	0	0	0.6024	0	0	0.3554	250
10/23/2025	0	0	0	0.5918	0	0	0.2705	250
10/24/2025	0	0	0	0.5812	0	0	0.515	250
10/25/2025	0	0	0	0.5705	0	0	0.6442	250
10/26/2025	0	0	0	0.5599	0	0	0.366	250
10/27/2025	0	0	0	0.5493	0	0	0.461	250
10/28/2025	0	0	0	0.5388	0	0	0.3254	250
10/29/2025	0	0	0	0.5285	0	0	0	250

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
10/30/2025	0	0	0	0.5182	0	0	0.3136	250
10/31/2025	0	0	0	0.5081	0	0	0.2135	250
11/1/2025	0	0	0	0.4981	0	0	0	0
11/2/2025	0	0	0	0.4883	0	0	0	0
11/3/2025	0	0	0	0.4787	0	0	0	0
11/4/2025	0	0	0	0.4692	0	0	0.02375	0
11/5/2025	0	0	0	0.4599	0	0	0.03431	0
11/6/2025	0	0	0	0.4508	0	0	0	0
11/7/2025	0	0	0	0.4418	0	0	0	0
11/8/2025	0	0	0	0.433	0	0	0	0
11/9/2025	0	0	0	0.4244	0	0	0	0
11/10/2025	0	0	0	0.4159	0	0	0	0
11/11/2025	0	0	0	0.4076	0	0	0	0
11/12/2025	0	0	0	0.3995	0	0	0.02116	0
11/13/2025	0	0	0	0.3915	0	0	0	0
11/14/2025	0	0	0	0.3837	0	0	0.08626	0
11/15/2025	0	0	0	0.3761	0	0	0.151	0
11/16/2025	0	0	0	0.3685	0	0	0.1805	0
11/17/2025	0	0	0	0.3612	0	0	0	0
11/18/2025	0	0	0	0.354	0	0	0	0
11/19/2025	0	0	0	0.3469	0	0	0	0
11/20/2025	0	0	0	0.3399	0	0	0	0
11/21/2025	0	0	0	0.3331	0	0	0	0
11/22/2025	0	0	0	0.3265	0	0	0	0
11/23/2025	0	0	0	0.32	0	0	0	0
11/24/2025	0	0	0	0.3136	0	0	0.03238	0
11/25/2025	0	0	0	0.3073	0	0	0	0
11/26/2025	0	0	0	0.3011	0	0	0.1085	0
11/27/2025	0	0	0	0.2951	0	0	0	0
11/28/2025	0	0	0	0.2892	0	0	0	0
11/29/2025	0	0	0	0.2834	0	0	0	0
11/30/2025	0	0	0	0.2778	0	0	0.04121	0
12/1/2025	0	0	0	0.2722	0	0	0.01581	0
12/2/2025	0	0	0	0.2668	0	0	0	0
12/3/2025	0	0	0	0.2614	0	0	0	0
12/4/2025	0	0	0	0.2562	0	0	0	0
12/5/2025	0	0	0	0.2511	0	0	0	0
12/6/2025	0	0	0	0.2461	0	0	0.013	0
12/7/2025	0	0	0	0.2411	0	0	0.01821	0
12/8/2025	0	0	0	0.2363	0	0	0	0
12/9/2025	0	0	0	0.2316	0	0	0	0
12/10/2025	0	0	0	0.227	0	0	0	0
12/11/2025	0	0	0	0.2224	0	0	0	0
12/12/2025	0	0	0	0.218	0	0	0	0
12/13/2025	0	0	0	0.2136	0	0	0	0
12/14/2025	0	0	0	0.2093	0	0	0	0
12/15/2025	0	0	0	0.2052	0	0	0.02579	0
12/16/2025	0	0	0	0.201	0	0	0	0
12/17/2025	0	0	0	0.197	0	0	0.01731	0
12/18/2025	0	0	0	0.1931	0	0	0	0
12/19/2025	0	0	0	0.1892	0	0	0	0
12/20/2025	0	0	0	0.1854	0	0	0	0
12/21/2025	0	0	0	0.1817	0	0	0	0
12/22/2025	0	0	0	0.1781	0	0	0	0
12/23/2025	0	0	0	0.1745	0	0	0	0
12/24/2025	0	0	0	0.171	0	0	0	0
12/25/2025	0	0	0	0.1676	0	0	0	0
12/26/2025	0	0	0	0.1643	0	0	0	0
12/27/2025	0	0	0	0.161	0	0	0	0
12/28/2025	0	0	0	0.1578	0	0	0	0
12/29/2025	0	0	0	0.1546	0	0	0	0
12/30/2025	0	0	0	0.1515	0	0	0	0
12/31/2025	0	0	0	0.1485	0	0	0	0
1/1/2026	0	0	0	0.1455	0	0	0	0
1/2/2026	0	0	0	0.1426	0	0	0	0
1/3/2026	0	0	0	0.1398	0	0	0	0
1/4/2026	0	0	0	0.137	0	0	0	0
1/5/2026	0	0	0	0.1342	0	0	0	0
1/6/2026	0	0	0	0.1315	0	0	0	0
1/7/2026	0	0	0	0.1289	0	0	0	0
1/8/2026	0	0	0	0.1263	0	0	0	0
1/9/2026	0	0	0	0.1238	0	0	0	0
1/10/2026	0	0	0	0.1213	0	0	0	0
1/11/2026	0	0	0	0.1189	0	0	0	0
1/12/2026	0	0	0	0.1165	0	0	0	0
1/13/2026	0	0	0	0.1142	0	0	0	0
1/14/2026	0	0	0	0.1119	0	0	0	0
1/15/2026	0	0	0	0.1097	0	0	0	0
1/16/2026	0	0	0	0.1075	0	0	0	0
1/17/2026	0	0	0	0.1053	0	0	0	0
1/18/2026	0	0	0	0.1032	0	0	0	0
1/19/2026	0	0	0	0.1012	0	0	0.001509	0
1/20/2026	0	0	0	0.09913	0	0	0.04883	0
1/21/2026	0	0	0	0.09715	0	0	0	0
1/22/2026	0	0	0	0.09521	0	0	0	0
1/23/2026	0	0	0	0.0933	0	0	0	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
1/24/2026	0	0	0	0.09144	0	0	0	0
1/25/2026	0	0	0	0.08961	0	0	0	0
1/26/2026	0	0	0	0.08782	0	0	0	0
1/27/2026	0	0	0	0.08606	0	0	0	0
1/28/2026	0	0	0	0.08434	0	0	0	0
1/29/2026	0	0	0	0.08265	0	0	0	0
1/30/2026	0	0	0	0.081	0	0	0	0
1/31/2026	0	0	0	0.07938	0	0	0	0
2/1/2026	0	0	0	0.07779	0	0	0	0
2/2/2026	0	0	0	0.07623	0	0	0	0
2/3/2026	0	0	0	0.07471	0	0	0	0
2/4/2026	0	0	0	0.07322	0	0	0	0
2/5/2026	0	0	0	0.07175	0	0	0	0
2/6/2026	0	0	0	0.07032	0	0	0	0
2/7/2026	0	0	0	0.06891	0	0	0	0
2/8/2026	0	0	0	0.06753	0	0	0	0
2/9/2026	0	0	0	0.06618	0	0	0	0
2/10/2026	0	0	0	0.06486	0	0	0	0
2/11/2026	0	0	0	0.06356	0	0	0	0
2/12/2026	0	0	0	0.06229	0	0	0	0
2/13/2026	0	0	0	0.06104	0	0	0	0
2/14/2026	0	0	0	0.05982	0	0	0	0
2/15/2026	0	0	0	0.05863	0	0	0	0
2/16/2026	0	0	0	0.05745	0	0	0	0
2/17/2026	0	0	0	0.0563	0	0	0	0
2/18/2026	0	0	0	0.05518	0	0	0	0
2/19/2026	0	0	0	0.05407	0	0	0	0
2/20/2026	0	0	0	0.05299	0	0	0	0
2/21/2026	0	0	0	0.05193	0	0	0	0
2/22/2026	0	0	0	0.05089	0	0	0	0
2/23/2026	0	0	0	0.04988	0	0	0	0
2/24/2026	0	0	0	0.04888	0	0	0	0
2/25/2026	0	0	0	0.0479	0	0	0	0
2/26/2026	0	0	0	0.04694	0	0	0	0
2/27/2026	0	0	0	0.046	0	0	0.622	0
2/28/2026	0	0	0	0.04508	0	0	0	0
3/1/2026	0	0	0	0.04418	0	0	0	0
3/2/2026	0	0	0	0.0433	0	0	0	0
3/3/2026	0	0	0	0.04243	0	0	0	0
3/4/2026	0	0	0	0.04158	0	0	0	0
3/5/2026	0	0	0	0.04075	0	0	0	0
3/6/2026	0	0	0	0.03994	0	0	0	0
3/7/2026	0	0	0	0.03914	0	0	0	0
3/8/2026	0	0	0	0.03836	0	0	0	0
3/9/2026	0	0	0	0.03759	0	0	0	0
3/10/2026	0	0	0	0.03684	0	0	0	0
3/11/2026	0	0	0	0.0361	0	0	0	0
3/12/2026	0	0	0	0.03538	0	0	0	0
3/13/2026	0	0	0	0.03467	0	0	0	0
3/14/2026	0	0	0	0.03398	0	0	0	0
3/15/2026	0	0	0	0.0333	0	0	0	0
3/16/2026	0	0	0	0.03263	0	0	0	0
3/17/2026	0	0	0	0.03198	0	0	0	0
3/18/2026	0	0	0	0.03134	0	0	0	0
3/19/2026	0	0	0	0.03071	0	0	0	0
3/20/2026	0	0	0	0.0301	0	0	0	0
3/21/2026	0	0	0	0.0295	0	0	0	0
3/22/2026	0	0	0	0.02891	0	0	0	0
3/23/2026	0	0	0	0.02833	0	0	0.6498	0
3/24/2026	0	0	0	0.02776	0	0	1.622	0
3/25/2026	0	0	0	0.02721	0	0	0.9508	0
3/26/2026	0	0	0	0.02666	0	0	0.2805	0
3/27/2026	0	0	0	0.02613	0	0	0	0
3/28/2026	0	0	0	0.02561	0	0	0	0
3/29/2026	0	0	0	0.0251	0	0	0	0
3/30/2026	0	0	0	0.02459	0	0	0	0
3/31/2026	0	0	0	0.0241	0	0	0	0
4/1/2026	0	0	0	0.02362	0	0	0.7145	0
4/2/2026	0	0	0	0.02315	0	0	1.095	0
4/3/2026	0	0	0	0.02268	0	0	0	0
4/4/2026	0	0	0	0.02223	0	0	0	0
4/5/2026	0	0	0	0.02179	0	0	0	0
4/6/2026	0	0	0	0.02135	0	0	0	0
4/7/2026	0	0	0	0.02092	0	0	0	0
4/8/2026	0	0	0	0.0205	0	0	0	0
4/9/2026	0	0	0	0.02009	0	0	0	0
4/10/2026	0	0	0	0.01969	0	0	0	0
4/11/2026	0	0	0	0.0193	0	0	0	0
4/12/2026	0	0	0	0.01891	0	0	0	0
4/13/2026	0	0	0	0.01853	0	0	0	0
4/14/2026	0	0	0	0.01816	0	0	0.3378	0
4/15/2026	0	0	0	0.0178	0	0	1.228	0
4/16/2026	0	0	0	0.01744	0	0	1.182	0
4/17/2026	0	0	0	0.0171	0	0	0.8256	0
4/18/2026	0	0	0	0.01675	0	0	0.5507	0
4/19/2026	0	0	0	0.01642	0	0	0.4145	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
4/20/2026	0	0	0	0.01609	0	0	0	0
4/21/2026	0	0	0	0.01577	0	0	0	0
4/22/2026	0	0	0	0.01545	0	0	0	0
4/23/2026	0	0	0	0.01514	0	0	0	0
4/24/2026	0	0	0	0.01484	0	0	0	0
4/25/2026	0	0	0	0.01454	0	0	0	0
4/26/2026	0	0	0	0.01425	0	0	0	0
4/27/2026	0	0	0	0.01397	0	0	0	0
4/28/2026	0	0	0	0.01369	0	0	0.7631	0
4/29/2026	0	0	0	0.01342	0	0	0	0
4/30/2026	0	0	0	0.01315	0	0	0	0
5/1/2026	0	0	0	0.01288	0	0	0.563	0
5/2/2026	0	0	0	0.01263	0	0	2.043	0
5/3/2026	0	0	0	0.01237	0	0.848	2.484	0
5/4/2026	0	0	0	0.01213	0	0	2.799	0
5/5/2026	0	0	0	0.01188	0	0	1.34	0
5/6/2026	0	0	0	0.01165	0	0	2.4	0
5/7/2026	0	0	0	0.01141	0	0	2.424	0
5/8/2026	0	0	0	0.01118	0	0	2.385	0
5/9/2026	0	0	0	0.01096	0	0	3.598	0
5/10/2026	0	0	0	0.01074	0	0	4.157	0
5/11/2026	0	0	0	0.01053	0	0	4.06	0
5/12/2026	0	0	0	0.01032	0	0	4.037	0
5/13/2026	0	0	0	0.01011	0	0	3.682	0
5/14/2026	0	0	0	0.009908	0	0	4.195	0
5/15/2026	10.42	27.11	37.61	45.49	0	3.923	3.306	0
5/16/2026	11.47	29.88	41.45	142.2	0	4.342	4.003	0
5/17/2026	30.19	79.29	110	201.7	0	11.87	4.267	0
5/18/2026	2.07	5.536	7.68	263.6	0	0.883	5.103	0
5/19/2026	0	0	0	17.18	0	0	5.045	0
5/20/2026	0	0	0	0.1424	0	0	5.187	0
5/21/2026	8.522	22.96	31.85	42.98	0	3.75	5.407	0
5/22/2026	15.68	42.33	58.73	203.7	0	6.968	5.872	0
5/23/2026	19.67	53.42	74.11	462.2	0	8.961	5.778	0
5/24/2026	25.49	69.82	96.86	465.3	0	12.01	5.59	0
5/25/2026	27.55	75.96	105.4	280.3	0	13.34	5.85	0
5/26/2026	4.913	13.62	18.89	227.4	0	2.426	6.177	0
5/27/2026	11.05	30.71	42.6	92.44	0	5.509	5.657	0
5/28/2026	6.678	18.58	25.78	84.83	0	3.348	5.632	0
5/29/2026	22.66	63.13	87.58	152.7	0	11.41	6.279	0
5/30/2026	31.86	89.01	123.5	718	0	16.23	7.205	0
5/31/2026	42.09	118.7	164.6	1170	0	22.19	7.989	0
6/1/2026	46.02	131.5	182.4	1612	0	25.45	8.173	250
6/2/2026	39.15	113.5	157.4	1976	0	22.79	9.051	250
6/3/2026	19.66	57.94	80.38	1338	0	12.11	7.497	250
6/4/2026	24.63	73.35	101.8	504.8	0	15.69	8.578	250
6/5/2026	26.02	77.8	107.9	404.5	0	16.79	8.54	250
6/6/2026	34.03	102.1	141.6	347.1	0	22.18	9.078	250
6/7/2026	55.54	167.1	231.8	299.8	0	36.57	9.888	250
6/8/2026	57.78	174.6	242.3	260.1	0	38.58	8.661	250
6/9/2026	36.57	111	154	423.9	0	24.74	9.206	250
6/10/2026	26.34	80.27	111.4	253.8	0	18.05	9.379	250
6/11/2026	31.27	95.5	132.5	205.7	0	21.58	9.399	250
6/12/2026	16.28	49.82	69.12	191.8	0	11.31	8.811	250
6/13/2026	17.62	53.98	74.88	181.3	0	12.27	8.782	250
6/14/2026	36.01	110.4	153.1	169.6	0	25.12	9.691	250
6/15/2026	51.26	157.4	218.4	156.7	0	35.99	10.3	250
6/16/2026	38.06	117.3	162.7	144.6	0	26.98	9.912	250
6/17/2026	48.74	150.5	208.8	133.3	0	34.77	10.64	250
6/18/2026	22.61	70.05	97.17	122.8	0	16.28	11.07	250
6/19/2026	1.674	5.19	7.2	112.9	0	1.208	10.92	250
6/20/2026	1.677	5.19	7.2	103.7	0	1.205	11.11	250
6/21/2026	1.679	5.19	7.2	95.12	0	1.201	12.94	250
6/22/2026	0	0	0	86.9	0	0	10.9	250
6/23/2026	0	0	0	79.37	0	0	9.873	250
6/24/2026	0	0	0	72.5	0	0	10.84	250
6/25/2026	0	0	0	65.98	0	0	10.6	250
6/26/2026	0	0	0	59.94	0	0	10.93	250
6/27/2026	0	0	0	54.28	0	0	13.59	250
6/28/2026	0	0	0	48.64	0	0	16.45	250
6/29/2026	0	0	0	12.29	0	0	26.11	250
6/30/2026	0	0	0	12.04	0	0	44.41	250
7/1/2026	0	0	0	11.8	0	0	11.23	500
7/2/2026	0	0	0	11.57	0	0	11.25	500
7/3/2026	0	0	0	11.33	0	0	18.58	500
7/4/2026	0	0	0	11.11	0	0	14.64	500
7/5/2026	0	0	0	10.89	0	0	10.56	500
7/6/2026	1.747	5.19	7.2	10.67	0	1.105	10.73	500
7/7/2026	178.5	528.2	732.7	10.45	0	111.4	10.67	500
7/8/2026	59.87	178.8	248	1018	0	38.47	11.22	500
7/9/2026	3.108	9.359	12.98	438.2	0	2.052	11.45	500
7/10/2026	0	0	0	121.9	0	0	11.32	500
7/11/2026	0	0	0	96.78	0	0	11.39	500
7/12/2026	1.736	5.19	7.2	72.21	0	1.121	12.01	500
7/13/2026	0	0	0	66.63	0	0	12.07	500
7/14/2026	0	0	0	64.42	0	0	11.93	500

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
7/15/2026	0	0	0	58.66	0	0	17.07	500
7/16/2026	0	0	0	52.07	0	0	11.76	500
7/17/2026	0	0	0	13.34	0	0	12.33	500
7/18/2026	0	0	0	13.08	0	0	13.91	500
7/19/2026	0	0	0	12.81	0	0	11.96	500
7/20/2026	0	0	0	12.56	0	0	11.53	500
7/21/2026	1.797	5.19	7.2	12.31	0	1.033	11.48	500
7/22/2026	25.34	72.88	101.1	12.06	0	14.36	10.05	500
7/23/2026	46.31	132.9	184.3	103.2	0	26.02	9.594	500
7/24/2026	5.722	16.42	22.78	245.6	0	3.213	9.085	500
7/25/2026	196.7	563.4	781.7	17.87	0	109.8	9.606	500
7/26/2026	6.898	19.95	27.67	1110	0	3.982	9.762	500
7/27/2026	0	0	0	149.1	0	0	11.21	500
7/28/2026	15.4	44.65	61.94	115	0	8.968	9.644	500
7/29/2026	2.016	5.83	8.088	126.6	0	1.165	8.578	500
7/30/2026	0	0	0	79.96	0	0	8.805	500
7/31/2026	0	0	0	73.04	0	0	9.191	500
8/1/2026	0	0	0	71.04	0	0	9.913	500
8/2/2026	0	0	0	65.65	0	0	11.66	500
8/3/2026	0	0	0	59.2	0	0	9.987	500
8/4/2026	0	0	0	53.45	0	0	9.676	500
8/5/2026	1.841	5.19	7.2	48.14	0	0.9695	9.09	500
8/6/2026	1.849	5.19	7.2	12.41	0	0.9585	7.774	500
8/7/2026	0	0	0	12.16	0	0	7.958	500
8/8/2026	59.18	164.6	228.4	11.92	0	29.66	7.783	500
8/9/2026	212.7	591.7	820.8	290.9	0	106.6	7.846	500
8/10/2026	37.1	104.6	145.2	1179	0	19.59	6.516	500
8/11/2026	1.824	5.19	7.2	346.1	0	0.9941	7.194	500
8/12/2026	3.294	9.359	12.98	152.3	0	1.787	7.118	500
8/13/2026	3.303	9.359	12.98	126.6	0	1.773	7.848	500
8/14/2026	0	0	0	104.8	0	0	9.325	500
8/15/2026	0	0	0	84.23	0	0	7.712	500
8/16/2026	1.852	5.19	7.2	82.77	0	0.9547	7.418	500
8/17/2026	0	0	0	79.22	0	0	9.36	500
8/18/2026	0	0	0	72.68	0	0	7.742	500
8/19/2026	0	0	0	66.28	0	0	6.91	500
8/20/2026	64.81	178.8	248	60.45	0	31.41	6.227	500
8/21/2026	2.112	5.83	8.088	366.1	0	1.027	6.252	500
8/22/2026	0	0	0	51.04	0	0	5.833	500
8/23/2026	18.84	51.71	71.74	51.45	0	8.95	5.675	500
8/24/2026	9.874	27.01	37.46	106.8	0	4.626	5.945	500
8/25/2026	1.905	5.19	7.2	73.51	0	0.878	5.227	500
8/26/2026	1.919	5.19	7.2	13.26	0	0.8592	5.293	500
8/27/2026	4.82	12.89	17.88	13.47	0	2.055	4.976	500
8/28/2026	21.06	55.24	76.63	13.38	0	8.23	4.281	500
8/29/2026	1.994	5.19	7.2	86.05	0	0.751	4.027	500
8/30/2026	9.021	23.48	32.57	12.85	0	3.397	3.997	500
8/31/2026	1.994	5.19	7.2	23.96	0	0.751	3.704	500
9/1/2026	1.994	5.19	7.2	12.72	0	0.751	3.731	500
9/2/2026	2.24	5.83	8.088	12.5	0	0.8436	3.773	500
9/3/2026	8.642	22.49	31.2	12.25	0	3.254	3.626	500
9/4/2026	5.93	15.43	21.41	15.25	0	2.233	3.726	500
9/5/2026	2.971	7.733	10.73	15.18	0	1.119	3.654	500
9/6/2026	2.24	5.83	8.088	11.53	0	0.8436	3.386	500
9/7/2026	0	0	0	11.3	0	0	3.21	500
9/8/2026	42.54	110.7	153.6	11.07	0	16.02	3.085	500
9/9/2026	3.217	8.373	11.62	190.3	0	1.212	3.148	500
9/10/2026	0.9772	2.543	3.528	10.63	0	0.368	2.906	500
9/11/2026	28.52	74.23	103	11.2	0	10.74	2.356	500
9/12/2026	11.76	30.6	42.46	126.3	0	4.429	2.576	500
9/13/2026	0	0	0	53.43	0	0	2.867	500
9/14/2026	0.9772	2.543	3.528	12.46	0	0.368	2.577	500
9/15/2026	5.637	14.67	20.35	13.11	0	2.123	2.842	500
9/16/2026	0	0	0	0.6743	0	0	2.335	500
9/17/2026	0	0	0	0.6804	0	0	2.173	500
9/18/2026	0	0	0	2.406	0	0	2.175	500
9/19/2026	4.952	12.89	17.88	70.33	0	1.865	2.176	500
9/20/2026	0	0	0	29.42	0	0	2.47	500
9/21/2026	6.309	16.42	22.78	13.15	0	2.376	2.466	500
9/22/2026	0.9772	2.543	3.528	13.06	0	0.368	2.182	500
9/23/2026	4.035	10.5	14.57	12.87	0	1.52	2.095	500
9/24/2026	0	0	0	0.635	0	0	1.987	500
9/25/2026	0	0	0	0.6239	0	0	1.836	500
9/26/2026	0	0	0	0.6177	0	0	1.603	500
9/27/2026	0	0	0	0.6128	0	0	1.574	500
9/28/2026	0	0	0	0.6077	0	0	1.63	500
9/29/2026	0	0	0	0.602	0	0	1.442	500
9/30/2026	90.26	234.9	325.9	82.19	0	33.99	1.524	500
10/1/2026	0	0	0	486.6	0	0	1.519	250
10/2/2026	0	0	0	21.36	0	0	1.109	250
10/3/2026	0	0	0	10.24	0	0	1.376	250
10/4/2026	0	0	0	3.683	0	0	1.325	250
10/5/2026	0	0	0	2.743	0	0	1.164	250
10/6/2026	0	0	0	2.774	0	0	0.8963	250
10/7/2026	0	0	0	2.762	0	0	0.6278	250
10/8/2026	0	0	0	2.717	0	0	0.825	250

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
10/9/2026	0	0	0	2.645	0	0	0.8371	250
10/10/2026	0	0	0	2.556	0	0	0.8634	250
10/11/2026	0	0	0	2.453	0	0	0.9864	250
10/12/2026	0	0	0	0.6694	0	0	0.984	250
10/13/2026	0	0	0	0.67	0	0	1.009	250
10/14/2026	0	0	0	0.6679	0	0	0.8122	250
10/15/2026	0	0	0	0.6635	0	0	0.8245	250
10/16/2026	0	0	0	0.6575	0	0	0.8164	250
10/17/2026	0	0	0	0.6501	0	0	0.732	250
10/18/2026	0	0	0	0.6417	0	0	0.6344	250
10/19/2026	0	0	0	0.6325	0	0	0.4574	250
10/20/2026	0	0	0	0.6228	0	0	0.3387	250
10/21/2026	0	0	0	0.6127	0	0	0.434	250
10/22/2026	0	0	0	0.6024	0	0	0.3554	250
10/23/2026	0	0	0	0.5918	0	0	0.2705	250
10/24/2026	0	0	0	0.5812	0	0	0.515	250
10/25/2026	0	0	0	0.5705	0	0	0.6442	250
10/26/2026	0	0	0	0.5599	0	0	0.366	250
10/27/2026	0	0	0	0.5493	0	0	0.461	250
10/28/2026	0	0	0	0.5388	0	0	0.3254	250
10/29/2026	0	0	0	0.5285	0	0	0	250
10/30/2026	0	0	0	0.5182	0	0	0.3136	250
10/31/2026	0	0	0	0.5081	0	0	0.2135	250
11/1/2026	0	0	0	0.4981	0	0	0	0
11/2/2026	0	0	0	0.4883	0	0	0	0
11/3/2026	0	0	0	0.4787	0	0	0	0
11/4/2026	0	0	0	0.4692	0	0	0.02375	0
11/5/2026	0	0	0	0.4599	0	0	0.03431	0
11/6/2026	0	0	0	0.4508	0	0	0	0
11/7/2026	0	0	0	0.4418	0	0	0	0
11/8/2026	0	0	0	0.433	0	0	0	0
11/9/2026	0	0	0	0.4244	0	0	0	0
11/10/2026	0	0	0	0.4159	0	0	0	0
11/11/2026	0	0	0	0.4076	0	0	0	0
11/12/2026	0	0	0	0.3995	0	0	0.02116	0
11/13/2026	0	0	0	0.3915	0	0	0	0
11/14/2026	0	0	0	0.3837	0	0	0.08626	0
11/15/2026	0	0	0	0.3761	0	0	0.151	0
11/16/2026	0	0	0	0.3685	0	0	0.1805	0
11/17/2026	0	0	0	0.3612	0	0	0	0
11/18/2026	0	0	0	0.354	0	0	0	0
11/19/2026	0	0	0	0.3469	0	0	0	0
11/20/2026	0	0	0	0.3399	0	0	0	0
11/21/2026	0	0	0	0.3331	0	0	0	0
11/22/2026	0	0	0	0.3265	0	0	0	0
11/23/2026	0	0	0	0.32	0	0	0	0
11/24/2026	0	0	0	0.3136	0	0	0.03238	0
11/25/2026	0	0	0	0.3073	0	0	0	0
11/26/2026	0	0	0	0.3011	0	0	0.1085	0
11/27/2026	0	0	0	0.2951	0	0	0	0
11/28/2026	0	0	0	0.2892	0	0	0	0
11/29/2026	0	0	0	0.2834	0	0	0	0
11/30/2026	0	0	0	0.2778	0	0	0.04121	0
12/1/2026	0	0	0	0.2722	0	0	0.01581	0
12/2/2026	0	0	0	0.2668	0	0	0	0
12/3/2026	0	0	0	0.2614	0	0	0	0
12/4/2026	0	0	0	0.2562	0	0	0	0
12/5/2026	0	0	0	0.2511	0	0	0	0
12/6/2026	0	0	0	0.2461	0	0	0.013	0
12/7/2026	0	0	0	0.2411	0	0	0.01821	0
12/8/2026	0	0	0	0.2363	0	0	0	0
12/9/2026	0	0	0	0.2316	0	0	0	0
12/10/2026	0	0	0	0.227	0	0	0	0
12/11/2026	0	0	0	0.2224	0	0	0	0
12/12/2026	0	0	0	0.218	0	0	0	0
12/13/2026	0	0	0	0.2136	0	0	0	0
12/14/2026	0	0	0	0.2093	0	0	0	0
12/15/2026	0	0	0	0.2052	0	0	0.02579	0
12/16/2026	0	0	0	0.201	0	0	0	0
12/17/2026	0	0	0	0.197	0	0	0.01731	0
12/18/2026	0	0	0	0.1931	0	0	0	0
12/19/2026	0	0	0	0.1892	0	0	0	0
12/20/2026	0	0	0	0.1854	0	0	0	0
12/21/2026	0	0	0	0.1817	0	0	0	0
12/22/2026	0	0	0	0.1781	0	0	0	0
12/23/2026	0	0	0	0.1745	0	0	0	0
12/24/2026	0	0	0	0.171	0	0	0	0
12/25/2026	0	0	0	0.1676	0	0	0	0
12/26/2026	0	0	0	0.1643	0	0	0	0
12/27/2026	0	0	0	0.161	0	0	0	0
12/28/2026	0	0	0	0.1578	0	0	0	0
12/29/2026	0	0	0	0.1546	0	0	0	0
12/30/2026	0	0	0	0.1515	0	0	0	0
12/31/2026	0	0	0	0.1485	0	0	0	0
1/1/2027	0	0	0	0.1455	0	0	0	0
1/2/2027	0	0	0	0.1426	0	0	0	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
1/3/2027	0	0	0	0.1398	0	0	0	0
1/4/2027	0	0	0	0.137	0	0	0	0
1/5/2027	0	0	0	0.1342	0	0	0	0
1/6/2027	0	0	0	0.1315	0	0	0	0
1/7/2027	0	0	0	0.1289	0	0	0	0
1/8/2027	0	0	0	0.1263	0	0	0	0
1/9/2027	0	0	0	0.1238	0	0	0	0
1/10/2027	0	0	0	0.1213	0	0	0	0
1/11/2027	0	0	0	0.1189	0	0	0	0
1/12/2027	0	0	0	0.1165	0	0	0	0
1/13/2027	0	0	0	0.1142	0	0	0	0
1/14/2027	0	0	0	0.1119	0	0	0	0
1/15/2027	0	0	0	0.1097	0	0	0	0
1/16/2027	0	0	0	0.1075	0	0	0	0
1/17/2027	0	0	0	0.1053	0	0	0	0
1/18/2027	0	0	0	0.1032	0	0	0	0
1/19/2027	0	0	0	0.1012	0	0	0.001509	0
1/20/2027	0	0	0	0.09913	0	0	0.04883	0
1/21/2027	0	0	0	0.09715	0	0	0	0
1/22/2027	0	0	0	0.09521	0	0	0	0
1/23/2027	0	0	0	0.0933	0	0	0	0
1/24/2027	0	0	0	0.09144	0	0	0	0
1/25/2027	0	0	0	0.08961	0	0	0	0
1/26/2027	0	0	0	0.08782	0	0	0	0
1/27/2027	0	0	0	0.08606	0	0	0	0
1/28/2027	0	0	0	0.08434	0	0	0	0
1/29/2027	0	0	0	0.08265	0	0	0	0
1/30/2027	0	0	0	0.081	0	0	0	0
1/31/2027	0	0	0	0.07938	0	0	0	0
2/1/2027	0	0	0	0.07779	0	0	0	0
2/2/2027	0	0	0	0.07623	0	0	0	0
2/3/2027	0	0	0	0.07471	0	0	0	0
2/4/2027	0	0	0	0.07322	0	0	0	0
2/5/2027	0	0	0	0.07175	0	0	0	0
2/6/2027	0	0	0	0.07032	0	0	0	0
2/7/2027	0	0	0	0.06891	0	0	0	0
2/8/2027	0	0	0	0.06753	0	0	0	0
2/9/2027	0	0	0	0.06618	0	0	0	0
2/10/2027	0	0	0	0.06486	0	0	0	0
2/11/2027	0	0	0	0.06356	0	0	0	0
2/12/2027	0	0	0	0.06229	0	0	0	0
2/13/2027	0	0	0	0.06104	0	0	0	0
2/14/2027	0	0	0	0.05982	0	0	0	0
2/15/2027	0	0	0	0.05863	0	0	0	0
2/16/2027	0	0	0	0.05745	0	0	0	0
2/17/2027	0	0	0	0.0563	0	0	0	0
2/18/2027	0	0	0	0.05518	0	0	0	0
2/19/2027	0	0	0	0.05407	0	0	0	0
2/20/2027	0	0	0	0.05299	0	0	0	0
2/21/2027	0	0	0	0.05193	0	0	0	0
2/22/2027	0	0	0	0.05089	0	0	0	0
2/23/2027	0	0	0	0.04988	0	0	0	0
2/24/2027	0	0	0	0.04888	0	0	0	0
2/25/2027	0	0	0	0.0479	0	0	0	0
2/26/2027	0	0	0	0.04694	0	0	0	0
2/27/2027	0	0	0	0.046	0	0	0	0
2/28/2027	0	0	0	0.04508	0	0	0	0
3/1/2027	0	0	0	0.04418	0	0	0	0
3/2/2027	0	0	0	0.0433	0	0	0	0
3/3/2027	0	0	0	0.04243	0	0	0	0
3/4/2027	0	0	0	0.04158	0	0	0	0
3/5/2027	0	0	0	0.04075	0	0	0	0
3/6/2027	0	0	0	0.03994	0	0	0	0
3/7/2027	0	0	0	0.03914	0	0	0	0
3/8/2027	0	0	0	0.03836	0	0	0	0
3/9/2027	0	0	0	0.03759	0	0	0	0
3/10/2027	0	0	0	0.03684	0	0	0	0
3/11/2027	0	0	0	0.0361	0	0	0	0
3/12/2027	0	0	0	0.03538	0	0	0	0
3/13/2027	0	0	0	0.03467	0	0	0	0
3/14/2027	0	0	0	0.03398	0	0	0	0
3/15/2027	0	0	0	0.0333	0	0	0	0
3/16/2027	0	0	0	0.03263	0	0	0	0
3/17/2027	0	0	0	0.03198	0	0	0	0
3/18/2027	0	0	0	0.03134	0	0	0	0
3/19/2027	0	0	0	0.03071	0	0	0	0
3/20/2027	0	0	0	0.0301	0	0	0	0
3/21/2027	0	0	0	0.0295	0	0	0	0
3/22/2027	0	0	0	0.02891	0	0	0	0
3/23/2027	0	0	0	0.02833	0	0	0.6498	0
3/24/2027	0	0	0	0.02776	0	0	1.622	0
3/25/2027	0	0	0	0.02721	0	0	0.9508	0
3/26/2027	0	0	0	0.02666	0	0	0.2805	0
3/27/2027	0	0	0	0.02613	0	0	0	0
3/28/2027	0	0	0	0.02561	0	0	0	0
3/29/2027	0	0	0	0.0251	0	0	0	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
3/30/2027	0	0	0	0.02459	0	0	0	0
3/31/2027	0	0	0	0.0241	0	0	0	0
4/1/2027	0	0	0	0.02362	0	0	0.7145	0
4/2/2027	0	0	0	0.02315	0	0	1.095	0
4/3/2027	0	0	0	0.02268	0	0	0	0
4/4/2027	0	0	0	0.02223	0	0	0	0
4/5/2027	0	0	0	0.02179	0	0	0	0
4/6/2027	0	0	0	0.02135	0	0	0	0
4/7/2027	0	0	0	0.02092	0	0	0	0
4/8/2027	0	0	0	0.0205	0	0	0	0
4/9/2027	0	0	0	0.02009	0	0	0	0
4/10/2027	0	0	0	0.01969	0	0	0	0
4/11/2027	0	0	0	0.0193	0	0	0	0
4/12/2027	0	0	0	0.01891	0	0	0	0
4/13/2027	0	0	0	0.01853	0	0	0	0
4/14/2027	0	0	0	0.01816	0	0	0.3378	0
4/15/2027	0	0	0	0.0178	0	0	1.228	0
4/16/2027	0	0	0	0.01744	0	0	1.182	0
4/17/2027	0	0	0	0.0171	0	0	0.8256	0
4/18/2027	0	0	0	0.01675	0	0	0.5507	0
4/19/2027	0	0	0	0.01642	0	0	0.4145	0
4/20/2027	0	0	0	0.01609	0	0	0	0
4/21/2027	0	0	0	0.01577	0	0	0	0
4/22/2027	0	0	0	0.01545	0	0	0	0
4/23/2027	0	0	0	0.01514	0	0	0	0
4/24/2027	0	0	0	0.01484	0	0	0	0
4/25/2027	0	0	0	0.01454	0	0	0	0
4/26/2027	0	0	0	0.01425	0	0	0	0
4/27/2027	0	0	0	0.01397	0	0	0	0
4/28/2027	0	0	0	0.01369	0	0	0.7631	0
4/29/2027	0	0	0	0.01342	0	0	0	0
4/30/2027	0	0	0	0.01315	0	0	0	0
5/1/2027	0	0	0	0.01288	0	0	0.563	0
5/2/2027	0	0	0	0.01263	0	0	2.043	0
5/3/2027	0	0	0	0.01237	0	0	2.484	0
5/4/2027	0	0	0	0.01213	0	0	2.799	0
5/5/2027	0	0	0	0.01188	0	0	1.34	0
5/6/2027	0	0	0	0.01165	0	0	2.4	0
5/7/2027	0	0	0	0.01141	0	0	2.424	0
5/8/2027	0	0	0	0.01118	0	0	2.385	0
5/9/2027	0	0	0	0.01096	0	0	3.598	0
5/10/2027	0	0	0	0.01074	0	0	4.157	0
5/11/2027	0	0	0	0.01053	0	0	4.06	0
5/12/2027	0	0	0	0.01032	0	0	4.037	0
5/13/2027	0	0	0	0.01011	0	0	3.682	0
5/14/2027	0	0	0	0.009908	0	0	4.195	0
5/15/2027	10.42	27.11	37.61	45.49	0	3.923	3.306	0
5/16/2027	11.47	29.88	41.45	142.2	0	4.342	4.003	0
5/17/2027	30.19	79.29	110	201.7	0	11.87	4.267	0
5/18/2027	2.07	5.536	7.68	263.6	0	0.883	5.103	0
5/19/2027	0	0	0	17.18	0	0	5.045	0
5/20/2027	0	0	0	0.1424	0	0	5.187	0
5/21/2027	8.522	22.96	31.85	42.98	0	3.75	5.407	0
5/22/2027	15.68	42.33	58.73	203.7	0	6.968	5.872	0
5/23/2027	19.67	53.42	74.11	462.2	0	8.961	5.778	0
5/24/2027	25.49	69.82	96.86	465.3	0	12.01	5.59	0
5/25/2027	27.55	75.96	105.4	280.3	0	13.34	5.85	0
5/26/2027	4.913	13.62	18.89	227.4	0	2.426	6.177	0
5/27/2027	11.05	30.71	42.6	92.44	0	5.509	5.657	0
5/28/2027	6.678	18.58	25.78	84.83	0	3.348	5.632	0
5/29/2027	22.66	63.13	87.58	152.7	0	11.41	6.279	0
5/30/2027	31.86	89.01	123.5	718	0	16.23	7.205	0
5/31/2027	42.09	118.7	164.6	1170	0	22.19	7.989	0
6/1/2027	46.02	131.5	182.4	1612	0	25.45	8.173	250
6/2/2027	39.15	113.5	157.4	1976	0	22.79	9.051	250
6/3/2027	19.66	57.94	80.38	1338	0	12.11	7.497	250
6/4/2027	24.63	73.35	101.8	504.8	0	15.69	8.578	250
6/5/2027	26.02	77.8	107.9	404.5	0	16.79	8.54	250
6/6/2027	34.03	102.1	141.6	347.1	0	22.18	9.078	250
6/7/2027	55.54	167.1	231.8	299.8	0	36.57	9.888	250
6/8/2027	57.78	174.6	242.3	260.1	0	38.58	8.661	250
6/9/2027	36.57	111	154	423.9	0	24.74	9.206	250
6/10/2027	26.34	80.27	111.4	253.8	0	18.05	9.379	250
6/11/2027	31.27	95.5	132.5	205.7	0	21.58	9.399	250
6/12/2027	16.28	49.82	69.12	191.8	0	11.31	8.811	250
6/13/2027	17.62	53.98	74.88	181.3	0	12.27	8.782	250
6/14/2027	36.01	110.4	153.1	169.6	0	25.12	9.691	250
6/15/2027	51.26	157.4	218.4	156.7	0	35.99	10.3	250
6/16/2027	38.06	117.3	162.7	144.6	0	26.98	9.912	250
6/17/2027	48.74	150.5	208.8	133.3	0	34.77	10.64	250
6/18/2027	22.61	70.05	97.17	122.8	0	16.28	11.07	250
6/19/2027	1.674	5.19	7.2	112.9	0	1.208	10.92	250
6/20/2027	1.677	5.19	7.2	103.7	0	1.205	11.11	250
6/21/2027	1.679	5.19	7.2	95.12	0	1.201	12.94	250
6/22/2027	0	0	0	86.9	0	0	10.9	250
6/23/2027	0	0	0	79.37	0	0	9.873	250

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
6/24/2027	0	0	0	72.5	0	0	10.84	250
6/25/2027	0	0	0	65.98	0	0	10.6	250
6/26/2027	0	0	0	59.94	0	0	10.93	250
6/27/2027	0	0	0	54.28	0	0	13.59	250
6/28/2027	0	0	0	48.64	0	0	16.45	250
6/29/2027	0	0	0	12.29	0	0	26.11	250
6/30/2027	0	0	0	12.04	0	0	44.41	250
7/1/2027	0	0	0	11.8	0	0	11.23	500
7/2/2027	0	0	0	11.57	0	0	11.25	500
7/3/2027	0	0	0	11.33	0	0	18.58	500
7/4/2027	0	0	0	11.11	0	0	14.64	500
7/5/2027	0	0	0	10.89	0	0	10.56	500
7/6/2027	1.747	5.19	7.2	10.67	0	1.105	10.73	500
7/7/2027	178.5	528.2	732.7	10.45	0	111.4	10.67	500
7/8/2027	59.87	178.8	248	1018	0	38.47	11.22	500
7/9/2027	3.108	9.359	12.98	438.2	0	2.052	11.45	500
7/10/2027	0	0	0	121.9	0	0	11.32	500
7/11/2027	0	0	0	96.78	0	0	11.39	500
7/12/2027	1.736	5.19	7.2	72.21	0	1.121	12.01	500
7/13/2027	0	0	0	66.63	0	0	12.07	500
7/14/2027	0	0	0	64.42	0	0	11.93	500
7/15/2027	0	0	0	58.66	0	0	17.07	500
7/16/2027	0	0	0	52.07	0	0	11.76	500
7/17/2027	0	0	0	13.34	0	0	12.33	500
7/18/2027	0	0	0	13.08	0	0	13.91	500
7/19/2027	0	0	0	12.81	0	0	11.96	500
7/20/2027	0	0	0	12.56	0	0	11.53	500
7/21/2027	1.797	5.19	7.2	12.31	0	1.033	11.48	500
7/22/2027	25.34	72.88	101.1	12.06	0	14.36	10.05	500
7/23/2027	46.31	132.9	184.3	103.2	0	26.02	9.594	500
7/24/2027	5.722	16.42	22.78	245.6	0	3.213	9.085	500
7/25/2027	196.7	563.4	781.7	17.87	0	109.8	9.606	500
7/26/2027	6.898	19.95	27.67	1110	0	3.982	9.762	500
7/27/2027	0	0	0	149.1	0	0	11.21	500
7/28/2027	15.4	44.65	61.94	115	0	8.968	9.644	500
7/29/2027	2.016	5.83	8.088	126.6	0	1.165	8.578	500
7/30/2027	0	0	0	79.96	0	0	8.805	500
7/31/2027	0	0	0	73.04	0	0	9.191	500
8/1/2027	0	0	0	71.04	0	0	9.913	500
8/2/2027	0	0	0	65.65	0	0	11.66	500
8/3/2027	0	0	0	59.2	0	0	9.987	500
8/4/2027	0	0	0	53.45	0	0	9.676	500
8/5/2027	1.841	5.19	7.2	48.14	0	0.9695	9.09	500
8/6/2027	1.849	5.19	7.2	12.41	0	0.9585	7.774	500
8/7/2027	0	0	0	12.16	0	0	7.958	500
8/8/2027	59.18	164.6	228.4	11.92	0	29.66	7.783	500
8/9/2027	212.7	591.7	820.8	290.9	0	106.6	7.846	500
8/10/2027	37.1	104.6	145.2	1179	0	19.59	6.516	500
8/11/2027	1.824	5.19	7.2	346.1	0	0.9941	7.194	500
8/12/2027	3.294	9.359	12.98	152.3	0	1.787	7.118	500
8/13/2027	3.303	9.359	12.98	126.6	0	1.773	7.848	500
8/14/2027	0	0	0	104.8	0	0	9.325	500
8/15/2027	0	0	0	84.23	0	0	7.712	500
8/16/2027	1.852	5.19	7.2	82.77	0	0.9547	7.418	500
8/17/2027	0	0	0	79.22	0	0	9.36	500
8/18/2027	0	0	0	72.68	0	0	7.742	500
8/19/2027	0	0	0	66.28	0	0	6.91	500
8/20/2027	64.81	178.8	248	60.45	0	31.41	6.227	500
8/21/2027	2.112	5.83	8.088	366.1	0	1.027	6.252	500
8/22/2027	0	0	0	51.04	0	0	5.833	500
8/23/2027	18.84	51.71	71.74	51.45	0	8.95	5.675	500
8/24/2027	9.874	27.01	37.46	106.8	0	4.626	5.945	500
8/25/2027	1.905	5.19	7.2	73.51	0	0.878	5.227	500
8/26/2027	1.919	5.19	7.2	13.26	0	0.8592	5.293	500
8/27/2027	4.82	12.89	17.88	13.47	0	2.055	4.976	500
8/28/2027	21.06	55.24	76.63	13.38	0	8.23	4.281	500
8/29/2027	1.994	5.19	7.2	86.05	0	0.751	4.027	500
8/30/2027	9.021	23.48	32.57	12.85	0	3.397	3.997	500
8/31/2027	1.994	5.19	7.2	23.96	0	0.751	3.704	500
9/1/2027	1.994	5.19	7.2	12.72	0	0.751	3.731	500
9/2/2027	2.24	5.83	8.088	12.5	0	0.8436	3.773	500
9/3/2027	8.642	22.49	31.2	12.25	0	3.254	3.626	500
9/4/2027	5.93	15.43	21.41	15.25	0	2.233	3.726	500
9/5/2027	2.971	7.733	10.73	15.18	0	1.119	3.654	500
9/6/2027	2.24	5.83	8.088	11.53	0	0.8436	3.386	500
9/7/2027	0	0	0	11.3	0	0	3.21	500
9/8/2027	42.54	110.7	153.6	11.07	0	16.02	3.085	500
9/9/2027	3.217	8.373	11.62	190.3	0	1.212	3.148	500
9/10/2027	0.9772	2.543	3.528	10.63	0	0.368	2.906	500
9/11/2027	28.52	74.23	103	11.2	0	10.74	2.356	500
9/12/2027	11.76	30.6	42.46	126.3	0	4.429	2.576	500
9/13/2027	0	0	0	53.43	0	0	2.867	500
9/14/2027	0.9772	2.543	3.528	12.46	0	0.368	2.577	500
9/15/2027	5.637	14.67	20.35	13.11	0	2.123	2.842	500
9/16/2027	0	0	0	0.6743	0	0	2.335	500
9/17/2027	0	0	0	0.6804	0	0	2.173	500

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	m3
9/18/2027	0	0	0	2.406	0	0	2.175	500
9/19/2027	4.952	12.89	17.88	70.33	0	1.865	2.176	500
9/20/2027	0	0	0	29.42	0	0	2.47	500
9/21/2027	6.309	16.42	22.78	13.15	0	2.376	2.466	500
9/22/2027	0.9772	2.543	3.528	13.06	0	0.368	2.182	500
9/23/2027	4.035	10.5	14.57	12.87	0	1.52	2.095	500
9/24/2027	0	0	0	0.635	0	0	1.987	500
9/25/2027	0	0	0	0.6239	0	0	1.836	500
9/26/2027	0	0	0	0.6177	0	0	1.603	500
9/27/2027	0	0	0	0.6128	0	0	1.574	500
9/28/2027	0	0	0	0.6077	0	0	1.63	500
9/29/2027	0	0	0	0.602	0	0	1.442	500
9/30/2027	90.26	234.9	325.9	82.19	0	33.99	1.524	500
10/1/2027	0	0	0	486.6	0	0	1.519	250
10/2/2027	0	0	0	21.36	0	0	1.109	250
10/3/2027	0	0	0	10.24	0	0	1.376	250
10/4/2027	0	0	0	3.683	0	0	1.325	250
10/5/2027	0	0	0	2.743	0	0	1.164	250
10/6/2027	0	0	0	2.774	0	0	0.8963	250
10/7/2027	0	0	0	2.762	0	0	0.6278	250
10/8/2027	0	0	0	2.717	0	0	0.825	250
10/9/2027	0	0	0	2.645	0	0	0.8371	250
10/10/2027	0	0	0	2.556	0	0	0.8634	250
10/11/2027	0	0	0	2.453	0	0	0.9864	250
10/12/2027	0	0	0	0.6694	0	0	0.984	250
10/13/2027	0	0	0	0.67	0	0	1.009	250
10/14/2027	0	0	0	0.6679	0	0	0.8122	250
10/15/2027	0	0	0	0.6635	0	0	0.8245	250
10/16/2027	0	0	0	0.6575	0	0	0.8164	250
10/17/2027	0	0	0	0.6501	0	0	0.732	250
10/18/2027	0	0	0	0.6417	0	0	0.6344	250
10/19/2027	0	0	0	0.6325	0	0	0.4574	250
10/20/2027	0	0	0	0.6228	0	0	0.3387	250
10/21/2027	0	0	0	0.6127	0	0	0.434	250
10/22/2027	0	0	0	0.6024	0	0	0.3554	250
10/23/2027	0	0	0	0.5918	0	0	0.2705	250
10/24/2027	0	0	0	0.5812	0	0	0.515	250
10/25/2027	0	0	0	0.5705	0	0	0.6442	250
10/26/2027	0	0	0	0.5599	0	0	0.366	250
10/27/2027	0	0	0	0.5493	0	0	0.461	250
10/28/2027	0	0	0	0.5388	0	0	0.3254	250
10/29/2027	0	0	0	0.5285	0	0	0	250
10/30/2027	0	0	0	0.5182	0	0	0.3136	250
10/31/2027	0	0	0	0.5081	0	0	0.2135	250
11/1/2027	0	0	0	0.4981	0	0	0	0
11/2/2027	0	0	0	0.4883	0	0	0	0
11/3/2027	0	0	0	0.4787	0	0	0	0
11/4/2027	0	0	0	0.4692	0	0	0.02375	0
11/5/2027	0	0	0	0.4599	0	0	0.03431	0
11/6/2027	0	0	0	0.4508	0	0	0	0
11/7/2027	0	0	0	0.4418	0	0	0	0
11/8/2027	0	0	0	0.433	0	0	0	0
11/9/2027	0	0	0	0.4244	0	0	0	0
11/10/2027	0	0	0	0.4159	0	0	0	0
11/11/2027	0	0	0	0.4076	0	0	0	0
11/12/2027	0	0	0	0.3995	0	0	0.02116	0
11/13/2027	0	0	0	0.3915	0	0	0	0
11/14/2027	0	0	0	0.3837	0	0	0.08626	0
11/15/2027	0	0	0	0.3761	0	0	0.151	0
11/16/2027	0	0	0	0.3685	0	0	0.1805	0
11/17/2027	0	0	0	0.3612	0	0	0	0
11/18/2027	0	0	0	0.354	0	0	0	0
11/19/2027	0	0	0	0.3469	0	0	0	0
11/20/2027	0	0	0	0.3399	0	0	0	0
11/21/2027	0	0	0	0.3331	0	0	0	0
11/22/2027	0	0	0	0.3265	0	0	0	0
11/23/2027	0	0	0	0.32	0	0	0	0
11/24/2027	0	0	0	0.3136	0	0	0.03238	0
11/25/2027	0	0	0	0.3073	0	0	0	0
11/26/2027	0	0	0	0.3011	0	0	0.1085	0
11/27/2027	0	0	0	0.2951	0	0	0	0
11/28/2027	0	0	0	0.2892	0	0	0	0
11/29/2027	0	0	0	0.2834	0	0	0	0
11/30/2027	0	0	0	0.2778	0	0	0.04121	0
12/1/2027	0	0	0	0.2722	0	0	0.01581	0
12/2/2027	0	0	0	0.2668	0	0	0	0
12/3/2027	0	0	0	0.2614	0	0	0	0
12/4/2027	0	0	0	0.2562	0	0	0	0
12/5/2027	0	0	0	0.2511	0	0	0	0
12/6/2027	0	0	0	0.2461	0	0	0.013	0
12/7/2027	0	0	0	0.2411	0	0	0.01821	0
12/8/2027	0	0	0	0.2363	0	0	0	0
12/9/2027	0	0	0	0.2316	0	0	0	0
12/10/2027	0	0	0	0.227	0	0	0	0
12/11/2027	0	0	0	0.2224	0	0	0	0
12/12/2027	0	0	0	0.218	0	0	0	0

Date	CP4 - Water Balance							
	Inflow					Outflow		
	CP4 Bank Runoff	WRSF1 to CP4	CP4 Berm to CP4	CP4 Natural Runoff	A40 to CP4	Rain and Snowmelt	CP4 Pond Surface Evaporation	To Channel 1
m3	m3	m3	m3	m3	m3	m3	m3	
12/13/2027	0	0	0	0.2136	0	0	0	0
12/14/2027	0	0	0	0.2093	0	0	0	0
12/15/2027	0	0	0	0.2052	0	0	0.02579	0
12/16/2027	0	0	0	0.201	0	0	0	0
12/17/2027	0	0	0	0.197	0	0	0.01731	0
12/18/2027	0	0	0	0.1931	0	0	0	0
12/19/2027	0	0	0	0.1892	0	0	0	0
12/20/2027	0	0	0	0.1854	0	0	0	0
12/21/2027	0	0	0	0.1817	0	0	0	0
12/22/2027	0	0	0	0.1781	0	0	0	0
12/23/2027	0	0	0	0.1745	0	0	0	0
12/24/2027	0	0	0	0.171	0	0	0	0
12/25/2027	0	0	0	0.1676	0	0	0	0
12/26/2027	0	0	0	0.1643	0	0	0	0
12/27/2027	0	0	0	0.161	0	0	0	0
12/28/2027	0	0	0	0.1578	0	0	0	0
12/29/2027	0	0	0	0.1546	0	0	0	0
12/30/2027	0	0	0	0.1515	0	0	0	0
12/31/2027	0	0	0	0.1485	0	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
1/1/2019	0	0.2323	0	0.1826	0	0	0	0	0
1/2/2019	0	0.2277	0	0.179	0	0	0	0	0
1/3/2019	0	0.2231	0	0.1754	0	0	0	0	0
1/4/2019	0	0.2187	0	0.1719	0	0	0	0	0
1/5/2019	0	0.2143	0	0.1684	0	0	0	0	0
1/6/2019	0	0.21	0	0.1651	0	0	0	0	0
1/7/2019	0	0.2058	0	0.1618	0	0	0	0	0
1/8/2019	0	0.2017	0	0.1585	0	0	0	0	0
1/9/2019	0	0.1977	0	0.1554	0	0	0	0	0
1/10/2019	0	0.1937	0	0.1523	0	0	0	0	0
1/11/2019	0	0.1898	0	0.1492	0	0	0	0	0
1/12/2019	0	0.186	0	0.1462	0	0	0	0	0
1/13/2019	0	0.1823	0	0.1433	0	0	0	0	0
1/14/2019	0	0.1787	0	0.1404	0	0	0	0	0
1/15/2019	0	0.1751	0	0.1376	0	0	0	0	0
1/16/2019	0	0.1716	0	0.1349	0	0	0	0	0
1/17/2019	0	0.1682	0	0.1322	0	0	0	0	0
1/18/2019	0	0.1648	0	0.1295	0	0	0	0	0
1/19/2019	0	0.1615	0	0.1269	0	0	0	0	0
1/20/2019	0	0.1583	0	0.1244	0	0	0	0	0
1/21/2019	0	0.1551	0	0.1219	0	0	0	0	0
1/22/2019	0	0.152	0	0.1195	0	0	0	0	0
1/23/2019	0	0.149	0	0.1171	0	0	0	0	0
1/24/2019	0	0.146	0	0.1147	0	0	0	0	0
1/25/2019	0	0.1431	0	0.1125	0	0	0	0	0
1/26/2019	0	0.1402	0	0.1102	0	0	0	0	0
1/27/2019	0	0.1374	0	0.108	0	0	0	0	0
1/28/2019	0	0.1347	0	0.1058	0	0	0	0	0
1/29/2019	0	0.132	0	0.1037	0	0	0	0	0
1/30/2019	0	0.1293	0	0.1016	0	0	0	0	0
1/31/2019	0	0.1267	0	0.09961	0	0	0	0	0
2/1/2019	0	0.1242	0	0.09762	0	0	0	0	0
2/2/2019	0	0.1217	0	0.09567	0	0	0	0	0
2/3/2019	0	0.1193	0	0.09376	0	0	0	0	0
2/4/2019	0	0.1169	0	0.09188	0	0	0	0	0
2/5/2019	0	0.1146	0	0.09004	0	0	0	0	0
2/6/2019	0	0.1123	0	0.08824	0	0	0	0	0
2/7/2019	0	0.11	0	0.08648	0	0	0	0	0
2/8/2019	0	0.1078	0	0.08475	0	0	0	0	0
2/9/2019	0	0.1057	0	0.08305	0	0	0	0	0
2/10/2019	0	0.1036	0	0.08139	0	0	0	0	0
2/11/2019	0	0.1015	0	0.07976	0	0	0	0	0
2/12/2019	0	0.09945	0	0.07817	0	0	0	0	0
2/13/2019	0	0.09746	0	0.07661	0	0	0	0	0
2/14/2019	0	0.09551	0	0.07507	0	0	0	0	0
2/15/2019	0	0.0936	0	0.07357	0	0	0	0	0
2/16/2019	0	0.09173	0	0.0721	0	0	0	0	0
2/17/2019	0	0.0899	0	0.07066	0	0	0	0	0
2/18/2019	0	0.0881	0	0.06925	0	0	0	0	0
2/19/2019	0	0.08634	0	0.06786	0	0	0	0	0
2/20/2019	0	0.08461	0	0.0665	0	0	0	0	0
2/21/2019	0	0.08292	0	0.06517	0	0	0	0	0
2/22/2019	0	0.08126	0	0.06387	0	0	0	0	0
2/23/2019	0	0.07963	0	0.06259	0	0	0	0	0
2/24/2019	0	0.07804	0	0.06134	0	0	0	0	0
2/25/2019	0	0.07648	0	0.06011	0	0	0	0	0
2/26/2019	0	0.07495	0	0.05891	0	0	0	0	0
2/27/2019	0	0.07345	0	0.05773	0	0	0	0	0
2/28/2019	0	0.07198	0	0.05658	0	0	0	0	0
3/1/2019	0	0.07054	0	0.05545	0	0	0	0	0
3/2/2019	0	0.06913	0	0.05434	0	0	0	0	0
3/3/2019	0	0.06775	0	0.05325	0	0	0	0	0
3/4/2019	0	0.06639	0	0.05219	0	0	0	0	0
3/5/2019	0	0.06507	0	0.05114	0	0	0	0	0
3/6/2019	0	0.06376	0	0.05012	0	0	0	0	0
3/7/2019	0	0.06249	0	0.04912	0	0	0	0	0
3/8/2019	0	0.06124	0	0.04813	0	0	0	0	0
3/9/2019	0	0.06001	0	0.04717	0	0	0	0	0
3/10/2019	0	0.05881	0	0.04623	0	0	0	0	0
3/11/2019	0	0.05764	0	0.0453	0	0	0	0	0
3/12/2019	0	0.05649	0	0.0444	0	0.001493	0	0	0
3/13/2019	0	0.05536	0	0.04351	0	0	0	0	0
3/14/2019	0	0.05425	0	0.04264	0	0	0	0	0
3/15/2019	0	0.05316	0	0.04179	0	0	0	0	0
3/16/2019	0	0.0521	0	0.04095	0	0	0	0	0
3/17/2019	0	0.05106	0	0.04013	0	0	0	0	0
3/18/2019	0	0.05004	0	0.03933	0	0.01235	0	0	0
3/19/2019	0	0.04904	0	0.03854	0	0	0	0	0
3/20/2019	0	0.04806	0	0.03777	0	0.01965	0	0	0
3/21/2019	0	0.04709	0	0.03702	0	0	0	0	0
3/22/2019	0	0.04615	0	0.03628	0	0.1109	0	0	0
3/23/2019	0	0.04523	0	0.03555	0	0	0	0	0
3/24/2019	0	0.04432	0	0.03484	0	0	0	0	0
3/25/2019	0	0.04344	0	0.03414	0	0	0	0	0
3/26/2019	0	0.04257	0	0.03346	0	0.07708	0	0	0
3/27/2019	0	0.04172	0	0.03279	0	0	0	0	0
3/28/2019	0	0.04088	0	0.03214	0	0	0	0	0
3/29/2019	0	0.04007	0	0.03149	0	0	0	0	0
3/30/2019	0	0.03926	0	0.03086	0	0	0	0	0
3/31/2019	0	0.03848	0	0.03025	0	0.06625	0	0	0
4/1/2019	0	0.03771	0	0.02964	0	0.08782	0	0	0
4/2/2019	0	0.03696	0	0.02905	0	0	0	0	0
4/3/2019	0	0.03622	0	0.02847	0	0	0	0	0
4/4/2019	0	0.03549	0	0.0279	0	0	0	0	0
4/5/2019	0	0.03478	0	0.02734	0	0	0	0	0
4/6/2019	0	0.03409	0	0.02679	0	0	0	0	0
4/7/2019	0	0.03341	0	0.02626	0	0	0	0	0
4/8/2019	0	0.03274	0	0.02573	0	0	0	0	0
4/9/2019	0	0.03208	0	0.02522	0	0.08462	0	0	0
4/10/2019	0	0.03144	0	0.02471	0	0.1675	0	0	0
4/11/2019	0	0.03081	0	0.02422	0	0.3042	0	0	0
4/12/2019	0	0.0302	0	0.02373	0	0.356	0	0	0
4/13/2019	0	0.02959	0	0.02326	0	0.4223	0	0	0
4/14/2019	0	0.029	0	0.02279	0	0.3383	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
4/15/2019	0	0.02842	0	0.02234	0	0.2548	0	0	0
4/16/2019	0	0.02785	0	0.02189	0	0.2523	0	0	0
4/17/2019	0	0.02729	0	0.02145	0	0.2239	0	0	0
4/18/2019	0	0.02675	0	0.02102	0	0.0449	0	0	0
4/19/2019	0	0.02621	0	0.0206	0	0.0824	0	0	0
4/20/2019	0	0.02569	0	0.02019	0	0	0	0	0
4/21/2019	0	0.02518	0	0.01979	0	0	0	0	0
4/22/2019	0	0.02467	0	0.01939	0	0	0	0	0
4/23/2019	0	0.02418	0	0.019	0	0.3192	0	0	0
4/24/2019	0	0.0237	0	0.01862	0	0.2989	0	0	0
4/25/2019	0	0.02322	0	0.01825	0	0	0	0	0
4/26/2019	0	0.02276	0	0.01789	0	0	0	0	0
4/27/2019	0	0.0223	0	0.01753	0	0	0	0	0
4/28/2019	0	0.02186	0	0.01718	0	0	0	0	0
4/29/2019	0	0.02142	0	0.01684	0	0	0	0	0
4/30/2019	0	0.02099	0	0.0165	0	0.1296	0	0	0
5/1/2019	0	0.02057	0	0.01617	0	0.3909	0	0	0
5/2/2019	0	0.02016	0	0.01584	0	0.4173	0	0	0
5/3/2019	0	0.01976	0	0.01553	0	0.4785	0	0	0
5/4/2019	0	0.01936	0	0.01522	0	0.2886	0	0	0
5/5/2019	0	0.01897	0	0.01491	0	0.167	0	0	0
5/6/2019	0	0.01859	0	0.01461	0	0.2259	0	0	0
5/7/2019	0	0.01822	0	0.01432	0	0.4925	0	0	0
5/8/2019	0	0.01786	0	0.01404	0	0.6842	0	0	0
5/9/2019	0	0.0175	0	0.01376	0	0.5742	0	0	0
5/10/2019	0	0.01715	0	0.01348	0	0.5449	0	0	0
5/11/2019	0	0.01681	0	0.01321	0	0.5371	0	0	0
5/12/2019	0	0.01647	0	0.01295	0	0.6252	0	0	0
5/13/2019	0	0.01614	0	0.01269	0	0.5861	0	0	0
5/14/2019	0	0.01582	0	0.01243	0	0.6737	0	0	0
5/15/2019	0	0.0155	0	0.01219	0	0.7474	0	0	0
5/16/2019	0	0.01519	0	0.01194	0	0.7003	0	0	0
5/17/2019	0	0.01489	0	0.0117	0	0.7576	0	0	0
5/18/2019	0	0.01459	0	0.01147	0	0.6529	0	0	0
5/19/2019	0	0.0143	0	0.01124	0	0.6394	0	0	0
5/20/2019	0	0.01401	0	0.01101	0	0.6543	0	0	0
5/21/2019	0	0.01373	0	0.01079	0	0.6889	0	0	0
5/22/2019	0	0.01346	0	0.01058	0	0.5868	0	0	0
5/23/2019	0	0.01319	0	0.01037	0	0.6936	0	0	0
5/24/2019	0	0.01293	0	0.01016	0	0.6624	0	0	0
5/25/2019	0	0.01267	0	0.009956	0	0.5724	0	0	0
5/26/2019	0	0.01241	0	0.009757	0	0.6327	0	0	0
5/27/2019	0	0.01217	0	0.009562	0	0.8317	0	0	0
5/28/2019	0	0.01192	0	0.009371	0	0.832	0	0	0
5/29/2019	18.6	15.03	0	11.81	0.2054	0.8945	0	0	0
5/30/2019	0	0.01145	0	0.009	0	1.679	0	0	0
5/31/2019	60.79	30.05	0	23.62	1.532	2.025	0	0	0
6/1/2019	75.93	302.3	0	237.6	3.008	3.367	0	0	0
6/2/2019	0	490.6	0	385.6	0	8.379	0	0	0
6/3/2019	0	0.01324	0	0.01041	0	15.91	0	0	7200
6/4/2019	0	0.1368	0	0.1075	0	15.74	0	0	7200
6/5/2019	48.64	137.4	0	108	12.65	18.23	0	0	7200
6/6/2019	73	554.7	0	436	22.99	22.83	0	0	1200
6/7/2019	58.49	902.4	0	709.3	31.95	34.06	0	0	2250
6/8/2019	167.2	584	0	459	111.3	32.75	0	0	1800
6/9/2019	177.9	1177	0	925.3	118.4	42.35	0	0	7200
6/10/2019	204.5	2132	0	1676	136.1	43.7	0	0	4800
6/11/2019	148.6	2732	0	2147	98.86	43.62	133	0	0
6/12/2019	114.3	2875	0	2260	158	65.33	300	0	0
6/13/2019	99.76	3173	0	2494	299.6	93.32	16	0	0
6/14/2019	32.57	4486	0	3526	334.6	112.9	27	0	4800
6/15/2019	8.613	3300	0	2594	225.9	112	20	0	4800
6/16/2019	5.236	1225	0	962.9	270.9	117.4	54	0	4800
6/17/2019	0	548.3	0	431	0	94.8	17	0	4800
6/18/2019	0	379.2	0	298.1	0	72.39	22	0	0
6/19/2019	49.55	1846	0	1451	411.3	117	88	0	0
6/20/2019	14.87	713	0	560.4	264	113	0	0	0
6/21/2019	21.59	628.9	0	494.4	657.4	159.1	35	0	0
6/22/2019	5.789	551.6	0	433.6	719	163	0	0	0
6/23/2019	0	519.8	0	408.6	440.4	137.8	159	0	0
6/24/2019	0	487.3	0	383	381.2	139.3	719	0	0
6/25/2019	0	451.1	0	354.6	572.5	145.1	0	0	0
6/26/2019	0	417.2	0	327.9	714.5	166.6	0	0	0
6/27/2019	0	384.8	0	302.4	917.4	173.1	33	0	0
6/28/2019	0	354.6	0	278.7	866	182.5	0	0	0
6/29/2019	0	326.4	0	256.6	225.8	163.7	0	0	0
6/30/2019	0	300.9	0	236.5	1073	150.6	60	0	0
7/1/2019	0	1437	0	1129	328.3	141.1	0	0	0
7/2/2019	0	666.4	0	523.8	29.31	139.6	0	0	0
7/3/2019	0	303.6	0	238.6	1401	151.7	150	0	0
7/4/2019	0	1833	0	1441	562.8	152.9	0	0	0
7/5/2019	0	1055	0	829.4	17.59	338.6	0	0	0
7/6/2019	0	395.4	0	310.8	117.3	193.4	0	0	0
7/7/2019	0	354.2	0	278.4	17.59	155.3	13	0	0
7/8/2019	0	289.9	0	227.9	885.3	145.5	0	0	0
7/9/2019	0	1211	0	951.6	1184	144.7	1248	0	0
7/10/2019	0	1686	0	1325	17.59	167.8	1469	0	0
7/11/2019	0	427.2	0	335.8	29.31	182.5	1455	0	0
7/12/2019	0	363.7	0	285.9	196.7	205.7	1496	0	0
7/13/2019	0	434.8	0	341.8	17.11	174.2	1364	0	0
7/14/2019	0	278.3	0	218.8	16.9	178.2	1482	0	0
7/15/2019	0	258.9	0	203.5	464.3	164	1413	0	0
7/16/2019	0	716.3	0	563	76.53	191.2	1522	0	0
7/17/2019	0	263.2	0	206.9	108.7	186.8	1474	0	0
7/18/2019	0	278	0	218.5	0	167.2	1401	0	0
7/19/2019	0	208.6	0	164	15.7	168.2	439	0	0
7/20/2019	0	192.4	0	151.2	26.06	165.8	1393	0	0
7/21/2019	0	176.1	0	138.4	0	167.2	0	0	0
7/22/2019	0	160.3	0	126	15.34	163.3	1398	0	0
7/23/2019	0.2481	146.1	0	114.8	14.99	149.6	1198	0	0
7/24/2019	0	133	0	104.6	0	130.3	1375	0	0
7/25/2019	2.318	120.9	0	95.03	43	134.3	1348	0	0
7/26/2019	1.046	110.1	0	86.53	13.99	127.3	1482	0	0
7/27/2019	63.45	100.2	0	78.74	634.7	98.74	1200	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
7/28/2019	38.29	893.5	0	702.3	355	106.2	1561	0	0
7/29/2019	0	551.1	0	433.1	0	126.3	819	0	0
7/30/2019	1.373	140.3	0	110.2	13.58	118.8	1967	0	0
7/31/2019	3.114	108	0	84.91	21.61	113	1590	0	0
8/1/2019	0	109.5	0	86.09	0	108.9	1570	0	0
8/2/2019	0	106.4	0	83.61	0	125	1573	0	0
8/3/2019	6.393	96.4	0	75.77	17.51	76.74	1593	0	0
8/4/2019	173.4	25.09	0	19.72	374.9	44.9	2054	0	0
8/5/2019	102.9	739.3	0	581.1	177.4	68.46	1867	0	0
8/6/2019	5.292	400.4	0	314.7	8.684	73.79	1718	0	0
8/7/2019	5.759	41.56	0	32.67	8.101	72.88	1582	0	0
8/8/2019	15.04	103.4	0	81.27	16.89	67.01	1999	0	0
8/9/2019	16.94	103.1	0	81.07	14.52	53.26	1817	0	0
8/10/2019	53.25	99.04	0	77.85	35.43	39.42	226.2	0	0
8/11/2019	481.9	73.4	0	57.69	320.7	31.95	901.8	0	0
8/12/2019	276.9	1218	0	957	184.3	39.5	2167	0	0
8/13/2019	137.8	775.5	0	609.6	98.06	34.72	2015	0	0
8/14/2019	0	529.4	0	416.1	0	40.08	905.4	0	0
8/15/2019	7.988	198.6	0	156.1	5.315	40.5	29	0	0
8/16/2019	0	159.6	0	125.4	0	38.19	0	0	0
8/17/2019	7.748	135.4	0	106.4	5.615	37.19	0	0	0
8/18/2019	0	134	0	105.3	0	42.24	0	0	0
8/19/2019	22.7	128.9	0	101.3	17.53	43.64	0	0	0
8/20/2019	0	119.6	0	93.98	0	44.92	0	0	0
8/21/2019	0	109.3	0	85.91	0	45.41	0	0	0
8/22/2019	0	99.29	0	78.04	0	43.58	0	0	0
8/23/2019	53.3	25.74	0	20.23	45.58	45.42	0	0	0
8/24/2019	7.224	77.8	0	61.15	6.27	43.5	0	0	0
8/25/2019	112.4	24.72	0	19.43	99.17	42.82	0	0	0
8/26/2019	7.082	265.9	0	209	6.447	41.88	0	0	0
8/27/2019	0	23.75	0	18.66	0	42.57	0	0	0
8/28/2019	801.1	24.15	0	18.98	778.5	29.86	0	0	0
8/29/2019	340.2	2346	0	1844	416.2	44.88	0	0	0
8/30/2019	4.032	1370	0	1077	10.26	50.64	0	0	0
8/31/2019	23.78	360.6	0	283.4	92.68	56.17	0	0	0
9/1/2019	31.07	409.2	0	321.7	139.7	55.58	0	0	0
9/2/2019	2.291	462	0	363.1	12.44	62.12	1379	0	0
9/3/2019	2.555	256.1	0	201.3	12.11	60.61	1434	0	0
9/4/2019	0	221.9	0	174.4	0	58.55	1836	0	0
9/5/2019	0	190.4	0	149.7	0	53.28	1238	0	0
9/6/2019	16.33	186.6	0	146.7	40.79	47.79	1723	0	0
9/7/2019	0	179.7	0	141.2	0	42.58	922	0	0
9/8/2019	0	170.7	0	134.2	0	39.82	1591	0	0
9/9/2019	0	161.3	0	126.8	0	38.25	1184	0	0
9/10/2019	39.76	149.3	0	117.3	52.3	37.19	19	0	0
9/11/2019	5.831	187	0	147	8.011	40.12	320	0	0
9/12/2019	0	127.4	0	100.1	0	41.65	970	0	0
9/13/2019	0	117.6	0	92.45	0	37.67	1069	0	0
9/14/2019	6.575	107.8	0	84.75	7.081	33.7	1005	0	0
9/15/2019	365.6	99.07	0	77.87	348.8	24.16	1108	0	0
9/16/2019	7.047	1033	0	812.1	6.491	28.16	1038	0	0
9/17/2019	509.1	68.18	0	53.59	526.4	28.64	1048	0	0
9/18/2019	19.99	1635	0	1286	20.91	29.01	1019	0	0
9/19/2019	0	335.8	0	263.9	0	29.94	1781	0	0
9/20/2019	57.19	235.4	0	185	66.21	26.84	1892	0	0
9/21/2019	278.4	313.6	0	246.5	264.1	22.72	1994	0	0
9/22/2019	7.361	974.4	0	765.9	6.099	19.91	2164	0	0
9/23/2019	50.33	259.7	0	204.1	39.09	18.83	1532	0	0
9/24/2019	117.2	316.7	0	248.9	77.96	19.31	741.4	0	0
9/25/2019	266.3	469.1	0	368.7	177.2	16.76	1264	0	0
9/26/2019	55.91	871.5	0	685	37.21	16.58	1581	0	0
9/27/2019	103.5	391.2	0	307.5	69.47	11.7	912	0	0
9/28/2019	0	301.7	0	237.2	0	10.86	528.1	0	0
9/29/2019	0	70.52	0	55.43	0	9.885	116.1	0	0
9/30/2019	0	42.33	0	33.28	0	10.48	65.13	0	0
10/1/2019	0	775.9	0	609.9	0	13.34	1302	0	0
10/2/2019	0	200.9	0	157.9	0	12.42	416.7	0	0
10/3/2019	0	9.77	0	7.679	0	10.66	6.795	0	0
10/4/2019	7.988	373.9	0	293.9	5.315	12.81	668.3	0	0
10/5/2019	2.663	180	0	141.5	1.772	12.59	313.3	0	0
10/6/2019	0	8.534	0	6.708	0	10.07	5.172	0	0
10/7/2019	0	8.063	0	6.337	0	8.679	5.721	0	0
10/8/2019	93.19	467.4	0	367.4	62.01	10.63	0	0	0
10/9/2019	37.79	335.6	0	263.8	29.27	11.31	0	0	0
10/10/2019	0	75.42	0	59.28	0	9.551	0	0	0
10/11/2019	0	6.422	0	5.048	0	9.601	0	0	0
10/12/2019	0	6.246	0	4.91	0	9.338	0	0	0
10/13/2019	0	130.6	0	102.7	0	9.23	0	0	0
10/14/2019	0	5.835	0	4.587	0	8.376	0	0	0
10/15/2019	0	5.585	0	4.39	0	7.452	0	0	0
10/16/2019	0	5.33	0	4.189	0	6.497	0	0	0
10/17/2019	0	5.07	0	3.985	0	8.078	0	0	0
10/18/2019	293	250.2	0	196.6	264.2	7.899	0	0	0
10/19/2019	218.4	1259	0	989.9	227.8	8.755	0	0	0
10/20/2019	35.15	892.5	0	701.5	53.98	10.01	0	0	0
10/21/2019	0	144.4	0	113.5	0	9.963	0	0	0
10/22/2019	0	61.36	0	48.23	0	7.334	0	0	0
10/23/2019	0	34.24	0	26.91	0	6.545	0	0	0
10/24/2019	0	13.17	0	10.35	0	5.851	0	0	0
10/25/2019	0	6.828	0	5.367	0	8.3	0	0	0
10/26/2019	0	6.808	0	5.351	0	7.871	0	0	0
10/27/2019	0	6.702	0	5.268	0	7.719	0	0	0
10/28/2019	0	6.531	0	5.134	0	8.163	0	0	0
10/29/2019	0	6.314	0	4.963	0	7.769	0	0	0
10/30/2019	0	6.064	0	4.766	0	6.012	0	0	0
10/31/2019	0	5.793	0	4.553	0	5.365	0	0	0
11/1/2019	0	5.486	0	4.29	0	3.503	0	0	0
11/2/2019	0	5.2	0	4.067	0	1.816	0	0	0
11/3/2019	0	4.915	0	3.843	0	3.49	0	0	0
11/4/2019	0	1.324	0	1.035	0	1.412	0	0	0
11/5/2019	0	1.312	0	1.026	0	0	0	0	0
11/6/2019	0	1.297	0	1.014	0	0	0	0	0
11/7/2019	0	1.28	0	1.001	0	0	0	0	0
11/8/2019	0	1.262	0	0.9869	0	0	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
11/9/2019	0	1.243	0	0.9718	0	0.5614	0	0	0
11/10/2019	0	1.222	0	0.956	0	0	0	0	0
11/11/2019	0	1.202	0	0.9398	0	0	0	0	0
11/12/2019	0	1.181	0	0.9234	0	1.099	0	0	0
11/13/2019	0	1.16	0	0.9068	0	0	0	0	0
11/14/2019	0	1.138	0	0.8902	0	0	0	0	0
11/15/2019	0	1.117	0	0.8736	0	0.3478	0	0	0
11/16/2019	0	1.096	0	0.8571	0	0.7908	0	0	0
11/17/2019	0	1.075	0	0.8407	0	0	0	0	0
11/18/2019	0	1.054	0	0.8245	0	0	0	0	0
11/19/2019	0	1.034	0	0.8085	0	0.2672	0	0	0
11/20/2019	0	1.014	0	0.7927	0	0.3706	0	0	0
11/21/2019	0	0.9939	0	0.7772	0	0.4209	0	0	0
11/22/2019	0	0.9743	0	0.7619	0	1.125	0	0	0
11/23/2019	0	0.9551	0	0.7469	0	0.01681	0	0	0
11/24/2019	0	0.9362	0	0.7321	0	1.026	0	0	0
11/25/2019	0	0.9176	0	0.7176	0	0.5616	0	0	0
11/26/2019	0	0.8994	0	0.7033	0	0	0	0	0
11/27/2019	0	0.8815	0	0.6894	0	0	0	0	0
11/28/2019	0	0.864	0	0.6756	0	0.3979	0	0	0
11/29/2019	0	0.8468	0	0.6622	0	0.8111	0	0	0
11/30/2019	0	0.8299	0	0.649	0	0.7989	0	0	0
12/1/2019	0	0.8097	0	0.6299	0	0.06254	0	0	0
12/2/2019	0	0.7935	0	0.6173	0	0	0	0	0
12/3/2019	0	0.7777	0	0.605	0	0	0	0	0
12/4/2019	0	0.7621	0	0.5929	0	0	0	0	0
12/5/2019	0	0.7469	0	0.5811	0	0	0	0	0
12/6/2019	0	0.732	0	0.5695	0	0	0	0	0
12/7/2019	0	0.7174	0	0.5581	0	0	0	0	0
12/8/2019	0	0.703	0	0.5469	0	0	0	0	0
12/9/2019	0	0.689	0	0.536	0	0	0	0	0
12/10/2019	0	0.6752	0	0.5253	0	0	0	0	0
12/11/2019	0	0.6617	0	0.5148	0	0	0	0	0
12/12/2019	0	0.6485	0	0.5045	0	0	0	0	0
12/13/2019	0	0.6355	0	0.4944	0	0	0	0	0
12/14/2019	0	0.6228	0	0.4845	0	0	0	0	0
12/15/2019	0	0.6103	0	0.4748	0	0	0	0	0
12/16/2019	0	0.5981	0	0.4653	0	0	0	0	0
12/17/2019	0	0.5862	0	0.456	0	0	0	0	0
12/18/2019	0	0.5745	0	0.4469	0	0	0	0	0
12/19/2019	0	0.563	0	0.438	0	0	0	0	0
12/20/2019	0	0.5517	0	0.4292	0	0	0	0	0
12/21/2019	0	0.5407	0	0.4206	0	0	0	0	0
12/22/2019	0	0.5299	0	0.4122	0	0.07869	0	0	0
12/23/2019	0	0.5193	0	0.404	0	0	0	0	0
12/24/2019	0	0.5089	0	0.3959	0	0	0	0	0
12/25/2019	0	0.4987	0	0.388	0	0.596	0	0	0
12/26/2019	0	0.4887	0	0.3802	0	0.6031	0	0	0
12/27/2019	0	0.479	0	0.3726	0	0.6767	0	0	0
12/28/2019	0	0.4694	0	0.3652	0	0.37	0	0	0
12/29/2019	0	0.46	0	0.3579	0	0.2665	0	0	0
12/30/2019	0	0.4508	0	0.3507	0	0	0	0	0
12/31/2019	0	0.4418	0	0.3437	0	0	0	0	0
1/1/2020	0	0.431	0	0.3319	0	0.1612	0	0	0
1/2/2020	0	0.4224	0	0.3253	0	0.156	0	0	0
1/3/2020	0	0.4139	0	0.3188	0	0	0	0	0
1/4/2020	0	0.4056	0	0.3124	0	0	0	0	0
1/5/2020	0	0.3975	0	0.3061	0	0	0	0	0
1/6/2020	0	0.3896	0	0.3	0	0	0	0	0
1/7/2020	0	0.3818	0	0.294	0	0	0	0	0
1/8/2020	0	0.3741	0	0.2881	0	0	0	0	0
1/9/2020	0	0.3667	0	0.2824	0	0	0	0	0
1/10/2020	0	0.3593	0	0.2767	0	0	0	0	0
1/11/2020	0	0.3521	0	0.2712	0	0	0	0	0
1/12/2020	0	0.3451	0	0.2658	0	0	0	0	0
1/13/2020	0	0.3382	0	0.2605	0	0	0	0	0
1/14/2020	0	0.3314	0	0.2552	0	0	0	0	0
1/15/2020	0	0.3248	0	0.2501	0	0	0	0	0
1/16/2020	0	0.3183	0	0.2451	0	0	0	0	0
1/17/2020	0	0.3119	0	0.2402	0	0	0	0	0
1/18/2020	0	0.3057	0	0.2354	0	0	0	0	0
1/19/2020	0	0.2996	0	0.2307	0	0	0	0	0
1/20/2020	0	0.2936	0	0.2261	0	0	0	0	0
1/21/2020	0	0.2877	0	0.2216	0	0	0	0	0
1/22/2020	0	0.282	0	0.2172	0	0	0	0	0
1/23/2020	0	0.2763	0	0.2128	0	0	0	0	0
1/24/2020	0	0.2708	0	0.2086	0	0	0	0	0
1/25/2020	0	0.2654	0	0.2044	0	0	0	0	0
1/26/2020	0	0.2601	0	0.2003	0	0	0	0	0
1/27/2020	0	0.2549	0	0.1963	0	0	0	0	0
1/28/2020	0	0.2498	0	0.1924	0	0	0	0	0
1/29/2020	0	0.2448	0	0.1885	0	0	0	0	0
1/30/2020	0	0.2399	0	0.1847	0	1.956	0	0	0
1/31/2020	0	0.2351	0	0.1811	0	2.501	0	0	0
2/1/2020	0	0.2304	0	0.1775	0	0	0	0	0
2/2/2020	0	0.2258	0	0.1732	0	0	0	0	0
2/3/2020	0	0.2213	0	0.1687	0	0	0	0	0
2/4/2020	0	0.2168	0	0.1654	0	0	0	0	0
2/5/2020	0	0.2125	0	0.162	0	0	0	0	0
2/6/2020	0	0.2083	0	0.1588	0	0	0	0	0
2/7/2020	0	0.2041	0	0.1556	0	0	0	0	0
2/8/2020	0	0.2	0	0.1525	0	0	0	0	0
2/9/2020	0	0.196	0	0.1495	0	0	0	0	0
2/10/2020	0	0.1921	0	0.1465	0	0	0	0	0
2/11/2020	0	0.1882	0	0.1435	0	0	0	0	0
2/12/2020	0	0.1845	0	0.1407	0	0	0	0	0
2/13/2020	0	0.1808	0	0.1379	0	0	0	0	0
2/14/2020	0	0.1772	0	0.1351	0	0	0	0	0
2/15/2020	0	0.1736	0	0.1324	0	0	0	0	0
2/16/2020	0	0.1702	0	0.1298	0	0	0	0	0
2/17/2020	0	0.1668	0	0.1272	0	0	0	0	0
2/18/2020	0	0.1634	0	0.1246	0	0	0	0	0
2/19/2020	0	0.1602	0	0.1221	0	0	0	0	0
2/20/2020	0	0.157	0	0.1197	0	0	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
2/21/2020	0	0.1538	0	0.1173	0	0	0	0	0
2/22/2020	0	0.1507	0	0.1149	0	0	0	0	0
2/23/2020	0	0.1477	0	0.1126	0	0	0	0	0
2/24/2020	0	0.1448	0	0.1104	0	0	0	0	0
2/25/2020	0	0.1419	0	0.1082	0	0	0	0	0
2/26/2020	0	0.139	0	0.106	0	0	0	0	0
2/27/2020	0	0.1363	0	0.1039	0	0	0	0	0
2/28/2020	0	0.1335	0	0.1018	0	0	0	0	0
2/29/2020	0	0.1309	0	0.09978	0	1.412	0	0	0
3/1/2020	0	0.1277	0	0.09633	0	0	0	0	0
3/2/2020	0	0.1251	0	0.0944	0	0	0	0	0
3/3/2020	0	0.1226	0	0.09251	0	0	0	0	0
3/4/2020	0	0.1202	0	0.09066	0	0	0	0	0
3/5/2020	0	0.1178	0	0.08885	0	0	0	0	0
3/6/2020	0	0.1154	0	0.08707	0	0	0	0	0
3/7/2020	0	0.1131	0	0.08533	0	0	0	0	0
3/8/2020	0	0.1108	0	0.08363	0	0	0	0	0
3/9/2020	0	0.1086	0	0.08195	0	0	0	0	0
3/10/2020	0	0.1064	0	0.08031	0	0	0	0	0
3/11/2020	0	0.1043	0	0.07871	0	0	0	0	0
3/12/2020	0	0.1022	0	0.07713	0	0	0	0	0
3/13/2020	0	0.1002	0	0.07559	0	0	0	0	0
3/14/2020	0	0.09817	0	0.07408	0	0	0	0	0
3/15/2020	0	0.09621	0	0.0726	0	0.932	0	0	0
3/16/2020	0	0.09429	0	0.07115	0	0	0	0	0
3/17/2020	0	0.0924	0	0.06972	0	0	0	0	0
3/18/2020	0	0.09055	0	0.06833	0	0	0	0	0
3/19/2020	0	0.08874	0	0.06696	0	0	0	0	0
3/20/2020	0	0.08697	0	0.06562	0	0	0	0	0
3/21/2020	0	0.08523	0	0.06431	0	0	0	0	0
3/22/2020	0	0.08352	0	0.06302	0	6.013	0	0	0
3/23/2020	0	0.08185	0	0.06176	0	0	0	0	0
3/24/2020	0	0.08022	0	0.06053	0	0	0	0	0
3/25/2020	0	0.07861	0	0.05932	0	0	0	0	0
3/26/2020	0	0.07704	0	0.05813	0	0	0	0	0
3/27/2020	0	0.0755	0	0.05697	0	0	0	0	0
3/28/2020	0	0.07399	0	0.05583	0	0	0	0	0
3/29/2020	0	0.07251	0	0.05471	0	0	0	0	0
3/30/2020	0	0.07106	0	0.05362	0	0	0	0	0
3/31/2020	0	0.06964	0	0.05255	0	0	0	0	0
4/1/2020	0	0.06793	0	0.05097	0	0	0	0	0
4/2/2020	0	0.06658	0	0.04996	0	10.51	0	0	0
4/3/2020	0	0.06524	0	0.04896	0	9.039	0	0	0
4/4/2020	0	0.06394	0	0.04798	0	8.881	0	0	0
4/5/2020	0	0.06266	0	0.04702	0	11.4	0	0	0
4/6/2020	0	0.06141	0	0.04608	0	5.25	0	0	0
4/7/2020	0	0.06018	0	0.04516	0	3.205	0	0	0
4/8/2020	0	0.05898	0	0.04425	0	10.93	0	0	0
4/9/2020	0	0.0578	0	0.04337	0	5.239	0	0	0
4/10/2020	0	0.05664	0	0.0425	0	2.704	0	0	0
4/11/2020	0	0.05551	0	0.04165	0	1.314	0	0	0
4/12/2020	0	0.0544	0	0.04082	0	0	0	0	0
4/13/2020	0	0.05331	0	0.04	0	0	0	0	0
4/14/2020	0	0.05224	0	0.0392	0	0	0	0	0
4/15/2020	0	0.0512	0	0.03842	0	0.2298	0	0	0
4/16/2020	0	0.05017	0	0.03765	0	0	0	0	0
4/17/2020	0	0.04917	0	0.0369	0	0	0	0	0
4/18/2020	0	0.04819	0	0.03616	0	0	0	0	0
4/19/2020	0	0.04722	0	0.03543	0	0	0	0	0
4/20/2020	0	0.04628	0	0.03473	0	0	0	0	0
4/21/2020	0	0.04535	0	0.03403	0	0	0	0	0
4/22/2020	0	0.04445	0	0.03335	0	5.113	0	0	0
4/23/2020	0	0.04356	0	0.03268	0	20.51	0	0	0
4/24/2020	0	0.04269	0	0.03203	0	10.7	0	0	0
4/25/2020	0	0.04183	0	0.03139	0	7.913	0	0	0
4/26/2020	0	0.041	0	0.03076	0	15.59	0	0	0
4/27/2020	0	0.04018	0	0.03015	0	0	0	0	0
4/28/2020	0	0.03937	0	0.02954	0	0	0	0	0
4/29/2020	0	0.03858	0	0.02895	0	25.94	0	0	0
4/30/2020	0	0.03781	0	0.02837	0	39.07	0	0	0
5/1/2020	0	0.03689	0	0.02778	0	23.86	0	0	0
5/2/2020	0	0.03615	0	0.02683	0	13.02	0	0	0
5/3/2020	0	0.03543	0	0.0263	0	29.55	0	0	0
5/4/2020	0	0.03472	0	0.02577	0	45.42	0	0	0
5/5/2020	0	0.03402	0	0.02525	0	19.35	0	0	0
5/6/2020	0	0.03334	0	0.02475	0	24.42	0	0	0
5/7/2020	0	0.03268	0	0.02425	0	33.79	0	0	0
5/8/2020	0	0.03202	0	0.02377	0	28.19	0	0	0
5/9/2020	0	0.03138	0	0.02329	0	17.99	0	0	0
5/10/2020	0	0.03076	0	0.02283	0	17.61	0	0	0
5/11/2020	0	0.03014	0	0.02237	0	27.86	0	0	0
5/12/2020	0	0.02954	0	0.02192	0	28.26	0	0	0
5/13/2020	0	0.02895	0	0.02149	0	23.07	0	0	0
5/14/2020	0	0.02837	0	0.02106	0	21.6	0	0	0
5/15/2020	0	0.0278	0	0.02063	0	27.4	0	0	0
5/16/2020	0	0.02724	0	0.02022	0	48.2	0	0	0
5/17/2020	0	0.0267	0	0.01982	0	54.11	0	0	0
5/18/2020	0	0.02617	0	0.01942	0	42.41	0	0	0
5/19/2020	0	0.02564	0	0.01903	0	42.27	0	0	0
5/20/2020	0	0.02513	0	0.01865	0	43.13	0	0	0
5/21/2020	0	0.02463	0	0.01828	0	41.3	0	0	0
5/22/2020	0	0.02413	0	0.01791	0	39.01	0	0	0
5/23/2020	0	0.02365	0	0.01756	0	48.99	0	0	0
5/24/2020	0	0.02318	0	0.0172	0	47.54	0	0	0
5/25/2020	0	0.02271	0	0.01686	0	49.04	0	0	0
5/26/2020	0	0.02226	0	0.01652	0	33.79	0	0	0
5/27/2020	0	0.02182	0	0.01619	0	34.51	0	0	0
5/28/2020	0	0.02138	0	0.01587	0	49.52	0	0	0
5/29/2020	0	0.02095	0	0.01555	0	45.54	0	0	0
5/30/2020	0	0.02053	0	0.01524	0	49.16	0	0	0
5/31/2020	0	0.02012	0	0.01494	0	49.14	0	0	0
6/1/2020	0	0.01963	0	0.01449	0	45.45	0	0	0
6/2/2020	0	0.01924	0	0.0142	0	45.8	0	0	0
6/3/2020	5.457	29.13	0.832	21.5	9.499	52.47	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
6/4/2020	0	0.01847	0	0.01363	0	56.97	0	0	500
6/5/2020	0	0.0181	0	0.01336	0	56.2	0	0	0
6/6/2020	64.91	640.3	9.412	472.5	103.5	59.2	0	0	0
6/7/2020	9.354	1433	1.508	1057	17.89	48.4	0	0	0
6/8/2020	21.27	330.2	4.42	243.7	60.12	72.82	0	0	0
6/9/2020	16.08	449.5	3.588	331.7	50.28	77.83	0	0	0
6/10/2020	44.8	1034	11.08	763.1	161.3	86.77	0	0	3600
6/11/2020	93.36	2962	18.72	2186	250.5	91.13	0	0	4800
6/12/2020	138.9	3213	29.95	2371	413.9	105.3	0	0	0
6/13/2020	71.5	4589	42.43	3386	742.9	147.3	0	0	0
6/14/2020	0	967.7	27.87	714.1	575	154.2	0	0	0
6/15/2020	0	749.9	24.96	553.4	534	154.8	0	0	0
6/16/2020	0	627.6	18.3	463.1	402.8	143.9	0	0	0
6/17/2020	0	532.2	32.03	392.7	720.7	174.8	0	0	3264
6/18/2020	0	451	28.13	332.8	615.2	187.8	0	0	0
6/19/2020	0	381.2	0	281.3	0	212.6	0	0	2205
6/20/2020	0	343.1	0	253.2	0	198	0	0	4780
6/21/2020	0	324.1	0	239.2	0	182.1	0	0	4606
6/22/2020	0	298.9	0	220.5	0	172.5	0	0	0
6/23/2020	0	274.3	0	202.4	0	202.7	0	0	0
6/24/2020	1.169	250.9	1.82	185.1	34.24	167	0	0	3881
6/25/2020	1.302	230.5	0.78	170.1	13.67	139.1	0	0	0
6/26/2020	17.37	211.6	10.92	156.2	192.5	96.11	0	0	2242
6/27/2020	0	381	0	281.2	0	114.2	0	0	0
6/28/2020	0	180.4	0	133.1	0	150.3	0	0	0
6/29/2020	0	165.3	0	122	0	167.2	0	0	4272
6/30/2020	0	149.9	0	110.6	0	149.1	0	0	0
7/1/2020	0	135.5	0	98.91	0	161.4	0	0	0
7/2/2020	0	121.7	0	88.86	0	147.6	0	0	0
7/3/2020	0	109.3	0	79.79	0	138.7	0	0	0
7/4/2020	0	97.96	0	71.53	0	124.9	0	0	0
7/5/2020	0	25.09	0	18.32	0	126.3	0	0	0
7/6/2020	0	24.59	0	17.95	0	114.2	0	0	3798
7/7/2020	59.23	24.1	11.02	17.6	119.8	96.66	0	0	4440
7/8/2020	6.567	169.9	0.87	124	7.091	74.45	0	0	5532
7/9/2020	7.988	23.14	0.87	16.9	5.315	57.36	0	0	0
7/10/2020	0	22.68	0	16.56	0	67.57	0	0	0
7/11/2020	0	22.23	0	16.23	0	68.54	0	0	0
7/12/2020	0	21.78	0	15.9	0	59.48	0	0	0
7/13/2020	0	21.34	0	15.59	0	50.01	0	0	0
7/14/2020	7.988	20.92	0.87	15.27	5.315	51.83	0	0	0
7/15/2020	7.988	20.5	0.87	14.97	5.315	49.37	0	0	0
7/16/2020	111.8	20.09	12.18	14.67	74.42	65.76	0	0	0
7/17/2020	7.914	184.1	0.87	134.4	5.407	56.1	0	0	5888
7/18/2020	0	19.29	0	14.09	0	67.35	0	0	6026
7/19/2020	0	18.91	0	13.81	0	64.67	0	0	7186
7/20/2020	0	18.53	0	13.53	0	69.19	0	0	6266
7/21/2020	0	18.16	0	13.26	0	69.41	0	0	0
7/22/2020	0	17.8	0	13	0	62.5	0	0	0
7/23/2020	0	17.44	0	12.74	0	65.45	0	0	0
7/24/2020	7.988	17.09	0.87	12.48	5.315	59.39	0	0	0
7/25/2020	7.988	16.75	0.87	12.23	5.315	48.43	0	0	0
7/26/2020	0	16.41	0	11.99	0	45.77	0	0	0
7/27/2020	0	16.09	0	11.75	0	57.43	0	0	0
7/28/2020	0	15.76	0	11.51	0	58.61	0	0	0
7/29/2020	7.988	15.45	0.87	11.28	5.315	54.36	0	0	0
7/30/2020	7.988	15.14	0.87	11.06	5.315	65.12	0	0	0
7/31/2020	0	14.84	0	10.83	0	46.04	0	0	0
8/1/2020	0	14.47	0	10.45	0	61.45	0	0	0
8/2/2020	0	14.18	0	10.24	0	62.41	0	0	0
8/3/2020	0	13.9	0	10.04	0	64.3	0	0	0
8/4/2020	0	13.62	0	9.835	0	64.56	0	0	0
8/5/2020	13.31	13.35	1.6	9.638	8.859	63.87	0	0	0
8/6/2020	0	13.08	0	9.446	0	61.35	0	0	0
8/7/2020	0	12.82	0	9.257	0	47.87	0	0	0
8/8/2020	7.988	12.57	0.96	9.072	5.315	47.14	0	0	0
8/9/2020	79.88	12.31	9.6	8.89	53.15	37.79	0	0	0
8/10/2020	7.932	116.8	0.96	84.34	5.384	42.9	0	0	0
8/11/2020	0	11.83	0	8.538	0	50.5	0	0	0
8/12/2020	0	11.59	0	8.367	0	55.58	0	0	0
8/13/2020	7.886	11.36	0.96	8.2	5.443	41.47	0	0	0
8/14/2020	84.15	11.13	10.24	8.036	58.01	39.3	0	0	0
8/15/2020	0	128.5	0	92.78	0	50.55	0	0	0
8/16/2020	56.88	10.69	7.04	7.718	41.1	51.1	0	0	0
8/17/2020	7.724	54.62	0.96	39.44	5.645	49.93	0	0	0
8/18/2020	0	10.27	0	7.412	0	37.05	0	0	0
8/19/2020	0	10.06	0	7.264	0	44.49	0	0	0
8/20/2020	306.2	9.86	38.08	7.119	224.2	31.14	0	0	0
8/21/2020	79.74	713.3	10.24	515	63.53	41.15	0	0	0
8/22/2020	0	189.8	0	137	0	34.58	0	0	0
8/23/2020	0	15.02	0	10.85	0	50.92	0	0	0
8/24/2020	0	14.92	0	10.77	0	52.05	0	0	0
8/25/2020	0	16.45	0	11.88	0	51.84	0	0	0
8/26/2020	0	16.87	0	12.18	0	44.89	0	0	0
8/27/2020	6.798	16.53	0.96	11.94	6.803	36.99	0	0	0
8/28/2020	0	16.2	0	11.7	0	42.37	0	0	0
8/29/2020	6.801	15.88	0.96	11.46	6.798	43.11	0	0	0
8/30/2020	0	15.56	0	11.23	0	36.76	0	0	0
8/31/2020	226.9	15.25	32	11.01	226.4	23.93	0	0	0
9/1/2020	393.3	597.2	62.65	428.5	421.3	23.68	0	0	0
9/2/2020	88.41	1178	16.1	844.9	124.1	39.86	0	0	0
9/3/2020	67.12	420.3	14.7	301.6	130.3	50.18	0	0	0
9/4/2020	64.62	348.6	15.4	250.1	143.6	51.91	0	0	0
9/5/2020	85.41	422.1	22.05	302.9	214.5	39.07	0	0	0
9/6/2020	128.1	558.2	37.1	400.6	380.5	44.62	0	0	0
9/7/2020	2.982	865.4	1.05	620.9	11.57	53.87	0	0	0
9/8/2020	0	244.1	0	175.1	0	50.87	0	0	0
9/9/2020	29.12	212.1	14	152.2	167.6	51.36	0	0	0
9/10/2020	7.817	371.2	4.2	266.3	51.43	56.4	0	0	0
9/11/2020	0	218.7	0	156.9	0	51.34	0	0	0
9/12/2020	0	167.2	0	119.9	0	55.56	0	0	0
9/13/2020	34.23	161.1	23.1	115.6	293.8	61.4	0	0	0
9/14/2020	1.429	509.7	1.05	365.7	13.51	47.23	0	0	0
9/15/2020	15.29	150.5	12.95	108	169.6	52.78	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
9/16/2020	16.47	339.2	15.05	243.4	198.7	48.73	0	0	0
9/17/2020	0.3259	391.1	0.35	280.6	4.693	45	0	0	0
9/18/2020	0.2788	152.1	0.35	109.2	4.752	50.09	0	0	0
9/19/2020	0	144.8	0	103.9	0	58.6	0	0	0
9/20/2020	0	142.7	0	102.4	0	58.52	0	0	0
9/21/2020	0.7034	137.9	1.05	98.92	14.42	36.86	0	0	0
9/22/2020	0.6549	131.3	1.05	94.21	14.48	42.82	0	0	0
9/23/2020	0.6103	123.8	1.05	88.86	14.54	43.23	0	0	0
9/24/2020	0	115.9	0	83.18	0	54.19	0	0	0
9/25/2020	0.5361	107.1	1.05	76.84	14.63	30.9	0	0	0
9/26/2020	0	99.09	0	71.1	0	27.67	0	0	0
9/27/2020	0	91.75	0	65.84	0	44.03	0	0	0
9/28/2020	4.702	24.12	11.2	17.31	157.3	41.2	0	0	0
9/29/2020	0.67	158.3	1.75	113.6	24.66	32.86	0	0	0
9/30/2020	0.1141	23.17	0.35	16.62	4.957	34.53	0	0	0
10/1/2020	0	23.42	0	16.81	0	33.77	0	0	0
10/2/2020	0.564	23.64	1.75	16.96	24.8	28.73	0	0	0
10/3/2020	0.1099	23.69	0.35	17	4.963	25.89	0	0	0
10/4/2020	0.1084	23.52	0.35	16.88	4.965	25.17	0	0	0
10/5/2020	0	1.165	0	0.8358	0	23.78	0	0	0
10/6/2020	0	1.149	0	0.8241	0	22.56	0	0	0
10/7/2020	0	1.133	0	0.8127	0	22.24	0	0	0
10/8/2020	0	1.116	0	0.8011	0	25.72	0	0	0
10/9/2020	0	1.1	0	0.789	0	23.72	0	0	0
10/10/2020	0	1.082	0	0.7765	0	15.21	0	0	0
10/11/2020	1.739	149.4	5.25	107.2	74.33	24.87	0	0	0
10/12/2020	10.64	100.4	40.25	72.04	573.2	18.01	0	0	0
10/13/2020	0.3091	747.7	3.15	536.5	45.51	19.4	0	0	0
10/14/2020	0	94.13	8.05	67.54	119.1	19.76	0	0	0
10/15/2020	0	152.4	5.95	109.4	88.48	19.12	0	0	0
10/16/2020	0	185.2	0.35	132.9	5.236	20.33	0	0	0
10/17/2020	0	88.87	0.35	63.77	5.265	18.38	0	0	0
10/18/2020	0	5.155	0	3.699	0	19.52	0	0	0
10/19/2020	0	5.248	0	3.766	0	14.31	0	0	0
10/20/2020	0	5.261	0	3.775	0	12.98	0	0	0
10/21/2020	0	5.204	0	3.734	0	13.54	0	0	0
10/22/2020	0	5.093	0	3.654	0	11.1	0	0	0
10/23/2020	0	4.941	0	3.545	0	9.821	0	0	0
10/24/2020	0	4.76	0	3.415	0	8.925	0	0	0
10/25/2020	0	4.559	0	3.271	0	8.732	0	0	0
10/26/2020	0	1.242	0	0.891	0	7.958	0	0	0
10/27/2020	0	1.241	0	0.8906	0	8.766	0	0	0
10/28/2020	0	1.236	0	0.8867	0	4.98	0	0	0
10/29/2020	0	1.227	0	0.8801	0	4.415	0	0	0
10/30/2020	0	1.215	0	0.8715	0	4.27	0	0	0
10/31/2020	0	1.2	0	0.8612	0	2.958	0	0	0
11/1/2020	0	1.184	0	0.8497	0	0.9883	0	0	0
11/2/2020	0	1.167	0	0.8373	0	0.9255	0	0	0
11/3/2020	0	1.149	0	0.8242	0	5.184	0	0	0
11/4/2020	0	1.13	0	0.8106	0	7.167	0	0	0
11/5/2020	0	1.11	0	0.7968	0	2.804	0	0	0
11/6/2020	0	1.091	0	0.7827	0	1.603	0	0	0
11/7/2020	0	1.071	0	0.7685	0	3.727	0	0	0
11/8/2020	0	1.051	0	0.7544	0	0.9919	0	0	0
11/9/2020	0	1.032	0	0.7402	0	2.808	0	0	0
11/10/2020	0	1.012	0	0.7262	0	3.714	0	0	0
11/11/2020	0	0.9927	0	0.7123	0	0	0	0	0
11/12/2020	0	0.9735	0	0.6985	0	0.09157	0	0	0
11/13/2020	0	0.9546	0	0.685	0	3.404	0	0	0
11/14/2020	0	0.936	0	0.6716	0	0.3763	0	0	0
11/15/2020	0	0.9176	0	0.6584	0	0	0	0	0
11/16/2020	0	0.8995	0	0.6454	0	0.5919	0	0	0
11/17/2020	0	0.8818	0	0.6327	0	1.174	0	0	0
11/18/2020	0	0.8643	0	0.6202	0	0.1295	0	0	0
11/19/2020	0	0.8472	0	0.6079	0	0.3024	0	0	0
11/20/2020	0	0.8303	0	0.5958	0	0	0	0	0
11/21/2020	0	0.8138	0	0.5839	0	0	0	0	0
11/22/2020	0	0.7976	0	0.5723	0	0	0	0	0
11/23/2020	0	0.7817	0	0.5609	0	0	0	0	0
11/24/2020	0	0.7661	0	0.5497	0	0	0	0	0
11/25/2020	0	0.7509	0	0.5388	0	0.5912	0	0	0
11/26/2020	0	0.7359	0	0.528	0	1.2	0	0	0
11/27/2020	0	0.7212	0	0.5175	0	0	0	0	0
11/28/2020	0	0.7068	0	0.5071	0	0	0	0	0
11/29/2020	0	0.6926	0	0.497	0	0.6399	0	0	0
11/30/2020	0	0.6788	0	0.4871	0	1.12	0	0	0
12/1/2020	0	0.6652	0	0.4773	0	1.438	0	0	0
12/2/2020	0	0.6519	0	0.4678	0	1.204	0	0	0
12/3/2020	0	0.6389	0	0.4584	0	1.388	0	0	0
12/4/2020	0	0.6261	0	0.4493	0	1.104	0	0	0
12/5/2020	0	0.6136	0	0.4403	0	1.547	0	0	0
12/6/2020	0	0.6014	0	0.4315	0	1.615	0	0	0
12/7/2020	0	0.5893	0	0.4229	0	1.826	0	0	0
12/8/2020	0	0.5775	0	0.4144	0	1.764	0	0	0
12/9/2020	0	0.566	0	0.4061	0	1.467	0	0	0
12/10/2020	0	0.5547	0	0.398	0	0	0	0	0
12/11/2020	0	0.5436	0	0.39	0	0	0	0	0
12/12/2020	0	0.5327	0	0.3822	0	0	0	0	0
12/13/2020	0	0.5221	0	0.3746	0	0	0	0	0
12/14/2020	0	0.5116	0	0.3671	0	0	0	0	0
12/15/2020	0	0.5014	0	0.3598	0	0	0	0	0
12/16/2020	0	0.4914	0	0.3526	0	0	0	0	0
12/17/2020	0	0.4815	0	0.3455	0	0	0	0	0
12/18/2020	0	0.4719	0	0.3386	0	0	0	0	0
12/19/2020	0	0.4625	0	0.3318	0	0	0	0	0
12/20/2020	0	0.4532	0	0.3252	0	0	0	0	0
12/21/2020	0	0.4441	0	0.3187	0	0	0	0	0
12/22/2020	0	0.4353	0	0.3123	0	0	0	0	0
12/23/2020	0	0.4266	0	0.3061	0	0	0	0	0
12/24/2020	0	0.418	0	0.2999	0	0	0	0	0
12/25/2020	0	0.4097	0	0.2939	0	0	0	0	0
12/26/2020	0	0.4015	0	0.2881	0	0	0	0	0
12/27/2020	0	0.3934	0	0.2823	0	0	0	0	0
12/28/2020	0	0.3856	0	0.2767	0	0	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
12/29/2020	0	0.3779	0	0.2711	0	0	0	0	0
12/30/2020	0	0.3703	0	0.2657	0	0	0	0	0
12/31/2020	0	0.3629	0	0.2604	0	0	0	0	0
1/1/2021	0	0.3408	0	0.2496	0	0	0	0	0
1/2/2021	0	0.3339	0	0.2446	0	0	0	0	0
1/3/2021	0	0.3273	0	0.2397	0	0	0	0	0
1/4/2021	0	0.3207	0	0.235	0	0	0	0	0
1/5/2021	0	0.3143	0	0.2303	0	0	0	0	0
1/6/2021	0	0.308	0	0.2257	0	0	0	0	0
1/7/2021	0	0.3019	0	0.2211	0	0	0	0	0
1/8/2021	0	0.2958	0	0.2167	0	0.9986	0	0	0
1/9/2021	0	0.2899	0	0.2124	0	0.1232	0	0	0
1/10/2021	0	0.2841	0	0.2081	0	0	0	0	0
1/11/2021	0	0.2784	0	0.204	0	0	0	0	0
1/12/2021	0	0.2729	0	0.1999	0	0	0	0	0
1/13/2021	0	0.2674	0	0.1959	0	0.3306	0	0	0
1/14/2021	0	0.262	0	0.192	0	1.164	0	0	0
1/15/2021	0	0.2568	0	0.1881	0	0	0	0	0
1/16/2021	0	0.2517	0	0.1844	0	0	0	0	0
1/17/2021	0	0.2466	0	0.1807	0	0	0	0	0
1/18/2021	0	0.2417	0	0.1771	0	0	0	0	0
1/19/2021	0	0.2369	0	0.1735	0	0	0	0	0
1/20/2021	0	0.2321	0	0.1701	0	0	0	0	0
1/21/2021	0	0.2275	0	0.1667	0	0	0	0	0
1/22/2021	0	0.2229	0	0.1633	0	0	0	0	0
1/23/2021	0	0.2185	0	0.1601	0	0	0	0	0
1/24/2021	0	0.2141	0	0.1569	0	0	0	0	0
1/25/2021	0	0.2098	0	0.1537	0	0	0	0	0
1/26/2021	0	0.2056	0	0.1506	0	0	0	0	0
1/27/2021	0	0.2015	0	0.1476	0	0.1353	0	0	0
1/28/2021	0	0.1975	0	0.1447	0	0	0	0	0
1/29/2021	0	0.1935	0	0.1418	0	0	0	0	0
1/30/2021	0	0.1897	0	0.139	0	0	0	0	0
1/31/2021	0	0.1859	0	0.1362	0	0.931	0	0	0
2/1/2021	0	0.1822	0	0.1334	0	0	0	0	0
2/2/2021	0	0.1785	0	0.1308	0	0	0	0	0
2/3/2021	0	0.1749	0	0.1282	0	0	0	0	0
2/4/2021	0	0.1714	0	0.1256	0	0	0	0	0
2/5/2021	0	0.168	0	0.1231	0	0	0	0	0
2/6/2021	0	0.1647	0	0.1206	0	0	0	0	0
2/7/2021	0	0.1614	0	0.1182	0	0	0	0	0
2/8/2021	0	0.1581	0	0.1159	0	9.055	0	0	0
2/9/2021	0	0.155	0	0.1135	0	0	0	0	0
2/10/2021	0	0.1519	0	0.1113	0	0	0	0	0
2/11/2021	0	0.1488	0	0.109	0	0	0	0	0
2/12/2021	0	0.1459	0	0.1069	0	1.167	0	0	0
2/13/2021	0	0.1429	0	0.1047	0	0	0	0	0
2/14/2021	0	0.1401	0	0.1026	0	0	0	0	0
2/15/2021	0	0.1373	0	0.1006	0	0	0	0	0
2/16/2021	0	0.1345	0	0.09856	0	0	0	0	0
2/17/2021	0	0.1318	0	0.09659	0	0	0	0	0
2/18/2021	0	0.1292	0	0.09466	0	0	0	0	0
2/19/2021	0	0.1266	0	0.09276	0	0	0	0	0
2/20/2021	0	0.1241	0	0.09091	0	0	0	0	0
2/21/2021	0	0.1216	0	0.08909	0	0.9445	0	0	0
2/22/2021	0	0.1192	0	0.08731	0	0	0	0	0
2/23/2021	0	0.1168	0	0.08556	0	0	0	0	0
2/24/2021	0	0.1145	0	0.08385	0	0	0	0	0
2/25/2021	0	0.1122	0	0.08218	0	0	0	0	0
2/26/2021	0	0.1099	0	0.08053	0	0	0	0	0
2/27/2021	0	0.1077	0	0.07892	0	0	0	0	0
2/28/2021	0	0.1056	0	0.07734	0	0	0	0	0
3/1/2021	0	0.1035	0	0.0758	0	0	0	0	0
3/2/2021	0	0.1014	0	0.07428	0	0	0	0	0
3/3/2021	0	0.09937	0	0.07279	0	0	0	0	0
3/4/2021	0	0.09738	0	0.07134	0	0	0	0	0
3/5/2021	0	0.09543	0	0.06991	0	0	0	0	0
3/6/2021	0	0.09352	0	0.06851	0	0	0	0	0
3/7/2021	0	0.09165	0	0.06714	0	0	0	0	0
3/8/2021	0	0.08982	0	0.0658	0	10.17	0	0	0
3/9/2021	0	0.08802	0	0.06448	0	0	0	0	0
3/10/2021	0	0.08626	0	0.06319	0	0	0	0	0
3/11/2021	0	0.08454	0	0.06193	0	0	0	0	0
3/12/2021	0	0.08285	0	0.06069	0	0	0	0	0
3/13/2021	0	0.08119	0	0.05948	0	0	0	0	0
3/14/2021	0	0.07957	0	0.05829	0	0	0	0	0
3/15/2021	0	0.07797	0	0.05712	0	0	0	0	0
3/16/2021	0	0.07641	0	0.05598	0	0	0	0	0
3/17/2021	0	0.07489	0	0.05486	0	0	0	0	0
3/18/2021	0	0.07339	0	0.05376	0	0	0	0	0
3/19/2021	0	0.07192	0	0.05269	0	0	0	0	0
3/20/2021	0	0.07048	0	0.05163	0	5.962	0	0	0
3/21/2021	0	0.06907	0	0.0506	0	5.169	0	0	0
3/22/2021	0	0.06769	0	0.04959	0	8.669	0	0	0
3/23/2021	0	0.06634	0	0.0486	0	0	0	0	0
3/24/2021	0	0.06501	0	0.04763	0	0	0	0	0
3/25/2021	0	0.06371	0	0.04667	0	0	0	0	0
3/26/2021	0	0.06244	0	0.04574	0	0	0	0	0
3/27/2021	0	0.06119	0	0.04483	0	0	0	0	0
3/28/2021	0	0.05996	0	0.04393	0	0	0	0	0
3/29/2021	0	0.05876	0	0.04305	0	0	0	0	0
3/30/2021	0	0.05759	0	0.04219	0	0	0	0	0
3/31/2021	0	0.05644	0	0.04135	0	0	0	0	0
4/1/2021	0	0.05531	0	0.04052	0	0	0	0	0
4/2/2021	0	0.0542	0	0.03971	0	0	0	0	0
4/3/2021	0	0.05312	0	0.03891	0	5.659	0	0	0
4/4/2021	0	0.05206	0	0.03814	0	18.62	0	0	0
4/5/2021	0	0.05101	0	0.03737	0	0.6448	0	0	0
4/6/2021	0	0.04999	0	0.03663	0	7.16	0	0	0
4/7/2021	0	0.04899	0	0.03589	0	26.93	0	0	0
4/8/2021	0	0.04801	0	0.03518	0	21.92	0	0	0
4/9/2021	0	0.04705	0	0.03447	0	15.35	0	0	0
4/10/2021	0	0.04611	0	0.03378	0	38.21	0	0	0
4/11/2021	0	0.04519	0	0.03311	0	30.34	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
4/12/2021	0	0.04429	0	0.03244	0	0	0	0	0
4/13/2021	0	0.0434	0	0.0318	0	0	0	0	0
4/14/2021	0	0.04253	0	0.03116	0	0	0	0	0
4/15/2021	0	0.04168	0	0.03054	0	23.51	0	0	0
4/16/2021	0	0.04085	0	0.02993	0	31.43	0	0	0
4/17/2021	0	0.04003	0	0.02933	0	33.18	0	0	0
4/18/2021	0	0.03923	0	0.02874	0	8.168	0	0	0
4/19/2021	0	0.03845	0	0.02817	0	0.8157	0	0	0
4/20/2021	0	0.03768	0	0.0276	0	0	0	0	0
4/21/2021	0	0.03692	0	0.02705	0	21.43	0	0	0
4/22/2021	0	0.03619	0	0.02651	0	32.36	0	0	0
4/23/2021	0	0.03546	0	0.02598	0	17.39	0	0	0
4/24/2021	0	0.03475	0	0.02546	0	0	0	0	0
4/25/2021	0	0.03406	0	0.02495	0	0	0	0	0
4/26/2021	0	0.03338	0	0.02445	0	7.052	0	0	0
4/27/2021	0	0.03271	0	0.02396	0	18.16	0	0	0
4/28/2021	0	0.03206	0	0.02348	0	60	0	0	0
4/29/2021	0	0.03141	0	0.02301	0	26.96	0	0	0
4/30/2021	0	0.03079	0	0.02255	0	28.79	0	0	0
5/1/2021	0	0.03017	0	0.0221	0	24.17	0	0	0
5/2/2021	0	0.02957	0	0.02166	0	66.69	0	0	0
5/3/2021	0	0.02898	0	0.02123	0	85.57	0	0	0
5/4/2021	0	0.0284	0	0.0208	0	86.63	0	0	0
5/5/2021	0	41.51	9.044	30.41	123.9	84.56	0	0	0
5/6/2021	0	131.8	0	96.53	0	79.01	0	0	0
5/7/2021	0	0.02673	0	0.01958	0	71.7	0	0	0
5/8/2021	0	0.06863	0	0.05028	0	65.01	0	0	0
5/9/2021	0	0.1093	0	0.08004	0	63.58	0	0	0
5/10/2021	0	0.1447	0	0.106	0	74.09	0	0	0
5/11/2021	0	0.1739	0	0.1274	0	78.49	0	0	0
5/12/2021	0	0.1971	0	0.1444	0	79.39	0	0	0
5/13/2021	0	0.215	0	0.1575	0	44.16	0	0	0
5/14/2021	0	0.2285	0	0.1674	0	46.51	0	0	0
5/15/2021	0	0.2382	0	0.1745	0	15.53	0	0	0
5/16/2021	0	0.245	0	0.1795	0	35.74	0	0	0
5/17/2021	0	0.2493	0	0.1827	0	37.92	0	0	0
5/18/2021	0	0.2518	0	0.1844	0	31.47	0	0	0
5/19/2021	0	0.2527	0	0.1851	0	40.9	0	0	0
5/20/2021	0	0.2524	0	0.1849	0	35.08	0	0	0
5/21/2021	0	0.2511	0	0.184	0	53.85	0	0	0
5/22/2021	0	0.2491	0	0.1825	0	57.16	0	0	0
5/23/2021	0	0.2466	0	0.1806	0	51.72	0	0	0
5/24/2021	0	0.2436	0	0.1785	0	72.93	0	0	0
5/25/2021	0	0.2403	0	0.176	0	73.04	0	0	0
5/26/2021	0	0.2367	0	0.1734	0	72.16	0	0	0
5/27/2021	0	0.233	0	0.1707	0	66.31	0	0	0
5/28/2021	0	0.2291	0	0.1679	0	86.3	0	0	0
5/29/2021	0	28.26	8.816	20.7	118.6	102.9	0	0	0
5/30/2021	0	227.8	8.512	166.9	114.7	99.62	0	0	0
5/31/2021	0	298.3	8.968	218.6	121.8	100.3	0	0	0
6/1/2021	0	126.6	0	92.73	0	94.77	0	0	0
6/2/2021	0	0.2874	0	0.2105	0	105	0	0	0
6/3/2021	0	127.8	5.852	93.63	80.27	107.7	0	0	0
6/4/2021	0	437.9	7.296	320.8	100.4	112.6	0	0	4500
6/5/2021	2.802	600.5	6.08	439.9	78.1	105.3	0	0	4500
6/6/2021	11.83	719.3	10.34	526.9	123.9	97.37	0	0	4500
6/7/2021	0	952	0	697.5	0	81.33	0	0	4500
6/8/2021	30.99	511.3	9.728	374.6	91.82	76.68	0	0	4500
6/9/2021	69.28	1506	15.2	1104	117.4	66.37	0	0	4500
6/10/2021	70.01	1768	13.38	1295	92.01	58.06	0	0	0
6/11/2021	99.91	1742	24.93	1276	209.7	78.9	0	0	0
6/12/2021	133.5	3035	48.64	2223	485.9	137.8	0	0	0
6/13/2021	53.51	5750	54.11	4213	659.4	142.1	0	0	0
6/14/2021	0	4819	63.84	3530	944	191.5	0	0	0
6/15/2021	0	1406	49.86	1030	769.2	188.5	0	0	0
6/16/2021	0	1141	32.83	836.1	506.6	150.8	0	0	4500
6/17/2021	0	978.4	44.99	716.8	670.6	168.6	0	0	4500
6/18/2021	0	844.8	50.62	618.9	726.3	171.3	0	0	0
6/19/2021	0	735.6	45.3	538.9	673	156.9	0	0	0
6/20/2021	0	648.5	20.22	475.1	309.5	141.5	0	0	0
6/21/2021	0	575.5	26.14	421.6	403.4	147.7	0	0	0
6/22/2021	0	523.6	34.66	383.6	534.7	152.8	0	0	0
6/23/2021	0	493.5	40.13	361.5	619.1	161	0	0	0
6/24/2021	0	461.3	58.06	338	895.9	154.5	0	0	0
6/25/2021	0	761.9	45.14	558.2	696.5	142.5	0	0	0
6/26/2021	0	816.9	26.14	598.5	403.4	151.2	0	0	0
6/27/2021	0	371.8	44.38	272.3	684.8	176.1	0	0	0
6/28/2021	0	353.1	48.03	258.7	741.1	166.5	0	0	0
6/29/2021	0	331.3	28.35	242.7	437.4	177.6	0	0	0
6/30/2021	0	305.6	0	223.9	0	218.8	0	0	0
7/1/2021	0	280.6	0	205.5	0	174.7	0	0	0
7/2/2021	0	258.1	6.84	189.1	105.5	186.7	0	0	0
7/3/2021	0	247.9	7.22	181.6	111.4	180.4	0	0	0
7/4/2021	0	269.3	23.18	197.3	357.6	169.8	0	0	0
7/5/2021	0	523.2	0	383.3	0	164.1	0	0	0
7/6/2021	0	187.1	0	137.1	0	177.2	0	0	0
7/7/2021	0	176.3	0	129.2	0	196.1	0	0	0
7/8/2021	0	160.8	4.18	117.8	64.49	193.4	0	0	1000
7/9/2021	0	147	0	107.7	0	201.4	0	0	0
7/10/2021	0	133.8	0	98.02	0	183.4	0	0	0
7/11/2021	0	121.4	0	88.91	0	212.6	0	0	0
7/12/2021	0	109.3	0	80.09	0	194.4	0	0	0
7/13/2021	0	98.43	6.46	72.11	98.48	182.2	0	0	0
7/14/2021	0	93.62	0	68.59	0	185.2	0	0	0
7/15/2021	0	23.08	0	16.91	0	330.1	0	0	0
7/16/2021	0	22.62	1.9	16.57	28.86	204.1	0	0	0
7/17/2021	0	22.17	66.88	16.24	1014	153	0	0	0
7/18/2021	0	1042	0	763.3	0	170.1	0	0	4.313
7/19/2021	0	54.02	0	39.57	0	182.1	0	0	0
7/20/2021	0	87.27	0	63.93	0	214.4	0	0	0
7/21/2021	0	87.87	0	64.37	0	200.7	0	0	0.04688
7/22/2021	0	22.86	0	16.75	0	189.4	0	0	0.2813
7/23/2021	0	22.41	0	16.42	0	190.5	0	0	9630
7/24/2021	36.87	21.96	95.38	16.09	1234	139.7	0	0	10027

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
7/25/2021	39.15	1516	14.44	1110	144.9	106.7	0	192	4654
7/26/2021	37.58	339.7	10.64	248.8	95.82	91.9	0	0	3.688
7/27/2021	0	278.2	0	203.8	0	90.71	0	0	3.5
7/28/2021	0	141.1	0	103.4	0	92.71	0	0	2.297
7/29/2021	0	111	0	81.32	0	96.06	0	0	0
7/30/2021	21.97	110.8	7.22	81.18	69.44	95.06	0	0	5.531
7/31/2021	5.641	130.7	1.9	95.75	18.45	94.98	0	0	2.969
8/1/2021	0	99.76	0	73.08	0	95.99	0	0	6.063
8/2/2021	44.9	91.08	15.58	66.73	153	99.11	0	96	9.219
8/3/2021	6.424	186.7	2.28	136.8	22.57	98.68	0	0	488.3
8/4/2021	29.83	23.14	10.26	16.95	100.4	99.1	0	456	2207
8/5/2021	2.966	118.3	0.76	86.68	6.493	80.2	0	456	1952
8/6/2021	0	22.25	0	16.3	0	67.2	0	100.5	5367
8/7/2021	0	21.8	0	15.97	0	44.07	0	0	3709
8/8/2021	0	21.37	0	15.65	0	45.85	0	0	9
8/9/2021	122.5	20.94	17.48	15.34	81.5	44.26	0	204.6	8.875
8/10/2021	0	217.4	0	159.2	0	41.77	0	325.7	9.109
8/11/2021	0	20.11	0	14.73	0	41.95	0	0	220.3
8/12/2021	647	19.71	92.34	14.44	430.5	36.43	0	723.5	8.5
8/13/2021	262.5	1473	38.38	1079	187	32.85	0	726.9	8.531
8/14/2021	79.32	750.1	13.3	549.5	79.35	52.31	0	84.42	3.406
8/15/2021	24.85	322.4	4.56	236.2	30.13	58.25	0	0	0
8/16/2021	228.7	210.6	43.7	154.3	300.6	58.51	0	0	0
8/17/2021	0	830.8	0	608.6	0	60.45	0	45.41	0.6719
8/18/2021	3.33	208.2	0.76	152.5	6.038	60.09	0	269.5	6140
8/19/2021	28.14	173.8	4.18	127.3	20.92	40.06	0	0	2511
8/20/2021	0	142.9	0	104.7	0	37.65	0	209.9	0
8/21/2021	0	141.6	0	103.8	0	33.06	0	212.4	0
8/22/2021	18.64	137.4	2.66	100.6	12.4	35.03	0	236.7	0
8/23/2021	484.6	130.4	69.16	95.55	322.5	33.67	0	953	0
8/24/2021	0	1198	0	877.9	0	35.09	0	1369	0
8/25/2021	0	155.8	0	114.1	0	41.23	0	1016	0
8/26/2021	0	129	0	94.49	0	38.78	0	184.7	3.5
8/27/2021	0	120.5	0	88.28	0	47.23	0	161.5	0
8/28/2021	0	117.4	0	86	0	45.94	0	157.4	0
8/29/2021	0	109	0	79.83	0	47.05	0	141.8	0
8/30/2021	0	98.78	0	72.36	0	34.97	0	136.2	0
8/31/2021	0	89.96	0	65.9	0	30.67	0	125.2	0
9/1/2021	85.2	23.42	12.16	17.16	56.7	31.82	0	162.8	0
9/2/2021	2.663	139.8	0.38	102.4	1.772	32.88	0	214.2	0
9/3/2021	37.28	22.5	5.32	16.48	24.8	29	0	77.38	0
9/4/2021	55.91	36.63	7.98	26.84	37.21	26.38	0	138.2	0
9/5/2021	21.3	105.2	3.04	77.1	14.17	29.34	0	191.5	0
9/6/2021	0	22.93	0	16.8	0	26.78	0	12.95	0
9/7/2021	5.325	21.44	0.76	15.71	3.543	26.35	0	20.43	0
9/8/2021	10.65	21.01	1.52	15.39	7.087	27	0	0	0
9/9/2021	18.61	20.59	2.66	15.09	12.44	25.11	0	72.94	0
9/10/2021	21.3	20.18	3.04	14.78	14.17	25.54	0	47.94	0
9/11/2021	0	19.78	0	14.49	0	24.43	0	0	0
9/12/2021	133.1	19.38	19	14.2	88.68	22.5	0	0	0
9/13/2021	0	259.9	0	190.4	0	21.02	0	690.9	0
9/14/2021	303.5	18.61	43.32	13.64	202	22.14	0	558.9	0
9/15/2021	215.7	677.1	30.78	496	143.5	22.92	0	1152	0
9/16/2021	7.817	528.2	1.14	386.9	5.528	22.85	0	1152	0
9/17/2021	5.283	73.71	0.76	54	3.596	21.34	0	258.9	0
9/18/2021	37.28	115.8	5.32	84.83	24.8	20.34	0	247.7	0
9/19/2021	55.91	123.4	7.98	90.37	37.21	19.09	0	295.7	0
9/20/2021	2.663	190.8	0.38	139.8	1.772	16.06	0	319.3	0
9/21/2021	5.325	102.4	0.76	75.01	3.543	15.55	0	0	0
9/22/2021	2.638	102.9	0.38	75.35	1.803	15.94	0	338.5	0
9/23/2021	0	101.5	0	74.33	0	15.11	0	160.7	0
9/24/2021	0	98.47	0	72.14	0	15.59	0	0	0
9/25/2021	224.4	93.97	32.3	68.84	153	16.67	0	710.9	0
9/26/2021	7.988	552.9	1.14	405	5.315	15.81	0	956.5	0
9/27/2021	0	23.52	0	17.23	0	13.61	0	27.14	0
9/28/2021	0	88.35	0	64.72	0	14.88	0	138.2	0
9/29/2021	0	88.27	0	64.66	0	13.16	0	139.8	0
9/30/2021	15.98	24.71	2.28	18.1	10.63	13.1	0	58.6	0
10/1/2021	106.5	87.84	15.2	64.35	70.87	15.39	0	312	0
10/2/2021	15.96	217.6	2.28	159.4	10.65	13.67	0	409.6	0
10/3/2021	21.3	28	3.04	20.51	14.17	11.94	0	75.08	0
10/4/2021	42.6	35.11	6.08	25.72	28.35	11.86	0	126	0
10/5/2021	500.6	149.6	71.44	109.6	333.1	13.72	0	456	0
10/6/2021	23.05	1179	3.42	863.6	17.09	12.88	0	0	0
10/7/2021	4.515	235.3	0.76	172.4	4.557	14.05	0	0	0
10/8/2021	162.7	158.6	28.12	116.2	174.1	14.13	0	0	0
10/9/2021	10.53	557.3	1.9	408.3	12.34	16.66	0	0	0
10/10/2021	0	179.4	0	131.4	0	16.61	0	0	0
10/11/2021	0	154.4	0	113.1	0	18.4	0	0	0
10/12/2021	75.37	135.5	15.2	99.3	109.8	15.28	0	0	0
10/13/2021	114.8	312.1	23.94	228.7	177.8	13.87	0	0	0
10/14/2021	0	475.9	0	348.6	0	14.25	0	0	0
10/15/2021	0	189.9	0	139.1	0	13.24	0	0	13408
10/16/2021	53.25	144.8	7.6	106.1	35.43	8.342	0	0	0
10/17/2021	104.5	201.6	15.2	147.7	73.35	7.067	0	0	0
10/18/2021	10.14	355.4	1.52	260.3	7.727	8.602	0	0	0
10/19/2021	0	142.1	0	104.1	0	8.692	0	0	0
10/20/2021	0	6.773	0	4.962	0	7.043	0	0	0
10/21/2021	0	6.753	0	4.947	0	6.345	0	0	0
10/22/2021	0	6.662	0	4.881	0	5.455	0	0	0
10/23/2021	0	6.511	0	4.77	0	5.739	0	0	0
10/24/2021	0	6.312	0	4.624	0	5.755	0	0	0
10/25/2021	0	6.078	0	4.453	0	6.248	0	0	0
10/26/2021	0	5.82	0	4.264	0	5.572	0	0	0
10/27/2021	2.403	616.3	0.38	451.5	2.096	7.076	0	0	0
10/28/2021	132.6	453.1	22.42	331.9	135.2	6.574	0	0	0
10/29/2021	0	406.6	0	297.9	0	5.374	0	0	0
10/30/2021	31.8	22.94	6.08	16.81	41.85	6.136	0	0	0
10/31/2021	0	60.87	0	44.59	0	6.396	0	0	0
11/1/2021	0	4.681	0	3.429	0	4.561	0	0	0
11/2/2021	0	4.688	0	3.434	0	3.314	0	0	0
11/3/2021	0	4.653	0	3.409	0	3.359	0	0	0
11/4/2021	0	4.575	0	3.352	0	3.746	0	0	0
11/5/2021	0	4.46	0	3.267	0	4.415	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
11/6/2021	0	1.233	0	0.9031	0	4.501	0	0	0
11/7/2021	0	4.363	0	3.197	0	4.209	0	0	0
11/8/2021	0	1.191	0	0.8722	0	4.77	0	0	0
11/9/2021	0	1.192	0	0.8731	0	3.673	0	0	0
11/10/2021	0	1.188	0	0.8703	0	3.091	0	0	0
11/11/2021	0	1.18	0	0.8647	0	0.8064	0	0	0
11/12/2021	0	1.17	0	0.8568	0	0.3708	0	0	0
11/13/2021	0	1.157	0	0.8472	0	0	0	0	0
11/14/2021	0	1.142	0	0.8363	0	0.104	0	0	0
11/15/2021	0	1.125	0	0.8245	0	1.945	0	0	0
11/16/2021	0	1.108	0	0.8118	0	2.504	0	0	0
11/17/2021	0	1.09	0	0.7987	0	1.709	0	0	0
11/18/2021	0	1.072	0	0.7852	0	0.4582	0	0	0
11/19/2021	0	1.053	0	0.7715	0	0	0	0	0
11/20/2021	0	1.034	0	0.7576	0	0.118	0	0	0
11/21/2021	0	1.015	0	0.7438	0	1.555	0	0	0
11/22/2021	0	0.9963	0	0.7299	0	0.8667	0	0	0
11/23/2021	0	0.9775	0	0.7161	0	0	0	0	0
11/24/2021	0	0.9589	0	0.7024	0	0	0	0	0
11/25/2021	0	0.9404	0	0.6889	0	0	0	0	0
11/26/2021	0	0.9221	0	0.6756	0	0.2218	0	0	0
11/27/2021	0	0.9042	0	0.6624	0	0	0	0	0
11/28/2021	0	0.8864	0	0.6494	0	1.064	0	0	0
11/29/2021	0	0.869	0	0.6366	0	0.7577	0	0	0
11/30/2021	0	0.8518	0	0.6241	0	0	0	0	0
12/1/2021	0	0.835	0	0.6117	0	0.1465	0	0	0
12/2/2021	0	0.8184	0	0.5996	0	0	0	0	0
12/3/2021	0	0.8022	0	0.5877	0	0	0	0	0
12/4/2021	0	0.7862	0	0.576	0	0	0	0	0
12/5/2021	0	0.7706	0	0.5645	0	0	0	0	0
12/6/2021	0	0.7552	0	0.5533	0	0	0	0	0
12/7/2021	0	0.7402	0	0.5423	0	0	0	0	0
12/8/2021	0	0.7254	0	0.5314	0	0	0	0	0
12/9/2021	0	0.711	0	0.5208	0	0	0	0	0
12/10/2021	0	0.6968	0	0.5104	0	0.386	0	0	0
12/11/2021	0	0.6828	0	0.5002	0	0.7163	0	0	0
12/12/2021	0	0.6692	0	0.4902	0	0.5236	0	0	0
12/13/2021	0	0.6558	0	0.4805	0	0.2803	0	0	0
12/14/2021	0	0.6427	0	0.4709	0	0	0	0	0
12/15/2021	0	0.6299	0	0.4614	0	0	0	0	0
12/16/2021	0	0.6173	0	0.4522	0	0	0	0	0
12/17/2021	0	0.6049	0	0.4432	0	0	0	0	0
12/18/2021	0	0.5929	0	0.4343	0	0	0	0	0
12/19/2021	0	0.581	0	0.4256	0	0	0	0	0
12/20/2021	0	0.5694	0	0.4171	0	0	0	0	0
12/21/2021	0	0.558	0	0.4088	0	0	0	0	0
12/22/2021	0	0.5468	0	0.4006	0	0	0	0	0
12/23/2021	0	0.5359	0	0.3926	0	0	0	0	0
12/24/2021	0	0.5252	0	0.3847	0	0	0	0	0
12/25/2021	0	0.5147	0	0.3771	0	0	0	0	0
12/26/2021	0	0.5044	0	0.3695	0	0	0	0	0
12/27/2021	0	0.4943	0	0.3621	0	0.2905	0	0	0
12/28/2021	0	0.4844	0	0.3549	0	0	0	0	0
12/29/2021	0	0.4747	0	0.3478	0	0	0	0	0
12/30/2021	0	0.4652	0	0.3408	0	0	0	0	0
12/31/2021	0	0.4559	0	0.334	0	0	0	0	0
1/1/2022	0	0.4468	0	0.3273	0	0	0	0	0
1/2/2022	0	0.4379	0	0.3208	0	0	0	0	0
1/3/2022	0	0.4291	0	0.3144	0	0	0	0	0
1/4/2022	0	0.4205	0	0.3081	0	0	0	0	0
1/5/2022	0	0.4121	0	0.3019	0	0	0	0	0
1/6/2022	0	0.4039	0	0.2959	0	0	0	0	0
1/7/2022	0	0.3958	0	0.29	0	0	0	0	0
1/8/2022	0	0.3879	0	0.2842	0	0	0	0	0
1/9/2022	0	0.3801	0	0.2785	0	0	0	0	0
1/10/2022	0	0.3725	0	0.2729	0	0	0	0	0
1/11/2022	0	0.3651	0	0.2675	0	0	0	0	0
1/12/2022	0	0.3578	0	0.2621	0	0	0	0	0
1/13/2022	0	0.3506	0	0.2569	0	0	0	0	0
1/14/2022	0	0.3436	0	0.2517	0	0	0	0	0
1/15/2022	0	0.3367	0	0.2467	0	0	0	0	0
1/16/2022	0	0.33	0	0.2418	0	0	0	0	0
1/17/2022	0	0.3234	0	0.2369	0	0	0	0	0
1/18/2022	0	0.3169	0	0.2322	0	0	0	0	0
1/19/2022	0	0.3106	0	0.2275	0	0.01607	0	0	0
1/20/2022	0	0.3044	0	0.223	0	0.5201	0	0	0
1/21/2022	0	0.2983	0	0.2185	0	0	0	0	0
1/22/2022	0	0.2923	0	0.2142	0	0	0	0	0
1/23/2022	0	0.2865	0	0.2099	0	0	0	0	0
1/24/2022	0	0.2808	0	0.2057	0	0	0	0	0
1/25/2022	0	0.2751	0	0.2016	0	0	0	0	0
1/26/2022	0	0.2696	0	0.1975	0	0	0	0	0
1/27/2022	0	0.2642	0	0.1936	0	0	0	0	0
1/28/2022	0	0.259	0	0.1897	0	0	0	0	0
1/29/2022	0	0.2538	0	0.1859	0	0	0	0	0
1/30/2022	0	0.2487	0	0.1822	0	0	0	0	0
1/31/2022	0	0.2437	0	0.1786	0	0	0	0	0
2/1/2022	0	0.2389	0	0.175	0	0	0	0	0
2/2/2022	0	0.2341	0	0.1715	0	0	0	0	0
2/3/2022	0	0.2294	0	0.1681	0	0	0	0	0
2/4/2022	0	0.2248	0	0.1647	0	0	0	0	0
2/5/2022	0	0.2203	0	0.1614	0	0	0	0	0
2/6/2022	0	0.2159	0	0.1582	0	0	0	0	0
2/7/2022	0	0.2116	0	0.155	0	0	0	0	0
2/8/2022	0	0.2074	0	0.1519	0	0	0	0	0
2/9/2022	0	0.2032	0	0.1489	0	0	0	0	0
2/10/2022	0	0.1991	0	0.1459	0	0	0	0	0
2/11/2022	0	0.1952	0	0.143	0	0	0	0	0
2/12/2022	0	0.1913	0	0.1401	0	0	0	0	0
2/13/2022	0	0.1874	0	0.1373	0	0	0	0	0
2/14/2022	0	0.1837	0	0.1346	0	0	0	0	0
2/15/2022	0	0.18	0	0.1319	0	0	0	0	0
2/16/2022	0	0.1764	0	0.1292	0	0	0	0	0
2/17/2022	0	0.1729	0	0.1267	0	0	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
2/18/2022	0	0.1694	0	0.1241	0	0	0	0	0
2/19/2022	0	0.166	0	0.1216	0	0	0	0	0
2/20/2022	0	0.1627	0	0.1192	0	0	0	0	0
2/21/2022	0	0.1595	0	0.1168	0	0	0	0	0
2/22/2022	0	0.1563	0	0.1145	0	0	0	0	0
2/23/2022	0	0.1531	0	0.1122	0	0	0	0	0
2/24/2022	0	0.1501	0	0.1099	0	0	0	0	0
2/25/2022	0	0.1471	0	0.1078	0	0	0	0	0
2/26/2022	0	0.1441	0	0.1056	0	0	0	0	0
2/27/2022	0	0.1413	0	0.1035	0	0	0	0	0
2/28/2022	0	0.1384	0	0.1014	0	0	0	0	0
3/1/2022	0	0.1357	0	0.09939	0	0	0	0	0
3/2/2022	0	0.133	0	0.0974	0	0	0	0	0
3/3/2022	0	0.1303	0	0.09545	0	0	0	0	0
3/4/2022	0	0.1277	0	0.09354	0	0	0	0	0
3/5/2022	0	0.1251	0	0.09167	0	0	0	0	0
3/6/2022	0	0.1226	0	0.08984	0	0	0	0	0
3/7/2022	0	0.1202	0	0.08804	0	0	0	0	0
3/8/2022	0	0.1178	0	0.08628	0	0	0	0	0
3/9/2022	0	0.1154	0	0.08455	0	0	0	0	0
3/10/2022	0	0.1131	0	0.08286	0	0	0	0	0
3/11/2022	0	0.1108	0	0.08121	0	0	0	0	0
3/12/2022	0	0.1086	0	0.07958	0	0	0	0	0
3/13/2022	0	0.1065	0	0.07799	0	0	0	0	0
3/14/2022	0	0.1043	0	0.07643	0	0	0	0	0
3/15/2022	0	0.1022	0	0.0749	0	0	0	0	0
3/16/2022	0	0.1002	0	0.0734	0	0	0	0	0
3/17/2022	0	0.09819	0	0.07194	0	0	0	0	0
3/18/2022	0	0.09623	0	0.0705	0	0	0	0	0
3/19/2022	0	0.0943	0	0.06909	0	0	0	0	0
3/20/2022	0	0.09242	0	0.0677	0	0	0	0	0
3/21/2022	0	0.09057	0	0.06635	0	0	0	0	0
3/22/2022	0	0.08876	0	0.06502	0	0	0	0	0
3/23/2022	0	0.08698	0	0.06372	0	6.929	0	0	0
3/24/2022	0	0.08524	0	0.06245	0	17.29	0	0	0
3/25/2022	0	0.08354	0	0.0612	0	10.12	0	0	0
3/26/2022	0	0.08187	0	0.05998	0	2.985	0	0	0
3/27/2022	0	0.08023	0	0.05878	0	0	0	0	0
3/28/2022	0	0.07863	0	0.0576	0	0	0	0	0
3/29/2022	0	0.07705	0	0.05645	0	0	0	0	0
3/30/2022	0	0.07551	0	0.05532	0	0	0	0	0
3/31/2022	0	0.074	0	0.05421	0	0	0	0	0
4/1/2022	0	0.07252	0	0.05313	0	7.601	0	0	0
4/2/2022	0	0.07107	0	0.05207	0	11.65	0	0	0
4/3/2022	0	0.06965	0	0.05103	0	0	0	0	0
4/4/2022	0	0.06826	0	0.05	0	0	0	0	0
4/5/2022	0	0.06689	0	0.049	0	0	0	0	0
4/6/2022	0	0.06555	0	0.04802	0	0	0	0	0
4/7/2022	0	0.06424	0	0.04706	0	0	0	0	0
4/8/2022	0	0.06296	0	0.04612	0	0	0	0	0
4/9/2022	0	0.0617	0	0.0452	0	0	0	0	0
4/10/2022	0	0.06047	0	0.0443	0	0	0	0	0
4/11/2022	0	0.05926	0	0.04341	0	0	0	0	0
4/12/2022	0	0.05807	0	0.04254	0	0	0	0	0
4/13/2022	0	0.05691	0	0.04169	0	0	0	0	0
4/14/2022	0	0.05577	0	0.04086	0	3.59	0	0	0
4/15/2022	0	0.05466	0	0.04004	0	13.05	0	0	0
4/16/2022	0	0.05356	0	0.03924	0	12.55	0	0	0
4/17/2022	0	0.05249	0	0.03845	0	8.757	0	0	0
4/18/2022	0	0.05144	0	0.03769	0	5.838	0	0	0
4/19/2022	0	0.05041	0	0.03693	0	4.393	0	0	0
4/20/2022	0	0.0494	0	0.03619	0	0	0	0	0
4/21/2022	0	0.04842	0	0.03547	0	0	0	0	0
4/22/2022	0	0.04745	0	0.03476	0	0	0	0	0
4/23/2022	0	0.0465	0	0.03406	0	0	0	0	0
4/24/2022	0	0.04557	0	0.03338	0	0	0	0	0
4/25/2022	0	0.04466	0	0.03272	0	0	0	0	0
4/26/2022	0	0.04376	0	0.03206	0	0	0	0	0
4/27/2022	0	0.04289	0	0.03142	0	0	0	0	0
4/28/2022	0	0.04203	0	0.03079	0	8.085	0	0	0
4/29/2022	0	0.04119	0	0.03018	0	0	0	0	0
4/30/2022	0	0.04037	0	0.02957	0	0	0	0	0
5/1/2022	0	0.03956	0	0.02898	0	5.962	0	0	0
5/2/2022	0	0.03877	0	0.0284	0	21.62	0	0	0
5/3/2022	0	0.03799	0	0.02783	0	26.26	0	0	0
5/4/2022	0	0.03723	0	0.02728	0	29.53	0	0	0
5/5/2022	0	0.03649	0	0.02673	0	14.12	0	0	0
5/6/2022	0	0.03576	0	0.0262	0	25.26	0	0	0
5/7/2022	0	0.03504	0	0.02567	0	25.47	0	0	0
5/8/2022	0	0.03434	0	0.02516	0	25.02	0	0	0
5/9/2022	0	0.03366	0	0.02466	0	37.67	0	0	0
5/10/2022	0	0.03298	0	0.02416	0	43.41	0	0	0
5/11/2022	0	0.03232	0	0.02368	0	42.27	0	0	0
5/12/2022	0	0.03168	0	0.02321	0	41.91	0	0	0
5/13/2022	0	0.03104	0	0.02274	0	38.11	0	0	0
5/14/2022	0	0.03042	0	0.02229	0	43.31	0	0	0
5/15/2022	31.64	83.01	5.955	60.81	40.37	34.02	0	0	0
5/16/2022	34.39	259.4	6.563	190	45.08	41.57	0	0	0
5/17/2022	87.96	367.7	17.42	269.4	123.8	44.51	0	0	0
5/18/2022	5.757	480.6	1.216	352.1	9.125	52.74	0	0	0
5/19/2022	0	31.33	0	22.95	0	53.54	0	0	0
5/20/2022	0	0.2705	0	0.1982	0	55	0	0	0
5/21/2022	22.43	78.41	5.043	57.45	39.64	57.17	0	0	0
5/22/2022	40.83	371.5	9.299	272.2	73.75	62.15	0	0	0
5/23/2022	48.34	842.8	11.73	617.4	97.06	62.59	0	0	0
5/24/2022	53.99	848.3	15.34	621.5	138.3	64.38	0	0	0
5/25/2022	48.36	511	16.69	374.3	163.5	71.73	0	0	0
5/26/2022	7.466	414.5	2.991	303.7	30.81	78.44	0	0	0
5/27/2022	15.07	168.6	6.745	123.5	71.69	73.62	0	0	0
5/28/2022	8.626	154.7	4.081	113.3	43.99	73.99	0	0	0
5/29/2022	27.97	278.7	13.87	204.2	151.1	83.14	0	0	0
5/30/2022	34.97	1309	19.55	959.3	218.7	97.09	0	0	0
5/31/2022	30.19	2017	26.07	1477	312.1	112.4	0	0	0
6/1/2022	12.15	2939	28.88	2153	372.4	119.6	0	0	500

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
6/2/2022	0	650.5	24.93	476.6	351.4	139.6	0	0	500
6/3/2022	0	470.2	12.73	344.5	182.1	112.8	0	0	500
6/4/2022	0	397.1	16.11	290.9	232.1	126.9	0	0	500
6/5/2022	0	338.1	17.09	247.7	247.5	125.9	0	0	500
6/6/2022	0	287.9	22.42	210.9	325.9	133.4	0	0	500
6/7/2022	0	248.8	29.02	182.3	423.5	144.8	0	0	500
6/8/2022	0	239.4	26.81	175.3	392.7	126.1	0	0	500
6/9/2022	0	582.4	5.833	426.6	85.74	133.3	0	0	500
6/10/2022	0	261.9	0	191.9	0	135.7	0	0	500
6/11/2022	0	202.8	0	148.6	0	135	0	0	500
6/12/2022	0	192.5	0	141	0	125.4	0	0	500
6/13/2022	0	177.7	0	130.2	0	124.2	0	0	500
6/14/2022	0	163.1	1.14	119.5	16.59	136.1	0	0	500
6/15/2022	0	149.6	2.056	109.6	29.74	143.3	0	0	500
6/16/2022	0	137.1	1.14	100.4	16.39	136.1	0	0	500
6/17/2022	0	125.4	1.14	91.86	16.29	144.5	0	0	500
6/18/2022	0	114.3	1.14	83.75	16.17	148.4	0	0	500
6/19/2022	0	104	1.14	76.16	16.05	145.1	0	0	500
6/20/2022	0	94.35	1.14	69.12	15.93	146.8	0	0	500
6/21/2022	0	24.39	1.14	17.87	15.8	170.1	0	0	500
6/22/2022	0	23.9	0	17.51	0	142.1	0	0	500
6/23/2022	0	23.42	0	17.16	0	127.8	0	0	500
6/24/2022	0	22.95	0	16.82	0	139.2	0	0	500
6/25/2022	0	22.5	0	16.48	0	135.1	0	0	500
6/26/2022	0	22.05	0	16.15	0	138.3	0	0	500
6/27/2022	0	21.6	0	15.83	0	170.6	0	0	500
6/28/2022	0	21.17	0	15.51	0	204.9	0	0	500
6/29/2022	0	20.75	0	15.2	0	322.4	0	0	500
6/30/2022	0	20.33	0	14.9	0	542.8	0	0	500
7/1/2022	0	19.93	0	14.6	0	135.2	0	0	1000
7/2/2022	0	19.53	0	14.31	0	133.5	0	0	1000
7/3/2022	0	19.14	0	14.02	0	217.5	0	0	1000
7/4/2022	0	18.76	0	13.74	0	166	0	0	1000
7/5/2022	0	18.38	0	13.47	0	115	0	0	1000
7/6/2022	3.001	18.01	1.14	13.2	11.55	112.2	0	0	1000
7/7/2022	353	17.65	116	12.93	1116	106.9	0	0	1000
7/8/2022	111.8	1855	39.27	1359	387.3	113	0	0	1000
7/9/2022	3.761	797.5	2.056	584.2	22.89	127.7	0	0	1000
7/10/2022	0	157	0	115	0	127.9	0	0	1000
7/11/2022	0	177.5	0	130	0	124.9	0	0	1000
7/12/2022	2.697	132.6	1.14	97.18	11.93	127.8	0	0	1000
7/13/2022	0	122.4	0	89.67	0	124.3	0	0	1000
7/14/2022	0	118.3	0	86.68	0	118.4	0	0	1000
7/15/2022	0	107.7	0	78.93	0	163.1	0	0	1000
7/16/2022	0	95.68	0	70.09	0	107.5	0	0	1000
7/17/2022	0	24.52	0	17.97	0	107.7	0	0	1000
7/18/2022	0	24.03	0	17.61	0	115.1	0	0	1000
7/19/2022	0	23.55	0	17.25	0	93.24	0	0	1000
7/20/2022	0	23.08	0	16.91	0	84.39	0	0	1000
7/21/2022	6.591	22.62	1.14	16.57	7.061	78.47	0	0	1000
7/22/2022	98.89	22.17	16.01	16.24	91.25	63.88	0	0	1000
7/23/2022	189.5	188.3	29.19	137.9	154.8	57.1	0	0	1000
7/24/2022	23.91	447.9	3.606	328.1	18.51	52.34	0	0	1000
7/25/2022	831.6	32.74	123.8	23.98	621.5	54.39	0	0	1000
7/26/2022	28.46	2023	4.381	1482	23.23	56.94	0	0	1000
7/27/2022	0	272	0	199.3	0	79.23	0	0	1000
7/28/2022	56.54	210.3	9.808	154.1	60.96	65.56	0	0	1000
7/29/2022	7.666	231.4	1.281	169.5	7.604	56.01	0	0	1000
7/30/2022	0	146.2	0	107.1	0	54.93	0	0	1000
7/31/2022	0	133.6	0	97.88	0	53.89	0	0	1000
8/1/2022	0	129.9	0	95.19	0	54.23	0	0	1000
8/2/2022	0	120.1	0	87.96	0	61.95	0	0	1000
8/3/2022	0	108.3	0	79.33	0	53.58	0	0	1000
8/4/2022	0	97.78	0	71.63	0	52.46	0	0	1000
8/5/2022	7.988	88.08	1.14	64.52	5.315	49.84	0	0	1000
8/6/2022	7.988	22.71	1.14	16.64	5.315	43.11	0	0	1000
8/7/2022	0	22.26	0	16.3	0	44.68	0	0	1000
8/8/2022	253.4	21.81	36.16	15.98	168.6	44.25	0	0	1000
8/9/2022	910.6	530.4	130	388.6	606	44.62	0	0	1000
8/10/2022	147.6	2149	22.99	1574	124	41.26	0	0	1000
8/11/2022	6.011	631.1	1.14	462.3	7.786	56.34	0	0	1000
8/12/2022	10.8	277.9	2.056	203.6	14.09	56.14	0	0	1000
8/13/2022	11.23	231.1	2.056	169.3	13.55	59.96	0	0	1000
8/14/2022	0	191.2	0	140.1	0	68.53	0	0	1000
8/15/2022	0	153.8	0	112.6	0	54.02	0	0	1000
8/16/2022	7.178	151.1	1.14	110.7	6.328	49.17	0	0	1000
8/17/2022	0	144.6	0	105.9	0	58.49	0	0	1000
8/18/2022	0	132.7	0	97.19	0	45.23	0	0	1000
8/19/2022	0	121	0	88.63	0	39.75	0	0	1000
8/20/2022	275.1	110.3	39.27	80.84	183.1	36.29	0	0	1000
8/21/2022	8.973	667.6	1.281	489.1	5.971	36.35	0	0	1000
8/22/2022	0	93.17	0	68.25	0	34.53	0	0	1000
8/23/2022	79.59	93.91	11.36	68.79	52.96	33.58	0	0	1000
8/24/2022	41.56	194.7	5.932	142.7	27.66	35.54	0	0	1000
8/25/2022	7.988	134.1	1.14	98.25	5.315	31.64	0	0	1000
8/26/2022	7.988	24.2	1.14	17.73	5.315	32.74	0	0	1000
8/27/2022	19.84	24.58	2.831	18.01	13.2	31.96	0	0	1000
8/28/2022	85.02	24.41	12.13	17.88	56.57	29.43	0	0	1000
8/29/2022	7.988	156.9	1.14	114.9	5.315	28.5	0	0	1000
8/30/2022	36.13	23.45	5.157	17.18	24.04	28.29	0	0	1000
8/31/2022	7.988	43.71	1.14	32.02	5.315	26.22	0	0	1000
9/1/2022	7.988	23.21	1.14	17	5.315	26.4	0	0	1000
9/2/2022	8.973	22.8	1.281	16.71	5.971	26.7	0	0	1000
9/3/2022	34.61	22.35	4.94	16.37	23.03	25.66	0	0	1000
9/4/2022	23.75	27.82	3.39	20.38	15.8	26.37	0	0	1000
9/5/2022	11.9	27.69	1.699	20.29	7.92	25.86	0	0	1000
9/6/2022	8.973	21.03	1.281	15.41	5.971	23.97	0	0	1000
9/7/2022	0	20.61	0	15.1	0	22.71	0	0	1000
9/8/2022	170.4	20.2	24.32	14.8	113.4	21.83	0	0	1000
9/9/2022	12.89	347	1.839	254.2	8.575	22.28	0	0	1000
9/10/2022	3.914	19.4	0.5586	14.21	2.604	20.57	0	0	1000
9/11/2022	114.3	20.43	16.31	14.97	76.03	16.67	0	0	1000
9/12/2022	47.1	230.4	6.722	168.8	31.34	18.23	0	0	1000
9/13/2022	0	97.42	0	71.37	0	20.29	0	0	1000

Date	CP5 - Water Balance									
	Inflow					Outflow				
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
9/14/2022	3.914	22.73	0.5586	16.65	2.604	18.24	0	0	1000	
9/15/2022	22.58	23.91	3.222	17.52	15.02	20.11	0	0	1000	
9/16/2022	0	1.23	0	0.9012	0	16.53	0	0	1000	
9/17/2022	0	1.241	0	0.9093	0	15.38	0	0	1000	
9/18/2022	0	4.39	0	3.216	0	15.39	0	0	1000	
9/19/2022	19.84	128.2	2.831	93.93	13.2	15.4	0	0	1000	
9/20/2022	0	53.75	0	39.38	0	17.48	0	0	1000	
9/21/2022	25.27	23.98	3.606	17.57	16.81	17.45	0	0	1000	
9/22/2022	3.914	23.83	0.5586	17.46	2.604	15.44	0	0	1000	
9/23/2022	16.16	23.48	2.307	17.2	10.75	14.83	0	0	1000	
9/24/2022	0	1.158	0	0.8486	0	14.06	0	0	1000	
9/25/2022	0	1.138	0	0.8338	0	13	0	0	1000	
9/26/2022	0	1.127	0	0.8254	0	11.34	0	0	1000	
9/27/2022	0	1.118	0	0.8189	0	11.14	0	0	1000	
9/28/2022	0	1.109	0	0.8121	0	11.54	0	0	1000	
9/29/2022	0	1.098	0	0.8044	0	10.21	0	0	1000	
9/30/2022	361.5	149.9	51.6	109.8	240.6	10.79	0	0	1000	
10/1/2022	0	887.1	0	649.9	0	10.52	0	0	500	
10/2/2022	0	38.94	0	28.53	0	8.163	0	0	500	
10/3/2022	0	18.67	0	13.68	0	10.1	0	0	500	
10/4/2022	0	6.716	0	4.92	0	9.468	0	0	500	
10/5/2022	0	5.002	0	3.664	0	8.238	0	0	500	
10/6/2022	0	5.06	0	3.707	0	6.344	0	0	500	
10/7/2022	0	5.038	0	3.691	0	4.443	0	0	500	
10/8/2022	0	4.954	0	3.629	0	5.839	0	0	500	
10/9/2022	0	4.824	0	3.534	0	5.924	0	0	500	
10/10/2022	0	4.66	0	3.414	0	6.111	0	0	500	
10/11/2022	0	4.473	0	3.277	0	6.981	0	0	500	
10/12/2022	0	1.221	0	0.8942	0	6.964	0	0	500	
10/13/2022	0	1.222	0	0.8951	0	7.139	0	0	500	
10/14/2022	0	1.218	0	0.8922	0	5.749	0	0	500	
10/15/2022	0	1.21	0	0.8864	0	5.835	0	0	500	
10/16/2022	0	1.199	0	0.8783	0	5.778	0	0	500	
10/17/2022	0	1.185	0	0.8684	0	5.181	0	0	500	
10/18/2022	0	1.17	0	0.8572	0	4.49	0	0	500	
10/19/2022	0	1.153	0	0.845	0	3.237	0	0	500	
10/20/2022	0	1.136	0	0.832	0	2.397	0	0	500	
10/21/2022	0	1.117	0	0.8185	0	3.071	0	0	500	
10/22/2022	0	1.098	0	0.8047	0	2.516	0	0	500	
10/23/2022	0	1.079	0	0.7906	0	1.914	0	0	500	
10/24/2022	0	1.06	0	0.7764	0	3.645	0	0	500	
10/25/2022	0	1.04	0	0.7622	0	4.559	0	0	500	
10/26/2022	0	1.021	0	0.7479	0	2.59	0	0	500	
10/27/2022	0	1.002	0	0.7338	0	3.263	0	0	500	
10/28/2022	0	0.9825	0	0.7198	0	2.303	0	0	500	
10/29/2022	0	0.9636	0	0.7059	0	0	0	0	500	
10/30/2022	0	0.9449	0	0.6922	0	2.219	0	0	500	
10/31/2022	0	0.9265	0	0.6787	0	1.511	0	0	500	
11/1/2022	0	0.9083	0	0.6654	0	0	0	0	0	
11/2/2022	0	0.8904	0	0.6523	0	0	0	0	0	
11/3/2022	0	0.8729	0	0.6395	0	0	0	0	0	
11/4/2022	0	0.8556	0	0.6268	0	0.1681	0	0	0	
11/5/2022	0	0.8386	0	0.6144	0	0.2429	0	0	0	
11/6/2022	0	0.822	0	0.6022	0	0	0	0	0	
11/7/2022	0	0.8056	0	0.5902	0	0	0	0	0	
11/8/2022	0	0.7896	0	0.5785	0	0	0	0	0	
11/9/2022	0	0.7739	0	0.5669	0	0	0	0	0	
11/10/2022	0	0.7585	0	0.5556	0	0	0	0	0	
11/11/2022	0	0.7433	0	0.5446	0	0	0	0	0	
11/12/2022	0	0.7285	0	0.5337	0	0.15	0	0	0	
11/13/2022	0	0.7139	0	0.523	0	0	0	0	0	
11/14/2022	0	0.6997	0	0.5126	0	0.6114	0	0	0	
11/15/2022	0	0.6857	0	0.5023	0	1.07	0	0	0	
11/16/2022	0	0.672	0	0.4923	0	1.279	0	0	0	
11/17/2022	0	0.6586	0	0.4825	0	0	0	0	0	
11/18/2022	0	0.6454	0	0.4728	0	0	0	0	0	
11/19/2022	0	0.6325	0	0.4634	0	0	0	0	0	
11/20/2022	0	0.6199	0	0.4541	0	0	0	0	0	
11/21/2022	0	0.6075	0	0.445	0	0	0	0	0	
11/22/2022	0	0.5953	0	0.4361	0	0	0	0	0	
11/23/2022	0	0.5834	0	0.4274	0	0	0	0	0	
11/24/2022	0	0.5718	0	0.4189	0	0.2297	0	0	0	
11/25/2022	0	0.5603	0	0.4105	0	0	0	0	0	
11/26/2022	0	0.5491	0	0.4023	0	0.7694	0	0	0	
11/27/2022	0	0.5381	0	0.3942	0	0	0	0	0	
11/28/2022	0	0.5274	0	0.3864	0	0	0	0	0	
11/29/2022	0	0.5168	0	0.3786	0	0	0	0	0	
11/30/2022	0	0.5065	0	0.3711	0	0.2924	0	0	0	
12/1/2022	0	0.4964	0	0.3636	0	0.1122	0	0	0	
12/2/2022	0	0.4864	0	0.3564	0	0	0	0	0	
12/3/2022	0	0.4767	0	0.3492	0	0	0	0	0	
12/4/2022	0	0.4672	0	0.3422	0	0	0	0	0	
12/5/2022	0	0.4578	0	0.3354	0	0	0	0	0	
12/6/2022	0	0.4487	0	0.3287	0	0.09231	0	0	0	
12/7/2022	0	0.4397	0	0.3221	0	0.1293	0	0	0	
12/8/2022	0	0.4309	0	0.3157	0	0	0	0	0	
12/9/2022	0	0.4223	0	0.3094	0	0	0	0	0	
12/10/2022	0	0.4138	0	0.3032	0	0	0	0	0	
12/11/2022	0	0.4056	0	0.2971	0	0	0	0	0	
12/12/2022	0	0.3975	0	0.2912	0	0	0	0	0	
12/13/2022	0	0.3895	0	0.2853	0	0	0	0	0	
12/14/2022	0	0.3817	0	0.2796	0	0	0	0	0	
12/15/2022	0	0.3741	0	0.274	0	0.1832	0	0	0	
12/16/2022	0	0.3666	0	0.2686	0	0	0	0	0	
12/17/2022	0	0.3593	0	0.2632	0	0.123	0	0	0	
12/18/2022	0	0.3521	0	0.2579	0	0	0	0	0	
12/19/2022	0	0.345	0	0.2528	0	0	0	0	0	
12/20/2022	0	0.3381	0	0.2477	0	0	0	0	0	
12/21/2022	0	0.3314	0	0.2428	0	0	0	0	0	
12/22/2022	0	0.3248	0	0.2379	0	0	0	0	0	
12/23/2022	0	0.3183	0	0.2332	0	0	0	0	0	
12/24/2022	0	0.3119	0	0.2285	0	0	0	0	0	
12/25/2022	0	0.3057	0	0.2239	0	0	0	0	0	
12/26/2022	0	0.2995	0	0.2194	0	0	0	0	0	

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
12/27/2022	0	0.2935	0	0.2151	0	0	0	0	0
12/28/2022	0	0.2877	0	0.2107	0	0	0	0	0
12/29/2022	0	0.2819	0	0.2065	0	0	0	0	0
12/30/2022	0	0.2763	0	0.2024	0	0	0	0	0
12/31/2022	0	0.2708	0	0.1984	0	0	0	0	0
1/1/2023	0	0.2653	0	0.1944	0	0	0	0	0
1/2/2023	0	0.26	0	0.1905	0	0	0	0	0
1/3/2023	0	0.2548	0	0.1867	0	0	0	0	0
1/4/2023	0	0.2497	0	0.183	0	0	0	0	0
1/5/2023	0	0.2447	0	0.1793	0	0	0	0	0
1/6/2023	0	0.2399	0	0.1757	0	0	0	0	0
1/7/2023	0	0.2351	0	0.1722	0	0	0	0	0
1/8/2023	0	0.2304	0	0.1688	0	0	0	0	0
1/9/2023	0	0.2257	0	0.1654	0	0	0	0	0
1/10/2023	0	0.2212	0	0.1621	0	0	0	0	0
1/11/2023	0	0.2168	0	0.1588	0	0	0	0	0
1/12/2023	0	0.2125	0	0.1557	0	0	0	0	0
1/13/2023	0	0.2082	0	0.1525	0	0	0	0	0
1/14/2023	0	0.2041	0	0.1495	0	0	0	0	0
1/15/2023	0	0.2	0	0.1465	0	0	0	0	0
1/16/2023	0	0.196	0	0.1436	0	0	0	0	0
1/17/2023	0	0.1921	0	0.1407	0	0	0	0	0
1/18/2023	0	0.1882	0	0.1379	0	0	0	0	0
1/19/2023	0	0.1845	0	0.1351	0	0.01073	0	0	0
1/20/2023	0	0.1808	0	0.1324	0	0.3473	0	0	0
1/21/2023	0	0.1771	0	0.1298	0	0	0	0	0
1/22/2023	0	0.1736	0	0.1272	0	0	0	0	0
1/23/2023	0	0.1701	0	0.1246	0	0	0	0	0
1/24/2023	0	0.1667	0	0.1221	0	0	0	0	0
1/25/2023	0	0.1634	0	0.1197	0	0	0	0	0
1/26/2023	0	0.1601	0	0.1173	0	0	0	0	0
1/27/2023	0	0.1569	0	0.115	0	0	0	0	0
1/28/2023	0	0.1538	0	0.1127	0	0	0	0	0
1/29/2023	0	0.1507	0	0.1104	0	0	0	0	0
1/30/2023	0	0.1477	0	0.1082	0	0	0	0	0
1/31/2023	0	0.1447	0	0.106	0	0	0	0	0
2/1/2023	0	0.1418	0	0.1039	0	0	0	0	0
2/2/2023	0	0.139	0	0.1018	0	0	0	0	0
2/3/2023	0	0.1362	0	0.0998	0	0	0	0	0
2/4/2023	0	0.1335	0	0.0978	0	0	0	0	0
2/5/2023	0	0.1308	0	0.09585	0	0	0	0	0
2/6/2023	0	0.1282	0	0.09393	0	0	0	0	0
2/7/2023	0	0.1257	0	0.09205	0	0	0	0	0
2/8/2023	0	0.1231	0	0.09021	0	0	0	0	0
2/9/2023	0	0.1207	0	0.08841	0	0	0	0	0
2/10/2023	0	0.1183	0	0.08664	0	0	0	0	0
2/11/2023	0	0.1159	0	0.08491	0	0	0	0	0
2/12/2023	0	0.1136	0	0.08321	0	0	0	0	0
2/13/2023	0	0.1113	0	0.08154	0	0	0	0	0
2/14/2023	0	0.1091	0	0.07991	0	0	0	0	0
2/15/2023	0	0.1069	0	0.07831	0	0	0	0	0
2/16/2023	0	0.1048	0	0.07675	0	0	0	0	0
2/17/2023	0	0.1027	0	0.07521	0	0	0	0	0
2/18/2023	0	0.1006	0	0.07371	0	0	0	0	0
2/19/2023	0	0.0986	0	0.07224	0	0	0	0	0
2/20/2023	0	0.09663	0	0.07079	0	0	0	0	0
2/21/2023	0	0.0947	0	0.06937	0	0	0	0	0
2/22/2023	0	0.0928	0	0.06799	0	0	0	0	0
2/23/2023	0	0.09095	0	0.06663	0	0	0	0	0
2/24/2023	0	0.08913	0	0.06529	0	0	0	0	0
2/25/2023	0	0.08735	0	0.06399	0	0	0	0	0
2/26/2023	0	0.0856	0	0.06271	0	0	0	0	0
2/27/2023	0	0.08389	0	0.06146	0	0	0	0	0
2/28/2023	0	0.08221	0	0.06023	0	0	0	0	0
3/1/2023	0	0.08057	0	0.05902	0	0	0	0	0
3/2/2023	0	0.07895	0	0.05784	0	0	0	0	0
3/3/2023	0	0.07738	0	0.05668	0	0	0	0	0
3/4/2023	0	0.07583	0	0.05555	0	0	0	0	0
3/5/2023	0	0.07431	0	0.05444	0	0	0	0	0
3/6/2023	0	0.07282	0	0.05335	0	0	0	0	0
3/7/2023	0	0.07137	0	0.05228	0	0	0	0	0
3/8/2023	0	0.06994	0	0.05124	0	0	0	0	0
3/9/2023	0	0.06854	0	0.05021	0	0	0	0	0
3/10/2023	0	0.06717	0	0.04921	0	0	0	0	0
3/11/2023	0	0.06583	0	0.04822	0	0	0	0	0
3/12/2023	0	0.06451	0	0.04726	0	0	0	0	0
3/13/2023	0	0.06322	0	0.04632	0	0	0	0	0
3/14/2023	0	0.06196	0	0.04539	0	0	0	0	0
3/15/2023	0	0.06072	0	0.04448	0	0	0	0	0
3/16/2023	0	0.0595	0	0.04359	0	0	0	0	0
3/17/2023	0	0.05831	0	0.04272	0	0	0	0	0
3/18/2023	0	0.05715	0	0.04187	0	0	0	0	0
3/19/2023	0	0.056	0	0.04103	0	0	0	0	0
3/20/2023	0	0.05488	0	0.04021	0	0	0	0	0
3/21/2023	0	0.05379	0	0.0394	0	0	0	0	0
3/22/2023	0	0.05271	0	0.03862	0	0	0	0	0
3/23/2023	0	0.05166	0	0.03784	0	4.626	0	0	0
3/24/2023	0	0.05062	0	0.03709	0	11.54	0	0	0
3/25/2023	0	0.04961	0	0.03634	0	6.758	0	0	0
3/26/2023	0	0.04862	0	0.03562	0	1.992	0	0	0
3/27/2023	0	0.04765	0	0.03491	0	0	0	0	0
3/28/2023	0	0.04669	0	0.03421	0	0	0	0	0
3/29/2023	0	0.04576	0	0.03352	0	0	0	0	0
3/30/2023	0	0.04484	0	0.03285	0	0	0	0	0
3/31/2023	0	0.04395	0	0.0322	0	0	0	0	0
4/1/2023	0	0.04307	0	0.03155	0	5.074	0	0	0
4/2/2023	0	0.04221	0	0.03092	0	7.775	0	0	0
4/3/2023	0	0.04136	0	0.0303	0	0	0	0	0
4/4/2023	0	0.04054	0	0.0297	0	0	0	0	0
4/5/2023	0	0.03972	0	0.0291	0	0	0	0	0
4/6/2023	0	0.03893	0	0.02852	0	0	0	0	0
4/7/2023	0	0.03815	0	0.02795	0	0	0	0	0
4/8/2023	0	0.03739	0	0.02739	0	0	0	0	0
4/9/2023	0	0.03664	0	0.02684	0	0	0	0	0

Date	CP5 - Water Balance									
	Inflow					Outflow				
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
4/10/2023	0	0.03591	0	0.02631	0	0	0	0	0	
4/11/2023	0	0.03519	0	0.02578	0	0	0	0	0	
4/12/2023	0	0.03449	0	0.02526	0	0	0	0	0	
4/13/2023	0	0.0338	0	0.02476	0	0	0	0	0	
4/14/2023	0	0.03312	0	0.02426	0	2.396	0	0	0	
4/15/2023	0	0.03246	0	0.02378	0	8.709	0	0	0	
4/16/2023	0	0.03181	0	0.0233	0	8.376	0	0	0	
4/17/2023	0	0.03117	0	0.02284	0	5.846	0	0	0	
4/18/2023	0	0.03055	0	0.02238	0	3.897	0	0	0	
4/19/2023	0	0.02994	0	0.02193	0	2.932	0	0	0	
4/20/2023	0	0.02934	0	0.02149	0	0	0	0	0	
4/21/2023	0	0.02875	0	0.02106	0	0	0	0	0	
4/22/2023	0	0.02818	0	0.02064	0	0	0	0	0	
4/23/2023	0	0.02761	0	0.02023	0	0	0	0	0	
4/24/2023	0	0.02706	0	0.01983	0	0	0	0	0	
4/25/2023	0	0.02652	0	0.01943	0	0	0	0	0	
4/26/2023	0	0.02599	0	0.01904	0	0	0	0	0	
4/27/2023	0	0.02547	0	0.01866	0	0	0	0	0	
4/28/2023	0	0.02496	0	0.01829	0	5.397	0	0	0	
4/29/2023	0	0.02446	0	0.01792	0	0	0	0	0	
4/30/2023	0	0.02397	0	0.01756	0	0	0	0	0	
5/1/2023	0	0.02349	0	0.01721	0	3.982	0	0	0	
5/2/2023	0	0.02302	0	0.01687	0	14.45	0	0	0	
5/3/2023	0	0.02256	0	0.01653	0	17.57	0	0	0	
5/4/2023	0	0.02211	0	0.0162	0	19.8	0	0	0	
5/5/2023	0	0.02167	0	0.01587	0	9.484	0	0	0	
5/6/2023	0	0.02124	0	0.01556	0	16.98	0	0	0	
5/7/2023	0	0.02081	0	0.01525	0	17.16	0	0	0	
5/8/2023	0	0.02039	0	0.01494	0	16.88	0	0	0	
5/9/2023	0	0.01999	0	0.01464	0	25.46	0	0	0	
5/10/2023	0	0.01959	0	0.01435	0	29.42	0	0	0	
5/11/2023	0	0.0192	0	0.01406	0	28.73	0	0	0	
5/12/2023	0	0.01881	0	0.01378	0	28.57	0	0	0	
5/13/2023	0	0.01844	0	0.01351	0	26.06	0	0	0	
5/14/2023	0	0.01807	0	0.01324	0	29.69	0	0	0	
5/15/2023	41.72	82.93	5.955	60.75	27.76	23.4	0	0	0	
5/16/2023	45.49	259.3	6.563	190	31.22	28.78	0	0	0	
5/17/2023	117.3	367.6	17.42	269.3	17.42	87.07	0	0	0	
5/18/2023	7.805	480.6	1.216	352.1	6.564	37.94	0	0	0	
5/19/2023	0	31.32	0	22.94	0	39.29	0	0	0	
5/20/2023	0	0.2595	0	0.1901	0	40.41	0	0	0	
5/21/2023	30.84	78.35	5.043	57.4	29.13	42	0	0	0	
5/22/2023	56.3	371.4	9.299	272.1	54.42	45.86	0	0	0	
5/23/2023	67.8	842.6	11.73	617.3	72.74	46.91	0	0	0	
5/24/2023	79.36	848.2	15.34	621.4	106.6	49.62	0	0	0	
5/25/2023	75.91	510.9	16.69	374.3	129.1	56.62	0	0	0	
5/26/2023	12.39	414.5	2.991	303.6	24.65	62.76	0	0	0	
5/27/2023	26.15	168.5	6.745	123.4	57.84	59.4	0	0	0	
5/28/2023	15.31	154.6	4.081	113.3	35.63	59.94	0	0	0	
5/29/2023	50.62	278.4	13.87	203.9	122.8	67.57	0	0	0	
5/30/2023	66.83	1309	19.55	958.9	178.9	79.41	0	0	0	
5/31/2023	64.44	2133	26.07	1563	269.3	96.98	0	0	0	
6/1/2023	34.92	2939	28.88	2153	343.9	110.4	0	0	500	
6/2/2023	6.178	3603	24.93	2640	326.8	129.8	0	0	500	
6/3/2023	0	2440	12.73	1787	185.5	114.9	0	0	500	
6/4/2023	0	920.3	16.11	674.2	248.6	135.9	0	0	500	
6/5/2023	0	737.4	17.09	540.2	263.7	134.1	0	0	500	
6/6/2023	0	632.8	22.42	463.6	345.9	141.6	0	0	500	
6/7/2023	0	546.6	36.71	400.4	566.4	153.1	0	0	500	
6/8/2023	0	474.2	38.36	347.4	591.8	132.9	0	0	500	
6/9/2023	0	772.7	24.38	566.1	376.1	140	0	0	500	
6/10/2023	0	462.8	17.63	339	272	141.3	0	0	500	
6/11/2023	0	375	20.98	274.7	323.6	141	0	0	500	
6/12/2023	0	349.7	10.94	256.2	168.9	131.6	0	0	500	
6/13/2023	0	330.5	11.86	242.2	182.9	131	0	0	500	
6/14/2023	0	309.3	24.24	226.6	374.1	144.3	0	0	500	
6/15/2023	0	285.6	34.58	209.3	533.6	152.8	0	0	500	
6/16/2023	0	263.6	25.76	193.1	397.5	146	0	0	500	
6/17/2023	0	243.1	33.06	178.1	510.1	156	0	0	500	
6/18/2023	0	223.8	15.39	163.9	237.4	161.4	0	0	500	
6/19/2023	0	205.7	1.14	150.7	17.58	159	0	0	500	
6/20/2023	0	189	1.14	138.5	17.5	161.4	0	0	500	
6/21/2023	0	173.4	1.14	127	17.41	187.6	0	0	500	
6/22/2023	0	158.4	0	116.1	0	157.5	0	0	500	
6/23/2023	0	144.7	0	106	0	142.2	0	0	500	
6/24/2023	0	132.2	0	96.83	0	155.6	0	0	500	
6/25/2023	0	120.3	0	88.12	0	151.7	0	0	500	
6/26/2023	0	109.3	0	80.05	0	155.8	0	0	500	
6/27/2023	0	98.95	0	72.49	0	192.9	0	0	500	
6/28/2023	0	88.68	0	64.96	0	232.4	0	0	500	
6/29/2023	0	22.4	0	16.41	0	366.8	0	0	500	
6/30/2023	0	21.95	0	16.08	0	618.3	0	0	500	
7/1/2023	0	21.51	0	15.76	0	154.2	0	0	1000	
7/2/2023	0	21.08	0	15.45	0	152.7	0	0	1000	
7/3/2023	0	20.66	0	15.14	0	249.3	0	0	1000	
7/4/2023	0	20.25	0	14.83	0	193.9	0	0	1000	
7/5/2023	0	19.84	0	14.54	0	138.2	0	0	1000	
7/6/2023	0.8185	19.45	1.14	14.25	14.28	138.7	0	0	1000	
7/7/2023	108.1	19.06	116	13.96	1422	136.2	0	0	1000	
7/8/2023	32.4	1856	39.27	1360	486.5	141.9	0	0	1000	
7/9/2023	0.6325	798.8	2.056	585.2	26.8	149.6	0	0	1000	
7/10/2023	0	222.2	0	162.8	0	148.6	0	0	1000	
7/11/2023	0	176.4	0	129.3	0	148.5	0	0	1000	
7/12/2023	0.6518	131.6	1.14	96.44	14.49	155.2	0	0	1000	
7/13/2023	0	121.5	0	88.98	0	154.5	0	0	1000	
7/14/2023	0	117.4	0	86.04	0	151.1	0	0	1000	
7/15/2023	0	106.9	0	78.34	0	214	0	0	1000	
7/16/2023	0	94.92	0	69.54	0	145.6	0	0	1000	
7/17/2023	0	24.32	0	17.82	0	150.2	0	0	1000	
7/18/2023	0	23.84	0	17.46	0	163.2	0	0	1000	
7/19/2023	0	23.36	0	17.11	0	134.7	0	0	1000	
7/20/2023	0	22.89	0	16.77	0	124.5	0	0	1000	
7/21/2023	3.707	22.44	1.14	16.44	10.67	118.5	0	0	1000	
7/22/2023	58.62	21.99	16.01	16.11	141.6	99.12	0	0	1000	

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
7/23/2023	116.4	188.1	29.19	137.8	246.3	90.81	0	0	1000
7/24/2023	14.9	447.7	3.606	328	29.78	84.19	0	0	1000
7/25/2023	523.7	32.57	123.8	23.86	1006	88.07	0	0	1000
7/26/2023	17.49	2023	4.381	1482	36.94	90.56	0	0	1000
7/27/2023	0	271.8	0	199.1	0	117.1	0	0	1000
7/28/2023	32.24	209.7	9.808	153.6	91.33	98.22	0	0	1000
7/29/2023	4.507	230.8	1.281	169.1	11.55	85.1	0	0	1000
7/30/2023	0	145.8	0	106.8	0	84.87	0	0	1000
7/31/2023	0	133.2	0	97.55	0	85.27	0	0	1000
8/1/2023	0	129.5	0	94.88	0	88.23	0	0	1000
8/2/2023	0	119.7	0	87.67	0	99.27	0	0	1000
8/3/2023	0	107.9	0	79.06	0	80.92	0	0	1000
8/4/2023	0	97.44	0	71.39	0	74.38	0	0	1000
8/5/2023	6.609	87.76	1.14	64.29	7.039	65.99	0	0	1000
8/6/2023	7.005	22.63	1.14	16.58	6.544	53.08	0	0	1000
8/7/2023	0	22.17	0	16.24	0	50.4	0	0	1000
8/8/2023	250.2	21.73	36.16	15.92	172.6	45.28	0	0	1000
8/9/2023	910.6	530.3	130	388.5	606	44.62	0	0	1000
8/10/2023	147.6	2149	22.99	1574	124	41.26	0	0	1000
8/11/2023	6.011	631	1.14	462.3	7.786	56.34	0	0	1000
8/12/2023	10.8	277.6	2.056	203.4	14.09	56.14	0	0	1000
8/13/2023	11.23	230.9	2.056	169.1	13.55	59.96	0	0	1000
8/14/2023	0	191	0	139.9	0	68.53	0	0	1000
8/15/2023	0	153.5	0	112.5	0	54.01	0	0	1000
8/16/2023	7.178	150.9	1.14	110.5	6.327	49.16	0	0	1000
8/17/2023	0	144.4	0	105.8	0	58.48	0	0	1000
8/18/2023	0	132.5	0	97.07	0	45.22	0	0	1000
8/19/2023	0	120.8	0	88.51	0	39.75	0	0	1000
8/20/2023	275.1	110.2	39.27	80.73	183.1	36.29	0	0	1000
8/21/2023	8.973	667.4	1.281	489	5.971	36.35	0	0	1000
8/22/2023	0	93.04	0	68.16	0	34.53	0	0	1000
8/23/2023	79.59	93.79	11.36	68.71	52.96	33.58	0	0	1000
8/24/2023	41.56	194.6	5.932	142.6	27.66	35.54	0	0	1000
8/25/2023	7.988	134	1.14	98.17	5.315	31.64	0	0	1000
8/26/2023	7.988	24.17	1.14	17.71	5.315	32.74	0	0	1000
8/27/2023	19.84	24.56	2.831	17.99	13.2	31.96	0	0	1000
8/28/2023	85.02	24.39	12.13	17.87	56.57	29.43	0	0	1000
8/29/2023	7.988	156.9	1.14	114.9	5.315	28.5	0	0	1000
8/30/2023	36.13	23.42	5.157	17.16	24.04	28.29	0	0	1000
8/31/2023	7.988	43.69	1.14	32	5.315	26.22	0	0	1000
9/1/2023	7.988	23.18	1.14	16.98	5.315	26.4	0	0	1000
9/2/2023	8.973	22.78	1.281	16.69	5.971	26.7	0	0	1000
9/3/2023	34.61	22.33	4.94	16.36	23.03	25.66	0	0	1000
9/4/2023	23.75	27.79	3.39	20.36	15.8	26.37	0	0	1000
9/5/2023	11.9	27.67	1.699	20.27	7.92	25.86	0	0	1000
9/6/2023	8.973	21.01	1.281	15.39	5.971	23.97	0	0	1000
9/7/2023	0	20.59	0	15.09	0	22.71	0	0	1000
9/8/2023	170.4	20.18	24.32	14.78	113.4	21.83	0	0	1000
9/9/2023	12.89	347	1.839	254.2	8.575	22.28	0	0	1000
9/10/2023	3.914	19.38	0.5586	14.2	2.604	20.57	0	0	1000
9/11/2023	114.3	20.41	16.31	14.96	76.03	16.67	0	0	1000
9/12/2023	47.1	230.3	6.722	168.7	31.34	18.23	0	0	1000
9/13/2023	0	97.4	0	71.36	0	20.29	0	0	1000
9/14/2023	3.914	22.71	0.5586	16.64	2.604	18.24	0	0	1000
9/15/2023	22.58	23.89	3.222	17.5	15.02	20.11	0	0	1000
9/16/2023	0	1.229	0	0.9006	0	16.53	0	0	1000
9/17/2023	0	1.24	0	0.9087	0	15.38	0	0	1000
9/18/2023	0	4.387	0	3.214	0	15.39	0	0	1000
9/19/2023	19.84	128.2	2.831	93.93	13.2	15.4	0	0	1000
9/20/2023	0	53.64	0	39.3	0	17.48	0	0	1000
9/21/2023	25.27	23.97	3.606	17.56	16.81	17.45	0	0	1000
9/22/2023	3.914	23.81	0.5586	17.44	2.604	15.44	0	0	1000
9/23/2023	16.16	23.46	2.307	17.19	10.75	14.83	0	0	1000
9/24/2023	0	1.158	0	0.8481	0	14.06	0	0	1000
9/25/2023	0	1.137	0	0.8333	0	13	0	0	1000
9/26/2023	0	1.126	0	0.8249	0	11.34	0	0	1000
9/27/2023	0	1.117	0	0.8184	0	11.14	0	0	1000
9/28/2023	0	1.108	0	0.8116	0	11.54	0	0	1000
9/29/2023	0	1.097	0	0.8039	0	10.21	0	0	1000
9/30/2023	361.5	149.8	51.6	109.8	240.6	10.79	0	0	1000
10/1/2023	0	887.1	0	649.9	0	10.52	0	0	500
10/2/2023	0	38.94	0	28.53	0	8.163	0	0	500
10/3/2023	0	18.67	0	13.68	0	10.1	0	0	500
10/4/2023	0	6.714	0	4.919	0	9.468	0	0	500
10/5/2023	0	5	0	3.663	0	8.238	0	0	500
10/6/2023	0	5.058	0	3.705	0	6.344	0	0	500
10/7/2023	0	5.036	0	3.689	0	4.443	0	0	500
10/8/2023	0	4.952	0	3.628	0	5.839	0	0	500
10/9/2023	0	4.822	0	3.533	0	5.924	0	0	500
10/10/2023	0	4.659	0	3.413	0	6.111	0	0	500
10/11/2023	0	4.472	0	3.276	0	6.981	0	0	500
10/12/2023	0	1.22	0	0.894	0	6.964	0	0	500
10/13/2023	0	1.222	0	0.8949	0	7.139	0	0	500
10/14/2023	0	1.218	0	0.892	0	5.749	0	0	500
10/15/2023	0	1.21	0	0.8862	0	5.835	0	0	500
10/16/2023	0	1.199	0	0.878	0	5.778	0	0	500
10/17/2023	0	1.185	0	0.8682	0	5.181	0	0	500
10/18/2023	0	1.17	0	0.857	0	4.49	0	0	500
10/19/2023	0	1.153	0	0.8448	0	3.237	0	0	500
10/20/2023	0	1.135	0	0.8318	0	2.397	0	0	500
10/21/2023	0	1.117	0	0.8183	0	3.071	0	0	500
10/22/2023	0	1.098	0	0.8045	0	2.516	0	0	500
10/23/2023	0	1.079	0	0.7904	0	1.914	0	0	500
10/24/2023	0	1.06	0	0.7762	0	3.645	0	0	500
10/25/2023	0	1.04	0	0.762	0	4.559	0	0	500
10/26/2023	0	1.021	0	0.7478	0	2.59	0	0	500
10/27/2023	0	1.001	0	0.7336	0	3.263	0	0	500
10/28/2023	0	0.9823	0	0.7196	0	2.303	0	0	500
10/29/2023	0	0.9634	0	0.7058	0	0	0	0	500
10/30/2023	0	0.9447	0	0.6921	0	2.219	0	0	500
10/31/2023	0	0.9263	0	0.6786	0	1.511	0	0	500
11/1/2023	0	0.9081	0	0.6653	0	0	0	0	0
11/2/2023	0	0.8902	0	0.6522	0	0	0	0	0
11/3/2023	0	0.8727	0	0.6393	0	0	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
11/4/2023	0	0.8554	0	0.6267	0	0.1681	0	0	0
11/5/2023	0	0.8384	0	0.6142	0	0.2429	0	0	0
11/6/2023	0	0.8218	0	0.602	0	0	0	0	0
11/7/2023	0	0.8055	0	0.5901	0	0	0	0	0
11/8/2023	0	0.7894	0	0.5783	0	0	0	0	0
11/9/2023	0	0.7737	0	0.5668	0	0	0	0	0
11/10/2023	0	0.7583	0	0.5555	0	0	0	0	0
11/11/2023	0	0.7431	0	0.5444	0	0	0	0	0
11/12/2023	0	0.7283	0	0.5336	0	0.15	0	0	0
11/13/2023	0	0.7138	0	0.5229	0	0	0	0	0
11/14/2023	0	0.6995	0	0.5125	0	0.6114	0	0	0
11/15/2023	0	0.6855	0	0.5022	0	1.07	0	0	0
11/16/2023	0	0.6718	0	0.4922	0	1.279	0	0	0
11/17/2023	0	0.6584	0	0.4824	0	0	0	0	0
11/18/2023	0	0.6453	0	0.4727	0	0	0	0	0
11/19/2023	0	0.6324	0	0.4633	0	0	0	0	0
11/20/2023	0	0.6197	0	0.454	0	0	0	0	0
11/21/2023	0	0.6073	0	0.4449	0	0	0	0	0
11/22/2023	0	0.5952	0	0.436	0	0	0	0	0
11/23/2023	0	0.5833	0	0.4273	0	0	0	0	0
11/24/2023	0	0.5716	0	0.4188	0	0.2297	0	0	0
11/25/2023	0	0.5602	0	0.4104	0	0	0	0	0
11/26/2023	0	0.549	0	0.4022	0	0.7694	0	0	0
11/27/2023	0	0.538	0	0.3941	0	0	0	0	0
11/28/2023	0	0.5273	0	0.3863	0	0	0	0	0
11/29/2023	0	0.5167	0	0.3785	0	0	0	0	0
11/30/2023	0	0.5064	0	0.371	0	0.2924	0	0	0
12/1/2023	0	0.4962	0	0.3635	0	0.1122	0	0	0
12/2/2023	0	0.4863	0	0.3563	0	0	0	0	0
12/3/2023	0	0.4766	0	0.3491	0	0	0	0	0
12/4/2023	0	0.4671	0	0.3422	0	0	0	0	0
12/5/2023	0	0.4577	0	0.3353	0	0	0	0	0
12/6/2023	0	0.4486	0	0.3286	0	0.09231	0	0	0
12/7/2023	0	0.4396	0	0.322	0	0.1293	0	0	0
12/8/2023	0	0.4308	0	0.3156	0	0	0	0	0
12/9/2023	0	0.4222	0	0.3093	0	0	0	0	0
12/10/2023	0	0.4137	0	0.3031	0	0	0	0	0
12/11/2023	0	0.4055	0	0.297	0	0	0	0	0
12/12/2023	0	0.3974	0	0.2911	0	0	0	0	0
12/13/2023	0	0.3894	0	0.2853	0	0	0	0	0
12/14/2023	0	0.3816	0	0.2796	0	0	0	0	0
12/15/2023	0	0.374	0	0.274	0	0.1832	0	0	0
12/16/2023	0	0.3665	0	0.2685	0	0	0	0	0
12/17/2023	0	0.3592	0	0.2631	0	0.123	0	0	0
12/18/2023	0	0.352	0	0.2579	0	0	0	0	0
12/19/2023	0	0.345	0	0.2527	0	0	0	0	0
12/20/2023	0	0.3381	0	0.2477	0	0	0	0	0
12/21/2023	0	0.3313	0	0.2427	0	0	0	0	0
12/22/2023	0	0.3247	0	0.2379	0	0	0	0	0
12/23/2023	0	0.3182	0	0.2331	0	0	0	0	0
12/24/2023	0	0.3118	0	0.2284	0	0	0	0	0
12/25/2023	0	0.3056	0	0.2239	0	0	0	0	0
12/26/2023	0	0.2995	0	0.2194	0	0	0	0	0
12/27/2023	0	0.2935	0	0.215	0	0	0	0	0
12/28/2023	0	0.2876	0	0.2107	0	0	0	0	0
12/29/2023	0	0.2819	0	0.2065	0	0	0	0	0
12/30/2023	0	0.2762	0	0.2024	0	0	0	0	0
12/31/2023	0	0.2707	0	0.1983	0	0	0	0	0
1/1/2024	0	0.2653	0	0.1943	0	0	0	0	0
1/2/2024	0	0.26	0	0.1905	0	0	0	0	0
1/3/2024	0	0.2548	0	0.1866	0	0	0	0	0
1/4/2024	0	0.2497	0	0.1829	0	0	0	0	0
1/5/2024	0	0.2447	0	0.1793	0	0	0	0	0
1/6/2024	0	0.2398	0	0.1757	0	0	0	0	0
1/7/2024	0	0.235	0	0.1722	0	0	0	0	0
1/8/2024	0	0.2303	0	0.1687	0	0	0	0	0
1/9/2024	0	0.2257	0	0.1653	0	0	0	0	0
1/10/2024	0	0.2212	0	0.162	0	0	0	0	0
1/11/2024	0	0.2168	0	0.1588	0	0	0	0	0
1/12/2024	0	0.2124	0	0.1556	0	0	0	0	0
1/13/2024	0	0.2082	0	0.1525	0	0	0	0	0
1/14/2024	0	0.204	0	0.1495	0	0	0	0	0
1/15/2024	0	0.1999	0	0.1465	0	0	0	0	0
1/16/2024	0	0.1959	0	0.1435	0	0	0	0	0
1/17/2024	0	0.192	0	0.1407	0	0	0	0	0
1/18/2024	0	0.1882	0	0.1379	0	0	0	0	0
1/19/2024	0	0.1844	0	0.1351	0	0.01073	0	0	0
1/20/2024	0	0.1807	0	0.1324	0	0.3473	0	0	0
1/21/2024	0	0.1771	0	0.1297	0	0	0	0	0
1/22/2024	0	0.1736	0	0.1271	0	0	0	0	0
1/23/2024	0	0.1701	0	0.1246	0	0	0	0	0
1/24/2024	0	0.1667	0	0.1221	0	0	0	0	0
1/25/2024	0	0.1634	0	0.1197	0	0	0	0	0
1/26/2024	0	0.1601	0	0.1173	0	0	0	0	0
1/27/2024	0	0.1569	0	0.1149	0	0	0	0	0
1/28/2024	0	0.1537	0	0.1126	0	0	0	0	0
1/29/2024	0	0.1507	0	0.1104	0	0	0	0	0
1/30/2024	0	0.1477	0	0.1082	0	0	0	0	0
1/31/2024	0	0.1447	0	0.106	0	0	0	0	0
2/1/2024	0	0.1418	0	0.1039	0	0	0	0	0
2/2/2024	0	0.139	0	0.1018	0	0	0	0	0
2/3/2024	0	0.1362	0	0.09978	0	0	0	0	0
2/4/2024	0	0.1335	0	0.09778	0	0	0	0	0
2/5/2024	0	0.1308	0	0.09583	0	0	0	0	0
2/6/2024	0	0.1282	0	0.09391	0	0	0	0	0
2/7/2024	0	0.1256	0	0.09203	0	0	0	0	0
2/8/2024	0	0.1231	0	0.09019	0	0	0	0	0
2/9/2024	0	0.1206	0	0.08839	0	0	0	0	0
2/10/2024	0	0.1182	0	0.08662	0	0	0	0	0
2/11/2024	0	0.1159	0	0.08489	0	0	0	0	0
2/12/2024	0	0.1136	0	0.08319	0	0	0	0	0
2/13/2024	0	0.1113	0	0.08152	0	0	0	0	0
2/14/2024	0	0.1091	0	0.07989	0	0	0	0	0
2/15/2024	0	0.1069	0	0.0783	0	0	0	0	0

Date	CP5 - Water Balance									
	Inflow					Outflow				
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
2/16/2024	0	0.1047	0	0.07673	0	0	0	0	0	
2/17/2024	0	0.1026	0	0.0752	0	0	0	0	0	
2/18/2024	0	0.1006	0	0.07369	0	0	0	0	0	
2/19/2024	0	0.09858	0	0.07222	0	0	0	0	0	
2/20/2024	0	0.09661	0	0.07077	0	0	0	0	0	
2/21/2024	0	0.09468	0	0.06936	0	0	0	0	0	
2/22/2024	0	0.09278	0	0.06797	0	0	0	0	0	
2/23/2024	0	0.09093	0	0.06661	0	0	0	0	0	
2/24/2024	0	0.08911	0	0.06528	0	0	0	0	0	
2/25/2024	0	0.08733	0	0.06397	0	0	0	0	0	
2/26/2024	0	0.08558	0	0.06269	0	0	0	0	0	
2/27/2024	0	0.08387	0	0.06144	0	0	0	0	0	
2/28/2024	0	0.08219	0	0.06021	0	0	0	0	0	
2/29/2024	0	0.08055	0	0.05901	0	0	0	0	0	
3/1/2024	0	0.07894	0	0.05783	0	0	0	0	0	
3/2/2024	0	0.07736	0	0.05667	0	0	0	0	0	
3/3/2024	0	0.07581	0	0.05554	0	0	0	0	0	
3/4/2024	0	0.07429	0	0.05443	0	0	0	0	0	
3/5/2024	0	0.07281	0	0.05334	0	0	0	0	0	
3/6/2024	0	0.07135	0	0.05227	0	0	0	0	0	
3/7/2024	0	0.06992	0	0.05123	0	0	0	0	0	
3/8/2024	0	0.06853	0	0.0502	0	0	0	0	0	
3/9/2024	0	0.06716	0	0.0492	0	0	0	0	0	
3/10/2024	0	0.06581	0	0.04821	0	0	0	0	0	
3/11/2024	0	0.0645	0	0.04725	0	0	0	0	0	
3/12/2024	0	0.06321	0	0.0463	0	0	0	0	0	
3/13/2024	0	0.06194	0	0.04538	0	0	0	0	0	
3/14/2024	0	0.0607	0	0.04447	0	0	0	0	0	
3/15/2024	0	0.05949	0	0.04358	0	0	0	0	0	
3/16/2024	0	0.0583	0	0.04271	0	0	0	0	0	
3/17/2024	0	0.05713	0	0.04186	0	0	0	0	0	
3/18/2024	0	0.05599	0	0.04102	0	0	0	0	0	
3/19/2024	0	0.05487	0	0.0402	0	0	0	0	0	
3/20/2024	0	0.05377	0	0.03939	0	0	0	0	0	
3/21/2024	0	0.0527	0	0.03861	0	0	0	0	0	
3/22/2024	0	0.05164	0	0.03783	0	0	0	0	0	
3/23/2024	0	0.05061	0	0.03708	0	4.722	0	0	0	
3/24/2024	0	0.0496	0	0.03634	0	11.78	0	0	0	
3/25/2024	0	0.04861	0	0.03561	0	6.894	0	0	0	
3/26/2024	0	0.04763	0	0.0349	0	2.032	0	0	0	
3/27/2024	0	0.04668	0	0.0342	0	0	0	0	0	
3/28/2024	0	0.04575	0	0.03351	0	0	0	0	0	
3/29/2024	0	0.04483	0	0.03284	0	0	0	0	0	
3/30/2024	0	0.04394	0	0.03219	0	0	0	0	0	
3/31/2024	0	0.04306	0	0.03154	0	0	0	0	0	
4/1/2024	0	0.0422	0	0.03091	0	5.166	0	0	0	
4/2/2024	0	0.04135	0	0.03029	0	7.912	0	0	0	
4/3/2024	0	0.04053	0	0.02969	0	0	0	0	0	
4/4/2024	0	0.03972	0	0.0291	0	0	0	0	0	
4/5/2024	0	0.03892	0	0.02851	0	0	0	0	0	
4/6/2024	0	0.03814	0	0.02794	0	0	0	0	0	
4/7/2024	0	0.03738	0	0.02738	0	0	0	0	0	
4/8/2024	0	0.03663	0	0.02684	0	0	0	0	0	
4/9/2024	0	0.0359	0	0.0263	0	0	0	0	0	
4/10/2024	0	0.03518	0	0.02577	0	0	0	0	0	
4/11/2024	0	0.03448	0	0.02526	0	0	0	0	0	
4/12/2024	0	0.03379	0	0.02475	0	0	0	0	0	
4/13/2024	0	0.03311	0	0.02426	0	0	0	0	0	
4/14/2024	0	0.03245	0	0.02377	0	2.431	0	0	0	
4/15/2024	0	0.0318	0	0.0233	0	8.831	0	0	0	
4/16/2024	0	0.03117	0	0.02283	0	8.491	0	0	0	
4/17/2024	0	0.03054	0	0.02237	0	5.925	0	0	0	
4/18/2024	0	0.02993	0	0.02193	0	3.949	0	0	0	
4/19/2024	0	0.02933	0	0.02149	0	2.971	0	0	0	
4/20/2024	0	0.02875	0	0.02106	0	0	0	0	0	
4/21/2024	0	0.02817	0	0.02064	0	0	0	0	0	
4/22/2024	0	0.02761	0	0.02023	0	0	0	0	0	
4/23/2024	0	0.02706	0	0.01982	0	0	0	0	0	
4/24/2024	0	0.02651	0	0.01942	0	0	0	0	0	
4/25/2024	0	0.02598	0	0.01904	0	0	0	0	0	
4/26/2024	0	0.02546	0	0.01865	0	0	0	0	0	
4/27/2024	0	0.02496	0	0.01828	0	0	0	0	0	
4/28/2024	0	0.02446	0	0.01792	0	5.456	0	0	0	
4/29/2024	0	0.02397	0	0.01756	0	0	0	0	0	
4/30/2024	0	0.02349	0	0.01721	0	0	0	0	0	
5/1/2024	0	0.02302	0	0.01686	0	4.023	0	0	0	
5/2/2024	0	0.02256	0	0.01653	0	14.59	0	0	0	
5/3/2024	0	0.02211	0	0.01619	0	17.75	0	0	0	
5/4/2024	0	0.02166	0	0.01587	0	19.99	0	0	0	
5/5/2024	0	0.02123	0	0.01555	0	9.574	0	0	0	
5/6/2024	0	0.02081	0	0.01524	0	17.14	0	0	0	
5/7/2024	0	0.02039	0	0.01494	0	17.31	0	0	0	
5/8/2024	0	0.01998	0	0.01464	0	17.03	0	0	0	
5/9/2024	0	0.01958	0	0.01435	0	25.68	0	0	0	
5/10/2024	0	0.01919	0	0.01406	0	29.67	0	0	0	
5/11/2024	0	0.01881	0	0.01378	0	28.97	0	0	0	
5/12/2024	0	0.01843	0	0.0135	0	28.8	0	0	0	
5/13/2024	0	0.01806	0	0.01323	0	26.26	0	0	0	
5/14/2024	0	0.0177	0	0.01297	0	29.92	0	0	0	
5/15/2024	41.72	82.93	5.955	60.75	27.76	23.57	0	0	0	
5/16/2024	45.49	259.2	6.563	189.9	31.22	28.99	0	0	0	
5/17/2024	117.3	367.5	17.42	269.2	87.06	31.52	0	0	0	
5/18/2024	7.806	480.4	1.216	351.9	6.564	38.19	0	0	0	
5/19/2024	0	30.96	0	22.68	0	39.54	0	0	0	
5/20/2024	0	0.2584	0	0.1893	0	40.66	0	0	0	
5/21/2024	30.84	78.34	5.043	57.39	29.12	42.25	0	0	0	
5/22/2024	56.31	371.2	9.299	271.9	54.41	46.12	0	0	0	
5/23/2024	67.81	842.4	11.73	617.2	72.72	47.16	0	0	0	
5/24/2024	79.38	847.8	15.34	621.1	106.6	49.88	0	0	0	
5/25/2024	75.94	510.5	16.69	374	129	56.9	0	0	0	
5/26/2024	12.4	414.1	2.991	303.4	24.64	63.05	0	0	0	
5/27/2024	26.16	168.1	6.745	123.1	57.82	59.67	0	0	0	
5/28/2024	15.32	154.3	4.081	113	35.62	60.19	0	0	0	
5/29/2024	50.66	277.9	13.87	203.6	122.8	67.84	0	0	0	

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
5/30/2024	66.91	1308	19.55	958.6	178.8	79.71	0	0	0
5/31/2024	64.56	2131	26.07	1561	269.2	97.33	0	0	0
6/1/2024	35	2938	28.88	2152	343.8	110.8	0	0	500
6/2/2024	6.258	3602	24.93	2639	326.7	130.3	0	0	500
6/3/2024	0	2449	12.73	1794	185.5	115.3	0	0	500
6/4/2024	0	921	16.11	674.7	248.6	136.3	0	0	500
6/5/2024	0	737.7	17.09	540.4	263.7	134.5	0	0	500
6/6/2024	0	633	22.42	463.7	345.9	142	0	0	500
6/7/2024	0	546.7	36.71	400.5	566.4	153.5	0	0	500
6/8/2024	0	474.2	38.36	347.4	591.8	133.2	0	0	500
6/9/2024	0	772.6	24.38	566	376.1	140.3	0	0	500
6/10/2024	0	462.6	17.63	338.9	272	141.6	0	0	500
6/11/2024	0	374.9	20.98	274.7	323.6	141.2	0	0	500
6/12/2024	0	349.7	10.94	256.2	168.9	131.8	0	0	500
6/13/2024	0	330.5	11.86	242.1	182.9	131.2	0	0	500
6/14/2024	0	309.2	24.24	226.5	374.1	144.5	0	0	500
6/15/2024	0	285.6	34.58	209.2	533.6	152.9	0	0	500
6/16/2024	0	263.6	25.76	193.1	397.5	146.1	0	0	500
6/17/2024	0	243	33.06	178	510.1	156.1	0	0	500
6/18/2024	0	223.7	14.8	163.9	228.4	161.5	0	0	500
6/19/2024	0	205.7	1.14	150.7	17.58	159	0	0	500
6/20/2024	0	188.9	1.14	138.4	17.5	161.4	0	0	500
6/21/2024	0	173.3	1.14	127	17.41	187.5	0	0	500
6/22/2024	0	158.4	0	116	0	157.4	0	0	500
6/23/2024	0	144.7	0	106	0	142.1	0	0	500
6/24/2024	0	132.1	0	96.8	0	155.5	0	0	500
6/25/2024	0	120.2	0	88.09	0	151.5	0	0	500
6/26/2024	0	109.2	0	80.03	0	155.6	0	0	500
6/27/2024	0	98.92	0	72.47	0	192.6	0	0	500
6/28/2024	0	88.66	0	64.95	0	232	0	0	500
6/29/2024	0	22.4	0	16.41	0	366.1	0	0	500
6/30/2024	0	21.95	0	16.08	0	617	0	0	500
7/1/2024	0	21.51	0	15.76	0	153.8	0	0	1000
7/2/2024	0	21.08	0	15.44	0	152.3	0	0	1000
7/3/2024	0	20.66	0	15.13	0	248.6	0	0	1000
7/4/2024	0	20.25	0	14.83	0	193.3	0	0	1000
7/5/2024	0	19.84	0	14.54	0	137.7	0	0	1000
7/6/2024	0.8195	19.44	1.14	14.24	14.28	138.2	0	0	1000
7/7/2024	108.2	19.06	116	13.96	1422	135.8	0	0	1000
7/8/2024	32.43	1856	39.27	1360	486.4	141.4	0	0	1000
7/9/2024	0.6336	799	2.056	585.4	26.8	149	0	0	1000
7/10/2024	0	222.3	0	162.9	0	148	0	0	1000
7/11/2024	0	176.7	0	129.4	0	147.9	0	0	1000
7/12/2024	0.6518	132	1.14	96.67	14.49	154.5	0	0	1000
7/13/2024	0	121.6	0	89.06	0	153.8	0	0	1000
7/14/2024	0	117.6	0	86.14	0	150.4	0	0	1000
7/15/2024	0	107.1	0	78.46	0	212.9	0	0	1000
7/16/2024	0	95.1	0	69.67	0	144.8	0	0	1000
7/17/2024	0	24.38	0	17.86	0	149.4	0	0	1000
7/18/2024	0	23.89	0	17.5	0	162.3	0	0	1000
7/19/2024	0	23.41	0	17.15	0	133.9	0	0	1000
7/20/2024	0	22.94	0	16.81	0	123.8	0	0	1000
7/21/2024	3.703	22.48	1.14	16.47	10.67	117.9	0	0	1000
7/22/2024	58.56	22.03	16.01	16.14	141.7	98.53	0	0	1000
7/23/2024	116.3	188.4	29.19	138	246.4	90.26	0	0	1000
7/24/2024	14.88	448	3.606	328.2	29.8	83.67	0	0	1000
7/25/2024	523.1	32.86	123.8	24.07	1007	87.51	0	0	1000
7/26/2024	17.47	2023	4.381	1482	36.97	89.98	0	0	1000
7/27/2024	0	272.6	0	199.7	0	116.4	0	0	1000
7/28/2024	32.18	210.5	9.808	154.2	91.41	97.55	0	0	1000
7/29/2024	4.497	231.9	1.281	169.9	11.57	84.52	0	0	1000
7/30/2024	0	146.6	0	107.4	0	84.29	0	0	1000
7/31/2024	0	133.6	0	97.88	0	84.69	0	0	1000
8/1/2024	0	130	0	95.25	0	87.61	0	0	1000
8/2/2024	0	120.7	0	88.4	0	98.57	0	0	1000
8/3/2024	0	108.9	0	79.75	0	80.36	0	0	1000
8/4/2024	0	98.35	0	72.05	0	73.87	0	0	1000
8/5/2024	6.594	88.63	1.14	64.93	7.057	65.55	0	0	1000
8/6/2024	6.989	22.86	1.14	16.75	6.564	52.73	0	0	1000
8/7/2024	0	22.41	0	16.41	0	50.07	0	0	1000
8/8/2024	249.7	21.96	36.16	16.09	173.2	45	0	0	1000
8/9/2024	910.6	530.9	130	388.9	606	44.17	0	0	1000
8/10/2024	147.6	2149	22.99	1575	124	40.83	0	0	1000
8/11/2024	6.01	631.8	1.14	462.8	7.787	55.76	0	0	1000
8/12/2024	10.8	278.8	2.056	204.2	14.1	55.55	0	0	1000
8/13/2024	11.23	232.1	2.056	170	13.56	59.33	0	0	1000
8/14/2024	0	192.3	0	140.9	0	67.81	0	0	1000
8/15/2024	0	154.4	0	113.1	0	53.45	0	0	1000
8/16/2024	7.172	151.8	1.14	111.2	6.335	48.65	0	0	1000
8/17/2024	0	145.4	0	106.5	0	57.87	0	0	1000
8/18/2024	0	133.5	0	97.77	0	44.75	0	0	1000
8/19/2024	0	121.7	0	89.19	0	39.26	0	0	1000
8/20/2024	275.1	111.1	39.27	81.37	183.1	35.84	0	0	1000
8/21/2024	8.973	668.6	1.281	489.8	5.971	35.88	0	0	1000
8/22/2024	0	93.83	0	68.74	0	34.08	0	0	1000
8/23/2024	79.59	94.56	11.36	69.27	52.96	33.13	0	0	1000
8/24/2024	41.56	196	5.932	143.6	27.66	35.06	0	0	1000
8/25/2024	7.988	135.2	1.14	99.02	5.315	31.21	0	0	1000
8/26/2024	7.988	24.41	1.14	17.88	5.315	32.28	0	0	1000
8/27/2024	19.84	24.81	2.831	18.18	13.2	31.51	0	0	1000
8/28/2024	85.02	24.76	12.13	18.14	56.57	29	0	0	1000
8/29/2024	7.988	157.8	1.14	115.6	5.315	28.08	0	0	1000
8/30/2024	36.13	23.78	5.157	17.42	24.04	27.86	0	0	1000
8/31/2024	7.988	44.52	1.14	32.61	5.315	25.81	0	0	1000
9/1/2024	7.988	23.55	1.14	17.25	5.315	25.99	0	0	1000
9/2/2024	8.973	23.26	1.281	17.04	5.971	26.28	0	0	1000
9/3/2024	34.61	22.8	4.94	16.7	23.03	25.25	0	0	1000
9/4/2024	23.75	28.81	3.39	21.11	15.8	25.94	0	0	1000
9/5/2024	11.9	28.45	1.699	20.84	7.92	25.43	0	0	1000
9/6/2024	8.973	21.45	1.281	15.72	5.971	23.56	0	0	1000
9/7/2024	0	21.03	0	15.4	0	22.32	0	0	1000
9/8/2024	170.4	20.6	24.32	15.09	113.4	21.45	0	0	1000
9/9/2024	12.89	347.7	1.839	254.7	8.575	21.88	0	0	1000
9/10/2024	3.914	19.79	0.5586	14.5	2.604	20.2	0	0	1000

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
9/11/2024	114.3	20.82	16.31	15.25	76.03	16.37	0	0	1000
9/12/2024	47.1	231.2	6.722	169.4	31.34	17.89	0	0	1000
9/13/2024	0	98.08	0	71.85	0	19.91	0	0	1000
9/14/2024	3.914	23.13	0.5586	16.95	2.604	17.89	0	0	1000
9/15/2024	22.58	24.33	3.222	17.82	15.02	19.72	0	0	1000
9/16/2024	0	4.381	0	3.209	0	16.2	0	0	1000
9/17/2024	0	1.201	0	0.8798	0	15.07	0	0	1000
9/18/2024	0	1.216	0	0.8907	0	15.08	0	0	1000
9/19/2024	19.84	128.5	2.831	94.1	13.2	15.08	0	0	1000
9/20/2024	0	53.61	0	39.27	0	17.11	0	0	1000
9/21/2024	25.27	24.51	3.606	17.96	16.81	17.08	0	0	1000
9/22/2024	3.914	24.36	0.5586	17.85	2.604	15.11	0	0	1000
9/23/2024	16.16	24.02	2.307	17.6	10.75	14.5	0	0	1000
9/24/2024	0	1.186	0	0.869	0	13.75	0	0	1000
9/25/2024	0	1.167	0	0.8547	0	12.7	0	0	1000
9/26/2024	0	1.156	0	0.8467	0	11.08	0	0	1000
9/27/2024	0	1.147	0	0.8404	0	10.88	0	0	1000
9/28/2024	0	1.138	0	0.8337	0	11.26	0	0	1000
9/29/2024	0	1.128	0	0.826	0	9.96	0	0	1000
9/30/2024	361.5	153.8	51.6	112.7	240.6	10.52	0	0	1000
10/1/2024	0	887.3	0	650	0	10.26	0	0	500
10/2/2024	0	39.18	0	28.7	0	7.957	0	0	500
10/3/2024	0	22	0	16.12	0	9.842	0	0	500
10/4/2024	0	6.693	0	4.903	0	9.229	0	0	500
10/5/2024	0	4.891	0	3.583	0	8.02	0	0	500
10/6/2024	0	4.956	0	3.631	0	6.174	0	0	500
10/7/2024	0	4.942	0	3.621	0	4.322	0	0	500
10/8/2024	0	4.865	0	3.564	0	5.678	0	0	500
10/9/2024	0	4.742	0	3.474	0	5.759	0	0	500
10/10/2024	0	4.584	0	3.358	0	5.937	0	0	500
10/11/2024	0	4.403	0	3.225	0	6.78	0	0	500
10/12/2024	0	1.202	0	0.8805	0	6.761	0	0	500
10/13/2024	0	1.203	0	0.8817	0	6.927	0	0	500
10/14/2024	0	1.2	0	0.879	0	5.756	0	0	500
10/15/2024	0	1.192	0	0.8735	0	5.658	0	0	500
10/16/2024	0	1.182	0	0.8657	0	5.599	0	0	500
10/17/2024	0	1.169	0	0.856	0	5.018	0	0	500
10/18/2024	0	1.154	0	0.8451	0	4.347	0	0	500
10/19/2024	0	1.137	0	0.8331	0	3.133	0	0	500
10/20/2024	0	1.12	0	0.8204	0	2.319	0	0	500
10/21/2024	0	1.102	0	0.8071	0	2.97	0	0	500
10/22/2024	0	1.083	0	0.7935	0	2.431	0	0	500
10/23/2024	0	1.064	0	0.7797	0	1.849	0	0	500
10/24/2024	0	1.045	0	0.7657	0	3.519	0	0	500
10/25/2024	0	1.026	0	0.7517	0	4.4	0	0	500
10/26/2024	0	1.007	0	0.7377	0	2.499	0	0	500
10/27/2024	0	0.9879	0	0.7237	0	3.146	0	0	500
10/28/2024	0	0.9691	0	0.7099	0	2.219	0	0	500
10/29/2024	0	0.9504	0	0.6963	0	0	0	0	500
10/30/2024	0	0.932	0	0.6828	0	2.137	0	0	500
10/31/2024	0	0.9138	0	0.6694	0	1.455	0	0	500
11/1/2024	0	0.8959	0	0.6563	0	0	0	0	0
11/2/2024	0	0.8783	0	0.6434	0	0	0	0	0
11/3/2024	0	0.8609	0	0.6307	0	0	0	0	0
11/4/2024	0	0.8439	0	0.6182	0	0.1615	0	0	0
11/5/2024	0	0.8272	0	0.606	0	0.2333	0	0	0
11/6/2024	0	0.8108	0	0.594	0	0	0	0	0
11/7/2024	0	0.7947	0	0.5822	0	0	0	0	0
11/8/2024	0	0.7788	0	0.5706	0	0	0	0	0
11/9/2024	0	0.7633	0	0.5592	0	0	0	0	0
11/10/2024	0	0.7481	0	0.5481	0	0	0	0	0
11/11/2024	0	0.7332	0	0.5371	0	0	0	0	0
11/12/2024	0	0.7185	0	0.5264	0	0.1436	0	0	0
11/13/2024	0	0.7042	0	0.5159	0	0	0	0	0
11/14/2024	0	0.6901	0	0.5056	0	0.5851	0	0	0
11/15/2024	0	0.6764	0	0.4955	0	1.024	0	0	0
11/16/2024	0	0.6628	0	0.4856	0	1.224	0	0	0
11/17/2024	0	0.6496	0	0.4759	0	0	0	0	0
11/18/2024	0	0.6366	0	0.4664	0	0	0	0	0
11/19/2024	0	0.6239	0	0.4571	0	0	0	0	0
11/20/2024	0	0.6114	0	0.4479	0	0	0	0	0
11/21/2024	0	0.5992	0	0.439	0	0	0	0	0
11/22/2024	0	0.5872	0	0.4302	0	0	0	0	0
11/23/2024	0	0.5755	0	0.4216	0	0	0	0	0
11/24/2024	0	0.564	0	0.4132	0	0.2197	0	0	0
11/25/2024	0	0.5527	0	0.4049	0	0	0	0	0
11/26/2024	0	0.5416	0	0.3968	0	0.7363	0	0	0
11/27/2024	0	0.5308	0	0.3889	0	0	0	0	0
11/28/2024	0	0.5202	0	0.3811	0	0	0	0	0
11/29/2024	0	0.5098	0	0.3735	0	0	0	0	0
11/30/2024	0	0.4996	0	0.366	0	0.2805	0	0	0
12/1/2024	0	0.4896	0	0.3587	0	0.1077	0	0	0
12/2/2024	0	0.4798	0	0.3515	0	0	0	0	0
12/3/2024	0	0.4702	0	0.3445	0	0	0	0	0
12/4/2024	0	0.4608	0	0.3376	0	0	0	0	0
12/5/2024	0	0.4516	0	0.3308	0	0	0	0	0
12/6/2024	0	0.4426	0	0.3242	0	0.0892	0	0	0
12/7/2024	0	0.4337	0	0.3177	0	0.1251	0	0	0
12/8/2024	0	0.425	0	0.3114	0	0	0	0	0
12/9/2024	0	0.4165	0	0.3051	0	0	0	0	0
12/10/2024	0	0.4082	0	0.299	0	0	0	0	0
12/11/2024	0	0.4	0	0.2931	0	0	0	0	0
12/12/2024	0	0.392	0	0.2872	0	0	0	0	0
12/13/2024	0	0.3842	0	0.2815	0	0	0	0	0
12/14/2024	0	0.3765	0	0.2758	0	0	0	0	0
12/15/2024	0	0.369	0	0.2703	0	0.1806	0	0	0
12/16/2024	0	0.3616	0	0.2649	0	0	0	0	0
12/17/2024	0	0.3544	0	0.2596	0	0.1219	0	0	0
12/18/2024	0	0.3473	0	0.2544	0	0	0	0	0
12/19/2024	0	0.3403	0	0.2493	0	0	0	0	0
12/20/2024	0	0.3335	0	0.2443	0	0	0	0	0
12/21/2024	0	0.3269	0	0.2395	0	0	0	0	0
12/22/2024	0	0.3203	0	0.2347	0	0	0	0	0
12/23/2024	0	0.3139	0	0.23	0	0	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
12/24/2024	0	0.3076	0	0.2254	0	0.2254	0	0	0
12/25/2024	0	0.3015	0	0.2209	0	0	0	0	0
12/26/2024	0	0.2955	0	0.2164	0	0	0	0	0
12/27/2024	0	0.2895	0	0.2121	0	0	0	0	0
12/28/2024	0	0.2838	0	0.2079	0	0	0	0	0
12/29/2024	0	0.2781	0	0.2037	0	0	0	0	0
12/30/2024	0	0.2725	0	0.1996	0	0	0	0	0
12/31/2024	0	0.2671	0	0.1957	0	0	0	0	0
1/1/2025	0	0.2617	0	0.1917	0	0	0	0	0
1/2/2025	0	0.2565	0	0.1879	0	0	0	0	0
1/3/2025	0	0.2514	0	0.1841	0	0	0	0	0
1/4/2025	0	0.2463	0	0.1805	0	0	0	0	0
1/5/2025	0	0.2414	0	0.1769	0	0	0	0	0
1/6/2025	0	0.2366	0	0.1733	0	0	0	0	0
1/7/2025	0	0.2318	0	0.1698	0	0	0	0	0
1/8/2025	0	0.2272	0	0.1665	0	0	0	0	0
1/9/2025	0	0.2227	0	0.1631	0	0	0	0	0
1/10/2025	0	0.2182	0	0.1599	0	0	0	0	0
1/11/2025	0	0.2138	0	0.1567	0	0	0	0	0
1/12/2025	0	0.2096	0	0.1535	0	0	0	0	0
1/13/2025	0	0.2054	0	0.1505	0	0	0	0	0
1/14/2025	0	0.2013	0	0.1475	0	0	0	0	0
1/15/2025	0	0.1972	0	0.1445	0	0	0	0	0
1/16/2025	0	0.1933	0	0.1416	0	0	0	0	0
1/17/2025	0	0.1894	0	0.1388	0	0	0	0	0
1/18/2025	0	0.1856	0	0.136	0	0	0	0	0
1/19/2025	0	0.1819	0	0.1333	0	0.01073	0	0	0
1/20/2025	0	0.1783	0	0.1306	0	0.3472	0	0	0
1/21/2025	0	0.1747	0	0.128	0	0	0	0	0
1/22/2025	0	0.1712	0	0.1254	0	0	0	0	0
1/23/2025	0	0.1678	0	0.1229	0	0	0	0	0
1/24/2025	0	0.1645	0	0.1205	0	0	0	0	0
1/25/2025	0	0.1612	0	0.1181	0	0	0	0	0
1/26/2025	0	0.1579	0	0.1157	0	0	0	0	0
1/27/2025	0	0.1548	0	0.1134	0	0	0	0	0
1/28/2025	0	0.1517	0	0.1111	0	0	0	0	0
1/29/2025	0	0.1487	0	0.1089	0	0	0	0	0
1/30/2025	0	0.1457	0	0.1067	0	0	0	0	0
1/31/2025	0	0.1428	0	0.1046	0	0	0	0	0
2/1/2025	0	0.1399	0	0.1025	0	0	0	0	0
2/2/2025	0	0.1371	0	0.1004	0	0	0	0	0
2/3/2025	0	0.1344	0	0.09844	0	0	0	0	0
2/4/2025	0	0.1317	0	0.09647	0	0	0	0	0
2/5/2025	0	0.1291	0	0.09454	0	0	0	0	0
2/6/2025	0	0.1265	0	0.09265	0	0	0	0	0
2/7/2025	0	0.1239	0	0.0908	0	0	0	0	0
2/8/2025	0	0.1215	0	0.08898	0	0	0	0	0
2/9/2025	0	0.119	0	0.0872	0	0	0	0	0
2/10/2025	0	0.1167	0	0.08546	0	0	0	0	0
2/11/2025	0	0.1143	0	0.08375	0	0	0	0	0
2/12/2025	0	0.112	0	0.08207	0	0	0	0	0
2/13/2025	0	0.1098	0	0.08043	0	0	0	0	0
2/14/2025	0	0.1076	0	0.07882	0	0	0	0	0
2/15/2025	0	0.1054	0	0.07725	0	0	0	0	0
2/16/2025	0	0.1033	0	0.0757	0	0	0	0	0
2/17/2025	0	0.1013	0	0.07419	0	0	0	0	0
2/18/2025	0	0.09924	0	0.0727	0	0	0	0	0
2/19/2025	0	0.09726	0	0.07125	0	0	0	0	0
2/20/2025	0	0.09531	0	0.06982	0	0	0	0	0
2/21/2025	0	0.09341	0	0.06843	0	0	0	0	0
2/22/2025	0	0.09154	0	0.06706	0	0	0	0	0
2/23/2025	0	0.08971	0	0.06572	0	0	0	0	0
2/24/2025	0	0.08791	0	0.0644	0	0	0	0	0
2/25/2025	0	0.08615	0	0.06312	0	0	0	0	0
2/26/2025	0	0.08443	0	0.06185	0	0	0	0	0
2/27/2025	0	0.08274	0	0.06062	0	0	0	0	0
2/28/2025	0	0.08109	0	0.0594	0	0	0	0	0
3/1/2025	0	0.07947	0	0.05822	0	0	0	0	0
3/2/2025	0	0.07788	0	0.05705	0	0	0	0	0
3/3/2025	0	0.07632	0	0.05591	0	0	0	0	0
3/4/2025	0	0.07479	0	0.05479	0	0	0	0	0
3/5/2025	0	0.0733	0	0.0537	0	0	0	0	0
3/6/2025	0	0.07183	0	0.05262	0	0	0	0	0
3/7/2025	0	0.07039	0	0.05157	0	0	0	0	0
3/8/2025	0	0.06899	0	0.05054	0	0	0	0	0
3/9/2025	0	0.06761	0	0.04953	0	0	0	0	0
3/10/2025	0	0.06626	0	0.04854	0	0	0	0	0
3/11/2025	0	0.06493	0	0.04757	0	0	0	0	0
3/12/2025	0	0.06363	0	0.04662	0	0	0	0	0
3/13/2025	0	0.06236	0	0.04568	0	0	0	0	0
3/14/2025	0	0.06111	0	0.04477	0	0	0	0	0
3/15/2025	0	0.05989	0	0.04387	0	0	0	0	0
3/16/2025	0	0.05869	0	0.043	0	0	0	0	0
3/17/2025	0	0.05752	0	0.04214	0	0	0	0	0
3/18/2025	0	0.05637	0	0.04129	0	0	0	0	0
3/19/2025	0	0.05524	0	0.04047	0	0	0	0	0
3/20/2025	0	0.05414	0	0.03966	0	0	0	0	0
3/21/2025	0	0.05305	0	0.03887	0	0	0	0	0
3/22/2025	0	0.05199	0	0.03809	0	0	0	0	0
3/23/2025	0	0.05095	0	0.03733	0	4.625	0	0	0
3/24/2025	0	0.04993	0	0.03658	0	11.54	0	0	0
3/25/2025	0	0.04893	0	0.03585	0	6.757	0	0	0
3/26/2025	0	0.04796	0	0.03513	0	1.992	0	0	0
3/27/2025	0	0.047	0	0.03443	0	0	0	0	0
3/28/2025	0	0.04606	0	0.03374	0	0	0	0	0
3/29/2025	0	0.04514	0	0.03307	0	0	0	0	0
3/30/2025	0	0.04423	0	0.0324	0	0	0	0	0
3/31/2025	0	0.04335	0	0.03176	0	0	0	0	0
4/1/2025	0	0.04248	0	0.03112	0	5.074	0	0	0
4/2/2025	0	0.04163	0	0.0305	0	7.774	0	0	0
4/3/2025	0	0.0408	0	0.02989	0	0	0	0	0
4/4/2025	0	0.03998	0	0.02929	0	0	0	0	0
4/5/2025	0	0.03918	0	0.02871	0	0	0	0	0
4/6/2025	0	0.0384	0	0.02813	0	0	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
4/7/2025	0	0.03763	0	0.02757	0	0	0	0	0
4/8/2025	0	0.03688	0	0.02702	0	0	0	0	0
4/9/2025	0	0.03614	0	0.02648	0	0	0	0	0
4/10/2025	0	0.03542	0	0.02595	0	0	0	0	0
4/11/2025	0	0.03471	0	0.02543	0	0	0	0	0
4/12/2025	0	0.03402	0	0.02492	0	0	0	0	0
4/13/2025	0	0.03334	0	0.02442	0	0	0	0	0
4/14/2025	0	0.03267	0	0.02393	0	2.396	0	0	0
4/15/2025	0	0.03202	0	0.02345	0	8.708	0	0	0
4/16/2025	0	0.03138	0	0.02298	0	8.375	0	0	0
4/17/2025	0	0.03075	0	0.02253	0	5.846	0	0	0
4/18/2025	0	0.03013	0	0.02207	0	3.897	0	0	0
4/19/2025	0	0.02953	0	0.02163	0	2.932	0	0	0
4/20/2025	0	0.02894	0	0.0212	0	0	0	0	0
4/21/2025	0	0.02836	0	0.02078	0	0	0	0	0
4/22/2025	0	0.02779	0	0.02036	0	0	0	0	0
4/23/2025	0	0.02724	0	0.01995	0	0	0	0	0
4/24/2025	0	0.02669	0	0.01955	0	0	0	0	0
4/25/2025	0	0.02616	0	0.01916	0	0	0	0	0
4/26/2025	0	0.02564	0	0.01878	0	0	0	0	0
4/27/2025	0	0.02512	0	0.0184	0	0	0	0	0
4/28/2025	0	0.02462	0	0.01804	0	5.397	0	0	0
4/29/2025	0	0.02413	0	0.01768	0	0	0	0	0
4/30/2025	0	0.02365	0	0.01732	0	0	0	0	0
5/1/2025	0	0.02317	0	0.01698	0	3.982	0	0	0
5/2/2025	0	0.02271	0	0.01664	0	14.45	0	0	0
5/3/2025	0	0.02225	0	0.0163	0	17.57	0	0	0
5/4/2025	0	0.02181	0	0.01598	0	19.8	0	0	0
5/5/2025	0	0.02137	0	0.01566	0	9.484	0	0	0
5/6/2025	0	0.02095	0	0.01534	0	16.98	0	0	0
5/7/2025	0	0.02053	0	0.01504	0	17.16	0	0	0
5/8/2025	0	0.02012	0	0.01474	0	16.88	0	0	0
5/9/2025	0	0.01971	0	0.01444	0	25.46	0	0	0
5/10/2025	0	0.01932	0	0.01415	0	29.42	0	0	0
5/11/2025	0	0.01893	0	0.01387	0	28.73	0	0	0
5/12/2025	0	0.01856	0	0.01359	0	28.57	0	0	0
5/13/2025	0	0.01818	0	0.01332	0	26.06	0	0	0
5/14/2025	0	0.01782	0	0.01305	0	29.69	0	0	0
5/15/2025	41.72	82.93	5.955	60.75	27.76	23.4	0	0	0
5/16/2025	45.49	259.3	6.563	190	31.22	28.78	0	0	0
5/17/2025	117.3	367.6	17.42	269.3	87.07	31.31	0	0	0
5/18/2025	7.805	480.6	1.216	352.1	6.564	37.94	0	0	0
5/19/2025	0	31.32	0	22.94	0	39.29	0	0	0
5/20/2025	0	0.2593	0	0.19	0	40.41	0	0	0
5/21/2025	30.84	78.35	5.043	57.4	29.13	42	0	0	0
5/22/2025	56.3	371.4	9.299	272.1	54.42	45.86	0	0	0
5/23/2025	67.8	842.6	11.73	617.3	72.74	46.91	0	0	0
5/24/2025	79.36	848.2	15.34	621.4	106.6	49.62	0	0	0
5/25/2025	75.91	510.9	16.69	374.3	129.1	56.62	0	0	0
5/26/2025	12.39	414.5	2.991	303.6	24.65	62.76	0	0	0
5/27/2025	26.15	168.5	6.745	123.4	57.84	59.4	0	0	0
5/28/2025	15.31	154.6	4.081	113.3	35.63	59.94	0	0	0
5/29/2025	50.62	278.4	13.87	203.9	122.8	67.57	0	0	0
5/30/2025	66.83	1309	19.55	958.9	178.9	79.41	0	0	0
5/31/2025	64.44	2163	26.07	1584	269.3	96.98	0	0	0
6/1/2025	34.63	2939	28.88	2153	344.3	110.6	0	0	500
6/2/2025	5.923	3603	24.93	2640	327.2	129.9	0	0	500
6/3/2025	0	2440	12.73	1787	185.7	115	0	0	500
6/4/2025	0	920.3	16.11	674.2	248.6	135.9	0	0	500
6/5/2025	0	737.4	17.09	540.2	263.7	134.1	0	0	500
6/6/2025	0	632.8	22.42	463.6	345.9	141.6	0	0	500
6/7/2025	0	546.6	36.71	400.4	566.4	153.1	0	0	500
6/8/2025	0	474.2	38.36	347.4	591.8	132.9	0	0	500
6/9/2025	0	772.7	24.38	566.1	376.1	140	0	0	500
6/10/2025	0	462.8	17.63	339	272	141.3	0	0	500
6/11/2025	0	375	20.98	274.7	323.6	141	0	0	500
6/12/2025	0	349.7	10.94	256.2	168.9	131.6	0	0	500
6/13/2025	0	330.5	11.86	242.2	182.9	131	0	0	500
6/14/2025	0	309.3	24.24	226.6	374.1	144.3	0	0	500
6/15/2025	0	285.6	34.58	209.2	533.6	152.8	0	0	500
6/16/2025	0	263.6	25.76	193.1	397.5	146	0	0	500
6/17/2025	0	243.1	33.06	178.1	510.1	156	0	0	500
6/18/2025	0	223.8	15.39	163.9	237.4	161.4	0	0	500
6/19/2025	0	205.7	1.14	150.7	17.58	159	0	0	500
6/20/2025	0	189	1.14	138.5	17.5	161.4	0	0	500
6/21/2025	0	173.4	1.14	127	17.41	187.6	0	0	500
6/22/2025	0	158.4	0	116.1	0	157.5	0	0	500
6/23/2025	0	144.7	0	106	0	142.2	0	0	500
6/24/2025	0	132.2	0	96.83	0	155.6	0	0	500
6/25/2025	0	120.3	0	88.12	0	151.7	0	0	500
6/26/2025	0	109.3	0	80.05	0	155.8	0	0	500
6/27/2025	0	98.94	0	72.49	0	192.9	0	0	500
6/28/2025	0	88.67	0	64.96	0	232.4	0	0	500
6/29/2025	0	22.4	0	16.41	0	366.8	0	0	500
6/30/2025	0	21.95	0	16.08	0	618.3	0	0	500
7/1/2025	0	21.51	0	15.76	0	154.2	0	0	1000
7/2/2025	0	21.08	0	15.45	0	152.7	0	0	1000
7/3/2025	0	20.66	0	15.14	0	249.3	0	0	1000
7/4/2025	0	20.25	0	14.83	0	193.9	0	0	1000
7/5/2025	0	19.84	0	14.54	0	138.2	0	0	1000
7/6/2025	0.8185	19.45	1.14	14.25	14.28	138.7	0	0	1000
7/7/2025	108.1	19.06	116	13.96	1422	136.2	0	0	1000
7/8/2025	32.4	1856	39.27	1360	486.5	141.9	0	0	1000
7/9/2025	0.6325	798.8	2.056	585.2	26.8	149.6	0	0	1000
7/10/2025	0	222.2	0	162.8	0	148.6	0	0	1000
7/11/2025	0	176.4	0	129.3	0	148.5	0	0	1000
7/12/2025	0.6518	131.6	1.14	96.44	14.49	155.2	0	0	1000
7/13/2025	0	121.5	0	88.98	0	154.5	0	0	1000
7/14/2025	0	117.4	0	86.04	0	151.1	0	0	1000
7/15/2025	0	106.9	0	78.34	0	214	0	0	1000
7/16/2025	0	94.92	0	69.54	0	145.6	0	0	1000
7/17/2025	0	24.32	0	17.82	0	150.2	0	0	1000
7/18/2025	0	23.84	0	17.46	0	163.2	0	0	1000
7/19/2025	0	23.36	0	17.11	0	134.7	0	0	1000

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
7/20/2025	0	22.89	0	16.77	0	124.5	0	0	1000
7/21/2025	3.707	22.43	1.14	16.44	10.67	118.5	0	0	1000
7/22/2025	58.62	21.99	16.01	16.11	141.6	99.12	0	0	1000
7/23/2025	116.4	188.1	29.19	137.8	246.3	90.81	0	0	1000
7/24/2025	14.9	447.7	3.606	328	29.78	84.19	0	0	1000
7/25/2025	523.7	32.57	123.8	23.86	1006	88.07	0	0	1000
7/26/2025	17.49	2023	4.381	1482	36.94	90.56	0	0	1000
7/27/2025	0	271.8	0	199.1	0	117.1	0	0	1000
7/28/2025	32.24	209.7	9.808	153.6	91.33	98.21	0	0	1000
7/29/2025	4.507	230.8	1.281	169.1	11.55	85.1	0	0	1000
7/30/2025	0	145.8	0	106.8	0	84.87	0	0	1000
7/31/2025	0	133.2	0	97.55	0	85.27	0	0	1000
8/1/2025	0	129.5	0	94.88	0	88.23	0	0	1000
8/2/2025	0	119.7	0	87.67	0	99.27	0	0	1000
8/3/2025	0	107.9	0	79.06	0	80.92	0	0	1000
8/4/2025	0	97.44	0	71.39	0	74.38	0	0	1000
8/5/2025	6.609	87.76	1.14	64.29	7.039	65.99	0	0	1000
8/6/2025	7.005	22.63	1.14	16.58	6.544	53.08	0	0	1000
8/7/2025	0	22.17	0	16.24	0	50.4	0	0	1000
8/8/2025	250.2	21.73	36.16	15.92	172.6	45.28	0	0	1000
8/9/2025	910.6	530.3	130	388.5	606	44.62	0	0	1000
8/10/2025	147.6	2149	22.99	1574	124	41.26	0	0	1000
8/11/2025	6.011	631	1.14	462.3	7.786	56.34	0	0	1000
8/12/2025	10.8	277.6	2.056	203.4	14.09	56.14	0	0	1000
8/13/2025	11.23	230.9	2.056	169.1	13.55	59.96	0	0	1000
8/14/2025	0	191	0	139.9	0	68.53	0	0	1000
8/15/2025	0	153.5	0	112.5	0	54.01	0	0	1000
8/16/2025	7.178	150.9	1.14	110.5	6.327	49.16	0	0	1000
8/17/2025	0	144.4	0	105.8	0	58.48	0	0	1000
8/18/2025	0	132.5	0	97.07	0	45.22	0	0	1000
8/19/2025	0	120.8	0	88.51	0	39.75	0	0	1000
8/20/2025	275.1	110.2	39.27	80.73	183.1	36.29	0	0	1000
8/21/2025	8.973	667.4	1.281	489	5.971	36.35	0	0	1000
8/22/2025	0	93.04	0	68.16	0	34.53	0	0	1000
8/23/2025	79.59	93.79	11.36	68.71	52.96	33.58	0	0	1000
8/24/2025	41.56	194.6	5.932	142.6	27.66	35.54	0	0	1000
8/25/2025	7.988	134	1.14	98.17	5.315	31.64	0	0	1000
8/26/2025	7.988	24.17	1.14	17.71	5.315	32.74	0	0	1000
8/27/2025	19.84	24.56	2.831	17.99	13.2	31.96	0	0	1000
8/28/2025	85.02	24.39	12.13	17.87	56.57	29.43	0	0	1000
8/29/2025	7.988	156.9	1.14	114.9	5.315	28.5	0	0	1000
8/30/2025	36.13	23.42	5.157	17.16	24.04	28.29	0	0	1000
8/31/2025	7.988	43.69	1.14	32	5.315	26.22	0	0	1000
9/1/2025	7.988	23.18	1.14	16.98	5.315	26.4	0	0	1000
9/2/2025	8.973	22.78	1.281	16.69	5.971	26.7	0	0	1000
9/3/2025	34.61	22.33	4.94	16.36	23.03	25.66	0	0	1000
9/4/2025	23.75	27.79	3.39	20.36	15.8	26.37	0	0	1000
9/5/2025	11.9	27.67	1.699	20.27	7.92	25.86	0	0	1000
9/6/2025	8.973	21.01	1.281	15.39	5.971	23.97	0	0	1000
9/7/2025	0	20.59	0	15.09	0	22.71	0	0	1000
9/8/2025	170.4	20.18	24.32	14.78	113.4	21.83	0	0	1000
9/9/2025	12.89	347	1.839	254.2	8.575	22.28	0	0	1000
9/10/2025	3.914	19.38	0.5586	14.2	2.604	20.57	0	0	1000
9/11/2025	114.3	20.41	16.31	14.96	76.03	16.67	0	0	1000
9/12/2025	47.1	230.3	6.722	168.7	31.34	18.23	0	0	1000
9/13/2025	0	97.4	0	71.36	0	20.29	0	0	1000
9/14/2025	3.914	22.71	0.5586	16.64	2.604	18.24	0	0	1000
9/15/2025	22.58	23.89	3.222	17.5	15.02	20.11	0	0	1000
9/16/2025	0	1.229	0	0.9006	0	16.53	0	0	1000
9/17/2025	0	1.24	0	0.9087	0	15.38	0	0	1000
9/18/2025	0	4.387	0	3.214	0	15.39	0	0	1000
9/19/2025	19.84	128.2	2.831	93.93	13.2	15.4	0	0	1000
9/20/2025	0	53.64	0	39.3	0	17.48	0	0	1000
9/21/2025	25.27	23.97	3.606	17.56	16.81	17.45	0	0	1000
9/22/2025	3.914	23.81	0.5586	17.44	2.604	15.44	0	0	1000
9/23/2025	16.16	23.46	2.307	17.19	10.75	14.83	0	0	1000
9/24/2025	0	1.158	0	0.8481	0	14.06	0	0	1000
9/25/2025	0	1.137	0	0.8333	0	13	0	0	1000
9/26/2025	0	1.126	0	0.8249	0	11.34	0	0	1000
9/27/2025	0	1.117	0	0.8184	0	11.14	0	0	1000
9/28/2025	0	1.108	0	0.8116	0	11.54	0	0	1000
9/29/2025	0	1.097	0	0.8039	0	10.21	0	0	1000
9/30/2025	361.5	149.8	51.6	109.8	240.6	10.79	0	0	1000
10/1/2025	0	887.1	0	649.9	0	10.52	0	0	500
10/2/2025	0	38.94	0	28.53	0	8.163	0	0	500
10/3/2025	0	18.67	0	13.68	0	10.1	0	0	500
10/4/2025	0	6.714	0	4.919	0	9.468	0	0	500
10/5/2025	0	5	0	3.663	0	8.238	0	0	500
10/6/2025	0	5.058	0	3.705	0	6.344	0	0	500
10/7/2025	0	5.036	0	3.689	0	4.443	0	0	500
10/8/2025	0	4.952	0	3.628	0	5.839	0	0	500
10/9/2025	0	4.822	0	3.533	0	5.924	0	0	500
10/10/2025	0	4.659	0	3.413	0	6.111	0	0	500
10/11/2025	0	4.472	0	3.276	0	6.981	0	0	500
10/12/2025	0	1.22	0	0.894	0	6.964	0	0	500
10/13/2025	0	1.222	0	0.8949	0	7.139	0	0	500
10/14/2025	0	1.218	0	0.892	0	5.749	0	0	500
10/15/2025	0	1.21	0	0.8862	0	5.835	0	0	500
10/16/2025	0	1.199	0	0.878	0	5.778	0	0	500
10/17/2025	0	1.185	0	0.8682	0	5.181	0	0	500
10/18/2025	0	1.17	0	0.857	0	4.49	0	0	500
10/19/2025	0	1.153	0	0.8448	0	3.237	0	0	500
10/20/2025	0	1.135	0	0.8318	0	2.397	0	0	500
10/21/2025	0	1.117	0	0.8183	0	3.071	0	0	500
10/22/2025	0	1.098	0	0.8045	0	2.516	0	0	500
10/23/2025	0	1.079	0	0.7904	0	1.914	0	0	500
10/24/2025	0	1.06	0	0.7762	0	3.645	0	0	500
10/25/2025	0	1.04	0	0.762	0	4.559	0	0	500
10/26/2025	0	1.021	0	0.7478	0	2.59	0	0	500
10/27/2025	0	1.001	0	0.7336	0	3.263	0	0	500
10/28/2025	0	0.9823	0	0.7196	0	2.303	0	0	500
10/29/2025	0	0.9634	0	0.7058	0	0	0	0	500
10/30/2025	0	0.9447	0	0.6921	0	2.219	0	0	500
10/31/2025	0	0.9263	0	0.6786	0	1.511	0	0	500

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
11/1/2025	0	0.9081	0	0.6653	0	0	0	0	0
11/2/2025	0	0.8902	0	0.6522	0	0	0	0	0
11/3/2025	0	0.8727	0	0.6393	0	0	0	0	0
11/4/2025	0	0.8554	0	0.6267	0	0.1681	0	0	0
11/5/2025	0	0.8384	0	0.6142	0	0.2429	0	0	0
11/6/2025	0	0.8218	0	0.602	0	0	0	0	0
11/7/2025	0	0.8055	0	0.5901	0	0	0	0	0
11/8/2025	0	0.7894	0	0.5783	0	0	0	0	0
11/9/2025	0	0.7737	0	0.5668	0	0	0	0	0
11/10/2025	0	0.7583	0	0.5555	0	0	0	0	0
11/11/2025	0	0.7431	0	0.5444	0	0	0	0	0
11/12/2025	0	0.7283	0	0.5336	0	0.15	0	0	0
11/13/2025	0	0.7138	0	0.5229	0	0	0	0	0
11/14/2025	0	0.6995	0	0.5125	0	0.6114	0	0	0
11/15/2025	0	0.6855	0	0.5022	0	1.07	0	0	0
11/16/2025	0	0.6718	0	0.4922	0	1.279	0	0	0
11/17/2025	0	0.6584	0	0.4824	0	0	0	0	0
11/18/2025	0	0.6453	0	0.4727	0	0	0	0	0
11/19/2025	0	0.6324	0	0.4633	0	0	0	0	0
11/20/2025	0	0.6197	0	0.454	0	0	0	0	0
11/21/2025	0	0.6073	0	0.4449	0	0	0	0	0
11/22/2025	0	0.5952	0	0.436	0	0	0	0	0
11/23/2025	0	0.5833	0	0.4273	0	0	0	0	0
11/24/2025	0	0.5716	0	0.4188	0	0.2297	0	0	0
11/25/2025	0	0.5602	0	0.4104	0	0	0	0	0
11/26/2025	0	0.549	0	0.4022	0	0.7694	0	0	0
11/27/2025	0	0.538	0	0.3941	0	0	0	0	0
11/28/2025	0	0.5273	0	0.3863	0	0	0	0	0
11/29/2025	0	0.5167	0	0.3785	0	0	0	0	0
11/30/2025	0	0.5064	0	0.371	0	0.2924	0	0	0
12/1/2025	0	0.4962	0	0.3635	0	0.1122	0	0	0
12/2/2025	0	0.4863	0	0.3563	0	0	0	0	0
12/3/2025	0	0.4766	0	0.3491	0	0	0	0	0
12/4/2025	0	0.4671	0	0.3422	0	0	0	0	0
12/5/2025	0	0.4577	0	0.3353	0	0	0	0	0
12/6/2025	0	0.4486	0	0.3286	0	0.09231	0	0	0
12/7/2025	0	0.4396	0	0.322	0	0.1293	0	0	0
12/8/2025	0	0.4308	0	0.3156	0	0	0	0	0
12/9/2025	0	0.4222	0	0.3093	0	0	0	0	0
12/10/2025	0	0.4137	0	0.3031	0	0	0	0	0
12/11/2025	0	0.4055	0	0.297	0	0	0	0	0
12/12/2025	0	0.3974	0	0.2911	0	0	0	0	0
12/13/2025	0	0.3894	0	0.2853	0	0	0	0	0
12/14/2025	0	0.3816	0	0.2796	0	0	0	0	0
12/15/2025	0	0.374	0	0.274	0	0.1832	0	0	0
12/16/2025	0	0.3665	0	0.2685	0	0	0	0	0
12/17/2025	0	0.3592	0	0.2631	0	0.123	0	0	0
12/18/2025	0	0.352	0	0.2579	0	0	0	0	0
12/19/2025	0	0.345	0	0.2527	0	0	0	0	0
12/20/2025	0	0.3381	0	0.2477	0	0	0	0	0
12/21/2025	0	0.3313	0	0.2427	0	0	0	0	0
12/22/2025	0	0.3247	0	0.2379	0	0	0	0	0
12/23/2025	0	0.3182	0	0.2331	0	0	0	0	0
12/24/2025	0	0.3118	0	0.2284	0	0	0	0	0
12/25/2025	0	0.3056	0	0.2239	0	0	0	0	0
12/26/2025	0	0.2995	0	0.2194	0	0	0	0	0
12/27/2025	0	0.2935	0	0.215	0	0	0	0	0
12/28/2025	0	0.2876	0	0.2107	0	0	0	0	0
12/29/2025	0	0.2819	0	0.2065	0	0	0	0	0
12/30/2025	0	0.2762	0	0.2024	0	0	0	0	0
12/31/2025	0	0.2707	0	0.1983	0	0	0	0	0
1/1/2026	0	0.2653	0	0.1943	0	0	0	0	0
1/2/2026	0	0.26	0	0.1905	0	0	0	0	0
1/3/2026	0	0.2548	0	0.1866	0	0	0	0	0
1/4/2026	0	0.2497	0	0.1829	0	0	0	0	0
1/5/2026	0	0.2447	0	0.1793	0	0	0	0	0
1/6/2026	0	0.2398	0	0.1757	0	0	0	0	0
1/7/2026	0	0.235	0	0.1722	0	0	0	0	0
1/8/2026	0	0.2303	0	0.1687	0	0	0	0	0
1/9/2026	0	0.2257	0	0.1653	0	0	0	0	0
1/10/2026	0	0.2212	0	0.162	0	0	0	0	0
1/11/2026	0	0.2168	0	0.1588	0	0	0	0	0
1/12/2026	0	0.2124	0	0.1556	0	0	0	0	0
1/13/2026	0	0.2082	0	0.1525	0	0	0	0	0
1/14/2026	0	0.204	0	0.1495	0	0	0	0	0
1/15/2026	0	0.1999	0	0.1465	0	0	0	0	0
1/16/2026	0	0.1959	0	0.1435	0	0	0	0	0
1/17/2026	0	0.192	0	0.1407	0	0	0	0	0
1/18/2026	0	0.1882	0	0.1379	0	0	0	0	0
1/19/2026	0	0.1844	0	0.1351	0	0.01073	0	0	0
1/20/2026	0	0.1807	0	0.1324	0	0.3473	0	0	0
1/21/2026	0	0.1771	0	0.1297	0	0	0	0	0
1/22/2026	0	0.1736	0	0.1271	0	0	0	0	0
1/23/2026	0	0.1701	0	0.1246	0	0	0	0	0
1/24/2026	0	0.1667	0	0.1221	0	0	0	0	0
1/25/2026	0	0.1634	0	0.1197	0	0	0	0	0
1/26/2026	0	0.1601	0	0.1173	0	0	0	0	0
1/27/2026	0	0.1569	0	0.1149	0	0	0	0	0
1/28/2026	0	0.1537	0	0.1126	0	0	0	0	0
1/29/2026	0	0.1507	0	0.1104	0	0	0	0	0
1/30/2026	0	0.1477	0	0.1082	0	0	0	0	0
1/31/2026	0	0.1447	0	0.106	0	0	0	0	0
2/1/2026	0	0.1418	0	0.1039	0	0	0	0	0
2/2/2026	0	0.139	0	0.1018	0	0	0	0	0
2/3/2026	0	0.1362	0	0.09978	0	0	0	0	0
2/4/2026	0	0.1335	0	0.09778	0	0	0	0	0
2/5/2026	0	0.1308	0	0.09583	0	0	0	0	0
2/6/2026	0	0.1282	0	0.09391	0	0	0	0	0
2/7/2026	0	0.1256	0	0.09203	0	0	0	0	0
2/8/2026	0	0.1231	0	0.09019	0	0	0	0	0
2/9/2026	0	0.1206	0	0.08839	0	0	0	0	0
2/10/2026	0	0.1182	0	0.08662	0	0	0	0	0
2/11/2026	0	0.1159	0	0.08489	0	0	0	0	0
2/12/2026	0	0.1136	0	0.08319	0	0	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
2/13/2026	0	0.1113	0	0.08152	0	0	0	0	0
2/14/2026	0	0.1091	0	0.07989	0	0	0	0	0
2/15/2026	0	0.1069	0	0.0783	0	0	0	0	0
2/16/2026	0	0.1047	0	0.07673	0	0	0	0	0
2/17/2026	0	0.1026	0	0.0752	0	0	0	0	0
2/18/2026	0	0.1006	0	0.07369	0	0	0	0	0
2/19/2026	0	0.09858	0	0.07222	0	0	0	0	0
2/20/2026	0	0.09661	0	0.07077	0	0	0	0	0
2/21/2026	0	0.09468	0	0.06936	0	0	0	0	0
2/22/2026	0	0.09278	0	0.06797	0	0	0	0	0
2/23/2026	0	0.09093	0	0.06661	0	0	0	0	0
2/24/2026	0	0.08911	0	0.06528	0	0	0	0	0
2/25/2026	0	0.08733	0	0.06397	0	0	0	0	0
2/26/2026	0	0.08558	0	0.06269	0	0	0	0	0
2/27/2026	0	0.08387	0	0.06144	0	0	0	0	0
2/28/2026	0	0.08219	0	0.06021	0	0	0	0	0
3/1/2026	0	0.08055	0	0.05901	0	0	0	0	0
3/2/2026	0	0.07894	0	0.05783	0	0	0	0	0
3/3/2026	0	0.07736	0	0.05667	0	0	0	0	0
3/4/2026	0	0.07581	0	0.05554	0	0	0	0	0
3/5/2026	0	0.07429	0	0.05443	0	0	0	0	0
3/6/2026	0	0.07281	0	0.05334	0	0	0	0	0
3/7/2026	0	0.07135	0	0.05227	0	0	0	0	0
3/8/2026	0	0.06992	0	0.05123	0	0	0	0	0
3/9/2026	0	0.06853	0	0.0502	0	0	0	0	0
3/10/2026	0	0.06716	0	0.0492	0	0	0	0	0
3/11/2026	0	0.06581	0	0.04821	0	0	0	0	0
3/12/2026	0	0.0645	0	0.04725	0	0	0	0	0
3/13/2026	0	0.06321	0	0.0463	0	0	0	0	0
3/14/2026	0	0.06194	0	0.04538	0	0	0	0	0
3/15/2026	0	0.0607	0	0.04447	0	0	0	0	0
3/16/2026	0	0.05949	0	0.04358	0	0	0	0	0
3/17/2026	0	0.0583	0	0.04271	0	0	0	0	0
3/18/2026	0	0.05713	0	0.04186	0	0	0	0	0
3/19/2026	0	0.05599	0	0.04102	0	0	0	0	0
3/20/2026	0	0.05487	0	0.0402	0	0	0	0	0
3/21/2026	0	0.05377	0	0.03939	0	0	0	0	0
3/22/2026	0	0.0527	0	0.03861	0	0	0	0	0
3/23/2026	0	0.05164	0	0.03783	0	4.626	0	0	0
3/24/2026	0	0.05061	0	0.03708	0	11.54	0	0	0
3/25/2026	0	0.0496	0	0.03634	0	6.758	0	0	0
3/26/2026	0	0.04861	0	0.03561	0	1.992	0	0	0
3/27/2026	0	0.04763	0	0.0349	0	0	0	0	0
3/28/2026	0	0.04668	0	0.0342	0	0	0	0	0
3/29/2026	0	0.04575	0	0.03351	0	0	0	0	0
3/30/2026	0	0.04483	0	0.03284	0	0	0	0	0
3/31/2026	0	0.04394	0	0.03219	0	0	0	0	0
4/1/2026	0	0.04306	0	0.03154	0	5.074	0	0	0
4/2/2026	0	0.0422	0	0.03091	0	7.775	0	0	0
4/3/2026	0	0.04135	0	0.03029	0	0	0	0	0
4/4/2026	0	0.04053	0	0.02969	0	0	0	0	0
4/5/2026	0	0.03972	0	0.0291	0	0	0	0	0
4/6/2026	0	0.03892	0	0.02851	0	0	0	0	0
4/7/2026	0	0.03814	0	0.02794	0	0	0	0	0
4/8/2026	0	0.03738	0	0.02738	0	0	0	0	0
4/9/2026	0	0.03663	0	0.02684	0	0	0	0	0
4/10/2026	0	0.0359	0	0.0263	0	0	0	0	0
4/11/2026	0	0.03518	0	0.02577	0	0	0	0	0
4/12/2026	0	0.03448	0	0.02526	0	0	0	0	0
4/13/2026	0	0.03379	0	0.02475	0	0	0	0	0
4/14/2026	0	0.03311	0	0.02426	0	2.396	0	0	0
4/15/2026	0	0.03245	0	0.02377	0	8.709	0	0	0
4/16/2026	0	0.0318	0	0.0233	0	8.376	0	0	0
4/17/2026	0	0.03117	0	0.02283	0	5.846	0	0	0
4/18/2026	0	0.03054	0	0.02237	0	3.897	0	0	0
4/19/2026	0	0.02993	0	0.02193	0	2.932	0	0	0
4/20/2026	0	0.02933	0	0.02149	0	0	0	0	0
4/21/2026	0	0.02875	0	0.02106	0	0	0	0	0
4/22/2026	0	0.02817	0	0.02064	0	0	0	0	0
4/23/2026	0	0.02761	0	0.02022	0	0	0	0	0
4/24/2026	0	0.02706	0	0.01982	0	0	0	0	0
4/25/2026	0	0.02651	0	0.01942	0	0	0	0	0
4/26/2026	0	0.02598	0	0.01904	0	0	0	0	0
4/27/2026	0	0.02546	0	0.01865	0	0	0	0	0
4/28/2026	0	0.02496	0	0.01828	0	5.397	0	0	0
4/29/2026	0	0.02446	0	0.01792	0	0	0	0	0
4/30/2026	0	0.02397	0	0.01756	0	0	0	0	0
5/1/2026	0	0.02349	0	0.01721	0	3.982	0	0	0
5/2/2026	0	0.02302	0	0.01686	0	14.45	0	0	0
5/3/2026	0	0.02256	0	0.01653	0	17.57	0	0	0
5/4/2026	0	0.02211	0	0.01619	0	19.8	0	0	0
5/5/2026	0	0.02166	0	0.01587	0	9.484	0	0	0
5/6/2026	0	0.02123	0	0.01555	0	16.98	0	0	0
5/7/2026	0	0.02081	0	0.01524	0	17.16	0	0	0
5/8/2026	0	0.02039	0	0.01494	0	16.88	0	0	0
5/9/2026	0	0.01998	0	0.01464	0	25.46	0	0	0
5/10/2026	0	0.01958	0	0.01435	0	29.42	0	0	0
5/11/2026	0	0.01919	0	0.01406	0	28.73	0	0	0
5/12/2026	0	0.01881	0	0.01378	0	28.57	0	0	0
5/13/2026	0	0.01843	0	0.0135	0	26.06	0	0	0
5/14/2026	0	0.01806	0	0.01323	0	29.69	0	0	0
5/15/2026	41.72	82.93	5.955	60.75	27.76	23.4	0	0	0
5/16/2026	45.49	259.3	6.563	190	31.22	28.78	0	0	0
5/17/2026	117.3	367.6	17.42	269.3	87.07	31.31	0	0	0
5/18/2026	7.805	480.6	1.216	352.1	6.564	37.94	0	0	0
5/19/2026	0	31.32	0	22.94	0	39.29	0	0	0
5/20/2026	0	0.2595	0	0.1901	0	40.41	0	0	0
5/21/2026	30.84	78.35	5.043	57.4	29.13	42	0	0	0
5/22/2026	56.3	371.4	9.299	272.1	54.42	45.86	0	0	0
5/23/2026	67.8	842.6	11.73	617.3	72.74	46.91	0	0	0
5/24/2026	79.36	848.2	15.34	621.4	106.6	49.62	0	0	0
5/25/2026	75.91	510.9	16.69	374.3	129.1	56.62	0	0	0
5/26/2026	12.39	414.5	2.991	303.6	24.65	62.76	0	0	0
5/27/2026	26.15	168.5	6.745	123.4	57.84	59.4	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
5/28/2026	15.31	154.6	4.081	113.3	35.63	59.94	0	0	0
5/29/2026	50.62	278.4	13.87	203.9	122.8	67.57	0	0	0
5/30/2026	66.83	1309	19.55	958.9	178.9	79.41	0	0	0
5/31/2026	64.44	2132	26.07	1562	269.3	96.98	0	0	0
6/1/2026	34.93	2939	28.88	2153	343.9	110.4	0	0	500
6/2/2026	6.183	3603	24.93	2640	326.8	129.8	0	0	500
6/3/2026	0	2440	12.73	1787	185.5	114.9	0	0	500
6/4/2026	0	920.3	16.11	674.2	248.6	135.9	0	0	500
6/5/2026	0	737.4	17.09	540.2	263.7	134.1	0	0	500
6/6/2026	0	632.8	22.42	463.6	345.9	141.6	0	0	500
6/7/2026	0	546.6	36.71	400.4	566.4	153.1	0	0	500
6/8/2026	0	474.2	38.36	347.4	591.8	132.9	0	0	500
6/9/2026	0	772.7	24.38	566.1	376.1	140	0	0	500
6/10/2026	0	462.8	17.63	339	272	141.3	0	0	500
6/11/2026	0	375	20.98	274.7	323.6	141	0	0	500
6/12/2026	0	349.7	10.94	256.2	168.9	131.6	0	0	500
6/13/2026	0	330.5	11.86	242.2	182.9	131	0	0	500
6/14/2026	0	309.3	24.24	226.6	374.1	144.3	0	0	500
6/15/2026	0	285.6	34.58	209.3	533.6	152.8	0	0	500
6/16/2026	0	263.6	25.76	193.1	397.5	146	0	0	500
6/17/2026	0	243.1	33.06	178.1	510.1	156	0	0	500
6/18/2026	0	223.8	15.39	163.9	237.4	161.4	0	0	500
6/19/2026	0	205.7	1.14	150.7	17.58	159	0	0	500
6/20/2026	0	189	1.14	138.5	17.5	161.4	0	0	500
6/21/2026	0	173.4	1.14	127	17.41	187.6	0	0	500
6/22/2026	0	158.4	0	116.1	0	157.5	0	0	500
6/23/2026	0	144.7	0	106	0	142.2	0	0	500
6/24/2026	0	132.2	0	96.83	0	155.6	0	0	500
6/25/2026	0	120.3	0	88.12	0	151.7	0	0	500
6/26/2026	0	109.3	0	80.05	0	155.8	0	0	500
6/27/2026	0	98.95	0	72.49	0	192.9	0	0	500
6/28/2026	0	88.68	0	64.96	0	232.4	0	0	500
6/29/2026	0	22.4	0	16.41	0	366.8	0	0	500
6/30/2026	0	21.95	0	16.08	0	618.3	0	0	500
7/1/2026	0	21.51	0	15.76	0	154.2	0	0	1000
7/2/2026	0	21.08	0	15.45	0	152.7	0	0	1000
7/3/2026	0	20.66	0	15.14	0	249.3	0	0	1000
7/4/2026	0	20.25	0	14.83	0	193.9	0	0	1000
7/5/2026	0	19.84	0	14.54	0	138.2	0	0	1000
7/6/2026	0.8185	19.45	1.14	14.25	14.28	138.7	0	0	1000
7/7/2026	108.1	19.06	116	13.96	1422	136.2	0	0	1000
7/8/2026	32.4	1856	39.27	1360	486.5	141.9	0	0	1000
7/9/2026	0.6325	798.8	2.056	585.2	26.8	149.6	0	0	1000
7/10/2026	0	222.2	0	162.8	0	148.6	0	0	1000
7/11/2026	0	176.4	0	129.3	0	148.5	0	0	1000
7/12/2026	0.6518	131.6	1.14	96.44	14.49	155.2	0	0	1000
7/13/2026	0	121.5	0	88.98	0	154.5	0	0	1000
7/14/2026	0	117.4	0	86.04	0	151.1	0	0	1000
7/15/2026	0	106.9	0	78.34	0	214	0	0	1000
7/16/2026	0	94.92	0	69.54	0	145.6	0	0	1000
7/17/2026	0	24.32	0	17.82	0	150.2	0	0	1000
7/18/2026	0	23.84	0	17.46	0	163.2	0	0	1000
7/19/2026	0	23.36	0	17.11	0	134.7	0	0	1000
7/20/2026	0	22.89	0	16.77	0	124.5	0	0	1000
7/21/2026	3.707	22.44	1.14	16.44	10.67	118.5	0	0	1000
7/22/2026	58.62	21.99	16.01	16.11	141.6	99.12	0	0	1000
7/23/2026	116.4	188.1	29.19	137.8	246.3	90.81	0	0	1000
7/24/2026	14.9	447.7	3.606	328	29.78	84.19	0	0	1000
7/25/2026	523.7	32.57	123.8	23.86	1006	88.07	0	0	1000
7/26/2026	17.49	2023	4.381	1482	36.94	90.56	0	0	1000
7/27/2026	0	271.8	0	199.1	0	117.1	0	0	1000
7/28/2026	32.24	209.7	9.808	153.6	91.33	98.22	0	0	1000
7/29/2026	4.507	230.8	1.281	169.1	11.55	85.1	0	0	1000
7/30/2026	0	145.8	0	106.8	0	84.87	0	0	1000
7/31/2026	0	133.2	0	97.55	0	85.27	0	0	1000
8/1/2026	0	129.5	0	94.88	0	88.23	0	0	1000
8/2/2026	0	119.7	0	87.67	0	98.27	0	0	1000
8/3/2026	0	107.9	0	79.06	0	80.92	0	0	1000
8/4/2026	0	97.44	0	71.39	0	74.38	0	0	1000
8/5/2026	6.609	87.76	1.14	64.29	7.039	65.99	0	0	1000
8/6/2026	7.005	22.63	1.14	16.58	6.544	53.08	0	0	1000
8/7/2026	0	22.17	0	16.24	0	50.4	0	0	1000
8/8/2026	250.2	21.73	36.16	15.92	172.6	45.28	0	0	1000
8/9/2026	910.6	530.3	130	388.5	606	44.62	0	0	1000
8/10/2026	147.6	2149	22.99	1574	124	41.26	0	0	1000
8/11/2026	6.011	631	1.14	462.3	7.786	56.34	0	0	1000
8/12/2026	10.8	277.6	2.056	203.4	14.09	56.14	0	0	1000
8/13/2026	11.23	230.9	2.056	169.1	13.55	59.96	0	0	1000
8/14/2026	0	191	0	139.9	0	68.53	0	0	1000
8/15/2026	0	153.5	0	112.5	0	54.01	0	0	1000
8/16/2026	7.178	150.9	1.14	110.5	6.327	49.16	0	0	1000
8/17/2026	0	144.4	0	105.8	0	58.48	0	0	1000
8/18/2026	0	132.5	0	97.07	0	45.22	0	0	1000
8/19/2026	0	120.8	0	88.51	0	39.75	0	0	1000
8/20/2026	275.1	110.2	39.27	80.73	183.1	36.29	0	0	1000
8/21/2026	8.973	667.4	1.281	489	5.971	36.35	0	0	1000
8/22/2026	0	93.04	0	68.16	0	34.53	0	0	1000
8/23/2026	79.59	93.79	11.36	68.71	52.96	33.58	0	0	1000
8/24/2026	41.56	194.6	5.932	142.6	27.66	35.54	0	0	1000
8/25/2026	7.988	134	1.14	98.17	5.315	31.64	0	0	1000
8/26/2026	7.988	24.17	1.14	17.71	5.315	32.74	0	0	1000
8/27/2026	19.84	24.56	2.831	17.99	13.2	31.96	0	0	1000
8/28/2026	85.02	24.39	12.13	17.87	56.57	29.43	0	0	1000
8/29/2026	7.988	156.9	1.14	114.9	5.315	28.5	0	0	1000
8/30/2026	36.13	23.42	5.157	17.16	24.04	28.29	0	0	1000
8/31/2026	7.988	43.69	1.14	32	5.315	26.22	0	0	1000
9/1/2026	7.988	23.18	1.14	16.98	5.315	26.4	0	0	1000
9/2/2026	8.973	22.78	1.281	16.69	5.971	26.7	0	0	1000
9/3/2026	34.61	22.33	4.94	16.36	23.03	25.66	0	0	1000
9/4/2026	23.75	27.79	3.39	20.36	15.8	26.37	0	0	1000
9/5/2026	11.9	27.67	1.699	20.27	7.92	25.86	0	0	1000
9/6/2026	8.973	21.01	1.281	15.39	5.971	23.97	0	0	1000
9/7/2026	0	20.59	0	15.09	0	22.71	0	0	1000
9/8/2026	170.4	20.18	24.32	14.78	113.4	21.83	0	0	1000

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
9/9/2026	12.89	347	1.839	254.2	8.575	22.28	0	0	1000
9/10/2026	3.914	19.38	0.5586	14.2	2.604	20.57	0	0	1000
9/11/2026	114.3	20.41	16.31	14.96	76.03	16.67	0	0	1000
9/12/2026	47.1	230.3	6.722	168.7	31.34	18.23	0	0	1000
9/13/2026	0	97.4	0	71.36	0	20.29	0	0	1000
9/14/2026	3.914	22.71	0.5586	16.64	2.604	18.24	0	0	1000
9/15/2026	22.58	23.89	3.222	17.5	15.02	20.11	0	0	1000
9/16/2026	0	1.229	0	0.9006	0	16.53	0	0	1000
9/17/2026	0	1.24	0	0.9087	0	15.38	0	0	1000
9/18/2026	0	4.387	0	3.214	0	15.39	0	0	1000
9/19/2026	19.84	128.2	2.831	93.93	13.2	15.4	0	0	1000
9/20/2026	0	53.64	0	39.3	0	17.48	0	0	1000
9/21/2026	25.27	23.97	3.606	17.56	16.81	17.45	0	0	1000
9/22/2026	3.914	23.81	0.5586	17.44	2.604	15.44	0	0	1000
9/23/2026	16.16	23.46	2.307	17.19	10.75	14.83	0	0	1000
9/24/2026	0	1.158	0	0.8481	0	14.06	0	0	1000
9/25/2026	0	1.137	0	0.8333	0	13	0	0	1000
9/26/2026	0	1.126	0	0.8249	0	11.34	0	0	1000
9/27/2026	0	1.117	0	0.8184	0	11.14	0	0	1000
9/28/2026	0	1.108	0	0.8116	0	11.54	0	0	1000
9/29/2026	0	1.097	0	0.8039	0	10.21	0	0	1000
9/30/2026	361.5	149.8	51.6	109.8	240.6	10.79	0	0	1000
10/1/2026	0	887.1	0	649.9	0	10.52	0	0	500
10/2/2026	0	38.94	0	28.53	0	8.163	0	0	500
10/3/2026	0	18.67	0	13.68	0	10.1	0	0	500
10/4/2026	0	6.714	0	4.919	0	9.468	0	0	500
10/5/2026	0	5	0	3.663	0	8.238	0	0	500
10/6/2026	0	5.058	0	3.705	0	6.344	0	0	500
10/7/2026	0	5.036	0	3.689	0	4.443	0	0	500
10/8/2026	0	4.952	0	3.628	0	5.839	0	0	500
10/9/2026	0	4.822	0	3.533	0	5.924	0	0	500
10/10/2026	0	4.659	0	3.413	0	6.111	0	0	500
10/11/2026	0	4.472	0	3.276	0	6.981	0	0	500
10/12/2026	0	1.22	0	0.894	0	6.964	0	0	500
10/13/2026	0	1.222	0	0.8949	0	7.139	0	0	500
10/14/2026	0	1.218	0	0.892	0	5.749	0	0	500
10/15/2026	0	1.21	0	0.8862	0	5.835	0	0	500
10/16/2026	0	1.199	0	0.878	0	5.778	0	0	500
10/17/2026	0	1.185	0	0.8682	0	5.181	0	0	500
10/18/2026	0	1.17	0	0.857	0	4.49	0	0	500
10/19/2026	0	1.153	0	0.8448	0	3.237	0	0	500
10/20/2026	0	1.135	0	0.8318	0	2.397	0	0	500
10/21/2026	0	1.117	0	0.8183	0	3.071	0	0	500
10/22/2026	0	1.098	0	0.8045	0	2.516	0	0	500
10/23/2026	0	1.079	0	0.7904	0	1.914	0	0	500
10/24/2026	0	1.06	0	0.7762	0	3.645	0	0	500
10/25/2026	0	1.04	0	0.762	0	4.559	0	0	500
10/26/2026	0	1.021	0	0.7478	0	2.59	0	0	500
10/27/2026	0	1.001	0	0.7336	0	3.263	0	0	500
10/28/2026	0	0.9823	0	0.7196	0	2.303	0	0	500
10/29/2026	0	0.9634	0	0.7058	0	0	0	0	500
10/30/2026	0	0.9447	0	0.6921	0	2.219	0	0	500
10/31/2026	0	0.9263	0	0.6786	0	1.511	0	0	500
11/1/2026	0	0.9081	0	0.6653	0	0	0	0	0
11/2/2026	0	0.8902	0	0.6522	0	0	0	0	0
11/3/2026	0	0.8727	0	0.6393	0	0	0	0	0
11/4/2026	0	0.8554	0	0.6267	0	0.1681	0	0	0
11/5/2026	0	0.8384	0	0.6142	0	0.2429	0	0	0
11/6/2026	0	0.8218	0	0.602	0	0	0	0	0
11/7/2026	0	0.8055	0	0.5901	0	0	0	0	0
11/8/2026	0	0.7894	0	0.5783	0	0	0	0	0
11/9/2026	0	0.7737	0	0.5668	0	0	0	0	0
11/10/2026	0	0.7583	0	0.5555	0	0	0	0	0
11/11/2026	0	0.7431	0	0.5444	0	0	0	0	0
11/12/2026	0	0.7283	0	0.5336	0	0.15	0	0	0
11/13/2026	0	0.7138	0	0.5229	0	0	0	0	0
11/14/2026	0	0.6995	0	0.5125	0	0.6114	0	0	0
11/15/2026	0	0.6855	0	0.5022	0	1.07	0	0	0
11/16/2026	0	0.6718	0	0.4922	0	1.279	0	0	0
11/17/2026	0	0.6584	0	0.4824	0	0	0	0	0
11/18/2026	0	0.6453	0	0.4727	0	0	0	0	0
11/19/2026	0	0.6324	0	0.4633	0	0	0	0	0
11/20/2026	0	0.6197	0	0.454	0	0	0	0	0
11/21/2026	0	0.6073	0	0.4449	0	0	0	0	0
11/22/2026	0	0.5952	0	0.436	0	0	0	0	0
11/23/2026	0	0.5833	0	0.4273	0	0	0	0	0
11/24/2026	0	0.5716	0	0.4188	0	0.2297	0	0	0
11/25/2026	0	0.5602	0	0.4104	0	0	0	0	0
11/26/2026	0	0.549	0	0.4022	0	0.7694	0	0	0
11/27/2026	0	0.538	0	0.3941	0	0	0	0	0
11/28/2026	0	0.5273	0	0.3863	0	0	0	0	0
11/29/2026	0	0.5167	0	0.3785	0	0	0	0	0
11/30/2026	0	0.5064	0	0.371	0	0.2924	0	0	0
12/1/2026	0	0.4962	0	0.3635	0	0.1122	0	0	0
12/2/2026	0	0.4863	0	0.3563	0	0	0	0	0
12/3/2026	0	0.4766	0	0.3491	0	0	0	0	0
12/4/2026	0	0.4671	0	0.3422	0	0	0	0	0
12/5/2026	0	0.4577	0	0.3353	0	0	0	0	0
12/6/2026	0	0.4486	0	0.3286	0	0.09231	0	0	0
12/7/2026	0	0.4396	0	0.322	0	0.1293	0	0	0
12/8/2026	0	0.4308	0	0.3156	0	0	0	0	0
12/9/2026	0	0.4222	0	0.3093	0	0	0	0	0
12/10/2026	0	0.4137	0	0.3031	0	0	0	0	0
12/11/2026	0	0.4055	0	0.297	0	0	0	0	0
12/12/2026	0	0.3974	0	0.2911	0	0	0	0	0
12/13/2026	0	0.3894	0	0.2853	0	0	0	0	0
12/14/2026	0	0.3816	0	0.2796	0	0	0	0	0
12/15/2026	0	0.374	0	0.274	0	0.1832	0	0	0
12/16/2026	0	0.3665	0	0.2685	0	0	0	0	0
12/17/2026	0	0.3592	0	0.2631	0	0.123	0	0	0
12/18/2026	0	0.352	0	0.2579	0	0	0	0	0
12/19/2026	0	0.345	0	0.2527	0	0	0	0	0
12/20/2026	0	0.3381	0	0.2477	0	0	0	0	0
12/21/2026	0	0.3313	0	0.2427	0	0	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
12/22/2026	0	0.3247	0	0.2379	0	0	0	0	0
12/23/2026	0	0.3182	0	0.2331	0	0	0	0	0
12/24/2026	0	0.3118	0	0.2284	0	0	0	0	0
12/25/2026	0	0.3056	0	0.2239	0	0	0	0	0
12/26/2026	0	0.2995	0	0.2194	0	0	0	0	0
12/27/2026	0	0.2935	0	0.215	0	0	0	0	0
12/28/2026	0	0.2876	0	0.2107	0	0	0	0	0
12/29/2026	0	0.2819	0	0.2065	0	0	0	0	0
12/30/2026	0	0.2762	0	0.2024	0	0	0	0	0
12/31/2026	0	0.2707	0	0.1983	0	0	0	0	0
1/1/2027	0	0.2653	0	0.1943	0	0	0	0	0
1/2/2027	0	0.26	0	0.1905	0	0	0	0	0
1/3/2027	0	0.2548	0	0.1866	0	0	0	0	0
1/4/2027	0	0.2497	0	0.1829	0	0	0	0	0
1/5/2027	0	0.2447	0	0.1793	0	0	0	0	0
1/6/2027	0	0.2398	0	0.1757	0	0	0	0	0
1/7/2027	0	0.235	0	0.1722	0	0	0	0	0
1/8/2027	0	0.2303	0	0.1687	0	0	0	0	0
1/9/2027	0	0.2257	0	0.1653	0	0	0	0	0
1/10/2027	0	0.2212	0	0.162	0	0	0	0	0
1/11/2027	0	0.2168	0	0.1588	0	0	0	0	0
1/12/2027	0	0.2124	0	0.1556	0	0	0	0	0
1/13/2027	0	0.2082	0	0.1525	0	0	0	0	0
1/14/2027	0	0.204	0	0.1495	0	0	0	0	0
1/15/2027	0	0.1999	0	0.1465	0	0	0	0	0
1/16/2027	0	0.1959	0	0.1435	0	0	0	0	0
1/17/2027	0	0.192	0	0.1407	0	0	0	0	0
1/18/2027	0	0.1882	0	0.1379	0	0	0	0	0
1/19/2027	0	0.1844	0	0.1351	0	0.01073	0	0	0
1/20/2027	0	0.1807	0	0.1324	0	0.3473	0	0	0
1/21/2027	0	0.1771	0	0.1297	0	0	0	0	0
1/22/2027	0	0.1736	0	0.1271	0	0	0	0	0
1/23/2027	0	0.1701	0	0.1246	0	0	0	0	0
1/24/2027	0	0.1667	0	0.1221	0	0	0	0	0
1/25/2027	0	0.1634	0	0.1197	0	0	0	0	0
1/26/2027	0	0.1601	0	0.1173	0	0	0	0	0
1/27/2027	0	0.1569	0	0.1149	0	0	0	0	0
1/28/2027	0	0.1537	0	0.1126	0	0	0	0	0
1/29/2027	0	0.1507	0	0.1104	0	0	0	0	0
1/30/2027	0	0.1477	0	0.1082	0	0	0	0	0
1/31/2027	0	0.1447	0	0.106	0	0	0	0	0
2/1/2027	0	0.1418	0	0.1039	0	0	0	0	0
2/2/2027	0	0.139	0	0.1018	0	0	0	0	0
2/3/2027	0	0.1362	0	0.09978	0	0	0	0	0
2/4/2027	0	0.1335	0	0.09778	0	0	0	0	0
2/5/2027	0	0.1308	0	0.09583	0	0	0	0	0
2/6/2027	0	0.1282	0	0.09391	0	0	0	0	0
2/7/2027	0	0.1256	0	0.09203	0	0	0	0	0
2/8/2027	0	0.1231	0	0.09019	0	0	0	0	0
2/9/2027	0	0.1206	0	0.08839	0	0	0	0	0
2/10/2027	0	0.1182	0	0.08662	0	0	0	0	0
2/11/2027	0	0.1159	0	0.08489	0	0	0	0	0
2/12/2027	0	0.1136	0	0.08319	0	0	0	0	0
2/13/2027	0	0.1113	0	0.08152	0	0	0	0	0
2/14/2027	0	0.1091	0	0.07989	0	0	0	0	0
2/15/2027	0	0.1069	0	0.0783	0	0	0	0	0
2/16/2027	0	0.1047	0	0.07673	0	0	0	0	0
2/17/2027	0	0.1026	0	0.0752	0	0	0	0	0
2/18/2027	0	0.1006	0	0.07369	0	0	0	0	0
2/19/2027	0	0.09858	0	0.07222	0	0	0	0	0
2/20/2027	0	0.09661	0	0.07077	0	0	0	0	0
2/21/2027	0	0.09468	0	0.06936	0	0	0	0	0
2/22/2027	0	0.09278	0	0.06797	0	0	0	0	0
2/23/2027	0	0.09093	0	0.06661	0	0	0	0	0
2/24/2027	0	0.08911	0	0.06528	0	0	0	0	0
2/25/2027	0	0.08733	0	0.06397	0	0	0	0	0
2/26/2027	0	0.08558	0	0.06269	0	0	0	0	0
2/27/2027	0	0.08387	0	0.06144	0	0	0	0	0
2/28/2027	0	0.08219	0	0.06021	0	0	0	0	0
3/1/2027	0	0.08055	0	0.05901	0	0	0	0	0
3/2/2027	0	0.07894	0	0.05783	0	0	0	0	0
3/3/2027	0	0.07736	0	0.05667	0	0	0	0	0
3/4/2027	0	0.07581	0	0.05554	0	0	0	0	0
3/5/2027	0	0.07429	0	0.05443	0	0	0	0	0
3/6/2027	0	0.07281	0	0.05334	0	0	0	0	0
3/7/2027	0	0.07135	0	0.05227	0	0	0	0	0
3/8/2027	0	0.06992	0	0.05123	0	0	0	0	0
3/9/2027	0	0.06853	0	0.0502	0	0	0	0	0
3/10/2027	0	0.06716	0	0.0492	0	0	0	0	0
3/11/2027	0	0.06581	0	0.04821	0	0	0	0	0
3/12/2027	0	0.0645	0	0.04725	0	0	0	0	0
3/13/2027	0	0.06321	0	0.0463	0	0	0	0	0
3/14/2027	0	0.06194	0	0.04538	0	0	0	0	0
3/15/2027	0	0.0607	0	0.04447	0	0	0	0	0
3/16/2027	0	0.05949	0	0.04358	0	0	0	0	0
3/17/2027	0	0.0583	0	0.04271	0	0	0	0	0
3/18/2027	0	0.05713	0	0.04186	0	0	0	0	0
3/19/2027	0	0.05599	0	0.04102	0	0	0	0	0
3/20/2027	0	0.05487	0	0.0402	0	0	0	0	0
3/21/2027	0	0.05377	0	0.03939	0	0	0	0	0
3/22/2027	0	0.0527	0	0.03861	0	0	0	0	0
3/23/2027	0	0.05164	0	0.03783	0	4.626	0	0	0
3/24/2027	0	0.05061	0	0.03708	0	11.54	0	0	0
3/25/2027	0	0.0496	0	0.03634	0	6.758	0	0	0
3/26/2027	0	0.04861	0	0.03561	0	1.992	0	0	0
3/27/2027	0	0.04763	0	0.0349	0	0	0	0	0
3/28/2027	0	0.04668	0	0.0342	0	0	0	0	0
3/29/2027	0	0.04575	0	0.03351	0	0	0	0	0
3/30/2027	0	0.04483	0	0.03284	0	0	0	0	0
3/31/2027	0	0.04394	0	0.03219	0	0	0	0	0
4/1/2027	0	0.04306	0	0.03154	0	5.074	0	0	0
4/2/2027	0	0.0422	0	0.03091	0	7.775	0	0	0
4/3/2027	0	0.04135	0	0.03029	0	0	0	0	0
4/4/2027	0	0.04053	0	0.02969	0	0	0	0	0

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
4/5/2027	0	0.03972	0	0.0291	0	0	0	0	0
4/6/2027	0	0.03892	0	0.02851	0	0	0	0	0
4/7/2027	0	0.03814	0	0.02794	0	0	0	0	0
4/8/2027	0	0.03738	0	0.02738	0	0	0	0	0
4/9/2027	0	0.03663	0	0.02684	0	0	0	0	0
4/10/2027	0	0.0359	0	0.0263	0	0	0	0	0
4/11/2027	0	0.03518	0	0.02577	0	0	0	0	0
4/12/2027	0	0.03448	0	0.02526	0	0	0	0	0
4/13/2027	0	0.03379	0	0.02475	0	0	0	0	0
4/14/2027	0	0.03311	0	0.02426	0	2.396	0	0	0
4/15/2027	0	0.03245	0	0.02377	0	8.709	0	0	0
4/16/2027	0	0.0318	0	0.0233	0	8.376	0	0	0
4/17/2027	0	0.03117	0	0.02283	0	5.846	0	0	0
4/18/2027	0	0.03054	0	0.02237	0	3.897	0	0	0
4/19/2027	0	0.02993	0	0.02193	0	2.932	0	0	0
4/20/2027	0	0.02933	0	0.02149	0	0	0	0	0
4/21/2027	0	0.02875	0	0.02106	0	0	0	0	0
4/22/2027	0	0.02817	0	0.02064	0	0	0	0	0
4/23/2027	0	0.02761	0	0.02023	0	0	0	0	0
4/24/2027	0	0.02706	0	0.01982	0	0	0	0	0
4/25/2027	0	0.02651	0	0.01942	0	0	0	0	0
4/26/2027	0	0.02598	0	0.01904	0	0	0	0	0
4/27/2027	0	0.02546	0	0.01865	0	0	0	0	0
4/28/2027	0	0.02496	0	0.01828	0	5.397	0	0	0
4/29/2027	0	0.02446	0	0.01792	0	0	0	0	0
4/30/2027	0	0.02397	0	0.01756	0	0	0	0	0
5/1/2027	0	0.02349	0	0.01721	0	3.982	0	0	0
5/2/2027	0	0.02302	0	0.01686	0	14.45	0	0	0
5/3/2027	0	0.02256	0	0.01653	0	17.57	0	0	0
5/4/2027	0	0.02211	0	0.01619	0	19.8	0	0	0
5/5/2027	0	0.02166	0	0.01587	0	9.484	0	0	0
5/6/2027	0	0.02123	0	0.01555	0	16.98	0	0	0
5/7/2027	0	0.02081	0	0.01524	0	17.16	0	0	0
5/8/2027	0	0.02039	0	0.01494	0	16.88	0	0	0
5/9/2027	0	0.01998	0	0.01464	0	25.46	0	0	0
5/10/2027	0	0.01958	0	0.01435	0	29.42	0	0	0
5/11/2027	0	0.01919	0	0.01406	0	28.73	0	0	0
5/12/2027	0	0.01881	0	0.01378	0	28.57	0	0	0
5/13/2027	0	0.01843	0	0.0135	0	26.06	0	0	0
5/14/2027	0	0.01806	0	0.01323	0	29.69	0	0	0
5/15/2027	41.72	82.93	5.955	60.75	27.76	23.4	0	0	0
5/16/2027	45.49	259.3	6.563	190	31.22	28.78	0	0	0
5/17/2027	117.3	367.6	17.42	269.3	87.07	31.31	0	0	0
5/18/2027	7.805	480.6	1.216	352.1	6.564	37.94	0	0	0
5/19/2027	0	31.32	0	22.94	0	39.29	0	0	0
5/20/2027	0	0.2595	0	0.1901	0	40.41	0	0	0
5/21/2027	30.84	78.35	5.043	57.4	29.13	42	0	0	0
5/22/2027	56.3	371.4	9.299	272.1	54.42	45.86	0	0	0
5/23/2027	67.8	842.6	11.73	617.3	72.74	46.91	0	0	0
5/24/2027	79.36	848.2	15.34	621.4	106.6	49.62	0	0	0
5/25/2027	75.91	510.9	16.69	374.3	129.1	56.62	0	0	0
5/26/2027	12.39	414.5	2.991	303.6	24.65	62.76	0	0	0
5/27/2027	26.15	168.5	6.745	123.4	57.84	59.4	0	0	0
5/28/2027	15.31	154.6	4.081	113.3	35.63	59.94	0	0	0
5/29/2027	50.62	278.4	13.87	203.9	122.8	67.57	0	0	0
5/30/2027	66.83	1309	19.55	958.9	178.9	79.41	0	0	0
5/31/2027	64.44	2132	26.07	1562	269.3	96.98	0	0	0
6/1/2027	34.93	2939	28.88	2153	343.9	110.4	0	0	500
6/2/2027	6.183	3603	24.93	2640	326.8	129.8	0	0	500
6/3/2027	0	2440	12.73	1787	185.5	114.9	0	0	500
6/4/2027	0	920.3	16.11	674.2	248.6	135.9	0	0	500
6/5/2027	0	737.4	17.09	540.2	263.7	134.1	0	0	500
6/6/2027	0	632.8	22.42	463.6	345.9	141.6	0	0	500
6/7/2027	0	546.6	36.71	400.4	566.4	153.1	0	0	500
6/8/2027	0	474.2	38.36	347.4	591.8	132.9	0	0	500
6/9/2027	0	772.7	24.38	566.1	376.1	140	0	0	500
6/10/2027	0	462.8	17.63	339	272	141.3	0	0	500
6/11/2027	0	375	20.98	274.7	323.6	141	0	0	500
6/12/2027	0	349.7	10.94	256.2	168.9	131.6	0	0	500
6/13/2027	0	330.5	11.86	242.2	182.0	131	0	0	500
6/14/2027	0	309.3	24.24	226.6	374.1	144.3	0	0	500
6/15/2027	0	285.6	34.58	209.3	533.6	152.8	0	0	500
6/16/2027	0	263.6	25.76	193.1	397.5	146	0	0	500
6/17/2027	0	243.1	33.06	178.1	510.1	156	0	0	500
6/18/2027	0	223.8	15.39	163.9	237.4	161.4	0	0	500
6/19/2027	0	205.7	1.14	150.7	17.58	159	0	0	500
6/20/2027	0	189	1.14	138.5	17.5	161.4	0	0	500
6/21/2027	0	173.4	1.14	127	17.41	187.6	0	0	500
6/22/2027	0	158.4	0	116.1	0	157.5	0	0	500
6/23/2027	0	144.7	0	106	0	142.2	0	0	500
6/24/2027	0	132.2	0	96.83	0	155.6	0	0	500
6/25/2027	0	120.3	0	88.12	0	151.7	0	0	500
6/26/2027	0	109.3	0	80.05	0	155.8	0	0	500
6/27/2027	0	98.95	0	72.49	0	192.9	0	0	500
6/28/2027	0	88.68	0	64.96	0	232.4	0	0	500
6/29/2027	0	22.4	0	16.41	0	366.8	0	0	500
6/30/2027	0	21.95	0	16.08	0	618.3	0	0	500
7/1/2027	0	21.51	0	15.76	0	154.2	0	0	1000
7/2/2027	0	21.08	0	15.45	0	157.7	0	0	1000
7/3/2027	0	20.66	0	15.14	0	249.3	0	0	1000
7/4/2027	0	20.25	0	14.83	0	193.9	0	0	1000
7/5/2027	0	19.84	0	14.54	0	138.2	0	0	1000
7/6/2027	0.8185	19.45	1.14	14.25	14.28	138.7	0	0	1000
7/7/2027	108.1	19.06	116	13.96	1422	136.2	0	0	1000
7/8/2027	32.4	1856	39.27	1360	486.5	141.9	0	0	1000
7/9/2027	0.6325	798.8	2.056	585.2	26.8	149.6	0	0	1000
7/10/2027	0	222.2	0	162.8	0	148.6	0	0	1000
7/11/2027	0	176.4	0	129.3	0	148.5	0	0	1000
7/12/2027	0.6518	131.6	1.14	96.44	14.49	155.2	0	0	1000
7/13/2027	0	121.5	0	88.98	0	154.5	0	0	1000
7/14/2027	0	117.4	0	86.04	0	151.1	0	0	1000
7/15/2027	0	106.9	0	78.34	0	214	0	0	1000
7/16/2027	0	94.92	0	69.54	0	145.6	0	0	1000
7/17/2027	0	24.32	0	17.82	0	150.2	0	0	1000

Date	CP5 - Water Balance								
	Inflow					Outflow			
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3
7/18/2027	0	23.84	0	17.46	0	163.2	0	0	1000
7/19/2027	0	23.36	0	17.11	0	134.7	0	0	1000
7/20/2027	0	22.89	0	16.77	0	124.5	0	0	1000
7/21/2027	3.707	22.44	1.14	16.44	10.67	118.5	0	0	1000
7/22/2027	58.62	21.99	16.01	16.11	141.6	99.12	0	0	1000
7/23/2027	116.4	188.1	29.19	137.8	246.3	90.81	0	0	1000
7/24/2027	14.9	447.7	3.606	328	29.78	84.19	0	0	1000
7/25/2027	523.7	32.57	123.8	23.86	1006	88.07	0	0	1000
7/26/2027	17.49	2023	4.381	1482	36.94	90.56	0	0	1000
7/27/2027	0	271.8	0	199.1	0	117.1	0	0	1000
7/28/2027	32.24	209.7	9.808	153.6	91.33	98.22	0	0	1000
7/29/2027	4.507	230.8	1.281	169.1	11.55	85.1	0	0	1000
7/30/2027	0	145.8	0	106.8	0	84.87	0	0	1000
7/31/2027	0	133.2	0	97.55	0	85.27	0	0	1000
8/1/2027	0	129.5	0	94.88	0	88.23	0	0	1000
8/2/2027	0	119.7	0	87.67	0	99.27	0	0	1000
8/3/2027	0	107.9	0	79.06	0	80.92	0	0	1000
8/4/2027	0	97.44	0	71.39	0	74.38	0	0	1000
8/5/2027	6.609	87.76	1.14	64.29	7.039	65.99	0	0	1000
8/6/2027	7.005	22.63	1.14	16.58	6.544	53.08	0	0	1000
8/7/2027	0	22.17	0	16.24	0	50.4	0	0	1000
8/8/2027	250.2	21.73	36.16	15.92	172.6	45.28	0	0	1000
8/9/2027	910.6	530.3	130	388.5	606	44.62	0	0	1000
8/10/2027	147.6	2149	22.99	1574	124	41.26	0	0	1000
8/11/2027	6.011	631	1.14	462.3	7.786	56.34	0	0	1000
8/12/2027	10.8	277.6	2.056	203.4	14.09	56.14	0	0	1000
8/13/2027	11.23	230.9	2.056	169.1	13.55	59.96	0	0	1000
8/14/2027	0	191	0	139.9	0	68.53	0	0	1000
8/15/2027	0	153.5	0	112.5	0	54.01	0	0	1000
8/16/2027	7.178	150.9	1.14	110.5	6.327	49.16	0	0	1000
8/17/2027	0	144.4	0	105.8	0	58.48	0	0	1000
8/18/2027	0	132.5	0	97.07	0	45.22	0	0	1000
8/19/2027	0	120.8	0	88.51	0	39.75	0	0	1000
8/20/2027	275.1	110.2	39.27	80.73	183.1	36.29	0	0	1000
8/21/2027	8.973	667.4	1.281	489	5.971	36.35	0	0	1000
8/22/2027	0	93.04	0	68.16	0	34.53	0	0	1000
8/23/2027	79.59	93.79	11.36	68.71	52.96	33.58	0	0	1000
8/24/2027	41.56	194.6	5.932	142.6	27.66	35.54	0	0	1000
8/25/2027	7.988	134	1.14	98.17	5.315	31.64	0	0	1000
8/26/2027	7.988	24.17	1.14	17.71	5.315	32.74	0	0	1000
8/27/2027	19.84	24.56	2.831	17.99	13.2	31.96	0	0	1000
8/28/2027	85.02	24.39	12.13	17.87	56.57	29.43	0	0	1000
8/29/2027	7.988	156.9	1.14	114.9	5.315	28.5	0	0	1000
8/30/2027	36.13	23.42	5.157	17.16	24.04	28.29	0	0	1000
8/31/2027	7.988	43.69	1.14	32	5.315	26.22	0	0	1000
9/1/2027	7.988	23.18	1.14	16.98	5.315	26.4	0	0	1000
9/2/2027	8.973	22.78	1.281	16.69	5.971	26.7	0	0	1000
9/3/2027	34.61	22.33	4.94	16.36	23.03	25.66	0	0	1000
9/4/2027	23.75	27.79	3.39	20.36	15.8	26.37	0	0	1000
9/5/2027	11.9	27.67	1.699	20.27	7.92	25.86	0	0	1000
9/6/2027	8.973	21.01	1.281	15.39	5.971	23.97	0	0	1000
9/7/2027	0	20.59	0	15.09	0	22.71	0	0	1000
9/8/2027	170.4	20.18	24.32	14.78	113.4	21.83	0	0	1000
9/9/2027	12.89	347	1.839	254.2	8.575	22.28	0	0	1000
9/10/2027	3.914	19.38	0.5586	14.2	2.604	20.57	0	0	1000
9/11/2027	114.3	20.41	16.31	14.96	76.03	16.67	0	0	1000
9/12/2027	47.1	230.3	6.722	168.7	31.34	18.23	0	0	1000
9/13/2027	0	97.4	0	71.36	0	20.29	0	0	1000
9/14/2027	3.914	22.71	0.5586	16.64	2.604	18.24	0	0	1000
9/15/2027	22.58	23.89	3.222	17.5	15.02	20.11	0	0	1000
9/16/2027	0	1.229	0	0.9006	0	16.53	0	0	1000
9/17/2027	0	1.24	0	0.9087	0	15.38	0	0	1000
9/18/2027	0	4.387	0	3.214	0	15.39	0	0	1000
9/19/2027	19.84	128.2	2.831	93.93	13.2	15.4	0	0	1000
9/20/2027	0	53.64	0	39.3	0	17.48	0	0	1000
9/21/2027	25.27	23.97	3.606	17.56	16.81	17.45	0	0	1000
9/22/2027	3.914	23.81	0.5586	17.44	2.604	15.44	0	0	1000
9/23/2027	16.16	23.46	2.307	17.19	10.75	14.83	0	0	1000
9/24/2027	0	1.158	0	0.8481	0	14.06	0	0	1000
9/25/2027	0	1.137	0	0.8333	0	13	0	0	1000
9/26/2027	0	1.126	0	0.8249	0	11.34	0	0	1000
9/27/2027	0	1.117	0	0.8184	0	11.14	0	0	1000
9/28/2027	0	1.108	0	0.8116	0	11.54	0	0	1000
9/29/2027	0	1.097	0	0.8039	0	10.21	0	0	1000
9/30/2027	361.5	149.8	51.6	109.8	240.6	10.79	0	0	1000
10/1/2027	0	887.1	0	649.9	0	10.52	0	0	500
10/2/2027	0	38.94	0	28.53	0	8.163	0	0	500
10/3/2027	0	18.67	0	13.68	0	10.1	0	0	500
10/4/2027	0	6.714	0	4.919	0	9.468	0	0	500
10/5/2027	0	5	0	3.663	0	8.238	0	0	500
10/6/2027	0	5.058	0	3.705	0	6.344	0	0	500
10/7/2027	0	5.036	0	3.689	0	4.443	0	0	500
10/8/2027	0	4.952	0	3.628	0	5.839	0	0	500
10/9/2027	0	4.822	0	3.533	0	5.924	0	0	500
10/10/2027	0	4.659	0	3.413	0	6.111	0	0	500
10/11/2027	0	4.472	0	3.276	0	6.981	0	0	500
10/12/2027	0	1.22	0	0.894	0	6.964	0	0	500
10/13/2027	0	1.222	0	0.8949	0	7.139	0	0	500
10/14/2027	0	1.218	0	0.892	0	5.749	0	0	500
10/15/2027	0	1.21	0	0.8862	0	5.835	0	0	500
10/16/2027	0	1.199	0	0.878	0	5.778	0	0	500
10/17/2027	0	1.185	0	0.8682	0	5.181	0	0	500
10/18/2027	0	1.17	0	0.857	0	4.49	0	0	500
10/19/2027	0	1.153	0	0.8448	0	3.237	0	0	500
10/20/2027	0	1.135	0	0.8318	0	2.397	0	0	500
10/21/2027	0	1.117	0	0.8183	0	3.071	0	0	500
10/22/2027	0	1.098	0	0.8045	0	2.516	0	0	500
10/23/2027	0	1.079	0	0.7904	0	1.914	0	0	500
10/24/2027	0	1.06	0	0.7762	0	3.645	0	0	500
10/25/2027	0	1.04	0	0.762	0	4.559	0	0	500
10/26/2027	0	1.021	0	0.7478	0	2.59	0	0	500
10/27/2027	0	1.001	0	0.7336	0	3.263	0	0	500
10/28/2027	0	0.9823	0	0.7196	0	2.303	0	0	500
10/29/2027	0	0.9634	0	0.7058	0	0	0	0	500

Date	CP5 - Water Balance									
	Inflow					Outflow				
	CP5 Bank Runoff	CP5 Disturbed Runoff	WRF1 toto CP5	CP5 Facilities Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To RO	To SETP	To CP1	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
10/30/2027	0	0.9447	0	0.6921	0	2.219	0	0	500	
10/31/2027	0	0.9263	0	0.6786	0	1.511	0	0	500	
11/1/2027	0	0.9081	0	0.6653	0	0	0	0	0	
11/2/2027	0	0.8902	0	0.6522	0	0	0	0	0	
11/3/2027	0	0.8727	0	0.6393	0	0	0	0	0	
11/4/2027	0	0.8554	0	0.6267	0	0.1681	0	0	0	
11/5/2027	0	0.8384	0	0.6142	0	0.2429	0	0	0	
11/6/2027	0	0.8218	0	0.602	0	0	0	0	0	
11/7/2027	0	0.8055	0	0.5901	0	0	0	0	0	
11/8/2027	0	0.7894	0	0.5783	0	0	0	0	0	
11/9/2027	0	0.7737	0	0.5668	0	0	0	0	0	
11/10/2027	0	0.7583	0	0.5555	0	0	0	0	0	
11/11/2027	0	0.7431	0	0.5444	0	0	0	0	0	
11/12/2027	0	0.7283	0	0.5336	0	0.15	0	0	0	
11/13/2027	0	0.7138	0	0.5229	0	0	0	0	0	
11/14/2027	0	0.6995	0	0.5125	0	0.6114	0	0	0	
11/15/2027	0	0.6855	0	0.5022	0	1.07	0	0	0	
11/16/2027	0	0.6718	0	0.4922	0	1.279	0	0	0	
11/17/2027	0	0.6584	0	0.4824	0	0	0	0	0	
11/18/2027	0	0.6453	0	0.4727	0	0	0	0	0	
11/19/2027	0	0.6324	0	0.4633	0	0	0	0	0	
11/20/2027	0	0.6197	0	0.454	0	0	0	0	0	
11/21/2027	0	0.6073	0	0.4449	0	0	0	0	0	
11/22/2027	0	0.5952	0	0.436	0	0	0	0	0	
11/23/2027	0	0.5833	0	0.4273	0	0	0	0	0	
11/24/2027	0	0.5716	0	0.4188	0	0.2297	0	0	0	
11/25/2027	0	0.5602	0	0.4104	0	0	0	0	0	
11/26/2027	0	0.549	0	0.4022	0	0.7694	0	0	0	
11/27/2027	0	0.538	0	0.3941	0	0	0	0	0	
11/28/2027	0	0.5273	0	0.3863	0	0	0	0	0	
11/29/2027	0	0.5167	0	0.3785	0	0	0	0	0	
11/30/2027	0	0.5064	0	0.371	0	0.2924	0	0	0	
12/1/2027	0	0.4962	0	0.3635	0	0.1122	0	0	0	
12/2/2027	0	0.4863	0	0.3563	0	0	0	0	0	
12/3/2027	0	0.4766	0	0.3491	0	0	0	0	0	
12/4/2027	0	0.4671	0	0.3422	0	0	0	0	0	
12/5/2027	0	0.4577	0	0.3353	0	0	0	0	0	
12/6/2027	0	0.4486	0	0.3286	0	0.09231	0	0	0	
12/7/2027	0	0.4396	0	0.322	0	0.1293	0	0	0	
12/8/2027	0	0.4308	0	0.3156	0	0	0	0	0	
12/9/2027	0	0.4222	0	0.3093	0	0	0	0	0	
12/10/2027	0	0.4137	0	0.3031	0	0	0	0	0	
12/11/2027	0	0.4055	0	0.297	0	0	0	0	0	
12/12/2027	0	0.3974	0	0.2911	0	0	0	0	0	
12/13/2027	0	0.3894	0	0.2853	0	0	0	0	0	
12/14/2027	0	0.3816	0	0.2796	0	0	0	0	0	
12/15/2027	0	0.374	0	0.274	0	0.1832	0	0	0	
12/16/2027	0	0.3665	0	0.2685	0	0	0	0	0	
12/17/2027	0	0.3592	0	0.2631	0	0.123	0	0	0	
12/18/2027	0	0.352	0	0.2579	0	0	0	0	0	
12/19/2027	0	0.345	0	0.2527	0	0	0	0	0	
12/20/2027	0	0.3381	0	0.2477	0	0	0	0	0	
12/21/2027	0	0.3313	0	0.2427	0	0	0	0	0	
12/22/2027	0	0.3247	0	0.2379	0	0	0	0	0	
12/23/2027	0	0.3182	0	0.2331	0	0	0	0	0	
12/24/2027	0	0.3118	0	0.2284	0	0	0	0	0	
12/25/2027	0	0.3056	0	0.2239	0	0	0	0	0	
12/26/2027	0	0.2995	0	0.2194	0	0	0	0	0	
12/27/2027	0	0.2935	0	0.215	0	0	0	0	0	
12/28/2027	0	0.2876	0	0.2107	0	0	0	0	0	
12/29/2027	0	0.2819	0	0.2065	0	0	0	0	0	
12/30/2027	0	0.2762	0	0.2024	0	0	0	0	0	
12/31/2027	0	0.2707	0	0.1983	0	0	0	0	0	

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
1/1/2019	0	0	0.3622	0.009335	0	0	0	0
1/2/2019	0	0	0.355	0.009476	0	0	0	0
1/3/2019	0	0	0.3479	0.009608	0	0	0	0
1/4/2019	0	0	0.3409	0.009731	0	0	0	0
1/5/2019	0	0	0.3341	0.009845	0	0	0	0
1/6/2019	0	0	0.3274	0.00995	0	0	0	0
1/7/2019	0	0	0.3209	0.01005	0	0	0	0
1/8/2019	0	0	0.3145	0.01014	0	0	0	0
1/9/2019	0	0	0.3082	0.01022	0	0	0	0
1/10/2019	0	0	0.302	0.01029	0	0	0	0
1/11/2019	0	0	0.296	0.01036	0	0	0	0
1/12/2019	0	0	0.2901	0.01042	0	0	0	0
1/13/2019	0	0	0.2843	0.01048	0	0	0	0
1/14/2019	0	0	0.2786	0.01052	0	0	0	0
1/15/2019	0	0	0.273	0.01057	0	0	0	0
1/16/2019	0	0	0.2675	0.0106	0	0	0	0
1/17/2019	0	0	0.2622	0.01063	0	0	0	0
1/18/2019	0	0	0.2569	0.01066	0	0	0	0
1/19/2019	0	0	0.2518	0.01068	0	0	0	0
1/20/2019	0	0	0.2468	0.01069	0	0	0	0
1/21/2019	0	0	0.2418	0.0107	0	0	0	0
1/22/2019	0	0	0.237	0.0107	0	0	0	0
1/23/2019	0	0	0.2323	0.0107	0	0	0	0
1/24/2019	0	0	0.2276	0.0107	0	0	0	0
1/25/2019	0	0	0.2231	0.01069	0	0	0	0
1/26/2019	0	0	0.2186	0.01068	0	0	0	0
1/27/2019	0	0	0.2142	0.01067	0	0	0	0
1/28/2019	0	0	0.2099	0.01065	0	0	0	0
1/29/2019	0	0	0.2057	0.01062	0	0	0	0
1/30/2019	0	0	0.2016	0.0106	0	0	0	0
1/31/2019	0	0	0.1976	0.01057	0	0	0	0
2/1/2019	0	0	0.1887	0.01053	0	0	0	0
2/2/2019	0	0	0.1849	0.0105	0	0	0	0
2/3/2019	0	0	0.1812	0.01046	0	0	0	0
2/4/2019	0	0	0.1776	0.01042	0	0	0	0
2/5/2019	0	0	0.174	0.01037	0	0	0	0
2/6/2019	0	0	0.1706	0.01033	0	0	0	0
2/7/2019	0	0	0.1671	0.01028	0	0	0	0
2/8/2019	0	0	0.1638	0.01023	0	0	0	0
2/9/2019	0	0	0.1605	0.01018	0	0	0	0
2/10/2019	0	0	0.1573	0.01012	0	0	0	0
2/11/2019	0	0	0.1542	0.01006	0	0	0	0
2/12/2019	0	0	0.1511	0.01001	0	0	0	0
2/13/2019	0	0	0.1481	0.009945	0	0	0	0
2/14/2019	0	0	0.1451	0.009883	0	0	0	0
2/15/2019	0	0	0.1422	0.00982	0	0	0	0
2/16/2019	0	0	0.1394	0.009755	0	0	0	0
2/17/2019	0	0	0.1366	0.009689	0	0	0	0
2/18/2019	0	0	0.1338	0.009622	0	0	0	0
2/19/2019	0	0	0.1312	0.009553	0	0	0	0
2/20/2019	0	0	0.1285	0.009483	0	0	0	0
2/21/2019	0	0	0.126	0.009413	0	0	0	0
2/22/2019	0	0	0.1234	0.009341	0	0	0	0
2/23/2019	0	0	0.121	0.009268	0	0	0	0
2/24/2019	0	0	0.1186	0.009195	0	0	0	0
2/25/2019	0	0	0.1162	0.009121	0	0	0	0
2/26/2019	0	0	0.1139	0.009046	0	0	0	0
2/27/2019	0	0	0.1116	0.008971	0	0	0	0
2/28/2019	0	0	0.1094	0.008894	0	0	0	0
3/1/2019	0	0	0.1046	0.008818	0	0	0	0
3/2/2019	0	0	0.1025	0.008741	0	0	0	0
3/3/2019	0	0	0.1005	0.008664	0	0	0	0
3/4/2019	0	0	0.09848	0.008586	0	0	0	0
3/5/2019	0	0	0.09651	0.008508	0	0	0	0
3/6/2019	0	0	0.09458	0.00843	0	0	0	0
3/7/2019	0	0	0.09268	0.008351	0	0	0	0
3/8/2019	0	0	0.09083	0.008272	0	0	0	0
3/9/2019	0	0	0.08901	0.008193	0	0	0	0
3/10/2019	0	0	0.08723	0.008114	0	0	0	0
3/11/2019	0	0	0.08549	0.008035	0	0	0	0
3/12/2019	0	0	0.08378	0.007955	0	0	0.02615	0
3/13/2019	0	0	0.0821	0.007876	0	0	0	0
3/14/2019	0	0	0.08046	0.007797	0	0	0	0
3/15/2019	0	0	0.07885	0.007717	0	0	0	0
3/16/2019	0	0	0.07728	0.007638	0	0	0	0
3/17/2019	0	0	0.07573	0.007559	0	0	0	0
3/18/2019	0	0	0.07422	0.00748	0	0	0.2115	0
3/19/2019	0	0	0.07273	0.007401	0	0	0	0
3/20/2019	0	0	0.07128	0.007322	0	0	0.3342	0
3/21/2019	0	0	0.06985	0.007243	0	0	0	0
3/22/2019	0	0	0.06845	0.007165	0	0	1.874	0
3/23/2019	0	0	0.06708	0.007087	0	0	0	0
3/24/2019	0	0	0.06574	0.007009	0	0	0	0
3/25/2019	0	0	0.06443	0.006931	0	0	0	0
3/26/2019	0	0	0.06314	0.006854	0	0	1.287	0
3/27/2019	0	0	0.06188	0.006777	0	0	0	0
3/28/2019	0	0	0.06064	0.0067	0	0	0	0
3/29/2019	0	0	0.05943	0.006624	0	0	0	0
3/30/2019	0	0	0.05824	0.006548	0	0	0	0
3/31/2019	0	0	0.05707	0.006472	0	0	1.091	0
4/1/2019	0	0	0.05458	0.006397	0	0	1.442	0
4/2/2019	0	0	0.05348	0.006319	0	0	0	0
4/3/2019	0	0	0.05241	0.006241	0	0	0	0
4/4/2019	0	0	0.05137	0.006164	0	0	0	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
4/5/2019	0	0	0.05034	0.006087	0	0	0	0
4/6/2019	0	0	0.04933	0.006011	0	0	0	0
4/7/2019	0	0	0.04834	0.005935	0	0	0	0
4/8/2019	0	0	0.04738	0.005861	0	0	0	0
4/9/2019	0	0	0.04643	0.005786	0	0	1.364	0
4/10/2019	0	0	0.0455	0.005713	0	0	2.695	0
4/11/2019	0	0	0.04459	0.00564	0	0	4.885	0
4/12/2019	0	0	0.0437	0.005567	0	0	5.705	0
4/13/2019	0	0	0.04283	0.005496	0	0	6.755	0
4/14/2019	0	0	0.04197	0.005425	0	0	5.4	0
4/15/2019	0	0	0.04113	0.005354	0	0	4.06	0
4/16/2019	0	0	0.04031	0.005284	0	0	4.013	0
4/17/2019	0	0	0.0395	0.005215	0	0	3.555	0
4/18/2019	0	0	0.03871	0.005147	0	0	0.7117	0
4/19/2019	0	0	0.03794	0.005079	0	0	1.304	0
4/20/2019	0	0	0.03718	0.005012	0	0	0	0
4/21/2019	0	0	0.03643	0.004945	0	0	0	0
4/22/2019	0	0	0.03571	0.004879	0	0	0	0
4/23/2019	0	0	0.03499	0.004814	0	0	5.018	0
4/24/2019	0	0	0.03429	0.00475	0	0	4.692	0
4/25/2019	0	0	0.03361	0.004686	0	0	0	0
4/26/2019	0	0	0.03293	0.004622	0	0	0	0
4/27/2019	0	0	0.03228	0.00456	0	0	0	0
4/28/2019	0	0	0.03163	0.004498	0	0	0	0
4/29/2019	0	0	0.031	0.004437	0	0	0	0
4/30/2019	0	0	0.03038	0.004376	0	0	2.017	0
5/1/2019	0	0	0.02895	0.004316	0	0	6.075	0
5/2/2019	0	0	0.02837	0.004256	0	0	6.477	0
5/3/2019	0	0	0.0278	0.004196	0	0	7.418	0
5/4/2019	0	0	0.02725	0.004138	0	0	4.468	0
5/5/2019	0	0	0.0267	0.004079	0	0	2.583	0
5/6/2019	0	0	0.02617	0.004022	0	0	3.489	0
5/7/2019	0	0	0.02564	0.003965	0	0	7.599	0
5/8/2019	0	0	0.02513	0.003909	0	0	10.54	0
5/9/2019	0	0	0.02463	0.003853	0	0	8.84	0
5/10/2019	0	0	0.02413	0.003799	0	0	8.379	0
5/11/2019	0	0	0.02365	0.003744	0	0	8.25	0
5/12/2019	0	0	0.02318	0.003691	0	0	9.594	0
5/13/2019	0	0	0.02272	0.003638	0	0	8.984	0
5/14/2019	0	0	0.02226	0.003586	0	0	10.32	0
5/15/2019	0	0	0.02182	0.003534	0	0	11.43	0
5/16/2019	0	0	0.02138	0.003483	0	0	10.7	0
5/17/2019	0	0	0.02095	0.003433	0	0	11.57	0
5/18/2019	0	0	0.02053	0.003383	0	0	9.96	0
5/19/2019	0	0	0.02012	0.003334	0	0	9.746	0
5/20/2019	0	0	0.01972	0.003285	0	0	9.965	0
5/21/2019	0	0	0.01933	0.003237	0	0	10.48	0
5/22/2019	0	0	0.01894	0.00319	0	0	8.921	0
5/23/2019	0	0	0.01856	0.003143	0	0	10.54	0
5/24/2019	0	0	0.01819	0.003097	0	0	10.05	0
5/25/2019	0	0	0.01783	0.003052	0	0	8.681	0
5/26/2019	0	0	0.01747	0.003007	0	0	9.588	0
5/27/2019	0	0	0.01712	0.002962	0	0	12.59	0
5/28/2019	0	0	0.01678	0.002919	0	0	12.59	0
5/29/2019	7.82	0	21.15	3.699	0	3.105	13.52	0
5/30/2019	0	0	0.01611	0.002833	0	0	11.25	0
5/31/2019	25.84	0	42.29	7.473	0	10.26	13.56	0
6/1/2019	32.64	0	414.5	75.56	0	12.96	14.51	0
6/2/2019	0	0	672.7	123.4	0	0	12.42	0
6/3/2019	0	0	0.01816	0.003349	0	0	12.23	0
6/4/2019	0	0	0.1876	0.0348	0	0	12.1	0
6/5/2019	24.48	0	188.4	35.17	0	9.72	14.01	0
6/6/2019	38.08	0	760.6	142.8	0	15.12	15.01	0
6/7/2019	35.02	0	1237	233.7	0	13.91	14.82	0
6/8/2019	106.8	0	800.8	152.1	0	42.39	12.48	0
6/9/2019	113.6	0	1614	308.3	0	45.09	16.13	0
6/10/2019	130.6	0	2924	561.7	0	51.84	16.65	0
6/11/2019	94.86	0	3746	723.6	0	37.67	16.62	0
6/12/2019	100.3	0	3942	765.8	0	39.83	16.47	0
6/13/2019	141.4	0	4350	849.8	0	56.16	17.49	0
6/14/2019	125.1	0	6151	1208	0	49.68	16.75	0
6/15/2019	78.88	0	4525	893.7	0	31.32	15.54	0
6/16/2019	92.48	0	1680	333.6	0	36.72	15.91	0
6/17/2019	0	0	751.8	150.1	0	0	13.48	0
6/18/2019	0	0	520	104.4	0	0	11.2	0
6/19/2019	157.8	0	2532	511.1	0	62.64	17.81	0
6/20/2019	94.18	0	977.7	198.4	0	37.4	16.01	0
6/21/2019	228.1	0	862.4	176	0	90.59	21.92	0
6/22/2019	242.1	0	756.4	155.1	0	96.12	21.79	0
6/23/2019	144.2	0	712.8	147	0	57.24	17.91	0
6/24/2019	122.4	0	668.2	138.5	0	48.6	17.76	0
6/25/2019	182.6	0	618.6	128.9	0	72.5	18.37	0
6/26/2019	223	0	572.1	119.8	0	88.56	20.65	0
6/27/2019	280.2	0	527.7	111.1	0	111.2	21	0
6/28/2019	258.4	0	486.2	102.9	0	102.6	21.62	0
6/29/2019	65.96	0	447.6	95.2	0	26.19	18.98	0
6/30/2019	311.1	0	412.6	88.21	0	123.5	17.34	0
7/1/2019	95.2	0	1912	423.3	0	37.8	16.25	0
7/2/2019	8.5	0	887.2	197.2	0	3.375	16.07	0
7/3/2019	406.3	0	404.2	90.23	0	161.3	17.46	0
7/4/2019	163.2	0	2440	547.2	0	64.8	17.61	0
7/5/2019	5.1	0	1405	316.4	0	2.025	38.98	0
7/6/2019	34	0	526.4	119.1	0	13.5	22.26	0
7/7/2019	5.1	0	471.6	107.1	0	2.025	17.89	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
7/8/2019	256.7	0	386	88.05	0	101.9	16.76	0
7/9/2019	343.4	0	1612	369.3	0	136.4	16.66	0
7/10/2019	5.1	0	2244	516.4	0	2.025	19.32	0
7/11/2019	8.5	0	568.7	131.4	0	3.375	21.01	0
7/12/2019	57.8	0	484.2	112.4	0	22.95	24	0
7/13/2019	5.1	0	578.9	134.9	0	2.025	20.62	0
7/14/2019	5.1	0	370.5	86.69	0	2.025	21.35	0
7/15/2019	142.8	0	344.7	80.99	0	56.7	20.03	0
7/16/2019	23.8	0	953.5	225	0	9.45	23.61	0
7/17/2019	34	0	350.4	83.02	0	13.5	23.21	0
7/18/2019	0	0	370.1	88.04	0	0	21.17	0
7/19/2019	5.1	0	277.7	66.33	0	2.025	21.7	0
7/20/2019	8.5	0	256.1	61.42	0	3.375	21.47	0
7/21/2019	0	0	234.4	56.45	0	0	22.12	0
7/22/2019	5.1	0	213.4	51.6	0	2.025	21.55	0
7/23/2019	5.1	0	194.5	47.2	0	2.025	20.21	0
7/24/2019	0	0	177.1	43.16	0	0	17.96	0
7/25/2019	15.3	0	161	39.39	0	6.075	18.97	0
7/26/2019	5.1	0	146.6	36	0	2.025	18.42	0
7/27/2019	238	0	133.4	32.89	0	94.5	14.7	0
7/28/2019	134.3	0	1190	294.5	0	53.33	15.95	0
7/29/2019	0	0	733.6	182.4	0	0	18.85	0
7/30/2019	5.1	0	186.7	46.6	0	2.025	17.71	0
7/31/2019	8.5	0	143.8	36.03	0	3.375	17.65	0
8/1/2019	0	0	141.9	36.67	0	0	18.15	0
8/2/2019	0	0	137.8	35.75	0	0	22.34	0
8/3/2019	8.5	0	124.9	32.53	0	3.375	14.79	0
8/4/2019	197.2	0	32.5	8.498	0	78.3	9.378	0
8/5/2019	102	0	957.7	251.4	0	40.5	15.63	0
8/6/2019	5.1	0	518.7	136.7	0	2.025	17.21	0
8/7/2019	5.1	0	53.84	14.24	0	2.025	18.22	0
8/8/2019	11.9	0	133.9	35.56	0	4.725	18.74	0
8/9/2019	11.9	0	133.6	35.6	0	4.725	17.33	0
8/10/2019	34	0	128.3	34.32	0	13.5	15.02	0
8/11/2019	307.7	0	95.07	25.53	0	122.2	12.17	0
8/12/2019	176.8	0	1577	425	0	70.2	15.05	0
8/13/2019	90.1	0	1005	271.7	0	35.78	12.67	0
8/14/2019	0	0	685.7	186.2	0	0	15.27	0
8/15/2019	5.1	0	257.2	70.1	0	2.025	15.43	0
8/16/2019	0	0	206.7	56.53	0	0	14.12	0
8/17/2019	5.1	0	175.3	48.13	0	2.025	13.41	0
8/18/2019	0	0	173.6	47.81	0	0	14.92	0
8/19/2019	15.3	0	166.9	46.15	0	6.075	15.13	0
8/20/2019	0	0	154.9	42.98	0	0	15.24	0
8/21/2019	0	0	141.6	39.43	0	0	15.17	0
8/22/2019	0	0	128.6	35.95	0	0	14.37	0
8/23/2019	37.4	0	33.35	9.354	0	14.85	14.8	0
8/24/2019	5.1	0	100.8	28.37	0	2.025	14.05	0
8/25/2019	79.9	0	32.03	9.047	0	31.73	13.7	0
8/26/2019	5.1	0	344.5	97.66	0	2.025	13.16	0
8/27/2019	0	0	30.76	8.751	0	0	12.88	0
8/28/2019	593.3	0	31.29	8.932	0	235.6	9.037	0
8/29/2019	280.5	0	3038	870.5	0	111.4	12.01	0
8/30/2019	5.1	0	1775	510.3	0	2.025	9.995	0
8/31/2019	40.8	0	467.1	134.8	0	16.2	9.819	0
9/1/2019	59.5	0	515.4	153.5	0	23.63	9.401	0
9/2/2019	5.1	0	581.8	173.9	0	2.025	10.11	0
9/3/2019	5.1	0	322.5	96.78	0	2.025	10.14	0
9/4/2019	0	0	279.4	84.19	0	0	10.27	0
9/5/2019	0	0	239.8	72.53	0	0	10.06	0
9/6/2019	20.4	0	235	71.37	0	8.1	9.49	0
9/7/2019	0	0	226.3	68.98	0	0	9.134	0
9/8/2019	0	0	215	65.79	0	0	8.873	0
9/9/2019	0	0	203.2	62.42	0	0	9.268	0
9/10/2019	34	0	188	57.97	0	13.5	9.6	0
9/11/2019	5.1	0	235.5	72.91	0	2.025	10.14	0
9/12/2019	0	0	160.4	49.84	0	0	10.54	0
9/13/2019	0	0	148.1	46.21	0	0	10.07	0
9/14/2019	5.1	0	135.8	42.52	0	2.025	9.639	0
9/15/2019	268.6	0	124.8	39.22	0	106.7	7.386	0
9/16/2019	5.1	0	1301	410.5	0	2.025	8.784	0
9/17/2019	387.6	0	85.86	27.19	0	153.9	8.374	0
9/18/2019	15.3	0	2060	654.7	0	6.075	8.428	0
9/19/2019	0	0	422.8	134.9	0	0	7.556	0
9/20/2019	45.9	0	296.4	94.91	0	18.23	7.387	0
9/21/2019	204	0	394.9	126.9	0	81	6.97	0
9/22/2019	5.1	0	1227	395.9	0	2.025	6.61	0
9/23/2019	34	0	327	105.9	0	13.5	6.505	0
9/24/2019	74.8	0	398.8	129.6	0	29.7	7.358	0
9/25/2019	170	0	590.7	192.7	0	67.5	6.385	0
9/26/2019	35.7	0	1097	359.2	0	14.18	6.316	0
9/27/2019	66.3	0	492.7	161.8	0	26.33	4.433	0
9/28/2019	0	0	380	125.3	0	0	4.138	0
9/29/2019	0	0	88.81	29.39	0	0	3.766	0
9/30/2019	0	0	53.31	17.7	0	0	3.993	0
10/1/2019	0	0	946.1	325.6	0	0	5.081	0
10/2/2019	0	0	244.9	84.29	0	0	4.696	0
10/3/2019	0	0	11.91	4.1	0	0	4.059	0
10/4/2019	5.1	0	455.9	156.9	0	2.025	4.882	0
10/5/2019	1.7	0	219.5	75.54	0	0.675	4.798	0
10/6/2019	0	0	10.41	3.581	0	0	3.836	0
10/7/2019	0	0	9.831	3.384	0	0	3.307	0
10/8/2019	59.5	0	569.9	196.1	0	23.63	4.049	0
10/9/2019	25.5	0	409.2	140.8	0	10.13	3.914	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
10/10/2019	0	0	91.96	31.65	0	0	3.113	0
10/11/2019	0	0	7.831	2.695	0	0	3.095	0
10/12/2019	0	0	7.617	2.621	0	0	3.01	0
10/13/2019	0	0	159.3	54.82	0	0	2.974	0
10/14/2019	0	0	7.115	2.449	0	0	2.648	0
10/15/2019	0	0	6.81	2.344	0	0	2.355	0
10/16/2019	0	0	6.499	2.237	0	0	2.053	0
10/17/2019	0	0	6.183	2.128	0	0	2.552	0
10/18/2019	210.1	0	305	105	0	83.43	2.495	0
10/19/2019	166.9	0	1536	528.5	0	66.29	2.548	0
10/20/2019	32.64	0	1088	374.5	0	12.96	2.404	0
10/21/2019	0	0	176	60.59	0	0	2.157	0
10/22/2019	0	0	74.82	25.75	0	0	1.565	0
10/23/2019	0	0	41.75	14.37	0	0	1.388	0
10/24/2019	0	0	16.05	5.525	0	0	1.237	0
10/25/2019	0	0	8.325	2.865	0	0	1.753	0
10/26/2019	0	0	8.302	2.857	0	0	1.662	0
10/27/2019	0	0	8.173	2.813	0	0	1.63	0
10/28/2019	0	0	7.964	2.741	0	0	1.723	0
10/29/2019	0	0	7.698	2.649	0	0	1.64	0
10/30/2019	0	0	7.394	2.545	0	0	1.269	0
10/31/2019	0	0	7.064	2.431	0	0	1.132	0
11/1/2019	0	0	6.719	2.312	0	0	0.7389	0
11/2/2019	0	0	6.369	2.192	0	0	0.3829	0
11/3/2019	0	0	6.02	2.072	0	0	0.7355	0
11/4/2019	0	0	1.621	0.558	0	0	0.2975	0
11/5/2019	0	0	1.607	0.5529	0	0	0	0
11/6/2019	0	0	1.589	0.5467	0	0	0	0
11/7/2019	0	0	1.568	0.5397	0	0	0	0
11/8/2019	0	0	1.546	0.532	0	0	0	0
11/9/2019	0	0	1.522	0.5238	0	0	0.1182	0
11/10/2019	0	0	1.497	0.5153	0	0	0	0
11/11/2019	0	0	1.472	0.5066	0	0	0	0
11/12/2019	0	0	1.446	0.4977	0	0	0.2313	0
11/13/2019	0	0	1.42	0.4888	0	0	0	0
11/14/2019	0	0	1.394	0.4798	0	0	0	0
11/15/2019	0	0	1.368	0.4709	0	0	0.07318	0
11/16/2019	0	0	1.342	0.462	0	0	0.1664	0
11/17/2019	0	0	1.317	0.4532	0	0	0	0
11/18/2019	0	0	1.291	0.4444	0	0	0	0
11/19/2019	0	0	1.266	0.4358	0	0	0.0562	0
11/20/2019	0	0	1.242	0.4273	0	0	0.07794	0
11/21/2019	0	0	1.217	0.4189	0	0	0.08852	0
11/22/2019	0	0	1.193	0.4107	0	0	0.2366	0
11/23/2019	0	0	1.17	0.4026	0	0	0.003535	0
11/24/2019	0	0	1.147	0.3946	0	0	0.2157	0
11/25/2019	0	0	1.124	0.3868	0	0	0.1181	0
11/26/2019	0	0	1.102	0.3791	0	0	0	0
11/27/2019	0	0	1.08	0.3716	0	0	0	0
11/28/2019	0	0	1.058	0.3642	0	0	0.08364	0
11/29/2019	0	0	1.037	0.3569	0	0	0.1705	0
11/30/2019	0	0	1.016	0.3498	0	0	0.1679	0
12/1/2019	0	0	0.9962	0.3428	0	0	0.01314	0
12/2/2019	0	0	0.9763	0.3309	0	0	0	0
12/3/2019	0	0	0.9568	0.3193	0	0	0	0
12/4/2019	0	0	0.9377	0.3081	0	0	0	0
12/5/2019	0	0	0.919	0.2972	0	0	0	0
12/6/2019	0	0	0.9006	0.2865	0	0	0	0
12/7/2019	0	0	0.8826	0.2762	0	0	0	0
12/8/2019	0	0	0.865	0.2662	0	0	0	0
12/9/2019	0	0	0.8477	0.2565	0	0	0	0
12/10/2019	0	0	0.8307	0.247	0	0	0	0
12/11/2019	0	0	0.8141	0.2379	0	0	0	0
12/12/2019	0	0	0.7978	0.229	0	0	0	0
12/13/2019	0	0	0.7819	0.2203	0	0	0	0
12/14/2019	0	0	0.7662	0.2119	0	0	0	0
12/15/2019	0	0	0.7509	0.2038	0	0	0	0
12/16/2019	0	0	0.7359	0.1959	0	0	0	0
12/17/2019	0	0	0.7212	0.1882	0	0	0	0
12/18/2019	0	0	0.7068	0.1808	0	0	0	0
12/19/2019	0	0	0.6926	0.1736	0	0	0	0
12/20/2019	0	0	0.6788	0.1666	0	0	0	0
12/21/2019	0	0	0.6652	0.1598	0	0	0	0
12/22/2019	0	0	0.6519	0.1532	0	0	0.01651	0
12/23/2019	0	0	0.6389	0.1468	0	0	0	0
12/24/2019	0	0	0.6261	0.1406	0	0	0	0
12/25/2019	0	0	0.6136	0.1346	0	0	0.1251	0
12/26/2019	0	0	0.6013	0.1288	0	0	0.1266	0
12/27/2019	0	0	0.5893	0.1232	0	0	0.142	0
12/28/2019	0	0	0.5775	0.1177	0	0	0.07764	0
12/29/2019	0	0	0.5659	0.1124	0	0	0.05591	0
12/30/2019	0	0	0.5546	0.1073	0	0	0	0
12/31/2019	0	0	0.5435	0.1023	0	0	0	0
1/1/2020	0	0	0.4506	0.09751	0	0	0.03382	0
1/2/2020	0	0	0.4416	0.09248	0	0	0.03273	0
1/3/2020	0	0	0.4327	0.08761	0	0	0	0
1/4/2020	0	0	0.4241	0.08289	0	0	0	0
1/5/2020	0	0	0.4156	0.07833	0	0	0	0
1/6/2020	0	0	0.4073	0.07392	0	0	0	0
1/7/2020	0	0	0.3991	0.06966	0	0	0	0
1/8/2020	0	0	0.3912	0.06553	0	0	0	0
1/9/2020	0	0	0.3833	0.06155	0	0	0	0
1/10/2020	0	0	0.3757	0.05769	0	0	0	0
1/11/2020	0	0	0.3682	0.05397	0	0	0	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
1/12/2020	0	0	0.3608	0.05037	0	0	0	0
1/13/2020	0	0	0.3536	0.0469	0	0	0	0
1/14/2020	0	0	0.3465	0.04354	0	0	0	0
1/15/2020	0	0	0.3396	0.0403	0	0	0	0
1/16/2020	0	0	0.3328	0.03717	0	0	0	0
1/17/2020	0	0	0.3261	0.03415	0	0	0	0
1/18/2020	0	0	0.3196	0.03124	0	0	0	0
1/19/2020	0	0	0.3132	0.02842	0	0	0	0
1/20/2020	0	0	0.3069	0.02571	0	0	0	0
1/21/2020	0	0	0.3008	0.0231	0	0	0	0
1/22/2020	0	0	0.2948	0.02058	0	0	0	0
1/23/2020	0	0	0.2889	0.01815	0	0	0	0
1/24/2020	0	0	0.2831	0.01581	0	0	0	0
1/25/2020	0	0	0.2775	0.01356	0	0	0	0
1/26/2020	0	0	0.2719	0.01139	0	0	0	0
1/27/2020	0	0	0.2665	0.009301	0	0	0	0
1/28/2020	0	0	0.2611	0.007292	0	0	0	0
1/29/2020	0	0	0.2559	0.00536	0	0	0	0
1/30/2020	0	0	0.2508	0.003502	0	0	0.4123	0
1/31/2020	0	0	0.2458	0.001716	0	0	0.5271	0
2/1/2020	0	0	0.2213	0	0	0	0	0
2/2/2020	0	0	0.2168	0	0	0	0	0
2/3/2020	0	0	0.2125	0	0	0	0	0
2/4/2020	0	0	0.2082	0	0	0	0	0
2/5/2020	0	0	0.2041	0	0	0	0	0
2/6/2020	0	0	0.2	0	0	0	0	0
2/7/2020	0	0	0.196	0	0	0	0	0
2/8/2020	0	0	0.1921	0	0	0	0	0
2/9/2020	0	0	0.1882	0	0	0	0	0
2/10/2020	0	0	0.1845	0	0	0	0	0
2/11/2020	0	0	0.1808	0	0	0	0	0
2/12/2020	0	0	0.1772	0	0	0	0	0
2/13/2020	0	0	0.1736	0	0	0	0	0
2/14/2020	0	0	0.1702	0	0	0	0	0
2/15/2020	0	0	0.1668	0	0	0	0	0
2/16/2020	0	0	0.1634	0	0	0	0	0
2/17/2020	0	0	0.1601	0	0	0	0	0
2/18/2020	0	0	0.1569	0	0	0	0	0
2/19/2020	0	0	0.1538	0	0	0	0	0
2/20/2020	0	0	0.1507	0	0	0	0	0
2/21/2020	0	0	0.1477	0	0	0	0	0
2/22/2020	0	0	0.1448	0	0	0	0	0
2/23/2020	0	0	0.1419	0	0	0	0	0
2/24/2020	0	0	0.139	0	0	0	0	0
2/25/2020	0	0	0.1362	0	0	0	0	0
2/26/2020	0	0	0.1335	0	0	0	0	0
2/27/2020	0	0	0.1309	0	0	0	0	0
2/28/2020	0	0	0.1282	0	0	0	0	0
2/29/2020	0	0	0.1257	0	0	0	0.2981	0
3/1/2020	0	0	0.09146	0	0	0	0	0
3/2/2020	0	0	0.08963	0	0	0	0	0
3/3/2020	0	0	0.08784	0	0	0	0	0
3/4/2020	0	0	0.08608	0	0	0	0	0
3/5/2020	0	0	0.08436	0	0	0	0	0
3/6/2020	0	0	0.08267	0	0	0	0	0
3/7/2020	0	0	0.08102	0	0	0	0	0
3/8/2020	0	0	0.0794	0	0	0	0	0
3/9/2020	0	0	0.07781	0	0	0	0	0
3/10/2020	0	0	0.07625	0	0	0	0	0
3/11/2020	0	0	0.07473	0	0	0	0	0
3/12/2020	0	0	0.07323	0	0	0	0	0
3/13/2020	0	0	0.07177	0	0	0	0	0
3/14/2020	0	0	0.07033	0	0	0	0	0
3/15/2020	0	0	0.06893	0	0	0	0.1968	0
3/16/2020	0	0	0.06755	0	0	0	0	0
3/17/2020	0	0	0.0662	0	0	0	0	0
3/18/2020	0	0	0.06487	0	0	0	0	0
3/19/2020	0	0	0.06358	0	0	0	0	0
3/20/2020	0	0	0.0623	0	0	0	0	0
3/21/2020	0	0	0.06106	0	0	0	0	0
3/22/2020	0	0	0.05984	0	0	0	1.27	0
3/23/2020	0	0	0.05864	0	0	0	0	0
3/24/2020	0	0	0.05747	0	0	0	0	0
3/25/2020	0	0	0.05632	0	0	0	0	0
3/26/2020	0	0	0.05519	0	0	0	0	0
3/27/2020	0	0	0.05409	0	0	0	0	0
3/28/2020	0	0	0.05301	0	0	0	0	0
3/29/2020	0	0	0.05195	0	0	0	0	0
3/30/2020	0	0	0.05091	0	0	0	0	0
3/31/2020	0	0	0.04989	0	0	0	0	0
4/1/2020	0	0	0.04889	0	0	0	0	0
4/2/2020	0	0	0.04791	0	0	0	2.221	0
4/3/2020	0	0	0.04696	0	0	0	1.908	0
4/4/2020	0	0	0.04602	0	0	0	1.874	0
4/5/2020	0	0	0.0451	0	0	0	2.405	0
4/6/2020	0	0	0.04419	0	0	0	1.107	0
4/7/2020	0	0	0.04331	0	0	0	0.6754	0
4/8/2020	0	0	0.04244	0	0	0	2.303	0
4/9/2020	0	0	0.0416	0	0	0	1.103	0
4/10/2020	0	0	0.04076	0	0	0	0.5693	0
4/11/2020	0	0	0.03995	0	0	0	0.2768	0
4/12/2020	0	0	0.03915	0	0	0	0	0
4/13/2020	0	0	0.03837	0	0	0	0	0
4/14/2020	0	0	0.0376	0	0	0	0	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
4/15/2020	0	0	0.03685	0	0	0	0.04839	0
4/16/2020	0	0	0.03611	0	0	0	0	0
4/17/2020	0	0	0.03539	0	0	0	0	0
4/18/2020	0	0	0.03468	0	0	0	0	0
4/19/2020	0	0	0.03399	0	0	0	0	0
4/20/2020	0	0	0.03331	0	0	0	0	0
4/21/2020	0	0	0.03264	0	0	0	0	0
4/22/2020	0	0	0.03199	0	0	0	1.077	0
4/23/2020	0	0	0.03135	0	0	0	4.318	0
4/24/2020	0	0	0.03072	0	0	0	2.251	0
4/25/2020	0	0	0.03011	0	0	0	1.663	0
4/26/2020	0	0	0.0295	0	0	0	3.276	0
4/27/2020	0	0	0.02891	0	0	0	0	0
4/28/2020	0	0	0.02834	0	0	0	0	0
4/29/2020	0	0	0.02777	0	0	0	5.447	0
4/30/2020	0	0	0.02721	0	0	0	8.193	0
5/1/2020	0	0	0.02667	0	0	0	4.995	0
5/2/2020	0	0	0.02614	0	0	0	2.722	0
5/3/2020	0	0	0.02561	0	0	0	6.174	0
5/4/2020	0	0	0.0251	0	0	0	9.476	0
5/5/2020	0	0	0.0246	0	0	0	4.029	0
5/6/2020	0	0	0.02411	0	0	0	5.08	0
5/7/2020	0	0	0.02362	0	0	0	7.02	0
5/8/2020	0	0	0.02315	0	0	0	5.847	0
5/9/2020	0	0	0.02269	0	0	0	3.725	0
5/10/2020	0	0	0.02224	0	0	0	3.643	0
5/11/2020	0	0	0.02179	0	0	0	5.761	0
5/12/2020	0	0	0.02136	0	0	0	5.835	0
5/13/2020	0	0	0.02093	0	0	0	4.757	0
5/14/2020	0	0	0.02051	0	0	0	4.449	0
5/15/2020	0	0	0.0201	0	0	0	5.637	0
5/16/2020	0	0	0.0197	0	0	0	9.903	0
5/17/2020	0	0	0.0193	0	0	0	11.09	0
5/18/2020	0	0	0.01892	0	0	0	8.67	0
5/19/2020	0	0	0.01854	0	0	0	8.623	0
5/20/2020	0	0	0.01817	0	0	0	8.78	0
5/21/2020	0	0	0.0178	0	0	0	8.39	0
5/22/2020	0	0	0.01745	0	0	0	7.908	0
5/23/2020	0	0	0.0171	0	0	0	9.911	0
5/24/2020	0	0	0.01676	0	0	0	9.593	0
5/25/2020	0	0	0.01642	0	0	0	9.873	0
5/26/2020	0	0	0.01609	0	0	0	6.786	0
5/27/2020	0	0	0.01577	0	0	0	6.919	0
5/28/2020	0	0	0.01546	0	0	0	9.91	0
5/29/2020	0	0	0.01515	0	0	0	9.089	0
5/30/2020	0	0	0.01484	0	0	0	9.79	0
5/31/2020	0	0	0.01455	0	0	0	9.762	0
6/1/2020	0	0	0.01426	0	0	0	9.005	0
6/2/2020	0	0	0.01397	0	0	0	9.054	0
6/3/2020	0.2935	6.944	21.16	0	12.03	1.873	10.35	0
6/4/2020	0	0	0.01342	0	0	0	11.43	0
6/5/2020	0	0	0.01315	0	0	0	11.6	0
6/6/2020	3.233	78.55	465	0	136.1	21.3	12.18	0
6/7/2020	0	12.59	1041	0	21.81	4.675	12.65	0
6/8/2020	0	36.89	239.8	0	63.92	16.5	19.99	0
6/9/2020	0	29.95	326.5	0	51.89	14.11	21.85	0
6/10/2020	0	92.44	751.1	0	160.2	46.2	24.86	0
6/11/2020	0	156.2	2152	0	270.7	89.46	32.55	0
6/12/2020	0	250	2334	0	433.2	190.7	48.51	0
6/13/2020	0	354.1	3333	0	613.6	367.9	72.93	0
6/14/2020	0	232.6	702.8	0	403.1	335	89.84	0
6/15/2020	0	208.3	544.7	0	361	328.9	95.36	0
6/16/2020	0	152.8	455.8	0	264.7	259.2	92.57	0
6/17/2020	0	267.3	386.5	0	463.2	462	112.1	0
6/18/2020	0	234.8	327.5	0	406.8	413.5	126.3	0
6/19/2020	0	0	276.9	0	0	0	142.4	0
6/20/2020	0	0	249.2	0	0	0	136.7	0
6/21/2020	0	0	235.4	0	0	0	135.7	0
6/22/2020	0	0	217.1	0	0	0	139.2	0
6/23/2020	0	0	199.2	0	0	0	162.6	0
6/24/2020	0	15.19	182.2	0	26.32	27.35	133.4	0
6/25/2020	0	6.51	167.4	0	11.28	11.74	119.4	0
6/26/2020	0	91.14	153.7	0	157.9	164.5	82.12	0
6/27/2020	0	0	276.8	0	0	0	101.8	0
6/28/2020	0	0	131	0	0	0	132.7	0
6/29/2020	0	0	120.1	0	0	0	147.1	0
6/30/2020	0	0	108.9	0	0	0	154.4	0
7/1/2020	0	0	98.38	0	0	0	166.1	0
7/2/2020	0	0	88.38	0	0	0	151.3	0
7/3/2020	0	0	79.36	0	0	0	141.6	0
7/4/2020	0	0	71.15	0	0	0	127.1	0
7/5/2020	0	0	18.22	0	0	0	128.2	0
7/6/2020	0	0	17.86	0	0	0	116.2	0
7/7/2020	0	82.46	17.5	0	142.9	149.1	120.3	0
7/8/2020	0	6.51	123.4	0	11.28	11.81	124	0
7/9/2020	0	6.51	16.81	0	11.28	11.81	127.5	0
7/10/2020	0	0	16.47	0	0	0	150	0
7/11/2020	0	0	16.14	0	0	0	151.9	0
7/12/2020	0	0	15.82	0	0	0	131.6	0
7/13/2020	0	0	15.5	0	0	0	110.5	0
7/14/2020	0	6.51	15.19	0	11.28	11.73	114.4	0
7/15/2020	0	6.51	14.89	0	11.28	11.72	108.8	0
7/16/2020	0	91.14	14.59	0	157.9	163.9	144.9	0
7/17/2020	0	6.51	133.7	0	11.28	11.75	121.9	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3
7/18/2020	0	0	14.01	0	0	0	149	0
7/19/2020	0	0	13.73	0	0	0	142.8	0
7/20/2020	0	0	13.46	0	0	0	152.5	0
7/21/2020	0	0	13.19	0	0	0	152.7	2816
7/22/2020	0	0	12.93	0	0	0	132.4	2689
7/23/2020	0	0	12.67	0	0	0	124.2	0
7/24/2020	0	6.51	12.41	0	11.28	10.02	111.9	6171
7/25/2020	0	6.51	12.17	0	11.28	6.468	58.93	0
7/26/2020	0	0	11.92	0	0	0	55.59	0
7/27/2020	0	0	11.68	0	0	0	69.48	3164
7/28/2020	0	0	11.45	0	0	0	51.26	2213
7/29/2020	0	6.51	11.22	0	11.28	3.606	36.88	0
7/30/2020	0	6.51	11	0	11.28	3.604	44.16	0
7/31/2020	0	0	10.78	0	0	0	31.18	0
8/1/2020	0	0	10.56	0	0	0	41.49	0
8/2/2020	0	0	10.35	0	0	0	41.98	0
8/3/2020	0	0	10.14	0	0	0	43.07	0
8/4/2020	0	0	9.94	0	0	0	43.06	0
8/5/2020	0	10.85	9.741	0	18.8	5.883	42.42	0
8/6/2020	0	0	9.547	0	0	0	40.76	0
8/7/2020	0	0	9.356	0	0	0	31.67	0
8/8/2020	0	6.51	9.169	0	11.28	3.506	31.1	0
8/9/2020	0	65.1	8.985	0	112.8	35.06	24.92	0
8/10/2020	0	6.51	85.24	0	11.28	3.597	28.66	0
8/11/2020	0	0	8.629	0	0	0	33.49	0
8/12/2020	0	0	8.457	0	0	0	36.85	0
8/13/2020	0	6.51	8.288	0	11.28	3.609	27.5	0
8/14/2020	0	69.44	8.122	0	120.3	38.5	26.08	0
8/15/2020	0	0	93.77	0	0	0	34	0
8/16/2020	0	47.74	7.8	0	82.72	27.39	34.05	0
8/17/2020	0	6.51	39.86	0	11.28	3.795	33.57	0
8/18/2020	0	0	7.491	0	0	0	24.85	0
8/19/2020	0	0	7.342	0	0	0	29.84	0
8/20/2020	0	258.2	7.195	0	447.4	150.3	20.88	0
8/21/2020	0	69.44	520.5	0	120.3	44.58	28.88	0
8/22/2020	0	0	138.5	0	0	0	23.33	0
8/23/2020	0	0	10.96	0	0	0	33.95	0
8/24/2020	0	0	10.88	0	0	0	34.69	0
8/25/2020	0	0	12.01	0	0	0	34.54	0
8/26/2020	0	0	12.31	0	0	0	29.9	0
8/27/2020	0	6.51	12.06	0	11.28	4.529	24.63	0
8/28/2020	0	0	11.82	0	0	0	28.22	0
8/29/2020	0	6.51	11.59	0	11.28	4.526	28.7	0
8/30/2020	0	0	11.36	0	0	0	24.49	0
8/31/2020	0	217	11.13	0	376	150.7	15.93	0
9/1/2020	0	388.4	437.8	0	673	290.2	16.32	0
9/2/2020	0	99.82	863.2	0	173	90.03	28.92	0
9/3/2020	0	91.14	308.1	0	157.9	91.73	35.32	0
9/4/2020	0	95.48	255.6	0	165.4	101.2	36.58	0
9/5/2020	0	136.7	309.5	0	236.9	151.9	27.66	0
9/6/2020	0	230	409.2	0	398.6	271.7	31.86	0
9/7/2020	0	6.51	634.4	0	11.28	8.418	39.19	0
9/8/2020	0	0	178.9	0	0	0	36.07	0
9/9/2020	0	86.8	155.5	0	150.4	118	36.17	0
9/10/2020	0	26.04	272.1	0	45.12	36.49	40.02	0
9/11/2020	0	0	160.3	0	0	0	36.24	0
9/12/2020	0	0	122.5	0	0	0	39.24	0
9/13/2020	0	143.2	118.1	0	248.2	207.5	43.37	0
9/14/2020	0	6.51	373.6	0	11.28	9.817	34.31	0
9/15/2020	0	80.29	110.3	0	139.1	123.6	38.48	0
9/16/2020	0	93.31	248.7	0	161.7	147.1	36.07	0
9/17/2020	0	2.17	286.7	0	3.76	3.537	33.92	0
9/18/2020	0	2.17	111.5	0	3.76	3.587	37.81	0
9/19/2020	0	0	106.1	0	0	0	44.24	0
9/20/2020	0	0	104.6	0	0	0	44.16	0
9/21/2020	0	6.51	101.1	0	11.28	10.88	27.8	0
9/22/2020	0	6.51	96.25	0	11.28	10.94	32.34	0
9/23/2020	0	6.51	90.79	0	11.28	10.99	32.67	3450
9/24/2020	0	0	84.98	0	0	0	33.71	3450
9/25/2020	0	6.51	78.51	0	11.28	7.142	15.09	3450
9/26/2020	0	0	72.64	0	0	0	9.859	0
9/27/2020	0	0	67.26	0	0	0	15.75	0
9/28/2020	0	69.44	17.68	0	120.3	56.48	14.79	0
9/29/2020	0	10.85	116.1	0	18.8	9.061	12.07	0
9/30/2020	0	2.17	16.98	0	3.76	1.839	12.81	0
10/1/2020	0	0	17.17	0	0	0	12.54	0
10/2/2020	0	10.85	17.33	0	18.8	9.211	10.67	0
10/3/2020	0	2.17	17.37	0	3.76	1.851	9.655	0
10/4/2020	0	2.17	17.24	0	3.76	1.854	9.4	0
10/5/2020	0	0	0.8539	0	0	0	8.892	0
10/6/2020	0	0	0.842	0	0	0	8.433	0
10/7/2020	0	0	0.8303	0	0	0	8.307	0
10/8/2020	0	0	0.8184	0	0	0	9.606	0
10/9/2020	0	0	0.8061	0	0	0	8.853	0
10/10/2020	0	0	0.7933	0	0	0	5.675	0
10/11/2020	0	32.55	109.5	0	56.4	27.72	9.278	0
10/12/2020	0	249.6	73.6	0	432.4	217.3	6.828	0
10/13/2020	0	19.53	548.1	0	33.84	18.65	7.95	0
10/14/2020	0	49.91	69.01	0	86.48	50.34	8.351	0
10/15/2020	0	36.89	111.7	0	63.92	38	8.213	0
10/16/2020	0	2.17	135.8	0	3.76	2.282	8.858	0
10/17/2020	0	2.17	65.15	0	3.76	2.307	8.055	0
10/18/2020	0	0	3.779	0	0	0	8.577	0
10/19/2020	0	0	3.848	0	0	0	6.288	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3
10/20/2020	0	0	3.857	0	0	0	5.702	0
10/21/2020	0	0	3.815	0	0	0	5.948	0
10/22/2020	0	0	3.734	0	0	0	4.875	0
10/23/2020	0	0	3.622	0	0	0	4.314	0
10/24/2020	0	0	3.49	0	0	0	3.92	0
10/25/2020	0	0	3.342	0	0	0	3.836	0
10/26/2020	0	0	0.9103	0	0	0	3.495	0
10/27/2020	0	0	0.9099	0	0	0	3.85	0
10/28/2020	0	0	0.9059	0	0	0	2.187	0
10/29/2020	0	0	0.8992	0	0	0	1.939	0
10/30/2020	0	0	0.8904	0	0	0	1.875	0
10/31/2020	0	0	0.8799	0	0	0	1.299	0
11/1/2020	0	0	0.8681	0	0	0	0.4339	0
11/2/2020	0	0	0.8554	0	0	0	0.4064	0
11/3/2020	0	0	0.842	0	0	0	2.276	0
11/4/2020	0	0	0.8282	0	0	0	3.146	0
11/5/2020	0	0	0.814	0	0	0	1.231	0
11/6/2020	0	0	0.7997	0	0	0	0.7036	0
11/7/2020	0	0	0.7852	0	0	0	1.636	0
11/8/2020	0	0	0.7707	0	0	0	0.4354	0
11/9/2020	0	0	0.7563	0	0	0	1.233	0
11/10/2020	0	0	0.7419	0	0	0	1.63	0
11/11/2020	0	0	0.7277	0	0	0	0	0
11/12/2020	0	0	0.7137	0	0	0	0.04019	0
11/13/2020	0	0	0.6998	0	0	0	1.494	0
11/14/2020	0	0	0.6861	0	0	0	0.1652	0
11/15/2020	0	0	0.6727	0	0	0	0	0
11/16/2020	0	0	0.6594	0	0	0	0.2598	0
11/17/2020	0	0	0.6464	0	0	0	0.5153	0
11/18/2020	0	0	0.6336	0	0	0	0.05686	0
11/19/2020	0	0	0.621	0	0	0	0.1328	0
11/20/2020	0	0	0.6087	0	0	0	0	0
11/21/2020	0	0	0.5966	0	0	0	0	0
11/22/2020	0	0	0.5847	0	0	0	0	0
11/23/2020	0	0	0.5731	0	0	0	0	0
11/24/2020	0	0	0.5616	0	0	0	0	0
11/25/2020	0	0	0.5504	0	0	0	0.2596	0
11/26/2020	0	0	0.5394	0	0	0	0.5268	0
11/27/2020	0	0	0.5287	0	0	0	0	0
11/28/2020	0	0	0.5181	0	0	0	0	0
11/29/2020	0	0	0.5078	0	0	0	0.281	0
11/30/2020	0	0	0.4976	0	0	0	0.4919	0
12/1/2020	0	0	0.4877	0	0	0	0.6313	0
12/2/2020	0	0	0.4779	0	0	0	0.5289	0
12/3/2020	0	0	0.4684	0	0	0	0.6093	0
12/4/2020	0	0	0.459	0	0	0	0.4846	0
12/5/2020	0	0	0.4498	0	0	0	0.6794	0
12/6/2020	0	0	0.4408	0	0	0	0.7092	0
12/7/2020	0	0	0.432	0	0	0	0.8016	0
12/8/2020	0	0	0.4234	0	0	0	0.7744	0
12/9/2020	0	0	0.4149	0	0	0	0.6439	0
12/10/2020	0	0	0.4066	0	0	0	0	0
12/11/2020	0	0	0.3985	0	0	0	0	0
12/12/2020	0	0	0.3905	0	0	0	0	0
12/13/2020	0	0	0.3827	0	0	0	0	0
12/14/2020	0	0	0.3751	0	0	0	0	0
12/15/2020	0	0	0.3676	0	0	0	0	0
12/16/2020	0	0	0.3602	0	0	0	0	0
12/17/2020	0	0	0.353	0	0	0	0	0
12/18/2020	0	0	0.3459	0	0	0	0	0
12/19/2020	0	0	0.339	0	0	0	0	0
12/20/2020	0	0	0.3322	0	0	0	0	0
12/21/2020	0	0	0.3256	0	0	0	0	0
12/22/2020	0	0	0.3191	0	0	0	0	0
12/23/2020	0	0	0.3127	0	0	0	0	0
12/24/2020	0	0	0.3064	0	0	0	0	0
12/25/2020	0	0	0.3003	0	0	0	0	0
12/26/2020	0	0	0.2943	0	0	0	0	0
12/27/2020	0	0	0.2884	0	0	0	0	0
12/28/2020	0	0	0.2827	0	0	0	0	0
12/29/2020	0	0	0.277	0	0	0	0	0
12/30/2020	0	0	0.2715	0	0	0	0	0
12/31/2020	0	0	0.266	0	0	0	0	0
1/1/2021	0	0	0.2237	0	0	0	0	0
1/2/2021	0	0	0.2192	0	0	0	0	0
1/3/2021	0	0	0.2148	0	0	0	0	0
1/4/2021	0	0	0.2105	0	0	0	0	0
1/5/2021	0	0	0.2063	0	0	0	0	0
1/6/2021	0	0	0.2022	0	0	0	0	0
1/7/2021	0	0	0.1981	0	0	0	0	0
1/8/2021	0	0	0.1942	0	0	0	0.4386	0
1/9/2021	0	0	0.1903	0	0	0	0.05411	0
1/10/2021	0	0	0.1865	0	0	0	0	0
1/11/2021	0	0	0.1828	0	0	0	0	0
1/12/2021	0	0	0.1791	0	0	0	0	0
1/13/2021	0	0	0.1755	0	0	0	0.1452	0
1/14/2021	0	0	0.172	0	0	0	0.5112	0
1/15/2021	0	0	0.1686	0	0	0	0	0
1/16/2021	0	0	0.1652	0	0	0	0	0
1/17/2021	0	0	0.1619	0	0	0	0	0
1/18/2021	0	0	0.1587	0	0	0	0	0
1/19/2021	0	0	0.1555	0	0	0	0	0
1/20/2021	0	0	0.1524	0	0	0	0	0
1/21/2021	0	0	0.1493	0	0	0	0	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
1/22/2021	0	0	0.1463	0	0	0	0	0
1/23/2021	0	0	0.1434	0	0	0	0	0
1/24/2021	0	0	0.1406	0	0	0	0	0
1/25/2021	0	0	0.1377	0	0	0	0	0
1/26/2021	0	0	0.135	0	0	0	0	0
1/27/2021	0	0	0.1323	0	0	0	0.05943	0
1/28/2021	0	0	0.1296	0	0	0	0	0
1/29/2021	0	0	0.127	0	0	0	0	0
1/30/2021	0	0	0.1245	0	0	0	0	0
1/31/2021	0	0	0.122	0	0	0	0.4089	0
2/1/2021	0	0	0.1196	0	0	0	0	0
2/2/2021	0	0	0.1172	0	0	0	0	0
2/3/2021	0	0	0.1148	0	0	0	0	0
2/4/2021	0	0	0.1125	0	0	0	0	0
2/5/2021	0	0	0.1103	0	0	0	0	0
2/6/2021	0	0	0.1081	0	0	0	0	0
2/7/2021	0	0	0.1059	0	0	0	0	0
2/8/2021	0	0	0.1038	0	0	0	3.977	0
2/9/2021	0	0	0.1017	0	0	0	0	0
2/10/2021	0	0	0.0997	0	0	0	0	0
2/11/2021	0	0	0.0977	0	0	0	0	0
2/12/2021	0	0	0.09575	0	0	0	0.5126	0
2/13/2021	0	0	0.09383	0	0	0	0	0
2/14/2021	0	0	0.09196	0	0	0	0	0
2/15/2021	0	0	0.09012	0	0	0	0	0
2/16/2021	0	0	0.08831	0	0	0	0	0
2/17/2021	0	0	0.08655	0	0	0	0	0
2/18/2021	0	0	0.08482	0	0	0	0	0
2/19/2021	0	0	0.08312	0	0	0	0	0
2/20/2021	0	0	0.08146	0	0	0	0	0
2/21/2021	0	0	0.07983	0	0	0	0.4148	0
2/22/2021	0	0	0.07823	0	0	0	0	0
2/23/2021	0	0	0.07667	0	0	0	0	0
2/24/2021	0	0	0.07513	0	0	0	0	0
2/25/2021	0	0	0.07363	0	0	0	0	0
2/26/2021	0	0	0.07216	0	0	0	0	0
2/27/2021	0	0	0.07072	0	0	0	0	0
2/28/2021	0	0	0.0693	0	0	0	0	0
3/1/2021	0	0	0.06792	0	0	0	0	0
3/2/2021	0	0	0.06656	0	0	0	0	0
3/3/2021	0	0	0.06523	0	0	0	0	0
3/4/2021	0	0	0.06392	0	0	0	0	0
3/5/2021	0	0	0.06264	0	0	0	0	0
3/6/2021	0	0	0.06139	0	0	0	0	0
3/7/2021	0	0	0.06016	0	0	0	0	0
3/8/2021	0	0	0.05896	0	0	0	4.468	0
3/9/2021	0	0	0.05778	0	0	0	0	0
3/10/2021	0	0	0.05662	0	0	0	0	0
3/11/2021	0	0	0.05549	0	0	0	0	0
3/12/2021	0	0	0.05438	0	0	0	0	0
3/13/2021	0	0	0.05329	0	0	0	0	0
3/14/2021	0	0	0.05223	0	0	0	0	0
3/15/2021	0	0	0.05118	0	0	0	0	0
3/16/2021	0	0	0.05016	0	0	0	0	0
3/17/2021	0	0	0.04916	0	0	0	0	0
3/18/2021	0	0	0.04817	0	0	0	0	0
3/19/2021	0	0	0.04721	0	0	0	0	0
3/20/2021	0	0	0.04627	0	0	0	2.618	0
3/21/2021	0	0	0.04534	0	0	0	2.27	0
3/22/2021	0	0	0.04443	0	0	0	3.806	0
3/23/2021	0	0	0.04355	0	0	0	0	0
3/24/2021	0	0	0.04267	0	0	0	0	0
3/25/2021	0	0	0.04182	0	0	0	0	0
3/26/2021	0	0	0.04098	0	0	0	0	0
3/27/2021	0	0	0.04016	0	0	0	0	0
3/28/2021	0	0	0.03936	0	0	0	0	0
3/29/2021	0	0	0.03857	0	0	0	0	0
3/30/2021	0	0	0.0378	0	0	0	0	0
3/31/2021	0	0	0.03705	0	0	0	0	0
4/1/2021	0	0	0.03631	0	0	0	0	0
4/2/2021	0	0	0.03558	0	0	0	0	0
4/3/2021	0	0	0.03487	0	0	0	2.484	0
4/4/2021	0	0	0.03417	0	0	0	8.171	0
4/5/2021	0	0	0.03349	0	0	0	0.2829	0
4/6/2021	0	0	0.03282	0	0	0	3.141	0
4/7/2021	0	0	0.03216	0	0	0	11.82	0
4/8/2021	0	0	0.03152	0	0	0	9.614	0
4/9/2021	0	0	0.03089	0	0	0	6.729	0
4/10/2021	0	0	0.03027	0	0	0	16.74	0
4/11/2021	0	0	0.02966	0	0	0	13.29	0
4/12/2021	0	0	0.02907	0	0	0	0	0
4/13/2021	0	0	0.02849	0	0	0	0	0
4/14/2021	0	0	0.02792	0	0	0	0	0
4/15/2021	0	0	0.02736	0	0	0	10.29	0
4/16/2021	0	0	0.02681	0	0	0	13.75	0
4/17/2021	0	0	0.02628	0	0	0	14.51	0
4/18/2021	0	0	0.02575	0	0	0	3.569	0
4/19/2021	0	0	0.02524	0	0	0	0.3564	0
4/20/2021	0	0	0.02473	0	0	0	0	0
4/21/2021	0	0	0.02424	0	0	0	9.364	0
4/22/2021	0	0	0.02375	0	0	0	14.13	0
4/23/2021	0	0	0.02328	0	0	0	7.588	0
4/24/2021	0	0	0.02281	0	0	0	0	0
4/25/2021	0	0	0.02236	0	0	0	0	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3
4/26/2021	0	0	0.02191	0	0	0	3.077	0
4/27/2021	0	0	0.02147	0	0	0	7.921	0
4/28/2021	0	0	0.02104	0	0	0	26.17	0
4/29/2021	0	0	0.02062	0	0	0	11.75	0
4/30/2021	0	0	0.02021	0	0	0	12.54	0
5/1/2021	0	0	0.0198	0	0	0	10.52	0
5/2/2021	0	0	0.01941	0	0	0	29.01	0
5/3/2021	0	0	0.01902	0	0	0	37.18	0
5/4/2021	0	0	0.01864	0	0	0	37.58	0
5/5/2021	0	57.12	27.25	0	89.49	53.64	36.62	0
5/6/2021	0	0	86.5	0	0	0	34.69	0
5/7/2021	0	0	0.01754	0	0	0	31.53	0
5/8/2021	0	0	0.04505	0	0	0	28.55	0
5/9/2021	0	0	0.07172	0	0	0	27.89	0
5/10/2021	0	0	0.09498	0	0	0	32.46	0
5/11/2021	0	0	0.1142	0	0	0	34.34	0
5/12/2021	0	0	0.1294	0	0	0	34.69	0
5/13/2021	0	0	0.1412	0	0	0	19.27	0
5/14/2021	0	0	0.15	0	0	0	20.27	0
5/15/2021	0	0	0.1564	0	0	0	6.764	0
5/16/2021	0	0	0.1608	0	0	0	15.56	0
5/17/2021	0	0	0.1637	0	0	0	16.5	0
5/18/2021	0	0	0.1653	0	0	0	13.68	0
5/19/2021	0	0	0.1658	0	0	0	17.78	0
5/20/2021	0	0	0.1657	0	0	0	15.23	0
5/21/2021	0	0	0.1648	0	0	0	23.37	0
5/22/2021	0	0	0.1635	0	0	0	24.78	0
5/23/2021	0	0	0.1619	0	0	0	22.4	0
5/24/2021	0	0	0.1599	0	0	0	31.55	0
5/25/2021	0	0	0.1577	0	0	0	31.56	0
5/26/2021	0	0	0.1554	0	0	0	31.14	0
5/27/2021	0	0	0.1529	0	0	0	28.57	0
5/28/2021	0	0	0.1504	0	0	0	37.14	0
5/29/2021	0	55.68	18.55	0	87.23	50.98	44.2	0
5/30/2021	0	53.76	149.5	0	84.22	49.93	43.37	0
5/31/2021	0	56.64	195.8	0	88.74	53.92	44.43	0
6/1/2021	0	0	83.09	0	0	0	42.76	0
6/2/2021	0	0	0.1886	0	0	0	47.42	0
6/3/2021	0	36.96	83.89	0	57.9	36.19	48.58	0
6/4/2021	0	46.08	287.5	0	72.19	45.73	51.26	0
6/5/2021	0	38.4	394.2	0	60.16	39.32	53.01	0
6/6/2021	0	65.28	472.2	0	102.3	69.31	54.46	0
6/7/2021	0	0	624.9	0	0	0	52.71	0
6/8/2021	0	61.44	335.6	0	96.26	71.19	59.45	0
6/9/2021	0	96	988.9	0	150.4	115.1	65.05	0
6/10/2021	0	84.48	1161	0	132.4	109.8	69.31	2500
6/11/2021	0	157.4	1144	0	246.7	191.2	71.96	4296
6/12/2021	0	307.2	1992	0	481.3	309.3	87.75	2500
6/13/2021	0	341.8	3775	0	535.4	357.7	77.08	2500
6/14/2021	0	403.2	3163	0	631.7	499.5	101.3	2500
6/15/2021	0	314.9	922.7	0	493.3	442.2	108.4	2500
6/16/2021	0	207.4	749.2	0	324.9	284.1	84.56	2500
6/17/2021	0	284.2	642.3	0	445.2	366.4	92.13	2500
6/18/2021	0	319.7	554.5	0	500.8	390.7	92.16	2715
6/19/2021	0	286.1	482.8	0	448.2	326.1	76.01	0
6/20/2021	0	127.7	425.7	0	200	160.3	73.31	0
6/21/2021	0	165.1	377.7	0	258.7	218.3	79.93	0
6/22/2021	0	218.9	343.7	0	342.9	305.6	87.35	0
6/23/2021	0	253.4	323.9	0	397.1	376.4	97.91	0
6/24/2021	0	366.7	302.8	0	574.5	569.9	98.28	0
6/25/2021	0	285.1	500.1	0	446.7	453.1	92.74	0
6/26/2021	0	165.1	536.2	0	258.7	267.8	100.4	0
6/27/2021	0	280.3	244	0	439.2	461.2	118.6	0
6/28/2021	0	303.4	231.8	0	475.3	507.2	113.9	0
6/29/2021	0	179	217.5	0	280.5	304.5	123.6	0
6/30/2021	0	0	200.6	0	0	0	153.9	0
7/1/2021	0	0	184.2	0	0	0	123	4100
7/2/2021	0	43.2	169.4	0	67.68	70.69	125.1	4700
7/3/2021	0	45.6	162.7	0	71.44	70.43	114.1	1200
7/4/2021	0	146.4	176.8	0	229.4	215.4	102.3	0
7/5/2021	0	0	343.4	0	0	0	102.4	0
7/6/2021	0	0	122.8	0	0	0	111.9	0
7/7/2021	0	0	115.7	0	0	0	123.9	0
7/8/2021	0	26.4	105.6	0	41.36	40.74	122.2	0
7/9/2021	0	0	96.51	0	0	0	129.2	0
7/10/2021	0	0	87.83	0	0	0	117.5	0
7/11/2021	0	0	79.67	0	0	0	136	0
7/12/2021	0	0	71.76	0	0	0	124.1	0
7/13/2021	0	40.8	64.61	0	63.92	62.71	116	0
7/14/2021	0	0	61.46	0	0	0	118.3	0
7/15/2021	0	0	15.15	0	0	0	210.6	0
7/16/2021	0	12	14.85	0	18.8	18.31	129.5	0
7/17/2021	0	422.4	14.55	0	661.8	642.5	96.99	0
7/18/2021	0	0	683.9	0	0	0	109.7	0
7/19/2021	0	0	35.46	0	0	0	118	0
7/20/2021	0	0	57.29	0	0	0	139	0
7/21/2021	0	0	57.68	0	0	0	130.1	0
7/22/2021	0	0	15.01	0	0	0	122.8	0
7/23/2021	0	0	14.71	0	0	0	123.6	0
7/24/2021	0	602.4	14.41	0	943.8	948.1	107.4	0
7/25/2021	0	91.2	994.8	0	142.9	148	109	0
7/26/2021	0	67.2	223	0	105.3	110.8	106.3	0
7/27/2021	0	0	182.6	0	0	0	102	0
7/28/2021	0	0	92.61	0	0	0	102.3	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
7/29/2021	0	0	72.86	0	0	0	105.2	0
7/30/2021	0	45.6	72.74	0	71.44	75.61	103.5	0
7/31/2021	0	12	85.8	0	18.8	19.94	102.7	0
8/1/2021	0	0	65.48	0	0	0	103	0
8/2/2021	0	98.4	59.79	0	154.2	163.5	105.9	1200
8/3/2021	0	14.4	122.6	0	22.56	23.68	103.5	0
8/4/2021	0	64.8	15.19	0	101.5	106.7	105.3	0
8/5/2021	0	4.8	77.67	0	7.52	7.919	97.82	0
8/6/2021	0	0	14.6	0	0	0	94.01	0
8/7/2021	0	0	14.31	0	0	0	95.59	0
8/8/2021	0	0	14.03	0	0	0	102.3	0
8/9/2021	0	110.4	13.75	0	173	181.6	98.61	0
8/10/2021	0	0	142.7	0	0	0	93.49	0
8/11/2021	0	0	13.2	0	0	0	93.96	2530
8/12/2021	0	583.2	12.94	0	913.7	933.1	78.95	2700
8/13/2021	0	242.4	966.6	0	379.8	386.2	67.84	0
8/14/2021	0	84	492.4	0	131.6	137.1	90.38	0
8/15/2021	0	28.8	211.7	0	45.12	47.45	91.73	0
8/16/2021	0	276	138.3	0	432.4	456.1	88.78	0
8/17/2021	0	0	545.4	0	0	0	87.72	0
8/18/2021	0	4.8	136.6	0	7.52	8.097	80.59	3850
8/19/2021	0	26.4	114.1	0	41.36	42.49	81.36	3850
8/20/2021	0	0	93.81	0	0	0	76.73	6140
8/21/2021	0	0	92.98	0	0	0	45.71	0
8/22/2021	0	16.8	90.18	0	26.32	17.21	48.61	0
8/23/2021	0	436.8	85.62	0	684.3	451	47.09	0
8/24/2021	0	0	786.6	0	0	0	54.48	0
8/25/2021	0	0	102.3	0	0	0	62.89	0
8/26/2021	0	0	84.66	0	0	0	64.13	0
8/27/2021	0	0	79.1	0	0	0	78.21	0
8/28/2021	0	0	77.06	0	0	0	76.08	0
8/29/2021	0	0	71.53	0	0	0	77.92	0
8/30/2021	0	0	64.84	0	0	0	57.89	0
8/31/2021	0	0	59.05	0	0	0	50.8	0
9/1/2021	0	76.8	15.38	0	120.3	93.95	52.73	0
9/2/2021	0	2.4	91.79	0	3.76	2.984	55.38	2300
9/3/2021	0	33.6	14.77	0	52.64	35.79	41.85	2000
9/4/2021	0	50.4	24.05	0	78.96	46.1	32.68	2500
9/5/2021	0	19.2	69.08	0	30.08	14.02	29.03	0
9/6/2021	0	0	15.05	0	0	0	26.79	0
9/7/2021	0	4.8	14.08	0	7.52	3.541	26.33	0
9/8/2021	0	9.6	13.79	0	15.04	7.084	26.99	0
9/9/2021	0	16.8	13.52	0	26.32	12.42	25.08	0
9/10/2021	0	19.2	13.25	0	30.08	14.26	25.7	0
9/11/2021	0	0	12.98	0	0	0	24.72	0
9/12/2021	0	120	12.72	0	188	89.52	22.72	0
9/13/2021	0	0	170.6	0	0	0	21.53	0
9/14/2021	0	273.6	12.22	0	428.6	215.7	23.64	650
9/15/2021	0	194.4	444.5	0	304.6	157.2	25.11	0
9/16/2021	0	7.2	346.7	0	11.28	6.434	26.59	0
9/17/2021	0	4.8	48.38	0	7.52	4.42	26.23	0
9/18/2021	0	33.6	76.01	0	52.64	31.04	25.45	0
9/19/2021	0	50.4	80.97	0	78.96	47.23	24.24	0
9/20/2021	0	2.4	125.2	0	3.76	2.294	20.79	730
9/21/2021	0	4.8	67.21	0	7.52	4.353	19.11	0
9/22/2021	0	2.4	67.51	0	3.76	2.189	19.36	0
9/23/2021	0	0	66.6	0	0	0	18.76	0
9/24/2021	0	0	64.64	0	0	0	19.43	0
9/25/2021	0	204	61.69	0	319.6	188.5	20.53	0
9/26/2021	0	7.2	362.9	0	11.28	7.08	21.06	0
9/27/2021	0	0	15.44	0	0	0	18.66	0
9/28/2021	0	0	57.99	0	0	0	20.4	0
9/29/2021	0	0	57.94	0	0	0	18.09	0
9/30/2021	0	14.4	16.22	0	22.56	14.66	18.07	0
10/1/2021	0	96	57.66	0	150.4	98.12	21.31	0
10/2/2021	0	14.4	142.8	0	22.56	15.15	19.45	0
10/3/2021	0	19.2	18.38	0	30.08	20.47	17.24	0
10/4/2021	0	38.4	23.05	0	60.16	41.15	17.22	0
10/5/2021	0	451.2	98.2	0	706.9	488.7	20.13	0
10/6/2021	0	21.6	773.8	0	33.84	26.34	19.85	1640
10/7/2021	0	4.8	154.4	0	7.52	5.549	17.11	2210
10/8/2021	0	177.6	104.1	0	278.2	176.5	14.32	2210
10/9/2021	0	12	365.8	0	18.8	10.51	14.2	2210
10/10/2021	0	0	117.7	0	0	0	11.04	2210
10/11/2021	0	0	101.3	0	0	0	9.6	2210
10/12/2021	0	96	88.97	0	150.4	43.26	6.022	2210
10/13/2021	0	151.2	204.9	0	236.9	50.29	3.924	0
10/14/2021	0	0	312.4	0	0	0	4.294	0
10/15/2021	0	0	124.7	0	0	0	4.002	0
10/16/2021	0	48	95.08	0	75.2	19.26	4.534	0
10/17/2021	0	96	132.3	0	150.4	39.96	3.85	0
10/18/2021	0	9.6	233.3	0	15.04	4.252	4.734	0
10/19/2021	0	0	93.25	0	0	0	4.684	0
10/20/2021	0	0	4.446	0	0	0	3.762	0
10/21/2021	0	0	4.433	0	0	0	3.388	0
10/22/2021	0	0	4.373	0	0	0	2.912	0
10/23/2021	0	0	4.274	0	0	0	3.063	0
10/24/2021	0	0	4.143	0	0	0	3.07	0
10/25/2021	0	0	3.99	0	0	0	3.332	0
10/26/2021	0	0	3.82	0	0	0	2.971	0
10/27/2021	0	2.4	404.6	0	3.76	1.117	3.771	0
10/28/2021	0	141.6	297.4	0	221.8	69.64	3.386	0
10/29/2021	0	0	266.9	0	0	0	2.792	0
10/30/2021	0	38.4	15.06	0	60.16	21.33	3.128	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
10/31/2021	0	0	39.96	0	0	0	3.284	0
11/1/2021	0	0	3.073	0	0	0	2.336	0
11/2/2021	0	0	3.077	0	0	0	1.697	0
11/3/2021	0	0	3.054	0	0	0	1.719	0
11/4/2021	0	0	3.003	0	0	0	1.917	0
11/5/2021	0	0	2.927	0	0	0	2.259	1600
11/6/2021	0	0	0.8092	0	0	0	1.885	2400
11/7/2021	0	0	2.864	0	0	0	1.083	6000
11/8/2021	0	0	0.7815	0	0	0	0.6564	0
11/9/2021	0	0	0.7823	0	0	0	0.5056	0
11/10/2021	0	0	0.7798	0	0	0	0.4256	0
11/11/2021	0	0	0.7748	0	0	0	0.1111	0
11/12/2021	0	0	0.7677	0	0	0	0.05111	0
11/13/2021	0	0	0.7592	0	0	0	0	0
11/14/2021	0	0	0.7494	0	0	0	0.01434	0
11/15/2021	0	0	0.7387	0	0	0	0.2685	0
11/16/2021	0	0	0.7274	0	0	0	0.3458	0
11/17/2021	0	0	0.7157	0	0	0	0.2361	0
11/18/2021	0	0	0.7036	0	0	0	0.06333	0
11/19/2021	0	0	0.6913	0	0	0	0	0
11/20/2021	0	0	0.6789	0	0	0	0.01633	0
11/21/2021	0	0	0.6664	0	0	0	0.2153	0
11/22/2021	0	0	0.654	0	0	0	0.12	0
11/23/2021	0	0	0.6417	0	0	0	0	0
11/24/2021	0	0	0.6294	0	0	0	0	0
11/25/2021	0	0	0.6173	0	0	0	0	0
11/26/2021	0	0	0.6053	0	0	0	0.03078	0
11/27/2021	0	0	0.5935	0	0	0	0	0
11/28/2021	0	0	0.5819	0	0	0	0.1477	0
11/29/2021	0	0	0.5704	0	0	0	0.1053	0
11/30/2021	0	0	0.5592	0	0	0	0	0
12/1/2021	0	0	0.5481	0	0	0	0.02037	0
12/2/2021	0	0	0.5373	0	0	0	0	0
12/3/2021	0	0	0.5266	0	0	0	0	0
12/4/2021	0	0	0.5161	0	0	0	0	0
12/5/2021	0	0	0.5058	0	0	0	0	0
12/6/2021	0	0	0.4958	0	0	0	0	0
12/7/2021	0	0	0.4859	0	0	0	0	0
12/8/2021	0	0	0.4762	0	0	0	0	0
12/9/2021	0	0	0.4667	0	0	0	0	0
12/10/2021	0	0	0.4574	0	0	0	0.05383	0
12/11/2021	0	0	0.4482	0	0	0	0.09994	0
12/12/2021	0	0	0.4393	0	0	0	0.07308	0
12/13/2021	0	0	0.4305	0	0	0	0.03913	0
12/14/2021	0	0	0.4219	0	0	0	0	0
12/15/2021	0	0	0.4135	0	0	0	0	0
12/16/2021	0	0	0.4052	0	0	0	0	0
12/17/2021	0	0	0.3971	0	0	0	0	0
12/18/2021	0	0	0.3892	0	0	0	0	0
12/19/2021	0	0	0.3814	0	0	0	0	0
12/20/2021	0	0	0.3738	0	0	0	0	0
12/21/2021	0	0	0.3663	0	0	0	0	0
12/22/2021	0	0	0.359	0	0	0	0	0
12/23/2021	0	0	0.3518	0	0	0	0	0
12/24/2021	0	0	0.3447	0	0	0	0	0
12/25/2021	0	0	0.3379	0	0	0	0	0
12/26/2021	0	0	0.3311	0	0	0	0	0
12/27/2021	0	0	0.3245	0	0	0	0.04071	0
12/28/2021	0	0	0.318	0	0	0	0	0
12/29/2021	0	0	0.3116	0	0	0	0	0
12/30/2021	0	0	0.3054	0	0	0	0	0
12/31/2021	0	0	0.2993	0	0	0	0	0
1/1/2022	0	0	0.1224	0	0	0	0	0
1/2/2022	0	0	0.1199	0	0	0	0	0
1/3/2022	0	0	0.1175	0	0	0	0	0
1/4/2022	0	0	0.1152	0	0	0	0	0
1/5/2022	0	0	0.1129	0	0	0	0	0
1/6/2022	0	0	0.1106	0	0	0	0	0
1/7/2022	0	0	0.1084	0	0	0	0	0
1/8/2022	0	0	0.1062	0	0	0	0	0
1/9/2022	0	0	0.1041	0	0	0	0	0
1/10/2022	0	0	0.102	0	0	0	0	0
1/11/2022	0	0	0.09998	0	0	0	0	0
1/12/2022	0	0	0.09799	0	0	0	0	0
1/13/2022	0	0	0.09603	0	0	0	0	0
1/14/2022	0	0	0.09411	0	0	0	0	0
1/15/2022	0	0	0.09222	0	0	0	0	0
1/16/2022	0	0	0.09038	0	0	0	0	0
1/17/2022	0	0	0.08857	0	0	0	0	0
1/18/2022	0	0	0.0868	0	0	0	0	0
1/19/2022	0	0	0.08506	0	0	0	0.002256	0
1/20/2022	0	0	0.08336	0	0	0	0.07303	0
1/21/2022	0	0	0.0817	0	0	0	0	0
1/22/2022	0	0	0.08006	0	0	0	0	0
1/23/2022	0	0	0.07846	0	0	0	0	0
1/24/2022	0	0	0.07689	0	0	0	0	0
1/25/2022	0	0	0.07535	0	0	0	0	0
1/26/2022	0	0	0.07385	0	0	0	0	0
1/27/2022	0	0	0.07237	0	0	0	0	0
1/28/2022	0	0	0.07092	0	0	0	0	0
1/29/2022	0	0	0.0695	0	0	0	0	0
1/30/2022	0	0	0.06811	0	0	0	0	0
1/31/2022	0	0	0.06675	0	0	0	0	0
2/1/2022	0	0	0.06542	0	0	0	0	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
2/2/2022	0	0	0.06411	0	0	0	0	0
2/3/2022	0	0	0.06283	0	0	0	0	0
2/4/2022	0	0	0.06157	0	0	0	0	0
2/5/2022	0	0	0.06034	0	0	0	0	0
2/6/2022	0	0	0.05913	0	0	0	0	0
2/7/2022	0	0	0.05795	0	0	0	0	0
2/8/2022	0	0	0.05679	0	0	0	0	0
2/9/2022	0	0	0.05565	0	0	0	0	0
2/10/2022	0	0	0.05454	0	0	0	0	0
2/11/2022	0	0	0.05345	0	0	0	0	0
2/12/2022	0	0	0.05238	0	0	0	0	0
2/13/2022	0	0	0.05133	0	0	0	0	0
2/14/2022	0	0	0.05031	0	0	0	0	0
2/15/2022	0	0	0.0493	0	0	0	0	0
2/16/2022	0	0	0.04831	0	0	0	0	0
2/17/2022	0	0	0.04735	0	0	0	0	0
2/18/2022	0	0	0.0464	0	0	0	0	0
2/19/2022	0	0	0.04547	0	0	0	0	0
2/20/2022	0	0	0.04456	0	0	0	0	0
2/21/2022	0	0	0.04367	0	0	0	0	0
2/22/2022	0	0	0.0428	0	0	0	0	0
2/23/2022	0	0	0.04194	0	0	0	0	0
2/24/2022	0	0	0.0411	0	0	0	0	0
2/25/2022	0	0	0.04028	0	0	0	0	0
2/26/2022	0	0	0.03948	0	0	0	0	0
2/27/2022	0	0	0.03869	0	0	0	0	0
2/28/2022	0	0	0.03791	0	0	0	0	0
3/1/2022	0	0	0.03715	0	0	0	0	0
3/2/2022	0	0	0.03641	0	0	0	0	0
3/3/2022	0	0	0.03568	0	0	0	0	0
3/4/2022	0	0	0.03497	0	0	0	0	0
3/5/2022	0	0	0.03427	0	0	0	0	0
3/6/2022	0	0	0.03358	0	0	0	0	0
3/7/2022	0	0	0.03291	0	0	0	0	0
3/8/2022	0	0	0.03225	0	0	0	0	0
3/9/2022	0	0	0.03161	0	0	0	0	0
3/10/2022	0	0	0.03098	0	0	0	0	0
3/11/2022	0	0	0.03036	0	0	0	0	0
3/12/2022	0	0	0.02975	0	0	0	0	0
3/13/2022	0	0	0.02916	0	0	0	0	0
3/14/2022	0	0	0.02857	0	0	0	0	0
3/15/2022	0	0	0.028	0	0	0	0	0
3/16/2022	0	0	0.02744	0	0	0	0	0
3/17/2022	0	0	0.02689	0	0	0	0	0
3/18/2022	0	0	0.02635	0	0	0	0	0
3/19/2022	0	0	0.02583	0	0	0	0	0
3/20/2022	0	0	0.02531	0	0	0	0	0
3/21/2022	0	0	0.0248	0	0	0	0	0
3/22/2022	0	0	0.02431	0	0	0	0	0
3/23/2022	0	0	0.02382	0	0	0	0.9743	0
3/24/2022	0	0	0.02335	0	0	0	2.43	0
3/25/2022	0	0	0.02288	0	0	0	1.421	0
3/26/2022	0	0	0.02242	0	0	0	0.4188	0
3/27/2022	0	0	0.02197	0	0	0	0	0
3/28/2022	0	0	0.02153	0	0	0	0	0
3/29/2022	0	0	0.0211	0	0	0	0	0
3/30/2022	0	0	0.02068	0	0	0	0	0
3/31/2022	0	0	0.02027	0	0	0	0	0
4/1/2022	0	0	0.01986	0	0	0	1.067	0
4/2/2022	0	0	0.01946	0	0	0	1.634	0
4/3/2022	0	0	0.01908	0	0	0	0	0
4/4/2022	0	0	0.01869	0	0	0	0	0
4/5/2022	0	0	0.01832	0	0	0	0	0
4/6/2022	0	0	0.01795	0	0	0	0	0
4/7/2022	0	0	0.01759	0	0	0	0	0
4/8/2022	0	0	0.01724	0	0	0	0	0
4/9/2022	0	0	0.0169	0	0	0	0	0
4/10/2022	0	0	0.01656	0	0	0	0	0
4/11/2022	0	0	0.01623	0	0	0	0	0
4/12/2022	0	0	0.0159	0	0	0	0	0
4/13/2022	0	0	0.01559	0	0	0	0	0
4/14/2022	0	0	0.01527	0	0	0	0.5032	0
4/15/2022	0	0	0.01497	0	0	0	1.828	0
4/16/2022	0	0	0.01467	0	0	0	1.757	0
4/17/2022	0	0	0.01438	0	0	0	1.226	0
4/18/2022	0	0	0.01409	0	0	0	0.8166	0
4/19/2022	0	0	0.01381	0	0	0	0.6142	0
4/20/2022	0	0	0.01353	0	0	0	0	0
4/21/2022	0	0	0.01326	0	0	0	0	0
4/22/2022	0	0	0.01299	0	0	0	0	0
4/23/2022	0	0	0.01273	0	0	0	0	0
4/24/2022	0	0	0.01248	0	0	0	0	0
4/25/2022	0	0	0.01223	0	0	0	0	0
4/26/2022	0	0	0.01199	0	0	0	0	0
4/27/2022	0	0	0.01175	0	0	0	0	0
4/28/2022	0	0	0.01151	0	0	0	1.13	0
4/29/2022	0	0	0.01128	0	0	0	0	0
4/30/2022	0	0	0.01106	0	0	0	0	0
5/1/2022	0	0	0.01083	0	0	0	0.8331	0
5/2/2022	0	0	0.01062	0	0	0	3.02	0
5/3/2022	0	0	0.01041	0	0	0	3.664	0
5/4/2022	0	0	0.0102	0	0	0	4.114	0
5/5/2022	0	0	0.009993	0	0	0	1.963	0
5/6/2022	0	0	0.009793	0	0	0	3.509	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3
5/7/2022	0	0	0.009598	0	0	0	3.542	0
5/8/2022	0	0	0.009406	0	0	0	3.485	0
5/9/2022	0	0	0.009217	0	0	0	5.257	0
5/10/2022	0	0	0.009033	0	0	0	6.074	0
5/11/2022	0	0	0.008852	0	0	0	5.932	0
5/12/2022	0	0	0.008675	0	0	0	5.899	0
5/13/2022	0	0	0.008502	0	0	0	5.38	0
5/14/2022	0	0	0.008332	0	0	0	6.13	0
5/15/2022	4.19	51.71	22.73	0	48.89	5.732	4.831	0
5/16/2022	4.019	56.99	71.05	0	53.88	7.066	6.514	0
5/17/2022	8.357	151.2	100.7	0	143	21.63	7.779	0
5/18/2022	0.2231	10.56	131.6	0	9.984	1.961	11.34	0
5/19/2022	0	0	8.581	0	0	0	11.81	0
5/20/2022	0	0	0.07408	0	0	0	12.11	0
5/21/2022	0.4674	43.79	21.48	0	41.4	8.705	12.55	0
5/22/2022	0.1794	80.75	101.7	0	76.35	16.9	14.24	0
5/23/2022	0	101.9	230.8	0	96.34	24.06	15.52	0
5/24/2022	0	133.2	232.3	0	125.9	34.48	16.04	0
5/25/2022	0	144.9	139.9	0	137	40.95	17.97	0
5/26/2022	0	25.97	113.5	0	24.56	7.881	20.07	0
5/27/2022	0	58.57	46.17	0	55.38	18.19	18.68	0
5/28/2022	0	35.44	42.37	0	33.51	11.27	18.96	0
5/29/2022	0	120.4	76.32	0	113.8	38.87	21.38	0
5/30/2022	0	169.8	358.6	0	160.5	57.42	25.49	0
5/31/2022	0	226.4	552.3	0	214	84.18	30.31	0
6/1/2022	0	250.8	804.9	0	237.1	105.5	33.88	250
6/2/2022	0	216.5	178.2	0	204.7	102.4	40.66	250
6/3/2022	0	110.5	128.8	0	104.5	54.39	33.68	250
6/4/2022	0	139.9	108.7	0	132.3	69.78	38.14	250
6/5/2022	0	148.4	92.59	0	140.3	75.4	38.35	250
6/6/2022	0	194.7	78.84	0	184.1	100.8	41.25	250
6/7/2022	0	252.1	68.13	0	238.3	134.4	45.94	250
6/8/2022	0	232.8	65.55	0	220.1	129.4	41.57	250
6/9/2022	0	50.66	159.5	0	47.89	29.2	45.4	250
6/10/2022	0	0	71.73	0	0	0	45.81	250
6/11/2022	0	0	55.55	0	0	0	44.68	250
6/12/2022	0	0	52.71	0	0	0	40.69	250
6/13/2022	0	0	48.66	0	0	0	39.48	250
6/14/2022	0	9.9	44.66	0	9.36	5.165	42.38	250
6/15/2022	0	17.85	40.96	0	16.88	9.086	43.76	250
6/16/2022	0	9.9	37.54	0	9.36	4.92	40.84	250
6/17/2022	0	9.9	34.34	0	9.36	4.804	42.62	250
6/18/2022	0	9.9	31.31	0	9.36	4.696	43.09	250
6/19/2022	0	9.9	28.47	0	9.36	4.586	41.46	250
6/20/2022	0	9.9	25.84	0	9.36	4.475	41.26	250
6/21/2022	0	9.9	6.679	0	9.36	4.363	47	250
6/22/2022	0	0	6.546	0	0	0	38.57	250
6/23/2022	0	0	6.415	0	0	0	33.97	250
6/24/2022	0	0	6.287	0	0	0	36.24	250
6/25/2022	0	0	6.161	0	0	0	34.41	250
6/26/2022	0	0	6.038	0	0	0	34.42	250
6/27/2022	0	0	5.917	0	0	0	41.46	250
6/28/2022	0	0	5.799	0	0	0	48.54	250
6/29/2022	0	0	5.683	0	0	0	74.34	250
6/30/2022	0	0	5.569	0	0	0	121.5	250
7/1/2022	0	0	5.458	0	0	0	29.22	500
7/2/2022	0	0	5.348	0	0	0	27.14	500
7/3/2022	0	0	5.241	0	0	0	41.47	500
7/4/2022	0	0	5.137	0	0	0	28.05	500
7/5/2022	0	0	5.034	0	0	0	15.42	500
7/6/2022	0.7909	9.9	4.933	0	9.36	1.111	10.79	500
7/7/2022	81.63	1007	4.835	0	952.5	111.7	10.7	500
7/8/2022	0	341	508	0	322.4	88.1	25.7	500
7/9/2022	0	17.85	218.4	0	16.88	5.22	29.13	500
7/10/2022	0	0	43.01	0	0	0	27.56	500
7/11/2022	0	0	48.62	0	0	0	25.73	500
7/12/2022	0	9.9	36.33	0	9.36	2.26	24.22	500
7/13/2022	0	0	33.52	0	0	0	19.42	500
7/14/2022	0	0	32.4	0	0	0	14.03	500
7/15/2022	0	0	29.51	0	0	0	17.14	500
7/16/2022	0	0	26.2	0	0	0	11.91	500
7/17/2022	0	0	6.716	0	0	0	12.59	500
7/18/2022	0	0	6.582	0	0	0	14.35	500
7/19/2022	0	0	6.45	0	0	0	12.46	500
7/20/2022	0	0	6.321	0	0	0	12.13	500
7/21/2022	0.8021	9.9	6.195	0	9.36	1.097	12.19	500
7/22/2022	11.26	139	6.071	0	131.4	15.41	10.79	500
7/23/2022	20.54	253.5	51.56	0	239.6	28.1	10.36	500
7/24/2022	2.325	31.32	122.7	0	29.61	3.737	10.57	500
7/25/2022	87.08	1075	8.966	0	1016	119.1	10.43	500
7/26/2022	0	38.05	554	0	35.97	10.08	24.72	500
7/27/2022	0	0	74.49	0	0	0	28.58	500
7/28/2022	0	85.17	57.59	0	80.53	21.28	22.88	500
7/29/2022	0	11.12	63.37	0	10.51	2.571	18.94	500
7/30/2022	0	0	40.05	0	0	0	15.85	500
7/31/2022	0	0	36.59	0	0	0	12.35	500
8/1/2022	0	0	35.59	0	0	0	10.77	500
8/2/2022	0	0	32.88	0	0	0	12.79	500
8/3/2022	0	0	29.66	0	0	0	11.06	500
8/4/2022	0	0	26.78	0	0	0	10.83	500
8/5/2022	0.8021	9.9	24.12	0	9.36	1.097	10.29	500
8/6/2022	0.8021	9.9	6.22	0	9.36	1.097	10.91	500
8/7/2022	0	0	6.095	0	0	0	9.225	500
8/8/2022	25.45	314.1	5.973	0	296.9	34.81	9.135	500

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3
8/9/2022	75.92	1129	145.3	0	1067	144.5	10.64	500
8/10/2022	0	199.6	588.5	0	188.7	56.85	18.91	500
8/11/2022	0	9.9	172.8	0	9.36	3.058	22.13	500
8/12/2022	0	17.85	76.1	0	16.88	5.242	20.88	500
8/13/2022	0	17.85	63.3	0	16.88	4.904	21.7	500
8/14/2022	0	0	52.36	0	0	0	24.26	500
8/15/2022	0	0	42.11	0	0	0	17.76	500
8/16/2022	0.2873	9.9	41.38	0	9.36	1.741	13.53	500
8/17/2022	0	0	39.6	0	0	0	12.73	500
8/18/2022	0	0	36.33	0	0	0	9.09	500
8/19/2022	0	0	33.13	0	0	0	8.206	500
8/20/2022	27.63	341	30.22	0	322.4	37.8	7.493	500
8/21/2022	0.6722	11.12	182.8	0	10.51	1.519	9.246	500
8/22/2022	0	0	25.52	0	0	0	7.029	500
8/23/2022	7.992	98.64	25.72	0	93.26	10.93	6.932	500
8/24/2022	4.174	51.51	53.33	0	48.7	5.71	7.337	500
8/25/2022	0.8021	9.9	36.73	0	9.36	1.097	6.533	500
8/26/2022	0.8021	9.9	6.628	0	9.36	1.097	6.759	500
8/27/2022	1.992	24.59	6.733	0	23.24	2.725	6.599	500
8/28/2022	8.537	105.4	6.686	0	99.62	11.68	6.075	500
8/29/2022	0.8021	9.9	42.97	0	9.36	1.097	5.883	500
8/30/2022	3.628	44.78	6.421	0	42.34	4.964	5.84	500
8/31/2022	0.8021	9.9	11.97	0	9.36	1.097	5.412	500
9/1/2022	0.8021	9.9	6.356	0	9.36	1.097	5.451	500
9/2/2022	0.9011	11.12	6.246	0	10.51	1.233	5.512	500
9/3/2022	3.476	42.9	6.121	0	40.56	4.755	5.299	500
9/4/2022	2.385	29.44	7.618	0	27.83	3.263	5.444	500
9/5/2022	1.195	14.75	7.584	0	13.95	1.635	5.339	500
9/6/2022	0.9011	11.12	5.761	0	10.51	1.233	4.948	500
9/7/2022	0	0	5.646	0	0	0	4.69	500
9/8/2022	17.11	211.2	5.533	0	199.7	23.41	4.507	500
9/9/2022	1.294	15.97	95.03	0	15.1	1.77	4.6	500
9/10/2022	0.393	4.851	5.314	0	4.586	0.5377	4.246	500
9/11/2022	11.47	141.6	5.596	0	133.9	15.7	3.442	500
9/12/2022	4.73	58.38	63.09	0	55.19	6.471	3.764	500
9/13/2022	0	0	26.68	0	0	0	4.189	500
9/14/2022	0.393	4.851	6.224	0	4.586	0.5377	3.766	500
9/15/2022	2.267	27.98	6.548	0	26.46	3.102	4.153	500
9/16/2022	0	0	0.3369	0	0	0	3.412	500
9/17/2022	0	0	0.3399	0	0	0	3.176	500
9/18/2022	0	0	1.202	0	0	0	3.177	500
9/19/2022	1.992	24.59	35.12	0	23.24	2.725	3.18	500
9/20/2022	0	0	14.72	0	0	0	3.608	500
9/21/2022	2.537	31.32	6.568	0	29.61	3.471	3.603	500
9/22/2022	0.393	4.851	6.526	0	4.586	0.5377	3.188	500
9/23/2022	1.623	20.03	6.43	0	18.94	2.22	3.061	500
9/24/2022	0	0	0.3172	0	0	0	2.904	500
9/25/2022	0	0	0.3117	0	0	0	2.683	500
9/26/2022	0	0	0.3086	0	0	0	2.342	500
9/27/2022	0	0	0.3061	0	0	0	2.3	500
9/28/2022	0	0	0.3036	0	0	0	2.382	500
9/29/2022	0	0	0.3007	0	0	0	2.107	500
9/30/2022	36.3	448.1	41.06	0	423.6	49.67	2.227	500
10/1/2022	0	0	242.9	0	0	0	3.167	250
10/2/2022	0	0	10.67	0	0	0	2.207	250
10/3/2022	0	0	5.114	0	0	0	2.41	250
10/4/2022	0	0	1.839	0	0	0	1.933	250
10/5/2022	0	0	1.37	0	0	0	1.701	250
10/6/2022	0	0	1.386	0	0	0	1.31	250
10/7/2022	0	0	1.38	0	0	0	0.9173	250
10/8/2022	0	0	1.357	0	0	0	1.205	250
10/9/2022	0	0	1.321	0	0	0	1.223	250
10/10/2022	0	0	1.276	0	0	0	1.262	250
10/11/2022	0	0	1.225	0	0	0	1.441	250
10/12/2022	0	0	0.3343	0	0	0	1.438	250
10/13/2022	0	0	0.3346	0	0	0	1.474	250
10/14/2022	0	0	0.3335	0	0	0	1.187	250
10/15/2022	0	0	0.3314	0	0	0	1.205	250
10/16/2022	0	0	0.3283	0	0	0	1.193	250
10/17/2022	0	0	0.3246	0	0	0	1.07	250
10/18/2022	0	0	0.3204	0	0	0	0.9269	250
10/19/2022	0	0	0.3159	0	0	0	0.6683	250
10/20/2022	0	0	0.311	0	0	0	0.4949	250
10/21/2022	0	0	0.306	0	0	0	0.6341	250
10/22/2022	0	0	0.3008	0	0	0	0.5193	250
10/23/2022	0	0	0.2956	0	0	0	0.3952	250
10/24/2022	0	0	0.2902	0	0	0	0.7525	250
10/25/2022	0	0	0.2849	0	0	0	0.9413	250
10/26/2022	0	0	0.2796	0	0	0	0.5348	250
10/27/2022	0	0	0.2743	0	0	0	0.6736	250
10/28/2022	0	0	0.2691	0	0	0	0.4754	250
10/29/2022	0	0	0.2639	0	0	0	0	250
10/30/2022	0	0	0.2588	0	0	0	0.4581	250
10/31/2022	0	0	0.2537	0	0	0	0.312	250
11/1/2022	0	0	0.2488	0	0	0	0	0
11/2/2022	0	0	0.2439	0	0	0	0	0
11/3/2022	0	0	0.2391	0	0	0	0	0
11/4/2022	0	0	0.2343	0	0	0	0.03472	0
11/5/2022	0	0	0.2297	0	0	0	0.05017	0
11/6/2022	0	0	0.2251	0	0	0	0	0
11/7/2022	0	0	0.2206	0	0	0	0	0
11/8/2022	0	0	0.2163	0	0	0	0	0
11/9/2022	0	0	0.2119	0	0	0	0	0
11/10/2022	0	0	0.2077	0	0	0	0	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
11/11/2022	0	0	0.2036	0	0	0	0	0
11/12/2022	0	0	0.1995	0	0	0	0.03098	0
11/13/2022	0	0	0.1955	0	0	0	0	0
11/14/2022	0	0	0.1916	0	0	0	0.1263	0
11/15/2022	0	0	0.1878	0	0	0	0.2211	0
11/16/2022	0	0	0.184	0	0	0	0.2643	0
11/17/2022	0	0	0.1804	0	0	0	0	0
11/18/2022	0	0	0.1768	0	0	0	0	0
11/19/2022	0	0	0.1732	0	0	0	0	0
11/20/2022	0	0	0.1698	0	0	0	0	0
11/21/2022	0	0	0.1664	0	0	0	0	0
11/22/2022	0	0	0.163	0	0	0	0	0
11/23/2022	0	0	0.1598	0	0	0	0	0
11/24/2022	0	0	0.1566	0	0	0	0.04746	0
11/25/2022	0	0	0.1535	0	0	0	0	0
11/26/2022	0	0	0.1504	0	0	0	0.159	0
11/27/2022	0	0	0.1474	0	0	0	0	0
11/28/2022	0	0	0.1444	0	0	0	0	0
11/29/2022	0	0	0.1415	0	0	0	0	0
11/30/2022	0	0	0.1387	0	0	0	0.06043	0
12/1/2022	0	0	0.1359	0	0	0	0.02319	0
12/2/2022	0	0	0.1332	0	0	0	0	0
12/3/2022	0	0	0.1306	0	0	0	0	0
12/4/2022	0	0	0.1279	0	0	0	0	0
12/5/2022	0	0	0.1254	0	0	0	0	0
12/6/2022	0	0	0.1229	0	0	0	0.01908	0
12/7/2022	0	0	0.1204	0	0	0	0.02672	0
12/8/2022	0	0	0.118	0	0	0	0	0
12/9/2022	0	0	0.1157	0	0	0	0	0
12/10/2022	0	0	0.1133	0	0	0	0	0
12/11/2022	0	0	0.1111	0	0	0	0	0
12/12/2022	0	0	0.1089	0	0	0	0	0
12/13/2022	0	0	0.1067	0	0	0	0	0
12/14/2022	0	0	0.1045	0	0	0	0	0
12/15/2022	0	0	0.1025	0	0	0	0.03788	0
12/16/2022	0	0	0.1004	0	0	0	0	0
12/17/2022	0	0	0.09839	0	0	0	0.02543	0
12/18/2022	0	0	0.09643	0	0	0	0	0
12/19/2022	0	0	0.0945	0	0	0	0	0
12/20/2022	0	0	0.09261	0	0	0	0	0
12/21/2022	0	0	0.09076	0	0	0	0	0
12/22/2022	0	0	0.08894	0	0	0	0	0
12/23/2022	0	0	0.08716	0	0	0	0	0
12/24/2022	0	0	0.08542	0	0	0	0	0
12/25/2022	0	0	0.08371	0	0	0	0	0
12/26/2022	0	0	0.08204	0	0	0	0	0
12/27/2022	0	0	0.0804	0	0	0	0	0
12/28/2022	0	0	0.07879	0	0	0	0	0
12/29/2022	0	0	0.07721	0	0	0	0	0
12/30/2022	0	0	0.07567	0	0	0	0	0
12/31/2022	0	0	0.07415	0	0	0	0	0
1/1/2023	0	0	0.07267	0	0	0	0	0
1/2/2023	0	0	0.07122	0	0	0	0	0
1/3/2023	0	0	0.06979	0	0	0	0	0
1/4/2023	0	0	0.0684	0	0	0	0	0
1/5/2023	0	0	0.06703	0	0	0	0	0
1/6/2023	0	0	0.06569	0	0	0	0	0
1/7/2023	0	0	0.06437	0	0	0	0	0
1/8/2023	0	0	0.06309	0	0	0	0	0
1/9/2023	0	0	0.06183	0	0	0	0	0
1/10/2023	0	0	0.06059	0	0	0	0	0
1/11/2023	0	0	0.05938	0	0	0	0	0
1/12/2023	0	0	0.05819	0	0	0	0	0
1/13/2023	0	0	0.05703	0	0	0	0	0
1/14/2023	0	0	0.05589	0	0	0	0	0
1/15/2023	0	0	0.05477	0	0	0	0	0
1/16/2023	0	0	0.05367	0	0	0	0	0
1/17/2023	0	0	0.0526	0	0	0	0	0
1/18/2023	0	0	0.05155	0	0	0	0	0
1/19/2023	0	0	0.05052	0	0	0	0.00222	0
1/20/2023	0	0	0.04951	0	0	0	0.07185	0
1/21/2023	0	0	0.04852	0	0	0	0	0
1/22/2023	0	0	0.04755	0	0	0	0	0
1/23/2023	0	0	0.04659	0	0	0	0	0
1/24/2023	0	0	0.04566	0	0	0	0	0
1/25/2023	0	0	0.04475	0	0	0	0	0
1/26/2023	0	0	0.04385	0	0	0	0	0
1/27/2023	0	0	0.04298	0	0	0	0	0
1/28/2023	0	0	0.04212	0	0	0	0	0
1/29/2023	0	0	0.04128	0	0	0	0	0
1/30/2023	0	0	0.04045	0	0	0	0	0
1/31/2023	0	0	0.03964	0	0	0	0	0
2/1/2023	0	0	0.03885	0	0	0	0	0
2/2/2023	0	0	0.03807	0	0	0	0	0
2/3/2023	0	0	0.03731	0	0	0	0	0
2/4/2023	0	0	0.03656	0	0	0	0	0
2/5/2023	0	0	0.03583	0	0	0	0	0
2/6/2023	0	0	0.03512	0	0	0	0	0
2/7/2023	0	0	0.03441	0	0	0	0	0
2/8/2023	0	0	0.03372	0	0	0	0	0
2/9/2023	0	0	0.03305	0	0	0	0	0
2/10/2023	0	0	0.03239	0	0	0	0	0
2/11/2023	0	0	0.03174	0	0	0	0	0
2/12/2023	0	0	0.03111	0	0	0	0	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
2/13/2023	0	0	0.03048	0	0	0	0	0
2/14/2023	0	0	0.02987	0	0	0	0	0
2/15/2023	0	0	0.02928	0	0	0	0	0
2/16/2023	0	0	0.02869	0	0	0	0	0
2/17/2023	0	0	0.02812	0	0	0	0	0
2/18/2023	0	0	0.02756	0	0	0	0	0
2/19/2023	0	0	0.027	0	0	0	0	0
2/20/2023	0	0	0.02646	0	0	0	0	0
2/21/2023	0	0	0.02594	0	0	0	0	0
2/22/2023	0	0	0.02542	0	0	0	0	0
2/23/2023	0	0	0.02491	0	0	0	0	0
2/24/2023	0	0	0.02441	0	0	0	0	0
2/25/2023	0	0	0.02392	0	0	0	0	0
2/26/2023	0	0	0.02344	0	0	0	0	0
2/27/2023	0	0	0.02297	0	0	0	0	0
2/28/2023	0	0	0.02252	0	0	0	0	0
3/1/2023	0	0	0.02206	0	0	0	0	0
3/2/2023	0	0	0.02162	0	0	0	0	0
3/3/2023	0	0	0.02119	0	0	0	0	0
3/4/2023	0	0	0.02077	0	0	0	0	0
3/5/2023	0	0	0.02035	0	0	0	0	0
3/6/2023	0	0	0.01994	0	0	0	0	0
3/7/2023	0	0	0.01955	0	0	0	0	0
3/8/2023	0	0	0.01915	0	0	0	0	0
3/9/2023	0	0	0.01877	0	0	0	0	0
3/10/2023	0	0	0.0184	0	0	0	0	0
3/11/2023	0	0	0.01803	0	0	0	0	0
3/12/2023	0	0	0.01767	0	0	0	0	0
3/13/2023	0	0	0.01731	0	0	0	0	0
3/14/2023	0	0	0.01697	0	0	0	0	0
3/15/2023	0	0	0.01663	0	0	0	0	0
3/16/2023	0	0	0.0163	0	0	0	0	0
3/17/2023	0	0	0.01597	0	0	0	0	0
3/18/2023	0	0	0.01565	0	0	0	0	0
3/19/2023	0	0	0.01534	0	0	0	0	0
3/20/2023	0	0	0.01503	0	0	0	0	0
3/21/2023	0	0	0.01473	0	0	0	0	0
3/22/2023	0	0	0.01444	0	0	0	0	0
3/23/2023	0	0	0.01415	0	0	0	0.9575	0
3/24/2023	0	0	0.01386	0	0	0	2.389	0
3/25/2023	0	0	0.01359	0	0	0	1.397	0
3/26/2023	0	0	0.01332	0	0	0	0.4116	0
3/27/2023	0	0	0.01305	0	0	0	0	0
3/28/2023	0	0	0.01279	0	0	0	0	0
3/29/2023	0	0	0.01253	0	0	0	0	0
3/30/2023	0	0	0.01228	0	0	0	0	0
3/31/2023	0	0	0.01204	0	0	0	0	0
4/1/2023	0	0	0.0118	0	0	0	1.048	0
4/2/2023	0	0	0.01156	0	0	0	1.605	0
4/3/2023	0	0	0.01133	0	0	0	0	0
4/4/2023	0	0	0.0111	0	0	0	0	0
4/5/2023	0	0	0.01088	0	0	0	0	0
4/6/2023	0	0	0.01066	0	0	0	0	0
4/7/2023	0	0	0.01045	0	0	0	0	0
4/8/2023	0	0	0.01024	0	0	0	0	0
4/9/2023	0	0	0.01003	0	0	0	0	0
4/10/2023	0	0	0.009834	0	0	0	0	0
4/11/2023	0	0	0.009638	0	0	0	0	0
4/12/2023	0	0	0.009445	0	0	0	0	0
4/13/2023	0	0	0.009256	0	0	0	0	0
4/14/2023	0	0	0.009071	0	0	0	0.4945	0
4/15/2023	0	0	0.008889	0	0	0	1.797	0
4/16/2023	0	0	0.008712	0	0	0	1.727	0
4/17/2023	0	0	0.008537	0	0	0	1.205	0
4/18/2023	0	0	0.008367	0	0	0	0.804	0
4/19/2023	0	0	0.008199	0	0	0	0.6052	0
4/20/2023	0	0	0.008035	0	0	0	0	0
4/21/2023	0	0	0.007875	0	0	0	0	0
4/22/2023	0	0	0.007717	0	0	0	0	0
4/23/2023	0	0	0.007563	0	0	0	0	0
4/24/2023	0	0	0.007412	0	0	0	0	0
4/25/2023	0	0	0.007263	0	0	0	0	0
4/26/2023	0	0	0.007118	0	0	0	0	0
4/27/2023	0	0	0.006976	0	0	0	0	0
4/28/2023	0	0	0.006836	0	0	0	1.114	0
4/29/2023	0	0	0.006699	0	0	0	0	0
4/30/2023	0	0	0.006565	0	0	0	0	0
5/1/2023	0	0	0.006434	0	0	0	0.8221	0
5/2/2023	0	0	0.006305	0	0	0	2.983	0
5/3/2023	0	0	0.006179	0	0	0	3.628	0
5/4/2023	0	0	0.006056	0	0	0	4.087	0
5/5/2023	0	0	0.005935	0	0	0	1.958	0
5/6/2023	0	0	0.005816	0	0	0	3.506	0
5/7/2023	0	0	0.0057	0	0	0	3.542	0
5/8/2023	0	0	0.005586	0	0	0	3.485	0
5/9/2023	0	0	0.005474	0	0	0	5.257	0
5/10/2023	0	0	0.005364	0	0	0	6.074	0
5/11/2023	0	0	0.005257	0	0	0	5.932	0
5/12/2023	0	0	0.005152	0	0	0	5.899	0
5/13/2023	0	0	0.005049	0	0	0	5.38	0
5/14/2023	0	0	0.004948	0	0	0	6.13	0
5/15/2023	4.19	51.71	22.71	0	48.89	5.732	4.831	0
5/16/2023	4.019	56.99	71.02	0	53.88	7.066	6.514	0
5/17/2023	8.358	151.2	100.7	0	143	21.63	7.779	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3
5/18/2023	0.2232	10.56	131.6	0	9.984	1.961	11.33	0
5/19/2023	0	0	8.578	0	0	0	11.81	0
5/20/2023	0	0	0.07108	0	0	0	12.11	0
5/21/2023	0.4677	43.79	21.46	0	41.4	8.705	12.55	0
5/22/2023	0.1801	80.75	101.7	0	76.35	16.9	14.24	0
5/23/2023	0	101.9	230.8	0	96.34	24.06	15.51	0
5/24/2023	0	133.2	232.3	0	125.9	34.48	16.04	0
5/25/2023	0	144.9	139.9	0	137	40.95	17.97	0
5/26/2023	0	25.97	113.5	0	24.56	7.881	20.07	0
5/27/2023	0	58.57	46.15	0	55.38	18.19	18.68	0
5/28/2023	0	35.44	42.35	0	33.51	11.27	18.96	0
5/29/2023	0	120.4	76.24	0	113.8	38.87	21.38	0
5/30/2023	0	169.8	358.5	0	160.5	57.41	25.49	0
5/31/2023	0	226.4	584.1	0	214	84.17	30.31	0
6/1/2023	0	250.8	804.8	0	237.1	105.9	34	250
6/2/2023	0	216.5	986.8	0	204.7	102.7	40.79	250
6/3/2023	0	110.5	668.2	0	104.5	59.73	36.99	250
6/4/2023	0	139.9	252	0	132.3	80.89	44.22	250
6/5/2023	0	148.4	201.9	0	140.3	88.44	44.98	250
6/6/2023	0	194.7	173.3	0	184.1	119.2	48.79	250
6/7/2023	0	318.8	149.7	0	301.4	202	54.62	250
6/8/2023	0	333.1	129.9	0	314.9	223.9	50.26	250
6/9/2023	0	211.7	211.6	0	200.1	150.8	56.11	250
6/10/2023	0	153.1	126.7	0	144.8	113.2	58.8	250
6/11/2023	0	182.2	102.7	0	172.2	137.1	59.71	250
6/12/2023	0	95.04	95.78	0	89.86	73.06	56.94	250
6/13/2023	0	103	90.53	0	97.34	79.43	56.87	250
6/14/2023	0	210.5	84.7	0	199.1	163.2	62.95	250
6/15/2023	0	300.3	78.23	0	284	238.7	68.35	250
6/16/2023	0	223.7	72.2	0	211.5	185.3	68.08	250
6/17/2023	0	287.1	66.57	0	271.4	244	74.64	250
6/18/2023	0	133.6	61.29	0	126.3	117.7	80.06	250
6/19/2023	0	9.9	56.35	0	9.36	8.786	79.43	250
6/20/2023	0	9.9	51.76	0	9.36	8.646	79.72	250
6/21/2023	0	9.9	47.49	0	9.36	8.504	91.6	250
6/22/2023	0	0	43.39	0	0	0	75.98	250
6/23/2023	0	0	39.63	0	0	0	67.72	250
6/24/2023	0	0	36.2	0	0	0	73.14	250
6/25/2023	0	0	32.94	0	0	0	70.32	250
6/26/2023	0	0	29.93	0	0	0	71.25	250
6/27/2023	0	0	27.1	0	0	0	87.01	250
6/28/2023	0	0	24.29	0	0	0	103.3	250
6/29/2023	0	0	6.135	0	0	0	160.4	250
6/30/2023	0	0	6.012	0	0	0	265.5	250
7/1/2023	0	0	5.892	0	0	0	64.65	500
7/2/2023	0	0	5.774	0	0	0	62.19	500
7/3/2023	0	0	5.659	0	0	0	98.48	500
7/4/2023	0	0	5.546	0	0	0	73.94	500
7/5/2023	0	0	5.435	0	0	0	50.8	500
7/6/2023	0	9.9	5.326	0	9.36	5.053	49.08	500
7/7/2023	0	1007	5.219	0	952.5	486.3	46.59	500
7/8/2023	0	341	508.4	0	322.4	201.2	58.69	500
7/9/2023	0	17.85	218.8	0	16.88	11.37	63.44	500
7/10/2023	0	0	60.85	0	0	0	61.05	500
7/11/2023	0	0	48.32	0	0	0	59	500
7/12/2023	0	9.9	36.05	0	9.36	5.559	59.58	500
7/13/2023	0	0	33.27	0	0	0	57.3	500
7/14/2023	0	0	32.17	0	0	0	53.87	500
7/15/2023	0	0	29.29	0	0	0	73.67	500
7/16/2023	0	0	26	0	0	0	48.45	500
7/17/2023	0	0	6.662	0	0	0	48.45	500
7/18/2023	0	0	6.528	0	0	0	51.93	500
7/19/2023	0	0	6.398	0	0	0	42.22	500
7/20/2023	0	0	6.27	0	0	0	38.37	500
7/21/2023	0	9.9	6.144	0	9.36	3.225	35.84	500
7/22/2023	0	139	6.021	0	131.4	42	29.4	500
7/23/2023	0	253.5	51.51	0	239.6	74.07	27.31	500
7/24/2023	0	31.32	122.6	0	29.61	9.284	26.25	500
7/25/2023	0	1075	8.92	0	1016	301.9	26.42	500
7/26/2023	0	38.05	554	0	35.97	14.02	34.38	500
7/27/2023	0	0	74.45	0	0	0	39.49	500
7/28/2023	0	85.17	57.44	0	80.53	29.97	32.23	500
7/29/2023	0	11.12	63.22	0	10.51	3.768	27.75	500
7/30/2023	0	0	39.92	0	0	0	26.96	500
7/31/2023	0	0	36.47	0	0	0	26.37	500
8/1/2023	0	0	35.47	0	0	0	26.48	500
8/2/2023	0	0	32.78	0	0	0	28.9	500
8/3/2023	0	0	29.56	0	0	0	20.97	500
8/4/2023	0	0	26.69	0	0	0	15.62	500
8/5/2023	0.8021	9.9	24.04	0	9.36	1.097	10.29	500
8/6/2023	0.8021	9.9	6.197	0	9.36	1.097	8.901	500
8/7/2023	0	0	6.073	0	0	0	9.225	500
8/8/2023	25.45	314.1	5.951	0	296.9	34.81	9.135	500
8/9/2023	75.92	1129	145.2	0	1067	144.5	10.64	500
8/10/2023	0	199.6	588.5	0	188.7	56.85	18.91	500
8/11/2023	0	9.9	172.8	0	9.36	3.058	22.13	500
8/12/2023	0	17.85	76.03	0	16.88	5.242	20.88	500
8/13/2023	0	17.85	63.23	0	16.88	4.904	21.7	500
8/14/2023	0	0	52.3	0	0	0	24.26	500
8/15/2023	0	0	42.05	0	0	0	17.76	500
8/16/2023	0.2876	9.9	41.32	0	9.36	1.741	13.52	500
8/17/2023	0	0	39.55	0	0	0	12.72	500
8/18/2023	0	0	36.29	0	0	0	9.09	500
8/19/2023	0	0	33.09	0	0	0	8.206	500

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3
8/20/2023	27.63	341	30.18	0	322.4	37.8	7.493	500
8/21/2023	0.6722	11.12	182.8	0	10.51	1.519	9.246	500
8/22/2023	0	0	25.48	0	0	0	7.029	500
8/23/2023	7.992	98.64	25.69	0	93.26	10.93	6.932	500
8/24/2023	4.174	51.51	53.3	0	48.7	5.71	7.337	500
8/25/2023	0.8021	9.9	36.7	0	9.36	1.097	6.533	500
8/26/2023	0.8021	9.9	6.62	0	9.36	1.097	6.759	500
8/27/2023	1.992	24.59	6.726	0	23.24	2.725	6.599	500
8/28/2023	8.537	105.4	6.679	0	99.62	11.68	6.075	500
8/29/2023	0.8021	9.9	42.96	0	9.36	1.097	5.883	500
8/30/2023	3.628	44.78	6.414	0	42.34	4.964	5.84	500
8/31/2023	0.8021	9.9	11.96	0	9.36	1.097	5.412	500
9/1/2023	0.8021	9.9	6.349	0	9.36	1.097	5.451	500
9/2/2023	0.9011	11.12	6.239	0	10.51	1.233	5.512	500
9/3/2023	3.476	42.9	6.114	0	40.56	4.755	5.299	500
9/4/2023	2.385	29.44	7.612	0	27.83	3.263	5.444	500
9/5/2023	1.195	14.75	7.578	0	13.95	1.635	5.339	500
9/6/2023	0.9011	11.12	5.755	0	10.51	1.233	4.948	500
9/7/2023	0	0	5.64	0	0	0	4.69	500
9/8/2023	17.11	211.2	5.527	0	199.7	23.41	4.507	500
9/9/2023	1.294	15.97	95.03	0	15.1	1.77	4.6	500
9/10/2023	0.393	4.851	5.308	0	4.586	0.5377	4.246	500
9/11/2023	11.47	141.6	5.591	0	133.9	15.7	3.442	500
9/12/2023	4.73	58.38	63.08	0	55.19	6.471	3.764	500
9/13/2023	0	0	26.68	0	0	0	4.189	500
9/14/2023	0.393	4.851	6.219	0	4.586	0.5377	3.766	500
9/15/2023	2.267	27.98	6.543	0	26.46	3.102	4.153	500
9/16/2023	0	0	0.3367	0	0	0	3.412	500
9/17/2023	0	0	0.3397	0	0	0	3.176	500
9/18/2023	0	0	1.201	0	0	0	3.177	500
9/19/2023	1.992	24.59	35.11	0	23.24	2.725	3.18	500
9/20/2023	0	0	14.69	0	0	0	3.608	500
9/21/2023	2.537	31.32	6.564	0	29.61	3.471	3.603	500
9/22/2023	0.393	4.851	6.522	0	4.586	0.5377	3.188	500
9/23/2023	1.623	20.03	6.426	0	18.94	2.22	3.061	500
9/24/2023	0	0	0.317	0	0	0	2.904	500
9/25/2023	0	0	0.3115	0	0	0	2.683	500
9/26/2023	0	0	0.3084	0	0	0	2.342	500
9/27/2023	0	0	0.3059	0	0	0	2.3	500
9/28/2023	0	0	0.3034	0	0	0	2.382	500
9/29/2023	0	0	0.3005	0	0	0	2.107	500
9/30/2023	36.3	448.1	41.03	0	423.6	49.67	2.227	500
10/1/2023	0	0	242.9	0	0	0	3.167	250
10/2/2023	0	0	10.67	0	0	0	2.207	250
10/3/2023	0	0	5.114	0	0	0	2.41	250
10/4/2023	0	0	1.839	0	0	0	1.933	250
10/5/2023	0	0	1.369	0	0	0	1.701	250
10/6/2023	0	0	1.385	0	0	0	1.31	250
10/7/2023	0	0	1.379	0	0	0	0.9173	250
10/8/2023	0	0	1.356	0	0	0	1.205	250
10/9/2023	0	0	1.321	0	0	0	1.223	250
10/10/2023	0	0	1.276	0	0	0	1.262	250
10/11/2023	0	0	1.225	0	0	0	1.441	250
10/12/2023	0	0	0.3342	0	0	0	1.438	250
10/13/2023	0	0	0.3345	0	0	0	1.474	250
10/14/2023	0	0	0.3335	0	0	0	1.187	250
10/15/2023	0	0	0.3313	0	0	0	1.205	250
10/16/2023	0	0	0.3283	0	0	0	1.193	250
10/17/2023	0	0	0.3246	0	0	0	1.07	250
10/18/2023	0	0	0.3204	0	0	0	0.9269	250
10/19/2023	0	0	0.3158	0	0	0	0.6683	250
10/20/2023	0	0	0.311	0	0	0	0.4949	250
10/21/2023	0	0	0.3059	0	0	0	0.6341	250
10/22/2023	0	0	0.3007	0	0	0	0.5193	250
10/23/2023	0	0	0.2955	0	0	0	0.3952	250
10/24/2023	0	0	0.2902	0	0	0	0.7525	250
10/25/2023	0	0	0.2849	0	0	0	0.9413	250
10/26/2023	0	0	0.2795	0	0	0	0.5348	250
10/27/2023	0	0	0.2743	0	0	0	0.6736	250
10/28/2023	0	0	0.269	0	0	0	0.4754	250
10/29/2023	0	0	0.2638	0	0	0	0	250
10/30/2023	0	0	0.2587	0	0	0	0.4581	250
10/31/2023	0	0	0.2537	0	0	0	0.312	250
11/1/2023	0	0	0.2487	0	0	0	0	0
11/2/2023	0	0	0.2438	0	0	0	0	0
11/3/2023	0	0	0.239	0	0	0	0	0
11/4/2023	0	0	0.2343	0	0	0	0.03472	0
11/5/2023	0	0	0.2296	0	0	0	0.05017	0
11/6/2023	0	0	0.2251	0	0	0	0	0
11/7/2023	0	0	0.2206	0	0	0	0	0
11/8/2023	0	0	0.2162	0	0	0	0	0
11/9/2023	0	0	0.2119	0	0	0	0	0
11/10/2023	0	0	0.2077	0	0	0	0	0
11/11/2023	0	0	0.2035	0	0	0	0	0
11/12/2023	0	0	0.1995	0	0	0	0.03098	0
11/13/2023	0	0	0.1955	0	0	0	0	0
11/14/2023	0	0	0.1916	0	0	0	0.1263	0
11/15/2023	0	0	0.1878	0	0	0	0.2211	0
11/16/2023	0	0	0.184	0	0	0	0.2643	0
11/17/2023	0	0	0.1803	0	0	0	0	0
11/18/2023	0	0	0.1767	0	0	0	0	0
11/19/2023	0	0	0.1732	0	0	0	0	0
11/20/2023	0	0	0.1697	0	0	0	0	0
11/21/2023	0	0	0.1663	0	0	0	0	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
11/22/2023	0	0	0.163	0	0	0	0	0
11/23/2023	0	0	0.1597	0	0	0	0	0
11/24/2023	0	0	0.1566	0	0	0	0.04746	0
11/25/2023	0	0	0.1534	0	0	0	0	0
11/26/2023	0	0	0.1504	0	0	0	0.159	0
11/27/2023	0	0	0.1473	0	0	0	0	0
11/28/2023	0	0	0.1444	0	0	0	0	0
11/29/2023	0	0	0.1415	0	0	0	0	0
11/30/2023	0	0	0.1387	0	0	0	0.06043	0
12/1/2023	0	0	0.1359	0	0	0	0.02319	0
12/2/2023	0	0	0.1332	0	0	0	0	0
12/3/2023	0	0	0.1305	0	0	0	0	0
12/4/2023	0	0	0.1279	0	0	0	0	0
12/5/2023	0	0	0.1254	0	0	0	0	0
12/6/2023	0	0	0.1229	0	0	0	0.01908	0
12/7/2023	0	0	0.1204	0	0	0	0.02672	0
12/8/2023	0	0	0.118	0	0	0	0	0
12/9/2023	0	0	0.1156	0	0	0	0	0
12/10/2023	0	0	0.1133	0	0	0	0	0
12/11/2023	0	0	0.111	0	0	0	0	0
12/12/2023	0	0	0.1088	0	0	0	0	0
12/13/2023	0	0	0.1067	0	0	0	0	0
12/14/2023	0	0	0.1045	0	0	0	0	0
12/15/2023	0	0	0.1024	0	0	0	0.03788	0
12/16/2023	0	0	0.1004	0	0	0	0	0
12/17/2023	0	0	0.09837	0	0	0	0.02543	0
12/18/2023	0	0	0.0964	0	0	0	0	0
12/19/2023	0	0	0.09448	0	0	0	0	0
12/20/2023	0	0	0.09259	0	0	0	0	0
12/21/2023	0	0	0.09073	0	0	0	0	0
12/22/2023	0	0	0.08892	0	0	0	0	0
12/23/2023	0	0	0.08714	0	0	0	0	0
12/24/2023	0	0	0.0854	0	0	0	0	0
12/25/2023	0	0	0.08369	0	0	0	0	0
12/26/2023	0	0	0.08202	0	0	0	0	0
12/27/2023	0	0	0.08038	0	0	0	0	0
12/28/2023	0	0	0.07877	0	0	0	0	0
12/29/2023	0	0	0.07719	0	0	0	0	0
12/30/2023	0	0	0.07565	0	0	0	0	0
12/31/2023	0	0	0.07414	0	0	0	0	0
1/1/2024	0	0	0.07265	0	0	0	0	0
1/2/2024	0	0	0.0712	0	0	0	0	0
1/3/2024	0	0	0.06978	0	0	0	0	0
1/4/2024	0	0	0.06838	0	0	0	0	0
1/5/2024	0	0	0.06701	0	0	0	0	0
1/6/2024	0	0	0.06567	0	0	0	0	0
1/7/2024	0	0	0.06436	0	0	0	0	0
1/8/2024	0	0	0.06307	0	0	0	0	0
1/9/2024	0	0	0.06181	0	0	0	0	0
1/10/2024	0	0	0.06057	0	0	0	0	0
1/11/2024	0	0	0.05936	0	0	0	0	0
1/12/2024	0	0	0.05818	0	0	0	0	0
1/13/2024	0	0	0.05701	0	0	0	0	0
1/14/2024	0	0	0.05587	0	0	0	0	0
1/15/2024	0	0	0.05475	0	0	0	0	0
1/16/2024	0	0	0.05366	0	0	0	0	0
1/17/2024	0	0	0.05259	0	0	0	0	0
1/18/2024	0	0	0.05153	0	0	0	0	0
1/19/2024	0	0	0.0505	0	0	0	0.00222	0
1/20/2024	0	0	0.04949	0	0	0	0.07185	0
1/21/2024	0	0	0.0485	0	0	0	0	0
1/22/2024	0	0	0.04753	0	0	0	0	0
1/23/2024	0	0	0.04658	0	0	0	0	0
1/24/2024	0	0	0.04565	0	0	0	0	0
1/25/2024	0	0	0.04474	0	0	0	0	0
1/26/2024	0	0	0.04384	0	0	0	0	0
1/27/2024	0	0	0.04297	0	0	0	0	0
1/28/2024	0	0	0.04211	0	0	0	0	0
1/29/2024	0	0	0.04127	0	0	0	0	0
1/30/2024	0	0	0.04044	0	0	0	0	0
1/31/2024	0	0	0.03963	0	0	0	0	0
2/1/2024	0	0	0.03884	0	0	0	0	0
2/2/2024	0	0	0.03806	0	0	0	0	0
2/3/2024	0	0	0.0373	0	0	0	0	0
2/4/2024	0	0	0.03655	0	0	0	0	0
2/5/2024	0	0	0.03582	0	0	0	0	0
2/6/2024	0	0	0.03511	0	0	0	0	0
2/7/2024	0	0	0.03441	0	0	0	0	0
2/8/2024	0	0	0.03372	0	0	0	0	0
2/9/2024	0	0	0.03304	0	0	0	0	0
2/10/2024	0	0	0.03238	0	0	0	0	0
2/11/2024	0	0	0.03173	0	0	0	0	0
2/12/2024	0	0	0.0311	0	0	0	0	0
2/13/2024	0	0	0.03048	0	0	0	0	0
2/14/2024	0	0	0.02987	0	0	0	0	0
2/15/2024	0	0	0.02927	0	0	0	0	0
2/16/2024	0	0	0.02869	0	0	0	0	0
2/17/2024	0	0	0.02811	0	0	0	0	0
2/18/2024	0	0	0.02755	0	0	0	0	0
2/19/2024	0	0	0.027	0	0	0	0	0
2/20/2024	0	0	0.02646	0	0	0	0	0
2/21/2024	0	0	0.02593	0	0	0	0	0
2/22/2024	0	0	0.02541	0	0	0	0	0
2/23/2024	0	0	0.0249	0	0	0	0	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
2/24/2024	0	0	0.0244	0	0	0	0	0
2/25/2024	0	0	0.02392	0	0	0	0	0
2/26/2024	0	0	0.02344	0	0	0	0	0
2/27/2024	0	0	0.02297	0	0	0	0	0
2/28/2024	0	0	0.02251	0	0	0	0	0
2/29/2024	0	0	0.02206	0	0	0	0	0
3/1/2024	0	0	0.02162	0	0	0	0	0
3/2/2024	0	0	0.02119	0	0	0	0	0
3/3/2024	0	0	0.02076	0	0	0	0	0
3/4/2024	0	0	0.02035	0	0	0	0	0
3/5/2024	0	0	0.01994	0	0	0	0	0
3/6/2024	0	0	0.01954	0	0	0	0	0
3/7/2024	0	0	0.01915	0	0	0	0	0
3/8/2024	0	0	0.01877	0	0	0	0	0
3/9/2024	0	0	0.01839	0	0	0	0	0
3/10/2024	0	0	0.01802	0	0	0	0	0
3/11/2024	0	0	0.01766	0	0	0	0	0
3/12/2024	0	0	0.01731	0	0	0	0	0
3/13/2024	0	0	0.01696	0	0	0	0	0
3/14/2024	0	0	0.01662	0	0	0	0	0
3/15/2024	0	0	0.01629	0	0	0	0	0
3/16/2024	0	0	0.01597	0	0	0	0	0
3/17/2024	0	0	0.01565	0	0	0	0	0
3/18/2024	0	0	0.01533	0	0	0	0	0
3/19/2024	0	0	0.01503	0	0	0	0	0
3/20/2024	0	0	0.01473	0	0	0	0	0
3/21/2024	0	0	0.01443	0	0	0	0	0
3/22/2024	0	0	0.01414	0	0	0	0	0
3/23/2024	0	0	0.01386	0	0	0	0.9775	0
3/24/2024	0	0	0.01358	0	0	0	2.438	0
3/25/2024	0	0	0.01331	0	0	0	1.425	0
3/26/2024	0	0	0.01305	0	0	0	0.4198	0
3/27/2024	0	0	0.01278	0	0	0	0	0
3/28/2024	0	0	0.01253	0	0	0	0	0
3/29/2024	0	0	0.01228	0	0	0	0	0
3/30/2024	0	0	0.01203	0	0	0	0	0
3/31/2024	0	0	0.01179	0	0	0	0	0
4/1/2024	0	0	0.01156	0	0	0	1.067	0
4/2/2024	0	0	0.01133	0	0	0	1.634	0
4/3/2024	0	0	0.0111	0	0	0	0	0
4/4/2024	0	0	0.01088	0	0	0	0	0
4/5/2024	0	0	0.01066	0	0	0	0	0
4/6/2024	0	0	0.01045	0	0	0	0	0
4/7/2024	0	0	0.01024	0	0	0	0	0
4/8/2024	0	0	0.01003	0	0	0	0	0
4/9/2024	0	0	0.009832	0	0	0	0	0
4/10/2024	0	0	0.009635	0	0	0	0	0
4/11/2024	0	0	0.009443	0	0	0	0	0
4/12/2024	0	0	0.009254	0	0	0	0	0
4/13/2024	0	0	0.009069	0	0	0	0	0
4/14/2024	0	0	0.008887	0	0	0	0.5015	0
4/15/2024	0	0	0.00871	0	0	0	1.822	0
4/16/2024	0	0	0.008535	0	0	0	1.75	0
4/17/2024	0	0	0.008365	0	0	0	1.222	0
4/18/2024	0	0	0.008197	0	0	0	0.8148	0
4/19/2024	0	0	0.008033	0	0	0	0.6132	0
4/20/2024	0	0	0.007873	0	0	0	0	0
4/21/2024	0	0	0.007715	0	0	0	0	0
4/22/2024	0	0	0.007561	0	0	0	0	0
4/23/2024	0	0	0.00741	0	0	0	0	0
4/24/2024	0	0	0.007262	0	0	0	0	0
4/25/2024	0	0	0.007116	0	0	0	0	0
4/26/2024	0	0	0.006974	0	0	0	0	0
4/27/2024	0	0	0.006835	0	0	0	0	0
4/28/2024	0	0	0.006698	0	0	0	1.127	0
4/29/2024	0	0	0.006564	0	0	0	0	0
4/30/2024	0	0	0.006433	0	0	0	0	0
5/1/2024	0	0	0.006304	0	0	0	0.8305	0
5/2/2024	0	0	0.006178	0	0	0	3.013	0
5/3/2024	0	0	0.006054	0	0	0	3.664	0
5/4/2024	0	0	0.005933	0	0	0	4.127	0
5/5/2024	0	0	0.005815	0	0	0	1.977	0
5/6/2024	0	0	0.005698	0	0	0	3.538	0
5/7/2024	0	0	0.005584	0	0	0	3.574	0
5/8/2024	0	0	0.005473	0	0	0	3.516	0
5/9/2024	0	0	0.005363	0	0	0	5.302	0
5/10/2024	0	0	0.005256	0	0	0	6.125	0
5/11/2024	0	0	0.005151	0	0	0	5.98	0
5/12/2024	0	0	0.005048	0	0	0	5.946	0
5/13/2024	0	0	0.004947	0	0	0	5.421	0
5/14/2024	0	0	0.004848	0	0	0	6.176	0
5/15/2024	4.19	51.71	22.71	0	48.89	5.732	4.866	0
5/16/2024	4.019	56.99	70.98	0	53.88	7.065	6.56	0
5/17/2024	8.359	151.2	100.6	0	143	21.63	7.832	0
5/18/2024	0.2233	10.56	131.6	0	9.984	1.961	11.41	0
5/19/2024	0	0	8.478	0	0	0	11.88	0
5/20/2024	0	0	0.07077	0	0	0	12.18	0
5/21/2024	0.4698	43.79	21.45	0	41.4	8.702	12.63	0
5/22/2024	0.1844	80.75	101.7	0	76.35	16.9	14.32	0
5/23/2024	0	101.9	230.7	0	96.34	24.05	15.6	0
5/24/2024	0	133.2	232.2	0	125.9	34.47	16.13	0
5/25/2024	0	144.9	139.8	0	137	40.95	18.06	0
5/26/2024	0	25.97	113.4	0	24.56	7.879	20.17	0
5/27/2024	0	58.57	46.04	0	55.38	18.18	18.77	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3
5/28/2024	0	35.44	42.25	0	33.51	11.27	19.04	0
5/29/2024	0	120.4	76.1	0	113.8	38.86	21.47	0
5/30/2024	0	169.8	358.4	0	160.5	57.39	25.59	0
5/31/2024	0	226.4	583.6	0	214	84.15	30.43	0
6/1/2024	0	250.8	804.6	0	237.1	105.9	34.12	250
6/2/2024	0	216.5	986.6	0	204.7	102.7	40.92	250
6/3/2024	0	110.5	670.6	0	104.5	59.7	37.1	250
6/4/2024	0	139.9	252.2	0	132.3	80.88	44.35	250
6/5/2024	0	148.4	202	0	140.3	88.43	45.11	250
6/6/2024	0	194.7	173.3	0	184.1	119.2	48.92	250
6/7/2024	0	318.8	149.7	0	301.4	202	54.75	250
6/8/2024	0	333.1	129.9	0	314.9	223.8	50.37	250
6/9/2024	0	211.7	211.6	0	200.1	150.8	56.23	250
6/10/2024	0	153.1	126.7	0	144.8	113.2	58.91	250
6/11/2024	0	182.2	102.7	0	172.2	137	59.81	250
6/12/2024	0	95.04	95.76	0	89.86	73.05	57.03	250
6/13/2024	0	103	90.51	0	97.34	79.41	56.94	250
6/14/2024	0	210.5	84.68	0	199.1	163.1	63.02	250
6/15/2024	0	300.3	78.21	0	284	238.7	68.41	250
6/16/2024	0	223.7	72.18	0	211.5	185.3	68.12	250
6/17/2024	0	287.1	66.55	0	271.4	244	74.67	250
6/18/2024	0	128.6	61.27	0	121.6	113.3	80.07	250
6/19/2024	0	9.9	56.33	0	9.36	8.776	79.36	250
6/20/2024	0	9.9	51.75	0	9.36	8.637	79.63	250
6/21/2024	0	9.9	47.47	0	9.36	8.494	91.48	250
6/22/2024	0	0	43.37	0	0	0	75.86	250
6/23/2024	0	0	39.62	0	0	0	67.6	250
6/24/2024	0	0	36.19	0	0	0	72.99	250
6/25/2024	0	0	32.93	0	0	0	70.16	250
6/26/2024	0	0	29.92	0	0	0	71.08	250
6/27/2024	0	0	27.09	0	0	0	86.77	250
6/28/2024	0	0	24.28	0	0	0	103	250
6/29/2024	0	0	6.134	0	0	0	159.9	250
6/30/2024	0	0	6.011	0	0	0	264.6	250
7/1/2024	0	0	5.891	0	0	0	64.42	500
7/2/2024	0	0	5.773	0	0	0	61.96	500
7/3/2024	0	0	5.658	0	0	0	98.09	500
7/4/2024	0	0	5.545	0	0	0	73.62	500
7/5/2024	0	0	5.434	0	0	0	50.57	500
7/6/2024	0	9.9	5.325	0	9.36	5.046	48.85	500
7/7/2024	0	1007	5.219	0	952.5	485.6	46.37	500
7/8/2024	0	341	508.4	0	322.4	200.9	58.39	500
7/9/2024	0	17.85	218.8	0	16.88	11.35	63.12	500
7/10/2024	0	0	60.89	0	0	0	60.73	500
7/11/2024	0	0	48.39	0	0	0	58.68	500
7/12/2024	0	9.9	36.14	0	9.36	5.552	59.24	500
7/13/2024	0	0	33.29	0	0	0	56.96	500
7/14/2024	0	0	32.2	0	0	0	53.54	500
7/15/2024	0	0	29.33	0	0	0	73.22	500
7/16/2024	0	0	26.05	0	0	0	48.15	500
7/17/2024	0	0	6.676	0	0	0	48.13	500
7/18/2024	0	0	6.542	0	0	0	51.57	500
7/19/2024	0	0	6.411	0	0	0	41.92	500
7/20/2024	0	0	6.283	0	0	0	38.09	500
7/21/2024	0	9.9	6.157	0	9.36	3.221	35.57	500
7/22/2024	0	139	6.034	0	131.4	41.94	29.17	500
7/23/2024	0	253.5	51.59	0	239.6	73.97	27.1	500
7/24/2024	0	31.32	122.7	0	29.61	9.272	26.04	500
7/25/2024	0	1075	9	0	1016	301.5	26.2	500
7/26/2024	0	38.05	554.1	0	35.97	14.01	34.09	500
7/27/2024	0	0	74.65	0	0	0	39.16	500
7/28/2024	0	85.17	57.66	0	80.53	29.94	31.95	500
7/29/2024	0	11.12	63.52	0	10.51	3.764	27.51	500
7/30/2024	0	0	40.16	0	0	0	26.72	500
7/31/2024	0	0	36.59	0	0	0	26.13	500
8/1/2024	0	0	35.61	0	0	0	26.23	500
8/2/2024	0	0	33.05	0	0	0	28.62	500
8/3/2024	0	0	29.82	0	0	0	20.74	500
8/4/2024	0	0	26.94	0	0	0	15.44	500
8/5/2024	0.8021	9.9	24.27	0	9.36	1.097	10.19	500
8/6/2024	0.8021	9.9	6.262	0	9.36	1.097	8.816	500
8/7/2024	0	0	6.137	0	0	0	9.135	500
8/8/2024	25.45	314.1	6.014	0	296.9	34.81	9.044	500
8/9/2024	75.91	1129	145.4	0	1067	144.5	10.53	500
8/10/2024	0	199.6	588.7	0	188.7	56.86	18.72	500
8/11/2024	0	9.9	173	0	9.36	3.058	21.9	500
8/12/2024	0	17.85	76.34	0	16.88	5.243	20.66	500
8/13/2024	0	17.85	63.57	0	16.88	4.905	21.47	500
8/14/2024	0	0	52.66	0	0	0	23.99	500
8/15/2024	0	0	42.28	0	0	0	17.58	500
8/16/2024	0.2849	9.9	41.57	0	9.36	1.744	13.39	500
8/17/2024	0	0	39.81	0	0	0	12.61	500
8/18/2024	0	0	36.55	0	0	0	8.98	500
8/19/2024	0	0	33.34	0	0	0	8.105	500
8/20/2024	27.63	341	30.42	0	322.4	37.8	7.398	500
8/21/2024	0.6719	11.12	183.1	0	10.51	1.519	9.13	500
8/22/2024	0	0	25.7	0	0	0	6.937	500
8/23/2024	7.992	98.64	25.9	0	93.26	10.93	6.84	500
8/24/2024	4.174	51.51	53.67	0	48.7	5.71	7.238	500
8/25/2024	0.8021	9.9	37.02	0	9.36	1.097	6.443	500
8/26/2024	0.8021	9.9	6.685	0	9.36	1.097	6.665	500
8/27/2024	1.992	24.59	6.796	0	23.24	2.725	6.505	500
8/28/2024	8.537	105.4	6.782	0	99.62	11.68	5.987	500
8/29/2024	0.8021	9.9	43.23	0	9.36	1.097	5.797	500

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3
8/30/2024	3.628	44.78	6.513	0	42.34	4.964	5.752	500
8/31/2024	0.8021	9.9	12.19	0	9.36	1.097	5.329	500
9/1/2024	0.8021	9.9	6.45	0	9.36	1.097	5.367	500
9/2/2024	0.9011	11.12	6.37	0	10.51	1.233	5.425	500
9/3/2024	3.476	42.9	6.243	0	40.56	4.755	5.213	500
9/4/2024	2.385	29.44	7.891	0	27.83	3.263	5.355	500
9/5/2024	1.195	14.75	7.792	0	13.95	1.635	5.25	500
9/6/2024	0.9011	11.12	5.876	0	10.51	1.233	4.864	500
9/7/2024	0	0	5.758	0	0	0	4.609	500
9/8/2024	17.11	211.2	5.643	0	199.7	23.41	4.428	500
9/9/2024	1.294	15.97	95.22	0	15.1	1.77	4.518	500
9/10/2024	0.393	4.851	5.42	0	4.586	0.5377	4.17	500
9/11/2024	11.47	141.6	5.702	0	133.9	15.7	3.379	500
9/12/2024	4.73	58.38	63.31	0	55.19	6.471	3.694	500
9/13/2024	0	0	26.86	0	0	0	4.11	500
9/14/2024	0.393	4.851	6.335	0	4.586	0.5377	3.694	500
9/15/2024	2.267	27.98	6.663	0	26.46	3.102	4.072	500
9/16/2024	0	0	1.2	0	0	0	3.344	500
9/17/2024	0	0	0.3289	0	0	0	3.112	500
9/18/2024	0	0	0.333	0	0	0	3.112	500
9/19/2024	1.992	24.59	35.18	0	23.24	2.725	3.114	500
9/20/2024	0	0	14.68	0	0	0	3.532	500
9/21/2024	2.537	31.32	6.713	0	29.61	3.471	3.526	500
9/22/2024	0.393	4.851	6.673	0	4.586	0.5377	3.119	500
9/23/2024	1.623	20.03	6.58	0	18.94	2.22	2.993	500
9/24/2024	0	0	0.3249	0	0	0	2.838	500
9/25/2024	0	0	0.3195	0	0	0	2.622	500
9/26/2024	0	0	0.3165	0	0	0	2.288	500
9/27/2024	0	0	0.3142	0	0	0	2.246	500
9/28/2024	0	0	0.3117	0	0	0	2.325	500
9/29/2024	0	0	0.3088	0	0	0	2.056	500
9/30/2024	36.3	448.1	42.13	0	423.6	49.67	2.173	500
10/1/2024	0	0	243	0	0	0	3.091	250
10/2/2024	0	0	10.73	0	0	0	2.153	250
10/3/2024	0	0	6.027	0	0	0	2.351	250
10/4/2024	0	0	1.833	0	0	0	1.883	250
10/5/2024	0	0	1.339	0	0	0	1.656	250
10/6/2024	0	0	1.357	0	0	0	1.275	250
10/7/2024	0	0	1.354	0	0	0	0.8924	250
10/8/2024	0	0	1.332	0	0	0	1.172	250
10/9/2024	0	0	1.299	0	0	0	1.189	250
10/10/2024	0	0	1.255	0	0	0	1.226	250
10/11/2024	0	0	1.206	0	0	0	1.4	250
10/12/2024	0	0	0.3292	0	0	0	1.396	250
10/13/2024	0	0	0.3296	0	0	0	1.43	250
10/14/2024	0	0	0.3286	0	0	0	1.151	250
10/15/2024	0	0	0.3266	0	0	0	1.168	250
10/16/2024	0	0	0.3236	0	0	0	1.156	250
10/17/2024	0	0	0.32	0	0	0	1.036	250
10/18/2024	0	0	0.3159	0	0	0	0.8975	250
10/19/2024	0	0	0.3115	0	0	0	0.6468	250
10/20/2024	0	0	0.3067	0	0	0	0.4788	250
10/21/2024	0	0	0.3017	0	0	0	0.6131	250
10/22/2024	0	0	0.2967	0	0	0	0.5019	250
10/23/2024	0	0	0.2915	0	0	0	0.3818	250
10/24/2024	0	0	0.2862	0	0	0	0.7266	250
10/25/2024	0	0	0.281	0	0	0	0.9085	250
10/26/2024	0	0	0.2758	0	0	0	0.5159	250
10/27/2024	0	0	0.2706	0	0	0	0.6495	250
10/28/2024	0	0	0.2654	0	0	0	0.4582	250
10/29/2024	0	0	0.2603	0	0	0	0	250
10/30/2024	0	0	0.2552	0	0	0	0.4411	250
10/31/2024	0	0	0.2503	0	0	0	0.3003	250
11/1/2024	0	0	0.2454	0	0	0	0	0
11/2/2024	0	0	0.2405	0	0	0	0	0
11/3/2024	0	0	0.2358	0	0	0	0	0
11/4/2024	0	0	0.2311	0	0	0	0.03336	0
11/5/2024	0	0	0.2265	0	0	0	0.04817	0
11/6/2024	0	0	0.222	0	0	0	0	0
11/7/2024	0	0	0.2176	0	0	0	0	0
11/8/2024	0	0	0.2133	0	0	0	0	0
11/9/2024	0	0	0.2091	0	0	0	0	0
11/10/2024	0	0	0.2049	0	0	0	0	0
11/11/2024	0	0	0.2008	0	0	0	0	0
11/12/2024	0	0	0.1968	0	0	0	0.02967	0
11/13/2024	0	0	0.1929	0	0	0	0	0
11/14/2024	0	0	0.189	0	0	0	0.1209	0
11/15/2024	0	0	0.1852	0	0	0	0.2115	0
11/16/2024	0	0	0.1815	0	0	0	0.2528	0
11/17/2024	0	0	0.1779	0	0	0	0	0
11/18/2024	0	0	0.1744	0	0	0	0	0
11/19/2024	0	0	0.1709	0	0	0	0	0
11/20/2024	0	0	0.1674	0	0	0	0	0
11/21/2024	0	0	0.1641	0	0	0	0	0
11/22/2024	0	0	0.1608	0	0	0	0	0
11/23/2024	0	0	0.1576	0	0	0	0	0
11/24/2024	0	0	0.1545	0	0	0	0.04539	0
11/25/2024	0	0	0.1514	0	0	0	0	0
11/26/2024	0	0	0.1483	0	0	0	0.1522	0
11/27/2024	0	0	0.1454	0	0	0	0	0
11/28/2024	0	0	0.1425	0	0	0	0	0
11/29/2024	0	0	0.1396	0	0	0	0	0
11/30/2024	0	0	0.1368	0	0	0	0.05797	0
12/1/2024	0	0	0.1341	0	0	0	0.02227	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
12/2/2024	0	0	0.1314	0	0	0	0	0
12/3/2024	0	0	0.1288	0	0	0	0	0
12/4/2024	0	0	0.1262	0	0	0	0	0
12/5/2024	0	0	0.1237	0	0	0	0	0
12/6/2024	0	0	0.1212	0	0	0	0.01844	0
12/7/2024	0	0	0.1188	0	0	0	0.02586	0
12/8/2024	0	0	0.1164	0	0	0	0	0
12/9/2024	0	0	0.1141	0	0	0	0	0
12/10/2024	0	0	0.1118	0	0	0	0	0
12/11/2024	0	0	0.1096	0	0	0	0	0
12/12/2024	0	0	0.1074	0	0	0	0	0
12/13/2024	0	0	0.1052	0	0	0	0	0
12/14/2024	0	0	0.1031	0	0	0	0	0
12/15/2024	0	0	0.1011	0	0	0	0.03734	0
12/16/2024	0	0	0.09903	0	0	0	0	0
12/17/2024	0	0	0.09705	0	0	0	0.02521	0
12/18/2024	0	0	0.09511	0	0	0	0	0
12/19/2024	0	0	0.09321	0	0	0	0	0
12/20/2024	0	0	0.09134	0	0	0	0	0
12/21/2024	0	0	0.08952	0	0	0	0	0
12/22/2024	0	0	0.08773	0	0	0	0	0
12/23/2024	0	0	0.08597	0	0	0	0	0
12/24/2024	0	0	0.08425	0	0	0	0	0
12/25/2024	0	0	0.08257	0	0	0	0	0
12/26/2024	0	0	0.08092	0	0	0	0	0
12/27/2024	0	0	0.0793	0	0	0	0	0
12/28/2024	0	0	0.07771	0	0	0	0	0
12/29/2024	0	0	0.07616	0	0	0	0	0
12/30/2024	0	0	0.07464	0	0	0	0	0
12/31/2024	0	0	0.07314	0	0	0	0	0
1/1/2025	0	0	0.07168	0	0	0	0	0
1/2/2025	0	0	0.07025	0	0	0	0	0
1/3/2025	0	0	0.06884	0	0	0	0	0
1/4/2025	0	0	0.06746	0	0	0	0	0
1/5/2025	0	0	0.06611	0	0	0	0	0
1/6/2025	0	0	0.06479	0	0	0	0	0
1/7/2025	0	0	0.0635	0	0	0	0	0
1/8/2025	0	0	0.06223	0	0	0	0	0
1/9/2025	0	0	0.06098	0	0	0	0	0
1/10/2025	0	0	0.05976	0	0	0	0	0
1/11/2025	0	0	0.05857	0	0	0	0	0
1/12/2025	0	0	0.0574	0	0	0	0	0
1/13/2025	0	0	0.05625	0	0	0	0	0
1/14/2025	0	0	0.05512	0	0	0	0	0
1/15/2025	0	0	0.05402	0	0	0	0	0
1/16/2025	0	0	0.05294	0	0	0	0	0
1/17/2025	0	0	0.05188	0	0	0	0	0
1/18/2025	0	0	0.05084	0	0	0	0	0
1/19/2025	0	0	0.04983	0	0	0	0.00222	0
1/20/2025	0	0	0.04883	0	0	0	0.07184	0
1/21/2025	0	0	0.04785	0	0	0	0	0
1/22/2025	0	0	0.0469	0	0	0	0	0
1/23/2025	0	0	0.04596	0	0	0	0	0
1/24/2025	0	0	0.04504	0	0	0	0	0
1/25/2025	0	0	0.04414	0	0	0	0	0
1/26/2025	0	0	0.04326	0	0	0	0	0
1/27/2025	0	0	0.04239	0	0	0	0	0
1/28/2025	0	0	0.04154	0	0	0	0	0
1/29/2025	0	0	0.04071	0	0	0	0	0
1/30/2025	0	0	0.0399	0	0	0	0	0
1/31/2025	0	0	0.0391	0	0	0	0	0
2/1/2025	0	0	0.03832	0	0	0	0	0
2/2/2025	0	0	0.03755	0	0	0	0	0
2/3/2025	0	0	0.0368	0	0	0	0	0
2/4/2025	0	0	0.03606	0	0	0	0	0
2/5/2025	0	0	0.03534	0	0	0	0	0
2/6/2025	0	0	0.03464	0	0	0	0	0
2/7/2025	0	0	0.03394	0	0	0	0	0
2/8/2025	0	0	0.03326	0	0	0	0	0
2/9/2025	0	0	0.0326	0	0	0	0	0
2/10/2025	0	0	0.03195	0	0	0	0	0
2/11/2025	0	0	0.03131	0	0	0	0	0
2/12/2025	0	0	0.03068	0	0	0	0	0
2/13/2025	0	0	0.03007	0	0	0	0	0
2/14/2025	0	0	0.02947	0	0	0	0	0
2/15/2025	0	0	0.02888	0	0	0	0	0
2/16/2025	0	0	0.0283	0	0	0	0	0
2/17/2025	0	0	0.02773	0	0	0	0	0
2/18/2025	0	0	0.02718	0	0	0	0	0
2/19/2025	0	0	0.02664	0	0	0	0	0
2/20/2025	0	0	0.0261	0	0	0	0	0
2/21/2025	0	0	0.02558	0	0	0	0	0
2/22/2025	0	0	0.02507	0	0	0	0	0
2/23/2025	0	0	0.02457	0	0	0	0	0
2/24/2025	0	0	0.02408	0	0	0	0	0
2/25/2025	0	0	0.0236	0	0	0	0	0
2/26/2025	0	0	0.02312	0	0	0	0	0
2/27/2025	0	0	0.02266	0	0	0	0	0
2/28/2025	0	0	0.02221	0	0	0	0	0
3/1/2025	0	0	0.02176	0	0	0	0	0
3/2/2025	0	0	0.02133	0	0	0	0	0
3/3/2025	0	0	0.0209	0	0	0	0	0
3/4/2025	0	0	0.02048	0	0	0	0	0
3/5/2025	0	0	0.02007	0	0	0	0	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
3/6/2025	0	0	0.01967	0	0	0	0	0
3/7/2025	0	0	0.01928	0	0	0	0	0
3/8/2025	0	0	0.01889	0	0	0	0	0
3/9/2025	0	0	0.01852	0	0	0	0	0
3/10/2025	0	0	0.01815	0	0	0	0	0
3/11/2025	0	0	0.01778	0	0	0	0	0
3/12/2025	0	0	0.01743	0	0	0	0	0
3/13/2025	0	0	0.01708	0	0	0	0	0
3/14/2025	0	0	0.01674	0	0	0	0	0
3/15/2025	0	0	0.0164	0	0	0	0	0
3/16/2025	0	0	0.01607	0	0	0	0	0
3/17/2025	0	0	0.01575	0	0	0	0	0
3/18/2025	0	0	0.01544	0	0	0	0	0
3/19/2025	0	0	0.01513	0	0	0	0	0
3/20/2025	0	0	0.01483	0	0	0	0	0
3/21/2025	0	0	0.01453	0	0	0	0	0
3/22/2025	0	0	0.01424	0	0	0	0	0
3/23/2025	0	0	0.01395	0	0	0	0.9574	0
3/24/2025	0	0	0.01368	0	0	0	2.388	0
3/25/2025	0	0	0.0134	0	0	0	1.397	0
3/26/2025	0	0	0.01313	0	0	0	0.4116	0
3/27/2025	0	0	0.01287	0	0	0	0	0
3/28/2025	0	0	0.01261	0	0	0	0	0
3/29/2025	0	0	0.01236	0	0	0	0	0
3/30/2025	0	0	0.01211	0	0	0	0	0
3/31/2025	0	0	0.01187	0	0	0	0	0
4/1/2025	0	0	0.01163	0	0	0	1.048	0
4/2/2025	0	0	0.0114	0	0	0	1.605	0
4/3/2025	0	0	0.01117	0	0	0	0	0
4/4/2025	0	0	0.01095	0	0	0	0	0
4/5/2025	0	0	0.01073	0	0	0	0	0
4/6/2025	0	0	0.01052	0	0	0	0	0
4/7/2025	0	0	0.01031	0	0	0	0	0
4/8/2025	0	0	0.0101	0	0	0	0	0
4/9/2025	0	0	0.009898	0	0	0	0	0
4/10/2025	0	0	0.0097	0	0	0	0	0
4/11/2025	0	0	0.009506	0	0	0	0	0
4/12/2025	0	0	0.009316	0	0	0	0	0
4/13/2025	0	0	0.00913	0	0	0	0	0
4/14/2025	0	0	0.008947	0	0	0	0.4944	0
4/15/2025	0	0	0.008768	0	0	0	1.796	0
4/16/2025	0	0	0.008593	0	0	0	1.726	0
4/17/2025	0	0	0.008421	0	0	0	1.205	0
4/18/2025	0	0	0.008253	0	0	0	0.804	0
4/19/2025	0	0	0.008087	0	0	0	0.6052	0
4/20/2025	0	0	0.007926	0	0	0	0	0
4/21/2025	0	0	0.007767	0	0	0	0	0
4/22/2025	0	0	0.007612	0	0	0	0	0
4/23/2025	0	0	0.00746	0	0	0	0	0
4/24/2025	0	0	0.00731	0	0	0	0	0
4/25/2025	0	0	0.007164	0	0	0	0	0
4/26/2025	0	0	0.007021	0	0	0	0	0
4/27/2025	0	0	0.006881	0	0	0	0	0
4/28/2025	0	0	0.006743	0	0	0	1.114	0
4/29/2025	0	0	0.006608	0	0	0	0	0
4/30/2025	0	0	0.006476	0	0	0	0	0
5/1/2025	0	0	0.006346	0	0	0	0.822	0
5/2/2025	0	0	0.006219	0	0	0	2.983	0
5/3/2025	0	0	0.006095	0	0	0	3.628	0
5/4/2025	0	0	0.005973	0	0	0	4.087	0
5/5/2025	0	0	0.005854	0	0	0	1.958	0
5/6/2025	0	0	0.005737	0	0	0	3.506	0
5/7/2025	0	0	0.005622	0	0	0	3.542	0
5/8/2025	0	0	0.005509	0	0	0	3.485	0
5/9/2025	0	0	0.005399	0	0	0	5.257	0
5/10/2025	0	0	0.005291	0	0	0	6.074	0
5/11/2025	0	0	0.005185	0	0	0	5.932	0
5/12/2025	0	0	0.005082	0	0	0	5.899	0
5/13/2025	0	0	0.00498	0	0	0	5.38	0
5/14/2025	0	0	0.00488	0	0	0	6.13	0
5/15/2025	4.19	51.71	22.71	0	48.89	5.732	4.831	0
5/16/2025	4.019	56.99	71.02	0	53.88	7.066	6.514	0
5/17/2025	8.358	151.2	100.7	0	143	21.63	7.779	0
5/18/2025	0.2232	10.56	131.6	0	9.984	1.961	11.33	0
5/19/2025	0	0	8.578	0	0	0	11.81	0
5/20/2025	0	0	0.07102	0	0	0	12.11	0
5/21/2025	0.4677	43.79	21.46	0	41.4	8.705	12.55	0
5/22/2025	0.1801	80.75	101.7	0	76.35	16.9	14.24	0
5/23/2025	0	101.9	230.8	0	96.34	24.06	15.51	0
5/24/2025	0	133.2	232.3	0	125.9	34.48	16.04	0
5/25/2025	0	144.9	139.9	0	137	40.95	17.97	0
5/26/2025	0	25.97	113.5	0	24.56	7.881	20.07	0
5/27/2025	0	58.57	46.15	0	55.38	18.19	18.68	0
5/28/2025	0	35.44	42.35	0	33.51	11.27	18.96	0
5/29/2025	0	120.4	76.24	0	113.8	38.87	21.38	0
5/30/2025	0	169.8	358.5	0	160.5	57.41	25.49	0
5/31/2025	0	226.4	592.4	0	214	84.17	30.31	0
6/1/2025	0	250.8	804.8	0	237.1	106	34.03	250
6/2/2025	0	216.5	986.8	0	204.7	102.8	40.82	250
6/3/2025	0	110.5	668.2	0	104.5	59.78	37.02	250
6/4/2025	0	139.9	252	0	132.3	80.96	44.25	250
6/5/2025	0	148.4	201.9	0	140.3	88.52	45.02	250
6/6/2025	0	194.7	173.3	0	184.1	119.3	48.83	250
6/7/2025	0	318.8	149.7	0	301.4	202.2	54.66	250

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
6/8/2025	0	333.1	129.9	0	314.9	224	50.29	250
6/9/2025	0	211.7	211.6	0	200.1	150.9	56.15	250
6/10/2025	0	153.1	126.7	0	144.8	113.3	58.84	250
6/11/2025	0	182.2	102.7	0	172.2	137.1	59.75	250
6/12/2025	0	95.04	95.78	0	89.86	73.11	56.98	250
6/13/2025	0	103	90.53	0	97.34	79.48	56.9	250
6/14/2025	0	210.5	84.7	0	199.1	163.3	62.99	250
6/15/2025	0	300.3	78.23	0	284	238.9	68.39	250
6/16/2025	0	223.7	72.2	0	211.5	185.5	68.12	250
6/17/2025	0	287.1	66.57	0	271.4	244.2	74.69	250
6/18/2025	0	133.6	61.29	0	126.3	117.8	80.1	250
6/19/2025	0	9.9	56.35	0	9.36	8.791	79.48	250
6/20/2025	0	9.9	51.76	0	9.36	8.652	79.77	250
6/21/2025	0	9.9	47.49	0	9.36	8.509	91.66	250
6/22/2025	0	0	43.39	0	0	0	76.03	250
6/23/2025	0	0	39.63	0	0	0	67.77	250
6/24/2025	0	0	36.2	0	0	0	73.19	250
6/25/2025	0	0	32.94	0	0	0	70.37	250
6/26/2025	0	0	29.93	0	0	0	71.3	250
6/27/2025	0	0	27.1	0	0	0	87.07	250
6/28/2025	0	0	24.29	0	0	0	103.3	250
6/29/2025	0	0	6.135	0	0	0	160.5	250
6/30/2025	0	0	6.012	0	0	0	265.7	250
7/1/2025	0	0	5.892	0	0	0	64.69	500
7/2/2025	0	0	5.774	0	0	0	62.24	500
7/3/2025	0	0	5.659	0	0	0	98.56	500
7/4/2025	0	0	5.546	0	0	0	74	500
7/5/2025	0	0	5.435	0	0	0	50.84	500
7/6/2025	0	9.9	5.326	0	9.36	5.058	49.13	500
7/7/2025	0	1007	5.219	0	952.5	486.6	46.63	500
7/8/2025	0	341	508.4	0	322.4	201.3	58.73	500
7/9/2025	0	17.85	218.8	0	16.88	11.38	63.49	500
7/10/2025	0	0	60.85	0	0	0	61.1	500
7/11/2025	0	0	48.32	0	0	0	59.05	500
7/12/2025	0	9.9	36.05	0	9.36	5.564	59.63	500
7/13/2025	0	0	33.27	0	0	0	57.35	500
7/14/2025	0	0	32.16	0	0	0	53.92	500
7/15/2025	0	0	29.29	0	0	0	73.73	500
7/16/2025	0	0	26	0	0	0	48.5	500
7/17/2025	0	0	6.661	0	0	0	48.5	500
7/18/2025	0	0	6.528	0	0	0	51.98	500
7/19/2025	0	0	6.398	0	0	0	42.26	500
7/20/2025	0	0	6.27	0	0	0	38.41	500
7/21/2025	0	9.9	6.144	0	9.36	3.229	35.88	500
7/22/2025	0	139	6.021	0	131.4	42.05	29.44	500
7/23/2025	0	253.5	51.51	0	239.6	74.16	27.35	500
7/24/2025	0	31.32	122.6	0	29.61	9.296	26.28	500
7/25/2025	0	1075	8.92	0	1016	302.3	26.45	500
7/26/2025	0	38.05	554	0	35.97	14.04	34.41	500
7/27/2025	0	0	74.45	0	0	0	39.53	500
7/28/2025	0	85.17	57.44	0	80.53	30	32.26	500
7/29/2025	0	11.12	63.22	0	10.51	3.772	27.78	500
7/30/2025	0	0	39.92	0	0	0	26.99	500
7/31/2025	0	0	36.47	0	0	0	26.4	500
8/1/2025	0	0	35.47	0	0	0	26.52	500
8/2/2025	0	0	32.78	0	0	0	28.96	500
8/3/2025	0	0	29.56	0	0	0	21.05	500
8/4/2025	0	0	26.69	0	0	0	15.7	500
8/5/2025	0.8021	9.9	24.04	0	9.36	1.097	10.29	500
8/6/2025	0.8021	9.9	6.197	0	9.36	1.097	8.901	500
8/7/2025	0	0	6.073	0	0	0	9.225	500
8/8/2025	25.45	314.1	5.951	0	296.9	34.81	9.135	500
8/9/2025	75.92	1129	145.2	0	1067	144.5	10.64	500
8/10/2025	0	199.6	588.5	0	188.7	56.85	18.91	500
8/11/2025	0	9.9	172.8	0	9.36	3.058	22.13	500
8/12/2025	0	17.85	76.03	0	16.88	5.242	20.88	500
8/13/2025	0	17.85	63.23	0	16.88	4.904	21.7	500
8/14/2025	0	0	52.3	0	0	0	24.26	500
8/15/2025	0	0	42.05	0	0	0	17.76	500
8/16/2025	0.2876	9.9	41.32	0	9.36	1.741	13.52	500
8/17/2025	0	0	39.55	0	0	0	12.72	500
8/18/2025	0	0	36.29	0	0	0	9.09	500
8/19/2025	0	0	33.09	0	0	0	8.206	500
8/20/2025	27.63	341	30.18	0	322.4	37.8	7.493	500
8/21/2025	0.6722	11.12	182.8	0	10.51	1.519	9.246	500
8/22/2025	0	0	25.48	0	0	0	7.029	500
8/23/2025	7.992	98.64	25.69	0	93.26	10.93	6.932	500
8/24/2025	4.174	51.51	53.3	0	48.7	5.71	7.337	500
8/25/2025	0.8021	9.9	36.7	0	9.36	1.097	6.533	500
8/26/2025	0.8021	9.9	6.62	0	9.36	1.097	6.759	500
8/27/2025	1.992	24.59	6.726	0	23.24	2.725	6.599	500
8/28/2025	8.537	105.4	6.679	0	99.62	11.68	6.075	500
8/29/2025	0.8021	9.9	42.96	0	9.36	1.097	5.883	500
8/30/2025	3.628	44.78	6.414	0	42.34	4.964	5.84	500
8/31/2025	0.8021	9.9	11.96	0	9.36	1.097	5.412	500
9/1/2025	0.8021	9.9	6.349	0	9.36	1.097	5.451	500
9/2/2025	0.9011	11.12	6.239	0	10.51	1.233	5.512	500
9/3/2025	3.476	42.9	6.114	0	40.56	4.755	5.299	500
9/4/2025	2.385	29.44	7.612	0	27.83	3.263	5.444	500
9/5/2025	1.195	14.75	7.578	0	13.95	1.635	5.339	500
9/6/2025	0.9011	11.12	5.755	0	10.51	1.233	4.948	500
9/7/2025	0	0	5.64	0	0	0	4.69	500
9/8/2025	17.11	211.2	5.527	0	199.7	23.41	4.507	500
9/9/2025	1.294	15.97	95.03	0	15.1	1.77	4.6	500

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3
9/10/2025	0.393	4.851	5.308	0	4.586	0.5377	4.246	500
9/11/2025	11.47	141.6	5.591	0	133.9	15.7	3.442	500
9/12/2025	4.73	58.38	63.08	0	55.19	6.471	3.764	500
9/13/2025	0	0	26.68	0	0	0	4.189	500
9/14/2025	0.393	4.851	6.219	0	4.586	0.5377	3.766	500
9/15/2025	2.267	27.98	6.543	0	26.46	3.102	4.153	500
9/16/2025	0	0	0.3367	0	0	0	3.412	500
9/17/2025	0	0	0.3397	0	0	0	3.176	500
9/18/2025	0	0	1.201	0	0	0	3.177	500
9/19/2025	1.992	24.59	35.11	0	23.24	2.725	3.18	500
9/20/2025	0	0	14.69	0	0	0	3.608	500
9/21/2025	2.537	31.32	6.564	0	29.61	3.471	3.603	500
9/22/2025	0.393	4.851	6.522	0	4.586	0.5377	3.188	500
9/23/2025	1.623	20.03	6.426	0	18.94	2.22	3.061	500
9/24/2025	0	0	0.317	0	0	0	2.904	500
9/25/2025	0	0	0.3115	0	0	0	2.683	500
9/26/2025	0	0	0.3084	0	0	0	2.342	500
9/27/2025	0	0	0.3059	0	0	0	2.3	500
9/28/2025	0	0	0.3034	0	0	0	2.382	500
9/29/2025	0	0	0.3005	0	0	0	2.107	500
9/30/2025	36.3	448.1	41.03	0	423.6	49.67	2.227	500
10/1/2025	0	0	242.9	0	0	0	3.167	250
10/2/2025	0	0	10.67	0	0	0	2.207	250
10/3/2025	0	0	5.114	0	0	0	2.41	250
10/4/2025	0	0	1.839	0	0	0	1.933	250
10/5/2025	0	0	1.369	0	0	0	1.701	250
10/6/2025	0	0	1.385	0	0	0	1.31	250
10/7/2025	0	0	1.379	0	0	0	0.9173	250
10/8/2025	0	0	1.356	0	0	0	1.205	250
10/9/2025	0	0	1.321	0	0	0	1.223	250
10/10/2025	0	0	1.276	0	0	0	1.262	250
10/11/2025	0	0	1.225	0	0	0	1.441	250
10/12/2025	0	0	0.3342	0	0	0	1.438	250
10/13/2025	0	0	0.3345	0	0	0	1.474	250
10/14/2025	0	0	0.3335	0	0	0	1.187	250
10/15/2025	0	0	0.3313	0	0	0	1.205	250
10/16/2025	0	0	0.3283	0	0	0	1.193	250
10/17/2025	0	0	0.3246	0	0	0	1.07	250
10/18/2025	0	0	0.3204	0	0	0	0.9269	250
10/19/2025	0	0	0.3158	0	0	0	0.6683	250
10/20/2025	0	0	0.311	0	0	0	0.4949	250
10/21/2025	0	0	0.3059	0	0	0	0.6341	250
10/22/2025	0	0	0.3007	0	0	0	0.5193	250
10/23/2025	0	0	0.2955	0	0	0	0.3952	250
10/24/2025	0	0	0.2902	0	0	0	0.7525	250
10/25/2025	0	0	0.2849	0	0	0	0.9413	250
10/26/2025	0	0	0.2795	0	0	0	0.5348	250
10/27/2025	0	0	0.2743	0	0	0	0.6736	250
10/28/2025	0	0	0.269	0	0	0	0.4754	250
10/29/2025	0	0	0.2638	0	0	0	0	250
10/30/2025	0	0	0.2587	0	0	0	0.4581	250
10/31/2025	0	0	0.2537	0	0	0	0.312	250
11/1/2025	0	0	0.2487	0	0	0	0	0
11/2/2025	0	0	0.2438	0	0	0	0	0
11/3/2025	0	0	0.239	0	0	0	0	0
11/4/2025	0	0	0.2343	0	0	0	0.03472	0
11/5/2025	0	0	0.2296	0	0	0	0.05017	0
11/6/2025	0	0	0.2251	0	0	0	0	0
11/7/2025	0	0	0.2206	0	0	0	0	0
11/8/2025	0	0	0.2162	0	0	0	0	0
11/9/2025	0	0	0.2119	0	0	0	0	0
11/10/2025	0	0	0.2077	0	0	0	0	0
11/11/2025	0	0	0.2035	0	0	0	0	0
11/12/2025	0	0	0.1995	0	0	0	0.03098	0
11/13/2025	0	0	0.1955	0	0	0	0	0
11/14/2025	0	0	0.1916	0	0	0	0.1263	0
11/15/2025	0	0	0.1878	0	0	0	0.2211	0
11/16/2025	0	0	0.184	0	0	0	0.2643	0
11/17/2025	0	0	0.1803	0	0	0	0	0
11/18/2025	0	0	0.1767	0	0	0	0	0
11/19/2025	0	0	0.1732	0	0	0	0	0
11/20/2025	0	0	0.1697	0	0	0	0	0
11/21/2025	0	0	0.1663	0	0	0	0	0
11/22/2025	0	0	0.163	0	0	0	0	0
11/23/2025	0	0	0.1597	0	0	0	0	0
11/24/2025	0	0	0.1566	0	0	0	0.04746	0
11/25/2025	0	0	0.1534	0	0	0	0	0
11/26/2025	0	0	0.1504	0	0	0	0.159	0
11/27/2025	0	0	0.1473	0	0	0	0	0
11/28/2025	0	0	0.1444	0	0	0	0	0
11/29/2025	0	0	0.1415	0	0	0	0	0
11/30/2025	0	0	0.1387	0	0	0	0.06043	0
12/1/2025	0	0	0.1359	0	0	0	0.02319	0
12/2/2025	0	0	0.1332	0	0	0	0	0
12/3/2025	0	0	0.1305	0	0	0	0	0
12/4/2025	0	0	0.1279	0	0	0	0	0
12/5/2025	0	0	0.1254	0	0	0	0	0
12/6/2025	0	0	0.1229	0	0	0	0.01908	0
12/7/2025	0	0	0.1204	0	0	0	0.02672	0
12/8/2025	0	0	0.118	0	0	0	0	0
12/9/2025	0	0	0.1156	0	0	0	0	0
12/10/2025	0	0	0.1133	0	0	0	0	0
12/11/2025	0	0	0.111	0	0	0	0	0
12/12/2025	0	0	0.1088	0	0	0	0	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
12/13/2025	0	0	0.1067	0	0	0	0	0
12/14/2025	0	0	0.1045	0	0	0	0	0
12/15/2025	0	0	0.1024	0	0	0	0.03788	0
12/16/2025	0	0	0.1004	0	0	0	0	0
12/17/2025	0	0	0.09837	0	0	0	0.02543	0
12/18/2025	0	0	0.0964	0	0	0	0	0
12/19/2025	0	0	0.09448	0	0	0	0	0
12/20/2025	0	0	0.09259	0	0	0	0	0
12/21/2025	0	0	0.09073	0	0	0	0	0
12/22/2025	0	0	0.08892	0	0	0	0	0
12/23/2025	0	0	0.08714	0	0	0	0	0
12/24/2025	0	0	0.0854	0	0	0	0	0
12/25/2025	0	0	0.08369	0	0	0	0	0
12/26/2025	0	0	0.08202	0	0	0	0	0
12/27/2025	0	0	0.08038	0	0	0	0	0
12/28/2025	0	0	0.07877	0	0	0	0	0
12/29/2025	0	0	0.07719	0	0	0	0	0
12/30/2025	0	0	0.07565	0	0	0	0	0
12/31/2025	0	0	0.07414	0	0	0	0	0
1/1/2026	0	0	0.07265	0	0	0	0	0
1/2/2026	0	0	0.0712	0	0	0	0	0
1/3/2026	0	0	0.06978	0	0	0	0	0
1/4/2026	0	0	0.06838	0	0	0	0	0
1/5/2026	0	0	0.06701	0	0	0	0	0
1/6/2026	0	0	0.06567	0	0	0	0	0
1/7/2026	0	0	0.06436	0	0	0	0	0
1/8/2026	0	0	0.06307	0	0	0	0	0
1/9/2026	0	0	0.06181	0	0	0	0	0
1/10/2026	0	0	0.06057	0	0	0	0	0
1/11/2026	0	0	0.05936	0	0	0	0	0
1/12/2026	0	0	0.05818	0	0	0	0	0
1/13/2026	0	0	0.05701	0	0	0	0	0
1/14/2026	0	0	0.05587	0	0	0	0	0
1/15/2026	0	0	0.05475	0	0	0	0	0
1/16/2026	0	0	0.05366	0	0	0	0	0
1/17/2026	0	0	0.05259	0	0	0	0	0
1/18/2026	0	0	0.05153	0	0	0	0	0
1/19/2026	0	0	0.0505	0	0	0	0.00222	0
1/20/2026	0	0	0.04949	0	0	0	0.07185	0
1/21/2026	0	0	0.0485	0	0	0	0	0
1/22/2026	0	0	0.04753	0	0	0	0	0
1/23/2026	0	0	0.04658	0	0	0	0	0
1/24/2026	0	0	0.04565	0	0	0	0	0
1/25/2026	0	0	0.04474	0	0	0	0	0
1/26/2026	0	0	0.04384	0	0	0	0	0
1/27/2026	0	0	0.04297	0	0	0	0	0
1/28/2026	0	0	0.04211	0	0	0	0	0
1/29/2026	0	0	0.04127	0	0	0	0	0
1/30/2026	0	0	0.04044	0	0	0	0	0
1/31/2026	0	0	0.03963	0	0	0	0	0
2/1/2026	0	0	0.03884	0	0	0	0	0
2/2/2026	0	0	0.03806	0	0	0	0	0
2/3/2026	0	0	0.0373	0	0	0	0	0
2/4/2026	0	0	0.03655	0	0	0	0	0
2/5/2026	0	0	0.03582	0	0	0	0	0
2/6/2026	0	0	0.03511	0	0	0	0	0
2/7/2026	0	0	0.03441	0	0	0	0	0
2/8/2026	0	0	0.03372	0	0	0	0	0
2/9/2026	0	0	0.03304	0	0	0	0	0
2/10/2026	0	0	0.03238	0	0	0	0	0
2/11/2026	0	0	0.03173	0	0	0	0	0
2/12/2026	0	0	0.0311	0	0	0	0	0
2/13/2026	0	0	0.03048	0	0	0	0	0
2/14/2026	0	0	0.02987	0	0	0	0	0
2/15/2026	0	0	0.02927	0	0	0	0	0
2/16/2026	0	0	0.02869	0	0	0	0	0
2/17/2026	0	0	0.02811	0	0	0	0	0
2/18/2026	0	0	0.02755	0	0	0	0	0
2/19/2026	0	0	0.027	0	0	0	0	0
2/20/2026	0	0	0.02646	0	0	0	0	0
2/21/2026	0	0	0.02593	0	0	0	0	0
2/22/2026	0	0	0.02541	0	0	0	0	0
2/23/2026	0	0	0.0249	0	0	0	0	0
2/24/2026	0	0	0.0244	0	0	0	0	0
2/25/2026	0	0	0.02392	0	0	0	0	0
2/26/2026	0	0	0.02344	0	0	0	0	0
2/27/2026	0	0	0.02297	0	0	0	0	0
2/28/2026	0	0	0.02251	0	0	0	0	0
3/1/2026	0	0	0.02206	0	0	0	0	0
3/2/2026	0	0	0.02162	0	0	0	0	0
3/3/2026	0	0	0.02119	0	0	0	0	0
3/4/2026	0	0	0.02076	0	0	0	0	0
3/5/2026	0	0	0.02035	0	0	0	0	0
3/6/2026	0	0	0.01994	0	0	0	0	0
3/7/2026	0	0	0.01954	0	0	0	0	0
3/8/2026	0	0	0.01915	0	0	0	0	0
3/9/2026	0	0	0.01877	0	0	0	0	0
3/10/2026	0	0	0.01839	0	0	0	0	0
3/11/2026	0	0	0.01802	0	0	0	0	0
3/12/2026	0	0	0.01766	0	0	0	0	0
3/13/2026	0	0	0.01731	0	0	0	0	0
3/14/2026	0	0	0.01696	0	0	0	0	0
3/15/2026	0	0	0.01662	0	0	0	0	0
3/16/2026	0	0	0.01629	0	0	0	0	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
3/17/2026	0	0	0.01597	0	0	0	0	0
3/18/2026	0	0	0.01565	0	0	0	0	0
3/19/2026	0	0	0.01533	0	0	0	0	0
3/20/2026	0	0	0.01503	0	0	0	0	0
3/21/2026	0	0	0.01473	0	0	0	0	0
3/22/2026	0	0	0.01443	0	0	0	0	0
3/23/2026	0	0	0.01414	0	0	0	0.9575	0
3/24/2026	0	0	0.01386	0	0	0	2.389	0
3/25/2026	0	0	0.01358	0	0	0	1.397	0
3/26/2026	0	0	0.01331	0	0	0	0.4116	0
3/27/2026	0	0	0.01305	0	0	0	0	0
3/28/2026	0	0	0.01278	0	0	0	0	0
3/29/2026	0	0	0.01253	0	0	0	0	0
3/30/2026	0	0	0.01228	0	0	0	0	0
3/31/2026	0	0	0.01203	0	0	0	0	0
4/1/2026	0	0	0.01179	0	0	0	1.048	0
4/2/2026	0	0	0.01156	0	0	0	1.605	0
4/3/2026	0	0	0.01133	0	0	0	0	0
4/4/2026	0	0	0.0111	0	0	0	0	0
4/5/2026	0	0	0.01088	0	0	0	0	0
4/6/2026	0	0	0.01066	0	0	0	0	0
4/7/2026	0	0	0.01045	0	0	0	0	0
4/8/2026	0	0	0.01024	0	0	0	0	0
4/9/2026	0	0	0.01003	0	0	0	0	0
4/10/2026	0	0	0.009832	0	0	0	0	0
4/11/2026	0	0	0.009635	0	0	0	0	0
4/12/2026	0	0	0.009443	0	0	0	0	0
4/13/2026	0	0	0.009254	0	0	0	0	0
4/14/2026	0	0	0.009069	0	0	0	0.4945	0
4/15/2026	0	0	0.008887	0	0	0	1.797	0
4/16/2026	0	0	0.00871	0	0	0	1.727	0
4/17/2026	0	0	0.008535	0	0	0	1.205	0
4/18/2026	0	0	0.008365	0	0	0	0.804	0
4/19/2026	0	0	0.008197	0	0	0	0.6052	0
4/20/2026	0	0	0.008033	0	0	0	0	0
4/21/2026	0	0	0.007873	0	0	0	0	0
4/22/2026	0	0	0.007715	0	0	0	0	0
4/23/2026	0	0	0.007561	0	0	0	0	0
4/24/2026	0	0	0.00741	0	0	0	0	0
4/25/2026	0	0	0.007262	0	0	0	0	0
4/26/2026	0	0	0.007116	0	0	0	0	0
4/27/2026	0	0	0.006974	0	0	0	0	0
4/28/2026	0	0	0.006835	0	0	0	1.114	0
4/29/2026	0	0	0.006698	0	0	0	0	0
4/30/2026	0	0	0.006564	0	0	0	0	0
5/1/2026	0	0	0.006433	0	0	0	0.8221	0
5/2/2026	0	0	0.006304	0	0	0	2.983	0
5/3/2026	0	0	0.006178	0	0	0	3.628	0
5/4/2026	0	0	0.006054	0	0	0	4.087	0
5/5/2026	0	0	0.005933	0	0	0	1.958	0
5/6/2026	0	0	0.005815	0	0	0	3.506	0
5/7/2026	0	0	0.005698	0	0	0	3.542	0
5/8/2026	0	0	0.005584	0	0	0	3.485	0
5/9/2026	0	0	0.005473	0	0	0	5.257	0
5/10/2026	0	0	0.005363	0	0	0	6.074	0
5/11/2026	0	0	0.005256	0	0	0	5.932	0
5/12/2026	0	0	0.005151	0	0	0	5.899	0
5/13/2026	0	0	0.005048	0	0	0	5.38	0
5/14/2026	0	0	0.004947	0	0	0	6.13	0
5/15/2026	4.19	51.71	22.71	0	48.89	5.732	4.831	0
5/16/2026	4.019	56.99	71.02	0	53.88	7.066	6.514	0
5/17/2026	8.358	151.2	100.7	0	143	21.63	7.779	0
5/18/2026	0.2232	10.56	131.6	0	9.984	1.961	11.33	0
5/19/2026	0	0	8.578	0	0	0	11.81	0
5/20/2026	0	0	0.07108	0	0	0	12.11	0
5/21/2026	0.4677	43.79	21.46	0	41.4	8.705	12.55	0
5/22/2026	0.1801	80.75	101.7	0	76.35	16.9	14.24	0
5/23/2026	0	101.9	230.8	0	96.34	24.06	15.51	0
5/24/2026	0	133.2	232.3	0	125.9	34.48	16.04	0
5/25/2026	0	144.9	139.9	0	137	40.95	17.97	0
5/26/2026	0	25.97	113.5	0	24.56	7.881	20.07	0
5/27/2026	0	58.57	46.15	0	55.38	18.19	18.68	0
5/28/2026	0	35.44	42.35	0	33.51	11.27	18.96	0
5/29/2026	0	120.4	76.24	0	113.8	38.87	21.38	0
5/30/2026	0	169.8	358.5	0	160.5	57.41	25.49	0
5/31/2026	0	226.4	584	0	214	84.17	30.31	0
6/1/2026	0	250.8	804.8	0	237.1	105.9	34	250
6/2/2026	0	216.5	986.8	0	204.7	102.7	40.78	250
6/3/2026	0	110.5	668.2	0	104.5	59.73	36.99	250
6/4/2026	0	139.9	252	0	132.3	80.89	44.22	250
6/5/2026	0	148.4	201.9	0	140.3	88.44	44.98	250
6/6/2026	0	194.7	173.3	0	184.1	119.2	48.79	250
6/7/2026	0	318.8	149.7	0	301.4	202	54.61	250
6/8/2026	0	333.1	129.9	0	314.9	223.9	50.26	250
6/9/2026	0	211.7	211.6	0	200.1	150.8	56.11	250
6/10/2026	0	153.1	126.7	0	144.8	113.2	58.8	250
6/11/2026	0	182.2	102.7	0	172.2	137.1	59.71	250
6/12/2026	0	95.04	95.78	0	89.86	73.06	56.94	250
6/13/2026	0	103	90.53	0	97.34	79.42	56.87	250
6/14/2026	0	210.5	84.7	0	199.1	163.2	62.95	250
6/15/2026	0	300.3	78.23	0	284	238.7	68.35	250
6/16/2026	0	223.7	72.2	0	211.5	185.3	68.08	250
6/17/2026	0	287.1	66.57	0	271.4	244	74.64	250
6/18/2026	0	133.6	61.29	0	126.3	117.7	80.06	250

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3
6/19/2026	0	9.9	56.35	0	9.36	8.785	79.43	250
6/20/2026	0	9.9	51.76	0	9.36	8.646	79.72	250
6/21/2026	0	9.9	47.49	0	9.36	8.504	91.6	250
6/22/2026	0	0	43.39	0	0	0	75.98	250
6/23/2026	0	0	39.63	0	0	0	67.72	250
6/24/2026	0	0	36.2	0	0	0	73.14	250
6/25/2026	0	0	32.94	0	0	0	70.32	250
6/26/2026	0	0	29.93	0	0	0	71.25	250
6/27/2026	0	0	27.1	0	0	0	87.01	250
6/28/2026	0	0	24.29	0	0	0	103.3	250
6/29/2026	0	0	6.135	0	0	0	160.4	250
6/30/2026	0	0	6.012	0	0	0	265.5	250
7/1/2026	0	0	5.892	0	0	0	64.65	500
7/2/2026	0	0	5.774	0	0	0	62.19	500
7/3/2026	0	0	5.659	0	0	0	98.48	500
7/4/2026	0	0	5.546	0	0	0	73.93	500
7/5/2026	0	0	5.435	0	0	0	50.8	500
7/6/2026	0	9.9	5.326	0	9.36	5.053	49.08	500
7/7/2026	0	1007	5.219	0	952.5	486.2	46.59	500
7/8/2026	0	341	508.4	0	322.4	201.2	58.69	500
7/9/2026	0	17.85	218.8	0	16.88	11.37	63.44	500
7/10/2026	0	0	60.85	0	0	0	61.05	500
7/11/2026	0	0	48.32	0	0	0	59	500
7/12/2026	0	9.9	36.05	0	9.36	5.559	59.57	500
7/13/2026	0	0	33.27	0	0	0	57.3	500
7/14/2026	0	0	32.17	0	0	0	53.87	500
7/15/2026	0	0	29.29	0	0	0	73.67	500
7/16/2026	0	0	26	0	0	0	48.45	500
7/17/2026	0	0	6.662	0	0	0	48.45	500
7/18/2026	0	0	6.528	0	0	0	51.93	500
7/19/2026	0	0	6.398	0	0	0	42.22	500
7/20/2026	0	0	6.27	0	0	0	38.37	500
7/21/2026	0	9.9	6.144	0	9.36	3.225	35.84	500
7/22/2026	0	139	6.021	0	131.4	41.99	29.4	500
7/23/2026	0	253.5	51.51	0	239.6	74.06	27.31	500
7/24/2026	0	31.32	122.6	0	29.61	9.284	26.25	500
7/25/2026	0	1075	8.92	0	1016	301.9	26.42	500
7/26/2026	0	38.05	554	0	35.97	14.02	34.37	500
7/27/2026	0	0	74.45	0	0	0	39.49	500
7/28/2026	0	85.17	57.44	0	80.53	29.97	32.23	500
7/29/2026	0	11.12	63.22	0	10.51	3.767	27.75	500
7/30/2026	0	0	39.92	0	0	0	26.96	500
7/31/2026	0	0	36.47	0	0	0	26.37	500
8/1/2026	0	0	35.47	0	0	0	26.48	500
8/2/2026	0	0	32.78	0	0	0	28.9	500
8/3/2026	0	0	29.56	0	0	0	20.96	500
8/4/2026	0	0	26.69	0	0	0	15.61	500
8/5/2026	0.8021	9.9	24.04	0	9.36	1.097	10.29	500
8/6/2026	0.8021	9.9	6.197	0	9.36	1.097	8.901	500
8/7/2026	0	0	6.073	0	0	0	9.225	500
8/8/2026	25.45	314.1	5.951	0	296.9	34.81	9.135	500
8/9/2026	75.92	1129	145.2	0	1067	144.5	10.64	500
8/10/2026	0	199.6	588.5	0	188.7	56.85	18.91	500
8/11/2026	0	9.9	172.8	0	9.36	3.058	22.13	500
8/12/2026	0	17.85	76.03	0	16.88	5.242	20.88	500
8/13/2026	0	17.85	63.23	0	16.88	4.904	21.7	500
8/14/2026	0	0	52.3	0	0	0	24.26	500
8/15/2026	0	0	42.05	0	0	0	17.76	500
8/16/2026	0.2876	9.9	41.32	0	9.36	1.741	13.52	500
8/17/2026	0	0	39.55	0	0	0	12.72	500
8/18/2026	0	0	36.29	0	0	0	9.09	500
8/19/2026	0	0	33.09	0	0	0	8.206	500
8/20/2026	27.63	341	30.18	0	322.4	37.8	7.493	500
8/21/2026	0.6722	11.12	182.8	0	10.51	1.519	9.246	500
8/22/2026	0	0	25.48	0	0	0	7.029	500
8/23/2026	7.992	98.64	25.69	0	93.26	10.93	6.932	500
8/24/2026	4.174	51.51	53.3	0	48.7	5.71	7.337	500
8/25/2026	0.8021	9.9	36.7	0	9.36	1.097	6.533	500
8/26/2026	0.8021	9.9	6.62	0	9.36	1.097	6.759	500
8/27/2026	1.992	24.59	6.726	0	23.24	2.725	6.599	500
8/28/2026	8.537	105.4	6.679	0	99.62	11.68	6.075	500
8/29/2026	0.8021	9.9	42.96	0	9.36	1.097	5.883	500
8/30/2026	3.628	44.78	6.414	0	42.34	4.964	5.84	500
8/31/2026	0.8021	9.9	11.96	0	9.36	1.097	5.412	500
9/1/2026	0.8021	9.9	6.349	0	9.36	1.097	5.451	500
9/2/2026	0.9011	11.12	6.239	0	10.51	1.233	5.512	500
9/3/2026	3.476	42.9	6.114	0	40.56	4.755	5.299	500
9/4/2026	2.385	29.44	7.612	0	27.83	3.263	5.444	500
9/5/2026	1.195	14.75	7.578	0	13.95	1.635	5.339	500
9/6/2026	0.9011	11.12	5.755	0	10.51	1.233	4.948	500
9/7/2026	0	0	5.64	0	0	0	4.69	500
9/8/2026	17.11	211.2	5.527	0	199.7	23.41	4.507	500
9/9/2026	1.294	15.97	95.03	0	15.1	1.77	4.6	500
9/10/2026	0.393	4.851	5.308	0	4.586	0.5377	4.246	500
9/11/2026	11.47	141.6	5.591	0	133.9	15.7	3.442	500
9/12/2026	4.73	58.38	63.08	0	55.19	6.471	3.764	500
9/13/2026	0	0	26.68	0	0	0	4.189	500
9/14/2026	0.393	4.851	6.219	0	4.586	0.5377	3.766	500
9/15/2026	2.267	27.98	6.543	0	26.46	3.102	4.153	500
9/16/2026	0	0	0.3367	0	0	0	3.412	500
9/17/2026	0	0	0.3397	0	0	0	3.176	500
9/18/2026	0	0	1.201	0	0	0	3.177	500
9/19/2026	1.992	24.59	35.11	0	23.24	2.725	3.18	500
9/20/2026	0	0	14.69	0	0	0	3.608	500

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3
9/21/2026	2.537	31.32	6.564	0	29.61	3.471	3.603	500
9/22/2026	0.393	4.851	6.522	0	4.586	0.5377	3.188	500
9/23/2026	1.623	20.03	6.426	0	18.94	2.22	3.061	500
9/24/2026	0	0	0.317	0	0	0	2.904	500
9/25/2026	0	0	0.3115	0	0	0	2.683	500
9/26/2026	0	0	0.3084	0	0	0	2.342	500
9/27/2026	0	0	0.3059	0	0	0	2.3	500
9/28/2026	0	0	0.3034	0	0	0	2.382	500
9/29/2026	0	0	0.3005	0	0	0	2.107	500
9/30/2026	36.3	448.1	41.03	0	423.6	49.67	2.227	500
10/1/2026	0	0	242.9	0	0	0	3.167	250
10/2/2026	0	0	10.67	0	0	0	2.207	250
10/3/2026	0	0	5.114	0	0	0	2.41	250
10/4/2026	0	0	1.839	0	0	0	1.933	250
10/5/2026	0	0	1.369	0	0	0	1.701	250
10/6/2026	0	0	1.385	0	0	0	1.31	250
10/7/2026	0	0	1.379	0	0	0	0.9173	250
10/8/2026	0	0	1.356	0	0	0	1.205	250
10/9/2026	0	0	1.321	0	0	0	1.223	250
10/10/2026	0	0	1.276	0	0	0	1.262	250
10/11/2026	0	0	1.225	0	0	0	1.441	250
10/12/2026	0	0	0.3342	0	0	0	1.438	250
10/13/2026	0	0	0.3345	0	0	0	1.474	250
10/14/2026	0	0	0.3335	0	0	0	1.187	250
10/15/2026	0	0	0.3313	0	0	0	1.205	250
10/16/2026	0	0	0.3283	0	0	0	1.193	250
10/17/2026	0	0	0.3246	0	0	0	1.07	250
10/18/2026	0	0	0.3204	0	0	0	0.9269	250
10/19/2026	0	0	0.3158	0	0	0	0.6683	250
10/20/2026	0	0	0.311	0	0	0	0.4949	250
10/21/2026	0	0	0.3059	0	0	0	0.6341	250
10/22/2026	0	0	0.3007	0	0	0	0.5193	250
10/23/2026	0	0	0.2955	0	0	0	0.3952	250
10/24/2026	0	0	0.2902	0	0	0	0.7525	250
10/25/2026	0	0	0.2849	0	0	0	0.9413	250
10/26/2026	0	0	0.2795	0	0	0	0.5348	250
10/27/2026	0	0	0.2743	0	0	0	0.6736	250
10/28/2026	0	0	0.269	0	0	0	0.4754	250
10/29/2026	0	0	0.2638	0	0	0	0	250
10/30/2026	0	0	0.2587	0	0	0	0.4581	250
10/31/2026	0	0	0.2537	0	0	0	0.312	250
11/1/2026	0	0	0.2487	0	0	0	0	0
11/2/2026	0	0	0.2438	0	0	0	0	0
11/3/2026	0	0	0.239	0	0	0	0	0
11/4/2026	0	0	0.2343	0	0	0	0.03472	0
11/5/2026	0	0	0.2296	0	0	0	0.05017	0
11/6/2026	0	0	0.2251	0	0	0	0	0
11/7/2026	0	0	0.2206	0	0	0	0	0
11/8/2026	0	0	0.2162	0	0	0	0	0
11/9/2026	0	0	0.2119	0	0	0	0	0
11/10/2026	0	0	0.2077	0	0	0	0	0
11/11/2026	0	0	0.2035	0	0	0	0	0
11/12/2026	0	0	0.1995	0	0	0	0.03098	0
11/13/2026	0	0	0.1955	0	0	0	0	0
11/14/2026	0	0	0.1916	0	0	0	0.1263	0
11/15/2026	0	0	0.1878	0	0	0	0.2211	0
11/16/2026	0	0	0.184	0	0	0	0.2643	0
11/17/2026	0	0	0.1803	0	0	0	0	0
11/18/2026	0	0	0.1767	0	0	0	0	0
11/19/2026	0	0	0.1732	0	0	0	0	0
11/20/2026	0	0	0.1697	0	0	0	0	0
11/21/2026	0	0	0.1663	0	0	0	0	0
11/22/2026	0	0	0.163	0	0	0	0	0
11/23/2026	0	0	0.1597	0	0	0	0	0
11/24/2026	0	0	0.1566	0	0	0	0.04746	0
11/25/2026	0	0	0.1534	0	0	0	0	0
11/26/2026	0	0	0.1504	0	0	0	0.159	0
11/27/2026	0	0	0.1473	0	0	0	0	0
11/28/2026	0	0	0.1444	0	0	0	0	0
11/29/2026	0	0	0.1415	0	0	0	0	0
11/30/2026	0	0	0.1387	0	0	0	0.06043	0
12/1/2026	0	0	0.1359	0	0	0	0.02319	0
12/2/2026	0	0	0.1332	0	0	0	0	0
12/3/2026	0	0	0.1305	0	0	0	0	0
12/4/2026	0	0	0.1279	0	0	0	0	0
12/5/2026	0	0	0.1254	0	0	0	0	0
12/6/2026	0	0	0.1229	0	0	0	0.01908	0
12/7/2026	0	0	0.1204	0	0	0	0.02672	0
12/8/2026	0	0	0.118	0	0	0	0	0
12/9/2026	0	0	0.1156	0	0	0	0	0
12/10/2026	0	0	0.1133	0	0	0	0	0
12/11/2026	0	0	0.111	0	0	0	0	0
12/12/2026	0	0	0.1088	0	0	0	0	0
12/13/2026	0	0	0.1067	0	0	0	0	0
12/14/2026	0	0	0.1045	0	0	0	0	0
12/15/2026	0	0	0.1024	0	0	0	0.03788	0
12/16/2026	0	0	0.1004	0	0	0	0	0
12/17/2026	0	0	0.09837	0	0	0	0.02543	0
12/18/2026	0	0	0.0964	0	0	0	0	0
12/19/2026	0	0	0.09448	0	0	0	0	0
12/20/2026	0	0	0.09259	0	0	0	0	0
12/21/2026	0	0	0.09073	0	0	0	0	0
12/22/2026	0	0	0.08892	0	0	0	0	0
12/23/2026	0	0	0.08714	0	0	0	0	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	
12/24/2026	0	0	0.0854	0	0	0	0	0
12/25/2026	0	0	0.08369	0	0	0	0	0
12/26/2026	0	0	0.08202	0	0	0	0	0
12/27/2026	0	0	0.08038	0	0	0	0	0
12/28/2026	0	0	0.07877	0	0	0	0	0
12/29/2026	0	0	0.07719	0	0	0	0	0
12/30/2026	0	0	0.07565	0	0	0	0	0
12/31/2026	0	0	0.07414	0	0	0	0	0
1/1/2027	0	0	0.07265	0	0	0	0	0
1/2/2027	0	0	0.0712	0	0	0	0	0
1/3/2027	0	0	0.06978	0	0	0	0	0
1/4/2027	0	0	0.06838	0	0	0	0	0
1/5/2027	0	0	0.06701	0	0	0	0	0
1/6/2027	0	0	0.06567	0	0	0	0	0
1/7/2027	0	0	0.06436	0	0	0	0	0
1/8/2027	0	0	0.06307	0	0	0	0	0
1/9/2027	0	0	0.06181	0	0	0	0	0
1/10/2027	0	0	0.06057	0	0	0	0	0
1/11/2027	0	0	0.05936	0	0	0	0	0
1/12/2027	0	0	0.05818	0	0	0	0	0
1/13/2027	0	0	0.05701	0	0	0	0	0
1/14/2027	0	0	0.05587	0	0	0	0	0
1/15/2027	0	0	0.05475	0	0	0	0	0
1/16/2027	0	0	0.05366	0	0	0	0	0
1/17/2027	0	0	0.05259	0	0	0	0	0
1/18/2027	0	0	0.05153	0	0	0	0	0
1/19/2027	0	0	0.0505	0	0	0	0.00222	0
1/20/2027	0	0	0.04949	0	0	0	0.07185	0
1/21/2027	0	0	0.0485	0	0	0	0	0
1/22/2027	0	0	0.04753	0	0	0	0	0
1/23/2027	0	0	0.04658	0	0	0	0	0
1/24/2027	0	0	0.04565	0	0	0	0	0
1/25/2027	0	0	0.04474	0	0	0	0	0
1/26/2027	0	0	0.04384	0	0	0	0	0
1/27/2027	0	0	0.04297	0	0	0	0	0
1/28/2027	0	0	0.04211	0	0	0	0	0
1/29/2027	0	0	0.04127	0	0	0	0	0
1/30/2027	0	0	0.04044	0	0	0	0	0
1/31/2027	0	0	0.03963	0	0	0	0	0
2/1/2027	0	0	0.03884	0	0	0	0	0
2/2/2027	0	0	0.03806	0	0	0	0	0
2/3/2027	0	0	0.0373	0	0	0	0	0
2/4/2027	0	0	0.03655	0	0	0	0	0
2/5/2027	0	0	0.03582	0	0	0	0	0
2/6/2027	0	0	0.03511	0	0	0	0	0
2/7/2027	0	0	0.03441	0	0	0	0	0
2/8/2027	0	0	0.03372	0	0	0	0	0
2/9/2027	0	0	0.03304	0	0	0	0	0
2/10/2027	0	0	0.03238	0	0	0	0	0
2/11/2027	0	0	0.03173	0	0	0	0	0
2/12/2027	0	0	0.0311	0	0	0	0	0
2/13/2027	0	0	0.03048	0	0	0	0	0
2/14/2027	0	0	0.02987	0	0	0	0	0
2/15/2027	0	0	0.02927	0	0	0	0	0
2/16/2027	0	0	0.02869	0	0	0	0	0
2/17/2027	0	0	0.02811	0	0	0	0	0
2/18/2027	0	0	0.02755	0	0	0	0	0
2/19/2027	0	0	0.027	0	0	0	0	0
2/20/2027	0	0	0.02646	0	0	0	0	0
2/21/2027	0	0	0.02593	0	0	0	0	0
2/22/2027	0	0	0.02541	0	0	0	0	0
2/23/2027	0	0	0.0249	0	0	0	0	0
2/24/2027	0	0	0.0244	0	0	0	0	0
2/25/2027	0	0	0.02392	0	0	0	0	0
2/26/2027	0	0	0.02344	0	0	0	0	0
2/27/2027	0	0	0.02297	0	0	0	0	0
2/28/2027	0	0	0.02251	0	0	0	0	0
3/1/2027	0	0	0.02206	0	0	0	0	0
3/2/2027	0	0	0.02162	0	0	0	0	0
3/3/2027	0	0	0.02119	0	0	0	0	0
3/4/2027	0	0	0.02076	0	0	0	0	0
3/5/2027	0	0	0.02035	0	0	0	0	0
3/6/2027	0	0	0.01994	0	0	0	0	0
3/7/2027	0	0	0.01954	0	0	0	0	0
3/8/2027	0	0	0.01915	0	0	0	0	0
3/9/2027	0	0	0.01877	0	0	0	0	0
3/10/2027	0	0	0.01839	0	0	0	0	0
3/11/2027	0	0	0.01802	0	0	0	0	0
3/12/2027	0	0	0.01766	0	0	0	0	0
3/13/2027	0	0	0.01731	0	0	0	0	0
3/14/2027	0	0	0.01696	0	0	0	0	0
3/15/2027	0	0	0.01662	0	0	0	0	0
3/16/2027	0	0	0.01629	0	0	0	0	0
3/17/2027	0	0	0.01597	0	0	0	0	0
3/18/2027	0	0	0.01565	0	0	0	0	0
3/19/2027	0	0	0.01533	0	0	0	0	0
3/20/2027	0	0	0.01503	0	0	0	0	0
3/21/2027	0	0	0.01473	0	0	0	0	0
3/22/2027	0	0	0.01443	0	0	0	0	0
3/23/2027	0	0	0.01414	0	0	0	0.9575	0
3/24/2027	0	0	0.01386	0	0	0	2.389	0
3/25/2027	0	0	0.01358	0	0	0	1.397	0
3/26/2027	0	0	0.01331	0	0	0	0.4116	0
3/27/2027	0	0	0.01305	0	0	0	0	0

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3
3/28/2027	0	0	0.01278	0	0	0	0	0
3/29/2027	0	0	0.01253	0	0	0	0	0
3/30/2027	0	0	0.01228	0	0	0	0	0
3/31/2027	0	0	0.01203	0	0	0	0	0
4/1/2027	0	0	0.01179	0	0	0	1.048	0
4/2/2027	0	0	0.01156	0	0	0	1.605	0
4/3/2027	0	0	0.01133	0	0	0	0	0
4/4/2027	0	0	0.0111	0	0	0	0	0
4/5/2027	0	0	0.01088	0	0	0	0	0
4/6/2027	0	0	0.01066	0	0	0	0	0
4/7/2027	0	0	0.01045	0	0	0	0	0
4/8/2027	0	0	0.01024	0	0	0	0	0
4/9/2027	0	0	0.01003	0	0	0	0	0
4/10/2027	0	0	0.009832	0	0	0	0	0
4/11/2027	0	0	0.009635	0	0	0	0	0
4/12/2027	0	0	0.009443	0	0	0	0	0
4/13/2027	0	0	0.009254	0	0	0	0	0
4/14/2027	0	0	0.009069	0	0	0	0.4945	0
4/15/2027	0	0	0.008887	0	0	0	1.797	0
4/16/2027	0	0	0.00871	0	0	0	1.727	0
4/17/2027	0	0	0.008535	0	0	0	1.205	0
4/18/2027	0	0	0.008365	0	0	0	0.804	0
4/19/2027	0	0	0.008197	0	0	0	0.6052	0
4/20/2027	0	0	0.008033	0	0	0	0	0
4/21/2027	0	0	0.007873	0	0	0	0	0
4/22/2027	0	0	0.007715	0	0	0	0	0
4/23/2027	0	0	0.007561	0	0	0	0	0
4/24/2027	0	0	0.00741	0	0	0	0	0
4/25/2027	0	0	0.007262	0	0	0	0	0
4/26/2027	0	0	0.007116	0	0	0	0	0
4/27/2027	0	0	0.006974	0	0	0	0	0
4/28/2027	0	0	0.006835	0	0	0	1.114	0
4/29/2027	0	0	0.006698	0	0	0	0	0
4/30/2027	0	0	0.006564	0	0	0	0	0
5/1/2027	0	0	0.006433	0	0	0	0.8221	0
5/2/2027	0	0	0.006304	0	0	0	2.983	0
5/3/2027	0	0	0.006178	0	0	0	3.628	0
5/4/2027	0	0	0.006054	0	0	0	4.087	0
5/5/2027	0	0	0.005933	0	0	0	1.958	0
5/6/2027	0	0	0.005815	0	0	0	3.506	0
5/7/2027	0	0	0.005698	0	0	0	3.542	0
5/8/2027	0	0	0.005584	0	0	0	3.485	0
5/9/2027	0	0	0.005473	0	0	0	5.257	0
5/10/2027	0	0	0.005363	0	0	0	6.074	0
5/11/2027	0	0	0.005256	0	0	0	5.932	0
5/12/2027	0	0	0.005151	0	0	0	5.899	0
5/13/2027	0	0	0.005048	0	0	0	5.38	0
5/14/2027	0	0	0.004947	0	0	0	6.13	0
5/15/2027	4.19	51.71	22.71	0	48.89	5.732	4.831	0
5/16/2027	4.019	56.99	71.02	0	53.88	7.066	6.514	0
5/17/2027	8.358	151.2	100.7	0	143	21.63	7.779	0
5/18/2027	0.2232	10.56	131.6	0	9.984	1.961	11.33	0
5/19/2027	0	0	8.578	0	0	0	11.81	0
5/20/2027	0	0	0.07108	0	0	0	12.11	0
5/21/2027	0.4677	43.79	21.46	0	41.4	8.705	12.55	0
5/22/2027	0.1801	80.75	101.7	0	76.35	16.9	14.24	0
5/23/2027	0	101.9	230.8	0	96.34	24.06	15.51	0
5/24/2027	0	133.2	232.3	0	125.9	34.48	16.04	0
5/25/2027	0	144.9	139.9	0	137	40.95	17.97	0
5/26/2027	0	25.97	113.5	0	24.56	7.881	20.07	0
5/27/2027	0	58.57	46.15	0	55.38	18.19	18.68	0
5/28/2027	0	35.44	42.35	0	33.51	11.27	18.96	0
5/29/2027	0	120.4	76.24	0	113.8	38.87	21.38	0
5/30/2027	0	169.8	358.5	0	160.5	57.41	25.49	0
5/31/2027	0	226.4	584	0	214	84.17	30.31	0
6/1/2027	0	250.8	804.8	0	237.1	105.9	34	250
6/2/2027	0	216.5	986.8	0	204.7	102.7	40.78	250
6/3/2027	0	110.5	668.2	0	104.5	59.73	36.99	250
6/4/2027	0	139.9	252	0	132.3	80.89	44.22	250
6/5/2027	0	148.4	201.9	0	140.3	88.44	44.98	250
6/6/2027	0	194.7	173.3	0	184.1	119.2	48.79	250
6/7/2027	0	318.8	149.7	0	301.4	202	54.61	250
6/8/2027	0	333.1	129.9	0	314.9	223.9	50.26	250
6/9/2027	0	211.7	211.6	0	200.1	150.8	56.11	250
6/10/2027	0	153.1	126.7	0	144.8	113.2	58.8	250
6/11/2027	0	182.2	102.7	0	172.2	137.1	59.71	250
6/12/2027	0	95.04	95.78	0	89.86	73.06	56.94	250
6/13/2027	0	103	90.53	0	97.34	79.42	56.87	250
6/14/2027	0	210.5	84.7	0	199.1	163.2	62.95	250
6/15/2027	0	300.3	78.23	0	284	238.7	68.35	250
6/16/2027	0	223.7	72.2	0	211.5	185.3	68.08	250
6/17/2027	0	287.1	66.57	0	271.4	244	74.64	250
6/18/2027	0	133.6	61.29	0	126.3	117.7	80.06	250
6/19/2027	0	9.9	56.35	0	9.36	8.785	79.43	250
6/20/2027	0	9.9	51.76	0	9.36	8.646	79.72	250
6/21/2027	0	9.9	47.49	0	9.36	8.504	91.6	250
6/22/2027	0	0	43.39	0	0	0	75.98	250
6/23/2027	0	0	39.63	0	0	0	67.72	250
6/24/2027	0	0	36.2	0	0	0	73.14	250
6/25/2027	0	0	32.94	0	0	0	70.32	250
6/26/2027	0	0	29.93	0	0	0	71.25	250
6/27/2027	0	0	27.1	0	0	0	87.01	250
6/28/2027	0	0	24.29	0	0	0	103.3	250
6/29/2027	0	0	6.135	0	0	0	160.4	250

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3
6/30/2027	0	0	6.012	0	0	0	265.5	250
7/1/2027	0	0	5.892	0	0	0	64.65	500
7/2/2027	0	0	5.774	0	0	0	62.19	500
7/3/2027	0	0	5.659	0	0	0	98.48	500
7/4/2027	0	0	5.546	0	0	0	73.93	500
7/5/2027	0	0	5.435	0	0	0	50.8	500
7/6/2027	0	9.9	5.326	0	9.36	5.053	49.08	500
7/7/2027	0	1007	5.219	0	952.5	486.2	46.59	500
7/8/2027	0	341	508.4	0	322.4	201.2	58.69	500
7/9/2027	0	17.85	218.8	0	16.88	11.37	63.44	500
7/10/2027	0	0	60.85	0	0	0	61.05	500
7/11/2027	0	0	48.32	0	0	0	59	500
7/12/2027	0	9.9	36.05	0	9.36	5.559	59.57	500
7/13/2027	0	0	33.27	0	0	0	57.3	500
7/14/2027	0	0	32.17	0	0	0	53.87	500
7/15/2027	0	0	29.29	0	0	0	73.67	500
7/16/2027	0	0	26	0	0	0	48.45	500
7/17/2027	0	0	6.662	0	0	0	48.45	500
7/18/2027	0	0	6.528	0	0	0	51.93	500
7/19/2027	0	0	6.398	0	0	0	42.22	500
7/20/2027	0	0	6.27	0	0	0	38.37	500
7/21/2027	0	9.9	6.144	0	9.36	3.225	35.84	500
7/22/2027	0	139	6.021	0	131.4	42	29.4	500
7/23/2027	0	253.5	51.51	0	239.6	74.06	27.31	500
7/24/2027	0	31.32	122.6	0	29.61	9.284	26.25	500
7/25/2027	0	1075	8.92	0	1016	301.9	26.42	500
7/26/2027	0	38.05	554	0	35.97	14.02	34.37	500
7/27/2027	0	0	74.45	0	0	0	39.49	500
7/28/2027	0	85.17	57.44	0	80.53	29.97	32.23	500
7/29/2027	0	11.12	63.22	0	10.51	3.767	27.75	500
7/30/2027	0	0	39.92	0	0	0	26.96	500
7/31/2027	0	0	36.47	0	0	0	26.37	500
8/1/2027	0	0	35.47	0	0	0	26.48	500
8/2/2027	0	0	32.78	0	0	0	28.9	500
8/3/2027	0	0	29.56	0	0	0	20.96	500
8/4/2027	0	0	26.69	0	0	0	15.61	500
8/5/2027	0.8021	9.9	24.04	0	9.36	1.097	10.29	500
8/6/2027	0.8021	9.9	6.197	0	9.36	1.097	8.901	500
8/7/2027	0	0	6.073	0	0	0	9.225	500
8/8/2027	25.45	314.1	5.951	0	296.9	34.81	9.135	500
8/9/2027	75.92	1129	145.2	0	1067	144.5	10.64	500
8/10/2027	0	199.6	588.5	0	188.7	56.85	18.91	500
8/11/2027	0	9.9	172.8	0	9.36	3.058	22.13	500
8/12/2027	0	17.85	76.03	0	16.88	5.242	20.88	500
8/13/2027	0	17.85	63.23	0	16.88	4.904	21.7	500
8/14/2027	0	0	52.3	0	0	0	24.26	500
8/15/2027	0	0	42.05	0	0	0	17.76	500
8/16/2027	0.2876	9.9	41.32	0	9.36	1.741	13.52	500
8/17/2027	0	0	39.55	0	0	0	12.72	500
8/18/2027	0	0	36.29	0	0	0	9.09	500
8/19/2027	0	0	33.09	0	0	0	8.206	500
8/20/2027	27.63	341	30.18	0	322.4	37.8	7.493	500
8/21/2027	0.6722	11.12	182.8	0	10.51	1.519	9.246	500
8/22/2027	0	0	25.48	0	0	0	7.029	500
8/23/2027	7.992	98.64	25.69	0	93.26	10.93	6.932	500
8/24/2027	4.174	51.51	53.3	0	48.7	5.71	7.337	500
8/25/2027	0.8021	9.9	36.7	0	9.36	1.097	6.533	500
8/26/2027	0.8021	9.9	6.62	0	9.36	1.097	6.759	500
8/27/2027	1.992	24.59	6.726	0	23.24	2.725	6.599	500
8/28/2027	8.537	105.4	6.679	0	99.62	11.68	6.075	500
8/29/2027	0.8021	9.9	42.96	0	9.36	1.097	5.883	500
8/30/2027	3.628	44.78	6.414	0	42.34	4.964	5.84	500
8/31/2027	0.8021	9.9	11.96	0	9.36	1.097	5.412	500
9/1/2027	0.8021	9.9	6.349	0	9.36	1.097	5.451	500
9/2/2027	0.9011	11.12	6.239	0	10.51	1.233	5.512	500
9/3/2027	3.476	42.9	6.114	0	40.56	4.755	5.299	500
9/4/2027	2.385	29.44	7.612	0	27.83	3.263	5.444	500
9/5/2027	1.195	14.75	7.578	0	13.95	1.635	5.339	500
9/6/2027	0.9011	11.12	5.755	0	10.51	1.233	4.948	500
9/7/2027	0	0	5.64	0	0	0	4.69	500
9/8/2027	17.11	211.2	5.527	0	199.7	23.41	4.507	500
9/9/2027	1.294	15.97	95.03	0	15.1	1.77	4.6	500
9/10/2027	0.393	4.851	5.308	0	4.586	0.5377	4.246	500
9/11/2027	11.47	141.6	5.591	0	133.9	15.7	3.442	500
9/12/2027	4.73	58.38	63.08	0	55.19	6.471	3.764	500
9/13/2027	0	0	26.68	0	0	0	4.189	500
9/14/2027	0.393	4.851	6.219	0	4.586	0.5377	3.766	500
9/15/2027	2.267	27.98	6.543	0	26.46	3.102	4.153	500
9/16/2027	0	0	0.3367	0	0	0	3.412	500
9/17/2027	0	0	0.3397	0	0	0	3.176	500
9/18/2027	0	0	1.201	0	0	0	3.177	500
9/19/2027	1.992	24.59	35.11	0	23.24	2.725	3.18	500
9/20/2027	0	0	14.69	0	0	0	3.608	500
9/21/2027	2.537	31.32	6.564	0	29.61	3.471	3.603	500
9/22/2027	0.393	4.851	6.522	0	4.586	0.5377	3.188	500
9/23/2027	1.623	20.03	6.426	0	18.94	2.22	3.061	500
9/24/2027	0	0	0.317	0	0	0	2.904	500
9/25/2027	0	0	0.3115	0	0	0	2.683	500
9/26/2027	0	0	0.3084	0	0	0	2.342	500
9/27/2027	0	0	0.3059	0	0	0	2.3	500
9/28/2027	0	0	0.3034	0	0	0	2.382	500
9/29/2027	0	0	0.3005	0	0	0	2.107	500
9/30/2027	36.3	448.1	41.03	0	423.6	49.67	2.227	500
10/1/2027	0	0	242.9	0	0	0	3.167	250

Date	CP6 - Water Balance							
	Inflow					Outflow		
	CP6 Bank Runoff	WRSF3 to CP6	CP6 Natural Runoff	CP6 Disturbed Runoff	CP6 Berm to CP6	Rain and Snowmelt	CP5 Pond Surface Evaporation	To CP1
m3	m3	m3	m3	m3	m3	m3	m3	m3
10/2/2027	0	0	10.67	0	0	0	2.207	250
10/3/2027	0	0	5.114	0	0	0	2.41	250
10/4/2027	0	0	1.839	0	0	0	1.933	250
10/5/2027	0	0	1.369	0	0	0	1.701	250
10/6/2027	0	0	1.385	0	0	0	1.31	250
10/7/2027	0	0	1.379	0	0	0	0.9173	250
10/8/2027	0	0	1.356	0	0	0	1.205	250
10/9/2027	0	0	1.321	0	0	0	1.223	250
10/10/2027	0	0	1.276	0	0	0	1.262	250
10/11/2027	0	0	1.225	0	0	0	1.441	250
10/12/2027	0	0	0.3342	0	0	0	1.438	250
10/13/2027	0	0	0.3345	0	0	0	1.474	250
10/14/2027	0	0	0.3335	0	0	0	1.187	250
10/15/2027	0	0	0.3313	0	0	0	1.205	250
10/16/2027	0	0	0.3283	0	0	0	1.193	250
10/17/2027	0	0	0.3246	0	0	0	1.07	250
10/18/2027	0	0	0.3204	0	0	0	0.9269	250
10/19/2027	0	0	0.3158	0	0	0	0.6683	250
10/20/2027	0	0	0.311	0	0	0	0.4949	250
10/21/2027	0	0	0.3059	0	0	0	0.6341	250
10/22/2027	0	0	0.3007	0	0	0	0.5193	250
10/23/2027	0	0	0.2955	0	0	0	0.3952	250
10/24/2027	0	0	0.2902	0	0	0	0.7525	250
10/25/2027	0	0	0.2849	0	0	0	0.9413	250
10/26/2027	0	0	0.2795	0	0	0	0.5348	250
10/27/2027	0	0	0.2743	0	0	0	0.6736	250
10/28/2027	0	0	0.269	0	0	0	0.4754	250
10/29/2027	0	0	0.2638	0	0	0	0	250
10/30/2027	0	0	0.2587	0	0	0	0.4581	250
10/31/2027	0	0	0.2537	0	0	0	0.312	250
11/1/2027	0	0	0.2487	0	0	0	0	0
11/2/2027	0	0	0.2438	0	0	0	0	0
11/3/2027	0	0	0.239	0	0	0	0	0
11/4/2027	0	0	0.2343	0	0	0	0.03472	0
11/5/2027	0	0	0.2296	0	0	0	0.05017	0
11/6/2027	0	0	0.2251	0	0	0	0	0
11/7/2027	0	0	0.2206	0	0	0	0	0
11/8/2027	0	0	0.2162	0	0	0	0	0
11/9/2027	0	0	0.2119	0	0	0	0	0
11/10/2027	0	0	0.2077	0	0	0	0	0
11/11/2027	0	0	0.2035	0	0	0	0	0
11/12/2027	0	0	0.1995	0	0	0	0.03098	0
11/13/2027	0	0	0.1955	0	0	0	0	0
11/14/2027	0	0	0.1916	0	0	0	0.1263	0
11/15/2027	0	0	0.1878	0	0	0	0.2211	0
11/16/2027	0	0	0.184	0	0	0	0.2643	0
11/17/2027	0	0	0.1803	0	0	0	0	0
11/18/2027	0	0	0.1767	0	0	0	0	0
11/19/2027	0	0	0.1732	0	0	0	0	0
11/20/2027	0	0	0.1697	0	0	0	0	0
11/21/2027	0	0	0.1663	0	0	0	0	0
11/22/2027	0	0	0.163	0	0	0	0	0
11/23/2027	0	0	0.1597	0	0	0	0	0
11/24/2027	0	0	0.1566	0	0	0	0.04746	0
11/25/2027	0	0	0.1534	0	0	0	0	0
11/26/2027	0	0	0.1504	0	0	0	0.159	0
11/27/2027	0	0	0.1473	0	0	0	0	0
11/28/2027	0	0	0.1444	0	0	0	0	0
11/29/2027	0	0	0.1415	0	0	0	0	0
11/30/2027	0	0	0.1387	0	0	0	0.06043	0
12/1/2027	0	0	0.1359	0	0	0	0.02319	0
12/2/2027	0	0	0.1332	0	0	0	0	0
12/3/2027	0	0	0.1305	0	0	0	0	0
12/4/2027	0	0	0.1279	0	0	0	0	0
12/5/2027	0	0	0.1254	0	0	0	0	0
12/6/2027	0	0	0.1229	0	0	0	0.01908	0
12/7/2027	0	0	0.1204	0	0	0	0.02672	0
12/8/2027	0	0	0.118	0	0	0	0	0
12/9/2027	0	0	0.1156	0	0	0	0	0
12/10/2027	0	0	0.1133	0	0	0	0	0
12/11/2027	0	0	0.111	0	0	0	0	0
12/12/2027	0	0	0.1088	0	0	0	0	0
12/13/2027	0	0	0.1067	0	0	0	0	0
12/14/2027	0	0	0.1045	0	0	0	0	0
12/15/2027	0	0	0.1024	0	0	0	0.03788	0
12/16/2027	0	0	0.1004	0	0	0	0	0
12/17/2027	0	0	0.09837	0	0	0	0.02543	0
12/18/2027	0	0	0.0964	0	0	0	0	0
12/19/2027	0	0	0.09448	0	0	0	0	0
12/20/2027	0	0	0.09259	0	0	0	0	0
12/21/2027	0	0	0.09073	0	0	0	0	0
12/22/2027	0	0	0.08892	0	0	0	0	0
12/23/2027	0	0	0.08714	0	0	0	0	0
12/24/2027	0	0	0.0854	0	0	0	0	0
12/25/2027	0	0	0.08369	0	0	0	0	0
12/26/2027	0	0	0.08202	0	0	0	0	0
12/27/2027	0	0	0.08038	0	0	0	0	0
12/28/2027	0	0	0.07877	0	0	0	0	0
12/29/2027	0	0	0.07719	0	0	0	0	0
12/30/2027	0	0	0.07565	0	0	0	0	0
12/31/2027	0	0	0.07414	0	0	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
1/1/2019	0.1298	0	0	0
1/2/2019	0.1272	0	0	0
1/3/2019	0.1247	0	0	0
1/4/2019	0.1222	0	0	0
1/5/2019	0.1197	0	0	0
1/6/2019	0.1173	0	0	0
1/7/2019	0.115	0	0	0
1/8/2019	0.1127	0	0	0
1/9/2019	0.1104	0	0	0
1/10/2019	0.1082	0	0	0
1/11/2019	0.1061	0	0	0
1/12/2019	0.1039	0	0	0
1/13/2019	0.1019	0	0	0
1/14/2019	0.09983	0	0	0
1/15/2019	0.09783	0	0	0
1/16/2019	0.09587	0	0	0
1/17/2019	0.09396	0	0	0
1/18/2019	0.09208	0	0	0
1/19/2019	0.09024	0	0	0
1/20/2019	0.08843	0	0	0
1/21/2019	0.08666	0	0	0
1/22/2019	0.08493	0	0	0
1/23/2019	0.08323	0	0	0
1/24/2019	0.08157	0	0	0
1/25/2019	0.07993	0	0	0
1/26/2019	0.07834	0	0	0
1/27/2019	0.07677	0	0	0
1/28/2019	0.07523	0	0	0
1/29/2019	0.07373	0	0	0
1/30/2019	0.07225	0	0	0
1/31/2019	0.07081	0	0	0
2/1/2019	0.06939	0	0	0
2/2/2019	0.068	0	0	0
2/3/2019	0.06664	0	0	0
2/4/2019	0.06531	0	0	0
2/5/2019	0.06401	0	0	0
2/6/2019	0.06273	0	0	0
2/7/2019	0.06147	0	0	0
2/8/2019	0.06024	0	0	0
2/9/2019	0.05904	0	0	0
2/10/2019	0.05786	0	0	0
2/11/2019	0.0567	0	0	0
2/12/2019	0.05556	0	0	0
2/13/2019	0.05445	0	0	0
2/14/2019	0.05336	0	0	0
2/15/2019	0.0523	0	0	0
2/16/2019	0.05125	0	0	0
2/17/2019	0.05023	0	0	0
2/18/2019	0.04922	0	0	0
2/19/2019	0.04824	0	0	0
2/20/2019	0.04727	0	0	0
2/21/2019	0.04633	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
2/22/2019	0.0454	0	0	0
2/23/2019	0.04449	0	0	0
2/24/2019	0.0436	0	0	0
2/25/2019	0.04273	0	0	0
2/26/2019	0.04188	0	0	0
2/27/2019	0.04104	0	0	0
2/28/2019	0.04022	0	0	0
3/1/2019	0.03941	0	0	0
3/2/2019	0.03863	0	0	0
3/3/2019	0.03785	0	0	0
3/4/2019	0.0371	0	0	0
3/5/2019	0.03635	0	0	0
3/6/2019	0.03563	0	0	0
3/7/2019	0.03491	0	0	0
3/8/2019	0.03422	0	0	0
3/9/2019	0.03353	0	0	0
3/10/2019	0.03286	0	0	0
3/11/2019	0.0322	0	0	0
3/12/2019	0.03156	0	0.0006848	0
3/13/2019	0.03093	0	0	0
3/14/2019	0.03031	0	0	0
3/15/2019	0.0297	0	0	0
3/16/2019	0.02911	0	0	0
3/17/2019	0.02853	0	0	0
3/18/2019	0.02796	0	0.005603	0
3/19/2019	0.0274	0	0	0
3/20/2019	0.02685	0	0.008882	0
3/21/2019	0.02631	0	0	0
3/22/2019	0.02579	0	0.04997	0
3/23/2019	0.02527	0	0	0
3/24/2019	0.02477	0	0	0
3/25/2019	0.02427	0	0	0
3/26/2019	0.02378	0	0.03452	0
3/27/2019	0.02331	0	0	0
3/28/2019	0.02284	0	0	0
3/29/2019	0.02239	0	0	0
3/30/2019	0.02194	0	0	0
3/31/2019	0.0215	0	0.02947	0
4/1/2019	0.02107	0	0.03902	0
4/2/2019	0.02065	0	0	0
4/3/2019	0.02024	0	0	0
4/4/2019	0.01983	0	0	0
4/5/2019	0.01943	0	0	0
4/6/2019	0.01905	0	0	0
4/7/2019	0.01866	0	0	0
4/8/2019	0.01829	0	0	0
4/9/2019	0.01793	0	0.03726	0
4/10/2019	0.01757	0	0.07367	0
4/11/2019	0.01722	0	0.1337	0
4/12/2019	0.01687	0	0.1563	0
4/13/2019	0.01653	0	0.1852	0
4/14/2019	0.0162	0	0.1482	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
4/15/2019	0.01588	0	0.1116	0
4/16/2019	0.01556	0	0.1104	0
4/17/2019	0.01525	0	0.09786	0
4/18/2019	0.01494	0	0.01961	0
4/19/2019	0.01465	0	0.03596	0
4/20/2019	0.01435	0	0	0
4/21/2019	0.01407	0	0	0
4/22/2019	0.01378	0	0	0
4/23/2019	0.01351	0	0.1389	0
4/24/2019	0.01324	0	0.1299	0
4/25/2019	0.01297	0	0	0
4/26/2019	0.01271	0	0	0
4/27/2019	0.01246	0	0	0
4/28/2019	0.01221	0	0	0
4/29/2019	0.01197	0	0	0
4/30/2019	0.01173	0	0.05612	0
5/1/2019	0.01149	0	0.1691	0
5/2/2019	0.01126	0	0.1804	0
5/3/2019	0.01104	0	0.2068	0
5/4/2019	0.01082	0	0.1246	0
5/5/2019	0.0106	0	0.0721	0
5/6/2019	0.01039	0	0.09745	0
5/7/2019	0.01018	0	0.2124	0
5/8/2019	0.009977	0	0.2948	0
5/9/2019	0.009778	0	0.2473	0
5/10/2019	0.009582	0	0.2346	0
5/11/2019	0.009391	0	0.2311	0
5/12/2019	0.009203	0	0.2689	0
5/13/2019	0.009019	0	0.2519	0
5/14/2019	0.008838	0	0.2895	0
5/15/2019	0.008662	0	0.321	0
5/16/2019	0.008488	0	0.3006	0
5/17/2019	0.008319	0	0.3251	0
5/18/2019	0.008152	0	0.28	0
5/19/2019	0.007989	0	0.2741	0
5/20/2019	0.007829	0	0.2804	0
5/21/2019	0.007673	0	0.2951	0
5/22/2019	0.007519	0	0.2513	0
5/23/2019	0.007369	0	0.2969	0
5/24/2019	0.007222	0	0.2834	0
5/25/2019	0.007077	0	0.2448	0
5/26/2019	0.006936	0	0.2705	0
5/27/2019	0.006797	0	0.3554	0
5/28/2019	0.006661	0	0.3555	0
5/29/2019	8.398	0.08771	0.382	0
5/30/2019	0.006397	0	0.467	0
5/31/2019	16.79	0.4261	0.5633	0
6/1/2019	168.9	0.693	0.7758	0
6/2/2019	274.1	0	2.126	0
6/3/2019	0.007397	0	4.419	0
6/4/2019	0.07642	0	4.373	0
6/5/2019	76.77	3.513	5.064	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
6/6/2019	309.9	6.307	6.263	0
6/7/2019	504.2	8.451	9.009	0
6/8/2019	326.3	31.09	9.15	0
6/9/2019	657.8	37.01	13.24	0
6/10/2019	1191	52.65	16.91	0
6/11/2019	1526	54	23.83	0
6/12/2019	1606	74.18	30.67	0
6/13/2019	1773	204.5	63.69	0
6/14/2019	2506	180.9	61.01	0
6/15/2019	1844	114	56.57	0
6/16/2019	684.5	133.7	57.94	0
6/17/2019	306.3	0	49.1	0
6/18/2019	211.9	0	40.8	0
6/19/2019	1032	228.1	64.85	0
6/20/2019	398.4	136.2	58.3	0
6/21/2019	351.4	329.8	79.82	0
6/22/2019	308.2	350	79.34	0
6/23/2019	290.4	208.4	65.2	0
6/24/2019	272.3	177	64.67	0
6/25/2019	252.1	264	66.9	0
6/26/2019	233.1	322.5	75.19	0
6/27/2019	215	405.1	76.45	0
6/28/2019	198.1	373.6	78.74	0
6/29/2019	182.4	95.36	69.12	0
6/30/2019	168.1	449.8	63.13	0
7/1/2019	802.6	137.6	59.16	0
7/2/2019	372.4	12.29	58.53	0
7/3/2019	169.6	587.4	63.58	0
7/4/2019	1024	236	64.12	0
7/5/2019	589.5	7.374	142	0
7/6/2019	220.9	49.16	81.07	0
7/7/2019	197.9	7.374	65.13	0
7/8/2019	162	371.1	61.01	0
7/9/2019	676.4	496.5	60.68	0
7/10/2019	942	7.374	70.36	0
7/11/2019	238.7	12.29	76.51	0
7/12/2019	203.2	83.57	87.39	0
7/13/2019	243	7.374	75.07	0
7/14/2019	155.5	7.374	77.74	0
7/15/2019	144.7	206.5	72.94	0
7/16/2019	400.2	34.41	85.97	0
7/17/2019	147.1	49.16	84.52	0
7/18/2019	155.3	0	77.09	0
7/19/2019	116.6	7.374	79.02	0
7/20/2019	107.5	12.29	78.19	0
7/21/2019	98.39	0	80.55	0
7/22/2019	89.58	7.374	78.46	0
7/23/2019	81.61	7.374	73.6	0
7/24/2019	74.32	0	65.4	0
7/25/2019	67.55	22.12	69.08	0
7/26/2019	61.51	7.374	67.07	0
7/27/2019	55.97	344.1	53.53	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
7/28/2019	499.2	194.2	58.09	0
7/29/2019	307.9	0	68.63	0
7/30/2019	78.37	7.374	64.47	0
7/31/2019	60.36	12.29	64.27	0
8/1/2019	61.2	0	66.07	0
8/2/2019	59.43	0	81.33	0
8/3/2019	53.86	12.29	53.87	0
8/4/2019	14.02	285.1	34.15	0
8/5/2019	413.1	147.5	56.92	0
8/6/2019	223.7	7.374	62.65	0
8/7/2019	23.22	7.374	66.34	0
8/8/2019	57.77	17.2	68.24	0
8/9/2019	57.63	17.2	63.1	0
8/10/2019	55.34	49.16	54.68	0
8/11/2019	41.01	444.9	44.32	0
8/12/2019	680.3	255.6	54.8	0
8/13/2019	433.3	130.3	46.12	0
8/14/2019	295.8	0	55.61	0
8/15/2019	111	7.374	56.19	0
8/16/2019	89.16	0	51.4	0
8/17/2019	75.62	7.374	48.83	0
8/18/2019	74.86	0	54.32	0
8/19/2019	72	22.12	55.08	0
8/20/2019	66.81	0	55.5	0
8/21/2019	61.07	0	55.25	0
8/22/2019	55.48	0	52.32	0
8/23/2019	14.38	54.07	53.89	0
8/24/2019	43.47	7.374	51.16	0
8/25/2019	13.81	115.5	49.88	0
8/26/2019	148.6	7.374	47.9	0
8/27/2019	13.27	0	46.91	0
8/28/2019	13.5	857.8	32.9	0
8/29/2019	1311	405.5	43.73	0
8/30/2019	765.7	7.374	36.39	0
8/31/2019	201.5	58.99	35.75	0
9/1/2019	228.6	86.02	34.23	0
9/2/2019	258.1	7.374	36.83	0
9/3/2019	143.1	7.374	36.92	0
9/4/2019	124	0	37.4	0
9/5/2019	106.4	0	36.65	0
9/6/2019	104.3	29.49	34.56	0
9/7/2019	100.4	0	33.26	0
9/8/2019	95.37	0	32.31	0
9/9/2019	90.13	0	33.75	0
9/10/2019	83.4	49.16	34.96	0
9/11/2019	104.5	7.374	36.93	0
9/12/2019	71.16	0	38.37	0
9/13/2019	65.72	0	36.68	0
9/14/2019	60.24	7.374	35.1	0
9/15/2019	55.35	388.3	26.89	0
9/16/2019	577.3	7.374	31.98	0
9/17/2019	38.09	560.4	30.49	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
9/18/2019	913.8	22.12	30.69	0
9/19/2019	187.6	0	27.51	0
9/20/2019	131.5	66.36	26.9	0
9/21/2019	175.2	294.9	25.38	0
9/22/2019	544.4	7.374	24.07	0
9/23/2019	145.1	49.16	23.69	0
9/24/2019	176.9	108.1	26.79	0
9/25/2019	262.1	245.8	23.25	0
9/26/2019	486.9	51.61	23	0
9/27/2019	218.6	95.86	16.14	0
9/28/2019	168.6	0	15.07	0
9/29/2019	39.4	0	13.71	0
9/30/2019	23.65	0	14.54	0
10/1/2019	433.5	0	18.5	0
10/2/2019	112.2	0	17.1	0
10/3/2019	5.459	0	14.78	0
10/4/2019	208.9	7.374	17.77	0
10/5/2019	100.6	2.458	17.47	0
10/6/2019	4.768	0	13.97	0
10/7/2019	4.505	0	12.04	0
10/8/2019	261.2	86.02	14.74	0
10/9/2019	187.5	36.87	14.25	0
10/10/2019	42.14	0	11.34	0
10/11/2019	3.588	0	11.27	0
10/12/2019	3.49	0	10.96	0
10/13/2019	72.98	0	10.83	0
10/14/2019	3.26	0	9.64	0
10/15/2019	3.12	0	8.575	0
10/16/2019	2.978	0	7.474	0
10/17/2019	2.833	0	9.291	0
10/18/2019	139.8	303.8	9.084	0
10/19/2019	703.7	241.4	9.277	0
10/20/2019	498.7	47.19	8.755	0
10/21/2019	80.67	0	7.853	0
10/22/2019	34.29	0	5.699	0
10/23/2019	19.13	0	5.055	0
10/24/2019	7.356	0	4.505	0
10/25/2019	3.815	0	6.384	0
10/26/2019	3.804	0	6.053	0
10/27/2019	3.745	0	5.935	0
10/28/2019	3.649	0	6.275	0
10/29/2019	3.528	0	5.971	0
10/30/2019	3.388	0	4.619	0
10/31/2019	3.237	0	4.121	0
11/1/2019	3.079	0	2.69	0
11/2/2019	2.918	0	1.394	0
11/3/2019	2.758	0	2.678	0
11/4/2019	0.743	0	1.083	0
11/5/2019	0.7362	0	0	0
11/6/2019	0.7279	0	0	0
11/7/2019	0.7185	0	0	0
11/8/2019	0.7083	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
11/9/2019	0.6974	0	0.4304	0
11/10/2019	0.6861	0	0	0
11/11/2019	0.6745	0	0	0
11/12/2019	0.6627	0	0.8421	0
11/13/2019	0.6508	0	0	0
11/14/2019	0.6389	0	0	0
11/15/2019	0.6269	0	0.2665	0
11/16/2019	0.6151	0	0.6058	0
11/17/2019	0.6034	0	0	0
11/18/2019	0.5917	0	0	0
11/19/2019	0.5803	0	0.2046	0
11/20/2019	0.5689	0	0.2838	0
11/21/2019	0.5578	0	0.3223	0
11/22/2019	0.5468	0	0.8614	0
11/23/2019	0.536	0	0.01287	0
11/24/2019	0.5254	0	0.7854	0
11/25/2019	0.515	0	0.4299	0
11/26/2019	0.5048	0	0	0
11/27/2019	0.4947	0	0	0
11/28/2019	0.4849	0	0.3046	0
11/29/2019	0.4752	0	0.6208	0
11/30/2019	0.4658	0	0.6114	0
12/1/2019	0.4565	0	0.04786	0
12/2/2019	0.4474	0	0	0
12/3/2019	0.4384	0	0	0
12/4/2019	0.4297	0	0	0
12/5/2019	0.4211	0	0	0
12/6/2019	0.4127	0	0	0
12/7/2019	0.4044	0	0	0
12/8/2019	0.3963	0	0	0
12/9/2019	0.3884	0	0	0
12/10/2019	0.3806	0	0	0
12/11/2019	0.373	0	0	0
12/12/2019	0.3656	0	0	0
12/13/2019	0.3583	0	0	0
12/14/2019	0.3511	0	0	0
12/15/2019	0.3441	0	0	0
12/16/2019	0.3372	0	0	0
12/17/2019	0.3305	0	0	0
12/18/2019	0.3239	0	0	0
12/19/2019	0.3174	0	0	0
12/20/2019	0.311	0	0	0
12/21/2019	0.3048	0	0	0
12/22/2019	0.2987	0	0.06013	0
12/23/2019	0.2927	0	0	0
12/24/2019	0.2869	0	0	0
12/25/2019	0.2811	0	0.4553	0
12/26/2019	0.2755	0	0.4608	0
12/27/2019	0.27	0	0.517	0
12/28/2019	0.2646	0	0.2827	0
12/29/2019	0.2593	0	0.2036	0
12/30/2019	0.2541	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
12/31/2019	0.2491	0	0	0
1/1/2020	0.2441	0	0.1231	0
1/2/2020	0.2392	0	0.1192	0
1/3/2020	0.2344	0	0	0
1/4/2020	0.2297	0	0	0
1/5/2020	0.2251	0	0	0
1/6/2020	0.2206	0	0	0
1/7/2020	0.2162	0	0	0
1/8/2020	0.2119	0	0	0
1/9/2020	0.2076	0	0	0
1/10/2020	0.2035	0	0	0
1/11/2020	0.1994	0	0	0
1/12/2020	0.1954	0	0	0
1/13/2020	0.1915	0	0	0
1/14/2020	0.1877	0	0	0
1/15/2020	0.1839	0	0	0
1/16/2020	0.1803	0	0	0
1/17/2020	0.1767	0	0	0
1/18/2020	0.1731	0	0	0
1/19/2020	0.1697	0	0	0
1/20/2020	0.1663	0	0	0
1/21/2020	0.1629	0	0	0
1/22/2020	0.1597	0	0	0
1/23/2020	0.1565	0	0	0
1/24/2020	0.1534	0	0	0
1/25/2020	0.1503	0	0	0
1/26/2020	0.1473	0	0	0
1/27/2020	0.1443	0	0	0
1/28/2020	0.1415	0	0	0
1/29/2020	0.1386	0	0	0
1/30/2020	0.1359	0	1.493	0
1/31/2020	0.1331	0	1.909	0
2/1/2020	0.1305	0	0	0
2/2/2020	0.1279	0	0	0
2/3/2020	0.1253	0	0	0
2/4/2020	0.1228	0	0	0
2/5/2020	0.1203	0	0	0
2/6/2020	0.1179	0	0	0
2/7/2020	0.1156	0	0	0
2/8/2020	0.1133	0	0	0
2/9/2020	0.111	0	0	0
2/10/2020	0.1088	0	0	0
2/11/2020	0.1066	0	0	0
2/12/2020	0.1045	0	0	0
2/13/2020	0.1024	0	0	0
2/14/2020	0.1003	0	0	0
2/15/2020	0.09833	0	0	0
2/16/2020	0.09636	0	0	0
2/17/2020	0.09444	0	0	0
2/18/2020	0.09255	0	0	0
2/19/2020	0.0907	0	0	0
2/20/2020	0.08888	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
2/21/2020	0.08711	0	0	0
2/22/2020	0.08536	0	0	0
2/23/2020	0.08366	0	0	0
2/24/2020	0.08198	0	0	0
2/25/2020	0.08034	0	0	0
2/26/2020	0.07874	0	0	0
2/27/2020	0.07716	0	0	0
2/28/2020	0.07562	0	0	0
2/29/2020	0.07411	0	1.077	0
3/1/2020	0.07262	0	0	0
3/2/2020	0.07117	0	0	0
3/3/2020	0.06975	0	0	0
3/4/2020	0.06835	0	0	0
3/5/2020	0.06699	0	0	0
3/6/2020	0.06565	0	0	0
3/7/2020	0.06433	0	0	0
3/8/2020	0.06305	0	0	0
3/9/2020	0.06179	0	0	0
3/10/2020	0.06055	0	0	0
3/11/2020	0.05934	0	0	0
3/12/2020	0.05815	0	0	0
3/13/2020	0.05699	0	0	0
3/14/2020	0.05585	0	0	0
3/15/2020	0.05473	0	0.711	0
3/16/2020	0.05364	0	0	0
3/17/2020	0.05256	0	0	0
3/18/2020	0.05151	0	0	0
3/19/2020	0.05048	0	0	0
3/20/2020	0.04947	0	0	0
3/21/2020	0.04848	0	0	0
3/22/2020	0.04751	0	4.588	0
3/23/2020	0.04656	0	0	0
3/24/2020	0.04563	0	0	0
3/25/2020	0.04472	0	0	0
3/26/2020	0.04383	0	0	0
3/27/2020	0.04295	0	0	0
3/28/2020	0.04209	0	0	0
3/29/2020	0.04125	0	0	0
3/30/2020	0.04042	0	0	0
3/31/2020	0.03962	0	0	0
4/1/2020	0.03882	0	0	0
4/2/2020	0.03805	0	8.024	0
4/3/2020	0.03729	0	6.902	0
4/4/2020	0.03654	0	6.784	0
4/5/2020	0.03581	0	8.715	0
4/6/2020	0.03509	0	4.015	0
4/7/2020	0.03439	0	2.452	0
4/8/2020	0.0337	0	8.363	0
4/9/2020	0.03303	0	4.011	0
4/10/2020	0.03237	0	2.071	0
4/11/2020	0.03172	0	1.007	0
4/12/2020	0.03109	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
4/13/2020	0.03046	0	0	0
4/14/2020	0.02986	0	0	0
4/15/2020	0.02926	0	0.176	0
4/16/2020	0.02867	0	0	0
4/17/2020	0.0281	0	0	0
4/18/2020	0.02754	0	0	0
4/19/2020	0.02699	0	0	0
4/20/2020	0.02645	0	0	0
4/21/2020	0.02592	0	0	0
4/22/2020	0.0254	0	3.916	0
4/23/2020	0.02489	0	15.72	0
4/24/2020	0.02439	0	8.21	0
4/25/2020	0.02391	0	6.074	0
4/26/2020	0.02343	0	11.97	0
4/27/2020	0.02296	0	0	0
4/28/2020	0.0225	0	0	0
4/29/2020	0.02205	0	19.94	0
4/30/2020	0.02161	0	30.07	0
5/1/2020	0.02118	0	18.41	0
5/2/2020	0.02075	0	10.06	0
5/3/2020	0.02034	0	22.84	0
5/4/2020	0.01993	0	35.17	0
5/5/2020	0.01953	0	15.03	0
5/6/2020	0.01914	0	18.98	0
5/7/2020	0.01876	0	26.3	0
5/8/2020	0.01838	0	21.99	0
5/9/2020	0.01802	0	14.05	0
5/10/2020	0.01766	0	13.77	0
5/11/2020	0.0173	0	21.81	0
5/12/2020	0.01696	0	22.16	0
5/13/2020	0.01662	0	18.12	0
5/14/2020	0.01629	0	16.99	0
5/15/2020	0.01596	0	21.57	0
5/16/2020	0.01564	0	38.01	0
5/17/2020	0.01533	0	42.8	0
5/18/2020	0.01502	0	33.65	0
5/19/2020	0.01472	0	33.62	0
5/20/2020	0.01443	0	34.4	0
5/21/2020	0.01414	0	33.02	0
5/22/2020	0.01386	0	31.27	0
5/23/2020	0.01358	0	39.36	0
5/24/2020	0.01331	0	38.3	0
5/25/2020	0.01304	0	39.63	0
5/26/2020	0.01278	0	27.38	0
5/27/2020	0.01252	0	28.03	0
5/28/2020	0.01227	0	40.3	0
5/29/2020	0.01203	0	37.17	0
5/30/2020	0.01179	0	40.24	0
5/31/2020	0.01155	0	40.34	0
6/1/2020	0.01132	0	37.42	0
6/2/2020	0.01109	0	37.82	0
6/3/2020	16.8	7.865	43.45	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
6/4/2020	0.01066	0	47.13	0
6/5/2020	0.01044	0	48.15	0
6/6/2020	369.3	88.97	50.9	0
6/7/2020	826.2	14.26	38.57	0
6/8/2020	190.4	41.78	50.61	0
6/9/2020	259.3	33.92	52.5	0
6/10/2020	596.4	104.7	56.34	0
6/11/2020	1709	177	64.38	0
6/12/2020	1853	283.1	72.03	0
6/13/2020	2647	401.1	79.53	0
6/14/2020	558.1	263.5	70.65	0
6/15/2020	432.5	236	68.42	0
6/16/2020	361.9	173	61.8	0
6/17/2020	306.9	302.8	73.46	0
6/18/2020	260.1	265.9	81.19	0
6/19/2020	219.8	0	90.1	0
6/20/2020	197.9	0	86.34	0
6/21/2020	186.9	0	85.64	0
6/22/2020	172.4	0	87.71	0
6/23/2020	158.2	0	102.4	0
6/24/2020	144.7	17.2	83.91	0
6/25/2020	133	7.374	75.04	0
6/26/2020	122	103.2	51.54	0
6/27/2020	219.8	0	63.49	0
6/28/2020	104	0	82.6	0
6/29/2020	95.33	0	91.59	0
6/30/2020	86.47	0	96.13	0
7/1/2020	78.12	0	103.5	0
7/2/2020	70.18	0	94.32	0
7/3/2020	63.02	0	88.36	0
7/4/2020	56.5	0	79.39	0
7/5/2020	14.47	0	80.09	0
7/6/2020	14.18	0	72.7	0
7/7/2020	13.9	93.4	75.38	0
7/8/2020	97.96	7.374	77.42	0
7/9/2020	13.35	7.374	79.58	0
7/10/2020	13.08	0	93.73	0
7/11/2020	12.82	0	95.09	0
7/12/2020	12.56	0	82.52	0
7/13/2020	12.31	0	69.37	0
7/14/2020	12.06	7.374	71.9	0
7/15/2020	11.82	7.374	68.48	0
7/16/2020	11.59	103.2	91.22	0
7/17/2020	106.2	7.374	76.5	0
7/18/2020	11.13	0	93.43	0
7/19/2020	10.91	0	89.71	0
7/20/2020	10.69	0	95.98	0
7/21/2020	10.47	0	96.29	0
7/22/2020	10.26	0	86.7	0
7/23/2020	10.06	0	90.79	0
7/24/2020	9.857	7.374	82.39	0
7/25/2020	9.66	7.374	67.18	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
7/26/2020	9.467	0	63.5	0
7/27/2020	9.278	0	79.67	0
7/28/2020	9.092	0	81.3	0
7/29/2020	8.91	7.374	75.41	0
7/30/2020	8.732	7.374	90.34	0
7/31/2020	8.558	0	63.87	0
8/1/2020	8.386	0	85.24	0
8/2/2020	8.219	0	86.58	0
8/3/2020	8.054	0	89.2	0
8/4/2020	7.893	0	89.56	0
8/5/2020	7.735	12.29	88.6	0
8/6/2020	7.581	0	85.11	0
8/7/2020	7.429	0	66.4	0
8/8/2020	7.28	7.374	65.39	0
8/9/2020	7.135	73.74	52.42	0
8/10/2020	67.68	7.374	58.74	0
8/11/2020	6.852	0	67.97	0
8/12/2020	6.715	0	75.03	0
8/13/2020	6.581	7.374	56.18	0
8/14/2020	6.449	78.65	53.27	0
8/15/2020	74.46	0	67.63	0
8/16/2020	6.194	54.07	67.23	0
8/17/2020	31.65	7.374	65.22	0
8/18/2020	5.949	0	48.12	0
8/19/2020	5.83	0	57.9	0
8/20/2020	5.713	292.5	40.63	0
8/21/2020	413.3	78.65	50.94	0
8/22/2020	110	0	38.1	0
8/23/2020	8.705	0	54.79	0
8/24/2020	8.642	0	56.12	0
8/25/2020	9.534	0	56.02	0
8/26/2020	9.775	0	48.59	0
8/27/2020	9.58	7.374	40.1	0
8/28/2020	9.388	0	45.9	0
8/29/2020	9.201	7.374	46.76	0
8/30/2020	9.017	0	39.87	0
8/31/2020	8.836	245.8	25.98	0
9/1/2020	347.7	440	24.73	0
9/2/2020	685.4	113.1	36.32	0
9/3/2020	244.7	103.2	39.75	0
9/4/2020	202.9	108.1	39.09	0
9/5/2020	245.7	154.8	28.2	0
9/6/2020	325	260.5	30.55	0
9/7/2020	503.7	7.374	34.33	0
9/8/2020	142.1	0	30.33	0
9/9/2020	123.5	98.31	30.13	0
9/10/2020	216.1	29.49	32.35	0
9/11/2020	127.3	0	28.68	0
9/12/2020	97.3	0	30.82	0
9/13/2020	93.77	162.2	33.9	0
9/14/2020	296.7	7.374	25.77	0
9/15/2020	87.58	90.94	28.3	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
9/16/2020	197.5	105.7	25.92	0
9/17/2020	227.6	2.458	23.57	0
9/18/2020	88.56	2.458	25.91	0
9/19/2020	84.28	0	30.18	0
9/20/2020	83.06	0	30.03	0
9/21/2020	80.25	7.374	18.84	0
9/22/2020	76.43	7.374	21.8	0
9/23/2020	72.09	7.374	21.93	0
9/24/2020	67.48	0	27.39	0
9/25/2020	62.34	7.374	15.58	0
9/26/2020	57.68	0	13.9	0
9/27/2020	53.41	0	22.06	0
9/28/2020	14.04	78.65	20.6	0
9/29/2020	92.15	12.29	16.38	0
9/30/2020	13.49	2.458	17.12	0
10/1/2020	13.63	0	16.74	0
10/2/2020	13.76	12.29	14.24	0
10/3/2020	13.79	2.458	12.82	0
10/4/2020	13.69	2.458	12.46	0
10/5/2020	0.6781	0	11.77	0
10/6/2020	0.6686	0	11.17	0
10/7/2020	0.6593	0	11.01	0
10/8/2020	0.6499	0	12.74	0
10/9/2020	0.6401	0	11.76	0
10/10/2020	0.6299	0	7.543	0
10/11/2020	86.98	36.87	12.34	0
10/12/2020	58.45	282.7	8.882	0
10/13/2020	435.3	22.12	9.428	0
10/14/2020	54.79	56.53	9.378	0
10/15/2020	88.73	41.78	9.03	0
10/16/2020	107.8	2.458	9.543	0
10/17/2020	51.73	2.458	8.581	0
10/18/2020	3.001	0	9.089	0
10/19/2020	3.055	0	6.666	0
10/20/2020	3.062	0	6.045	0
10/21/2020	3.029	0	6.308	0
10/22/2020	2.965	0	5.17	0
10/23/2020	2.876	0	4.576	0
10/24/2020	2.771	0	4.158	0
10/25/2020	2.654	0	4.069	0
10/26/2020	0.7228	0	3.708	0
10/27/2020	0.7225	0	4.085	0
10/28/2020	0.7194	0	2.321	0
10/29/2020	0.714	0	2.058	0
10/30/2020	0.707	0	1.99	0
10/31/2020	0.6987	0	1.379	0
11/1/2020	0.6893	0	0.4606	0
11/2/2020	0.6793	0	0.4314	0
11/3/2020	0.6686	0	2.416	0
11/4/2020	0.6576	0	3.34	0
11/5/2020	0.6464	0	1.307	0
11/6/2020	0.635	0	0.7471	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
11/7/2020	0.6235	0	1.737	0
11/8/2020	0.612	0	0.4624	0
11/9/2020	0.6005	0	1.309	0
11/10/2020	0.5892	0	1.732	0
11/11/2020	0.5779	0	0	0
11/12/2020	0.5667	0	0.04269	0
11/13/2020	0.5557	0	1.587	0
11/14/2020	0.5448	0	0.1754	0
11/15/2020	0.5341	0	0	0
11/16/2020	0.5236	0	0.2759	0
11/17/2020	0.5133	0	0.5472	0
11/18/2020	0.5031	0	0.06037	0
11/19/2020	0.4931	0	0.141	0
11/20/2020	0.4833	0	0	0
11/21/2020	0.4737	0	0	0
11/22/2020	0.4643	0	0	0
11/23/2020	0.4551	0	0	0
11/24/2020	0.446	0	0	0
11/25/2020	0.4371	0	0.2756	0
11/26/2020	0.4284	0	0.5592	0
11/27/2020	0.4198	0	0	0
11/28/2020	0.4114	0	0	0
11/29/2020	0.4032	0	0.2982	0
11/30/2020	0.3951	0	0.5221	0
12/1/2020	0.3872	0	0.67	0
12/2/2020	0.3795	0	0.5613	0
12/3/2020	0.3719	0	0.6467	0
12/4/2020	0.3645	0	0.5144	0
12/5/2020	0.3572	0	0.7211	0
12/6/2020	0.3501	0	0.7527	0
12/7/2020	0.3431	0	0.8509	0
12/8/2020	0.3362	0	0.8221	0
12/9/2020	0.3295	0	0.6835	0
12/10/2020	0.3229	0	0	0
12/11/2020	0.3164	0	0	0
12/12/2020	0.3101	0	0	0
12/13/2020	0.3039	0	0	0
12/14/2020	0.2978	0	0	0
12/15/2020	0.2919	0	0	0
12/16/2020	0.286	0	0	0
12/17/2020	0.2803	0	0	0
12/18/2020	0.2747	0	0	0
12/19/2020	0.2692	0	0	0
12/20/2020	0.2638	0	0	0
12/21/2020	0.2585	0	0	0
12/22/2020	0.2534	0	0	0
12/23/2020	0.2483	0	0	0
12/24/2020	0.2433	0	0	0
12/25/2020	0.2385	0	0	0
12/26/2020	0.2337	0	0	0
12/27/2020	0.229	0	0	0
12/28/2020	0.2244	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
12/29/2020	0.22	0	0	0
12/30/2020	0.2156	0	0	0
12/31/2020	0.2112	0	0	0
1/1/2021	0.207	0	0	0
1/2/2021	0.2029	0	0	0
1/3/2021	0.1988	0	0	0
1/4/2021	0.1948	0	0	0
1/5/2021	0.191	0	0	0
1/6/2021	0.1871	0	0	0
1/7/2021	0.1834	0	0	0
1/8/2021	0.1797	0	0.4652	0
1/9/2021	0.1761	0	0.0574	0
1/10/2021	0.1726	0	0	0
1/11/2021	0.1692	0	0	0
1/12/2021	0.1658	0	0	0
1/13/2021	0.1625	0	0.154	0
1/14/2021	0.1592	0	0.5423	0
1/15/2021	0.156	0	0	0
1/16/2021	0.1529	0	0	0
1/17/2021	0.1498	0	0	0
1/18/2021	0.1468	0	0	0
1/19/2021	0.1439	0	0	0
1/20/2021	0.141	0	0	0
1/21/2021	0.1382	0	0	0
1/22/2021	0.1354	0	0	0
1/23/2021	0.1327	0	0	0
1/24/2021	0.1301	0	0	0
1/25/2021	0.1275	0	0	0
1/26/2021	0.1249	0	0	0
1/27/2021	0.1224	0	0.06303	0
1/28/2021	0.12	0	0	0
1/29/2021	0.1176	0	0	0
1/30/2021	0.1152	0	0	0
1/31/2021	0.1129	0	0.4337	0
2/1/2021	0.1107	0	0	0
2/2/2021	0.1085	0	0	0
2/3/2021	0.1063	0	0	0
2/4/2021	0.1042	0	0	0
2/5/2021	0.1021	0	0	0
2/6/2021	0.1	0	0	0
2/7/2021	0.09804	0	0	0
2/8/2021	0.09608	0	4.218	0
2/9/2021	0.09415	0	0	0
2/10/2021	0.09227	0	0	0
2/11/2021	0.09043	0	0	0
2/12/2021	0.08862	0	0.5438	0
2/13/2021	0.08684	0	0	0
2/14/2021	0.08511	0	0	0
2/15/2021	0.08341	0	0	0
2/16/2021	0.08174	0	0	0
2/17/2021	0.0801	0	0	0
2/18/2021	0.0785	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
2/19/2021	0.07693	0	0	0
2/20/2021	0.07539	0	0	0
2/21/2021	0.07388	0	0.44	0
2/22/2021	0.07241	0	0	0
2/23/2021	0.07096	0	0	0
2/24/2021	0.06954	0	0	0
2/25/2021	0.06815	0	0	0
2/26/2021	0.06679	0	0	0
2/27/2021	0.06545	0	0	0
2/28/2021	0.06414	0	0	0
3/1/2021	0.06286	0	0	0
3/2/2021	0.0616	0	0	0
3/3/2021	0.06037	0	0	0
3/4/2021	0.05916	0	0	0
3/5/2021	0.05798	0	0	0
3/6/2021	0.05682	0	0	0
3/7/2021	0.05568	0	0	0
3/8/2021	0.05457	0	4.74	0
3/9/2021	0.05348	0	0	0
3/10/2021	0.05241	0	0	0
3/11/2021	0.05136	0	0	0
3/12/2021	0.05033	0	0	0
3/13/2021	0.04933	0	0	0
3/14/2021	0.04834	0	0	0
3/15/2021	0.04737	0	0	0
3/16/2021	0.04642	0	0	0
3/17/2021	0.0455	0	0	0
3/18/2021	0.04459	0	0	0
3/19/2021	0.04369	0	0	0
3/20/2021	0.04282	0	2.778	0
3/21/2021	0.04196	0	2.409	0
3/22/2021	0.04113	0	4.04	0
3/23/2021	0.0403	0	0	0
3/24/2021	0.0395	0	0	0
3/25/2021	0.03871	0	0	0
3/26/2021	0.03793	0	0	0
3/27/2021	0.03717	0	0	0
3/28/2021	0.03643	0	0	0
3/29/2021	0.0357	0	0	0
3/30/2021	0.03499	0	0	0
3/31/2021	0.03429	0	0	0
4/1/2021	0.0336	0	0	0
4/2/2021	0.03293	0	0	0
4/3/2021	0.03227	0	2.638	0
4/4/2021	0.03163	0	8.678	0
4/5/2021	0.03099	0	0.3007	0
4/6/2021	0.03037	0	3.339	0
4/7/2021	0.02977	0	12.56	0
4/8/2021	0.02917	0	10.23	0
4/9/2021	0.02859	0	7.165	0
4/10/2021	0.02802	0	17.84	0
4/11/2021	0.02746	0	14.18	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
4/12/2021	0.02691	0	0	0
4/13/2021	0.02637	0	0	0
4/14/2021	0.02584	0	0	0
4/15/2021	0.02532	0	10.99	0
4/16/2021	0.02482	0	14.7	0
4/17/2021	0.02432	0	15.53	0
4/18/2021	0.02383	0	3.824	0
4/19/2021	0.02336	0	0.3819	0
4/20/2021	0.02289	0	0	0
4/21/2021	0.02243	0	10.04	0
4/22/2021	0.02198	0	15.16	0
4/23/2021	0.02154	0	8.149	0
4/24/2021	0.02111	0	0	0
4/25/2021	0.02069	0	0	0
4/26/2021	0.02028	0	3.306	0
4/27/2021	0.01987	0	8.514	0
4/28/2021	0.01947	0	28.14	0
4/29/2021	0.01909	0	12.66	0
4/30/2021	0.0187	0	13.53	0
5/1/2021	0.01833	0	11.36	0
5/2/2021	0.01796	0	31.36	0
5/3/2021	0.0176	0	40.29	0
5/4/2021	0.01725	0	40.85	0
5/5/2021	25.22	58.5	39.93	0
5/6/2021	80.06	0	37.23	0
5/7/2021	0.01624	0	33.7	0
5/8/2021	0.0417	0	30.59	0
5/9/2021	0.06638	0	29.95	0
5/10/2021	0.08791	0	34.94	0
5/11/2021	0.1057	0	37.07	0
5/12/2021	0.1198	0	37.55	0
5/13/2021	0.1307	0	20.91	0
5/14/2021	0.1388	0	22.04	0
5/15/2021	0.1447	0	7.367	0
5/16/2021	0.1488	0	16.96	0
5/17/2021	0.1515	0	18	0
5/18/2021	0.1529	0	14.95	0
5/19/2021	0.1535	0	19.45	0
5/20/2021	0.1533	0	16.69	0
5/21/2021	0.1526	0	25.63	0
5/22/2021	0.1514	0	27.24	0
5/23/2021	0.1498	0	24.67	0
5/24/2021	0.148	0	34.82	0
5/25/2021	0.146	0	34.92	0
5/26/2021	0.1438	0	34.54	0
5/27/2021	0.1416	0	31.78	0
5/28/2021	0.1392	0	41.42	0
5/29/2021	17.17	57.02	49.44	0
5/30/2021	138.4	55.06	47.82	0
5/31/2021	181.2	58.01	47.79	0
6/1/2021	76.9	0	44.7	0
6/2/2021	0.1746	0	49.4	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
6/3/2021	77.65	37.85	50.81	0
6/4/2021	266.1	47.19	52.9	0
6/5/2021	364.8	39.33	53.02	0
6/6/2021	437	66.85	52.53	0
6/7/2021	578.4	0	48.47	0
6/8/2021	310.6	62.92	52.55	0
6/9/2021	915.2	98.31	55.57	0
6/10/2021	1074	86.52	54.6	0
6/11/2021	1058	161.2	60.67	0
6/12/2021	1844	314.6	89.24	0
6/13/2021	3494	350	75.42	0
6/14/2021	2928	412.9	83.75	0
6/15/2021	854	322.5	79.03	0
6/16/2021	693.4	212.4	63.21	0
6/17/2021	594.4	291	73.17	0
6/18/2021	513.3	327.4	77.23	0
6/19/2021	446.9	293	68.3	0
6/20/2021	394	130.8	59.79	0
6/21/2021	349.6	169.1	61.92	0
6/22/2021	318.1	224.2	64.06	0
6/23/2021	299.8	259.5	67.51	0
6/24/2021	280.3	375.6	64.77	0
6/25/2021	462.9	292	59.76	0
6/26/2021	496.3	169.1	63.41	0
6/27/2021	225.9	287.1	73.84	0
6/28/2021	214.5	310.7	69.78	0
6/29/2021	201.3	183.4	74.44	0
6/30/2021	185.6	0	91.72	0
7/1/2021	170.5	0	73.25	0
7/2/2021	156.8	44.24	78.28	0
7/3/2021	150.6	46.7	75.63	0
7/4/2021	163.6	149.9	71.18	0
7/5/2021	317.8	0	68.8	0
7/6/2021	113.7	0	74.26	0
7/7/2021	107.1	0	82.2	0
7/8/2021	97.71	27.04	81.06	0
7/9/2021	89.32	0	85.6	0
7/10/2021	81.29	0	77.87	0
7/11/2021	73.74	0	90.21	0
7/12/2021	66.42	0	82.48	0
7/13/2021	59.8	41.78	77.29	0
7/14/2021	56.88	0	78.47	0
7/15/2021	14.02	0	139.9	0
7/16/2021	13.74	12.29	86.91	0
7/17/2021	13.47	432.6	65.3	0
7/18/2021	633	0	71.48	0
7/19/2021	32.82	0	76.34	0
7/20/2021	53.02	0	90.03	0
7/21/2021	53.39	0	84.33	0
7/22/2021	13.89	0	79.64	0
7/23/2021	13.61	0	80.31	250
7/24/2021	13.34	616.9	69.86	250

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
7/25/2021	920.7	93.4	68.79	250
7/26/2021	206.4	68.82	66	0
7/27/2021	169	0	63	0
7/28/2021	85.71	0	63.13	0
7/29/2021	67.44	0	64.92	0
7/30/2021	67.33	46.7	63.93	0
7/31/2021	79.41	12.29	63.27	240
8/1/2021	60.61	0	63.46	180
8/2/2021	55.34	100.8	65.29	0
8/3/2021	113.4	14.75	64.48	0
8/4/2021	14.06	66.36	65.49	0
8/5/2021	71.89	4.916	60.72	0
8/6/2021	13.52	0	58.36	240
8/7/2021	13.25	0	59.4	0
8/8/2021	12.98	0	63.61	0
8/9/2021	12.72	113.1	61.4	0
8/10/2021	132.1	0	57.94	0
8/11/2021	12.22	0	58.19	0
8/12/2021	11.97	597.3	50.54	0
8/13/2021	894.6	248.2	43.61	260
8/14/2021	455.7	86.02	56.71	420
8/15/2021	195.9	29.49	57.01	240
8/16/2021	128	282.7	55.02	480
8/17/2021	504.8	0	53.55	480
8/18/2021	126.5	4.916	48.93	240
8/19/2021	105.6	27.04	51.77	0
8/20/2021	86.82	0	52.23	0
8/21/2021	86.06	0	45.86	240
8/22/2021	83.46	17.2	48.59	240
8/23/2021	79.24	447.3	46.7	480
8/24/2021	728	0	48.1	480
8/25/2021	94.65	0	52.89	480
8/26/2021	78.36	0	53.8	480
8/27/2021	73.21	0	65.52	0
8/28/2021	71.32	0	63.73	0
8/29/2021	66.2	0	65.27	0
8/30/2021	60.01	0	48.51	0
8/31/2021	54.65	0	42.55	0
9/1/2021	14.23	78.65	44.14	0
9/2/2021	84.95	2.458	45.61	0
9/3/2021	13.67	34.41	40.24	0
9/4/2021	22.26	51.61	36.59	480
9/5/2021	63.94	19.66	40.7	0
9/6/2021	13.93	0	37.15	0
9/7/2021	13.03	4.916	36.56	0
9/8/2021	12.77	9.831	37.46	0
9/9/2021	12.51	17.2	34.74	0
9/10/2021	12.26	19.66	35.43	0
9/11/2021	12.02	0	33.89	0
9/12/2021	11.78	122.9	31.19	480
9/13/2021	157.9	0	28.39	0
9/14/2021	11.31	280.2	30.71	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
9/15/2021	411.4	199.1	31.8	0
9/16/2021	320.9	7.374	30.48	0
9/17/2021	44.78	4.916	29.17	0
9/18/2021	70.35	34.41	28.21	0
9/19/2021	74.94	51.61	26.49	0
9/20/2021	115.9	2.458	22.28	0
9/21/2021	62.21	4.916	21.58	0
9/22/2021	62.49	2.458	21.73	0
9/23/2021	61.64	0	20.96	0
9/24/2021	59.82	0	21.63	0
9/25/2021	57.09	208.9	22.76	0
9/26/2021	335.9	7.374	21.93	0
9/27/2021	14.29	0	18.88	0
9/28/2021	53.67	0	20.64	0
9/29/2021	53.63	0	18.26	340
9/30/2021	15.01	14.75	18.18	500
10/1/2021	53.37	98.31	21.35	0
10/2/2021	132.2	14.75	18.93	0
10/3/2021	17.01	19.66	16.56	0
10/4/2021	21.33	39.33	16.45	499
10/5/2021	90.89	462.1	19.03	0
10/6/2021	716.2	22.12	16.67	0
10/7/2021	142.9	4.916	15.16	0
10/8/2021	96.36	181.9	14.76	0
10/9/2021	338.6	12.29	16.6	0
10/10/2021	109	0	15.43	0
10/11/2021	93.8	0	16.75	0
10/12/2021	82.35	98.31	13.69	0
10/13/2021	189.6	154.8	12.08	0
10/14/2021	289.1	0	11.77	0
10/15/2021	115.4	0	10.42	0
10/16/2021	88	49.16	11.57	0
10/17/2021	122.5	98.31	9.472	0
10/18/2021	215.9	9.831	10.95	0
10/19/2021	86.3	0	10.44	0
10/20/2021	4.115	0	8.283	0
10/21/2021	4.103	0	7.459	0
10/22/2021	4.048	0	6.409	0
10/23/2021	3.956	0	6.74	0
10/24/2021	3.835	0	6.755	0
10/25/2021	3.693	0	7.331	0
10/26/2021	3.536	0	6.536	0
10/27/2021	374.5	2.458	8.296	0
10/28/2021	275.2	145	7.051	0
10/29/2021	247	0	5.31	0
10/30/2021	13.94	39.33	5.767	0
10/31/2021	36.98	0	5.963	0
11/1/2021	2.844	0	4.224	0
11/2/2021	2.848	0	3.068	0
11/3/2021	2.827	0	3.109	0
11/4/2021	2.78	0	3.466	0
11/5/2021	2.709	0	4.084	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
11/6/2021	0.7489	0	4.162	0
11/7/2021	2.651	0	3.893	0
11/8/2021	0.7233	0	4.41	0
11/9/2021	0.724	0	3.397	0
11/10/2021	0.7217	0	2.859	0
11/11/2021	0.7171	0	0.7459	0
11/12/2021	0.7106	0	0.343	0
11/13/2021	0.7026	0	0	0
11/14/2021	0.6936	0	0.09613	0
11/15/2021	0.6837	0	1.798	0
11/16/2021	0.6733	0	2.315	0
11/17/2021	0.6624	0	1.58	0
11/18/2021	0.6512	0	0.4236	0
11/19/2021	0.6398	0	0	0
11/20/2021	0.6283	0	0.1091	0
11/21/2021	0.6168	0	1.437	0
11/22/2021	0.6053	0	0.801	0
11/23/2021	0.5939	0	0	0
11/24/2021	0.5825	0	0	0
11/25/2021	0.5713	0	0	0
11/26/2021	0.5602	0	0.205	0
11/27/2021	0.5493	0	0	0
11/28/2021	0.5385	0	0.9824	0
11/29/2021	0.528	0	0.6999	0
11/30/2021	0.5175	0	0	0
12/1/2021	0.5073	0	0.1353	0
12/2/2021	0.4972	0	0	0
12/3/2021	0.4874	0	0	0
12/4/2021	0.4777	0	0	0
12/5/2021	0.4682	0	0	0
12/6/2021	0.4588	0	0	0
12/7/2021	0.4497	0	0	0
12/8/2021	0.4407	0	0	0
12/9/2021	0.4319	0	0	0
12/10/2021	0.4233	0	0.3561	0
12/11/2021	0.4149	0	0.6609	0
12/12/2021	0.4066	0	0.4831	0
12/13/2021	0.3984	0	0.2586	0
12/14/2021	0.3905	0	0	0
12/15/2021	0.3827	0	0	0
12/16/2021	0.375	0	0	0
12/17/2021	0.3675	0	0	0
12/18/2021	0.3602	0	0	0
12/19/2021	0.353	0	0	0
12/20/2021	0.3459	0	0	0
12/21/2021	0.339	0	0	0
12/22/2021	0.3322	0	0	0
12/23/2021	0.3256	0	0	0
12/24/2021	0.3191	0	0	0
12/25/2021	0.3127	0	0	0
12/26/2021	0.3064	0	0	0
12/27/2021	0.3003	0	0.2678	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
12/28/2021	0.2943	0	0	0
12/29/2021	0.2884	0	0	0
12/30/2021	0.2826	0	0	0
12/31/2021	0.277	0	0	0
1/1/2022	0.2715	0	0	0
1/2/2022	0.266	0	0	0
1/3/2022	0.2607	0	0	0
1/4/2022	0.2555	0	0	0
1/5/2022	0.2504	0	0	0
1/6/2022	0.2454	0	0	0
1/7/2022	0.2405	0	0	0
1/8/2022	0.2357	0	0	0
1/9/2022	0.2309	0	0	0
1/10/2022	0.2263	0	0	0
1/11/2022	0.2218	0	0	0
1/12/2022	0.2174	0	0	0
1/13/2022	0.213	0	0	0
1/14/2022	0.2088	0	0	0
1/15/2022	0.2046	0	0	0
1/16/2022	0.2005	0	0	0
1/17/2022	0.1965	0	0	0
1/18/2022	0.1926	0	0	0
1/19/2022	0.1887	0	0.01479	0
1/20/2022	0.1849	0	0.4789	0
1/21/2022	0.1812	0	0	0
1/22/2022	0.1776	0	0	0
1/23/2022	0.1741	0	0	0
1/24/2022	0.1706	0	0	0
1/25/2022	0.1672	0	0	0
1/26/2022	0.1638	0	0	0
1/27/2022	0.1605	0	0	0
1/28/2022	0.1573	0	0	0
1/29/2022	0.1542	0	0	0
1/30/2022	0.1511	0	0	0
1/31/2022	0.1481	0	0	0
2/1/2022	0.1451	0	0	0
2/2/2022	0.1422	0	0	0
2/3/2022	0.1394	0	0	0
2/4/2022	0.1366	0	0	0
2/5/2022	0.1338	0	0	0
2/6/2022	0.1312	0	0	0
2/7/2022	0.1285	0	0	0
2/8/2022	0.126	0	0	0
2/9/2022	0.1235	0	0	0
2/10/2022	0.121	0	0	0
2/11/2022	0.1186	0	0	0
2/12/2022	0.1162	0	0	0
2/13/2022	0.1139	0	0	0
2/14/2022	0.1116	0	0	0
2/15/2022	0.1094	0	0	0
2/16/2022	0.1072	0	0	0
2/17/2022	0.105	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
2/18/2022	0.1029	0	0	0
2/19/2022	0.1009	0	0	0
2/20/2022	0.09886	0	0	0
2/21/2022	0.09688	0	0	0
2/22/2022	0.09494	0	0	0
2/23/2022	0.09304	0	0	0
2/24/2022	0.09118	0	0	0
2/25/2022	0.08936	0	0	0
2/26/2022	0.08757	0	0	0
2/27/2022	0.08582	0	0	0
2/28/2022	0.0841	0	0	0
3/1/2022	0.08242	0	0	0
3/2/2022	0.08077	0	0	0
3/3/2022	0.07916	0	0	0
3/4/2022	0.07757	0	0	0
3/5/2022	0.07602	0	0	0
3/6/2022	0.0745	0	0	0
3/7/2022	0.07301	0	0	0
3/8/2022	0.07155	0	0	0
3/9/2022	0.07012	0	0	0
3/10/2022	0.06872	0	0	0
3/11/2022	0.06734	0	0	0
3/12/2022	0.066	0	0	0
3/13/2022	0.06468	0	0	0
3/14/2022	0.06338	0	0	0
3/15/2022	0.06212	0	0	0
3/16/2022	0.06087	0	0	0
3/17/2022	0.05966	0	0	0
3/18/2022	0.05846	0	0	0
3/19/2022	0.05729	0	0	0
3/20/2022	0.05615	0	0	0
3/21/2022	0.05503	0	0	0
3/22/2022	0.05392	0	0	0
3/23/2022	0.05285	0	6.372	0
3/24/2022	0.05179	0	15.91	0
3/25/2022	0.05075	0	9.324	0
3/26/2022	0.04974	0	2.751	0
3/27/2022	0.04874	0	0	0
3/28/2022	0.04777	0	0	0
3/29/2022	0.04681	0	0	0
3/30/2022	0.04588	0	0	0
3/31/2022	0.04496	0	0	0
4/1/2022	0.04406	0	7.007	0
4/2/2022	0.04318	0	10.74	0
4/3/2022	0.04232	0	0	0
4/4/2022	0.04147	0	0	0
4/5/2022	0.04064	0	0	0
4/6/2022	0.03983	0	0	0
4/7/2022	0.03903	0	0	0
4/8/2022	0.03825	0	0	0
4/9/2022	0.03748	0	0	0
4/10/2022	0.03674	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
4/11/2022	0.036	0	0	0
4/12/2022	0.03528	0	0	0
4/13/2022	0.03457	0	0	0
4/14/2022	0.03388	0	3.313	0
4/15/2022	0.03321	0	12.04	0
4/16/2022	0.03254	0	11.59	0
4/17/2022	0.03189	0	8.099	0
4/18/2022	0.03125	0	5.402	0
4/19/2022	0.03063	0	4.067	0
4/20/2022	0.03002	0	0	0
4/21/2022	0.02942	0	0	0
4/22/2022	0.02883	0	0	0
4/23/2022	0.02825	0	0	0
4/24/2022	0.02769	0	0	0
4/25/2022	0.02713	0	0	0
4/26/2022	0.02659	0	0	0
4/27/2022	0.02606	0	0	0
4/28/2022	0.02554	0	7.487	0
4/29/2022	0.02503	0	0	0
4/30/2022	0.02452	0	0	0
5/1/2022	0.02403	0	5.524	0
5/2/2022	0.02355	0	20.04	0
5/3/2022	0.02308	0	24.38	0
5/4/2022	0.02262	0	27.47	0
5/5/2022	0.02217	0	13.16	0
5/6/2022	0.02173	0	23.56	0
5/7/2022	0.02129	0	23.8	0
5/8/2022	0.02086	0	23.42	0
5/9/2022	0.02045	0	35.33	0
5/10/2022	0.02004	0	40.81	0
5/11/2022	0.01964	0	39.86	0
5/12/2022	0.01924	0	39.64	0
5/13/2022	0.01886	0	36.15	0
5/14/2022	0.01848	0	41.19	0
5/15/2022	50.43	38.51	32.46	0
5/16/2022	157.6	42.45	39.13	0
5/17/2022	223.4	112.6	40.5	0
5/18/2022	292	7.865	45.46	0
5/19/2022	19.03	0	43.9	0
5/20/2022	0.1643	0	45.1	0
5/21/2022	47.64	32.62	47.03	0
5/22/2022	225.7	60.14	50.68	0
5/23/2022	512	75.9	48.94	0
5/24/2022	515.4	99.2	46.16	0
5/25/2022	310.4	107.9	47.35	0
5/26/2022	251.8	19.34	49.26	0
5/27/2022	102.4	43.63	44.8	0
5/28/2022	93.99	26.4	44.4	0
5/29/2022	169.3	89.69	49.34	0
5/30/2022	795.5	126.5	56.14	0
5/31/2022	1225	168.6	60.72	0
6/1/2022	1786	186.8	59.98	500

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
6/2/2022	395.2	161.2	64.04	500
6/3/2022	285.7	82.31	50.98	500
6/4/2022	241.2	104.2	56.97	500
6/5/2022	205.4	110.5	56.21	500
6/6/2022	174.9	145	59.35	500
6/7/2022	151.1	187.7	64.19	500
6/8/2022	145.4	173.4	55.7	500
6/9/2022	353.8	37.73	58.67	500
6/10/2022	159.1	0	59.24	500
6/11/2022	123.2	0	59.1	500
6/12/2022	116.9	0	55.17	500
6/13/2022	107.9	0	54.91	500
6/14/2022	99.07	7.374	60.5	500
6/15/2022	90.86	13.3	64.04	500
6/16/2022	83.28	7.374	61.21	500
6/17/2022	76.18	7.374	65.41	500
6/18/2022	69.46	7.374	67.67	500
6/19/2022	63.16	7.374	66.66	500
6/20/2022	57.32	7.374	67.98	500
6/21/2022	14.82	7.374	79.43	500
6/22/2022	14.52	0	67.08	500
6/23/2022	14.23	0	60.96	500
6/24/2022	13.95	0	67.13	500
6/25/2022	13.67	0	65.88	500
6/26/2022	13.39	0	68.17	500
6/27/2022	13.13	0	85.07	500
6/28/2022	12.86	0	103.4	500
6/29/2022	12.61	0	164.8	500
6/30/2022	12.35	0	281.8	500
7/1/2022	12.11	0	71.6	1000
7/2/2022	11.86	0	72.33	1000
7/3/2022	11.63	0	120.5	1000
7/4/2022	11.39	0	95.87	1000
7/5/2022	11.17	0	69.84	1000
7/6/2022	10.94	7.374	71.62	1000
7/7/2022	10.72	750.4	71.9	1000
7/8/2022	1127	254	74.09	1000
7/9/2022	484.5	13.3	74.21	1000
7/10/2022	95.4	0	73.39	1000
7/11/2022	107.9	0	74.38	1000
7/12/2022	80.59	7.374	79.02	1000
7/13/2022	74.37	0	80.08	1000
7/14/2022	71.88	0	79.8	1000
7/15/2022	65.46	0	115.2	1000
7/16/2022	58.13	0	80.04	1000
7/17/2022	14.9	0	84.61	1000
7/18/2022	14.6	0	96.41	1000
7/19/2022	14.31	0	83.71	1000
7/20/2022	14.02	0	81.51	1000
7/21/2022	13.74	7.374	81.94	1000
7/22/2022	13.47	103.5	72.49	1000
7/23/2022	114.4	188.8	69.62	1000

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
7/24/2022	272.1	23.32	65.95	1000
7/25/2022	19.89	800.5	70.05	1000
7/26/2022	1229	28.34	69.47	1000
7/27/2022	165.2	0	78.74	1000
7/28/2022	127.8	63.44	68.22	1000
7/29/2022	140.6	8.283	61.01	1000
7/30/2022	88.85	0	63.1	1000
7/31/2022	81.17	0	66.46	1000
8/1/2022	78.94	0	72.35	1000
8/2/2022	72.95	0	85.94	1000
8/3/2022	65.79	0	74.33	1000
8/4/2022	59.41	0	72.78	1000
8/5/2022	53.51	7.374	69.13	1000
8/6/2022	13.8	7.374	59.81	1000
8/7/2022	13.52	0	61.98	1000
8/8/2022	13.25	233.9	61.38	1000
8/9/2022	322.2	840.6	61.9	1000
8/10/2022	1306	148.7	49.46	1000
8/11/2022	383.4	7.374	53.36	1000
8/12/2022	168.8	13.3	52.97	1000
8/13/2022	140.4	13.3	58.85	1000
8/14/2022	116.2	0	70.52	1000
8/15/2022	93.41	0	58.91	1000
8/16/2022	91.79	7.374	57.29	1000
8/17/2022	87.86	0	73.05	1000
8/18/2022	80.6	0	61.08	1000
8/19/2022	73.5	0	55.14	1000
8/20/2022	67.04	254	50.35	1000
8/21/2022	405.6	8.283	50.43	1000
8/22/2022	56.6	0	47.23	1000
8/23/2022	57.05	73.47	46.58	1000
8/24/2022	118.3	38.37	49.3	1000
8/25/2022	81.48	7.374	43.9	1000
8/26/2022	14.7	7.374	45.42	1000
8/27/2022	14.94	18.31	44.34	1000
8/28/2022	14.83	78.48	40.82	1000
8/29/2022	95.32	7.374	39.53	1000
8/30/2022	14.24	33.35	39.24	1000
8/31/2022	26.56	7.374	36.37	1000
9/1/2022	14.1	7.374	36.63	1000
9/2/2022	13.85	8.283	37.04	1000
9/3/2022	13.58	31.95	35.6	1000
9/4/2022	16.9	21.92	36.58	1000
9/5/2022	16.82	10.99	35.87	1000
9/6/2022	12.78	8.283	33.25	1000
9/7/2022	12.52	0	31.51	1000
9/8/2022	12.27	157.3	30.28	1000
9/9/2022	210.8	11.9	30.91	1000
9/10/2022	11.79	3.613	28.53	1000
9/11/2022	12.41	105.5	23.13	1000
9/12/2022	139.9	43.48	25.29	1000
9/13/2022	59.19	0	28.15	1000

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
9/14/2022	13.81	3.613	25.3	1000
9/15/2022	14.53	20.84	27.9	1000
9/16/2022	0.7474	0	22.93	1000
9/17/2022	0.7541	0	21.34	1000
9/18/2022	2.667	0	21.35	1000
9/19/2022	77.9	18.31	21.37	1000
9/20/2022	32.66	0	24.25	1000
9/21/2022	14.57	23.32	24.21	1000
9/22/2022	14.48	3.613	21.42	1000
9/23/2022	14.26	14.92	20.57	1000
9/24/2022	0.7037	0	19.51	1000
9/25/2022	0.6915	0	18.03	1000
9/26/2022	0.6845	0	15.74	1000
9/27/2022	0.6791	0	15.45	1000
9/28/2022	0.6735	0	16	1000
9/29/2022	0.6671	0	14.16	1000
9/30/2022	91.08	333.7	14.97	1000
10/1/2022	538.9	0	14.6	500
10/2/2022	23.66	0	10.24	500
10/3/2022	11.35	0	13.21	500
10/4/2022	4.08	0	12.99	500
10/5/2022	3.039	0	11.43	500
10/6/2022	3.074	0	8.8	500
10/7/2022	3.061	0	6.164	500
10/8/2022	3.01	0	8.1	500
10/9/2022	2.931	0	8.219	500
10/10/2022	2.831	0	8.477	500
10/11/2022	2.718	0	9.685	500
10/12/2022	0.7416	0	9.661	500
10/13/2022	0.7423	0	9.903	500
10/14/2022	0.7399	0	7.975	500
10/15/2022	0.7351	0	8.095	500
10/16/2022	0.7284	0	8.015	500
10/17/2022	0.7202	0	7.187	500
10/18/2022	0.7109	0	6.228	500
10/19/2022	0.7007	0	4.49	500
10/20/2022	0.69	0	3.326	500
10/21/2022	0.6788	0	4.261	500
10/22/2022	0.6673	0	3.49	500
10/23/2022	0.6556	0	2.656	500
10/24/2022	0.6439	0	5.056	500
10/25/2022	0.6321	0	6.325	500
10/26/2022	0.6203	0	3.593	500
10/27/2022	0.6086	0	4.526	500
10/28/2022	0.5969	0	3.195	500
10/29/2022	0.5854	0	0	500
10/30/2022	0.5741	0	3.078	500
10/31/2022	0.5629	0	2.097	500
11/1/2022	0.5518	0	0	0
11/2/2022	0.541	0	0	0
11/3/2022	0.5303	0	0	0
11/4/2022	0.5198	0	0.2331	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
11/5/2022	0.5095	0	0.3368	0
11/6/2022	0.4994	0	0	0
11/7/2022	0.4895	0	0	0
11/8/2022	0.4797	0	0	0
11/9/2022	0.4702	0	0	0
11/10/2022	0.4608	0	0	0
11/11/2022	0.4516	0	0	0
11/12/2022	0.4426	0	0.2077	0
11/13/2022	0.4338	0	0	0
11/14/2022	0.4251	0	0.8466	0
11/15/2022	0.4166	0	1.482	0
11/16/2022	0.4083	0	1.771	0
11/17/2022	0.4001	0	0	0
11/18/2022	0.3921	0	0	0
11/19/2022	0.3843	0	0	0
11/20/2022	0.3766	0	0	0
11/21/2022	0.3691	0	0	0
11/22/2022	0.3617	0	0	0
11/23/2022	0.3545	0	0	0
11/24/2022	0.3474	0	0.3178	0
11/25/2022	0.3404	0	0	0
11/26/2022	0.3336	0	1.064	0
11/27/2022	0.3269	0	0	0
11/28/2022	0.3204	0	0	0
11/29/2022	0.314	0	0	0
11/30/2022	0.3077	0	0.4043	0
12/1/2022	0.3016	0	0.1552	0
12/2/2022	0.2955	0	0	0
12/3/2022	0.2896	0	0	0
12/4/2022	0.2838	0	0	0
12/5/2022	0.2782	0	0	0
12/6/2022	0.2726	0	0.1276	0
12/7/2022	0.2671	0	0.1787	0
12/8/2022	0.2618	0	0	0
12/9/2022	0.2566	0	0	0
12/10/2022	0.2514	0	0	0
12/11/2022	0.2464	0	0	0
12/12/2022	0.2415	0	0	0
12/13/2022	0.2366	0	0	0
12/14/2022	0.2319	0	0	0
12/15/2022	0.2273	0	0.2531	0
12/16/2022	0.2227	0	0	0
12/17/2022	0.2183	0	0.1699	0
12/18/2022	0.2139	0	0	0
12/19/2022	0.2096	0	0	0
12/20/2022	0.2054	0	0	0
12/21/2022	0.2013	0	0	0
12/22/2022	0.1973	0	0	0
12/23/2022	0.1934	0	0	0
12/24/2022	0.1895	0	0	0
12/25/2022	0.1857	0	0	0
12/26/2022	0.182	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
12/27/2022	0.1783	0	0	0
12/28/2022	0.1748	0	0	0
12/29/2022	0.1713	0	0	0
12/30/2022	0.1679	0	0	0
12/31/2022	0.1645	0	0	0
1/1/2023	0.1612	0	0	0
1/2/2023	0.158	0	0	0
1/3/2023	0.1548	0	0	0
1/4/2023	0.1517	0	0	0
1/5/2023	0.1487	0	0	0
1/6/2023	0.1457	0	0	0
1/7/2023	0.1428	0	0	0
1/8/2023	0.1399	0	0	0
1/9/2023	0.1371	0	0	0
1/10/2023	0.1344	0	0	0
1/11/2023	0.1317	0	0	0
1/12/2023	0.1291	0	0	0
1/13/2023	0.1265	0	0	0
1/14/2023	0.124	0	0	0
1/15/2023	0.1215	0	0	0
1/16/2023	0.1191	0	0	0
1/17/2023	0.1167	0	0	0
1/18/2023	0.1143	0	0	0
1/19/2023	0.1121	0	0.01479	0
1/20/2023	0.1098	0	0.4789	0
1/21/2023	0.1076	0	0	0
1/22/2023	0.1055	0	0	0
1/23/2023	0.1034	0	0	0
1/24/2023	0.1013	0	0	0
1/25/2023	0.09927	0	0	0
1/26/2023	0.09728	0	0	0
1/27/2023	0.09534	0	0	0
1/28/2023	0.09343	0	0	0
1/29/2023	0.09156	0	0	0
1/30/2023	0.08973	0	0	0
1/31/2023	0.08794	0	0	0
2/1/2023	0.08618	0	0	0
2/2/2023	0.08445	0	0	0
2/3/2023	0.08277	0	0	0
2/4/2023	0.08111	0	0	0
2/5/2023	0.07949	0	0	0
2/6/2023	0.0779	0	0	0
2/7/2023	0.07634	0	0	0
2/8/2023	0.07481	0	0	0
2/9/2023	0.07332	0	0	0
2/10/2023	0.07185	0	0	0
2/11/2023	0.07041	0	0	0
2/12/2023	0.06901	0	0	0
2/13/2023	0.06763	0	0	0
2/14/2023	0.06627	0	0	0
2/15/2023	0.06495	0	0	0
2/16/2023	0.06365	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
2/17/2023	0.06238	0	0	0
2/18/2023	0.06113	0	0	0
2/19/2023	0.05991	0	0	0
2/20/2023	0.05871	0	0	0
2/21/2023	0.05753	0	0	0
2/22/2023	0.05638	0	0	0
2/23/2023	0.05525	0	0	0
2/24/2023	0.05415	0	0	0
2/25/2023	0.05307	0	0	0
2/26/2023	0.05201	0	0	0
2/27/2023	0.05097	0	0	0
2/28/2023	0.04995	0	0	0
3/1/2023	0.04895	0	0	0
3/2/2023	0.04797	0	0	0
3/3/2023	0.04701	0	0	0
3/4/2023	0.04607	0	0	0
3/5/2023	0.04515	0	0	0
3/6/2023	0.04424	0	0	0
3/7/2023	0.04336	0	0	0
3/8/2023	0.04249	0	0	0
3/9/2023	0.04164	0	0	0
3/10/2023	0.04081	0	0	0
3/11/2023	0.03999	0	0	0
3/12/2023	0.03919	0	0	0
3/13/2023	0.03841	0	0	0
3/14/2023	0.03764	0	0	0
3/15/2023	0.03689	0	0	0
3/16/2023	0.03615	0	0	0
3/17/2023	0.03543	0	0	0
3/18/2023	0.03472	0	0	0
3/19/2023	0.03402	0	0	0
3/20/2023	0.03334	0	0	0
3/21/2023	0.03268	0	0	0
3/22/2023	0.03202	0	0	0
3/23/2023	0.03138	0	6.372	0
3/24/2023	0.03076	0	15.91	0
3/25/2023	0.03014	0	9.324	0
3/26/2023	0.02954	0	2.751	0
3/27/2023	0.02895	0	0	0
3/28/2023	0.02837	0	0	0
3/29/2023	0.0278	0	0	0
3/30/2023	0.02724	0	0	0
3/31/2023	0.0267	0	0	0
4/1/2023	0.02617	0	7.007	0
4/2/2023	0.02564	0	10.74	0
4/3/2023	0.02513	0	0	0
4/4/2023	0.02463	0	0	0
4/5/2023	0.02413	0	0	0
4/6/2023	0.02365	0	0	0
4/7/2023	0.02318	0	0	0
4/8/2023	0.02272	0	0	0
4/9/2023	0.02226	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
4/10/2023	0.02182	0	0	0
4/11/2023	0.02138	0	0	0
4/12/2023	0.02095	0	0	0
4/13/2023	0.02053	0	0	0
4/14/2023	0.02012	0	3.313	0
4/15/2023	0.01972	0	12.04	0
4/16/2023	0.01933	0	11.59	0
4/17/2023	0.01894	0	8.099	0
4/18/2023	0.01856	0	5.402	0
4/19/2023	0.01819	0	4.067	0
4/20/2023	0.01783	0	0	0
4/21/2023	0.01747	0	0	0
4/22/2023	0.01712	0	0	0
4/23/2023	0.01678	0	0	0
4/24/2023	0.01644	0	0	0
4/25/2023	0.01611	0	0	0
4/26/2023	0.01579	0	0	0
4/27/2023	0.01547	0	0	0
4/28/2023	0.01516	0	7.487	0
4/29/2023	0.01486	0	0	0
4/30/2023	0.01456	0	0	0
5/1/2023	0.01427	0	5.524	0
5/2/2023	0.01399	0	20.04	0
5/3/2023	0.01371	0	24.38	0
5/4/2023	0.01343	0	27.47	0
5/5/2023	0.01316	0	13.16	0
5/6/2023	0.0129	0	23.56	0
5/7/2023	0.01264	0	23.8	0
5/8/2023	0.01239	0	23.42	0
5/9/2023	0.01214	0	35.33	0
5/10/2023	0.0119	0	40.81	0
5/11/2023	0.01166	0	39.86	0
5/12/2023	0.01143	0	39.64	0
5/13/2023	0.0112	0	36.15	0
5/14/2023	0.01098	0	41.19	0
5/15/2023	50.38	38.51	32.46	0
5/16/2023	157.5	42.45	39.13	0
5/17/2023	223.3	112.6	40.5	0
5/18/2023	292	7.865	45.46	0
5/19/2023	19.03	0	43.9	0
5/20/2023	0.1577	0	45.1	0
5/21/2023	47.6	32.62	47.03	0
5/22/2023	225.6	60.14	50.68	0
5/23/2023	511.9	75.9	48.94	0
5/24/2023	515.3	99.2	46.16	0
5/25/2023	310.4	107.9	47.35	0
5/26/2023	251.8	19.34	49.26	0
5/27/2023	102.4	43.63	44.8	0
5/28/2023	93.95	26.4	44.4	0
5/29/2023	169.1	89.69	49.34	0
5/30/2023	795.2	126.5	56.14	0
5/31/2023	1296	168.6	60.72	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
6/1/2023	1785	186.8	59.98	500
6/2/2023	2189	161.2	64.04	500
6/3/2023	1482	82.31	50.98	500
6/4/2023	559.1	104.2	56.97	500
6/5/2023	448	110.5	56.21	500
6/6/2023	384.4	145	59.35	500
6/7/2023	332.1	237.4	64.19	500
6/8/2023	288.1	248.1	55.7	500
6/9/2023	469.5	157.7	58.67	500
6/10/2023	281.1	114	59.24	500
6/11/2023	227.8	135.7	59.1	500
6/12/2023	212.5	70.79	55.17	500
6/13/2023	200.8	76.69	54.91	500
6/14/2023	187.9	156.8	60.5	500
6/15/2023	173.5	223.7	64.04	500
6/16/2023	160.2	166.6	61.21	500
6/17/2023	147.7	213.8	65.41	500
6/18/2023	136	99.52	67.67	500
6/19/2023	125	7.374	66.66	500
6/20/2023	114.8	7.374	67.98	500
6/21/2023	105.3	7.374	79.43	500
6/22/2023	96.25	0	67.08	500
6/23/2023	87.91	0	60.96	500
6/24/2023	80.3	0	67.13	500
6/25/2023	73.08	0	65.88	500
6/26/2023	66.39	0	68.17	500
6/27/2023	60.11	0	85.07	500
6/28/2023	53.87	0	103.4	500
6/29/2023	13.61	0	164.8	500
6/30/2023	13.34	0	281.8	500
7/1/2023	13.07	0	71.6	1000
7/2/2023	12.81	0	72.33	1000
7/3/2023	12.55	0	120.5	1000
7/4/2023	12.3	0	95.87	1000
7/5/2023	12.06	0	69.84	1000
7/6/2023	11.81	7.374	71.62	1000
7/7/2023	11.58	750.4	71.9	1000
7/8/2023	1128	254	74.09	1000
7/9/2023	485.3	13.3	74.21	1000
7/10/2023	135	0	73.39	1000
7/11/2023	107.2	0	74.38	1000
7/12/2023	79.98	7.374	79.02	1000
7/13/2023	73.8	0	80.08	1000
7/14/2023	71.35	0	79.8	1000
7/15/2023	64.97	0	115.2	1000
7/16/2023	57.67	0	80.04	1000
7/17/2023	14.78	0	84.61	1000
7/18/2023	14.48	0	96.41	1000
7/19/2023	14.19	0	83.71	1000
7/20/2023	13.91	0	81.51	1000
7/21/2023	13.63	7.374	81.94	1000
7/22/2023	13.36	103.5	72.49	1000

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
7/23/2023	114.3	188.8	69.62	1000
7/24/2023	272	23.32	65.95	1000
7/25/2023	19.79	800.5	70.05	1000
7/26/2023	1229	28.34	69.47	1000
7/27/2023	165.1	0	78.74	1000
7/28/2023	127.4	63.44	68.22	1000
7/29/2023	140.3	8.283	61.01	1000
7/30/2023	88.56	0	63.1	1000
7/31/2023	80.9	0	66.46	1000
8/1/2023	78.68	0	72.35	1000
8/2/2023	72.71	0	85.94	1000
8/3/2023	65.57	0	74.33	1000
8/4/2023	59.2	0	72.78	1000
8/5/2023	53.32	7.374	69.13	1000
8/6/2023	13.75	7.374	59.81	1000
8/7/2023	13.47	0	61.98	1000
8/8/2023	13.2	233.9	61.38	1000
8/9/2023	322.2	840.6	61.9	1000
8/10/2023	1306	148.7	49.46	1000
8/11/2023	383.4	7.374	53.36	1000
8/12/2023	168.7	13.3	52.97	1000
8/13/2023	140.3	13.3	58.85	1000
8/14/2023	116	0	70.52	1000
8/15/2023	93.28	0	58.91	1000
8/16/2023	91.67	7.374	57.29	1000
8/17/2023	87.75	0	73.05	1000
8/18/2023	80.5	0	61.08	1000
8/19/2023	73.4	0	55.14	1000
8/20/2023	66.95	254	50.35	1000
8/21/2023	405.5	8.283	50.43	1000
8/22/2023	56.53	0	47.23	1000
8/23/2023	56.98	73.47	46.58	1000
8/24/2023	118.2	38.37	49.3	1000
8/25/2023	81.42	7.374	43.9	1000
8/26/2023	14.69	7.374	45.42	1000
8/27/2023	14.92	18.31	44.34	1000
8/28/2023	14.82	78.48	40.82	1000
8/29/2023	95.31	7.374	39.53	1000
8/30/2023	14.23	33.35	39.24	1000
8/31/2023	26.54	7.374	36.37	1000
9/1/2023	14.09	7.374	36.63	1000
9/2/2023	13.84	8.283	37.04	1000
9/3/2023	13.56	31.95	35.6	1000
9/4/2023	16.89	21.92	36.58	1000
9/5/2023	16.81	10.99	35.87	1000
9/6/2023	12.77	8.283	33.25	1000
9/7/2023	12.51	0	31.51	1000
9/8/2023	12.26	157.3	30.28	1000
9/9/2023	210.8	11.9	30.91	1000
9/10/2023	11.78	3.613	28.53	1000
9/11/2023	12.4	105.5	23.13	1000
9/12/2023	139.9	43.48	25.29	1000

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
9/13/2023	59.18	0	28.15	1000
9/14/2023	13.8	3.613	25.3	1000
9/15/2023	14.52	20.84	27.9	1000
9/16/2023	0.7468	0	22.93	1000
9/17/2023	0.7536	0	21.34	1000
9/18/2023	2.665	0	21.35	1000
9/19/2023	77.89	18.31	21.37	1000
9/20/2023	32.59	0	24.25	1000
9/21/2023	14.56	23.32	24.21	1000
9/22/2023	14.47	3.613	21.42	1000
9/23/2023	14.25	14.92	20.57	1000
9/24/2023	0.7033	0	19.51	1000
9/25/2023	0.691	0	18.03	1000
9/26/2023	0.6841	0	15.74	1000
9/27/2023	0.6787	0	15.45	1000
9/28/2023	0.6731	0	16	1000
9/29/2023	0.6667	0	14.16	1000
9/30/2023	91.03	333.7	14.97	1000
10/1/2023	538.9	0	14.6	500
10/2/2023	23.66	0	10.24	500
10/3/2023	11.35	0	13.21	500
10/4/2023	4.079	0	12.99	500
10/5/2023	3.038	0	11.43	500
10/6/2023	3.073	0	8.8	500
10/7/2023	3.06	0	6.164	500
10/8/2023	3.009	0	8.1	500
10/9/2023	2.93	0	8.219	500
10/10/2023	2.83	0	8.477	500
10/11/2023	2.717	0	9.685	500
10/12/2023	0.7414	0	9.661	500
10/13/2023	0.7421	0	9.903	500
10/14/2023	0.7397	0	7.975	500
10/15/2023	0.7349	0	8.095	500
10/16/2023	0.7282	0	8.015	500
10/17/2023	0.72	0	7.187	500
10/18/2023	0.7107	0	6.228	500
10/19/2023	0.7006	0	4.49	500
10/20/2023	0.6898	0	3.326	500
10/21/2023	0.6786	0	4.261	500
10/22/2023	0.6672	0	3.49	500
10/23/2023	0.6555	0	2.656	500
10/24/2023	0.6437	0	5.056	500
10/25/2023	0.6319	0	6.325	500
10/26/2023	0.6201	0	3.593	500
10/27/2023	0.6084	0	4.526	500
10/28/2023	0.5968	0	3.195	500
10/29/2023	0.5853	0	0	500
10/30/2023	0.5739	0	3.078	500
10/31/2023	0.5627	0	2.097	500
11/1/2023	0.5517	0	0	0
11/2/2023	0.5409	0	0	0
11/3/2023	0.5302	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
11/4/2023	0.5197	0	0.2331	0
11/5/2023	0.5094	0	0.3368	0
11/6/2023	0.4993	0	0	0
11/7/2023	0.4893	0	0	0
11/8/2023	0.4796	0	0	0
11/9/2023	0.4701	0	0	0
11/10/2023	0.4607	0	0	0
11/11/2023	0.4515	0	0	0
11/12/2023	0.4425	0	0.2077	0
11/13/2023	0.4336	0	0	0
11/14/2023	0.425	0	0.8466	0
11/15/2023	0.4165	0	1.482	0
11/16/2023	0.4082	0	1.771	0
11/17/2023	0.4	0	0	0
11/18/2023	0.392	0	0	0
11/19/2023	0.3842	0	0	0
11/20/2023	0.3765	0	0	0
11/21/2023	0.369	0	0	0
11/22/2023	0.3616	0	0	0
11/23/2023	0.3544	0	0	0
11/24/2023	0.3473	0	0.3178	0
11/25/2023	0.3403	0	0	0
11/26/2023	0.3335	0	1.064	0
11/27/2023	0.3269	0	0	0
11/28/2023	0.3203	0	0	0
11/29/2023	0.3139	0	0	0
11/30/2023	0.3076	0	0.4043	0
12/1/2023	0.3015	0	0.1552	0
12/2/2023	0.2955	0	0	0
12/3/2023	0.2896	0	0	0
12/4/2023	0.2838	0	0	0
12/5/2023	0.2781	0	0	0
12/6/2023	0.2725	0	0.1276	0
12/7/2023	0.2671	0	0.1787	0
12/8/2023	0.2617	0	0	0
12/9/2023	0.2565	0	0	0
12/10/2023	0.2514	0	0	0
12/11/2023	0.2463	0	0	0
12/12/2023	0.2414	0	0	0
12/13/2023	0.2366	0	0	0
12/14/2023	0.2319	0	0	0
12/15/2023	0.2272	0	0.2531	0
12/16/2023	0.2227	0	0	0
12/17/2023	0.2182	0	0.1699	0
12/18/2023	0.2139	0	0	0
12/19/2023	0.2096	0	0	0
12/20/2023	0.2054	0	0	0
12/21/2023	0.2013	0	0	0
12/22/2023	0.1973	0	0	0
12/23/2023	0.1933	0	0	0
12/24/2023	0.1894	0	0	0
12/25/2023	0.1857	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
12/26/2023	0.1819	0	0	0
12/27/2023	0.1783	0	0	0
12/28/2023	0.1747	0	0	0
12/29/2023	0.1712	0	0	0
12/30/2023	0.1678	0	0	0
12/31/2023	0.1645	0	0	0
1/1/2024	0.1612	0	0	0
1/2/2024	0.1579	0	0	0
1/3/2024	0.1548	0	0	0
1/4/2024	0.1517	0	0	0
1/5/2024	0.1487	0	0	0
1/6/2024	0.1457	0	0	0
1/7/2024	0.1428	0	0	0
1/8/2024	0.1399	0	0	0
1/9/2024	0.1371	0	0	0
1/10/2024	0.1344	0	0	0
1/11/2024	0.1317	0	0	0
1/12/2024	0.1291	0	0	0
1/13/2024	0.1265	0	0	0
1/14/2024	0.1239	0	0	0
1/15/2024	0.1215	0	0	0
1/16/2024	0.119	0	0	0
1/17/2024	0.1167	0	0	0
1/18/2024	0.1143	0	0	0
1/19/2024	0.112	0	0.01479	0
1/20/2024	0.1098	0	0.4789	0
1/21/2024	0.1076	0	0	0
1/22/2024	0.1054	0	0	0
1/23/2024	0.1033	0	0	0
1/24/2024	0.1013	0	0	0
1/25/2024	0.09925	0	0	0
1/26/2024	0.09726	0	0	0
1/27/2024	0.09532	0	0	0
1/28/2024	0.09341	0	0	0
1/29/2024	0.09154	0	0	0
1/30/2024	0.08971	0	0	0
1/31/2024	0.08792	0	0	0
2/1/2024	0.08616	0	0	0
2/2/2024	0.08443	0	0	0
2/3/2024	0.08275	0	0	0
2/4/2024	0.08109	0	0	0
2/5/2024	0.07947	0	0	0
2/6/2024	0.07788	0	0	0
2/7/2024	0.07632	0	0	0
2/8/2024	0.0748	0	0	0
2/9/2024	0.0733	0	0	0
2/10/2024	0.07183	0	0	0
2/11/2024	0.0704	0	0	0
2/12/2024	0.06899	0	0	0
2/13/2024	0.06761	0	0	0
2/14/2024	0.06626	0	0	0
2/15/2024	0.06493	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
2/16/2024	0.06363	0	0	0
2/17/2024	0.06236	0	0	0
2/18/2024	0.06111	0	0	0
2/19/2024	0.05989	0	0	0
2/20/2024	0.05869	0	0	0
2/21/2024	0.05752	0	0	0
2/22/2024	0.05637	0	0	0
2/23/2024	0.05524	0	0	0
2/24/2024	0.05414	0	0	0
2/25/2024	0.05305	0	0	0
2/26/2024	0.05199	0	0	0
2/27/2024	0.05095	0	0	0
2/28/2024	0.04993	0	0	0
2/29/2024	0.04894	0	0	0
3/1/2024	0.04796	0	0	0
3/2/2024	0.047	0	0	0
3/3/2024	0.04606	0	0	0
3/4/2024	0.04514	0	0	0
3/5/2024	0.04423	0	0	0
3/6/2024	0.04335	0	0	0
3/7/2024	0.04248	0	0	0
3/8/2024	0.04163	0	0	0
3/9/2024	0.0408	0	0	0
3/10/2024	0.03998	0	0	0
3/11/2024	0.03918	0	0	0
3/12/2024	0.0384	0	0	0
3/13/2024	0.03763	0	0	0
3/14/2024	0.03688	0	0	0
3/15/2024	0.03614	0	0	0
3/16/2024	0.03542	0	0	0
3/17/2024	0.03471	0	0	0
3/18/2024	0.03402	0	0	0
3/19/2024	0.03334	0	0	0
3/20/2024	0.03267	0	0	0
3/21/2024	0.03202	0	0	0
3/22/2024	0.03138	0	0	0
3/23/2024	0.03075	0	6.505	0
3/24/2024	0.03013	0	16.23	0
3/25/2024	0.02953	0	9.513	0
3/26/2024	0.02894	0	2.806	0
3/27/2024	0.02836	0	0	0
3/28/2024	0.02779	0	0	0
3/29/2024	0.02724	0	0	0
3/30/2024	0.02669	0	0	0
3/31/2024	0.02616	0	0	0
4/1/2024	0.02564	0	7.134	0
4/2/2024	0.02512	0	10.93	0
4/3/2024	0.02462	0	0	0
4/4/2024	0.02413	0	0	0
4/5/2024	0.02365	0	0	0
4/6/2024	0.02317	0	0	0
4/7/2024	0.02271	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
4/8/2024	0.02226	0	0	0
4/9/2024	0.02181	0	0	0
4/10/2024	0.02137	0	0	0
4/11/2024	0.02095	0	0	0
4/12/2024	0.02053	0	0	0
4/13/2024	0.02012	0	0	0
4/14/2024	0.01971	0	3.361	0
4/15/2024	0.01932	0	12.21	0
4/16/2024	0.01893	0	11.75	0
4/17/2024	0.01856	0	8.209	0
4/18/2024	0.01818	0	5.475	0
4/19/2024	0.01782	0	4.12	0
4/20/2024	0.01746	0	0	0
4/21/2024	0.01712	0	0	0
4/22/2024	0.01677	0	0	0
4/23/2024	0.01644	0	0	0
4/24/2024	0.01611	0	0	0
4/25/2024	0.01579	0	0	0
4/26/2024	0.01547	0	0	0
4/27/2024	0.01516	0	0	0
4/28/2024	0.01486	0	7.569	0
4/29/2024	0.01456	0	0	0
4/30/2024	0.01427	0	0	0
5/1/2024	0.01398	0	5.581	0
5/2/2024	0.0137	0	20.24	0
5/3/2024	0.01343	0	24.62	0
5/4/2024	0.01316	0	27.73	0
5/5/2024	0.0129	0	13.28	0
5/6/2024	0.01264	0	23.77	0
5/7/2024	0.01239	0	24.02	0
5/8/2024	0.01214	0	23.62	0
5/9/2024	0.0119	0	35.63	0
5/10/2024	0.01166	0	41.15	0
5/11/2024	0.01143	0	40.18	0
5/12/2024	0.0112	0	39.96	0
5/13/2024	0.01097	0	36.43	0
5/14/2024	0.01075	0	41.5	0
5/15/2024	50.38	38.51	32.7	0
5/16/2024	157.5	42.45	39.41	0
5/17/2024	223.3	112.6	40.78	0
5/18/2024	291.9	7.865	45.77	0
5/19/2024	18.81	0	44.19	0
5/20/2024	0.157	0	45.38	0
5/21/2024	47.59	32.62	47.32	0
5/22/2024	225.5	60.14	50.98	0
5/23/2024	511.8	75.9	49.22	0
5/24/2024	515.1	99.2	46.41	0
5/25/2024	310.2	107.9	47.6	0
5/26/2024	251.6	19.34	49.51	0
5/27/2024	102.1	43.63	45.02	0
5/28/2024	93.72	26.4	44.61	0
5/29/2024	168.8	89.69	49.56	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
5/30/2024	795	126.5	56.38	0
5/31/2024	1295	168.6	60.97	0
6/1/2024	1785	186.8	60.21	500
6/2/2024	2189	161.2	64.28	500
6/3/2024	1488	82.31	51.16	500
6/4/2024	559.6	104.2	57.15	500
6/5/2024	448.2	110.5	56.39	500
6/6/2024	384.5	145	59.52	500
6/7/2024	332.1	237.4	64.36	500
6/8/2024	288.1	248.1	55.84	500
6/9/2024	469.4	157.7	58.81	500
6/10/2024	281.1	114	59.36	500
6/11/2024	227.8	135.7	59.21	500
6/12/2024	212.4	70.79	55.26	500
6/13/2024	200.8	76.69	54.98	500
6/14/2024	187.9	156.8	60.57	500
6/15/2024	173.5	223.7	64.11	500
6/16/2024	160.1	166.6	61.26	500
6/17/2024	147.6	213.8	65.45	500
6/18/2024	135.9	95.76	67.69	500
6/19/2024	125	7.374	66.68	500
6/20/2024	114.8	7.374	67.98	500
6/21/2024	105.3	7.374	79.41	500
6/22/2024	96.22	0	67.05	500
6/23/2024	87.88	0	60.92	500
6/24/2024	80.28	0	67.07	500
6/25/2024	73.06	0	65.81	500
6/26/2024	66.37	0	68.09	500
6/27/2024	60.1	0	84.95	500
6/28/2024	53.86	0	103.2	500
6/29/2024	13.61	0	164.5	500
6/30/2024	13.34	0	281.2	500
7/1/2024	13.07	0	71.43	1000
7/2/2024	12.81	0	72.15	1000
7/3/2024	12.55	0	120.2	1000
7/4/2024	12.3	0	95.6	1000
7/5/2024	12.05	0	69.62	1000
7/6/2024	11.81	7.374	71.39	1000
7/7/2024	11.58	750.4	71.65	1000
7/8/2024	1128	254	73.81	1000
7/9/2024	485.4	13.3	73.92	1000
7/10/2024	135.1	0	73.09	1000
7/11/2024	107.3	0	74.06	1000
7/12/2024	80.17	7.374	78.66	1000
7/13/2024	73.86	0	79.71	1000
7/14/2024	71.44	0	79.41	1000
7/15/2024	65.07	0	114.6	1000
7/16/2024	57.78	0	79.62	1000
7/17/2024	14.81	0	84.15	1000
7/18/2024	14.51	0	95.86	1000
7/19/2024	14.22	0	83.21	1000
7/20/2024	13.94	0	81.01	1000

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
7/21/2024	13.66	7.374	81.43	1000
7/22/2024	13.39	103.5	72.02	1000
7/23/2024	114.4	188.8	69.16	1000
7/24/2024	272.2	23.32	65.5	1000
7/25/2024	19.96	800.5	69.56	1000
7/26/2024	1229	28.34	68.97	1000
7/27/2024	165.6	0	78.15	1000
7/28/2024	127.9	63.44	67.7	1000
7/29/2024	140.9	8.283	60.53	1000
7/30/2024	89.09	0	62.59	1000
7/31/2024	81.17	0	65.91	1000
8/1/2024	78.99	0	71.74	1000
8/2/2024	73.31	0	85.19	1000
8/3/2024	66.14	0	73.67	1000
8/4/2024	59.75	0	72.12	1000
8/5/2024	53.85	7.374	68.49	1000
8/6/2024	13.89	7.374	59.24	1000
8/7/2024	13.61	0	61.38	1000
8/8/2024	13.34	233.9	60.77	1000
8/9/2024	322.5	840.6	61.27	1000
8/10/2024	1306	148.7	48.95	1000
8/11/2024	383.8	7.374	52.8	1000
8/12/2024	169.4	13.3	52.4	1000
8/13/2024	141	13.3	58.2	1000
8/14/2024	116.8	0	69.72	1000
8/15/2024	93.8	0	58.24	1000
8/16/2024	92.21	7.374	56.62	1000
8/17/2024	88.31	0	72.18	1000
8/18/2024	81.08	0	60.34	1000
8/19/2024	73.96	0	54.46	1000
8/20/2024	67.48	254	49.71	1000
8/21/2024	406.2	8.283	49.78	1000
8/22/2024	57.01	0	46.61	1000
8/23/2024	57.45	73.47	45.96	1000
8/24/2024	119.1	38.37	48.63	1000
8/25/2024	82.12	7.374	43.29	1000
8/26/2024	14.83	7.374	44.78	1000
8/27/2024	15.08	18.31	43.71	1000
8/28/2024	15.04	78.48	40.23	1000
8/29/2024	95.89	7.374	38.95	1000
8/30/2024	14.45	33.35	38.65	1000
8/31/2024	27.05	7.374	35.81	1000
9/1/2024	14.31	7.374	36.06	1000
9/2/2024	14.13	8.283	36.46	1000
9/3/2024	13.85	31.95	35.03	1000
9/4/2024	17.51	21.92	35.98	1000
9/5/2024	17.28	10.99	35.28	1000
9/6/2024	13.03	8.283	32.68	1000
9/7/2024	12.77	0	30.97	1000
9/8/2024	12.52	157.3	29.76	1000
9/9/2024	211.2	11.9	30.36	1000
9/10/2024	12.02	3.613	28.02	1000

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
9/11/2024	12.65	105.5	22.71	1000
9/12/2024	140.4	43.48	24.82	1000
9/13/2024	59.59	0	27.61	1000
9/14/2024	14.05	3.613	24.82	1000
9/15/2024	14.78	20.84	27.36	1000
9/16/2024	2.662	0	22.47	1000
9/17/2024	0.7296	0	20.91	1000
9/18/2024	0.7386	0	20.91	1000
9/19/2024	78.04	18.31	20.92	1000
9/20/2024	32.57	0	23.73	1000
9/21/2024	14.89	23.32	23.69	1000
9/22/2024	14.8	3.613	20.96	1000
9/23/2024	14.6	14.92	20.11	1000
9/24/2024	0.7207	0	19.07	1000
9/25/2024	0.7088	0	17.62	1000
9/26/2024	0.7022	0	15.37	1000
9/27/2024	0.6969	0	15.09	1000
9/28/2024	0.6914	0	15.62	1000
9/29/2024	0.685	0	13.82	1000
9/30/2024	93.45	333.7	14.6	1000
10/1/2024	539.1	0	14.23	500
10/2/2024	23.8	0	9.98	500
10/3/2024	13.37	0	12.87	500
10/4/2024	4.066	0	12.65	500
10/5/2024	2.971	0	11.13	500
10/6/2024	3.011	0	8.565	500
10/7/2024	3.003	0	5.996	500
10/8/2024	2.956	0	7.877	500
10/9/2024	2.881	0	7.989	500
10/10/2024	2.785	0	8.237	500
10/11/2024	2.675	0	9.406	500
10/12/2024	0.7302	0	9.379	500
10/13/2024	0.7312	0	9.61	500
10/14/2024	0.729	0	7.735	500
10/15/2024	0.7244	0	7.849	500
10/16/2024	0.7179	0	7.768	500
10/17/2024	0.7099	0	6.962	500
10/18/2024	0.7008	0	6.03	500
10/19/2024	0.6909	0	4.346	500
10/20/2024	0.6804	0	3.217	500
10/21/2024	0.6694	0	4.12	500
10/22/2024	0.6581	0	3.373	500
10/23/2024	0.6466	0	2.565	500
10/24/2024	0.635	0	4.882	500
10/25/2024	0.6234	0	6.104	500
10/26/2024	0.6118	0	3.466	500
10/27/2024	0.6002	0	4.364	500
10/28/2024	0.5888	0	3.079	500
10/29/2024	0.5774	0	0	500
10/30/2024	0.5662	0	2.964	500
10/31/2024	0.5552	0	2.018	500
11/1/2024	0.5443	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
11/2/2024	0.5336	0	0	0
11/3/2024	0.5231	0	0	0
11/4/2024	0.5127	0	0.224	0
11/5/2024	0.5026	0	0.3234	0
11/6/2024	0.4926	0	0	0
11/7/2024	0.4828	0	0	0
11/8/2024	0.4732	0	0	0
11/9/2024	0.4637	0	0	0
11/10/2024	0.4545	0	0	0
11/11/2024	0.4454	0	0	0
11/12/2024	0.4365	0	0.1989	0
11/13/2024	0.4278	0	0	0
11/14/2024	0.4193	0	0.8102	0
11/15/2024	0.4109	0	1.418	0
11/16/2024	0.4027	0	1.694	0
11/17/2024	0.3947	0	0	0
11/18/2024	0.3868	0	0	0
11/19/2024	0.379	0	0	0
11/20/2024	0.3715	0	0	0
11/21/2024	0.364	0	0	0
11/22/2024	0.3568	0	0	0
11/23/2024	0.3496	0	0	0
11/24/2024	0.3426	0	0.3039	0
11/25/2024	0.3358	0	0	0
11/26/2024	0.3291	0	1.019	0
11/27/2024	0.3225	0	0	0
11/28/2024	0.316	0	0	0
11/29/2024	0.3097	0	0	0
11/30/2024	0.3035	0	0.3879	0
12/1/2024	0.2974	0	0.149	0
12/2/2024	0.2915	0	0	0
12/3/2024	0.2857	0	0	0
12/4/2024	0.28	0	0	0
12/5/2024	0.2744	0	0	0
12/6/2024	0.2689	0	0.1233	0
12/7/2024	0.2635	0	0.1729	0
12/8/2024	0.2582	0	0	0
12/9/2024	0.2531	0	0	0
12/10/2024	0.248	0	0	0
12/11/2024	0.243	0	0	0
12/12/2024	0.2382	0	0	0
12/13/2024	0.2334	0	0	0
12/14/2024	0.2287	0	0	0
12/15/2024	0.2242	0	0.2495	0
12/16/2024	0.2197	0	0	0
12/17/2024	0.2153	0	0.1684	0
12/18/2024	0.211	0	0	0
12/19/2024	0.2068	0	0	0
12/20/2024	0.2026	0	0	0
12/21/2024	0.1986	0	0	0
12/22/2024	0.1946	0	0	0
12/23/2024	0.1907	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
12/24/2024	0.1869	0	0	0
12/25/2024	0.1832	0	0	0
12/26/2024	0.1795	0	0	0
12/27/2024	0.1759	0	0	0
12/28/2024	0.1724	0	0	0
12/29/2024	0.1689	0	0	0
12/30/2024	0.1656	0	0	0
12/31/2024	0.1623	0	0	0
1/1/2025	0.159	0	0	0
1/2/2025	0.1558	0	0	0
1/3/2025	0.1527	0	0	0
1/4/2025	0.1497	0	0	0
1/5/2025	0.1467	0	0	0
1/6/2025	0.1437	0	0	0
1/7/2025	0.1409	0	0	0
1/8/2025	0.138	0	0	0
1/9/2025	0.1353	0	0	0
1/10/2025	0.1326	0	0	0
1/11/2025	0.1299	0	0	0
1/12/2025	0.1273	0	0	0
1/13/2025	0.1248	0	0	0
1/14/2025	0.1223	0	0	0
1/15/2025	0.1198	0	0	0
1/16/2025	0.1174	0	0	0
1/17/2025	0.1151	0	0	0
1/18/2025	0.1128	0	0	0
1/19/2025	0.1105	0	0.01479	0
1/20/2025	0.1083	0	0.4789	0
1/21/2025	0.1062	0	0	0
1/22/2025	0.104	0	0	0
1/23/2025	0.102	0	0	0
1/24/2025	0.09991	0	0	0
1/25/2025	0.09791	0	0	0
1/26/2025	0.09596	0	0	0
1/27/2025	0.09404	0	0	0
1/28/2025	0.09216	0	0	0
1/29/2025	0.09031	0	0	0
1/30/2025	0.08851	0	0	0
1/31/2025	0.08674	0	0	0
2/1/2025	0.085	0	0	0
2/2/2025	0.0833	0	0	0
2/3/2025	0.08164	0	0	0
2/4/2025	0.08	0	0	0
2/5/2025	0.0784	0	0	0
2/6/2025	0.07684	0	0	0
2/7/2025	0.0753	0	0	0
2/8/2025	0.07379	0	0	0
2/9/2025	0.07232	0	0	0
2/10/2025	0.07087	0	0	0
2/11/2025	0.06945	0	0	0
2/12/2025	0.06806	0	0	0
2/13/2025	0.0667	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
2/14/2025	0.06537	0	0	0
2/15/2025	0.06406	0	0	0
2/16/2025	0.06278	0	0	0
2/17/2025	0.06152	0	0	0
2/18/2025	0.06029	0	0	0
2/19/2025	0.05909	0	0	0
2/20/2025	0.05791	0	0	0
2/21/2025	0.05675	0	0	0
2/22/2025	0.05561	0	0	0
2/23/2025	0.0545	0	0	0
2/24/2025	0.05341	0	0	0
2/25/2025	0.05234	0	0	0
2/26/2025	0.0513	0	0	0
2/27/2025	0.05027	0	0	0
2/28/2025	0.04926	0	0	0
3/1/2025	0.04828	0	0	0
3/2/2025	0.04731	0	0	0
3/3/2025	0.04637	0	0	0
3/4/2025	0.04544	0	0	0
3/5/2025	0.04453	0	0	0
3/6/2025	0.04364	0	0	0
3/7/2025	0.04277	0	0	0
3/8/2025	0.04191	0	0	0
3/9/2025	0.04107	0	0	0
3/10/2025	0.04025	0	0	0
3/11/2025	0.03945	0	0	0
3/12/2025	0.03866	0	0	0
3/13/2025	0.03789	0	0	0
3/14/2025	0.03713	0	0	0
3/15/2025	0.03639	0	0	0
3/16/2025	0.03566	0	0	0
3/17/2025	0.03494	0	0	0
3/18/2025	0.03425	0	0	0
3/19/2025	0.03356	0	0	0
3/20/2025	0.03289	0	0	0
3/21/2025	0.03223	0	0	0
3/22/2025	0.03159	0	0	0
3/23/2025	0.03096	0	6.372	0
3/24/2025	0.03034	0	15.91	0
3/25/2025	0.02973	0	9.324	0
3/26/2025	0.02913	0	2.751	0
3/27/2025	0.02855	0	0	0
3/28/2025	0.02798	0	0	0
3/29/2025	0.02742	0	0	0
3/30/2025	0.02687	0	0	0
3/31/2025	0.02634	0	0	0
4/1/2025	0.02581	0	7.007	0
4/2/2025	0.02529	0	10.74	0
4/3/2025	0.02479	0	0	0
4/4/2025	0.02429	0	0	0
4/5/2025	0.02381	0	0	0
4/6/2025	0.02333	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
4/7/2025	0.02286	0	0	0
4/8/2025	0.02241	0	0	0
4/9/2025	0.02196	0	0	0
4/10/2025	0.02152	0	0	0
4/11/2025	0.02109	0	0	0
4/12/2025	0.02067	0	0	0
4/13/2025	0.02025	0	0	0
4/14/2025	0.01985	0	3.313	0
4/15/2025	0.01945	0	12.04	0
4/16/2025	0.01906	0	11.59	0
4/17/2025	0.01868	0	8.099	0
4/18/2025	0.01831	0	5.402	0
4/19/2025	0.01794	0	4.067	0
4/20/2025	0.01758	0	0	0
4/21/2025	0.01723	0	0	0
4/22/2025	0.01689	0	0	0
4/23/2025	0.01655	0	0	0
4/24/2025	0.01622	0	0	0
4/25/2025	0.01589	0	0	0
4/26/2025	0.01557	0	0	0
4/27/2025	0.01526	0	0	0
4/28/2025	0.01496	0	7.487	0
4/29/2025	0.01466	0	0	0
4/30/2025	0.01437	0	0	0
5/1/2025	0.01408	0	5.524	0
5/2/2025	0.0138	0	20.04	0
5/3/2025	0.01352	0	24.38	0
5/4/2025	0.01325	0	27.47	0
5/5/2025	0.01299	0	13.16	0
5/6/2025	0.01273	0	23.56	0
5/7/2025	0.01247	0	23.8	0
5/8/2025	0.01222	0	23.42	0
5/9/2025	0.01198	0	35.33	0
5/10/2025	0.01174	0	40.81	0
5/11/2025	0.0115	0	39.86	0
5/12/2025	0.01127	0	39.64	0
5/13/2025	0.01105	0	36.15	0
5/14/2025	0.01083	0	41.19	0
5/15/2025	50.38	38.51	32.46	0
5/16/2025	157.5	42.45	39.13	0
5/17/2025	223.3	112.6	40.5	0
5/18/2025	292	7.865	45.46	0
5/19/2025	19.03	0	43.9	0
5/20/2025	0.1576	0	45.1	0
5/21/2025	47.6	32.62	47.03	0
5/22/2025	225.6	60.14	50.68	0
5/23/2025	511.9	75.9	48.94	0
5/24/2025	515.3	99.2	46.16	0
5/25/2025	310.4	107.9	47.35	0
5/26/2025	251.8	19.34	49.26	0
5/27/2025	102.4	43.63	44.8	0
5/28/2025	93.95	26.4	44.4	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
5/29/2025	169.1	89.69	49.34	0
5/30/2025	795.2	126.5	56.14	0
5/31/2025	1314	168.6	60.72	0
6/1/2025	1785	186.8	59.98	500
6/2/2025	2189	161.2	64.04	500
6/3/2025	1482	82.31	50.98	500
6/4/2025	559.1	104.2	56.97	500
6/5/2025	448	110.5	56.21	500
6/6/2025	384.4	145	59.35	500
6/7/2025	332.1	237.4	64.19	500
6/8/2025	288.1	248.1	55.7	500
6/9/2025	469.5	157.7	58.67	500
6/10/2025	281.1	114	59.24	500
6/11/2025	227.8	135.7	59.1	500
6/12/2025	212.5	70.79	55.17	500
6/13/2025	200.8	76.69	54.91	500
6/14/2025	187.9	156.8	60.5	500
6/15/2025	173.5	223.7	64.04	500
6/16/2025	160.2	166.6	61.21	500
6/17/2025	147.7	213.8	65.41	500
6/18/2025	136	99.52	67.67	500
6/19/2025	125	7.374	66.66	500
6/20/2025	114.8	7.374	67.98	500
6/21/2025	105.3	7.374	79.43	500
6/22/2025	96.25	0	67.08	500
6/23/2025	87.91	0	60.96	500
6/24/2025	80.3	0	67.13	500
6/25/2025	73.08	0	65.88	500
6/26/2025	66.39	0	68.17	500
6/27/2025	60.11	0	85.07	500
6/28/2025	53.87	0	103.4	500
6/29/2025	13.61	0	164.8	500
6/30/2025	13.34	0	281.8	500
7/1/2025	13.07	0	71.6	1000
7/2/2025	12.81	0	72.33	1000
7/3/2025	12.55	0	120.5	1000
7/4/2025	12.3	0	95.87	1000
7/5/2025	12.06	0	69.84	1000
7/6/2025	11.81	7.374	71.62	1000
7/7/2025	11.58	750.4	71.9	1000
7/8/2025	1128	254	74.09	1000
7/9/2025	485.3	13.3	74.21	1000
7/10/2025	135	0	73.39	1000
7/11/2025	107.2	0	74.38	1000
7/12/2025	79.98	7.374	79.02	1000
7/13/2025	73.8	0	80.08	1000
7/14/2025	71.35	0	79.8	1000
7/15/2025	64.97	0	115.2	1000
7/16/2025	57.67	0	80.04	1000
7/17/2025	14.78	0	84.61	1000
7/18/2025	14.48	0	96.41	1000
7/19/2025	14.19	0	83.71	1000

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
7/20/2025	13.91	0	81.51	1000
7/21/2025	13.63	7.374	81.94	1000
7/22/2025	13.36	103.5	72.49	1000
7/23/2025	114.3	188.8	69.62	1000
7/24/2025	272	23.32	65.95	1000
7/25/2025	19.79	800.5	70.05	1000
7/26/2025	1229	28.34	69.47	1000
7/27/2025	165.1	0	78.74	1000
7/28/2025	127.4	63.44	68.22	1000
7/29/2025	140.3	8.283	61.01	1000
7/30/2025	88.56	0	63.1	1000
7/31/2025	80.9	0	66.46	1000
8/1/2025	78.68	0	72.35	1000
8/2/2025	72.71	0	85.94	1000
8/3/2025	65.57	0	74.33	1000
8/4/2025	59.2	0	72.78	1000
8/5/2025	53.32	7.374	69.13	1000
8/6/2025	13.75	7.374	59.81	1000
8/7/2025	13.47	0	61.98	1000
8/8/2025	13.2	233.9	61.38	1000
8/9/2025	322.2	840.6	61.9	1000
8/10/2025	1306	148.7	49.46	1000
8/11/2025	383.4	7.374	53.36	1000
8/12/2025	168.6	13.3	52.97	1000
8/13/2025	140.3	13.3	58.85	1000
8/14/2025	116	0	70.52	1000
8/15/2025	93.28	0	58.91	1000
8/16/2025	91.67	7.374	57.29	1000
8/17/2025	87.75	0	73.05	1000
8/18/2025	80.5	0	61.08	1000
8/19/2025	73.4	0	55.14	1000
8/20/2025	66.95	254	50.35	1000
8/21/2025	405.5	8.283	50.43	1000
8/22/2025	56.53	0	47.23	1000
8/23/2025	56.98	73.47	46.58	1000
8/24/2025	118.2	38.37	49.3	1000
8/25/2025	81.42	7.374	43.9	1000
8/26/2025	14.69	7.374	45.42	1000
8/27/2025	14.92	18.31	44.34	1000
8/28/2025	14.82	78.48	40.82	1000
8/29/2025	95.31	7.374	39.53	1000
8/30/2025	14.23	33.35	39.24	1000
8/31/2025	26.54	7.374	36.37	1000
9/1/2025	14.09	7.374	36.63	1000
9/2/2025	13.84	8.283	37.04	1000
9/3/2025	13.56	31.95	35.6	1000
9/4/2025	16.89	21.92	36.58	1000
9/5/2025	16.81	10.99	35.87	1000
9/6/2025	12.77	8.283	33.25	1000
9/7/2025	12.51	0	31.51	1000
9/8/2025	12.26	157.3	30.28	1000
9/9/2025	210.8	11.9	30.91	1000

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
9/10/2025	11.78	3.613	28.53	1000
9/11/2025	12.4	105.5	23.13	1000
9/12/2025	139.9	43.48	25.29	1000
9/13/2025	59.18	0	28.15	1000
9/14/2025	13.8	3.613	25.3	1000
9/15/2025	14.52	20.84	27.9	1000
9/16/2025	0.7468	0	22.93	1000
9/17/2025	0.7536	0	21.34	1000
9/18/2025	2.665	0	21.35	1000
9/19/2025	77.89	18.31	21.37	1000
9/20/2025	32.59	0	24.25	1000
9/21/2025	14.56	23.32	24.21	1000
9/22/2025	14.47	3.613	21.42	1000
9/23/2025	14.25	14.92	20.57	1000
9/24/2025	0.7033	0	19.51	1000
9/25/2025	0.691	0	18.03	1000
9/26/2025	0.6841	0	15.74	1000
9/27/2025	0.6787	0	15.45	1000
9/28/2025	0.6731	0	16	1000
9/29/2025	0.6667	0	14.16	1000
9/30/2025	91.03	333.7	14.97	1000
10/1/2025	538.9	0	14.6	500
10/2/2025	23.66	0	10.24	500
10/3/2025	11.35	0	13.21	500
10/4/2025	4.079	0	12.99	500
10/5/2025	3.038	0	11.43	500
10/6/2025	3.073	0	8.8	500
10/7/2025	3.06	0	6.164	500
10/8/2025	3.009	0	8.1	500
10/9/2025	2.93	0	8.219	500
10/10/2025	2.83	0	8.477	500
10/11/2025	2.717	0	9.685	500
10/12/2025	0.7414	0	9.661	500
10/13/2025	0.7421	0	9.903	500
10/14/2025	0.7397	0	7.975	500
10/15/2025	0.7349	0	8.095	500
10/16/2025	0.7282	0	8.015	500
10/17/2025	0.72	0	7.187	500
10/18/2025	0.7107	0	6.228	500
10/19/2025	0.7006	0	4.49	500
10/20/2025	0.6898	0	3.326	500
10/21/2025	0.6786	0	4.261	500
10/22/2025	0.6672	0	3.49	500
10/23/2025	0.6555	0	2.656	500
10/24/2025	0.6437	0	5.056	500
10/25/2025	0.6319	0	6.325	500
10/26/2025	0.6201	0	3.593	500
10/27/2025	0.6084	0	4.526	500
10/28/2025	0.5968	0	3.195	500
10/29/2025	0.5853	0	0	500
10/30/2025	0.5739	0	3.078	500
10/31/2025	0.5627	0	2.097	500

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
11/1/2025	0.5517	0	0	0
11/2/2025	0.5409	0	0	0
11/3/2025	0.5302	0	0	0
11/4/2025	0.5197	0	0.2331	0
11/5/2025	0.5094	0	0.3368	0
11/6/2025	0.4993	0	0	0
11/7/2025	0.4893	0	0	0
11/8/2025	0.4796	0	0	0
11/9/2025	0.4701	0	0	0
11/10/2025	0.4607	0	0	0
11/11/2025	0.4515	0	0	0
11/12/2025	0.4425	0	0.2077	0
11/13/2025	0.4336	0	0	0
11/14/2025	0.425	0	0.8466	0
11/15/2025	0.4165	0	1.482	0
11/16/2025	0.4082	0	1.771	0
11/17/2025	0.4	0	0	0
11/18/2025	0.392	0	0	0
11/19/2025	0.3842	0	0	0
11/20/2025	0.3765	0	0	0
11/21/2025	0.369	0	0	0
11/22/2025	0.3616	0	0	0
11/23/2025	0.3544	0	0	0
11/24/2025	0.3473	0	0.3178	0
11/25/2025	0.3403	0	0	0
11/26/2025	0.3335	0	1.064	0
11/27/2025	0.3269	0	0	0
11/28/2025	0.3203	0	0	0
11/29/2025	0.3139	0	0	0
11/30/2025	0.3076	0	0.4043	0
12/1/2025	0.3015	0	0.1552	0
12/2/2025	0.2955	0	0	0
12/3/2025	0.2896	0	0	0
12/4/2025	0.2838	0	0	0
12/5/2025	0.2781	0	0	0
12/6/2025	0.2725	0	0.1276	0
12/7/2025	0.2671	0	0.1787	0
12/8/2025	0.2617	0	0	0
12/9/2025	0.2565	0	0	0
12/10/2025	0.2514	0	0	0
12/11/2025	0.2463	0	0	0
12/12/2025	0.2414	0	0	0
12/13/2025	0.2366	0	0	0
12/14/2025	0.2319	0	0	0
12/15/2025	0.2272	0	0.2531	0
12/16/2025	0.2227	0	0	0
12/17/2025	0.2182	0	0.1699	0
12/18/2025	0.2139	0	0	0
12/19/2025	0.2096	0	0	0
12/20/2025	0.2054	0	0	0
12/21/2025	0.2013	0	0	0
12/22/2025	0.1973	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
12/23/2025	0.1933	0	0	0
12/24/2025	0.1894	0	0	0
12/25/2025	0.1857	0	0	0
12/26/2025	0.1819	0	0	0
12/27/2025	0.1783	0	0	0
12/28/2025	0.1747	0	0	0
12/29/2025	0.1712	0	0	0
12/30/2025	0.1678	0	0	0
12/31/2025	0.1645	0	0	0
1/1/2026	0.1612	0	0	0
1/2/2026	0.1579	0	0	0
1/3/2026	0.1548	0	0	0
1/4/2026	0.1517	0	0	0
1/5/2026	0.1487	0	0	0
1/6/2026	0.1457	0	0	0
1/7/2026	0.1428	0	0	0
1/8/2026	0.1399	0	0	0
1/9/2026	0.1371	0	0	0
1/10/2026	0.1344	0	0	0
1/11/2026	0.1317	0	0	0
1/12/2026	0.1291	0	0	0
1/13/2026	0.1265	0	0	0
1/14/2026	0.1239	0	0	0
1/15/2026	0.1215	0	0	0
1/16/2026	0.119	0	0	0
1/17/2026	0.1167	0	0	0
1/18/2026	0.1143	0	0	0
1/19/2026	0.112	0	0.01479	0
1/20/2026	0.1098	0	0.4789	0
1/21/2026	0.1076	0	0	0
1/22/2026	0.1054	0	0	0
1/23/2026	0.1033	0	0	0
1/24/2026	0.1013	0	0	0
1/25/2026	0.09925	0	0	0
1/26/2026	0.09726	0	0	0
1/27/2026	0.09532	0	0	0
1/28/2026	0.09341	0	0	0
1/29/2026	0.09154	0	0	0
1/30/2026	0.08971	0	0	0
1/31/2026	0.08792	0	0	0
2/1/2026	0.08616	0	0	0
2/2/2026	0.08443	0	0	0
2/3/2026	0.08275	0	0	0
2/4/2026	0.08109	0	0	0
2/5/2026	0.07947	0	0	0
2/6/2026	0.07788	0	0	0
2/7/2026	0.07632	0	0	0
2/8/2026	0.0748	0	0	0
2/9/2026	0.0733	0	0	0
2/10/2026	0.07183	0	0	0
2/11/2026	0.0704	0	0	0
2/12/2026	0.06899	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
2/13/2026	0.06761	0	0	0
2/14/2026	0.06626	0	0	0
2/15/2026	0.06493	0	0	0
2/16/2026	0.06363	0	0	0
2/17/2026	0.06236	0	0	0
2/18/2026	0.06111	0	0	0
2/19/2026	0.05989	0	0	0
2/20/2026	0.05869	0	0	0
2/21/2026	0.05752	0	0	0
2/22/2026	0.05637	0	0	0
2/23/2026	0.05524	0	0	0
2/24/2026	0.05414	0	0	0
2/25/2026	0.05305	0	0	0
2/26/2026	0.05199	0	0	0
2/27/2026	0.05095	0	0	0
2/28/2026	0.04993	0	0	0
3/1/2026	0.04894	0	0	0
3/2/2026	0.04796	0	0	0
3/3/2026	0.047	0	0	0
3/4/2026	0.04606	0	0	0
3/5/2026	0.04514	0	0	0
3/6/2026	0.04423	0	0	0
3/7/2026	0.04335	0	0	0
3/8/2026	0.04248	0	0	0
3/9/2026	0.04163	0	0	0
3/10/2026	0.0408	0	0	0
3/11/2026	0.03998	0	0	0
3/12/2026	0.03918	0	0	0
3/13/2026	0.0384	0	0	0
3/14/2026	0.03763	0	0	0
3/15/2026	0.03688	0	0	0
3/16/2026	0.03614	0	0	0
3/17/2026	0.03542	0	0	0
3/18/2026	0.03471	0	0	0
3/19/2026	0.03402	0	0	0
3/20/2026	0.03334	0	0	0
3/21/2026	0.03267	0	0	0
3/22/2026	0.03202	0	0	0
3/23/2026	0.03138	0	6.372	0
3/24/2026	0.03075	0	15.91	0
3/25/2026	0.03013	0	9.324	0
3/26/2026	0.02953	0	2.751	0
3/27/2026	0.02894	0	0	0
3/28/2026	0.02836	0	0	0
3/29/2026	0.02779	0	0	0
3/30/2026	0.02724	0	0	0
3/31/2026	0.02669	0	0	0
4/1/2026	0.02616	0	7.007	0
4/2/2026	0.02564	0	10.74	0
4/3/2026	0.02512	0	0	0
4/4/2026	0.02462	0	0	0
4/5/2026	0.02413	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
4/6/2026	0.02365	0	0	0
4/7/2026	0.02317	0	0	0
4/8/2026	0.02271	0	0	0
4/9/2026	0.02226	0	0	0
4/10/2026	0.02181	0	0	0
4/11/2026	0.02137	0	0	0
4/12/2026	0.02095	0	0	0
4/13/2026	0.02053	0	0	0
4/14/2026	0.02012	0	3.313	0
4/15/2026	0.01971	0	12.04	0
4/16/2026	0.01932	0	11.59	0
4/17/2026	0.01893	0	8.099	0
4/18/2026	0.01856	0	5.402	0
4/19/2026	0.01818	0	4.067	0
4/20/2026	0.01782	0	0	0
4/21/2026	0.01746	0	0	0
4/22/2026	0.01712	0	0	0
4/23/2026	0.01677	0	0	0
4/24/2026	0.01644	0	0	0
4/25/2026	0.01611	0	0	0
4/26/2026	0.01579	0	0	0
4/27/2026	0.01547	0	0	0
4/28/2026	0.01516	0	7.487	0
4/29/2026	0.01486	0	0	0
4/30/2026	0.01456	0	0	0
5/1/2026	0.01427	0	5.524	0
5/2/2026	0.01398	0	20.04	0
5/3/2026	0.0137	0	24.38	0
5/4/2026	0.01343	0	27.47	0
5/5/2026	0.01316	0	13.16	0
5/6/2026	0.0129	0	23.56	0
5/7/2026	0.01264	0	23.8	0
5/8/2026	0.01239	0	23.42	0
5/9/2026	0.01214	0	35.33	0
5/10/2026	0.0119	0	40.81	0
5/11/2026	0.01166	0	39.86	0
5/12/2026	0.01143	0	39.64	0
5/13/2026	0.0112	0	36.15	0
5/14/2026	0.01097	0	41.19	0
5/15/2026	50.38	38.51	32.46	0
5/16/2026	157.5	42.45	39.13	0
5/17/2026	223.3	112.6	40.5	0
5/18/2026	292	7.865	45.46	0
5/19/2026	19.03	0	43.9	0
5/20/2026	0.1577	0	45.1	0
5/21/2026	47.6	32.62	47.03	0
5/22/2026	225.6	60.14	50.68	0
5/23/2026	511.9	75.9	48.94	0
5/24/2026	515.3	99.2	46.16	0
5/25/2026	310.4	107.9	47.35	0
5/26/2026	251.8	19.34	49.26	0
5/27/2026	102.4	43.63	44.8	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
5/28/2026	93.95	26.4	44.4	0
5/29/2026	169.1	89.69	49.34	0
5/30/2026	795.2	126.5	56.14	0
5/31/2026	1295	168.6	60.72	0
6/1/2026	1785	186.8	59.98	500
6/2/2026	2189	161.2	64.04	500
6/3/2026	1482	82.31	50.98	500
6/4/2026	559.1	104.2	56.97	500
6/5/2026	448	110.5	56.21	500
6/6/2026	384.4	145	59.35	500
6/7/2026	332.1	237.4	64.19	500
6/8/2026	288.1	248.1	55.7	500
6/9/2026	469.5	157.7	58.67	500
6/10/2026	281.1	114	59.24	500
6/11/2026	227.8	135.7	59.1	500
6/12/2026	212.5	70.79	55.17	500
6/13/2026	200.8	76.69	54.91	500
6/14/2026	187.9	156.8	60.5	500
6/15/2026	173.5	223.7	64.04	500
6/16/2026	160.2	166.6	61.21	500
6/17/2026	147.7	213.8	65.41	500
6/18/2026	136	99.52	67.67	500
6/19/2026	125	7.374	66.66	500
6/20/2026	114.8	7.374	67.98	500
6/21/2026	105.3	7.374	79.43	500
6/22/2026	96.25	0	67.08	500
6/23/2026	87.91	0	60.96	500
6/24/2026	80.3	0	67.13	500
6/25/2026	73.08	0	65.88	500
6/26/2026	66.39	0	68.17	500
6/27/2026	60.11	0	85.07	500
6/28/2026	53.87	0	103.4	500
6/29/2026	13.61	0	164.8	500
6/30/2026	13.34	0	281.8	500
7/1/2026	13.07	0	71.6	1000
7/2/2026	12.81	0	72.33	1000
7/3/2026	12.55	0	120.5	1000
7/4/2026	12.3	0	95.87	1000
7/5/2026	12.06	0	69.84	1000
7/6/2026	11.81	7.374	71.62	1000
7/7/2026	11.58	750.4	71.9	1000
7/8/2026	1128	254	74.09	1000
7/9/2026	485.3	13.3	74.21	1000
7/10/2026	135	0	73.39	1000
7/11/2026	107.2	0	74.38	1000
7/12/2026	79.98	7.374	79.02	1000
7/13/2026	73.8	0	80.08	1000
7/14/2026	71.35	0	79.8	1000
7/15/2026	64.97	0	115.2	1000
7/16/2026	57.67	0	80.04	1000
7/17/2026	14.78	0	84.61	1000
7/18/2026	14.48	0	96.41	1000

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
7/19/2026	14.19	0	83.71	1000
7/20/2026	13.91	0	81.51	1000
7/21/2026	13.63	7.374	81.94	1000
7/22/2026	13.36	103.5	72.49	1000
7/23/2026	114.3	188.8	69.62	1000
7/24/2026	272	23.32	65.95	1000
7/25/2026	19.79	800.5	70.05	1000
7/26/2026	1229	28.34	69.47	1000
7/27/2026	165.1	0	78.74	1000
7/28/2026	127.4	63.44	68.22	1000
7/29/2026	140.3	8.283	61.01	1000
7/30/2026	88.56	0	63.1	1000
7/31/2026	80.9	0	66.46	1000
8/1/2026	78.68	0	72.35	1000
8/2/2026	72.71	0	85.94	1000
8/3/2026	65.57	0	74.33	1000
8/4/2026	59.2	0	72.78	1000
8/5/2026	53.32	7.374	69.13	1000
8/6/2026	13.75	7.374	59.81	1000
8/7/2026	13.47	0	61.98	1000
8/8/2026	13.2	233.9	61.38	1000
8/9/2026	322.2	840.6	61.9	1000
8/10/2026	1306	148.7	49.46	1000
8/11/2026	383.4	7.374	53.36	1000
8/12/2026	168.6	13.3	52.97	1000
8/13/2026	140.3	13.3	58.85	1000
8/14/2026	116	0	70.52	1000
8/15/2026	93.28	0	58.91	1000
8/16/2026	91.67	7.374	57.29	1000
8/17/2026	87.75	0	73.05	1000
8/18/2026	80.5	0	61.08	1000
8/19/2026	73.4	0	55.14	1000
8/20/2026	66.95	254	50.35	1000
8/21/2026	405.5	8.283	50.43	1000
8/22/2026	56.53	0	47.23	1000
8/23/2026	56.98	73.47	46.58	1000
8/24/2026	118.2	38.37	49.3	1000
8/25/2026	81.42	7.374	43.9	1000
8/26/2026	14.69	7.374	45.42	1000
8/27/2026	14.92	18.31	44.34	1000
8/28/2026	14.82	78.48	40.82	1000
8/29/2026	95.31	7.374	39.53	1000
8/30/2026	14.23	33.35	39.24	1000
8/31/2026	26.54	7.374	36.37	1000
9/1/2026	14.09	7.374	36.63	1000
9/2/2026	13.84	8.283	37.04	1000
9/3/2026	13.56	31.95	35.6	1000
9/4/2026	16.89	21.92	36.58	1000
9/5/2026	16.81	10.99	35.87	1000
9/6/2026	12.77	8.283	33.25	1000
9/7/2026	12.51	0	31.51	1000
9/8/2026	12.26	157.3	30.28	1000

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
9/9/2026	210.8	11.9	30.91	1000
9/10/2026	11.78	3.613	28.53	1000
9/11/2026	12.4	105.5	23.13	1000
9/12/2026	139.9	43.48	25.29	1000
9/13/2026	59.18	0	28.15	1000
9/14/2026	13.8	3.613	25.3	1000
9/15/2026	14.52	20.84	27.9	1000
9/16/2026	0.7468	0	22.93	1000
9/17/2026	0.7536	0	21.34	1000
9/18/2026	2.665	0	21.35	1000
9/19/2026	77.89	18.31	21.37	1000
9/20/2026	32.59	0	24.25	1000
9/21/2026	14.56	23.32	24.21	1000
9/22/2026	14.47	3.613	21.42	1000
9/23/2026	14.25	14.92	20.57	1000
9/24/2026	0.7033	0	19.51	1000
9/25/2026	0.691	0	18.03	1000
9/26/2026	0.6841	0	15.74	1000
9/27/2026	0.6787	0	15.45	1000
9/28/2026	0.6731	0	16	1000
9/29/2026	0.6667	0	14.16	1000
9/30/2026	91.03	333.7	14.97	1000
10/1/2026	538.9	0	14.6	500
10/2/2026	23.66	0	10.24	500
10/3/2026	11.35	0	13.21	500
10/4/2026	4.079	0	12.99	500
10/5/2026	3.038	0	11.43	500
10/6/2026	3.073	0	8.8	500
10/7/2026	3.06	0	6.164	500
10/8/2026	3.009	0	8.1	500
10/9/2026	2.93	0	8.219	500
10/10/2026	2.83	0	8.477	500
10/11/2026	2.717	0	9.685	500
10/12/2026	0.7414	0	9.661	500
10/13/2026	0.7421	0	9.903	500
10/14/2026	0.7397	0	7.975	500
10/15/2026	0.7349	0	8.095	500
10/16/2026	0.7282	0	8.015	500
10/17/2026	0.72	0	7.187	500
10/18/2026	0.7107	0	6.228	500
10/19/2026	0.7006	0	4.49	500
10/20/2026	0.6898	0	3.326	500
10/21/2026	0.6786	0	4.261	500
10/22/2026	0.6672	0	3.49	500
10/23/2026	0.6555	0	2.656	500
10/24/2026	0.6437	0	5.056	500
10/25/2026	0.6319	0	6.325	500
10/26/2026	0.6201	0	3.593	500
10/27/2026	0.6084	0	4.526	500
10/28/2026	0.5968	0	3.195	500
10/29/2026	0.5853	0	0	500
10/30/2026	0.5739	0	3.078	500

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
10/31/2026	0.5627	0	2.097	500
11/1/2026	0.5517	0	0	0
11/2/2026	0.5409	0	0	0
11/3/2026	0.5302	0	0	0
11/4/2026	0.5197	0	0.2331	0
11/5/2026	0.5094	0	0.3368	0
11/6/2026	0.4993	0	0	0
11/7/2026	0.4893	0	0	0
11/8/2026	0.4796	0	0	0
11/9/2026	0.4701	0	0	0
11/10/2026	0.4607	0	0	0
11/11/2026	0.4515	0	0	0
11/12/2026	0.4425	0	0.2077	0
11/13/2026	0.4336	0	0	0
11/14/2026	0.425	0	0.8466	0
11/15/2026	0.4165	0	1.482	0
11/16/2026	0.4082	0	1.771	0
11/17/2026	0.4	0	0	0
11/18/2026	0.392	0	0	0
11/19/2026	0.3842	0	0	0
11/20/2026	0.3765	0	0	0
11/21/2026	0.369	0	0	0
11/22/2026	0.3616	0	0	0
11/23/2026	0.3544	0	0	0
11/24/2026	0.3473	0	0.3178	0
11/25/2026	0.3403	0	0	0
11/26/2026	0.3335	0	1.064	0
11/27/2026	0.3269	0	0	0
11/28/2026	0.3203	0	0	0
11/29/2026	0.3139	0	0	0
11/30/2026	0.3076	0	0.4043	0
12/1/2026	0.3015	0	0.1552	0
12/2/2026	0.2955	0	0	0
12/3/2026	0.2896	0	0	0
12/4/2026	0.2838	0	0	0
12/5/2026	0.2781	0	0	0
12/6/2026	0.2725	0	0.1276	0
12/7/2026	0.2671	0	0.1787	0
12/8/2026	0.2617	0	0	0
12/9/2026	0.2565	0	0	0
12/10/2026	0.2514	0	0	0
12/11/2026	0.2463	0	0	0
12/12/2026	0.2414	0	0	0
12/13/2026	0.2366	0	0	0
12/14/2026	0.2319	0	0	0
12/15/2026	0.2272	0	0.2531	0
12/16/2026	0.2227	0	0	0
12/17/2026	0.2182	0	0.1699	0
12/18/2026	0.2139	0	0	0
12/19/2026	0.2096	0	0	0
12/20/2026	0.2054	0	0	0
12/21/2026	0.2013	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
12/22/2026	0.1973	0	0	0
12/23/2026	0.1933	0	0	0
12/24/2026	0.1894	0	0	0
12/25/2026	0.1857	0	0	0
12/26/2026	0.1819	0	0	0
12/27/2026	0.1783	0	0	0
12/28/2026	0.1747	0	0	0
12/29/2026	0.1712	0	0	0
12/30/2026	0.1678	0	0	0
12/31/2026	0.1645	0	0	0
1/1/2027	0.1612	0	0	0
1/2/2027	0.1579	0	0	0
1/3/2027	0.1548	0	0	0
1/4/2027	0.1517	0	0	0
1/5/2027	0.1487	0	0	0
1/6/2027	0.1457	0	0	0
1/7/2027	0.1428	0	0	0
1/8/2027	0.1399	0	0	0
1/9/2027	0.1371	0	0	0
1/10/2027	0.1344	0	0	0
1/11/2027	0.1317	0	0	0
1/12/2027	0.1291	0	0	0
1/13/2027	0.1265	0	0	0
1/14/2027	0.1239	0	0	0
1/15/2027	0.1215	0	0	0
1/16/2027	0.119	0	0	0
1/17/2027	0.1167	0	0	0
1/18/2027	0.1143	0	0	0
1/19/2027	0.112	0	0.01479	0
1/20/2027	0.1098	0	0.4789	0
1/21/2027	0.1076	0	0	0
1/22/2027	0.1054	0	0	0
1/23/2027	0.1033	0	0	0
1/24/2027	0.1013	0	0	0
1/25/2027	0.09925	0	0	0
1/26/2027	0.09726	0	0	0
1/27/2027	0.09532	0	0	0
1/28/2027	0.09341	0	0	0
1/29/2027	0.09154	0	0	0
1/30/2027	0.08971	0	0	0
1/31/2027	0.08792	0	0	0
2/1/2027	0.08616	0	0	0
2/2/2027	0.08443	0	0	0
2/3/2027	0.08275	0	0	0
2/4/2027	0.08109	0	0	0
2/5/2027	0.07947	0	0	0
2/6/2027	0.07788	0	0	0
2/7/2027	0.07632	0	0	0
2/8/2027	0.0748	0	0	0
2/9/2027	0.0733	0	0	0
2/10/2027	0.07183	0	0	0
2/11/2027	0.0704	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
2/12/2027	0.06899	0	0	0
2/13/2027	0.06761	0	0	0
2/14/2027	0.06626	0	0	0
2/15/2027	0.06493	0	0	0
2/16/2027	0.06363	0	0	0
2/17/2027	0.06236	0	0	0
2/18/2027	0.06111	0	0	0
2/19/2027	0.05989	0	0	0
2/20/2027	0.05869	0	0	0
2/21/2027	0.05752	0	0	0
2/22/2027	0.05637	0	0	0
2/23/2027	0.05524	0	0	0
2/24/2027	0.05414	0	0	0
2/25/2027	0.05305	0	0	0
2/26/2027	0.05199	0	0	0
2/27/2027	0.05095	0	0	0
2/28/2027	0.04993	0	0	0
3/1/2027	0.04894	0	0	0
3/2/2027	0.04796	0	0	0
3/3/2027	0.047	0	0	0
3/4/2027	0.04606	0	0	0
3/5/2027	0.04514	0	0	0
3/6/2027	0.04423	0	0	0
3/7/2027	0.04335	0	0	0
3/8/2027	0.04248	0	0	0
3/9/2027	0.04163	0	0	0
3/10/2027	0.0408	0	0	0
3/11/2027	0.03998	0	0	0
3/12/2027	0.03918	0	0	0
3/13/2027	0.0384	0	0	0
3/14/2027	0.03763	0	0	0
3/15/2027	0.03688	0	0	0
3/16/2027	0.03614	0	0	0
3/17/2027	0.03542	0	0	0
3/18/2027	0.03471	0	0	0
3/19/2027	0.03402	0	0	0
3/20/2027	0.03334	0	0	0
3/21/2027	0.03267	0	0	0
3/22/2027	0.03202	0	0	0
3/23/2027	0.03138	0	6.372	0
3/24/2027	0.03075	0	15.91	0
3/25/2027	0.03013	0	9.324	0
3/26/2027	0.02953	0	2.751	0
3/27/2027	0.02894	0	0	0
3/28/2027	0.02836	0	0	0
3/29/2027	0.02779	0	0	0
3/30/2027	0.02724	0	0	0
3/31/2027	0.02669	0	0	0
4/1/2027	0.02616	0	7.007	0
4/2/2027	0.02564	0	10.74	0
4/3/2027	0.02512	0	0	0
4/4/2027	0.02462	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
4/5/2027	0.02413	0	0	0
4/6/2027	0.02365	0	0	0
4/7/2027	0.02317	0	0	0
4/8/2027	0.02271	0	0	0
4/9/2027	0.02226	0	0	0
4/10/2027	0.02181	0	0	0
4/11/2027	0.02137	0	0	0
4/12/2027	0.02095	0	0	0
4/13/2027	0.02053	0	0	0
4/14/2027	0.02012	0	3.313	0
4/15/2027	0.01971	0	12.04	0
4/16/2027	0.01932	0	11.59	0
4/17/2027	0.01893	0	8.099	0
4/18/2027	0.01856	0	5.402	0
4/19/2027	0.01818	0	4.067	0
4/20/2027	0.01782	0	0	0
4/21/2027	0.01746	0	0	0
4/22/2027	0.01712	0	0	0
4/23/2027	0.01677	0	0	0
4/24/2027	0.01644	0	0	0
4/25/2027	0.01611	0	0	0
4/26/2027	0.01579	0	0	0
4/27/2027	0.01547	0	0	0
4/28/2027	0.01516	0	7.487	0
4/29/2027	0.01486	0	0	0
4/30/2027	0.01456	0	0	0
5/1/2027	0.01427	0	5.524	0
5/2/2027	0.01398	0	20.04	0
5/3/2027	0.0137	0	24.38	0
5/4/2027	0.01343	0	27.47	0
5/5/2027	0.01316	0	13.16	0
5/6/2027	0.0129	0	23.56	0
5/7/2027	0.01264	0	23.8	0
5/8/2027	0.01239	0	23.42	0
5/9/2027	0.01214	0	35.33	0
5/10/2027	0.0119	0	40.81	0
5/11/2027	0.01166	0	39.86	0
5/12/2027	0.01143	0	39.64	0
5/13/2027	0.0112	0	36.15	0
5/14/2027	0.01097	0	41.19	0
5/15/2027	50.38	38.51	32.46	0
5/16/2027	157.5	42.45	39.13	0
5/17/2027	223.3	112.6	40.5	0
5/18/2027	292	7.865	45.46	0
5/19/2027	19.03	0	43.9	0
5/20/2027	0.1577	0	45.1	0
5/21/2027	47.6	32.62	47.03	0
5/22/2027	225.6	60.14	50.68	0
5/23/2027	511.9	75.9	48.94	0
5/24/2027	515.3	99.2	46.16	0
5/25/2027	310.4	107.9	47.35	0
5/26/2027	251.8	19.34	49.26	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
5/27/2027	102.4	43.63	44.8	0
5/28/2027	93.95	26.4	44.4	0
5/29/2027	169.1	89.69	49.34	0
5/30/2027	795.2	126.5	56.14	0
5/31/2027	1295	168.6	60.72	0
6/1/2027	1785	186.8	59.98	500
6/2/2027	2189	161.2	64.04	500
6/3/2027	1482	82.31	50.98	500
6/4/2027	559.1	104.2	56.97	500
6/5/2027	448	110.5	56.21	500
6/6/2027	384.4	145	59.35	500
6/7/2027	332.1	237.4	64.19	500
6/8/2027	288.1	248.1	55.7	500
6/9/2027	469.5	157.7	58.67	500
6/10/2027	281.1	114	59.24	500
6/11/2027	227.8	135.7	59.1	500
6/12/2027	212.5	70.79	55.17	500
6/13/2027	200.8	76.69	54.91	500
6/14/2027	187.9	156.8	60.5	500
6/15/2027	173.5	223.7	64.04	500
6/16/2027	160.2	166.6	61.21	500
6/17/2027	147.7	213.8	65.41	500
6/18/2027	136	99.52	67.67	500
6/19/2027	125	7.374	66.66	500
6/20/2027	114.8	7.374	67.98	500
6/21/2027	105.3	7.374	79.43	500
6/22/2027	96.25	0	67.08	500
6/23/2027	87.91	0	60.96	500
6/24/2027	80.3	0	67.13	500
6/25/2027	73.08	0	65.88	500
6/26/2027	66.39	0	68.17	500
6/27/2027	60.11	0	85.07	500
6/28/2027	53.87	0	103.4	500
6/29/2027	13.61	0	164.8	500
6/30/2027	13.34	0	281.8	500
7/1/2027	13.07	0	71.6	1000
7/2/2027	12.81	0	72.33	1000
7/3/2027	12.55	0	120.5	1000
7/4/2027	12.3	0	95.87	1000
7/5/2027	12.06	0	69.84	1000
7/6/2027	11.81	7.374	71.62	1000
7/7/2027	11.58	750.4	71.9	1000
7/8/2027	1128	254	74.09	1000
7/9/2027	485.3	13.3	74.21	1000
7/10/2027	135	0	73.39	1000
7/11/2027	107.2	0	74.38	1000
7/12/2027	79.98	7.374	79.02	1000
7/13/2027	73.8	0	80.08	1000
7/14/2027	71.35	0	79.8	1000
7/15/2027	64.97	0	115.2	1000
7/16/2027	57.67	0	80.04	1000
7/17/2027	14.78	0	84.61	1000

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
7/18/2027	14.48	0	96.41	1000
7/19/2027	14.19	0	83.71	1000
7/20/2027	13.91	0	81.51	1000
7/21/2027	13.63	7.374	81.94	1000
7/22/2027	13.36	103.5	72.49	1000
7/23/2027	114.3	188.8	69.62	1000
7/24/2027	272	23.32	65.95	1000
7/25/2027	19.79	800.5	70.05	1000
7/26/2027	1229	28.34	69.47	1000
7/27/2027	165.1	0	78.74	1000
7/28/2027	127.4	63.44	68.22	1000
7/29/2027	140.3	8.283	61.01	1000
7/30/2027	88.56	0	63.1	1000
7/31/2027	80.9	0	66.46	1000
8/1/2027	78.68	0	72.35	1000
8/2/2027	72.71	0	85.94	1000
8/3/2027	65.57	0	74.33	1000
8/4/2027	59.2	0	72.78	1000
8/5/2027	53.32	7.374	69.13	1000
8/6/2027	13.75	7.374	59.81	1000
8/7/2027	13.47	0	61.98	1000
8/8/2027	13.2	233.9	61.38	1000
8/9/2027	322.2	840.6	61.9	1000
8/10/2027	1306	148.7	49.46	1000
8/11/2027	383.4	7.374	53.36	1000
8/12/2027	168.6	13.3	52.97	1000
8/13/2027	140.3	13.3	58.85	1000
8/14/2027	116	0	70.52	1000
8/15/2027	93.28	0	58.91	1000
8/16/2027	91.67	7.374	57.29	1000
8/17/2027	87.75	0	73.05	1000
8/18/2027	80.5	0	61.08	1000
8/19/2027	73.4	0	55.14	1000
8/20/2027	66.95	254	50.35	1000
8/21/2027	405.5	8.283	50.43	1000
8/22/2027	56.53	0	47.23	1000
8/23/2027	56.98	73.47	46.58	1000
8/24/2027	118.2	38.37	49.3	1000
8/25/2027	81.42	7.374	43.9	1000
8/26/2027	14.69	7.374	45.42	1000
8/27/2027	14.92	18.31	44.34	1000
8/28/2027	14.82	78.48	40.82	1000
8/29/2027	95.31	7.374	39.53	1000
8/30/2027	14.23	33.35	39.24	1000
8/31/2027	26.54	7.374	36.37	1000
9/1/2027	14.09	7.374	36.63	1000
9/2/2027	13.84	8.283	37.04	1000
9/3/2027	13.56	31.95	35.6	1000
9/4/2027	16.89	21.92	36.58	1000
9/5/2027	16.81	10.99	35.87	1000
9/6/2027	12.77	8.283	33.25	1000
9/7/2027	12.51	0	31.51	1000

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
9/8/2027	12.26	157.3	30.28	1000
9/9/2027	210.8	11.9	30.91	1000
9/10/2027	11.78	3.613	28.53	1000
9/11/2027	12.4	105.5	23.13	1000
9/12/2027	139.9	43.48	25.29	1000
9/13/2027	59.18	0	28.15	1000
9/14/2027	13.8	3.613	25.3	1000
9/15/2027	14.52	20.84	27.9	1000
9/16/2027	0.7468	0	22.93	1000
9/17/2027	0.7536	0	21.34	1000
9/18/2027	2.665	0	21.35	1000
9/19/2027	77.89	18.31	21.37	1000
9/20/2027	32.59	0	24.25	1000
9/21/2027	14.56	23.32	24.21	1000
9/22/2027	14.47	3.613	21.42	1000
9/23/2027	14.25	14.92	20.57	1000
9/24/2027	0.7033	0	19.51	1000
9/25/2027	0.691	0	18.03	1000
9/26/2027	0.6841	0	15.74	1000
9/27/2027	0.6787	0	15.45	1000
9/28/2027	0.6731	0	16	1000
9/29/2027	0.6667	0	14.16	1000
9/30/2027	91.03	333.7	14.97	1000
10/1/2027	538.9	0	14.6	500
10/2/2027	23.66	0	10.24	500
10/3/2027	11.35	0	13.21	500
10/4/2027	4.079	0	12.99	500
10/5/2027	3.038	0	11.43	500
10/6/2027	3.073	0	8.8	500
10/7/2027	3.06	0	6.164	500
10/8/2027	3.009	0	8.1	500
10/9/2027	2.93	0	8.219	500
10/10/2027	2.83	0	8.477	500
10/11/2027	2.717	0	9.685	500
10/12/2027	0.7414	0	9.661	500
10/13/2027	0.7421	0	9.903	500
10/14/2027	0.7397	0	7.975	500
10/15/2027	0.7349	0	8.095	500
10/16/2027	0.7282	0	8.015	500
10/17/2027	0.72	0	7.187	500
10/18/2027	0.7107	0	6.228	500
10/19/2027	0.7006	0	4.49	500
10/20/2027	0.6898	0	3.326	500
10/21/2027	0.6786	0	4.261	500
10/22/2027	0.6672	0	3.49	500
10/23/2027	0.6555	0	2.656	500
10/24/2027	0.6437	0	5.056	500
10/25/2027	0.6319	0	6.325	500
10/26/2027	0.6201	0	3.593	500
10/27/2027	0.6084	0	4.526	500
10/28/2027	0.5968	0	3.195	500
10/29/2027	0.5853	0	0	500

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
10/30/2027	0.5739	0	3.078	500
10/31/2027	0.5627	0	2.097	500
11/1/2027	0.5517	0	0	0
11/2/2027	0.5409	0	0	0
11/3/2027	0.5302	0	0	0
11/4/2027	0.5197	0	0.2331	0
11/5/2027	0.5094	0	0.3368	0
11/6/2027	0.4993	0	0	0
11/7/2027	0.4893	0	0	0
11/8/2027	0.4796	0	0	0
11/9/2027	0.4701	0	0	0
11/10/2027	0.4607	0	0	0
11/11/2027	0.4515	0	0	0
11/12/2027	0.4425	0	0.2077	0
11/13/2027	0.4336	0	0	0
11/14/2027	0.425	0	0.8466	0
11/15/2027	0.4165	0	1.482	0
11/16/2027	0.4082	0	1.771	0
11/17/2027	0.4	0	0	0
11/18/2027	0.392	0	0	0
11/19/2027	0.3842	0	0	0
11/20/2027	0.3765	0	0	0
11/21/2027	0.369	0	0	0
11/22/2027	0.3616	0	0	0
11/23/2027	0.3544	0	0	0
11/24/2027	0.3473	0	0.3178	0
11/25/2027	0.3403	0	0	0
11/26/2027	0.3335	0	1.064	0
11/27/2027	0.3269	0	0	0
11/28/2027	0.3203	0	0	0
11/29/2027	0.3139	0	0	0
11/30/2027	0.3076	0	0.4043	0
12/1/2027	0.3015	0	0.1552	0
12/2/2027	0.2955	0	0	0
12/3/2027	0.2896	0	0	0
12/4/2027	0.2838	0	0	0
12/5/2027	0.2781	0	0	0
12/6/2027	0.2725	0	0.1276	0
12/7/2027	0.2671	0	0.1787	0
12/8/2027	0.2617	0	0	0
12/9/2027	0.2565	0	0	0
12/10/2027	0.2514	0	0	0
12/11/2027	0.2463	0	0	0
12/12/2027	0.2414	0	0	0
12/13/2027	0.2366	0	0	0
12/14/2027	0.2319	0	0	0
12/15/2027	0.2272	0	0.2531	0
12/16/2027	0.2227	0	0	0
12/17/2027	0.2182	0	0.1699	0
12/18/2027	0.2139	0	0	0
12/19/2027	0.2096	0	0	0
12/20/2027	0.2054	0	0	0

Date	CP3 - Water Balance			
	Inflow		Outflow	
	P3 Area Runoff	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SP1
	m3	m3	m3	m3
12/21/2027	0.2013	0	0	0
12/22/2027	0.1973	0	0	0
12/23/2027	0.1933	0	0	0
12/24/2027	0.1894	0	0	0
12/25/2027	0.1857	0	0	0
12/26/2027	0.1819	0	0	0
12/27/2027	0.1783	0	0	0
12/28/2027	0.1747	0	0	0
12/29/2027	0.1712	0	0	0
12/30/2027	0.1678	0	0	0
12/31/2027	0.1645	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
1/1/2019	0	0	0	0	0	0
1/2/2019	0	0	0	0	0	0
1/3/2019	0	0	0	0	0	0
1/4/2019	0	0	0	0	0	0
1/5/2019	0	0	0	0	0	0
1/6/2019	0	0	0	0	0	0
1/7/2019	0	0	0	0	0	0
1/8/2019	0	0	0	0	0	0
1/9/2019	0	0	0	0	0	0
1/10/2019	0	0	0	0	0	0
1/11/2019	0	0	0	0	0	0
1/12/2019	0	0	0	0	0	0
1/13/2019	0	0	0	0	0	0
1/14/2019	0	0	0	0	0	0
1/15/2019	0	0	0	0	0	0
1/16/2019	0	0	0	0	0	0
1/17/2019	0	0	0	0	0	0
1/18/2019	0	0	0	0	0	0
1/19/2019	0	0	0	0	0	0
1/20/2019	0	0	0	0	0	0
1/21/2019	0	0	0	0	0	0
1/22/2019	0	0	0	0	0	0
1/23/2019	0	0	0	0	0	0
1/24/2019	0	0	0	0	0	0
1/25/2019	0	0	0	0	0	0
1/26/2019	0	0	0	0	0	0
1/27/2019	0	0	0	0	0	0
1/28/2019	0	0	0	0	0	0
1/29/2019	0	0	0	0	0	0
1/30/2019	0	0	0	0	0	0
1/31/2019	0	0	0	0	0	0
2/1/2019	0	0	0	0	0	0
2/2/2019	0	0	0	0	0	0
2/3/2019	0	0	0	0	0	0
2/4/2019	0	0	0	0	0	0
2/5/2019	0	0	0	0	0	0
2/6/2019	0	0	0	0	0	0
2/7/2019	0	0	0	0	0	0
2/8/2019	0	0	0	0	0	0
2/9/2019	0	0	0	0	0	0
2/10/2019	0	0	0	0	0	0
2/11/2019	0	0	0	0	0	0
2/12/2019	0	0	0	0	0	0
2/13/2019	0	0	0	0	0	0
2/14/2019	0	0	0	0	0	0
2/15/2019	0	0	0	0	0	0
2/16/2019	0	0	0	0	0	0
2/17/2019	0	0	0	0	0	0
2/18/2019	0	0	0	0	0	0
2/19/2019	0	0	0	0	0	0
2/20/2019	0	0	0	0	0	0
2/21/2019	0	0	0	0	0	0
2/22/2019	0	0	0	0	0	0
2/23/2019	0	0	0	0	0	0
2/24/2019	0	0	0	0	0	0
2/25/2019	0	0	0	0	0	0
2/26/2019	0	0	0	0	0	0
2/27/2019	0	0	0	0	0	0
2/28/2019	0	0	0	0	0	0
3/1/2019	0	0	0	0	0	0
3/2/2019	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
3/3/2019	0	0	0	0	0	0
3/4/2019	0	0	0	0	0	0
3/5/2019	0	0	0	0	0	0
3/6/2019	0	0	0	0	0	0
3/7/2019	0	0	0	0	0	0
3/8/2019	0	0	0	0	0	0
3/9/2019	0	0	0	0	0	0
3/10/2019	0	0	0	0	0	0
3/11/2019	0	0	0	0	0	0
3/12/2019	0	0	0	0	0.007967	0
3/13/2019	0	0	0	0	0	0
3/14/2019	0	0	0	0	0	0
3/15/2019	0	0	0	0	0	0
3/16/2019	0	0	0	0	0	0
3/17/2019	0	0	0	0	0	0
3/18/2019	0	0	0	0	0.06446	0
3/19/2019	0	0	0	0	0	0
3/20/2019	0	0	0	0	0.1018	0
3/21/2019	0	0	0	0	0	0
3/22/2019	0	0	0	0	0.5711	0
3/23/2019	0	0	0	0	0	0
3/24/2019	0	0	0	0	0	0
3/25/2019	0	0	0	0	0	0
3/26/2019	0	0	0	0	0.3921	0
3/27/2019	0	0	0	0	0	0
3/28/2019	0	0	0	0	0	0
3/29/2019	0	0	0	0	0	0
3/30/2019	0	0	0	0	0	0
3/31/2019	0	0	0	0	0.3324	0
4/1/2019	0	0	0	0	0.4395	0
4/2/2019	0	0	0	0	0	0
4/3/2019	0	0	0	0	0	0
4/4/2019	0	0	0	0	0	0
4/5/2019	0	0	0	0	0	0
4/6/2019	0	0	0	0	0	0
4/7/2019	0	0	0	0	0	0
4/8/2019	0	0	0	0	0	0
4/9/2019	0	0	0	0	0.4157	0
4/10/2019	0	0	0	0	0.8211	0
4/11/2019	0	0	0	0	1.488	0
4/12/2019	0	0	0	0	1.738	0
4/13/2019	0	0	0	0	2.058	0
4/14/2019	0	0	0	0	1.645	0
4/15/2019	0	0	0	0	1.237	0
4/16/2019	0	0	0	0	1.223	0
4/17/2019	0	0	0	0	1.083	0
4/18/2019	0	0	0	0	0.2168	0
4/19/2019	0	0	0	0	0.3972	0
4/20/2019	0	0	0	0	0	0
4/21/2019	0	0	0	0	0	0
4/22/2019	0	0	0	0	0	0
4/23/2019	0	0	0	0	1.529	0
4/24/2019	0	0	0	0	1.43	0
4/25/2019	0	0	0	0	0	0
4/26/2019	0	0	0	0	0	0
4/27/2019	0	0	0	0	0	0
4/28/2019	0	0	0	0	0	0
4/29/2019	0	0	0	0	0	0
4/30/2019	0	0	0	0	0.6147	0
5/1/2019	0	0	0	0	1.851	0
5/2/2019	0	0	0	0	1.973	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
5/3/2019	0	0	0	0	2.26	0
5/4/2019	0	0	0	0	1.361	0
5/5/2019	0	0	0	0	0.7871	0
5/6/2019	0	0	0	0	1.063	0
5/7/2019	0	0	0	0	2.315	0
5/8/2019	0	0	0	0	3.213	0
5/9/2019	0	0	0	0	2.693	0
5/10/2019	0	0	0	0	2.553	0
5/11/2019	0	0	0	0	2.514	0
5/12/2019	0	0	0	0	2.923	0
5/13/2019	0	0	0	0	2.738	0
5/14/2019	0	0	0	0	3.144	0
5/15/2019	0	0	0	0	3.484	0
5/16/2019	0	0	0	0	3.261	0
5/17/2019	0	0	0	0	3.525	0
5/18/2019	0	0	0	0	3.035	0
5/19/2019	0	0	0	0	2.97	0
5/20/2019	0	0	0	0	3.036	0
5/21/2019	0	0	0	0	3.194	0
5/22/2019	0	0	0	0	2.718	0
5/23/2019	0	0	0	0	3.211	0
5/24/2019	0	0	0	0	3.064	0
5/25/2019	0	0	0	0	2.645	0
5/26/2019	0	0	0	0	2.922	0
5/27/2019	0	0	0	0	3.837	0
5/28/2019	0	0	0	0	3.836	0
5/29/2019	0	0	0	0.9461	4.121	0
5/30/2019	0	0	0	0	3.427	0
5/31/2019	0	0	0	3.126	4.133	0
6/1/2019	0	0	0	3.949	4.421	0
6/2/2019	0	0	0	0	3.785	0
6/3/2019	0	0	0	0	3.726	0
6/4/2019	0	0	0	0	3.687	0
6/5/2019	0	0	0	2.962	4.269	0
6/6/2019	0	0	0	4.607	4.575	0
6/7/2019	0	0	0	4.237	4.517	0
6/8/2019	0	0	0	12.92	3.802	0
6/9/2019	0	0	0	13.76	4.925	0
6/10/2019	0	0	0	15.85	5.091	0
6/11/2019	0	0	0	11.54	5.093	0
6/12/2019	0	0	0	12.22	5.052	0
6/13/2019	0	0	0	17.26	5.375	0
6/14/2019	0	0	0	15.3	5.16	0
6/15/2019	0	0	0	9.666	4.795	0
6/16/2019	0	0	0	11.34	4.915	0
6/17/2019	0	0	0	0	4.171	0
6/18/2019	0	0	0	0	3.463	0
6/19/2019	0	0	0	19.35	5.5	0
6/20/2019	0	0	0	11.58	4.959	0
6/21/2019	0	0	0	28.09	6.797	0
6/22/2019	0	0	0	29.93	6.784	0
6/23/2019	0	0	0	17.9	5.6	0
6/24/2019	0	0	0	15.24	5.568	0
6/25/2019	0	0	0	22.77	5.771	0
6/26/2019	0	0	0	27.91	6.507	0
6/27/2019	0	0	0	35.19	6.642	0
6/28/2019	0	0	0	32.62	6.875	0
6/29/2019	0	0	0	8.363	6.062	0
6/30/2019	0	0	0	39.46	5.538	0
7/1/2019	0	0	0	12.15	5.22	0
7/2/2019	0	0	0	1.086	5.171	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
7/3/2019	0	0	0	51.86	5.614	0
7/4/2019	0	0	0	21	5.706	0
7/5/2019	0	0	0	0.6579	12.66	0
7/6/2019	0	0	0	4.377	7.218	0
7/7/2019	0	0	0	0.6562	5.796	0
7/8/2019	0	0	0	33	5.425	0
7/9/2019	0	0	0	44.35	5.42	0
7/10/2019	0	0	0	0.663	6.327	0
7/11/2019	0	0	0	1.104	6.873	0
7/12/2019	0	0	0	7.5	7.843	0
7/13/2019	0	0	0	0.6617	6.738	0
7/14/2019	0	0	0	0.6611	6.97	0
7/15/2019	0	0	0	18.49	6.532	0
7/16/2019	0	0	0	3.088	7.715	0
7/17/2019	0	0	0	4.408	7.579	0
7/18/2019	0	0	0	0	6.908	0
7/19/2019	0	0	0	0.6601	7.074	0
7/20/2019	0	0	0	1.099	6.991	0
7/21/2019	0	0	0	0	7.196	0
7/22/2019	0	0	0	0.6579	7.001	0
7/23/2019	0	0	0	0.6572	6.56	0
7/24/2019	0	0	0	0	5.823	0
7/25/2019	0	0	0	1.968	6.144	0
7/26/2019	0	0	0	0.6554	5.962	0
7/27/2019	0	0	0	30.56	4.754	0
7/28/2019	0	0	0	17.32	5.181	0
7/29/2019	0	0	0	0	6.134	0
7/30/2019	0	0	0	0.6584	5.757	0
7/31/2019	0	0	0	1.096	5.734	0
8/1/2019	0	0	0	0	5.89	0
8/2/2019	0	0	0	0	7.242	0
8/3/2019	0	0	0	1.093	4.791	0
8/4/2019	0	0	0	25.34	3.035	0
8/5/2019	0	0	0	13.16	5.078	0
8/6/2019	0	0	0	0.6588	5.597	0
8/7/2019	0	0	0	0.6582	5.922	0
8/8/2019	0	0	0	1.534	6.086	0
8/9/2019	0	0	0	1.533	5.624	0
8/10/2019	0	0	0	4.378	4.87	0
8/11/2019	0	0	0	39.62	3.947	0
8/12/2019	0	0	0	22.9	4.91	0
8/13/2019	0	0	0	11.71	4.145	0
8/14/2019	0	0	0	0	5.003	0
8/15/2019	0	0	0	0.6629	5.051	0
8/16/2019	0	0	0	0	4.618	0
8/17/2019	0	0	0	0.6619	4.384	0
8/18/2019	0	0	0	0	4.873	0
8/19/2019	0	0	0	1.983	4.937	0
8/20/2019	0	0	0	0	4.972	0
8/21/2019	0	0	0	0	4.946	0
8/22/2019	0	0	0	0	4.679	0
8/23/2019	0	0	0	4.832	4.816	0
8/24/2019	0	0	0	0.659	4.572	0
8/25/2019	0	0	0	10.32	4.455	0
8/26/2019	0	0	0	0.6592	4.283	0
8/27/2019	0	0	0	0	4.191	0
8/28/2019	0	0	0	76.58	2.938	0
8/29/2019	0	0	0	36.64	3.95	0
8/30/2019	0	0	0	0.6692	3.303	0
8/31/2019	0	0	0	5.352	3.244	0
9/1/2019	0	0	0	7.807	3.106	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
9/2/2019	0	0	0	0.6696	3.345	0
9/3/2019	0	0	0	0.6694	3.351	0
9/4/2019	0	0	0	0	3.393	0
9/5/2019	0	0	0	0	3.324	0
9/6/2019	0	0	0	2.674	3.133	0
9/7/2019	0	0	0	0	3.015	0
9/8/2019	0	0	0	0	2.928	0
9/9/2019	0	0	0	0	3.057	0
9/10/2019	0	0	0	4.45	3.165	0
9/11/2019	0	0	0	0.6677	3.344	0
9/12/2019	0	0	0	0	3.473	0
9/13/2019	0	0	0	0	3.319	0
9/14/2019	0	0	0	0.6668	3.174	0
9/15/2019	0	0	0	35.11	2.431	0
9/16/2019	0	0	0	0.6697	2.905	0
9/17/2019	0	0	0	50.88	2.768	0
9/18/2019	0	0	0	2.022	2.805	0
9/19/2019	0	0	0	0	2.515	0
9/20/2019	0	0	0	6.063	2.458	0
9/21/2019	0	0	0	26.96	2.32	0
9/22/2019	0	0	0	0.6764	2.208	0
9/23/2019	0	0	0	4.508	2.172	0
9/24/2019	0	0	0	9.921	2.458	0
9/25/2019	0	0	0	22.57	2.135	0
9/26/2019	0	0	0	4.754	2.118	0
9/27/2019	0	0	0	8.832	1.487	0
9/28/2019	0	0	0	0	1.39	0
9/29/2019	0	0	0	0	1.265	0
9/30/2019	0	0	0	0	1.34	0
10/1/2019	0	0	0	0	1.705	0
10/2/2019	0	0	0	0	1.576	0
10/3/2019	0	0	0	0	1.362	0
10/4/2019	0	0	0	0.6792	1.637	0
10/5/2019	0	0	0	0.2264	1.609	0
10/6/2019	0	0	0	0	1.286	0
10/7/2019	0	0	0	0	1.109	0
10/8/2019	0	0	0	7.919	1.357	0
10/9/2019	0	0	0	3.397	1.313	0
10/10/2019	0	0	0	0	1.045	0
10/11/2019	0	0	0	0	1.039	0
10/12/2019	0	0	0	0	1.01	0
10/13/2019	0	0	0	0	0.9978	0
10/14/2019	0	0	0	0	0.888	0
10/15/2019	0	0	0	0	0.7898	0
10/16/2019	0	0	0	0	0.6883	0
10/17/2019	0	0	0	0	0.8556	0
10/18/2019	0	0	0	27.97	0.8364	0
10/19/2019	0	0	0	22.31	0.8574	0
10/20/2019	0	0	0	4.375	0.8116	0
10/21/2019	0	0	0	0	0.7284	0
10/22/2019	0	0	0	0	0.5285	0
10/23/2019	0	0	0	0	0.4688	0
10/24/2019	0	0	0	0	0.4177	0
10/25/2019	0	0	0	0	0.5919	0
10/26/2019	0	0	0	0	0.5612	0
10/27/2019	0	0	0	0	0.5502	0
10/28/2019	0	0	0	0	0.5816	0
10/29/2019	0	0	0	0	0.5534	0
10/30/2019	0	0	0	0	0.4281	0
10/31/2019	0	0	0	0	0.382	0
11/1/2019	0	0	0	0	0.2493	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
11/2/2019	0	0	0	0	0.1292	0
11/3/2019	0	0	0	0	0.2482	0
11/4/2019	0	0	0	0	0.1004	0
11/5/2019	0	0	0	0	0	0
11/6/2019	0	0	0	0	0	0
11/7/2019	0	0	0	0	0	0
11/8/2019	0	0	0	0	0	0
11/9/2019	0	0	0	0	0.03988	0
11/10/2019	0	0	0	0	0	0
11/11/2019	0	0	0	0	0	0
11/12/2019	0	0	0	0	0.07803	0
11/13/2019	0	0	0	0	0	0
11/14/2019	0	0	0	0	0	0
11/15/2019	0	0	0	0	0.02469	0
11/16/2019	0	0	0	0	0.05614	0
11/17/2019	0	0	0	0	0	0
11/18/2019	0	0	0	0	0	0
11/19/2019	0	0	0	0	0.01896	0
11/20/2019	0	0	0	0	0.0263	0
11/21/2019	0	0	0	0	0.02986	0
11/22/2019	0	0	0	0	0.07982	0
11/23/2019	0	0	0	0	0.001193	0
11/24/2019	0	0	0	0	0.07278	0
11/25/2019	0	0	0	0	0.03984	0
11/26/2019	0	0	0	0	0	0
11/27/2019	0	0	0	0	0	0
11/28/2019	0	0	0	0	0.02822	0
11/29/2019	0	0	0	0	0.05752	0
11/30/2019	0	0	0	0	0.05665	0
12/1/2019	0	0	0	0	0.004434	0
12/2/2019	0	0	0	0	0	0
12/3/2019	0	0	0	0	0	0
12/4/2019	0	0	0	0	0	0
12/5/2019	0	0	0	0	0	0
12/6/2019	0	0	0	0	0	0
12/7/2019	0	0	0	0	0	0
12/8/2019	0	0	0	0	0	0
12/9/2019	0	0	0	0	0	0
12/10/2019	0	0	0	0	0	0
12/11/2019	0	0	0	0	0	0
12/12/2019	0	0	0	0	0	0
12/13/2019	0	0	0	0	0	0
12/14/2019	0	0	0	0	0	0
12/15/2019	0	0	0	0	0	0
12/16/2019	0	0	0	0	0	0
12/17/2019	0	0	0	0	0	0
12/18/2019	0	0	0	0	0	0
12/19/2019	0	0	0	0	0	0
12/20/2019	0	0	0	0	0	0
12/21/2019	0	0	0	0	0	0
12/22/2019	0	0	0	0	0.005572	0
12/23/2019	0	0	0	0	0	0
12/24/2019	0	0	0	0	0	0
12/25/2019	0	0	0	0	0.04219	0
12/26/2019	0	0	0	0	0.0427	0
12/27/2019	0	0	0	0	0.0479	0
12/28/2019	0	0	0	0	0.02619	0
12/29/2019	0	0	0	0	0.01886	0
12/30/2019	0	0	0	0	0	0
12/31/2019	0	0	0	0	0	0
1/1/2020	0	0	0	0	0.01141	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
1/2/2020	0	0	0	0	0.01104	0
1/3/2020	0	0	0	0	0	0
1/4/2020	0	0	0	0	0	0
1/5/2020	0	0	0	0	0	0
1/6/2020	0	0	0	0	0	0
1/7/2020	0	0	0	0	0	0
1/8/2020	0	0	0	0	0	0
1/9/2020	0	0	0	0	0	0
1/10/2020	0	0	0	0	0	0
1/11/2020	0	0	0	0	0	0
1/12/2020	0	0	0	0	0	0
1/13/2020	0	0	0	0	0	0
1/14/2020	0	0	0	0	0	0
1/15/2020	0	0	0	0	0	0
1/16/2020	0	0	0	0	0	0
1/17/2020	0	0	0	0	0	0
1/18/2020	0	0	0	0	0	0
1/19/2020	0	0	0	0	0	0
1/20/2020	0	0	0	0	0	0
1/21/2020	0	0	0	0	0	0
1/22/2020	0	0	0	0	0	0
1/23/2020	0	0	0	0	0	0
1/24/2020	0	0	0	0	0	0
1/25/2020	0	0	0	0	0	0
1/26/2020	0	0	0	0	0	0
1/27/2020	0	0	0	0	0	0
1/28/2020	0	0	0	0	0	0
1/29/2020	0	0	0	0	0	0
1/30/2020	0	0	0	0	0.1383	0
1/31/2020	0	0	0	0	0.1769	0
2/1/2020	0	0	0	0	0	0
2/2/2020	0	0	0	0	0	0
2/3/2020	0	0	0	0	0	0
2/4/2020	0	0	0	0	0	0
2/5/2020	0	0	0	0	0	0
2/6/2020	0	0	0	0	0	0
2/7/2020	0	0	0	0	0	0
2/8/2020	0	0	0	0	0	0
2/9/2020	0	0	0	0	0	0
2/10/2020	0	0	0	0	0	0
2/11/2020	0	0	0	0	0	0
2/12/2020	0	0	0	0	0	0
2/13/2020	0	0	0	0	0	0
2/14/2020	0	0	0	0	0	0
2/15/2020	0	0	0	0	0	0
2/16/2020	0	0	0	0	0	0
2/17/2020	0	0	0	0	0	0
2/18/2020	0	0	0	0	0	0
2/19/2020	0	0	0	0	0	0
2/20/2020	0	0	0	0	0	0
2/21/2020	0	0	0	0	0	0
2/22/2020	0	0	0	0	0	0
2/23/2020	0	0	0	0	0	0
2/24/2020	0	0	0	0	0	0
2/25/2020	0	0	0	0	0	0
2/26/2020	0	0	0	0	0	0
2/27/2020	0	0	0	0	0	0
2/28/2020	0	0	0	0	0	0
2/29/2020	0	0	0	0	0.0998	0
3/1/2020	0	0	0	0	0	0
3/2/2020	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
3/3/2020	0	0	0	0	0	0
3/4/2020	0	0	0	0	0	0
3/5/2020	0	0	0	0	0	0
3/6/2020	0	0	0	0	0	0
3/7/2020	0	0	0	0	0	0
3/8/2020	0	0	0	0	0	0
3/9/2020	0	0	0	0	0	0
3/10/2020	0	0	0	0	0	0
3/11/2020	0	0	0	0	0	0
3/12/2020	0	0	0	0	0	0
3/13/2020	0	0	0	0	0	0
3/14/2020	0	0	0	0	0	0
3/15/2020	0	0	0	0	0.06587	0
3/16/2020	0	0	0	0	0	0
3/17/2020	0	0	0	0	0	0
3/18/2020	0	0	0	0	0	0
3/19/2020	0	0	0	0	0	0
3/20/2020	0	0	0	0	0	0
3/21/2020	0	0	0	0	0	0
3/22/2020	0	0	0	0	0.425	0
3/23/2020	0	0	0	0	0	0
3/24/2020	0	0	0	0	0	0
3/25/2020	0	0	0	0	0	0
3/26/2020	0	0	0	0	0	0
3/27/2020	0	0	0	0	0	0
3/28/2020	0	0	0	0	0	0
3/29/2020	0	0	0	0	0	0
3/30/2020	0	0	0	0	0	0
3/31/2020	0	0	0	0	0	0
4/1/2020	0	0	0	0	0	0
4/2/2020	0	0	0	0	0.7433	0
4/3/2020	0	0	0	0	0.6393	0
4/4/2020	0	0	0	0	0.6284	0
4/5/2020	0	0	0	0	0.8071	0
4/6/2020	0	0	0	0	0.3718	0
4/7/2020	0	0	0	0	0.227	0
4/8/2020	0	0	0	0	0.7744	0
4/9/2020	0	0	0	0	0.3714	0
4/10/2020	0	0	0	0	0.1917	0
4/11/2020	0	0	0	0	0.09321	0
4/12/2020	0	0	0	0	0	0
4/13/2020	0	0	0	0	0	0
4/14/2020	0	0	0	0	0	0
4/15/2020	0	0	0	0	0.0163	0
4/16/2020	0	0	0	0	0	0
4/17/2020	0	0	0	0	0	0
4/18/2020	0	0	0	0	0	0
4/19/2020	0	0	0	0	0	0
4/20/2020	0	0	0	0	0	0
4/21/2020	0	0	0	0	0	0
4/22/2020	0	0	0	0	0.3626	0
4/23/2020	0	0	0	0	1.455	0
4/24/2020	0	0	0	0	0.7599	0
4/25/2020	0	0	0	0	0.5621	0
4/26/2020	0	0	0	0	1.108	0
4/27/2020	0	0	0	0	0	0
4/28/2020	0	0	0	0	0	0
4/29/2020	0	0	0	0	1.845	0
4/30/2020	0	0	0	0	2.782	0
5/1/2020	0	0	0	0	1.702	0
5/2/2020	0	0	0	0	0.9298	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
5/3/2020	0	0	0	0	2.111	0
5/4/2020	0	0	0	0	3.25	0
5/5/2020	0	0	0	0	1.388	0
5/6/2020	0	0	0	0	1.753	0
5/7/2020	0	0	0	0	2.428	0
5/8/2020	0	0	0	0	2.029	0
5/9/2020	0	0	0	0	1.296	0
5/10/2020	0	0	0	0	1.27	0
5/11/2020	0	0	0	0	2.012	0
5/12/2020	0	0	0	0	2.043	0
5/13/2020	0	0	0	0	1.67	0
5/14/2020	0	0	0	0	1.566	0
5/15/2020	0	0	0	0	1.988	0
5/16/2020	0	0	0	0	3.502	0
5/17/2020	0	0	0	0	3.94	0
5/18/2020	0	0	0	0	3.097	0
5/19/2020	0	0	0	0	3.092	0
5/20/2020	0	0	0	0	3.162	0
5/21/2020	0	0	0	0	3.035	0
5/22/2020	0	0	0	0	2.872	0
5/23/2020	0	0	0	0	3.614	0
5/24/2020	0	0	0	0	3.515	0
5/25/2020	0	0	0	0	3.635	0
5/26/2020	0	0	0	0	2.511	0
5/27/2020	0	0	0	0	2.569	0
5/28/2020	0	0	0	0	3.692	0
5/29/2020	0	0	0	0	3.403	0
5/30/2020	0	0	0	0	3.683	0
5/31/2020	0	0	0	0	3.69	0
6/1/2020	0	0	0	0	3.421	0
6/2/2020	0	0	0	0	3.456	0
6/3/2020	0	0	0	0.7184	3.968	0
6/4/2020	0	0	0	0	4.303	0
6/5/2020	0	0	0	0	4.393	0
6/6/2020	0	0	0	8.113	4.641	0
6/7/2020	0	0	0	1.301	3.519	0
6/8/2020	0	0	0	3.811	4.616	0
6/9/2020	0	0	0	3.093	4.788	0
6/10/2020	0	0	0	9.546	5.136	0
6/11/2020	0	0	0	16.14	5.873	0
6/12/2020	0	0	0	25.87	6.581	0
6/13/2020	0	0	0	36.75	7.285	0
6/14/2020	0	0	0	24.24	6.499	0
6/15/2020	0	0	0	21.76	6.309	0
6/16/2020	0	0	0	15.99	5.712	0
6/17/2020	0	0	0	28.02	6.798	0
6/18/2020	0	0	0	24.68	7.536	0
6/19/2020	0	0	0	0	8.381	0
6/20/2020	0	0	0	0	8.023	0
6/21/2020	0	0	0	0	7.949	0
6/22/2020	0	0	0	0	8.133	0
6/23/2020	0	0	0	0	9.482	0
6/24/2020	0	0	0	1.591	7.762	0
6/25/2020	0	0	0	0.6815	6.935	0
6/26/2020	0	0	0	9.532	4.759	0
6/27/2020	0	0	0	0	5.867	0
6/28/2020	0	0	0	0	7.626	0
6/29/2020	0	0	0	0	8.447	0
6/30/2020	0	0	0	0	8.855	0
7/1/2020	0	0	0	0	9.524	0
7/2/2020	0	0	0	0	8.666	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
7/3/2020	0	0	0	0	8.109	0
7/4/2020	0	0	0	0	7.277	0
7/5/2020	0	0	0	0	7.334	0
7/6/2020	0	0	0	0	6.65	0
7/7/2020	0	0	0	8.536	6.889	0
7/8/2020	0	0	0	0.674	7.077	0
7/9/2020	0	0	0	0.6734	7.268	0
7/10/2020	0	0	0	0	8.553	0
7/11/2020	0	0	0	0	8.666	0
7/12/2020	0	0	0	0	7.511	0
7/13/2020	0	0	0	0	6.308	0
7/14/2020	0	0	0	0.6699	6.532	0
7/15/2020	0	0	0	0.6693	6.216	0
7/16/2020	0	0	0	9.363	8.274	0
7/17/2020	0	0	0	0.6689	6.94	0
7/18/2020	0	0	0	0	8.468	0
7/19/2020	0	0	0	0	8.121	0
7/20/2020	0	0	0	0	8.679	0
7/21/2020	0	0	0	0	8.695	0
7/22/2020	0	0	0	0	7.82	0
7/23/2020	0	0	0	0	8.18	0
7/24/2020	0	0	0	0.6635	7.413	0
7/25/2020	0	0	0	0.6627	6.038	0
7/26/2020	0	0	0	0	5.702	0
7/27/2020	0	0	0	0	7.147	0
7/28/2020	0	0	0	0	7.285	0
7/29/2020	0	0	0	0.6599	6.748	0
7/30/2020	0	0	0	0.6592	8.077	0
7/31/2020	0	0	0	0	5.703	0
8/1/2020	0	0	0	0	7.604	0
8/2/2020	0	0	0	0	7.713	0
8/3/2020	0	0	0	0	7.937	0
8/4/2020	0	0	0	0	7.957	0
8/5/2020	0	0	0	1.09	7.862	0
8/6/2020	0	0	0	0	7.544	0
8/7/2020	0	0	0	0	5.878	0
8/8/2020	0	0	0	0.652	5.783	0
8/9/2020	0	0	0	6.515	4.631	0
8/10/2020	0	0	0	0.6517	5.192	0
8/11/2020	0	0	0	0	6.002	0
8/12/2020	0	0	0	0	6.619	0
8/13/2020	0	0	0	0.6498	4.951	0
8/14/2020	0	0	0	6.926	4.691	0
8/15/2020	0	0	0	0	5.957	0
8/16/2020	0	0	0	4.758	5.916	0
8/17/2020	0	0	0	0.6487	5.739	0
8/18/2020	0	0	0	0	4.23	0
8/19/2020	0	0	0	0	5.086	0
8/20/2020	0	0	0	25.67	3.566	0
8/21/2020	0	0	0	6.929	4.488	0
8/22/2020	0	0	0	0	3.358	0
8/23/2020	0	0	0	0	4.826	0
8/24/2020	0	0	0	0	4.939	0
8/25/2020	0	0	0	0	4.926	0
8/26/2020	0	0	0	0	4.269	0
8/27/2020	0	0	0	0.6474	3.52	0
8/28/2020	0	0	0	0	4.028	0
8/29/2020	0	0	0	0.6466	4.101	0
8/30/2020	0	0	0	0	3.495	0
8/31/2020	0	0	0	21.53	2.276	0
9/1/2020	0	0	0	38.66	2.174	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
9/2/2020	0	0	0	9.998	3.212	0
9/3/2020	0	0	0	9.139	3.519	0
9/4/2020	0	0	0	9.584	3.464	0
9/5/2020	0	0	0	13.74	2.501	0
9/6/2020	0	0	0	23.16	2.715	0
9/7/2020	0	0	0	0.6576	3.061	0
9/8/2020	0	0	0	0	2.704	0
9/9/2020	0	0	0	8.761	2.685	0
9/10/2020	0	0	0	2.631	2.885	0
9/11/2020	0	0	0	0	2.558	0
9/12/2020	0	0	0	0	2.748	0
9/13/2020	0	0	0	14.46	3.021	0
9/14/2020	0	0	0	0.6584	2.301	0
9/15/2020	0	0	0	8.118	2.526	0
9/16/2020	0	0	0	9.443	2.316	0
9/17/2020	0	0	0	0.2199	2.109	0
9/18/2020	0	0	0	0.2198	2.317	0
9/19/2020	0	0	0	0	2.698	0
9/20/2020	0	0	0	0	2.683	0
9/21/2020	0	0	0	0.6586	1.683	0
9/22/2020	0	0	0	0.6585	1.947	0
9/23/2020	0	0	0	0.6583	1.958	0
9/24/2020	0	0	0	0	2.445	0
9/25/2020	0	0	0	0.6579	1.39	0
9/26/2020	0	0	0	0	1.24	0
9/27/2020	0	0	0	0	1.968	0
9/28/2020	0	0	0	7.013	1.837	0
9/29/2020	0	0	0	1.097	1.461	0
9/30/2020	0	0	0	0.2193	1.528	0
10/1/2020	0	0	0	0	1.493	0
10/2/2020	0	0	0	1.096	1.27	0
10/3/2020	0	0	0	0.2192	1.144	0
10/4/2020	0	0	0	0.2192	1.111	0
10/5/2020	0	0	0	0	1.05	0
10/6/2020	0	0	0	0	0.996	0
10/7/2020	0	0	0	0	0.9817	0
10/8/2020	0	0	0	0	1.136	0
10/9/2020	0	0	0	0	1.048	0
10/10/2020	0	0	0	0	0.672	0
10/11/2020	0	0	0	3.284	1.099	0
10/12/2020	0	0	0	25.19	0.7915	0
10/13/2020	0	0	0	1.979	0.8436	0
10/14/2020	0	0	0	5.059	0.8393	0
10/15/2020	0	0	0	3.742	0.8087	0
10/16/2020	0	0	0	0.2202	0.8551	0
10/17/2020	0	0	0	0.2202	0.7688	0
10/18/2020	0	0	0	0	0.8142	0
10/19/2020	0	0	0	0	0.5971	0
10/20/2020	0	0	0	0	0.5415	0
10/21/2020	0	0	0	0	0.5649	0
10/22/2020	0	0	0	0	0.463	0
10/23/2020	0	0	0	0	0.4097	0
10/24/2020	0	0	0	0	0.3723	0
10/25/2020	0	0	0	0	0.3643	0
10/26/2020	0	0	0	0	0.332	0
10/27/2020	0	0	0	0	0.3657	0
10/28/2020	0	0	0	0	0.2078	0
10/29/2020	0	0	0	0	0.1842	0
10/30/2020	0	0	0	0	0.1781	0
10/31/2020	0	0	0	0	0.1234	0
11/1/2020	0	0	0	0	0.04123	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
11/2/2020	0	0	0	0	0.03861	0
11/3/2020	0	0	0	0	0.2162	0
11/4/2020	0	0	0	0	0.299	0
11/5/2020	0	0	0	0	0.117	0
11/6/2020	0	0	0	0	0.06686	0
11/7/2020	0	0	0	0	0.1555	0
11/8/2020	0	0	0	0	0.04138	0
11/9/2020	0	0	0	0	0.1172	0
11/10/2020	0	0	0	0	0.155	0
11/11/2020	0	0	0	0	0	0
11/12/2020	0	0	0	0	0.00382	0
11/13/2020	0	0	0	0	0.142	0
11/14/2020	0	0	0	0	0.0157	0
11/15/2020	0	0	0	0	0	0
11/16/2020	0	0	0	0	0.02469	0
11/17/2020	0	0	0	0	0.04896	0
11/18/2020	0	0	0	0	0.005402	0
11/19/2020	0	0	0	0	0.01261	0
11/20/2020	0	0	0	0	0	0
11/21/2020	0	0	0	0	0	0
11/22/2020	0	0	0	0	0	0
11/23/2020	0	0	0	0	0	0
11/24/2020	0	0	0	0	0	0
11/25/2020	0	0	0	0	0.02466	0
11/26/2020	0	0	0	0	0.05004	0
11/27/2020	0	0	0	0	0	0
11/28/2020	0	0	0	0	0	0
11/29/2020	0	0	0	0	0.02669	0
11/30/2020	0	0	0	0	0.04671	0
12/1/2020	0	0	0	0	0.05995	0
12/2/2020	0	0	0	0	0.05023	0
12/3/2020	0	0	0	0	0.05787	0
12/4/2020	0	0	0	0	0.04602	0
12/5/2020	0	0	0	0	0.06452	0
12/6/2020	0	0	0	0	0.06735	0
12/7/2020	0	0	0	0	0.07613	0
12/8/2020	0	0	0	0	0.07355	0
12/9/2020	0	0	0	0	0.06116	0
12/10/2020	0	0	0	0	0	0
12/11/2020	0	0	0	0	0	0
12/12/2020	0	0	0	0	0	0
12/13/2020	0	0	0	0	0	0
12/14/2020	0	0	0	0	0	0
12/15/2020	0	0	0	0	0	0
12/16/2020	0	0	0	0	0	0
12/17/2020	0	0	0	0	0	0
12/18/2020	0	0	0	0	0	0
12/19/2020	0	0	0	0	0	0
12/20/2020	0	0	0	0	0	0
12/21/2020	0	0	0	0	0	0
12/22/2020	0	0	0	0	0	0
12/23/2020	0	0	0	0	0	0
12/24/2020	0	0	0	0	0	0
12/25/2020	0	0	0	0	0	0
12/26/2020	0	0	0	0	0	0
12/27/2020	0	0	0	0	0	0
12/28/2020	0	0	0	0	0	0
12/29/2020	0	0	0	0	0	0
12/30/2020	0	0	0	0	0	0
12/31/2020	0	0	0	0	0	0
1/1/2021	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
1/2/2021	0	0	0	0	0	0
1/3/2021	0	0	0	0	0	0
1/4/2021	0	0	0	0	0	0
1/5/2021	0	0	0	0	0	0
1/6/2021	0	0	0	0	0	0
1/7/2021	0	0	0	0	0	0
1/8/2021	0	0	0	0	0.04162	0
1/9/2021	0	0	0	0	0.005135	0
1/10/2021	0	0	0	0	0	0
1/11/2021	0	0	0	0	0	0
1/12/2021	0	0	0	0	0	0
1/13/2021	0	0	0	0	0.01378	0
1/14/2021	0	0	0	0	0.04852	0
1/15/2021	0	0	0	0	0	0
1/16/2021	0	0	0	0	0	0
1/17/2021	0	0	0	0	0	0
1/18/2021	0	0	0	0	0	0
1/19/2021	0	0	0	0	0	0
1/20/2021	0	0	0	0	0	0
1/21/2021	0	0	0	0	0	0
1/22/2021	0	0	0	0	0	0
1/23/2021	0	0	0	0	0	0
1/24/2021	0	0	0	0	0	0
1/25/2021	0	0	0	0	0	0
1/26/2021	0	0	0	0	0	0
1/27/2021	0	0	0	0	0.005639	0
1/28/2021	0	0	0	0	0	0
1/29/2021	0	0	0	0	0	0
1/30/2021	0	0	0	0	0	0
1/31/2021	0	0	0	0	0.0388	0
2/1/2021	0	0	0	0	0	0
2/2/2021	0	0	0	0	0	0
2/3/2021	0	0	0	0	0	0
2/4/2021	0	0	0	0	0	0
2/5/2021	0	0	0	0	0	0
2/6/2021	0	0	0	0	0	0
2/7/2021	0	0	0	0	0	0
2/8/2021	0	0	0	0	0.3774	0
2/9/2021	0	0	0	0	0	0
2/10/2021	0	0	0	0	0	0
2/11/2021	0	0	0	0	0	0
2/12/2021	0	0	0	0	0.04865	0
2/13/2021	0	0	0	0	0	0
2/14/2021	0	0	0	0	0	0
2/15/2021	0	0	0	0	0	0
2/16/2021	0	0	0	0	0	0
2/17/2021	0	0	0	0	0	0
2/18/2021	0	0	0	0	0	0
2/19/2021	0	0	0	0	0	0
2/20/2021	0	0	0	0	0	0
2/21/2021	0	0	0	0	0.03936	0
2/22/2021	0	0	0	0	0	0
2/23/2021	0	0	0	0	0	0
2/24/2021	0	0	0	0	0	0
2/25/2021	0	0	0	0	0	0
2/26/2021	0	0	0	0	0	0
2/27/2021	0	0	0	0	0	0
2/28/2021	0	0	0	0	0	0
3/1/2021	0	0	0	0	0	0
3/2/2021	0	0	0	0	0	0
3/3/2021	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
3/4/2021	0	0	0	0	0	0
3/5/2021	0	0	0	0	0	0
3/6/2021	0	0	0	0	0	0
3/7/2021	0	0	0	0	0	0
3/8/2021	0	0	0	0	0.424	0
3/9/2021	0	0	0	0	0	0
3/10/2021	0	0	0	0	0	0
3/11/2021	0	0	0	0	0	0
3/12/2021	0	0	0	0	0	0
3/13/2021	0	0	0	0	0	0
3/14/2021	0	0	0	0	0	0
3/15/2021	0	0	0	0	0	0
3/16/2021	0	0	0	0	0	0
3/17/2021	0	0	0	0	0	0
3/18/2021	0	0	0	0	0	0
3/19/2021	0	0	0	0	0	0
3/20/2021	0	0	0	0	0.2485	0
3/21/2021	0	0	0	0	0.2155	0
3/22/2021	0	0	0	0	0.3614	0
3/23/2021	0	0	0	0	0	0
3/24/2021	0	0	0	0	0	0
3/25/2021	0	0	0	0	0	0
3/26/2021	0	0	0	0	0	0
3/27/2021	0	0	0	0	0	0
3/28/2021	0	0	0	0	0	0
3/29/2021	0	0	0	0	0	0
3/30/2021	0	0	0	0	0	0
3/31/2021	0	0	0	0	0	0
4/1/2021	0	0	0	0	0	0
4/2/2021	0	0	0	0	0	0
4/3/2021	0	0	0	0	0.2359	0
4/4/2021	0	0	0	0	0.7762	0
4/5/2021	0	0	0	0	0.02689	0
4/6/2021	0	0	0	0	0.2986	0
4/7/2021	0	0	0	0	1.123	0
4/8/2021	0	0	0	0	0.9145	0
4/9/2021	0	0	0	0	0.6405	0
4/10/2021	0	0	0	0	1.595	0
4/11/2021	0	0	0	0	1.267	0
4/12/2021	0	0	0	0	0	0
4/13/2021	0	0	0	0	0	0
4/14/2021	0	0	0	0	0	0
4/15/2021	0	0	0	0	0.9817	0
4/16/2021	0	0	0	0	1.313	0
4/17/2021	0	0	0	0	1.387	0
4/18/2021	0	0	0	0	0.3414	0
4/19/2021	0	0	0	0	0.0341	0
4/20/2021	0	0	0	0	0	0
4/21/2021	0	0	0	0	0.896	0
4/22/2021	0	0	0	0	1.353	0
4/23/2021	0	0	0	0	0.7272	0
4/24/2021	0	0	0	0	0	0
4/25/2021	0	0	0	0	0	0
4/26/2021	0	0	0	0	0.295	0
4/27/2021	0	0	0	0	0.7597	0
4/28/2021	0	0	0	0	2.511	0
4/29/2021	0	0	0	0	1.129	0
4/30/2021	0	0	0	0	1.206	0
5/1/2021	0	0	0	0	1.013	0
5/2/2021	0	0	0	0	2.795	0
5/3/2021	0	0	0	0	3.589	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
5/4/2021	0	0	0	0	3.637	0
5/5/2021	0	0	0	5.205	3.553	0
5/6/2021	0	0	0	0	3.314	0
5/7/2021	0	0	0	0	2.997	0
5/8/2021	0	0	0	0	2.72	0
5/9/2021	0	0	0	0	2.662	0
5/10/2021	0	0	0	0	3.104	0
5/11/2021	0	0	0	0	3.291	0
5/12/2021	0	0	0	0	3.332	0
5/13/2021	0	0	0	0	1.855	0
5/14/2021	0	0	0	0	1.954	0
5/15/2021	0	0	0	0	0.6529	0
5/16/2021	0	0	0	0	1.503	0
5/17/2021	0	0	0	0	1.595	0
5/18/2021	0	0	0	0	1.324	0
5/19/2021	0	0	0	0	1.722	0
5/20/2021	0	0	0	0	1.477	0
5/21/2021	0	0	0	0	2.269	0
5/22/2021	0	0	0	0	2.409	0
5/23/2021	0	0	0	0	2.182	0
5/24/2021	0	0	0	0	3.078	0
5/25/2021	0	0	0	0	3.085	0
5/26/2021	0	0	0	0	3.05	0
5/27/2021	0	0	0	0	2.805	0
5/28/2021	0	0	0	0	3.653	0
5/29/2021	0	0	0	5.027	4.358	0
5/30/2021	0	0	0	4.854	4.216	0
5/31/2021	0	0	0	5.115	4.214	0
6/1/2021	0	0	0	0	3.942	0
6/2/2021	0	0	0	0	4.354	0
6/3/2021	0	0	0	3.333	4.474	0
6/4/2021	0	0	0	4.155	4.658	0
6/5/2021	0	0	0	3.462	4.668	0
6/6/2021	0	0	0	5.884	4.623	0
6/7/2021	0	0	0	0	4.267	0
6/8/2021	0	0	0	5.535	4.623	0
6/9/2021	0	0	0	8.65	4.89	0
6/10/2021	0	0	0	7.617	4.807	0
6/11/2021	0	0	0	14.2	5.344	0
6/12/2021	0	0	0	27.75	7.873	0
6/13/2021	0	0	0	30.98	6.676	0
6/14/2021	0	0	0	36.7	7.444	0
6/15/2021	0	0	0	28.81	7.06	0
6/16/2021	0	0	0	19.04	5.667	0
6/17/2021	0	0	0	26.15	6.575	0
6/18/2021	0	0	0	29.51	6.961	0
6/19/2021	0	0	0	26.49	6.176	0
6/20/2021	0	0	0	11.86	5.422	0
6/21/2021	0	0	0	15.35	5.62	0
6/22/2021	0	0	0	20.38	5.823	0
6/23/2021	0	0	0	23.64	6.15	0
6/24/2021	0	0	0	34.29	5.914	0
6/25/2021	0	0	0	26.77	5.478	0
6/26/2021	0	0	0	15.55	5.83	0
6/27/2021	0	0	0	26.43	6.799	0
6/28/2021	0	0	0	28.68	6.443	0
6/29/2021	0	0	0	16.98	6.894	0
6/30/2021	0	0	0	0	8.506	0
7/1/2021	0	0	0	0	6.786	0
7/2/2021	0	0	0	4.094	7.245	0
7/3/2021	0	0	0	4.32	6.997	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
7/4/2021	0	0	0	13.86	6.582	0
7/5/2021	0	0	0	0	6.369	0
7/6/2021	0	0	0	0	6.868	0
7/7/2021	0	0	0	0	7.595	0
7/8/2021	0	0	0	2.495	7.482	0
7/9/2021	0	0	0	0	7.895	0
7/10/2021	0	0	0	0	7.175	0
7/11/2021	0	0	0	0	8.303	0
7/12/2021	0	0	0	0	7.583	0
7/13/2021	0	0	0	3.837	7.098	0
7/14/2021	0	0	0	0	7.203	0
7/15/2021	0	0	0	0	12.83	0
7/16/2021	0	0	0	1.125	7.956	0
7/17/2021	0	0	0	39.56	5.972	0
7/18/2021	0	0	0	0	6.568	0
7/19/2021	0	0	0	0	7.008	0
7/20/2021	0	0	0	0	8.256	0
7/21/2021	0	0	0	0	7.724	0
7/22/2021	0	0	0	0	7.287	0
7/23/2021	0	0	250	0	7.341	0
7/24/2021	0	0	250	58.17	6.587	0
7/25/2021	0	0	250	9.071	6.681	0
7/26/2021	0	0	0	6.816	6.537	0
7/27/2021	0	0	0	0	6.24	0
7/28/2021	0	0	0	0	6.249	0
7/29/2021	0	0	0	0	6.424	0
7/30/2021	0	0	0	4.619	6.323	0
7/31/2021	0	0	240	1.215	6.257	0
8/1/2021	0	0	180	0	6.379	0
8/2/2021	0	0	0	10.24	6.633	0
8/3/2021	0	0	0	1.498	6.552	0
8/4/2021	0	0	0	6.741	6.653	0
8/5/2021	0	0	0	0.4994	6.168	0
8/6/2021	0	0	240	0	5.926	0
8/7/2021	0	0	0	0	6.108	0
8/8/2021	0	0	0	0	6.54	0
8/9/2021	0	0	0	11.62	6.311	0
8/10/2021	0	0	0	0	5.956	0
8/11/2021	0	0	0	0	5.981	0
8/12/2021	0	0	0	61.36	5.192	0
8/13/2021	0	0	260	25.58	4.493	0
8/14/2021	0	0	420	8.98	5.92	0
8/15/2021	0	0	240	3.133	6.056	0
8/16/2021	0	0	480	30.28	5.893	0
8/17/2021	0	0	480	0	5.838	0
8/18/2021	0	0	240	0.544	5.415	0
8/19/2021	0	0	0	3.012	5.768	0
8/20/2021	0	0	0	0	5.818	0
8/21/2021	0	0	240	0	5.108	0
8/22/2021	0	0	240	1.929	5.447	0
8/23/2021	0	0	480	50.46	5.268	0
8/24/2021	0	0	480	0	5.494	0
8/25/2021	0	0	480	0	6.1	0
8/26/2021	0	0	480	0	6.261	0
8/27/2021	0	0	0	0	7.693	0
8/28/2021	0	0	0	0	7.482	0
8/29/2021	0	0	0	0	7.662	0
8/30/2021	0	0	0	0	5.693	0
8/31/2021	0	0	0	0	4.993	0
9/1/2021	0	0	0	9.229	5.18	0
9/2/2021	0	0	0	0.2884	5.353	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
9/3/2021	0	0	0	4.038	4.721	0
9/4/2021	0	0	480	6.056	4.293	0
9/5/2021	0	0	0	2.327	4.817	0
9/6/2021	0	0	0	0	4.396	0
9/7/2021	0	0	0	0.5817	4.326	0
9/8/2021	0	0	0	1.163	4.433	0
9/9/2021	0	0	0	2.036	4.11	0
9/10/2021	0	0	0	2.326	4.192	0
9/11/2021	0	0	0	0	4.009	0
9/12/2021	0	0	480	14.54	3.69	0
9/13/2021	0	0	0	0	3.388	0
9/14/2021	0	0	0	33.43	3.665	0
9/15/2021	0	0	0	23.77	3.797	0
9/16/2021	0	0	0	0.8806	3.64	0
9/17/2021	0	0	0	0.5871	3.484	0
9/18/2021	0	0	0	4.109	3.369	0
9/19/2021	0	0	0	6.164	3.163	0
9/20/2021	0	0	0	0.2935	2.661	0
9/21/2021	0	0	0	0.587	2.577	0
9/22/2021	0	0	0	0.2935	2.595	0
9/23/2021	0	0	0	0	2.503	0
9/24/2021	0	0	0	0	2.582	0
9/25/2021	0	0	0	24.94	2.717	0
9/26/2021	0	0	0	0.8808	2.62	0
9/27/2021	0	0	0	0	2.255	0
9/28/2021	0	0	0	0	2.466	0
9/29/2021	0	0	340	0	2.18	0
9/30/2021	0	0	500	1.772	2.184	0
10/1/2021	0	0	0	11.92	2.589	0
10/2/2021	0	0	0	1.789	2.296	0
10/3/2021	0	0	0	2.385	2.009	0
10/4/2021	0	0	499	4.77	1.996	0
10/5/2021	0	0	0	56.56	2.33	0
10/6/2021	0	0	0	2.71	2.042	0
10/7/2021	0	0	0	0.6022	1.857	0
10/8/2021	0	0	0	22.28	1.809	0
10/9/2021	0	0	0	1.506	2.034	0
10/10/2021	0	0	0	0	1.892	0
10/11/2021	0	0	0	0	2.053	0
10/12/2021	0	0	0	12.05	1.677	0
10/13/2021	0	0	0	18.98	1.481	0
10/14/2021	0	0	0	0	1.443	0
10/15/2021	0	0	0	0	1.277	0
10/16/2021	0	0	0	6.026	1.419	0
10/17/2021	0	0	0	12.05	1.161	0
10/18/2021	0	0	0	1.206	1.342	0
10/19/2021	0	0	0	0	1.28	0
10/20/2021	0	0	0	0	1.016	0
10/21/2021	0	0	0	0	0.9147	0
10/22/2021	0	0	0	0	0.7859	0
10/23/2021	0	0	0	0	0.8265	0
10/24/2021	0	0	0	0	0.8283	0
10/25/2021	0	0	0	0	0.8988	0
10/26/2021	0	0	0	0	0.8013	0
10/27/2021	0	0	0	0.3014	1.017	0
10/28/2021	0	0	0	17.78	0.8646	0
10/29/2021	0	0	0	0	0.6513	0
10/30/2021	0	0	0	4.823	0.7072	0
10/31/2021	0	0	0	0	0.7314	0
11/1/2021	0	0	0	0	0.518	0
11/2/2021	0	0	0	0	0.3763	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
11/3/2021	0	0	0	0	0.3813	0
11/4/2021	0	0	0	0	0.4251	0
11/5/2021	0	0	0	0	0.5008	0
11/6/2021	0	0	0	0	0.5104	0
11/7/2021	0	0	0	0	0.4774	0
11/8/2021	0	0	0	0	0.5409	0
11/9/2021	0	0	0	0	0.4166	0
11/10/2021	0	0	0	0	0.3506	0
11/11/2021	0	0	0	0	0.09148	0
11/12/2021	0	0	0	0	0.04206	0
11/13/2021	0	0	0	0	0	0
11/14/2021	0	0	0	0	0.01179	0
11/15/2021	0	0	0	0	0.2205	0
11/16/2021	0	0	0	0	0.2839	0
11/17/2021	0	0	0	0	0.1937	0
11/18/2021	0	0	0	0	0.05195	0
11/19/2021	0	0	0	0	0	0
11/20/2021	0	0	0	0	0.01338	0
11/21/2021	0	0	0	0	0.1762	0
11/22/2021	0	0	0	0	0.09824	0
11/23/2021	0	0	0	0	0	0
11/24/2021	0	0	0	0	0	0
11/25/2021	0	0	0	0	0	0
11/26/2021	0	0	0	0	0.02513	0
11/27/2021	0	0	0	0	0	0
11/28/2021	0	0	0	0	0.1205	0
11/29/2021	0	0	0	0	0.08583	0
11/30/2021	0	0	0	0	0	0
12/1/2021	0	0	0	0	0.0166	0
12/2/2021	0	0	0	0	0	0
12/3/2021	0	0	0	0	0	0
12/4/2021	0	0	0	0	0	0
12/5/2021	0	0	0	0	0	0
12/6/2021	0	0	0	0	0	0
12/7/2021	0	0	0	0	0	0
12/8/2021	0	0	0	0	0	0
12/9/2021	0	0	0	0	0	0
12/10/2021	0	0	0	0	0.04368	0
12/11/2021	0	0	0	0	0.08105	0
12/12/2021	0	0	0	0	0.05925	0
12/13/2021	0	0	0	0	0.03172	0
12/14/2021	0	0	0	0	0	0
12/15/2021	0	0	0	0	0	0
12/16/2021	0	0	0	0	0	0
12/17/2021	0	0	0	0	0	0
12/18/2021	0	0	0	0	0	0
12/19/2021	0	0	0	0	0	0
12/20/2021	0	0	0	0	0	0
12/21/2021	0	0	0	0	0	0
12/22/2021	0	0	0	0	0	0
12/23/2021	0	0	0	0	0	0
12/24/2021	0	0	0	0	0	0
12/25/2021	0	0	0	0	0	0
12/26/2021	0	0	0	0	0	0
12/27/2021	0	0	0	0	0.03284	0
12/28/2021	0	0	0	0	0	0
12/29/2021	0	0	0	0	0	0
12/30/2021	0	0	0	0	0	0
12/31/2021	0	0	0	0	0	0
1/1/2022	0	0	0	0	0	0
1/2/2022	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
1/3/2022	0	0	0	0	0	0
1/4/2022	0	0	0	0	0	0
1/5/2022	0	0	0	0	0	0
1/6/2022	0	0	0	0	0	0
1/7/2022	0	0	0	0	0	0
1/8/2022	0	0	0	0	0	0
1/9/2022	0	0	0	0	0	0
1/10/2022	0	0	0	0	0	0
1/11/2022	0	0	0	0	0	0
1/12/2022	0	0	0	0	0	0
1/13/2022	0	0	0	0	0	0
1/14/2022	0	0	0	0	0	0
1/15/2022	0	0	0	0	0	0
1/16/2022	0	0	0	0	0	0
1/17/2022	0	0	0	0	0	0
1/18/2022	0	0	0	0	0	0
1/19/2022	0	0	0	0	0.001814	0
1/20/2022	0	0	0	0	0.05873	0
1/21/2022	0	0	0	0	0	0
1/22/2022	0	0	0	0	0	0
1/23/2022	0	0	0	0	0	0
1/24/2022	0	0	0	0	0	0
1/25/2022	0	0	0	0	0	0
1/26/2022	0	0	0	0	0	0
1/27/2022	0	0	0	0	0	0
1/28/2022	0	0	0	0	0	0
1/29/2022	0	0	0	0	0	0
1/30/2022	0	0	0	0	0	0
1/31/2022	0	0	0	0	0	0
2/1/2022	0	0	0	0	0	0
2/2/2022	0	0	0	0	0	0
2/3/2022	0	0	0	0	0	0
2/4/2022	0	0	0	0	0	0
2/5/2022	0	0	0	0	0	0
2/6/2022	0	0	0	0	0	0
2/7/2022	0	0	0	0	0	0
2/8/2022	0	0	0	0	0	0
2/9/2022	0	0	0	0	0	0
2/10/2022	0	0	0	0	0	0
2/11/2022	0	0	0	0	0	0
2/12/2022	0	0	0	0	0	0
2/13/2022	0	0	0	0	0	0
2/14/2022	0	0	0	0	0	0
2/15/2022	0	0	0	0	0	0
2/16/2022	0	0	0	0	0	0
2/17/2022	0	0	0	0	0	0
2/18/2022	0	0	0	0	0	0
2/19/2022	0	0	0	0	0	0
2/20/2022	0	0	0	0	0	0
2/21/2022	0	0	0	0	0	0
2/22/2022	0	0	0	0	0	0
2/23/2022	0	0	0	0	0	0
2/24/2022	0	0	0	0	0	0
2/25/2022	0	0	0	0	0	0
2/26/2022	0	0	0	0	0	0
2/27/2022	0	0	0	0	0	0
2/28/2022	0	0	0	0	0	0
3/1/2022	0	0	0	0	0	0
3/2/2022	0	0	0	0	0	0
3/3/2022	0	0	0	0	0	0
3/4/2022	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
3/5/2022	0	0	0	0	0	0
3/6/2022	0	0	0	0	0	0
3/7/2022	0	0	0	0	0	0
3/8/2022	0	0	0	0	0	0
3/9/2022	0	0	0	0	0	0
3/10/2022	0	0	0	0	0	0
3/11/2022	0	0	0	0	0	0
3/12/2022	0	0	0	0	0	0
3/13/2022	0	0	0	0	0	0
3/14/2022	0	0	0	0	0	0
3/15/2022	0	0	0	0	0	0
3/16/2022	0	0	0	0	0	0
3/17/2022	0	0	0	0	0	0
3/18/2022	0	0	0	0	0	0
3/19/2022	0	0	0	0	0	0
3/20/2022	0	0	0	0	0	0
3/21/2022	0	0	0	0	0	0
3/22/2022	0	0	0	0	0	0
3/23/2022	0	0	0	0	0.7814	0
3/24/2022	0	0	0	0	1.951	0
3/25/2022	0	0	0	0	1.143	0
3/26/2022	0	0	0	0	0.3373	0
3/27/2022	0	0	0	0	0	0
3/28/2022	0	0	0	0	0	0
3/29/2022	0	0	0	0	0	0
3/30/2022	0	0	0	0	0	0
3/31/2022	0	0	0	0	0	0
4/1/2022	0	0	0	0	0.8593	0
4/2/2022	0	0	0	0	1.317	0
4/3/2022	0	0	0	0	0	0
4/4/2022	0	0	0	0	0	0
4/5/2022	0	0	0	0	0	0
4/6/2022	0	0	0	0	0	0
4/7/2022	0	0	0	0	0	0
4/8/2022	0	0	0	0	0	0
4/9/2022	0	0	0	0	0	0
4/10/2022	0	0	0	0	0	0
4/11/2022	0	0	0	0	0	0
4/12/2022	0	0	0	0	0	0
4/13/2022	0	0	0	0	0	0
4/14/2022	0	0	0	0	0.4063	0
4/15/2022	0	0	0	0	1.477	0
4/16/2022	0	0	0	0	1.422	0
4/17/2022	0	0	0	0	0.9931	0
4/18/2022	0	0	0	0	0.6624	0
4/19/2022	0	0	0	0	0.4986	0
4/20/2022	0	0	0	0	0	0
4/21/2022	0	0	0	0	0	0
4/22/2022	0	0	0	0	0	0
4/23/2022	0	0	0	0	0	0
4/24/2022	0	0	0	0	0	0
4/25/2022	0	0	0	0	0	0
4/26/2022	0	0	0	0	0	0
4/27/2022	0	0	0	0	0	0
4/28/2022	0	0	0	0	0.918	0
4/29/2022	0	0	0	0	0	0
4/30/2022	0	0	0	0	0	0
5/1/2022	0	0	0	0	0.6772	0
5/2/2022	0	0	0	0	2.457	0
5/3/2022	0	0	0	0	2.989	0
5/4/2022	0	0	0	0	3.367	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
5/5/2022	0	0	0	0	1.613	0
5/6/2022	0	0	0	0	2.888	0
5/7/2022	0	0	0	0	2.918	0
5/8/2022	0	0	0	0	2.87	0
5/9/2022	0	0	0	0	4.33	0
5/10/2022	0	0	0	0	5.002	0
5/11/2022	0	0	0	0	4.885	0
5/12/2022	0	0	0	0	4.857	0
5/13/2022	0	0	0	0	4.429	0
5/14/2022	0	0	0	0	5.047	0
5/15/2022	0	0	0	4.718	3.977	0
5/16/2022	0	0	0	5.2	4.794	0
5/17/2022	0	0	0	13.8	4.962	0
5/18/2022	0	0	0	0.9637	5.57	0
5/19/2022	0	0	0	0	5.379	0
5/20/2022	0	0	0	0	5.525	0
5/21/2022	0	0	0	3.995	5.761	0
5/22/2022	0	0	0	7.367	6.208	0
5/23/2022	0	0	0	9.297	5.995	0
5/24/2022	0	0	0	12.15	5.655	0
5/25/2022	0	0	0	13.22	5.801	0
5/26/2022	0	0	0	2.37	6.036	0
5/27/2022	0	0	0	5.345	5.489	0
5/28/2022	0	0	0	3.234	5.44	0
5/29/2022	0	0	0	10.99	6.045	0
5/30/2022	0	0	0	15.49	6.879	0
5/31/2022	0	0	0	20.66	7.441	0
6/1/2022	0	0	250	22.9	7.352	0
6/2/2022	0	0	250	19.85	7.884	0
6/3/2022	0	0	250	10.18	6.304	0
6/4/2022	0	0	250	12.94	7.074	0
6/5/2022	0	0	250	13.78	7.01	0
6/6/2022	0	0	250	18.16	7.433	0
6/7/2022	0	0	250	23.62	8.075	0
6/8/2022	0	0	250	21.91	7.038	0
6/9/2022	0	0	250	4.79	7.448	0
6/10/2022	0	0	250	0	7.555	0
6/11/2022	0	0	250	0	7.573	0
6/12/2022	0	0	250	0	7.104	0
6/13/2022	0	0	250	0	7.107	0
6/14/2022	0	0	250	0.9608	7.883	0
6/15/2022	0	0	250	1.746	8.408	0
6/16/2022	0	0	250	0.9756	8.099	0
6/17/2022	0	0	250	0.9833	8.723	0
6/18/2022	0	0	250	0.9911	9.096	0
6/19/2022	0	0	250	1	9.044	0
6/20/2022	0	0	250	1.01	9.316	0
6/21/2022	0	0	250	1.021	11	0
6/22/2022	0	0	250	0	9.386	0
6/23/2022	0	0	250	0	8.623	0
6/24/2022	0	0	250	0	9.605	0
6/25/2022	0	0	250	0	9.561	0
6/26/2022	0	0	250	0	10.04	0
6/27/2022	0	0	250	0	12.71	0
6/28/2022	0	0	250	0	15.68	0
6/29/2022	0	0	250	0	25.38	0
6/30/2022	0	0	250	0	44.09	0
7/1/2022	0	0	307.8	0	11.35	0
7/2/2022	0	0	11.5	0	11.65	0
7/3/2022	0	0	11.02	0	19.42	0
7/4/2022	0	0	10.91	0	15.44	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
7/5/2022	0	0	10.82	0	11.25	0
7/6/2022	0	0	10.62	1.187	11.53	0
7/7/2022	0	0	14.13	120.8	11.58	0
7/8/2022	0	0	500	41.1	11.99	0
7/9/2022	0	0	500	2.193	12.24	0
7/10/2022	0	0	500	0	12.27	0
7/11/2022	0	0	295.3	0	12.59	0
7/12/2022	0	0	80.23	1.257	13.47	0
7/13/2022	0	0	73.96	0	13.68	0
7/14/2022	0	0	71.48	0	13.65	0
7/15/2022	0	0	64.88	0	19.73	0
7/16/2022	0	0	57.73	0	13.73	0
7/17/2022	0	0	14.47	0	14.53	0
7/18/2022	0	0	14.12	0	16.55	0
7/19/2022	0	0	13.89	0	14.37	0
7/20/2022	0	0	13.61	0	13.99	0
7/21/2022	0	0	13.37	1.266	14.07	0
7/22/2022	0	0	13.62	17.77	12.44	0
7/23/2022	0	0	115	32.42	11.96	0
7/24/2022	0	0	271.9	4.019	11.36	0
7/25/2022	0	0	23.56	138.7	12.14	0
7/26/2022	0	0	500	4.928	12.08	0
7/27/2022	0	0	500	0	13.83	0
7/28/2022	0	0	500	11.24	12.09	0
7/29/2022	0	0	149.9	1.48	10.9	0
7/30/2022	0	0	88.54	0	11.3	0
7/31/2022	0	0	80.84	0	11.91	0
8/1/2022	0	0	78.58	0	12.98	0
8/2/2022	0	0	72.51	0	15.43	0
8/3/2022	0	0	65.41	0	13.36	0
8/4/2022	0	0	59.04	0	13.09	0
8/5/2022	0	0	53.2	1.327	12.44	0
8/6/2022	0	0	13.53	1.328	10.77	0
8/7/2022	0	0	13.21	0	11.16	0
8/8/2022	0	0	14.12	42.13	11.06	0
8/9/2022	0	0	326.2	151.5	11.16	0
8/10/2022	0	0	500	26.98	8.974	0
8/11/2022	0	0	500	1.348	9.753	0
8/12/2022	0	0	500	2.447	9.747	0
8/13/2022	0	0	482.4	2.463	10.9	0
8/14/2022	0	0	115.8	0	13.15	0
8/15/2022	0	0	93.12	0	11.01	0
8/16/2022	0	0	91.54	1.379	10.71	0
8/17/2022	0	0	87.49	0	13.68	0
8/18/2022	0	0	80.29	0	11.45	0
8/19/2022	0	0	73.22	0	10.35	0
8/20/2022	0	0	68.06	47.7	9.455	0
8/21/2022	0	0	405.4	1.558	9.485	0
8/22/2022	0	0	56.37	0	8.935	0
8/23/2022	0	0	57.19	13.91	8.818	0
8/24/2022	0	0	118.2	7.269	9.341	0
8/25/2022	0	0	81.29	1.399	8.331	0
8/26/2022	0	0	14.51	1.401	8.629	0
8/27/2022	0	0	14.81	3.479	8.425	0
8/28/2022	0	0	15.02	14.91	7.757	0
8/29/2022	0	0	95.16	1.402	7.515	0
8/30/2022	0	0	14.21	6.348	7.469	0
8/31/2022	0	0	26.41	1.404	6.923	0
9/1/2022	0	0	13.95	1.404	6.975	0
9/2/2022	0	0	13.71	1.577	7.054	0
9/3/2022	0	0	13.56	6.086	6.781	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
9/4/2022	0	0	16.83	4.176	6.968	0
9/5/2022	0	0	16.7	2.093	6.835	0
9/6/2022	0	0	12.65	1.578	6.336	0
9/7/2022	0	0	12.37	0	6.006	0
9/8/2022	0	0	12.91	29.98	5.772	0
9/9/2022	0	0	210.7	2.269	5.894	0
9/10/2022	0	0	11.66	0.691	5.457	0
9/11/2022	0	0	12.83	20.17	4.424	0
9/12/2022	0	0	140	8.319	4.839	0
9/13/2022	0	0	59.05	0	5.396	0
9/14/2022	0	0	13.7	0.6932	4.855	0
9/15/2022	0	0	14.49	3.999	5.354	0
9/16/2022	0	0	0.6321	0	4.4	0
9/17/2022	0	0	0.6469	0	4.095	0
9/18/2022	0	0	2.56	0	4.097	0
9/19/2022	0	0	77.88	3.514	4.1	0
9/20/2022	0	0	32.54	0	4.657	0
9/21/2022	0	0	14.57	4.482	4.653	0
9/22/2022	0	0	14.39	0.6944	4.118	0
9/23/2022	0	0	14.24	2.868	3.954	0
9/24/2022	0	0	0.6057	0	3.751	0
9/25/2022	0	0	0.6008	0	3.466	0
9/26/2022	0	0	0.6054	0	3.025	0
9/27/2022	0	0	0.6014	0	2.971	0
9/28/2022	0	0	0.593	0	3.077	0
9/29/2022	0	0	0.5959	0	2.722	0
9/30/2022	0	0	92.69	64.15	2.877	0
10/1/2022	0	0	250	0	2.812	0
10/2/2022	0	0	250	0	1.979	0
10/3/2022	0	0	72.95	0	2.562	0
10/4/2022	0	0	4.015	0	2.521	0
10/5/2022	0	0	2.981	0	2.218	0
10/6/2022	0	0	3.03	0	1.708	0
10/7/2022	0	0	3.03	0	1.196	0
10/8/2022	0	0	2.969	0	1.572	0
10/9/2022	0	0	2.889	0	1.595	0
10/10/2022	0	0	2.789	0	1.646	0
10/11/2022	0	0	2.669	0	1.88	0
10/12/2022	0	0	0.693	0	1.876	0
10/13/2022	0	0	0.6925	0	1.922	0
10/14/2022	0	0	0.6998	0	1.548	0
10/15/2022	0	0	0.6944	0	1.571	0
10/16/2022	0	0	0.6881	0	1.556	0
10/17/2022	0	0	0.684	0	1.395	0
10/18/2022	0	0	0.6796	0	1.209	0
10/19/2022	0	0	0.6782	0	0.8716	0
10/20/2022	0	0	0.6733	0	0.6455	0
10/21/2022	0	0	0.6574	0	0.827	0
10/22/2022	0	0	0.6498	0	0.6774	0
10/23/2022	0	0	0.6423	0	0.5155	0
10/24/2022	0	0	0.6185	0	0.9814	0
10/25/2022	0	0	0.6003	0	1.228	0
10/26/2022	0	0	0.6022	0	0.6975	0
10/27/2022	0	0	0.5858	0	0.8786	0
10/28/2022	0	0	0.5809	0	0.6201	0
10/29/2022	0	0	0.5854	0	0	0
10/30/2022	0	0	0.5586	0	0.5976	0
10/31/2022	0	0	0.5523	0	0.407	0
11/1/2022	0	0	0	0	0	0
11/2/2022	0	0	0	0	0	0
11/3/2022	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
11/4/2022	0	0	0	0	0.04526	0
11/5/2022	0	0	0	0	0.06538	0
11/6/2022	0	0	0	0	0	0
11/7/2022	0	0	0	0	0	0
11/8/2022	0	0	0	0	0	0
11/9/2022	0	0	0	0	0	0
11/10/2022	0	0	0	0	0	0
11/11/2022	0	0	0	0	0	0
11/12/2022	0	0	0	0	0.04032	0
11/13/2022	0	0	0	0	0	0
11/14/2022	0	0	0	0	0.1643	0
11/15/2022	0	0	0	0	0.2876	0
11/16/2022	0	0	0	0	0.3438	0
11/17/2022	0	0	0	0	0	0
11/18/2022	0	0	0	0	0	0
11/19/2022	0	0	0	0	0	0
11/20/2022	0	0	0	0	0	0
11/21/2022	0	0	0	0	0	0
11/22/2022	0	0	0	0	0	0
11/23/2022	0	0	0	0	0	0
11/24/2022	0	0	0	0	0.06168	0
11/25/2022	0	0	0	0	0	0
11/26/2022	0	0	0	0	0.2066	0
11/27/2022	0	0	0	0	0	0
11/28/2022	0	0	0	0	0	0
11/29/2022	0	0	0	0	0	0
11/30/2022	0	0	0	0	0.07848	0
12/1/2022	0	0	0	0	0.03012	0
12/2/2022	0	0	0	0	0	0
12/3/2022	0	0	0	0	0	0
12/4/2022	0	0	0	0	0	0
12/5/2022	0	0	0	0	0	0
12/6/2022	0	0	0	0	0.02477	0
12/7/2022	0	0	0	0	0.03468	0
12/8/2022	0	0	0	0	0	0
12/9/2022	0	0	0	0	0	0
12/10/2022	0	0	0	0	0	0
12/11/2022	0	0	0	0	0	0
12/12/2022	0	0	0	0	0	0
12/13/2022	0	0	0	0	0	0
12/14/2022	0	0	0	0	0	0
12/15/2022	0	0	0	0	0.04912	0
12/16/2022	0	0	0	0	0	0
12/17/2022	0	0	0	0	0.03297	0
12/18/2022	0	0	0	0	0	0
12/19/2022	0	0	0	0	0	0
12/20/2022	0	0	0	0	0	0
12/21/2022	0	0	0	0	0	0
12/22/2022	0	0	0	0	0	0
12/23/2022	0	0	0	0	0	0
12/24/2022	0	0	0	0	0	0
12/25/2022	0	0	0	0	0	0
12/26/2022	0	0	0	0	0	0
12/27/2022	0	0	0	0	0	0
12/28/2022	0	0	0	0	0	0
12/29/2022	0	0	0	0	0	0
12/30/2022	0	0	0	0	0	0
12/31/2022	0	0	0	0	0	0
1/1/2023	0	0	0	0	0	0
1/2/2023	0	0	0	0	0	0
1/3/2023	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
1/4/2023	0	0	0	0	0	0
1/5/2023	0	0	0	0	0	0
1/6/2023	0	0	0	0	0	0
1/7/2023	0	0	0	0	0	0
1/8/2023	0	0	0	0	0	0
1/9/2023	0	0	0	0	0	0
1/10/2023	0	0	0	0	0	0
1/11/2023	0	0	0	0	0	0
1/12/2023	0	0	0	0	0	0
1/13/2023	0	0	0	0	0	0
1/14/2023	0	0	0	0	0	0
1/15/2023	0	0	0	0	0	0
1/16/2023	0	0	0	0	0	0
1/17/2023	0	0	0	0	0	0
1/18/2023	0	0	0	0	0	0
1/19/2023	0	0	0	0	0.002872	0
1/20/2023	0	0	0	0	0.09295	0
1/21/2023	0	0	0	0	0	0
1/22/2023	0	0	0	0	0	0
1/23/2023	0	0	0	0	0	0
1/24/2023	0	0	0	0	0	0
1/25/2023	0	0	0	0	0	0
1/26/2023	0	0	0	0	0	0
1/27/2023	0	0	0	0	0	0
1/28/2023	0	0	0	0	0	0
1/29/2023	0	0	0	0	0	0
1/30/2023	0	0	0	0	0	0
1/31/2023	0	0	0	0	0	0
2/1/2023	0	0	0	0	0	0
2/2/2023	0	0	0	0	0	0
2/3/2023	0	0	0	0	0	0
2/4/2023	0	0	0	0	0	0
2/5/2023	0	0	0	0	0	0
2/6/2023	0	0	0	0	0	0
2/7/2023	0	0	0	0	0	0
2/8/2023	0	0	0	0	0	0
2/9/2023	0	0	0	0	0	0
2/10/2023	0	0	0	0	0	0
2/11/2023	0	0	0	0	0	0
2/12/2023	0	0	0	0	0	0
2/13/2023	0	0	0	0	0	0
2/14/2023	0	0	0	0	0	0
2/15/2023	0	0	0	0	0	0
2/16/2023	0	0	0	0	0	0
2/17/2023	0	0	0	0	0	0
2/18/2023	0	0	0	0	0	0
2/19/2023	0	0	0	0	0	0
2/20/2023	0	0	0	0	0	0
2/21/2023	0	0	0	0	0	0
2/22/2023	0	0	0	0	0	0
2/23/2023	0	0	0	0	0	0
2/24/2023	0	0	0	0	0	0
2/25/2023	0	0	0	0	0	0
2/26/2023	0	0	0	0	0	0
2/27/2023	0	0	0	0	0	0
2/28/2023	0	0	0	0	0	0
3/1/2023	0	0	0	0	0	0
3/2/2023	0	0	0	0	0	0
3/3/2023	0	0	0	0	0	0
3/4/2023	0	0	0	0	0	0
3/5/2023	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
3/6/2023	0	0	0	0	0	0
3/7/2023	0	0	0	0	0	0
3/8/2023	0	0	0	0	0	0
3/9/2023	0	0	0	0	0	0
3/10/2023	0	0	0	0	0	0
3/11/2023	0	0	0	0	0	0
3/12/2023	0	0	0	0	0	0
3/13/2023	0	0	0	0	0	0
3/14/2023	0	0	0	0	0	0
3/15/2023	0	0	0	0	0	0
3/16/2023	0	0	0	0	0	0
3/17/2023	0	0	0	0	0	0
3/18/2023	0	0	0	0	0	0
3/19/2023	0	0	0	0	0	0
3/20/2023	0	0	0	0	0	0
3/21/2023	0	0	0	0	0	0
3/22/2023	0	0	0	0	0	0
3/23/2023	0	0	0	0	1.237	0
3/24/2023	0	0	0	0	3.088	0
3/25/2023	0	0	0	0	1.81	0
3/26/2023	0	0	0	0	0.5339	0
3/27/2023	0	0	0	0	0	0
3/28/2023	0	0	0	0	0	0
3/29/2023	0	0	0	0	0	0
3/30/2023	0	0	0	0	0	0
3/31/2023	0	0	0	0	0	0
4/1/2023	0	0	0	0	1.36	0
4/2/2023	0	0	0	0	2.085	0
4/3/2023	0	0	0	0	0	0
4/4/2023	0	0	0	0	0	0
4/5/2023	0	0	0	0	0	0
4/6/2023	0	0	0	0	0	0
4/7/2023	0	0	0	0	0	0
4/8/2023	0	0	0	0	0	0
4/9/2023	0	0	0	0	0	0
4/10/2023	0	0	0	0	0	0
4/11/2023	0	0	0	0	0	0
4/12/2023	0	0	0	0	0	0
4/13/2023	0	0	0	0	0	0
4/14/2023	0	0	0	0	0.643	0
4/15/2023	0	0	0	0	2.337	0
4/16/2023	0	0	0	0	2.25	0
4/17/2023	0	0	0	0	1.572	0
4/18/2023	0	0	0	0	1.048	0
4/19/2023	0	0	0	0	0.7892	0
4/20/2023	0	0	0	0	0	0
4/21/2023	0	0	0	0	0	0
4/22/2023	0	0	0	0	0	0
4/23/2023	0	0	0	0	0	0
4/24/2023	0	0	0	0	0	0
4/25/2023	0	0	0	0	0	0
4/26/2023	0	0	0	0	0	0
4/27/2023	0	0	0	0	0	0
4/28/2023	0	0	0	0	1.453	0
4/29/2023	0	0	0	0	0	0
4/30/2023	0	0	0	0	0	0
5/1/2023	0	0	0	0	1.072	0
5/2/2023	0	0	0	0	3.889	0
5/3/2023	0	0	0	0	4.73	0
5/4/2023	0	0	0	0	5.329	0
5/5/2023	0	0	0	0	2.553	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
5/6/2023	0	0	0	0	4.57	0
5/7/2023	0	0	0	0	4.617	0
5/8/2023	0	0	0	0	4.542	0
5/9/2023	0	0	0	0	6.852	0
5/10/2023	0	0	0	0	7.915	0
5/11/2023	0	0	0	0	7.73	0
5/12/2023	0	0	0	0	7.687	0
5/13/2023	0	0	0	0	7.009	0
5/14/2023	0	0	0	0	7.986	0
5/15/2023	0	0	0	7.466	6.292	0
5/16/2023	0	0	0	8.229	7.586	0
5/17/2023	0	0	0	21.84	7.852	0
5/18/2023	0	0	0	1.525	8.814	0
5/19/2023	0	0	0	0	8.512	0
5/20/2023	0	0	0	0	8.742	0
5/21/2023	0	0	0	6.322	9.116	0
5/22/2023	0	0	0	11.66	9.823	0
5/23/2023	0	0	0	14.71	9.486	0
5/24/2023	0	0	0	19.23	8.948	0
5/25/2023	0	0	0	20.92	9.179	0
5/26/2023	0	0	0	3.751	9.551	0
5/27/2023	0	0	0	8.458	8.686	0
5/28/2023	0	0	0	5.118	8.609	0
5/29/2023	0	0	0	17.39	9.565	0
5/30/2023	0	0	0	24.52	10.89	0
5/31/2023	0	0	0	32.7	11.78	0
6/1/2023	0	0	250	36.24	11.63	0
6/2/2023	0	0	250	31.4	12.47	0
6/3/2023	0	0	250	16.09	9.964	0
6/4/2023	0	0	250	20.45	11.18	0
6/5/2023	0	0	250	21.77	11.07	0
6/6/2023	0	0	250	28.67	11.73	0
6/7/2023	0	0	250	47.11	12.74	0
6/8/2023	0	0	250	49.44	11.1	0
6/9/2023	0	0	250	31.56	11.74	0
6/10/2023	0	0	250	22.92	11.91	0
6/11/2023	0	0	250	27.38	11.93	0
6/12/2023	0	0	250	14.34	11.18	0
6/13/2023	0	0	250	15.55	11.14	0
6/14/2023	0	0	250	31.8	12.27	0
6/15/2023	0	0	250	45.37	12.99	0
6/16/2023	0	0	250	33.8	12.42	0
6/17/2023	0	0	250	43.37	13.27	0
6/18/2023	0	0	250	20.18	13.72	0
6/19/2023	0	0	250	1.496	13.52	0
6/20/2023	0	0	250	1.496	13.79	0
6/21/2023	0	0	250	1.496	16.11	0
6/22/2023	0	0	250	0	13.6	0
6/23/2023	0	0	250	0	12.36	0
6/24/2023	0	0	250	0	13.62	0
6/25/2023	0	0	250	0	13.36	0
6/26/2023	0	0	250	0	13.83	0
6/27/2023	0	0	250	0	17.25	0
6/28/2023	0	0	250	0	20.97	0
6/29/2023	0	0	250	0	33.43	0
6/30/2023	0	0	250	0	57.15	0
7/1/2023	0	0	500	0	14.52	0
7/2/2023	0	0	500	0	14.67	0
7/3/2023	0	0	500	0	24.45	0
7/4/2023	0	0	500	0	19.44	0
7/5/2023	0	0	103.3	0	14.16	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
7/6/2023	0	0	11.49	1.496	14.53	0
7/7/2023	0	0	14.99	152.2	14.58	0
7/8/2023	0	0	500	51.51	15.03	0
7/9/2023	0	0	500	2.697	15.05	0
7/10/2023	0	0	500	0	14.88	0
7/11/2023	0	0	335.3	0	15.08	0
7/12/2023	0	0	79.62	1.496	16.03	0
7/13/2023	0	0	73.39	0	16.24	0
7/14/2023	0	0	70.95	0	16.19	0
7/15/2023	0	0	64.39	0	23.36	0
7/16/2023	0	0	57.27	0	16.23	0
7/17/2023	0	0	14.35	0	17.16	0
7/18/2023	0	0	14	0	19.55	0
7/19/2023	0	0	13.77	0	16.97	0
7/20/2023	0	0	13.5	0	16.53	0
7/21/2023	0	0	13.26	1.495	16.62	0
7/22/2023	0	0	13.51	21	14.7	0
7/23/2023	0	0	114.9	38.29	14.12	0
7/24/2023	0	0	271.8	4.731	13.38	0
7/25/2023	0	0	23.46	162.4	14.21	0
7/26/2023	0	0	500	5.748	14.09	0
7/27/2023	0	0	500	0	15.97	0
7/28/2023	0	0	500	12.87	13.84	0
7/29/2023	0	0	149	1.68	12.37	0
7/30/2023	0	0	88.24	0	12.8	0
7/31/2023	0	0	80.56	0	13.48	0
8/1/2023	0	0	78.32	0	14.67	0
8/2/2023	0	0	72.28	0	17.43	0
8/3/2023	0	0	65.19	0	15.08	0
8/4/2023	0	0	58.84	0	14.76	0
8/5/2023	0	0	53.01	1.496	14.02	0
8/6/2023	0	0	13.48	1.496	12.13	0
8/7/2023	0	0	13.16	0	12.57	0
8/8/2023	0	0	14.07	47.44	12.45	0
8/9/2023	0	0	326.1	170.5	12.55	0
8/10/2023	0	0	500	30.15	10.03	0
8/11/2023	0	0	500	1.496	10.82	0
8/12/2023	0	0	500	2.697	10.74	0
8/13/2023	0	0	482	2.697	11.94	0
8/14/2023	0	0	115.7	0	14.3	0
8/15/2023	0	0	92.99	0	11.95	0
8/16/2023	0	0	91.42	1.496	11.62	0
8/17/2023	0	0	87.38	0	14.82	0
8/18/2023	0	0	80.19	0	12.39	0
8/19/2023	0	0	73.13	0	11.18	0
8/20/2023	0	0	67.97	51.51	10.21	0
8/21/2023	0	0	405.3	1.68	10.23	0
8/22/2023	0	0	56.29	0	9.579	0
8/23/2023	0	0	57.12	14.9	9.447	0
8/24/2023	0	0	118.2	7.782	9.999	0
8/25/2023	0	0	81.23	1.496	8.903	0
8/26/2023	0	0	14.5	1.496	9.212	0
8/27/2023	0	0	14.79	3.714	8.993	0
8/28/2023	0	0	15	15.92	8.279	0
8/29/2023	0	0	95.15	1.496	8.018	0
8/30/2023	0	0	14.2	6.765	7.959	0
8/31/2023	0	0	26.4	1.496	7.376	0
9/1/2023	0	0	13.94	1.496	7.429	0
9/2/2023	0	0	13.7	1.68	7.513	0
9/3/2023	0	0	13.55	6.481	7.221	0
9/4/2023	0	0	16.81	4.447	7.419	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
9/5/2023	0	0	16.68	2.228	7.276	0
9/6/2023	0	0	12.64	1.68	6.743	0
9/7/2023	0	0	12.35	0	6.391	0
9/8/2023	0	0	12.9	31.9	6.142	0
9/9/2023	0	0	210.7	2.413	6.269	0
9/10/2023	0	0	11.65	0.7328	5.787	0
9/11/2023	0	0	12.82	21.39	4.691	0
9/12/2023	0	0	140	8.818	5.129	0
9/13/2023	0	0	59.04	0	5.709	0
9/14/2023	0	0	13.69	0.7328	5.132	0
9/15/2023	0	0	14.48	4.227	5.659	0
9/16/2023	0	0	0.6316	0	4.65	0
9/17/2023	0	0	0.6463	0	4.328	0
9/18/2023	0	0	2.558	0	4.33	0
9/19/2023	0	0	77.88	3.713	4.333	0
9/20/2023	0	0	32.47	0	4.918	0
9/21/2023	0	0	14.56	4.731	4.911	0
9/22/2023	0	0	14.38	0.7328	4.345	0
9/23/2023	0	0	14.23	3.026	4.172	0
9/24/2023	0	0	0.6052	0	3.957	0
9/25/2023	0	0	0.6004	0	3.656	0
9/26/2023	0	0	0.605	0	3.191	0
9/27/2023	0	0	0.601	0	3.134	0
9/28/2023	0	0	0.5926	0	3.245	0
9/29/2023	0	0	0.5955	0	2.871	0
9/30/2023	0	0	92.63	67.67	3.035	0
10/1/2023	0	0	250	0	2.96	0
10/2/2023	0	0	250	0	2.077	0
10/3/2023	0	0	72.95	0	2.679	0
10/4/2023	0	0	4.014	0	2.635	0
10/5/2023	0	0	2.98	0	2.318	0
10/6/2023	0	0	3.029	0	1.785	0
10/7/2023	0	0	3.029	0	1.25	0
10/8/2023	0	0	2.968	0	1.643	0
10/9/2023	0	0	2.888	0	1.667	0
10/10/2023	0	0	2.788	0	1.719	0
10/11/2023	0	0	2.668	0	1.964	0
10/12/2023	0	0	0.6928	0	1.96	0
10/13/2023	0	0	0.6923	0	2.008	0
10/14/2023	0	0	0.6996	0	1.617	0
10/15/2023	0	0	0.6942	0	1.642	0
10/16/2023	0	0	0.6879	0	1.626	0
10/17/2023	0	0	0.6839	0	1.458	0
10/18/2023	0	0	0.6794	0	1.263	0
10/19/2023	0	0	0.678	0	0.9107	0
10/20/2023	0	0	0.6731	0	0.6744	0
10/21/2023	0	0	0.6572	0	0.864	0
10/22/2023	0	0	0.6496	0	0.7077	0
10/23/2023	0	0	0.6421	0	0.5385	0
10/24/2023	0	0	0.6183	0	1.025	0
10/25/2023	0	0	0.6001	0	1.283	0
10/26/2023	0	0	0.6021	0	0.7287	0
10/27/2023	0	0	0.5857	0	0.9179	0
10/28/2023	0	0	0.5807	0	0.6478	0
10/29/2023	0	0	0.5853	0	0	0
10/30/2023	0	0	0.5585	0	0.6243	0
10/31/2023	0	0	0.5522	0	0.4252	0
11/1/2023	0	0	0	0	0	0
11/2/2023	0	0	0	0	0	0
11/3/2023	0	0	0	0	0	0
11/4/2023	0	0	0	0	0.04728	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
11/5/2023	0	0	0	0	0.06831	0
11/6/2023	0	0	0	0	0	0
11/7/2023	0	0	0	0	0	0
11/8/2023	0	0	0	0	0	0
11/9/2023	0	0	0	0	0	0
11/10/2023	0	0	0	0	0	0
11/11/2023	0	0	0	0	0	0
11/12/2023	0	0	0	0	0.04212	0
11/13/2023	0	0	0	0	0	0
11/14/2023	0	0	0	0	0.1717	0
11/15/2023	0	0	0	0	0.3005	0
11/16/2023	0	0	0	0	0.3592	0
11/17/2023	0	0	0	0	0	0
11/18/2023	0	0	0	0	0	0
11/19/2023	0	0	0	0	0	0
11/20/2023	0	0	0	0	0	0
11/21/2023	0	0	0	0	0	0
11/22/2023	0	0	0	0	0	0
11/23/2023	0	0	0	0	0	0
11/24/2023	0	0	0	0	0.06444	0
11/25/2023	0	0	0	0	0	0
11/26/2023	0	0	0	0	0.2158	0
11/27/2023	0	0	0	0	0	0
11/28/2023	0	0	0	0	0	0
11/29/2023	0	0	0	0	0	0
11/30/2023	0	0	0	0	0.08199	0
12/1/2023	0	0	0	0	0.03146	0
12/2/2023	0	0	0	0	0	0
12/3/2023	0	0	0	0	0	0
12/4/2023	0	0	0	0	0	0
12/5/2023	0	0	0	0	0	0
12/6/2023	0	0	0	0	0.02587	0
12/7/2023	0	0	0	0	0.03623	0
12/8/2023	0	0	0	0	0	0
12/9/2023	0	0	0	0	0	0
12/10/2023	0	0	0	0	0	0
12/11/2023	0	0	0	0	0	0
12/12/2023	0	0	0	0	0	0
12/13/2023	0	0	0	0	0	0
12/14/2023	0	0	0	0	0	0
12/15/2023	0	0	0	0	0.05132	0
12/16/2023	0	0	0	0	0	0
12/17/2023	0	0	0	0	0.03445	0
12/18/2023	0	0	0	0	0	0
12/19/2023	0	0	0	0	0	0
12/20/2023	0	0	0	0	0	0
12/21/2023	0	0	0	0	0	0
12/22/2023	0	0	0	0	0	0
12/23/2023	0	0	0	0	0	0
12/24/2023	0	0	0	0	0	0
12/25/2023	0	0	0	0	0	0
12/26/2023	0	0	0	0	0	0
12/27/2023	0	0	0	0	0	0
12/28/2023	0	0	0	0	0	0
12/29/2023	0	0	0	0	0	0
12/30/2023	0	0	0	0	0	0
12/31/2023	0	0	0	0	0	0
1/1/2024	0	0	0	0	0	0
1/2/2024	0	0	0	0	0	0
1/3/2024	0	0	0	0	0	0
1/4/2024	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRI01 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
1/5/2024	0	0	0	0	0	0
1/6/2024	0	0	0	0	0	0
1/7/2024	0	0	0	0	0	0
1/8/2024	0	0	0	0	0	0
1/9/2024	0	0	0	0	0	0
1/10/2024	0	0	0	0	0	0
1/11/2024	0	0	0	0	0	0
1/12/2024	0	0	0	0	0	0
1/13/2024	0	0	0	0	0	0
1/14/2024	0	0	0	0	0	0
1/15/2024	0	0	0	0	0	0
1/16/2024	0	0	0	0	0	0
1/17/2024	0	0	0	0	0	0
1/18/2024	0	0	0	0	0	0
1/19/2024	0	0	0	0	0.003	0
1/20/2024	0	0	0	0	0.09711	0
1/21/2024	0	0	0	0	0	0
1/22/2024	0	0	0	0	0	0
1/23/2024	0	0	0	0	0	0
1/24/2024	0	0	0	0	0	0
1/25/2024	0	0	0	0	0	0
1/26/2024	0	0	0	0	0	0
1/27/2024	0	0	0	0	0	0
1/28/2024	0	0	0	0	0	0
1/29/2024	0	0	0	0	0	0
1/30/2024	0	0	0	0	0	0
1/31/2024	0	0	0	0	0	0
2/1/2024	0	0	0	0	0	0
2/2/2024	0	0	0	0	0	0
2/3/2024	0	0	0	0	0	0
2/4/2024	0	0	0	0	0	0
2/5/2024	0	0	0	0	0	0
2/6/2024	0	0	0	0	0	0
2/7/2024	0	0	0	0	0	0
2/8/2024	0	0	0	0	0	0
2/9/2024	0	0	0	0	0	0
2/10/2024	0	0	0	0	0	0
2/11/2024	0	0	0	0	0	0
2/12/2024	0	0	0	0	0	0
2/13/2024	0	0	0	0	0	0
2/14/2024	0	0	0	0	0	0
2/15/2024	0	0	0	0	0	0
2/16/2024	0	0	0	0	0	0
2/17/2024	0	0	0	0	0	0
2/18/2024	0	0	0	0	0	0
2/19/2024	0	0	0	0	0	0
2/20/2024	0	0	0	0	0	0
2/21/2024	0	0	0	0	0	0
2/22/2024	0	0	0	0	0	0
2/23/2024	0	0	0	0	0	0
2/24/2024	0	0	0	0	0	0
2/25/2024	0	0	0	0	0	0
2/26/2024	0	0	0	0	0	0
2/27/2024	0	0	0	0	0	0
2/28/2024	0	0	0	0	0	0
2/29/2024	0	0	0	0	0	0
3/1/2024	0	0	0	0	0	0
3/2/2024	0	0	0	0	0	0
3/3/2024	0	0	0	0	0	0
3/4/2024	0	0	0	0	0	0
3/5/2024	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
3/6/2024	0	0	0	0	0	0
3/7/2024	0	0	0	0	0	0
3/8/2024	0	0	0	0	0	0
3/9/2024	0	0	0	0	0	0
3/10/2024	0	0	0	0	0	0
3/11/2024	0	0	0	0	0	0
3/12/2024	0	0	0	0	0	0
3/13/2024	0	0	0	0	0	0
3/14/2024	0	0	0	0	0	0
3/15/2024	0	0	0	0	0	0
3/16/2024	0	0	0	0	0	0
3/17/2024	0	0	0	0	0	0
3/18/2024	0	0	0	0	0	0
3/19/2024	0	0	0	0	0	0
3/20/2024	0	0	0	0	0	0
3/21/2024	0	0	0	0	0	0
3/22/2024	0	0	0	0	0	0
3/23/2024	0	0	0	0	1.319	0
3/24/2024	0	0	0	0	3.292	0
3/25/2024	0	0	0	0	1.929	0
3/26/2024	0	0	0	0	0.5689	0
3/27/2024	0	0	0	0	0	0
3/28/2024	0	0	0	0	0	0
3/29/2024	0	0	0	0	0	0
3/30/2024	0	0	0	0	0	0
3/31/2024	0	0	0	0	0	0
4/1/2024	0	0	0	0	1.446	0
4/2/2024	0	0	0	0	2.217	0
4/3/2024	0	0	0	0	0	0
4/4/2024	0	0	0	0	0	0
4/5/2024	0	0	0	0	0	0
4/6/2024	0	0	0	0	0	0
4/7/2024	0	0	0	0	0	0
4/8/2024	0	0	0	0	0	0
4/9/2024	0	0	0	0	0	0
4/10/2024	0	0	0	0	0	0
4/11/2024	0	0	0	0	0	0
4/12/2024	0	0	0	0	0	0
4/13/2024	0	0	0	0	0	0
4/14/2024	0	0	0	0	0.6815	0
4/15/2024	0	0	0	0	2.476	0
4/16/2024	0	0	0	0	2.383	0
4/17/2024	0	0	0	0	1.664	0
4/18/2024	0	0	0	0	1.11	0
4/19/2024	0	0	0	0	0.8353	0
4/20/2024	0	0	0	0	0	0
4/21/2024	0	0	0	0	0	0
4/22/2024	0	0	0	0	0	0
4/23/2024	0	0	0	0	0	0
4/24/2024	0	0	0	0	0	0
4/25/2024	0	0	0	0	0	0
4/26/2024	0	0	0	0	0	0
4/27/2024	0	0	0	0	0	0
4/28/2024	0	0	0	0	1.534	0
4/29/2024	0	0	0	0	0	0
4/30/2024	0	0	0	0	0	0
5/1/2024	0	0	0	0	1.131	0
5/2/2024	0	0	0	0	4.104	0
5/3/2024	0	0	0	0	4.99	0
5/4/2024	0	0	0	0	5.621	0
5/5/2024	0	0	0	0	2.692	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
5/6/2024	0	0	0	0	4.818	0
5/7/2024	0	0	0	0	4.867	0
5/8/2024	0	0	0	0	4.787	0
5/9/2024	0	0	0	0	7.219	0
5/10/2024	0	0	0	0	8.338	0
5/11/2024	0	0	0	0	8.14	0
5/12/2024	0	0	0	0	8.093	0
5/13/2024	0	0	0	0	7.378	0
5/14/2024	0	0	0	0	8.404	0
5/15/2024	0	0	0	7.798	6.62	0
5/16/2024	0	0	0	8.594	7.98	0
5/17/2024	0	0	0	22.81	8.258	0
5/18/2024	0	0	0	1.593	9.268	0
5/19/2024	0	0	0	0	8.948	0
5/20/2024	0	0	0	0	9.189	0
5/21/2024	0	0	0	6.603	9.579	0
5/22/2024	0	0	0	12.17	10.32	0
5/23/2024	0	0	0	15.36	9.964	0
5/24/2024	0	0	0	20.08	9.397	0
5/25/2024	0	0	0	21.85	9.638	0
5/26/2024	0	0	0	3.918	10.03	0
5/27/2024	0	0	0	8.835	9.117	0
5/28/2024	0	0	0	5.346	9.034	0
5/29/2024	0	0	0	18.16	10.03	0
5/30/2024	0	0	0	25.61	11.42	0
5/31/2024	0	0	0	34.15	12.35	0
6/1/2024	0	0	250	37.85	12.2	0
6/2/2024	0	0	250	32.7	13.04	0
6/3/2024	0	0	250	16.69	10.38	0
6/4/2024	0	0	250	21.14	11.59	0
6/5/2024	0	0	250	22.42	11.44	0
6/6/2024	0	0	250	29.41	12.07	0
6/7/2024	0	0	250	48.16	13.05	0
6/8/2024	0	0	250	50.32	11.32	0
6/9/2024	0	0	250	31.98	11.93	0
6/10/2024	0	0	250	23.13	12.04	0
6/11/2024	0	0	250	27.52	12.01	0
6/12/2024	0	0	250	14.36	11.21	0
6/13/2024	0	0	250	15.55	11.15	0
6/14/2024	0	0	250	31.8	12.29	0
6/15/2024	0	0	250	45.37	13	0
6/16/2024	0	0	250	33.8	12.43	0
6/17/2024	0	0	250	43.37	13.28	0
6/18/2024	0	0	250	19.42	13.73	0
6/19/2024	0	0	250	1.496	13.52	0
6/20/2024	0	0	250	1.496	13.79	0
6/21/2024	0	0	250	1.496	16.11	0
6/22/2024	0	0	250	0	13.6	0
6/23/2024	0	0	250	0	12.36	0
6/24/2024	0	0	250	0	13.6	0
6/25/2024	0	0	250	0	13.35	0
6/26/2024	0	0	250	0	13.81	0
6/27/2024	0	0	250	0	17.23	0
6/28/2024	0	0	250	0	20.93	0
6/29/2024	0	0	250	0	33.36	0
6/30/2024	0	0	250	0	57.04	0
7/1/2024	0	0	500	0	14.49	0
7/2/2024	0	0	500	0	14.63	0
7/3/2024	0	0	500	0	24.38	0
7/4/2024	0	0	500	0	19.39	0
7/5/2024	0	0	101.6	0	14.12	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
7/6/2024	0	0	11.49	1.496	14.48	0
7/7/2024	0	0	14.99	152.2	14.53	0
7/8/2024	0	0	500	51.51	14.97	0
7/9/2024	0	0	500	2.697	14.99	0
7/10/2024	0	0	500	0	14.82	0
7/11/2024	0	0	335.8	0	15.02	0
7/12/2024	0	0	79.81	1.496	15.95	0
7/13/2024	0	0	73.45	0	16.17	0
7/14/2024	0	0	71.04	0	16.11	0
7/15/2024	0	0	64.49	0	23.24	0
7/16/2024	0	0	57.38	0	16.15	0
7/17/2024	0	0	14.39	0	17.07	0
7/18/2024	0	0	14.03	0	19.44	0
7/19/2024	0	0	13.8	0	16.88	0
7/20/2024	0	0	13.53	0	16.43	0
7/21/2024	0	0	13.29	1.495	16.51	0
7/22/2024	0	0	13.54	21	14.6	0
7/23/2024	0	0	115	38.29	14.03	0
7/24/2024	0	0	272	4.731	13.28	0
7/25/2024	0	0	23.64	162.4	14.11	0
7/26/2024	0	0	500	5.748	13.99	0
7/27/2024	0	0	500	0	15.85	0
7/28/2024	0	0	500	12.87	13.73	0
7/29/2024	0	0	151	1.68	12.28	0
7/30/2024	0	0	88.77	0	12.69	0
7/31/2024	0	0	80.84	0	13.37	0
8/1/2024	0	0	78.63	0	14.55	0
8/2/2024	0	0	72.88	0	17.28	0
8/3/2024	0	0	65.77	0	14.94	0
8/4/2024	0	0	59.39	0	14.63	0
8/5/2024	0	0	53.54	1.496	13.89	0
8/6/2024	0	0	13.63	1.496	12.02	0
8/7/2024	0	0	13.3	0	12.45	0
8/8/2024	0	0	14.21	47.44	12.33	0
8/9/2024	0	0	326.4	170.5	12.43	0
8/10/2024	0	0	500	30.15	9.928	0
8/11/2024	0	0	500	1.496	10.71	0
8/12/2024	0	0	500	2.697	10.63	0
8/13/2024	0	0	484.4	2.697	11.8	0
8/14/2024	0	0	116.5	0	14.14	0
8/15/2024	0	0	93.51	0	11.81	0
8/16/2024	0	0	91.96	1.496	11.48	0
8/17/2024	0	0	87.95	0	14.64	0
8/18/2024	0	0	80.78	0	12.24	0
8/19/2024	0	0	73.69	0	11.05	0
8/20/2024	0	0	68.51	51.51	10.08	0
8/21/2024	0	0	406	1.68	10.1	0
8/22/2024	0	0	56.77	0	9.454	0
8/23/2024	0	0	57.59	14.9	9.322	0
8/24/2024	0	0	119	7.782	9.864	0
8/25/2024	0	0	81.94	1.496	8.781	0
8/26/2024	0	0	14.64	1.496	9.083	0
8/27/2024	0	0	14.95	3.714	8.865	0
8/28/2024	0	0	15.24	15.92	8.159	0
8/29/2024	0	0	95.73	1.496	7.9	0
8/30/2024	0	0	14.42	6.765	7.839	0
8/31/2024	0	0	26.9	1.496	7.263	0
9/1/2024	0	0	14.16	1.496	7.314	0
9/2/2024	0	0	13.99	1.68	7.394	0
9/3/2024	0	0	13.83	6.481	7.105	0
9/4/2024	0	0	17.43	4.447	7.298	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
9/5/2024	0	0	17.16	2.228	7.155	0
9/6/2024	0	0	12.91	1.68	6.629	0
9/7/2024	0	0	12.62	0	6.281	0
9/8/2024	0	0	13.16	31.9	6.035	0
9/9/2024	0	0	211.1	2.413	6.158	0
9/10/2024	0	0	11.9	0.7328	5.683	0
9/11/2024	0	0	13.07	21.39	4.605	0
9/12/2024	0	0	140.5	8.818	5.034	0
9/13/2024	0	0	59.45	0	5.601	0
9/14/2024	0	0	13.95	0.7328	5.034	0
9/15/2024	0	0	14.75	4.227	5.549	0
9/16/2024	0	0	2.549	0	4.558	0
9/17/2024	0	0	0.6245	0	4.241	0
9/18/2024	0	0	0.6335	0	4.241	0
9/19/2024	0	0	78.03	3.713	4.243	0
9/20/2024	0	0	32.45	0	4.814	0
9/21/2024	0	0	14.89	4.731	4.806	0
9/22/2024	0	0	14.71	0.7328	4.251	0
9/23/2024	0	0	14.57	3.026	4.08	0
9/24/2024	0	0	0.6248	0	3.868	0
9/25/2024	0	0	0.6202	0	3.573	0
9/26/2024	0	0	0.6249	0	3.117	0
9/27/2024	0	0	0.6211	0	3.061	0
9/28/2024	0	0	0.6129	0	3.168	0
9/29/2024	0	0	0.6156	0	2.802	0
9/30/2024	0	0	95.05	67.67	2.96	0
10/1/2024	0	0	250	0	2.887	0
10/2/2024	0	0	250	0	2.024	0
10/3/2024	0	0	75.28	0	2.611	0
10/4/2024	0	0	4.002	0	2.566	0
10/5/2024	0	0	2.915	0	2.257	0
10/6/2024	0	0	2.968	0	1.737	0
10/7/2024	0	0	2.972	0	1.216	0
10/8/2024	0	0	2.916	0	1.598	0
10/9/2024	0	0	2.841	0	1.62	0
10/10/2024	0	0	2.744	0	1.671	0
10/11/2024	0	0	2.628	0	1.908	0
10/12/2024	0	0	0.6831	0	1.902	0
10/13/2024	0	0	0.6829	0	1.949	0
10/14/2024	0	0	0.6901	0	1.569	0
10/15/2024	0	0	0.6849	0	1.592	0
10/16/2024	0	0	0.6788	0	1.575	0
10/17/2024	0	0	0.6749	0	1.412	0
10/18/2024	0	0	0.6705	0	1.223	0
10/19/2024	0	0	0.6691	0	0.8813	0
10/20/2024	0	0	0.6642	0	0.6524	0
10/21/2024	0	0	0.6487	0	0.8355	0
10/22/2024	0	0	0.6411	0	0.684	0
10/23/2024	0	0	0.6337	0	0.5203	0
10/24/2024	0	0	0.6105	0	0.9901	0
10/25/2024	0	0	0.5927	0	1.238	0
10/26/2024	0	0	0.5943	0	0.703	0
10/27/2024	0	0	0.5783	0	0.8851	0
10/28/2024	0	0	0.5733	0	0.6244	0
10/29/2024	0	0	0.5774	0	0	0
10/30/2024	0	0	0.5513	0	0.6011	0
10/31/2024	0	0	0.545	0	0.4092	0
11/1/2024	0	0	0	0	0	0
11/2/2024	0	0	0	0	0	0
11/3/2024	0	0	0	0	0	0
11/4/2024	0	0	0	0	0.04542	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
11/5/2024	0	0	0	0	0.06559	0
11/6/2024	0	0	0	0	0	0
11/7/2024	0	0	0	0	0	0
11/8/2024	0	0	0	0	0	0
11/9/2024	0	0	0	0	0	0
11/10/2024	0	0	0	0	0	0
11/11/2024	0	0	0	0	0	0
11/12/2024	0	0	0	0	0.04034	0
11/13/2024	0	0	0	0	0	0
11/14/2024	0	0	0	0	0.1643	0
11/15/2024	0	0	0	0	0.2875	0
11/16/2024	0	0	0	0	0.3436	0
11/17/2024	0	0	0	0	0	0
11/18/2024	0	0	0	0	0	0
11/19/2024	0	0	0	0	0	0
11/20/2024	0	0	0	0	0	0
11/21/2024	0	0	0	0	0	0
11/22/2024	0	0	0	0	0	0
11/23/2024	0	0	0	0	0	0
11/24/2024	0	0	0	0	0.06163	0
11/25/2024	0	0	0	0	0	0
11/26/2024	0	0	0	0	0.2066	0
11/27/2024	0	0	0	0	0	0
11/28/2024	0	0	0	0	0	0
11/29/2024	0	0	0	0	0	0
11/30/2024	0	0	0	0	0.07867	0
12/1/2024	0	0	0	0	0.03021	0
12/2/2024	0	0	0	0	0	0
12/3/2024	0	0	0	0	0	0
12/4/2024	0	0	0	0	0	0
12/5/2024	0	0	0	0	0	0
12/6/2024	0	0	0	0	0.025	0
12/7/2024	0	0	0	0	0.03507	0
12/8/2024	0	0	0	0	0	0
12/9/2024	0	0	0	0	0	0
12/10/2024	0	0	0	0	0	0
12/11/2024	0	0	0	0	0	0
12/12/2024	0	0	0	0	0	0
12/13/2024	0	0	0	0	0	0
12/14/2024	0	0	0	0	0	0
12/15/2024	0	0	0	0	0.05059	0
12/16/2024	0	0	0	0	0	0
12/17/2024	0	0	0	0	0.03415	0
12/18/2024	0	0	0	0	0	0
12/19/2024	0	0	0	0	0	0
12/20/2024	0	0	0	0	0	0
12/21/2024	0	0	0	0	0	0
12/22/2024	0	0	0	0	0	0
12/23/2024	0	0	0	0	0	0
12/24/2024	0	0	0	0	0	0
12/25/2024	0	0	0	0	0	0
12/26/2024	0	0	0	0	0	0
12/27/2024	0	0	0	0	0	0
12/28/2024	0	0	0	0	0	0
12/29/2024	0	0	0	0	0	0
12/30/2024	0	0	0	0	0	0
12/31/2024	0	0	0	0	0	0
1/1/2025	0	0	0	0	0	0
1/2/2025	0	0	0	0	0	0
1/3/2025	0	0	0	0	0	0
1/4/2025	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
1/5/2025	0	0	0	0	0	0
1/6/2025	0	0	0	0	0	0
1/7/2025	0	0	0	0	0	0
1/8/2025	0	0	0	0	0	0
1/9/2025	0	0	0	0	0	0
1/10/2025	0	0	0	0	0	0
1/11/2025	0	0	0	0	0	0
1/12/2025	0	0	0	0	0	0
1/13/2025	0	0	0	0	0	0
1/14/2025	0	0	0	0	0	0
1/15/2025	0	0	0	0	0	0
1/16/2025	0	0	0	0	0	0
1/17/2025	0	0	0	0	0	0
1/18/2025	0	0	0	0	0	0
1/19/2025	0	0	0	0	0.003	0
1/20/2025	0	0	0	0	0.09711	0
1/21/2025	0	0	0	0	0	0
1/22/2025	0	0	0	0	0	0
1/23/2025	0	0	0	0	0	0
1/24/2025	0	0	0	0	0	0
1/25/2025	0	0	0	0	0	0
1/26/2025	0	0	0	0	0	0
1/27/2025	0	0	0	0	0	0
1/28/2025	0	0	0	0	0	0
1/29/2025	0	0	0	0	0	0
1/30/2025	0	0	0	0	0	0
1/31/2025	0	0	0	0	0	0
2/1/2025	0	0	0	0	0	0
2/2/2025	0	0	0	0	0	0
2/3/2025	0	0	0	0	0	0
2/4/2025	0	0	0	0	0	0
2/5/2025	0	0	0	0	0	0
2/6/2025	0	0	0	0	0	0
2/7/2025	0	0	0	0	0	0
2/8/2025	0	0	0	0	0	0
2/9/2025	0	0	0	0	0	0
2/10/2025	0	0	0	0	0	0
2/11/2025	0	0	0	0	0	0
2/12/2025	0	0	0	0	0	0
2/13/2025	0	0	0	0	0	0
2/14/2025	0	0	0	0	0	0
2/15/2025	0	0	0	0	0	0
2/16/2025	0	0	0	0	0	0
2/17/2025	0	0	0	0	0	0
2/18/2025	0	0	0	0	0	0
2/19/2025	0	0	0	0	0	0
2/20/2025	0	0	0	0	0	0
2/21/2025	0	0	0	0	0	0
2/22/2025	0	0	0	0	0	0
2/23/2025	0	0	0	0	0	0
2/24/2025	0	0	0	0	0	0
2/25/2025	0	0	0	0	0	0
2/26/2025	0	0	0	0	0	0
2/27/2025	0	0	0	0	0	0
2/28/2025	0	0	0	0	0	0
3/1/2025	0	0	0	0	0	0
3/2/2025	0	0	0	0	0	0
3/3/2025	0	0	0	0	0	0
3/4/2025	0	0	0	0	0	0
3/5/2025	0	0	0	0	0	0
3/6/2025	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
3/7/2025	0	0	0	0	0	0
3/8/2025	0	0	0	0	0	0
3/9/2025	0	0	0	0	0	0
3/10/2025	0	0	0	0	0	0
3/11/2025	0	0	0	0	0	0
3/12/2025	0	0	0	0	0	0
3/13/2025	0	0	0	0	0	0
3/14/2025	0	0	0	0	0	0
3/15/2025	0	0	0	0	0	0
3/16/2025	0	0	0	0	0	0
3/17/2025	0	0	0	0	0	0
3/18/2025	0	0	0	0	0	0
3/19/2025	0	0	0	0	0	0
3/20/2025	0	0	0	0	0	0
3/21/2025	0	0	0	0	0	0
3/22/2025	0	0	0	0	0	0
3/23/2025	0	0	0	0	1.292	0
3/24/2025	0	0	0	0	3.226	0
3/25/2025	0	0	0	0	1.891	0
3/26/2025	0	0	0	0	0.5578	0
3/27/2025	0	0	0	0	0	0
3/28/2025	0	0	0	0	0	0
3/29/2025	0	0	0	0	0	0
3/30/2025	0	0	0	0	0	0
3/31/2025	0	0	0	0	0	0
4/1/2025	0	0	0	0	1.421	0
4/2/2025	0	0	0	0	2.178	0
4/3/2025	0	0	0	0	0	0
4/4/2025	0	0	0	0	0	0
4/5/2025	0	0	0	0	0	0
4/6/2025	0	0	0	0	0	0
4/7/2025	0	0	0	0	0	0
4/8/2025	0	0	0	0	0	0
4/9/2025	0	0	0	0	0	0
4/10/2025	0	0	0	0	0	0
4/11/2025	0	0	0	0	0	0
4/12/2025	0	0	0	0	0	0
4/13/2025	0	0	0	0	0	0
4/14/2025	0	0	0	0	0.6718	0
4/15/2025	0	0	0	0	2.442	0
4/16/2025	0	0	0	0	2.351	0
4/17/2025	0	0	0	0	1.642	0
4/18/2025	0	0	0	0	1.095	0
4/19/2025	0	0	0	0	0.8244	0
4/20/2025	0	0	0	0	0	0
4/21/2025	0	0	0	0	0	0
4/22/2025	0	0	0	0	0	0
4/23/2025	0	0	0	0	0	0
4/24/2025	0	0	0	0	0	0
4/25/2025	0	0	0	0	0	0
4/26/2025	0	0	0	0	0	0
4/27/2025	0	0	0	0	0	0
4/28/2025	0	0	0	0	1.518	0
4/29/2025	0	0	0	0	0	0
4/30/2025	0	0	0	0	0	0
5/1/2025	0	0	0	0	1.12	0
5/2/2025	0	0	0	0	4.063	0
5/3/2025	0	0	0	0	4.942	0
5/4/2025	0	0	0	0	5.567	0
5/5/2025	0	0	0	0	2.667	0
5/6/2025	0	0	0	0	4.774	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
5/7/2025	0	0	0	0	4.823	0
5/8/2025	0	0	0	0	4.745	0
5/9/2025	0	0	0	0	7.158	0
5/10/2025	0	0	0	0	8.268	0
5/11/2025	0	0	0	0	8.074	0
5/12/2025	0	0	0	0	8.029	0
5/13/2025	0	0	0	0	7.321	0
5/14/2025	0	0	0	0	8.341	0
5/15/2025	0	0	0	7.798	6.572	0
5/16/2025	0	0	0	8.595	7.924	0
5/17/2025	0	0	0	22.81	8.201	0
5/18/2025	0	0	0	1.593	9.207	0
5/19/2025	0	0	0	0	8.891	0
5/20/2025	0	0	0	0	9.131	0
5/21/2025	0	0	0	6.603	9.522	0
5/22/2025	0	0	0	12.18	10.26	0
5/23/2025	0	0	0	15.36	9.908	0
5/24/2025	0	0	0	20.08	9.345	0
5/25/2025	0	0	0	21.85	9.588	0
5/26/2025	0	0	0	3.918	9.976	0
5/27/2025	0	0	0	8.835	9.073	0
5/28/2025	0	0	0	5.346	8.992	0
5/29/2025	0	0	0	18.16	9.99	0
5/30/2025	0	0	0	25.61	11.37	0
5/31/2025	0	0	0	34.16	12.3	0
6/1/2025	0	0	250	37.85	12.15	0
6/2/2025	0	0	250	32.7	12.99	0
6/3/2025	0	0	250	16.69	10.34	0
6/4/2025	0	0	250	21.14	11.55	0
6/5/2025	0	0	250	22.42	11.4	0
6/6/2025	0	0	250	29.41	12.04	0
6/7/2025	0	0	250	48.16	13.02	0
6/8/2025	0	0	250	50.32	11.3	0
6/9/2025	0	0	250	31.98	11.9	0
6/10/2025	0	0	250	23.13	12.02	0
6/11/2025	0	0	250	27.52	11.99	0
6/12/2025	0	0	250	14.36	11.19	0
6/13/2025	0	0	250	15.55	11.14	0
6/14/2025	0	0	250	31.8	12.27	0
6/15/2025	0	0	250	45.37	12.99	0
6/16/2025	0	0	250	33.8	12.42	0
6/17/2025	0	0	250	43.37	13.27	0
6/18/2025	0	0	250	20.18	13.72	0
6/19/2025	0	0	250	1.496	13.52	0
6/20/2025	0	0	250	1.496	13.79	0
6/21/2025	0	0	250	1.496	16.11	0
6/22/2025	0	0	250	0	13.6	0
6/23/2025	0	0	250	0	12.36	0
6/24/2025	0	0	250	0	13.62	0
6/25/2025	0	0	250	0	13.36	0
6/26/2025	0	0	250	0	13.83	0
6/27/2025	0	0	250	0	17.25	0
6/28/2025	0	0	250	0	20.97	0
6/29/2025	0	0	250	0	33.43	0
6/30/2025	0	0	250	0	57.15	0
7/1/2025	0	0	500	0	14.52	0
7/2/2025	0	0	500	0	14.67	0
7/3/2025	0	0	500	0	24.45	0
7/4/2025	0	0	500	0	19.44	0
7/5/2025	0	0	103.3	0	14.16	0
7/6/2025	0	0	11.49	1.496	14.53	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
7/7/2025	0	0	14.99	152.2	14.58	0
7/8/2025	0	0	500	51.51	15.03	0
7/9/2025	0	0	500	2.697	15.05	0
7/10/2025	0	0	500	0	14.88	0
7/11/2025	0	0	335.3	0	15.08	0
7/12/2025	0	0	79.62	1.496	16.03	0
7/13/2025	0	0	73.39	0	16.24	0
7/14/2025	0	0	70.95	0	16.19	0
7/15/2025	0	0	64.39	0	23.36	0
7/16/2025	0	0	57.27	0	16.23	0
7/17/2025	0	0	14.35	0	17.16	0
7/18/2025	0	0	14	0	19.55	0
7/19/2025	0	0	13.77	0	16.97	0
7/20/2025	0	0	13.5	0	16.53	0
7/21/2025	0	0	13.26	1.495	16.62	0
7/22/2025	0	0	13.51	21	14.7	0
7/23/2025	0	0	114.9	38.29	14.12	0
7/24/2025	0	0	271.8	4.731	13.38	0
7/25/2025	0	0	23.46	162.4	14.21	0
7/26/2025	0	0	500	5.748	14.09	0
7/27/2025	0	0	500	0	15.97	0
7/28/2025	0	0	500	12.87	13.84	0
7/29/2025	0	0	149	1.68	12.37	0
7/30/2025	0	0	88.24	0	12.8	0
7/31/2025	0	0	80.56	0	13.48	0
8/1/2025	0	0	78.32	0	14.67	0
8/2/2025	0	0	72.28	0	17.43	0
8/3/2025	0	0	65.19	0	15.08	0
8/4/2025	0	0	58.84	0	14.76	0
8/5/2025	0	0	53.01	1.496	14.02	0
8/6/2025	0	0	13.48	1.496	12.13	0
8/7/2025	0	0	13.16	0	12.57	0
8/8/2025	0	0	14.07	47.44	12.45	0
8/9/2025	0	0	326.1	170.5	12.55	0
8/10/2025	0	0	500	30.15	10.03	0
8/11/2025	0	0	500	1.496	10.82	0
8/12/2025	0	0	500	2.697	10.74	0
8/13/2025	0	0	482	2.697	11.94	0
8/14/2025	0	0	115.7	0	14.3	0
8/15/2025	0	0	92.99	0	11.95	0
8/16/2025	0	0	91.42	1.496	11.62	0
8/17/2025	0	0	87.38	0	14.82	0
8/18/2025	0	0	80.19	0	12.39	0
8/19/2025	0	0	73.13	0	11.18	0
8/20/2025	0	0	67.97	51.51	10.21	0
8/21/2025	0	0	405.3	1.68	10.23	0
8/22/2025	0	0	56.29	0	9.579	0
8/23/2025	0	0	57.12	14.9	9.447	0
8/24/2025	0	0	118.2	7.782	9.999	0
8/25/2025	0	0	81.23	1.496	8.903	0
8/26/2025	0	0	14.5	1.496	9.212	0
8/27/2025	0	0	14.79	3.714	8.993	0
8/28/2025	0	0	15	15.92	8.279	0
8/29/2025	0	0	95.15	1.496	8.018	0
8/30/2025	0	0	14.2	6.765	7.959	0
8/31/2025	0	0	26.4	1.496	7.376	0
9/1/2025	0	0	13.94	1.496	7.429	0
9/2/2025	0	0	13.7	1.68	7.513	0
9/3/2025	0	0	13.55	6.481	7.221	0
9/4/2025	0	0	16.81	4.447	7.419	0
9/5/2025	0	0	16.68	2.228	7.276	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
9/6/2025	0	0	12.64	1.68	6.743	0
9/7/2025	0	0	12.35	0	6.391	0
9/8/2025	0	0	12.9	31.9	6.142	0
9/9/2025	0	0	210.7	2.413	6.269	0
9/10/2025	0	0	11.65	0.7328	5.787	0
9/11/2025	0	0	12.82	21.39	4.691	0
9/12/2025	0	0	140	8.818	5.129	0
9/13/2025	0	0	59.04	0	5.709	0
9/14/2025	0	0	13.69	0.7328	5.132	0
9/15/2025	0	0	14.48	4.227	5.659	0
9/16/2025	0	0	0.6316	0	4.65	0
9/17/2025	0	0	0.6463	0	4.328	0
9/18/2025	0	0	2.558	0	4.33	0
9/19/2025	0	0	77.88	3.713	4.333	0
9/20/2025	0	0	32.47	0	4.918	0
9/21/2025	0	0	14.56	4.731	4.911	0
9/22/2025	0	0	14.38	0.7328	4.345	0
9/23/2025	0	0	14.23	3.026	4.172	0
9/24/2025	0	0	0.6052	0	3.957	0
9/25/2025	0	0	0.6004	0	3.656	0
9/26/2025	0	0	0.605	0	3.191	0
9/27/2025	0	0	0.601	0	3.134	0
9/28/2025	0	0	0.5926	0	3.245	0
9/29/2025	0	0	0.5955	0	2.871	0
9/30/2025	0	0	92.63	67.67	3.035	0
10/1/2025	0	0	250	0	2.96	0
10/2/2025	0	0	250	0	2.077	0
10/3/2025	0	0	72.95	0	2.679	0
10/4/2025	0	0	4.014	0	2.635	0
10/5/2025	0	0	2.98	0	2.318	0
10/6/2025	0	0	3.029	0	1.785	0
10/7/2025	0	0	3.029	0	1.25	0
10/8/2025	0	0	2.968	0	1.643	0
10/9/2025	0	0	2.888	0	1.667	0
10/10/2025	0	0	2.788	0	1.719	0
10/11/2025	0	0	2.668	0	1.964	0
10/12/2025	0	0	0.6928	0	1.96	0
10/13/2025	0	0	0.6923	0	2.008	0
10/14/2025	0	0	0.6996	0	1.617	0
10/15/2025	0	0	0.6942	0	1.642	0
10/16/2025	0	0	0.6879	0	1.626	0
10/17/2025	0	0	0.6839	0	1.458	0
10/18/2025	0	0	0.6794	0	1.263	0
10/19/2025	0	0	0.678	0	0.9107	0
10/20/2025	0	0	0.6731	0	0.6744	0
10/21/2025	0	0	0.6572	0	0.864	0
10/22/2025	0	0	0.6496	0	0.7077	0
10/23/2025	0	0	0.6421	0	0.5385	0
10/24/2025	0	0	0.6183	0	1.025	0
10/25/2025	0	0	0.6001	0	1.283	0
10/26/2025	0	0	0.6021	0	0.7287	0
10/27/2025	0	0	0.5857	0	0.9179	0
10/28/2025	0	0	0.5807	0	0.6478	0
10/29/2025	0	0	0.5853	0	0	0
10/30/2025	0	0	0.5585	0	0.6243	0
10/31/2025	0	0	0.5522	0	0.4252	0
11/1/2025	0	0	0	0	0	0
11/2/2025	0	0	0	0	0	0
11/3/2025	0	0	0	0	0	0
11/4/2025	0	0	0	0	0.04728	0
11/5/2025	0	0	0	0	0.06831	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
11/6/2025	0	0	0	0	0	0
11/7/2025	0	0	0	0	0	0
11/8/2025	0	0	0	0	0	0
11/9/2025	0	0	0	0	0	0
11/10/2025	0	0	0	0	0	0
11/11/2025	0	0	0	0	0	0
11/12/2025	0	0	0	0	0.04212	0
11/13/2025	0	0	0	0	0	0
11/14/2025	0	0	0	0	0.1717	0
11/15/2025	0	0	0	0	0.3005	0
11/16/2025	0	0	0	0	0.3592	0
11/17/2025	0	0	0	0	0	0
11/18/2025	0	0	0	0	0	0
11/19/2025	0	0	0	0	0	0
11/20/2025	0	0	0	0	0	0
11/21/2025	0	0	0	0	0	0
11/22/2025	0	0	0	0	0	0
11/23/2025	0	0	0	0	0	0
11/24/2025	0	0	0	0	0.06444	0
11/25/2025	0	0	0	0	0	0
11/26/2025	0	0	0	0	0.2158	0
11/27/2025	0	0	0	0	0	0
11/28/2025	0	0	0	0	0	0
11/29/2025	0	0	0	0	0	0
11/30/2025	0	0	0	0	0.08199	0
12/1/2025	0	0	0	0	0.03146	0
12/2/2025	0	0	0	0	0	0
12/3/2025	0	0	0	0	0	0
12/4/2025	0	0	0	0	0	0
12/5/2025	0	0	0	0	0	0
12/6/2025	0	0	0	0	0.02587	0
12/7/2025	0	0	0	0	0.03623	0
12/8/2025	0	0	0	0	0	0
12/9/2025	0	0	0	0	0	0
12/10/2025	0	0	0	0	0	0
12/11/2025	0	0	0	0	0	0
12/12/2025	0	0	0	0	0	0
12/13/2025	0	0	0	0	0	0
12/14/2025	0	0	0	0	0	0
12/15/2025	0	0	0	0	0.05132	0
12/16/2025	0	0	0	0	0	0
12/17/2025	0	0	0	0	0.03445	0
12/18/2025	0	0	0	0	0	0
12/19/2025	0	0	0	0	0	0
12/20/2025	0	0	0	0	0	0
12/21/2025	0	0	0	0	0	0
12/22/2025	0	0	0	0	0	0
12/23/2025	0	0	0	0	0	0
12/24/2025	0	0	0	0	0	0
12/25/2025	0	0	0	0	0	0
12/26/2025	0	0	0	0	0	0
12/27/2025	0	0	0	0	0	0
12/28/2025	0	0	0	0	0	0
12/29/2025	0	0	0	0	0	0
12/30/2025	0	0	0	0	0	0
12/31/2025	0	0	0	0	0	0
1/1/2026	0	0	0	0	0	0
1/2/2026	0	0	0	0	0	0
1/3/2026	0	0	0	0	0	0
1/4/2026	0	0	0	0	0	0
1/5/2026	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
1/6/2026	0	0	0	0	0	0
1/7/2026	0	0	0	0	0	0
1/8/2026	0	0	0	0	0	0
1/9/2026	0	0	0	0	0	0
1/10/2026	0	0	0	0	0	0
1/11/2026	0	0	0	0	0	0
1/12/2026	0	0	0	0	0	0
1/13/2026	0	0	0	0	0	0
1/14/2026	0	0	0	0	0	0
1/15/2026	0	0	0	0	0	0
1/16/2026	0	0	0	0	0	0
1/17/2026	0	0	0	0	0	0
1/18/2026	0	0	0	0	0	0
1/19/2026	0	0	0	0	0.003	0
1/20/2026	0	0	0	0	0.09711	0
1/21/2026	0	0	0	0	0	0
1/22/2026	0	0	0	0	0	0
1/23/2026	0	0	0	0	0	0
1/24/2026	0	0	0	0	0	0
1/25/2026	0	0	0	0	0	0
1/26/2026	0	0	0	0	0	0
1/27/2026	0	0	0	0	0	0
1/28/2026	0	0	0	0	0	0
1/29/2026	0	0	0	0	0	0
1/30/2026	0	0	0	0	0	0
1/31/2026	0	0	0	0	0	0
2/1/2026	0	0	0	0	0	0
2/2/2026	0	0	0	0	0	0
2/3/2026	0	0	0	0	0	0
2/4/2026	0	0	0	0	0	0
2/5/2026	0	0	0	0	0	0
2/6/2026	0	0	0	0	0	0
2/7/2026	0	0	0	0	0	0
2/8/2026	0	0	0	0	0	0
2/9/2026	0	0	0	0	0	0
2/10/2026	0	0	0	0	0	0
2/11/2026	0	0	0	0	0	0
2/12/2026	0	0	0	0	0	0
2/13/2026	0	0	0	0	0	0
2/14/2026	0	0	0	0	0	0
2/15/2026	0	0	0	0	0	0
2/16/2026	0	0	0	0	0	0
2/17/2026	0	0	0	0	0	0
2/18/2026	0	0	0	0	0	0
2/19/2026	0	0	0	0	0	0
2/20/2026	0	0	0	0	0	0
2/21/2026	0	0	0	0	0	0
2/22/2026	0	0	0	0	0	0
2/23/2026	0	0	0	0	0	0
2/24/2026	0	0	0	0	0	0
2/25/2026	0	0	0	0	0	0
2/26/2026	0	0	0	0	0	0
2/27/2026	0	0	0	0	0	0
2/28/2026	0	0	0	0	0	0
3/1/2026	0	0	0	0	0	0
3/2/2026	0	0	0	0	0	0
3/3/2026	0	0	0	0	0	0
3/4/2026	0	0	0	0	0	0
3/5/2026	0	0	0	0	0	0
3/6/2026	0	0	0	0	0	0
3/7/2026	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
3/8/2026	0	0	0	0	0	0
3/9/2026	0	0	0	0	0	0
3/10/2026	0	0	0	0	0	0
3/11/2026	0	0	0	0	0	0
3/12/2026	0	0	0	0	0	0
3/13/2026	0	0	0	0	0	0
3/14/2026	0	0	0	0	0	0
3/15/2026	0	0	0	0	0	0
3/16/2026	0	0	0	0	0	0
3/17/2026	0	0	0	0	0	0
3/18/2026	0	0	0	0	0	0
3/19/2026	0	0	0	0	0	0
3/20/2026	0	0	0	0	0	0
3/21/2026	0	0	0	0	0	0
3/22/2026	0	0	0	0	0	0
3/23/2026	0	0	0	0	1.292	0
3/24/2026	0	0	0	0	3.226	0
3/25/2026	0	0	0	0	1.891	0
3/26/2026	0	0	0	0	0.5578	0
3/27/2026	0	0	0	0	0	0
3/28/2026	0	0	0	0	0	0
3/29/2026	0	0	0	0	0	0
3/30/2026	0	0	0	0	0	0
3/31/2026	0	0	0	0	0	0
4/1/2026	0	0	0	0	1.421	0
4/2/2026	0	0	0	0	2.178	0
4/3/2026	0	0	0	0	0	0
4/4/2026	0	0	0	0	0	0
4/5/2026	0	0	0	0	0	0
4/6/2026	0	0	0	0	0	0
4/7/2026	0	0	0	0	0	0
4/8/2026	0	0	0	0	0	0
4/9/2026	0	0	0	0	0	0
4/10/2026	0	0	0	0	0	0
4/11/2026	0	0	0	0	0	0
4/12/2026	0	0	0	0	0	0
4/13/2026	0	0	0	0	0	0
4/14/2026	0	0	0	0	0.6718	0
4/15/2026	0	0	0	0	2.442	0
4/16/2026	0	0	0	0	2.351	0
4/17/2026	0	0	0	0	1.642	0
4/18/2026	0	0	0	0	1.095	0
4/19/2026	0	0	0	0	0.8244	0
4/20/2026	0	0	0	0	0	0
4/21/2026	0	0	0	0	0	0
4/22/2026	0	0	0	0	0	0
4/23/2026	0	0	0	0	0	0
4/24/2026	0	0	0	0	0	0
4/25/2026	0	0	0	0	0	0
4/26/2026	0	0	0	0	0	0
4/27/2026	0	0	0	0	0	0
4/28/2026	0	0	0	0	1.518	0
4/29/2026	0	0	0	0	0	0
4/30/2026	0	0	0	0	0	0
5/1/2026	0	0	0	0	1.12	0
5/2/2026	0	0	0	0	4.063	0
5/3/2026	0	0	0	0	4.941	0
5/4/2026	0	0	0	0	5.567	0
5/5/2026	0	0	0	0	2.667	0
5/6/2026	0	0	0	0	4.774	0
5/7/2026	0	0	0	0	4.823	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
5/8/2026	0	0	0	0	4.745	0
5/9/2026	0	0	0	0	7.158	0
5/10/2026	0	0	0	0	8.268	0
5/11/2026	0	0	0	0	8.074	0
5/12/2026	0	0	0	0	8.029	0
5/13/2026	0	0	0	0	7.321	0
5/14/2026	0	0	0	0	8.341	0
5/15/2026	0	0	0	7.798	6.572	0
5/16/2026	0	0	0	8.595	7.924	0
5/17/2026	0	0	0	22.81	8.201	0
5/18/2026	0	0	0	1.593	9.207	0
5/19/2026	0	0	0	0	8.891	0
5/20/2026	0	0	0	0	9.131	0
5/21/2026	0	0	0	6.603	9.521	0
5/22/2026	0	0	0	12.18	10.26	0
5/23/2026	0	0	0	15.36	9.908	0
5/24/2026	0	0	0	20.08	9.345	0
5/25/2026	0	0	0	21.85	9.588	0
5/26/2026	0	0	0	3.918	9.976	0
5/27/2026	0	0	0	8.835	9.073	0
5/28/2026	0	0	0	5.346	8.992	0
5/29/2026	0	0	0	18.16	9.99	0
5/30/2026	0	0	0	25.61	11.37	0
5/31/2026	0	0	0	34.15	12.3	0
6/1/2026	0	0	250	37.85	12.15	0
6/2/2026	0	0	250	32.7	12.99	0
6/3/2026	0	0	250	16.69	10.34	0
6/4/2026	0	0	250	21.14	11.55	0
6/5/2026	0	0	250	22.42	11.4	0
6/6/2026	0	0	250	29.41	12.04	0
6/7/2026	0	0	250	48.16	13.02	0
6/8/2026	0	0	250	50.32	11.3	0
6/9/2026	0	0	250	31.98	11.9	0
6/10/2026	0	0	250	23.13	12.02	0
6/11/2026	0	0	250	27.52	11.99	0
6/12/2026	0	0	250	14.36	11.19	0
6/13/2026	0	0	250	15.55	11.14	0
6/14/2026	0	0	250	31.8	12.27	0
6/15/2026	0	0	250	45.37	12.99	0
6/16/2026	0	0	250	33.8	12.42	0
6/17/2026	0	0	250	43.37	13.27	0
6/18/2026	0	0	250	20.18	13.72	0
6/19/2026	0	0	250	1.496	13.52	0
6/20/2026	0	0	250	1.496	13.79	0
6/21/2026	0	0	250	1.496	16.11	0
6/22/2026	0	0	250	0	13.6	0
6/23/2026	0	0	250	0	12.36	0
6/24/2026	0	0	250	0	13.62	0
6/25/2026	0	0	250	0	13.36	0
6/26/2026	0	0	250	0	13.83	0
6/27/2026	0	0	250	0	17.25	0
6/28/2026	0	0	250	0	20.97	0
6/29/2026	0	0	250	0	33.43	0
6/30/2026	0	0	250	0	57.15	0
7/1/2026	0	0	500	0	14.52	0
7/2/2026	0	0	500	0	14.67	0
7/3/2026	0	0	500	0	24.45	0
7/4/2026	0	0	500	0	19.44	0
7/5/2026	0	0	103.3	0	14.16	0
7/6/2026	0	0	11.49	1.496	14.53	0
7/7/2026	0	0	14.99	152.2	14.58	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
7/8/2026	0	0	500	51.51	15.03	0
7/9/2026	0	0	500	2.697	15.05	0
7/10/2026	0	0	500	0	14.88	0
7/11/2026	0	0	335.3	0	15.08	0
7/12/2026	0	0	79.62	1.496	16.03	0
7/13/2026	0	0	73.39	0	16.24	0
7/14/2026	0	0	70.95	0	16.19	0
7/15/2026	0	0	64.39	0	23.36	0
7/16/2026	0	0	57.27	0	16.23	0
7/17/2026	0	0	14.35	0	17.16	0
7/18/2026	0	0	14	0	19.55	0
7/19/2026	0	0	13.77	0	16.97	0
7/20/2026	0	0	13.5	0	16.53	0
7/21/2026	0	0	13.26	1.495	16.62	0
7/22/2026	0	0	13.51	21	14.7	0
7/23/2026	0	0	114.9	38.29	14.12	0
7/24/2026	0	0	271.8	4.731	13.38	0
7/25/2026	0	0	23.46	162.4	14.21	0
7/26/2026	0	0	500	5.748	14.09	0
7/27/2026	0	0	500	0	15.97	0
7/28/2026	0	0	500	12.87	13.84	0
7/29/2026	0	0	149	1.68	12.37	0
7/30/2026	0	0	88.24	0	12.8	0
7/31/2026	0	0	80.56	0	13.48	0
8/1/2026	0	0	78.32	0	14.67	0
8/2/2026	0	0	72.28	0	17.43	0
8/3/2026	0	0	65.19	0	15.08	0
8/4/2026	0	0	58.84	0	14.76	0
8/5/2026	0	0	53.01	1.496	14.02	0
8/6/2026	0	0	13.48	1.496	12.13	0
8/7/2026	0	0	13.16	0	12.57	0
8/8/2026	0	0	14.07	47.44	12.45	0
8/9/2026	0	0	326.1	170.5	12.55	0
8/10/2026	0	0	500	30.15	10.03	0
8/11/2026	0	0	500	1.496	10.82	0
8/12/2026	0	0	500	2.697	10.74	0
8/13/2026	0	0	482	2.697	11.94	0
8/14/2026	0	0	115.7	0	14.3	0
8/15/2026	0	0	92.99	0	11.95	0
8/16/2026	0	0	91.42	1.496	11.62	0
8/17/2026	0	0	87.38	0	14.82	0
8/18/2026	0	0	80.19	0	12.39	0
8/19/2026	0	0	73.13	0	11.18	0
8/20/2026	0	0	67.97	51.51	10.21	0
8/21/2026	0	0	405.3	1.68	10.23	0
8/22/2026	0	0	56.29	0	9.579	0
8/23/2026	0	0	57.12	14.9	9.447	0
8/24/2026	0	0	118.2	7.782	9.999	0
8/25/2026	0	0	81.23	1.496	8.903	0
8/26/2026	0	0	14.5	1.496	9.212	0
8/27/2026	0	0	14.79	3.714	8.993	0
8/28/2026	0	0	15	15.92	8.279	0
8/29/2026	0	0	95.15	1.496	8.018	0
8/30/2026	0	0	14.2	6.765	7.959	0
8/31/2026	0	0	26.4	1.496	7.376	0
9/1/2026	0	0	13.94	1.496	7.429	0
9/2/2026	0	0	13.7	1.68	7.513	0
9/3/2026	0	0	13.55	6.481	7.221	0
9/4/2026	0	0	16.81	4.447	7.419	0
9/5/2026	0	0	16.68	2.228	7.276	0
9/6/2026	0	0	12.64	1.68	6.743	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
9/7/2026	0	0	12.35	0	6.391	0
9/8/2026	0	0	12.9	31.9	6.142	0
9/9/2026	0	0	210.7	2.413	6.269	0
9/10/2026	0	0	11.65	0.7328	5.787	0
9/11/2026	0	0	12.82	21.39	4.691	0
9/12/2026	0	0	140	8.818	5.129	0
9/13/2026	0	0	59.04	0	5.709	0
9/14/2026	0	0	13.69	0.7328	5.132	0
9/15/2026	0	0	14.48	4.227	5.659	0
9/16/2026	0	0	0.6316	0	4.65	0
9/17/2026	0	0	0.6463	0	4.328	0
9/18/2026	0	0	2.558	0	4.33	0
9/19/2026	0	0	77.88	3.713	4.333	0
9/20/2026	0	0	32.47	0	4.918	0
9/21/2026	0	0	14.56	4.731	4.911	0
9/22/2026	0	0	14.38	0.7328	4.345	0
9/23/2026	0	0	14.23	3.026	4.172	0
9/24/2026	0	0	0.6052	0	3.957	0
9/25/2026	0	0	0.6004	0	3.656	0
9/26/2026	0	0	0.605	0	3.191	0
9/27/2026	0	0	0.601	0	3.134	0
9/28/2026	0	0	0.5926	0	3.245	0
9/29/2026	0	0	0.5955	0	2.871	0
9/30/2026	0	0	92.63	67.67	3.035	0
10/1/2026	0	0	250	0	2.96	0
10/2/2026	0	0	250	0	2.077	0
10/3/2026	0	0	72.95	0	2.679	0
10/4/2026	0	0	4.014	0	2.635	0
10/5/2026	0	0	2.98	0	2.318	0
10/6/2026	0	0	3.029	0	1.785	0
10/7/2026	0	0	3.029	0	1.25	0
10/8/2026	0	0	2.968	0	1.643	0
10/9/2026	0	0	2.888	0	1.667	0
10/10/2026	0	0	2.788	0	1.719	0
10/11/2026	0	0	2.668	0	1.964	0
10/12/2026	0	0	0.6928	0	1.96	0
10/13/2026	0	0	0.6923	0	2.008	0
10/14/2026	0	0	0.6996	0	1.617	0
10/15/2026	0	0	0.6942	0	1.642	0
10/16/2026	0	0	0.6879	0	1.626	0
10/17/2026	0	0	0.6839	0	1.458	0
10/18/2026	0	0	0.6794	0	1.263	0
10/19/2026	0	0	0.678	0	0.9107	0
10/20/2026	0	0	0.6731	0	0.6744	0
10/21/2026	0	0	0.6572	0	0.864	0
10/22/2026	0	0	0.6496	0	0.7077	0
10/23/2026	0	0	0.6421	0	0.5385	0
10/24/2026	0	0	0.6183	0	1.025	0
10/25/2026	0	0	0.6001	0	1.283	0
10/26/2026	0	0	0.6021	0	0.7287	0
10/27/2026	0	0	0.5857	0	0.9179	0
10/28/2026	0	0	0.5807	0	0.6478	0
10/29/2026	0	0	0.5853	0	0	0
10/30/2026	0	0	0.5585	0	0.6243	0
10/31/2026	0	0	0.5522	0	0.4252	0
11/1/2026	0	0	0	0	0	0
11/2/2026	0	0	0	0	0	0
11/3/2026	0	0	0	0	0	0
11/4/2026	0	0	0	0	0.04728	0
11/5/2026	0	0	0	0	0.06831	0
11/6/2026	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
11/7/2026	0	0	0	0	0	0
11/8/2026	0	0	0	0	0	0
11/9/2026	0	0	0	0	0	0
11/10/2026	0	0	0	0	0	0
11/11/2026	0	0	0	0	0	0
11/12/2026	0	0	0	0	0.04212	0
11/13/2026	0	0	0	0	0	0
11/14/2026	0	0	0	0	0.1717	0
11/15/2026	0	0	0	0	0.3005	0
11/16/2026	0	0	0	0	0.3592	0
11/17/2026	0	0	0	0	0	0
11/18/2026	0	0	0	0	0	0
11/19/2026	0	0	0	0	0	0
11/20/2026	0	0	0	0	0	0
11/21/2026	0	0	0	0	0	0
11/22/2026	0	0	0	0	0	0
11/23/2026	0	0	0	0	0	0
11/24/2026	0	0	0	0	0.06444	0
11/25/2026	0	0	0	0	0	0
11/26/2026	0	0	0	0	0.2158	0
11/27/2026	0	0	0	0	0	0
11/28/2026	0	0	0	0	0	0
11/29/2026	0	0	0	0	0	0
11/30/2026	0	0	0	0	0.08199	0
12/1/2026	0	0	0	0	0.03146	0
12/2/2026	0	0	0	0	0	0
12/3/2026	0	0	0	0	0	0
12/4/2026	0	0	0	0	0	0
12/5/2026	0	0	0	0	0	0
12/6/2026	0	0	0	0	0.02587	0
12/7/2026	0	0	0	0	0.03623	0
12/8/2026	0	0	0	0	0	0
12/9/2026	0	0	0	0	0	0
12/10/2026	0	0	0	0	0	0
12/11/2026	0	0	0	0	0	0
12/12/2026	0	0	0	0	0	0
12/13/2026	0	0	0	0	0	0
12/14/2026	0	0	0	0	0	0
12/15/2026	0	0	0	0	0.05132	0
12/16/2026	0	0	0	0	0	0
12/17/2026	0	0	0	0	0.03445	0
12/18/2026	0	0	0	0	0	0
12/19/2026	0	0	0	0	0	0
12/20/2026	0	0	0	0	0	0
12/21/2026	0	0	0	0	0	0
12/22/2026	0	0	0	0	0	0
12/23/2026	0	0	0	0	0	0
12/24/2026	0	0	0	0	0	0
12/25/2026	0	0	0	0	0	0
12/26/2026	0	0	0	0	0	0
12/27/2026	0	0	0	0	0	0
12/28/2026	0	0	0	0	0	0
12/29/2026	0	0	0	0	0	0
12/30/2026	0	0	0	0	0	0
12/31/2026	0	0	0	0	0	0
1/1/2027	0	0	0	0	0	0
1/2/2027	0	0	0	0	0	0
1/3/2027	0	0	0	0	0	0
1/4/2027	0	0	0	0	0	0
1/5/2027	0	0	0	0	0	0
1/6/2027	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
1/7/2027	0	0	0	0	0	0
1/8/2027	0	0	0	0	0	0
1/9/2027	0	0	0	0	0	0
1/10/2027	0	0	0	0	0	0
1/11/2027	0	0	0	0	0	0
1/12/2027	0	0	0	0	0	0
1/13/2027	0	0	0	0	0	0
1/14/2027	0	0	0	0	0	0
1/15/2027	0	0	0	0	0	0
1/16/2027	0	0	0	0	0	0
1/17/2027	0	0	0	0	0	0
1/18/2027	0	0	0	0	0	0
1/19/2027	0	0	0	0	0.003	0
1/20/2027	0	0	0	0	0.09711	0
1/21/2027	0	0	0	0	0	0
1/22/2027	0	0	0	0	0	0
1/23/2027	0	0	0	0	0	0
1/24/2027	0	0	0	0	0	0
1/25/2027	0	0	0	0	0	0
1/26/2027	0	0	0	0	0	0
1/27/2027	0	0	0	0	0	0
1/28/2027	0	0	0	0	0	0
1/29/2027	0	0	0	0	0	0
1/30/2027	0	0	0	0	0	0
1/31/2027	0	0	0	0	0	0
2/1/2027	0	0	0	0	0	0
2/2/2027	0	0	0	0	0	0
2/3/2027	0	0	0	0	0	0
2/4/2027	0	0	0	0	0	0
2/5/2027	0	0	0	0	0	0
2/6/2027	0	0	0	0	0	0
2/7/2027	0	0	0	0	0	0
2/8/2027	0	0	0	0	0	0
2/9/2027	0	0	0	0	0	0
2/10/2027	0	0	0	0	0	0
2/11/2027	0	0	0	0	0	0
2/12/2027	0	0	0	0	0	0
2/13/2027	0	0	0	0	0	0
2/14/2027	0	0	0	0	0	0
2/15/2027	0	0	0	0	0	0
2/16/2027	0	0	0	0	0	0
2/17/2027	0	0	0	0	0	0
2/18/2027	0	0	0	0	0	0
2/19/2027	0	0	0	0	0	0
2/20/2027	0	0	0	0	0	0
2/21/2027	0	0	0	0	0	0
2/22/2027	0	0	0	0	0	0
2/23/2027	0	0	0	0	0	0
2/24/2027	0	0	0	0	0	0
2/25/2027	0	0	0	0	0	0
2/26/2027	0	0	0	0	0	0
2/27/2027	0	0	0	0	0	0
2/28/2027	0	0	0	0	0	0
3/1/2027	0	0	0	0	0	0
3/2/2027	0	0	0	0	0	0
3/3/2027	0	0	0	0	0	0
3/4/2027	0	0	0	0	0	0
3/5/2027	0	0	0	0	0	0
3/6/2027	0	0	0	0	0	0
3/7/2027	0	0	0	0	0	0
3/8/2027	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
3/9/2027	0	0	0	0	0	0
3/10/2027	0	0	0	0	0	0
3/11/2027	0	0	0	0	0	0
3/12/2027	0	0	0	0	0	0
3/13/2027	0	0	0	0	0	0
3/14/2027	0	0	0	0	0	0
3/15/2027	0	0	0	0	0	0
3/16/2027	0	0	0	0	0	0
3/17/2027	0	0	0	0	0	0
3/18/2027	0	0	0	0	0	0
3/19/2027	0	0	0	0	0	0
3/20/2027	0	0	0	0	0	0
3/21/2027	0	0	0	0	0	0
3/22/2027	0	0	0	0	0	0
3/23/2027	0	0	0	0	1.292	0
3/24/2027	0	0	0	0	3.226	0
3/25/2027	0	0	0	0	1.891	0
3/26/2027	0	0	0	0	0.5578	0
3/27/2027	0	0	0	0	0	0
3/28/2027	0	0	0	0	0	0
3/29/2027	0	0	0	0	0	0
3/30/2027	0	0	0	0	0	0
3/31/2027	0	0	0	0	0	0
4/1/2027	0	0	0	0	1.421	0
4/2/2027	0	0	0	0	2.178	0
4/3/2027	0	0	0	0	0	0
4/4/2027	0	0	0	0	0	0
4/5/2027	0	0	0	0	0	0
4/6/2027	0	0	0	0	0	0
4/7/2027	0	0	0	0	0	0
4/8/2027	0	0	0	0	0	0
4/9/2027	0	0	0	0	0	0
4/10/2027	0	0	0	0	0	0
4/11/2027	0	0	0	0	0	0
4/12/2027	0	0	0	0	0	0
4/13/2027	0	0	0	0	0	0
4/14/2027	0	0	0	0	0.6718	0
4/15/2027	0	0	0	0	2.442	0
4/16/2027	0	0	0	0	2.351	0
4/17/2027	0	0	0	0	1.642	0
4/18/2027	0	0	0	0	1.095	0
4/19/2027	0	0	0	0	0.8244	0
4/20/2027	0	0	0	0	0	0
4/21/2027	0	0	0	0	0	0
4/22/2027	0	0	0	0	0	0
4/23/2027	0	0	0	0	0	0
4/24/2027	0	0	0	0	0	0
4/25/2027	0	0	0	0	0	0
4/26/2027	0	0	0	0	0	0
4/27/2027	0	0	0	0	0	0
4/28/2027	0	0	0	0	1.518	0
4/29/2027	0	0	0	0	0	0
4/30/2027	0	0	0	0	0	0
5/1/2027	0	0	0	0	1.12	0
5/2/2027	0	0	0	0	4.063	0
5/3/2027	0	0	0	0	4.941	0
5/4/2027	0	0	0	0	5.567	0
5/5/2027	0	0	0	0	2.667	0
5/6/2027	0	0	0	0	4.774	0
5/7/2027	0	0	0	0	4.823	0
5/8/2027	0	0	0	0	4.745	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
5/9/2027	0	0	0	0	7.158	0
5/10/2027	0	0	0	0	8.268	0
5/11/2027	0	0	0	0	8.074	0
5/12/2027	0	0	0	0	8.029	0
5/13/2027	0	0	0	0	7.321	0
5/14/2027	0	0	0	0	8.341	0
5/15/2027	0	0	0	7.798	6.572	0
5/16/2027	0	0	0	8.595	7.924	0
5/17/2027	0	0	0	22.81	8.201	0
5/18/2027	0	0	0	1.593	9.207	0
5/19/2027	0	0	0	0	8.891	0
5/20/2027	0	0	0	0	9.131	0
5/21/2027	0	0	0	6.603	9.521	0
5/22/2027	0	0	0	12.18	10.26	0
5/23/2027	0	0	0	15.36	9.908	0
5/24/2027	0	0	0	20.08	9.345	0
5/25/2027	0	0	0	21.85	9.588	0
5/26/2027	0	0	0	3.918	9.976	0
5/27/2027	0	0	0	8.835	9.073	0
5/28/2027	0	0	0	5.346	8.992	0
5/29/2027	0	0	0	18.16	9.99	0
5/30/2027	0	0	0	25.61	11.37	0
5/31/2027	0	0	0	34.15	12.3	0
6/1/2027	0	0	250	37.85	12.15	0
6/2/2027	0	0	250	32.7	12.99	0
6/3/2027	0	0	250	16.69	10.34	0
6/4/2027	0	0	250	21.14	11.55	0
6/5/2027	0	0	250	22.42	11.4	0
6/6/2027	0	0	250	29.41	12.04	0
6/7/2027	0	0	250	48.16	13.02	0
6/8/2027	0	0	250	50.32	11.3	0
6/9/2027	0	0	250	31.98	11.9	0
6/10/2027	0	0	250	23.13	12.02	0
6/11/2027	0	0	250	27.52	11.99	0
6/12/2027	0	0	250	14.36	11.19	0
6/13/2027	0	0	250	15.55	11.14	0
6/14/2027	0	0	250	31.8	12.27	0
6/15/2027	0	0	250	45.37	12.99	0
6/16/2027	0	0	250	33.8	12.42	0
6/17/2027	0	0	250	43.37	13.27	0
6/18/2027	0	0	250	20.18	13.72	0
6/19/2027	0	0	250	1.496	13.52	0
6/20/2027	0	0	250	1.496	13.79	0
6/21/2027	0	0	250	1.496	16.11	0
6/22/2027	0	0	250	0	13.6	0
6/23/2027	0	0	250	0	12.36	0
6/24/2027	0	0	250	0	13.62	0
6/25/2027	0	0	250	0	13.36	0
6/26/2027	0	0	250	0	13.83	0
6/27/2027	0	0	250	0	17.25	0
6/28/2027	0	0	250	0	20.97	0
6/29/2027	0	0	250	0	33.43	0
6/30/2027	0	0	250	0	57.15	0
7/1/2027	0	0	500	0	14.52	0
7/2/2027	0	0	500	0	14.67	0
7/3/2027	0	0	500	0	24.45	0
7/4/2027	0	0	500	0	19.44	0
7/5/2027	0	0	103.3	0	14.16	0
7/6/2027	0	0	11.49	1.496	14.53	0
7/7/2027	0	0	14.99	152.2	14.58	0
7/8/2027	0	0	500	51.51	15.03	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
7/9/2027	0	0	500	2.697	15.05	0
7/10/2027	0	0	500	0	14.88	0
7/11/2027	0	0	335.3	0	15.08	0
7/12/2027	0	0	79.62	1.496	16.03	0
7/13/2027	0	0	73.39	0	16.24	0
7/14/2027	0	0	70.95	0	16.19	0
7/15/2027	0	0	64.39	0	23.36	0
7/16/2027	0	0	57.27	0	16.23	0
7/17/2027	0	0	14.35	0	17.16	0
7/18/2027	0	0	14	0	19.55	0
7/19/2027	0	0	13.77	0	16.97	0
7/20/2027	0	0	13.5	0	16.53	0
7/21/2027	0	0	13.26	1.495	16.62	0
7/22/2027	0	0	13.51	21	14.7	0
7/23/2027	0	0	114.9	38.29	14.12	0
7/24/2027	0	0	271.8	4.731	13.38	0
7/25/2027	0	0	23.46	162.4	14.21	0
7/26/2027	0	0	500	5.748	14.09	0
7/27/2027	0	0	500	0	15.97	0
7/28/2027	0	0	500	12.87	13.84	0
7/29/2027	0	0	149	1.68	12.37	0
7/30/2027	0	0	88.24	0	12.8	0
7/31/2027	0	0	80.56	0	13.48	0
8/1/2027	0	0	78.32	0	14.67	0
8/2/2027	0	0	72.28	0	17.43	0
8/3/2027	0	0	65.19	0	15.08	0
8/4/2027	0	0	58.84	0	14.76	0
8/5/2027	0	0	53.01	1.496	14.02	0
8/6/2027	0	0	13.48	1.496	12.13	0
8/7/2027	0	0	13.16	0	12.57	0
8/8/2027	0	0	14.07	47.44	12.45	0
8/9/2027	0	0	326.1	170.5	12.55	0
8/10/2027	0	0	500	30.15	10.03	0
8/11/2027	0	0	500	1.496	10.82	0
8/12/2027	0	0	500	2.697	10.74	0
8/13/2027	0	0	482	2.697	11.94	0
8/14/2027	0	0	115.7	0	14.3	0
8/15/2027	0	0	92.99	0	11.95	0
8/16/2027	0	0	91.42	1.496	11.62	0
8/17/2027	0	0	87.38	0	14.82	0
8/18/2027	0	0	80.19	0	12.39	0
8/19/2027	0	0	73.13	0	11.18	0
8/20/2027	0	0	67.97	51.51	10.21	0
8/21/2027	0	0	405.3	1.68	10.23	0
8/22/2027	0	0	56.29	0	9.579	0
8/23/2027	0	0	57.12	14.9	9.447	0
8/24/2027	0	0	118.2	7.782	9.999	0
8/25/2027	0	0	81.23	1.496	8.903	0
8/26/2027	0	0	14.5	1.496	9.212	0
8/27/2027	0	0	14.79	3.714	8.993	0
8/28/2027	0	0	15	15.92	8.279	0
8/29/2027	0	0	95.15	1.496	8.018	0
8/30/2027	0	0	14.2	6.765	7.959	0
8/31/2027	0	0	26.4	1.496	7.376	0
9/1/2027	0	0	13.94	1.496	7.429	0
9/2/2027	0	0	13.7	1.68	7.513	0
9/3/2027	0	0	13.55	6.481	7.221	0
9/4/2027	0	0	16.81	4.447	7.419	0
9/5/2027	0	0	16.68	2.228	7.276	0
9/6/2027	0	0	12.64	1.68	6.743	0
9/7/2027	0	0	12.35	0	6.391	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
9/8/2027	0	0	12.9	31.9	6.142	0
9/9/2027	0	0	210.7	2.413	6.269	0
9/10/2027	0	0	11.65	0.7328	5.787	0
9/11/2027	0	0	12.82	21.39	4.691	0
9/12/2027	0	0	140	8.818	5.129	0
9/13/2027	0	0	59.04	0	5.709	0
9/14/2027	0	0	13.69	0.7328	5.132	0
9/15/2027	0	0	14.48	4.227	5.659	0
9/16/2027	0	0	0.6316	0	4.65	0
9/17/2027	0	0	0.6463	0	4.328	0
9/18/2027	0	0	2.558	0	4.33	0
9/19/2027	0	0	77.88	3.713	4.333	0
9/20/2027	0	0	32.47	0	4.918	0
9/21/2027	0	0	14.56	4.731	4.911	0
9/22/2027	0	0	14.38	0.7328	4.345	0
9/23/2027	0	0	14.23	3.026	4.172	0
9/24/2027	0	0	0.6052	0	3.957	0
9/25/2027	0	0	0.6004	0	3.656	0
9/26/2027	0	0	0.605	0	3.191	0
9/27/2027	0	0	0.601	0	3.134	0
9/28/2027	0	0	0.5926	0	3.245	0
9/29/2027	0	0	0.5955	0	2.871	0
9/30/2027	0	0	92.63	67.67	3.035	0
10/1/2027	0	0	250	0	2.96	0
10/2/2027	0	0	250	0	2.077	0
10/3/2027	0	0	72.95	0	2.679	0
10/4/2027	0	0	4.014	0	2.635	0
10/5/2027	0	0	2.98	0	2.318	0
10/6/2027	0	0	3.029	0	1.785	0
10/7/2027	0	0	3.029	0	1.25	0
10/8/2027	0	0	2.968	0	1.643	0
10/9/2027	0	0	2.888	0	1.667	0
10/10/2027	0	0	2.788	0	1.719	0
10/11/2027	0	0	2.668	0	1.964	0
10/12/2027	0	0	0.6928	0	1.96	0
10/13/2027	0	0	0.6923	0	2.008	0
10/14/2027	0	0	0.6996	0	1.617	0
10/15/2027	0	0	0.6942	0	1.642	0
10/16/2027	0	0	0.6879	0	1.626	0
10/17/2027	0	0	0.6839	0	1.458	0
10/18/2027	0	0	0.6794	0	1.263	0
10/19/2027	0	0	0.678	0	0.9107	0
10/20/2027	0	0	0.6731	0	0.6744	0
10/21/2027	0	0	0.6572	0	0.864	0
10/22/2027	0	0	0.6496	0	0.7077	0
10/23/2027	0	0	0.6421	0	0.5385	0
10/24/2027	0	0	0.6183	0	1.025	0
10/25/2027	0	0	0.6001	0	1.283	0
10/26/2027	0	0	0.6021	0	0.7287	0
10/27/2027	0	0	0.5857	0	0.9179	0
10/28/2027	0	0	0.5807	0	0.6478	0
10/29/2027	0	0	0.5853	0	0	0
10/30/2027	0	0	0.5585	0	0.6243	0
10/31/2027	0	0	0.5522	0	0.4252	0
11/1/2027	0	0	0	0	0	0
11/2/2027	0	0	0	0	0	0
11/3/2027	0	0	0	0	0	0
11/4/2027	0	0	0	0	0.04728	0
11/5/2027	0	0	0	0	0.06831	0
11/6/2027	0	0	0	0	0	0
11/7/2027	0	0	0	0	0	0

Date	SP1 - Water Balance					
	Inflow				Outflow	
	SP3 to SP1	TIRIO1 to SP1	P3 to SP1	Rain and Snowmelt	CP5 Pond Surface Evaporation	To SETP
	m3	m3	m3	m3	m3	m3
11/8/2027	0	0	0	0	0	0
11/9/2027	0	0	0	0	0	0
11/10/2027	0	0	0	0	0	0
11/11/2027	0	0	0	0	0	0
11/12/2027	0	0	0	0	0.04212	0
11/13/2027	0	0	0	0	0	0
11/14/2027	0	0	0	0	0.1717	0
11/15/2027	0	0	0	0	0.3005	0
11/16/2027	0	0	0	0	0.3592	0
11/17/2027	0	0	0	0	0	0
11/18/2027	0	0	0	0	0	0
11/19/2027	0	0	0	0	0	0
11/20/2027	0	0	0	0	0	0
11/21/2027	0	0	0	0	0	0
11/22/2027	0	0	0	0	0	0
11/23/2027	0	0	0	0	0	0
11/24/2027	0	0	0	0	0.06444	0
11/25/2027	0	0	0	0	0	0
11/26/2027	0	0	0	0	0.2158	0
11/27/2027	0	0	0	0	0	0
11/28/2027	0	0	0	0	0	0
11/29/2027	0	0	0	0	0	0
11/30/2027	0	0	0	0	0.08199	0
12/1/2027	0	0	0	0	0.03146	0
12/2/2027	0	0	0	0	0	0
12/3/2027	0	0	0	0	0	0
12/4/2027	0	0	0	0	0	0
12/5/2027	0	0	0	0	0	0
12/6/2027	0	0	0	0	0.02587	0
12/7/2027	0	0	0	0	0.03623	0
12/8/2027	0	0	0	0	0	0
12/9/2027	0	0	0	0	0	0
12/10/2027	0	0	0	0	0	0
12/11/2027	0	0	0	0	0	0
12/12/2027	0	0	0	0	0	0
12/13/2027	0	0	0	0	0	0
12/14/2027	0	0	0	0	0	0
12/15/2027	0	0	0	0	0.05132	0
12/16/2027	0	0	0	0	0	0
12/17/2027	0	0	0	0	0.03445	0
12/18/2027	0	0	0	0	0	0
12/19/2027	0	0	0	0	0	0
12/20/2027	0	0	0	0	0	0
12/21/2027	0	0	0	0	0	0
12/22/2027	0	0	0	0	0	0
12/23/2027	0	0	0	0	0	0
12/24/2027	0	0	0	0	0	0
12/25/2027	0	0	0	0	0	0
12/26/2027	0	0	0	0	0	0
12/27/2027	0	0	0	0	0	0
12/28/2027	0	0	0	0	0	0
12/29/2027	0	0	0	0	0	0
12/30/2027	0	0	0	0	0	0
12/31/2027	0	0	0	0	0	0

Date	SP4 - Water Balance								
	Inflow					Outflow			
	SP4 Pitwall Runoff	TIRI01 Natural to SP4	UG to SP4	TIRI01 to SP4	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SETP	To TIRI01	
m3	m3	m3	m3	m3	m3	m3	m3	m3	
3/28/2019	0	0	0	0	0	0	0	0	
3/29/2019	0	0	0	0	0	0	0	0	
3/30/2019	0	0	0	0	0	0	0	0	
3/31/2019	0	0	0	0	0	0	0	0	
4/1/2019	0	0	0	0	0	0.04503	0	0	
4/2/2019	0	0	0	0	0	0.05954	0	0	
4/3/2019	0	0	0	0	0	0	0	0	
4/4/2019	0	0	0	0	0	0	0	0	
4/5/2019	0	0	0	0	0	0	0	0	
4/6/2019	0	0	0	0	0	0	0	0	
4/7/2019	0	0	0	0	0	0	0	0	
4/8/2019	0	0	0	0	0	0	0	0	
4/9/2019	0	0	0	0	0	0.05633	0	0	
4/10/2019	0	0	0	0	0	0.1112	0	0	
4/11/2019	0	0	0	0	0	0.2017	0	0	
4/12/2019	0	0	0	0	0	0.2355	0	0	
4/13/2019	0	0	0	0	0	0.2788	0	0	
4/14/2019	0	0	0	0	0	0.2229	0	0	
4/15/2019	0	0	0	0	0	0.1676	0	0	
4/16/2019	0	0	0	0	0	0.1657	0	0	
4/17/2019	0	0	0	0	0	0.1467	0	0	
4/18/2019	0	0	0	0	0	0.02938	0	0	
4/19/2019	0	0	0	0	0	0.05382	0	0	
4/20/2019	0	0	0	0	0	0	0	0	
4/21/2019	0	0	0	0	0	0	0	0	
4/22/2019	0	0	0	0	0	0	0	0	
4/23/2019	0	0	0	0	0	0.2072	0	0	
4/24/2019	0	0	0	0	0	0.1937	0	0	
4/25/2019	0	0	0	0	0	0	0	0	
4/26/2019	0	0	0	0	0	0	0	0	
4/27/2019	0	0	0	0	0	0	0	0	
4/28/2019	0	0	0	0	0	0	0	0	
4/29/2019	0	0	0	0	0	0	0	0	
4/30/2019	0	0	0	0	0	0.08328	0	0	
5/1/2019	0	0	0	0	0	0.2508	0	0	
5/2/2019	0	0	0	0	0	0.2674	0	0	
5/3/2019	0	0	0	0	0	0.3062	0	0	
5/4/2019	0	0	0	0	0	0.1844	0	0	
5/5/2019	0	0	0	0	0	0.1066	0	0	
5/6/2019	0	0	0	0	0	0.144	0	0	
5/7/2019	0	0	0	0	0	0.3137	0	0	
5/8/2019	0	0	0	0	0	0.4353	0	0	
5/9/2019	0	0	0	0	0	0.3649	0	0	
5/10/2019	0	0	0	0	0	0.3459	0	0	
5/11/2019	0	0	0	0	0	0.3406	0	0	
5/12/2019	0	0	0	0	0	0.396	0	0	
5/13/2019	0	0	0	0	0	0.3709	0	0	
5/14/2019	0	0	0	0	0	0.4259	0	0	
5/15/2019	0	0	0	0	0	0.472	0	0	
5/16/2019	0	0	0	0	0	0.4418	0	0	
5/17/2019	0	0	0	0	0	0.4776	0	0	
5/18/2019	0	0	0	0	0	0.4112	0	0	
5/19/2019	0	0	0	0	0	0.4023	0	0	
5/20/2019	0	0	0	0	0	0.4114	0	0	
5/21/2019	0	0	0	0	0	0.4327	0	0	
5/22/2019	0	0	0	0	0	0.3683	0	0	
5/23/2019	0	0	0	0	0	0.435	0	0	
5/24/2019	0	0	0	0	0	0.4151	0	0	
5/25/2019	0	0	0	0	0	0.3584	0	0	
5/26/2019	0	0	0	0	0	0.3958	0	0	
5/27/2019	0	0	0	0	0	0.5199	0	0	
5/28/2019	0	0	0	0	0	0.5197	0	0	
5/29/2019	0	0	0	0	0.1282	0.5583	0	0	
5/30/2019	0	0	0	0	0	0.4643	0	0	
5/31/2019	0	0	0	0	0.4236	0.5599	0	0	
6/1/2019	0	0	0	0	0.535	0.5989	0	0	
6/2/2019	0	0	0	0	0	0.5128	0	0	
6/3/2019	0	0	0	0	0	0.5048	0	0	
6/4/2019	0	0	0	0	0	0.4995	0	0	
6/5/2019	0	0	0	0	0.4013	0.5784	0	0	
6/6/2019	0	0	0	0	0.6242	0.6198	0	0	
6/7/2019	0	0	0	0	0.574	0.612	0	0	
6/8/2019	0	0	0	0	1.75	0.5151	0	0	
6/9/2019	0	0	0	0	1.863	0.6665	0	0	
6/10/2019	0	0	0	0	2.143	0.6881	0	0	
6/11/2019	0	0	0	0	1.558	0.6874	0	0	
6/12/2019	0	0	0	0	1.648	0.6814	0	0	
6/13/2019	0	0	0	0	2.325	0.7242	0	0	
6/14/2019	0	0	0	0	2.058	0.6942	0	0	
6/15/2019	0	0	0	0	1.299	0.6442	0	0	
6/16/2019	0	0	0	0	1.523	0.6599	0	0	
6/17/2019	0	0	0	0	0	0.5595	0	0	
6/18/2019	0	0	0	0	0	0.4648	0	0	
6/19/2019	0	0	0	0	2.598	0.7386	0	0	
6/20/2019	0	0	0	0	1.552	0.6647	0	0	
6/21/2019	0	0	0	0	3.762	0.9104	0	0	

Date	SP4 - Water Balance							
	Inflow					Outflow		
	SP4 Pitwall Runoff	TIRI01 Natural to SP4	UG to SP4	TIRI01 to SP4	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SETP	To TIRI01
m3	m3	m3	m3	m3	m3	m3	m3	m3
6/22/2019	0	0	0	0	3.997	0.9061	0	0
6/23/2019	0	0	0	0	2.384	0.7458	0	0
6/24/2019	0	0	0	0	2.026	0.7403	0	0
6/25/2019	0	0	0	0	3.024	0.7663	0	0
6/26/2019	0	0	0	0	3.698	0.8623	0	0
6/27/2019	0	0	0	0	4.652	0.878	0	0
6/28/2019	0	0	0	0	4.298	0.9059	0	0
6/29/2019	0	0	0	0	1.099	0.7966	0	0
6/30/2019	0	0	0	0	5.184	0.7276	0	0
7/1/2019	0	0	0	0	1.59	0.6834	0	0
7/2/2019	0	0	0	0	0.142	0.6764	0	0
7/3/2019	0	0	0	0	6.787	0.7346	0	0
7/4/2019	0	0	0	0	2.734	0.743	0	0
7/5/2019	0	0	0	0	0.08553	1.647	0	0
7/6/2019	0	0	0	0	0.5698	0.9396	0	0
7/7/2019	0	0	0	0	0.08545	0.7547	0	0
7/8/2019	0	0	0	0	4.299	0.7068	0	0
7/9/2019	0	0	0	0	5.762	0.7042	0	0
7/10/2019	0	0	0	0	0.08578	0.8185	0	0
7/11/2019	0	0	0	0	0.1429	0.8898	0	0
7/12/2019	0	0	0	0	0.9715	1.016	0	0
7/13/2019	0	0	0	0	0.08572	0.8727	0	0
7/14/2019	0	0	0	0	0.08569	0.9034	0	0
7/15/2019	0	0	0	0	2.398	0.8473	0	0
7/16/2019	0	0	0	0	0.4	0.9994	0	0
7/17/2019	0	0	0	0	0.5713	0.9823	0	0
7/18/2019	0	0	0	0	0	0.8957	0	0
7/19/2019	0	0	0	0	0.08564	0.9178	0	0
7/20/2019	0	0	0	0	0.1427	0.9077	0	0
7/21/2019	0	0	0	0	0	0.9348	0	0
7/22/2019	0	0	0	0	0.08553	0.9101	0	0
7/23/2019	0	0	0	0	0.0855	0.8534	0	0
7/24/2019	0	0	0	0	0	0.758	0	0
7/25/2019	0	0	0	0	0.2563	0.8004	0	0
7/26/2019	0	0	0	0	0.08541	0.7769	0	0
7/27/2019	0	0	0	0	3.984	0.6199	0	0
7/28/2019	0	0	0	0	2.252	0.6738	0	0
7/29/2019	0	0	0	0	0	0.7966	0	0
7/30/2019	0	0	0	0	0.08555	0.7481	0	0
7/31/2019	0	0	0	0	0.1425	0.7455	0	0
8/1/2019	0	0	0	0	0	0.7662	0	0
8/2/2019	0	0	0	0	0	0.9427	0	0
8/3/2019	0	0	0	0	0.1424	0.6241	0	0
8/4/2019	0	0	0	0	3.302	0.3955	0	0
8/5/2019	0	0	0	0	1.711	0.6602	0	0
8/6/2019	0	0	0	0	0.08557	0.7271	0	0
8/7/2019	0	0	0	0	0.08555	0.7697	0	0
8/8/2019	0	0	0	0	0.1995	0.7914	0	0
8/9/2019	0	0	0	0	0.1995	0.7316	0	0
8/10/2019	0	0	0	0	0.5698	0.6339	0	0
8/11/2019	0	0	0	0	5.157	0.5138	0	0
8/12/2019	0	0	0	0	2.97	0.6367	0	0
8/13/2019	0	0	0	0	1.515	0.5365	0	0
8/14/2019	0	0	0	0	0	0.6471	0	0
8/15/2019	0	0	0	0	0.08577	0.6536	0	0
8/16/2019	0	0	0	0	0	0.5978	0	0
8/17/2019	0	0	0	0	0.08573	0.5678	0	0
8/18/2019	0	0	0	0	0	0.6313	0	0
8/19/2019	0	0	0	0	0.257	0.64	0	0
8/20/2019	0	0	0	0	0	0.6448	0	0
8/21/2019	0	0	0	0	0	0.6417	0	0
8/22/2019	0	0	0	0	0	0.6074	0	0
8/23/2019	0	0	0	0	0.6276	0.6255	0	0
8/24/2019	0	0	0	0	0.08558	0.5938	0	0
8/25/2019	0	0	0	0	1.34	0.5789	0	0
8/26/2019	0	0	0	0	0.0856	0.5561	0	0
8/27/2019	0	0	0	0	0	0.5444	0	0
8/28/2019	0	0	0	0	9.953	0.3818	0	0
8/29/2019	0	0	0	0	4.727	0.5097	0	0
8/30/2019	0	0	0	0	0.08613	0.4251	0	0
8/31/2019	0	0	0	0	0.6889	0.4176	0	0
9/1/2019	0	0	0	0	1.005	0.3998	0	0
9/2/2019	0	0	0	0	0.08615	0.4303	0	0
9/3/2019	0	0	0	0	0.08614	0.4313	0	0
9/4/2019	0	0	0	0	0	0.4368	0	0
9/5/2019	0	0	0	0	0	0.428	0	0
9/6/2019	0	0	0	0	0.3443	0.4034	0	0
9/7/2019	0	0	0	0	0	0.3883	0	0
9/8/2019	0	0	0	0	0	0.3771	0	0
9/9/2019	0	0	0	0	0	0.3938	0	0
9/10/2019	0	0	0	0	0.5736	0.4079	0	0
9/11/2019	0	0	0	0	0.08604	0.4309	0	0
9/12/2019	0	0	0	0	0	0.4476	0	0
9/13/2019	0	0	0	0	0	0.4279	0	0
9/14/2019	0	0	0	0	0.08599	0.4093	0	0
9/15/2019	0	0	0	0	4.528	0.3136	0	0

Date	SP4 - Water Balance								
	Inflow					Outflow			
	SP4 Pitwall Runoff	TIRI01 Natural to SP4	UG to SP4	TIRI01 to SP4	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SETP	To TIRI01	
m3	m3	m3	m3	m3	m3	m3	m3	m3	
3/6/2020	0	0	0	0	0	0	0	0	
3/7/2020	0	0	0	0	0	0	0	0	
3/8/2020	0	0	0	0	0	0	0	0	
3/9/2020	0	0	0	0	0	0	0	0	
3/10/2020	0	0	0	0	0	0	0	0	
3/11/2020	0	0	0	0	0	0	0	0	
3/12/2020	0	0	0	0	0	0	0	0	
3/13/2020	0	0	0	0	0	0	0	0	
3/14/2020	0	0	0	0	0	0	0	0	
3/15/2020	0	0	0	0	0	0.008381	0	0	
3/16/2020	0	0	0	0	0	0	0	0	
3/17/2020	0	0	0	0	0	0	0	0	
3/18/2020	0	0	0	0	0	0	0	0	
3/19/2020	0	0	0	0	0	0	0	0	
3/20/2020	0	0	0	0	0	0	0	0	
3/21/2020	0	0	0	0	0	0	0	0	
3/22/2020	0	0	0	0	0	0.05408	0	0	
3/23/2020	0	0	0	0	0	0	0	0	
3/24/2020	0	0	0	0	0	0	0	0	
3/25/2020	0	0	0	0	0	0	0	0	
3/26/2020	0	0	0	0	0	0	0	0	
3/27/2020	0	0	0	0	0	0	0	0	
3/28/2020	0	0	0	0	0	0	0	0	
3/29/2020	0	0	0	0	0	0	0	0	
3/30/2020	0	0	0	0	0	0	0	0	
3/31/2020	0	0	0	0	0	0	0	0	
4/1/2020	0	0	0	0	0	0	0	0	
4/2/2020	0	0	0	0	0	0.09457	0	0	
4/3/2020	0	0	0	0	0	0.08135	0	0	
4/4/2020	0	0	0	0	0	0.07996	0	0	
4/5/2020	0	0	0	0	0	0.1027	0	0	
4/6/2020	0	0	0	0	0	0.04731	0	0	
4/7/2020	0	0	0	0	0	0.02889	0	0	
4/8/2020	0	0	0	0	0	0.09855	0	0	
4/9/2020	0	0	0	0	0	0.04727	0	0	
4/10/2020	0	0	0	0	0	0.0244	0	0	
4/11/2020	0	0	0	0	0	0.01186	0	0	
4/12/2020	0	0	0	0	0	0	0	0	
4/13/2020	0	0	0	0	0	0	0	0	
4/14/2020	0	0	0	0	0	0	0	0	
4/15/2020	0	0	0	0	0	0.002074	0	0	
4/16/2020	0	0	0	0	0	0	0	0	
4/17/2020	0	0	0	0	0	0	0	0	
4/18/2020	0	0	0	0	0	0	0	0	
4/19/2020	0	0	0	0	0	0	0	0	
4/20/2020	0	0	0	0	0	0	0	0	
4/21/2020	0	0	0	0	0	0	0	0	
4/22/2020	0	0	0	0	0	0.04615	0	0	
4/23/2020	0	0	0	0	0	0.1852	0	0	
4/24/2020	0	0	0	0	0	0.09673	0	0	
4/25/2020	0	0	0	0	0	0.07156	0	0	
4/26/2020	0	0	0	0	0	0.141	0	0	
4/27/2020	0	0	0	0	0	0	0	0	
4/28/2020	0	0	0	0	0	0	0	0	
4/29/2020	0	0	0	0	0	0.2349	0	0	
4/30/2020	0	0	0	0	0	0.3542	0	0	
5/1/2020	0	0	0	0	0	0.2168	0	0	
5/2/2020	0	0	0	0	0	0.1184	0	0	
5/3/2020	0	0	0	0	0	0.269	0	0	
5/4/2020	0	0	0	0	0	0.4141	0	0	
5/5/2020	0	0	0	0	0	0.1769	0	0	
5/6/2020	0	0	0	0	0	0.2234	0	0	
5/7/2020	0	0	0	0	0	0.3095	0	0	
5/8/2020	0	0	0	0	0	0.2587	0	0	
5/9/2020	0	0	0	0	0	0.1653	0	0	
5/10/2020	0	0	0	0	0	0.162	0	0	
5/11/2020	0	0	0	0	0	0.2566	0	0	
5/12/2020	0	0	0	0	0	0.2606	0	0	
5/13/2020	0	0	0	0	0	0.2131	0	0	
5/14/2020	0	0	0	0	0	0.1998	0	0	
5/15/2020	0	0	0	0	0	0.2537	0	0	
5/16/2020	0	0	0	0	0	0.4469	0	0	
5/17/2020	0	0	0	0	0	0.5031	0	0	
5/18/2020	0	0	0	0	0	0.3955	0	0	
5/19/2020	0	0	0	0	0	0.3951	0	0	
5/20/2020	0	0	0	0	0	0.4041	0	0	
5/21/2020	0	0	0	0	0	0.3879	0	0	
5/22/2020	0	0	0	0	0	0.3672	0	0	
5/23/2020	0	0	0	0	0	0.4621	0	0	
5/24/2020	0	0	0	0	0	0.4496	0	0	
5/25/2020	0	0	0	0	0	0.4651	0	0	
5/26/2020	0	0	0	0	0	0.3213	0	0	
5/27/2020	0	0	0	0	0	0.3288	0	0	
5/28/2020	0	0	0	0	0	0.4726	0	0	
5/29/2020	0	0	0	0	0	0.4358	0	0	
5/30/2020	0	0	0	0	0	0.4717	0	0	

Date	SP4 - Water Balance								
	Inflow					Outflow			
	SP4 Pitwall Runoff	TIRI01 Natural to SP4	UG to SP4	TIRI01 to SP4	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SETP	To TIRI01	
m3	m3	m3	m3	m3	m3	m3	m3	m3	
5/31/2020	0	0	0	0	0	0.4729	0	0	
6/1/2020	0	0	0	0	0	0.4385	0	0	
6/2/2020	0	0	0	0	0	0.4431	0	0	
6/3/2020	0	0	0	0	0.09213	0.5089	0	0	
6/4/2020	0	0	0	0	0	0.5519	0	0	
6/5/2020	0	0	0	0	0	0.5638	0	0	
6/6/2020	0	0	0	0	1.041	0.5958	0	0	
6/7/2020	0	0	0	0	0.1669	0.4516	0	0	
6/8/2020	0	0	0	0	0.4891	0.5925	0	0	
6/9/2020	0	0	0	0	0.397	0.6146	0	0	
6/10/2020	0	0	0	0	1.225	0.6594	0	0	
6/11/2020	0	0	0	0	2.072	0.7537	0	0	
6/12/2020	0	0	0	0	3.317	0.8438	0	0	
6/13/2020	0	0	0	0	4.705	0.9327	0	0	
6/14/2020	0	0	0	0	3.096	0.8302	0	0	
6/15/2020	0	0	0	0	2.776	0.8048	0	0	
6/16/2020	0	0	0	0	2.037	0.7277	0	0	
6/17/2020	0	0	0	0	3.568	0.8655	0	0	
6/18/2020	0	0	0	0	3.137	0.9578	0	0	
6/19/2020	0	0	0	0	0	1.064	0	0	
6/20/2020	0	0	0	0	0	1.019	0	0	
6/21/2020	0	0	0	0	0	1.01	0	0	
6/22/2020	0	0	0	0	0	1.034	0	0	
6/23/2020	0	0	0	0	0	1.207	0	0	
6/24/2020	0	0	0	0	0.2027	0.9884	0	0	
6/25/2020	0	0	0	0	0.08682	0.8836	0	0	
6/26/2020	0	0	0	0	1.215	0.6066	0	0	
6/27/2020	0	0	0	0	0	0.7475	0	0	
6/28/2020	0	0	0	0	0	0.9722	0	0	
6/29/2020	0	0	0	0	0	1.077	0	0	
6/30/2020	0	0	0	0	0	1.13	0	0	
7/1/2020	0	0	0	0	0	1.216	0	0	
7/2/2020	0	0	0	0	0	1.108	0	0	
7/3/2020	0	0	0	0	0	1.037	0	0	
7/4/2020	0	0	0	0	0	0.9314	0	0	
7/5/2020	0	0	0	0	0	0.9392	0	0	
7/6/2020	0	0	0	0	0	0.8522	0	0	
7/7/2020	0	0	0	0	1.094	0.8832	0	0	
7/8/2020	0	0	0	0	0.0864	0.9072	0	0	
7/9/2020	0	0	0	0	0.08637	0.9321	0	0	
7/10/2020	0	0	0	0	0	1.097	0	0	
7/11/2020	0	0	0	0	0	1.113	0	0	
7/12/2020	0	0	0	0	0	0.9651	0	0	
7/13/2020	0	0	0	0	0	0.811	0	0	
7/14/2020	0	0	0	0	0.08617	0.8402	0	0	
7/15/2020	0	0	0	0	0.08614	0.8	0	0	
7/16/2020	0	0	0	0	1.205	1.065	0	0	
7/17/2020	0	0	0	0	0.08611	0.8934	0	0	
7/18/2020	0	0	0	0	0	1.091	0	0	
7/19/2020	0	0	0	0	0	1.047	0	0	
7/20/2020	0	0	0	0	0	1.119	0	0	
7/21/2020	0	0	0	0	0	1.122	0	0	
7/22/2020	0	0	0	0	0	1.01	0	0	
7/23/2020	0	0	0	0	0	1.057	0	0	
7/24/2020	0	0	0	0	0.08581	0.9588	0	0	
7/25/2020	0	0	0	0	0.08577	0.7815	0	0	
7/26/2020	0	0	0	0	0	0.7384	0	0	
7/27/2020	0	0	0	0	0	0.9261	0	0	
7/28/2020	0	0	0	0	0	0.9447	0	0	
7/29/2020	0	0	0	0	0.08563	0.8757	0	0	
7/30/2020	0	0	0	0	0.0856	1.049	0	0	
7/31/2020	0	0	0	0	0	0.7412	0	0	
8/1/2020	0	0	0	0	0	0.9887	0	0	
8/2/2020	0	0	0	0	0	1.004	0	0	
8/3/2020	0	0	0	0	0	1.034	0	0	
8/4/2020	0	0	0	0	0	1.037	0	0	
8/5/2020	0	0	0	0	0.1423	1.026	0	0	
8/6/2020	0	0	0	0	0	0.9849	0	0	
8/7/2020	0	0	0	0	0	0.768	0	0	
8/8/2020	0	0	0	0	0.08525	0.7561	0	0	
8/9/2020	0	0	0	0	0.8522	0.6058	0	0	
8/10/2020	0	0	0	0	0.08523	0.679	0	0	
8/11/2020	0	0	0	0	0	0.7854	0	0	
8/12/2020	0	0	0	0	0	0.8667	0	0	
8/13/2020	0	0	0	0	0.08514	0.6487	0	0	
8/14/2020	0	0	0	0	0.9079	0.615	0	0	
8/15/2020	0	0	0	0	0	0.7807	0	0	
8/16/2020	0	0	0	0	0.624	0.7758	0	0	
8/17/2020	0	0	0	0	0.08509	0.7527	0	0	
8/18/2020	0	0	0	0	0	0.5551	0	0	
8/19/2020	0	0	0	0	0	0.6677	0	0	
8/20/2020	0	0	0	0	3.372	0.4684	0	0	
8/21/2020	0	0	0	0	0.9081	0.5881	0	0	
8/22/2020	0	0	0	0	0	0.4399	0	0	
8/23/2020	0	0	0	0	0	0.6325	0	0	
8/24/2020	0	0	0	0	0	0.6476	0	0	

Date	SP4 - Water Balance							
	Inflow					Outflow		
	SP4 Pitwall Runoff	TIRI01 Natural to SP4	UG to SP4	TIRI01 to SP4	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SETP	To TIRI01
m3	m3	m3	m3	m3	m3	m3	m3	m3
8/25/2020	0	0	0	0	0	0.6463	0	0
8/26/2020	0	0	0	0	0	0.5604	0	0
8/27/2020	0	0	0	0	0.08502	0.4623	0	0
8/28/2020	0	0	0	0	0	0.5292	0	0
8/29/2020	0	0	0	0	0.08498	0.5389	0	0
8/30/2020	0	0	0	0	0	0.4595	0	0
8/31/2020	0	0	0	0	2.831	0.2993	0	0
9/1/2020	0	0	0	0	5.075	0.2853	0	0
9/2/2020	0	0	0	0	1.307	0.4199	0	0
9/3/2020	0	0	0	0	1.194	0.4598	0	0
9/4/2020	0	0	0	0	1.251	0.4523	0	0
9/5/2020	0	0	0	0	1.792	0.3264	0	0
9/6/2020	0	0	0	0	3.018	0.3539	0	0
9/7/2020	0	0	0	0	0.08552	0.3981	0	0
9/8/2020	0	0	0	0	0	0.3517	0	0
9/9/2020	0	0	0	0	1.14	0.3493	0	0
9/10/2020	0	0	0	0	0.3421	0.3752	0	0
9/11/2020	0	0	0	0	0	0.3327	0	0
9/12/2020	0	0	0	0	0	0.3575	0	0
9/13/2020	0	0	0	0	1.881	0.3931	0	0
9/14/2020	0	0	0	0	0.08556	0.299	0	0
9/15/2020	0	0	0	0	1.055	0.3284	0	0
9/16/2020	0	0	0	0	1.227	0.3008	0	0
9/17/2020	0	0	0	0	0.02854	0.2737	0	0
9/18/2020	0	0	0	0	0.02854	0.3008	0	0
9/19/2020	0	0	0	0	0	0.3504	0	0
9/20/2020	0	0	0	0	0	0.3486	0	0
9/21/2020	0	0	0	0	0.08557	0.2187	0	0
9/22/2020	0	0	0	0	0.08557	0.253	0	0
9/23/2020	0	0	0	0	0.08556	0.2544	0	0
9/24/2020	0	0	0	0	0	0.3178	0	0
9/25/2020	0	0	0	0	0.08554	0.1807	0	0
9/26/2020	0	0	0	0	0	0.1613	0	0
9/27/2020	0	0	0	0	0	0.2559	0	0
9/28/2020	0	0	0	0	0.9122	0.2389	0	0
9/29/2020	0	0	0	0	0.1426	0.19	0	0
9/30/2020	0	0	0	0	0.02851	0.1986	0	0
10/1/2020	0	0	0	0	0	0.1942	0	0
10/2/2020	0	0	0	0	0.1425	0.1652	0	0
10/3/2020	0	0	0	0	0.02851	0.1487	0	0
10/4/2020	0	0	0	0	0.02851	0.1445	0	0
10/5/2020	0	0	0	0	0	0.1365	0	0
10/6/2020	0	0	0	0	0	0.1296	0	0
10/7/2020	0	0	0	0	0	0.1277	0	0
10/8/2020	0	0	0	0	0	0.1478	0	0
10/9/2020	0	0	0	0	0	0.1363	0	0
10/10/2020	0	0	0	0	0	0.08745	0	0
10/11/2020	0	0	0	0	0.4274	0.143	0	0
10/12/2020	0	0	0	0	3.277	0.103	0	0
10/13/2020	0	0	0	0	0.2569	0.1095	0	0
10/14/2020	0	0	0	0	0.6565	0.1089	0	0
10/15/2020	0	0	0	0	0.4854	0.1049	0	0
10/16/2020	0	0	0	0	0.02856	0.1109	0	0
10/17/2020	0	0	0	0	0.02856	0.0997	0	0
10/18/2020	0	0	0	0	0	0.1056	0	0
10/19/2020	0	0	0	0	0	0.07744	0	0
10/20/2020	0	0	0	0	0	0.07023	0	0
10/21/2020	0	0	0	0	0	0.07328	0	0
10/22/2020	0	0	0	0	0	0.06006	0	0
10/23/2020	0	0	0	0	0	0.05315	0	0
10/24/2020	0	0	0	0	0	0.0483	0	0
10/25/2020	0	0	0	0	0	0.04726	0	0
10/26/2020	0	0	0	0	0	0.04307	0	0
10/27/2020	0	0	0	0	0	0.04744	0	0
10/28/2020	0	0	0	0	0	0.02696	0	0
10/29/2020	0	0	0	0	0	0.0239	0	0
10/30/2020	0	0	0	0	0	0.02311	0	0
10/31/2020	0	0	0	0	0	0.01601	0	0
11/1/2020	0	0	0	0	0	0.00535	0	0
11/2/2020	0	0	0	0	0	0.00501	0	0
11/3/2020	0	0	0	0	0	0.02806	0	0
11/4/2020	0	0	0	0	0	0.0388	0	0
11/5/2020	0	0	0	0	0	0.01518	0	0
11/6/2020	0	0	0	0	0	0.008677	0	0
11/7/2020	0	0	0	0	0	0.02018	0	0
11/8/2020	0	0	0	0	0	0.00537	0	0
11/9/2020	0	0	0	0	0	0.0152	0	0
11/10/2020	0	0	0	0	0	0.02011	0	0
11/11/2020	0	0	0	0	0	0	0	0
11/12/2020	0	0	0	0	0	0.0004957	0	0
11/13/2020	0	0	0	0	0	0.01843	0	0
11/14/2020	0	0	0	0	0	0.002037	0	0
11/15/2020	0	0	0	0	0	0	0	0
11/16/2020	0	0	0	0	0	0.003205	0	0
11/17/2020	0	0	0	0	0	0.006355	0	0
11/18/2020	0	0	0	0	0	0.0007011	0	0

Date	SP4 - Water Balance							
	Inflow					Outflow		
	SP4 Pitwall Runoff	TIRI01 Natural to SP4	UG to SP4	TIRI01 to SP4	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SETP	To TIRI01
m3	m3	m3	m3	m3	m3	m3	m3	m3
11/19/2020	0	0	0	0	0	0.001637	0	0
11/20/2020	0	0	0	0	0	0	0	0
11/21/2020	0	0	0	0	0	0	0	0
11/22/2020	0	0	0	0	0	0	0	0
11/23/2020	0	0	0	0	0	0	0	0
11/24/2020	0	0	0	0	0	0	0	0
11/25/2020	0	0	0	0	0	0.0032	0	0
11/26/2020	0	0	0	0	0	0.006495	0	0
11/27/2020	0	0	0	0	0	0	0	0
11/28/2020	0	0	0	0	0	0	0	0
11/29/2020	0	0	0	0	0	0.003463	0	0
11/30/2020	0	0	0	0	0	0.006063	0	0
12/1/2020	0	0	0	0	0	0.007781	0	0
12/2/2020	0	0	0	0	0	0.006519	0	0
12/3/2020	0	0	0	0	0	0.007511	0	0
12/4/2020	0	0	0	0	0	0.005973	0	0
12/5/2020	0	0	0	0	0	0.008374	0	0
12/6/2020	0	0	0	0	0	0.008742	0	0
12/7/2020	0	0	0	0	0	0.009881	0	0
12/8/2020	0	0	0	0	0	0.009546	0	0
12/9/2020	0	0	0	0	0	0.007938	0	0
12/10/2020	0	0	0	0	0	0	0	0
12/11/2020	0	0	0	0	0	0	0	0
12/12/2020	0	0	0	0	0	0	0	0
12/13/2020	0	0	0	0	0	0	0	0
12/14/2020	0	0	0	0	0	0	0	0
12/15/2020	0	0	0	0	0	0	0	0
12/16/2020	0	0	0	0	0	0	0	0
12/17/2020	0	0	0	0	0	0	0	0
12/18/2020	0	0	0	0	0	0	0	0
12/19/2020	0	0	0	0	0	0	0	0
12/20/2020	0	0	0	0	0	0	0	0
12/21/2020	0	0	0	0	0	0	0	0
12/22/2020	0	0	0	0	0	0	0	0
12/23/2020	0	0	0	0	0	0	0	0
12/24/2020	0	0	0	0	0	0	0	0
12/25/2020	0	0	0	0	0	0	0	0
12/26/2020	0	0	0	0	0	0	0	0
12/27/2020	0	0	0	0	0	0	0	0
12/28/2020	0	0	0	0	0	0	0	0
12/29/2020	0	0	0	0	0	0	0	0
12/30/2020	0	0	0	0	0	0	0	0
12/31/2020	0	0	0	0	0	0	0	0
1/1/2021	0	0.1083	0	0	0	0	0	0
1/2/2021	0	0.1062	0	0	0	0	0	0
1/3/2021	0	0.1041	0	0	0	0	0	0
1/4/2021	0	0.102	0	0	0	0	0	0
1/5/2021	0	0.09994	0	0	0	0	0	0
1/6/2021	0	0.09794	0	0	0	0	0	0
1/7/2021	0	0.09598	0	0	0	0	0	0
1/8/2021	0	0.09406	0	0	0	0.539	0	0
1/9/2021	0	0.09218	0	0	0	0.0665	0	0
1/10/2021	0	0.09033	0	0	0	0	0	0
1/11/2021	0	0.08853	0	0	0	0	0	0
1/12/2021	0	0.08676	0	0	0	0	0	0
1/13/2021	0	0.08502	0	0	0	0.1784	0	0
1/14/2021	0	0.08332	0	0	0	0.6283	0	0
1/15/2021	0	0.08166	0	0	0	0	0	0
1/16/2021	0	0.08002	0	0	0	0	0	0
1/17/2021	0	0.07842	0	0	0	0	0	0
1/18/2021	0	0.07685	0	0	0	0	0	0
1/19/2021	0	0.07532	0	0	0	0	0	0
1/20/2021	0	0.07381	0	0	0	0	0	0
1/21/2021	0	0.07233	0	0	0	0	0	0
1/22/2021	0	0.07089	0	0	0	0	0	0
1/23/2021	0	0.06947	0	0	0	0	0	0
1/24/2021	0	0.06808	0	0	0	0	0	0
1/25/2021	0	0.06672	0	0	0	0	0	0
1/26/2021	0	0.06538	0	0	0	0	0	0
1/27/2021	0	0.06408	0	0	0	0.07303	0	0
1/28/2021	0	0.06279	0	0	0	0	0	0
1/29/2021	0	0.06154	0	0	0	0	0	0
1/30/2021	0	0.06031	0	0	0	0	0	0
1/31/2021	0	0.0591	0	0	0	0.5025	0	0
2/1/2021	0	0.05792	0	0	0	0	0	0
2/2/2021	0	0.05676	0	0	0	0	0	0
2/3/2021	0	0.05563	0	0	0	0	0	0
2/4/2021	0	0.05451	0	0	0	0	0	0
2/5/2021	0	0.05342	0	0	0	0	0	0
2/6/2021	0	0.05235	0	0	0	0	0	0
2/7/2021	0	0.05131	0	0	0	0	0	0
2/8/2021	0	0.05028	0	0	0	4.887	0	0
2/9/2021	0	0.04928	0	0	0	0	0	0
2/10/2021	0	0.04829	0	0	0	0	0	0
2/11/2021	0	0.04732	0	0	0	0	0	0
2/12/2021	0	0.04638	0	0	0	0.6301	0	0

Date	SP4 - Water Balance							
	Inflow					Outflow		
	SP4 Pitwall Runoff	TIRI01 Natural to SP4	UG to SP4	TIRI01 to SP4	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SETP	To TIRI01
m3	m3	m3	m3	m3	m3	m3	m3	m3
2/13/2021	0	0.04545	0	0	0	0	0	0
2/14/2021	0	0.04454	0	0	0	0	0	0
2/15/2021	0	0.04365	0	0	0	0	0	0
2/16/2021	0	0.04278	0	0	0	0	0	0
2/17/2021	0	0.04192	0	0	0	0	0	0
2/18/2021	0	0.04108	0	0	0	0	0	0
2/19/2021	0	0.04026	0	0	0	0	0	0
2/20/2021	0	0.03946	0	0	0	0	0	0
2/21/2021	0	0.03867	0	0	0	0.5098	0	0
2/22/2021	0	0.03789	0	0	0	0	0	0
2/23/2021	0	0.03714	0	0	0	0	0	0
2/24/2021	0	0.03639	0	0	0	0	0	0
2/25/2021	0	0.03567	0	0	0	0	0	0
2/26/2021	0	0.03495	0	0	0	0	0	0
2/27/2021	0	0.03425	0	0	0	0	0	0
2/28/2021	0	0.03357	0	0	0	0	0	0
3/1/2021	0	0.0329	0	0	0	0	0	0
3/2/2021	0	0.03224	0	0	0	0	0	0
3/3/2021	0	0.03159	0	0	0	0	0	0
3/4/2021	0	0.03096	0	0	0	0	0	0
3/5/2021	0	0.03034	0	0	0	0	0	0
3/6/2021	0	0.02974	0	0	0	0	0	0
3/7/2021	0	0.02914	0	0	0	0	0	0
3/8/2021	0	0.02856	0	0	0	5.492	0	0
3/9/2021	0	0.02799	0	0	0	0	0	0
3/10/2021	0	0.02743	0	0	0	0	0	0
3/11/2021	0	0.02688	0	0	0	0	0	0
3/12/2021	0	0.02634	0	0	0	0	0	0
3/13/2021	0	0.02581	0	0	0	0	0	0
3/14/2021	0	0.0253	0	0	0	0	0	0
3/15/2021	0	0.02479	0	0	0	0	0	0
3/16/2021	0	0.0243	0	0	0	0	0	0
3/17/2021	0	0.02381	0	0	0	0	0	0
3/18/2021	0	0.02333	0	0	0	0	0	0
3/19/2021	0	0.02287	0	0	0	0	0	0
3/20/2021	0	0.02241	0	0	0	3.219	0	0
3/21/2021	0	0.02196	0	0	0	2.791	0	0
3/22/2021	0	0.02152	0	0	0	4.68	0	0
3/23/2021	0	0.02109	0	0	0	0	0	0
3/24/2021	0	0.02067	0	0	0	0	0	0
3/25/2021	0	0.02026	0	0	0	0	0	0
3/26/2021	0	0.01985	0	0	0	0	0	0
3/27/2021	0	0.01946	0	0	0	5.0	0	0
3/28/2021	0	0.01907	0	0	0	0	0	0
3/29/2021	0	0.01868	0	0	0	0	0	0
3/30/2021	0	0.01831	0	0	0	0	0	0
3/31/2021	0	0.01794	0	0	0	0	0	0
4/1/2021	0	0.01759	0	0	0	0	0	0
4/2/2021	0	0.01723	0	0	0	0	0	0
4/3/2021	0	0.01689	0	0	0	3.056	0	0
4/4/2021	0	0.01655	0	0	0	10.05	0	0
4/5/2021	0	0.01622	0	0	0	0.3483	0	0
4/6/2021	0	0.0159	0	0	0	3.867	0	0
4/7/2021	0	0.01558	0	0	0	14.55	0	0
4/8/2021	0	0.01527	0	0	0	11.85	0	0
4/9/2021	0	0.01496	0	0	0	8.3	0	0
4/10/2021	0	0.01466	0	0	0	20.66	0	0
4/11/2021	0	0.01437	0	0	0	16.42	0	0
4/12/2021	0	0.01408	0	0	0	0	0	0
4/13/2021	0	0.0138	0	0	0	0	0	0
4/14/2021	0	0.01352	0	0	0	0	0	0
4/15/2021	0	0.01325	0	0	0	12.72	0	0
4/16/2021	0	0.01299	0	0	0	17.02	0	0
4/17/2021	0	0.01273	0	0	0	17.98	0	0
4/18/2021	0	0.01247	0	0	0	4.428	0	0
4/19/2021	0	0.01222	0	0	0	0.4422	0	0
4/20/2021	0	0.01198	0	0	0	0	0	0
4/21/2021	0	0.01174	0	0	0	11.62	0	0
4/22/2021	0	0.01151	0	0	0	17.55	0	0
4/23/2021	0	0.01128	0	0	0	9.433	0	0
4/24/2021	0	0.01105	0	0	0	0	0	0
4/25/2021	0	0.01083	0	0	0	0	0	0
4/26/2021	0	0.01061	0	0	0	3.827	0	0
4/27/2021	0	0.0104	0	0	0	9.855	0	0
4/28/2021	0	0.01019	0	0	0	32.57	0	0
4/29/2021	0	0.009988	0	0	0	14.65	0	0
4/30/2021	0	0.009789	0	0	0	15.65	0	0
5/1/2021	0	0.009593	0	0	0	13.15	0	0
5/2/2021	0	0.009401	0	0	0	36.29	0	0
5/3/2021	0	0.009213	0	0	0	46.6	0	0
5/4/2021	0	0.009029	0	0	0	47.24	0	0
5/5/2021	43.12	13.2	0	0	67.64	46.17	0	0
5/6/2021	0	41.9	0	0	0	43.07	0	0
5/7/2021	0	0.008498	0	0	0	38.98	0	0
5/8/2021	0	0.02182	0	0	0	35.38	0	0
5/9/2021	0	0.03474	0	0	0	34.63	0	0

Date	SP4 - Water Balance								
	Inflow					Outflow			
	SP4 Pitwall Runoff	TIRI01 Natural to SP4	UG to SP4	TIRI01 to SP4	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SETP	To TIRI01	
m3	m3	m3	m3	m3	m3	m3	m3	m3	
5/10/2021	0	0.04601	0	0	0	40.4	0	0	
5/11/2021	0	0.0553	0	0	0	42.85	0	0	
5/12/2021	0	0.06268	0	0	0	43.39	0	0	
5/13/2021	0	0.06838	0	0	0	24.16	0	0	
5/14/2021	0	0.07265	0	0	0	25.46	0	0	
5/15/2021	0	0.07575	0	0	0	8.509	0	0	
5/16/2021	0	0.07789	0	0	0	19.59	0	0	
5/17/2021	0	0.07928	0	0	0	20.79	0	0	
5/18/2021	0	0.08005	0	0	0	17.27	0	0	
5/19/2021	0	0.08033	0	0	0	22.45	0	0	
5/20/2021	0	0.08024	0	0	0	19.27	0	0	
5/21/2021	0	0.07984	0	0	0	29.59	0	0	
5/22/2021	0	0.07921	0	0	0	31.44	0	0	
5/23/2021	0	0.0784	0	0	0	28.47	0	0	
5/24/2021	0	0.07746	0	0	0	40.18	0	0	
5/25/2021	0	0.0764	0	0	0	40.29	0	0	
5/26/2021	0	0.07527	0	0	0	39.84	0	0	
5/27/2021	0	0.07408	0	0	0	36.65	0	0	
5/28/2021	0	0.07286	0	0	0	47.76	0	0	
5/29/2021	42.17	8.985	0	0	65.74	56.99	0	0	
5/30/2021	40.7	72.42	0	0	63.49	55.14	0	0	
5/31/2021	42.85	94.86	0	0	66.93	55.14	0	0	
6/1/2021	0	40.25	0	0	0	51.62	0	0	
6/2/2021	0	0.09138	0	0	0	57.04	0	0	
6/3/2021	27.95	40.64	0	0	43.69	58.65	0	0	
6/4/2021	34.84	139.2	0	0	54.49	61.08	0	0	
6/5/2021	29.01	190.9	0	0	45.44	61.27	0	0	
6/6/2021	49.26	228.7	0	0	77.33	60.76	0	0	
6/7/2021	0	302.7	0	0	0	56.15	0	0	
6/8/2021	46.22	162.6	0	0	72.97	60.94	0	0	
6/9/2021	72.14	479	0	0	114.1	64.52	0	0	
6/10/2021	63.28	562.2	0	0	100.7	63.57	0	0	
6/11/2021	117.5	553.9	0	0	188.4	70.87	0	0	
6/12/2021	228.3	964.9	0	0	368.9	104.7	0	0	
6/13/2021	251.9	1828	0	0	413.3	89.07	0	0	
6/14/2021	293.3	1532	0	0	493.3	100	0	0	
6/15/2021	226.2	446.9	0	0	389.3	95.4	0	0	
6/16/2021	148.2	362.9	0	0	257.5	76.65	0	0	
6/17/2021	202.2	311.1	0	0	354	89.01	0	0	
6/18/2021	226.5	268.6	0	0	399.7	94.29	0	0	
6/19/2021	201.8	233.9	0	0	359	83.7	0	0	
6/20/2021	89.68	206.2	0	0	160.8	73.51	0	0	
6/21/2021	115.7	183	0	0	208.3	76.26	0	0	
6/22/2021	153	166.5	0	0	276.6	79.06	0	0	
6/23/2021	176.6	156.9	0	0	321.1	83.52	0	0	
6/24/2021	254.7	146.7	0	0	465.8	80.33	0	0	
6/25/2021	197.1	242.3	0	0	363.5	74.38	0	0	
6/26/2021	113.7	259.7	0	0	211.2	79.19	0	0	
6/27/2021	192.4	118.2	0	0	359.3	92.43	0	0	
6/28/2021	207.5	112.3	0	0	389.9	87.58	0	0	
6/29/2021	122	105.4	0	0	230.8	93.68	0	0	
6/30/2021	0	97.16	0	0	0	115.6	0	0	
7/1/2021	0	89.21	0	0	0	92.33	0	0	
7/2/2021	29.38	82.05	0	0	55.77	98.67	0	0	
7/3/2021	31	78.82	0	0	58.88	95.36	0	0	
7/4/2021	99.49	85.63	0	0	189.1	89.78	0	0	
7/5/2021	0	166.3	0	0	0	86.89	0	0	
7/6/2021	0	59.5	0	0	0	93.82	0	0	
7/7/2021	0	56.06	0	0	0	103.8	0	0	
7/8/2021	17.91	51.14	0	0	34.14	102.4	0	0	
7/9/2021	0	46.75	0	0	0	108.1	0	0	
7/10/2021	0	42.54	0	0	0	98.32	0	0	
7/11/2021	0	38.59	0	0	0	113.9	0	0	
7/12/2021	0	34.76	0	0	0	104.1	0	0	
7/13/2021	27.72	31.3	0	0	52.71	97.5	0	0	
7/14/2021	0	29.77	0	0	0	98.98	0	0	
7/15/2021	0	7.34	0	0	0	176.4	0	0	
7/16/2021	8.165	7.193	0	97	15.49	109.5	0	0	
7/17/2021	287.4	7.049	0	64	545.2	82.3	0	0	
7/18/2021	0	331.3	0	70	0	90.42	0	0	
7/19/2021	0	17.18	0	0	0	96.7	0	0	
7/20/2021	0	27.75	0	0	0	114	0	0	
7/21/2021	0	27.94	0	0	0	106.7	0	0	
7/22/2021	0	7.27	0	90	0	100.8	0	0	
7/23/2021	0	7.125	0	0	0	101.6	0	0	
7/24/2021	407.9	6.982	0	54	780.2	88.36	0	0	
7/25/2021	61.32	481.9	0	0	118.7	87.45	43.58	0	
7/26/2021	45.04	108	0	0	87.7	84.11	0	0	
7/27/2021	0	88.46	0	0	0	80.34	0	0	
7/28/2021	0	44.86	0	0	0	80.5	0	0	
7/29/2021	0	35.29	0	0	0	82.77	0	0	
7/30/2021	30.55	35.24	0	0	59.53	81.5	0	0	
7/31/2021	8.037	41.56	0	0	15.67	80.67	0	0	
8/1/2021	0	31.72	0	0	0	80.9	0	0	
8/2/2021	65.93	28.96	0	0	128.4	83.22	786.7	0	
8/3/2021	9.686	59.36	0	0	18.74	81.95	807.2	0	

Date	SP4 - Water Balance								
	Inflow					Outflow			
	SP4 Pitwall Runoff	TIRI01 Natural to SP4	UG to SP4	TIRI01 to SP4	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SETP	To TIRI01	
m3	m3	m3	m3	m3	m3	m3	m3	m3	
8/4/2021	43.8	7.359	0	0	84.04	82.94	419.3	0	
8/5/2021	3.251	37.62	0	0	6.215	76.77	448.2	0	
8/6/2021	0	7.074	0	0	0	73.63	845.2	0	
8/7/2021	0	6.933	0	0	0	74.63	649.2	0	
8/8/2021	0	6.794	0	0	0	79.67	236.8	0	
8/9/2021	75.86	6.658	0	0	141.4	76.79	237	0	
8/10/2021	0	69.11	0	0	0	72.44	155.3	0	
8/11/2021	0	6.395	0	0	0	72.7	115.8	0	
8/12/2021	401.8	6.267	0	0	745.5	63.08	116.4	0	
8/13/2021	166	468.2	0	0	311.2	54.68	113	0	
8/14/2021	57.27	238.5	0	0	108.2	71.35	213	0	
8/15/2021	19.62	102.5	0	0	37.13	71.77	4.62	0	
8/16/2021	188	66.98	0	0	355.9	69.29	0	4000	
8/17/2021	0	264.2	0	0	0	66.39	51.55	4000	
8/18/2021	3.411	66.19	0	9250	5.987	59.59	425.1	4000	
8/19/2021	18.24	55.26	0	170.3	33.67	64.47	0	4000	
8/20/2021	0	45.44	0	113.6	0	63.92	449.8	8000	
8/21/2021	0	45.04	0	113.6	0	53.95	0	8000	
8/22/2021	12.98	43.68	0	1022	19.47	54.99	0	4000	
8/23/2021	342.7	41.47	0	1249	498.8	52.07	5.263	8000	
8/24/2021	0	381	0	681.4	0	52.01	0	4000	
8/25/2021	0	49.53	0	0	0	56.3	0	0	
8/26/2021	0	41.01	0	1023	0	57.26	86.94	0	
8/27/2021	0	38.31	0	0	0	70.08	28.29	0	
8/28/2021	0	37.33	0	0	0	68.14	137.9	0	
8/29/2021	0	34.65	0	0	0	69.73	117.9	0	
8/30/2021	0	31.41	0	0	0	51.78	695.8	0	
8/31/2021	0	28.6	0	0	0	45.25	122	0	
9/1/2021	63.13	7.448	0	0	83.57	46.91	123.5	0	
9/2/2021	1.973	44.46	0	0	2.611	48.46	0	0	
9/3/2021	27.62	7.153	0	0	36.56	42.75	337.1	4000	
9/4/2021	42.31	11.65	0	0	53.58	37.98	0	4000	
9/5/2021	16.43	33.46	0	0	19.97	41.34	0	8000	
9/6/2021	0	7.291	0	0	0	36.06	774.8	4000	
9/7/2021	4.356	6.818	0	0	4.637	34.49	696	0	
9/8/2021	8.74	6.682	0	0	9.235	35.19	1009	0	
9/9/2021	15.36	6.548	0	0	16.06	32.43	503.9	0	
9/10/2021	17.6	6.417	0	0	18.3	32.98	791.9	0	
9/11/2021	0	6.289	0	0	0	31.39	161.3	3000	
9/12/2021	111.9	6.163	0	0	111.6	28.33	502.3	7000	
9/13/2021	0	82.64	0	0	0	24.61	405	8000	
9/14/2021	272.6	5.919	0	0	229.6	25.17	407.9	8000	
9/15/2021	199.9	215.3	0	1136	154.2	24.63	291.5	8000	
9/16/2021	7.598	167.9	0	851.7	5.435	22.47	70.46	8000	
9/17/2021	5.203	23.44	0	340.7	3.427	20.34	130.3	8000	
9/18/2021	37.49	36.82	0	681.4	22.47	18.42	335.9	8640	
9/19/2021	57.91	39.22	0	452	31.3	16.06	335.9	4000	
9/20/2021	2.794	60.66	0	0	1.438	13.04	335.9	8000	
9/21/2021	5.75	32.56	0	0	2.645	11.61	1032	4000	
9/22/2021	2.924	32.7	0	341	1.253	11.08	0	8000	
9/23/2021	0	32.26	0	114	0	9.779	0	0	
9/24/2021	0	31.31	0	0	0	10.1	1399	0	
9/25/2021	255.9	29.88	0	568	95.98	10.46	527.9	6260	
9/26/2021	9.203	175.8	0	285	3.143	9.349	470.2	5820	
9/27/2021	0	7.479	0	0	0	7.423	407.9	0	
9/28/2021	0	28.09	0	342	0	8.071	305	2590	
9/29/2021	0	28.07	0	0	0	6.875	571.7	4430	
9/30/2021	19.21	7.857	0	0	5.137	6.331	576.4	0	
10/1/2021	128.3	27.93	0	0	33.94	7.37	397.3	4000	
10/2/2021	19.49	69.18	0	0	4.739	6.084	0	5000	
10/3/2021	26.37	8.902	0	1881	5.771	4.861	0	5000	
10/4/2021	53.22	11.16	0	0	10.85	4.541	431.2	4000	
10/5/2021	633.3	47.57	0	0	116.1	4.783	0	8000	
10/6/2021	30.95	374.8	0	1596	4.655	3.507	0	6000	
10/7/2021	6.956	74.81	0	0	0.923	2.846	0	0	
10/8/2021	257.3	50.43	0	2223	34.23	2.779	0	7000	
10/9/2021	17.6	177.2	0	1482	2.004	2.707	0	7000	
10/10/2021	0	57.03	0	0	0	2.051	0	8000	
10/11/2021	0	49.09	0	1653	0	1.472	0	8000	
10/12/2021	148.5	43.1	0	0	5.126	0.7136	0	8000	
10/13/2021	238.2	99.24	0	456	1.756	0.137	0	4000	
10/14/2021	0	151.3	0	0	0	0.1334	0	4000	
10/15/2021	0	60.39	0	0	0	0.1181	0	4000	
10/16/2021	75.63	46.05	0	342	0.5573	0.1312	0	0	
10/17/2021	151.1	64.09	0	0	1.373	0.1323	0	0	
10/18/2021	15.1	113	0	0	0.1494	0.1663	0	0	
10/19/2021	0	45.17	0	0	0	0.1662	0	0	
10/20/2021	0	2.154	0	0	0	0.134	0	0	
10/21/2021	0	2.147	0	0	0	0.1207	0	8000	
10/22/2021	0	2.118	0	0	0	0.07266	0	8000	
10/23/2021	0	2.07	0	0	0	0.07642	0	3000	
10/24/2021	0	2.007	0	0	0	0.07658	0	0	
10/25/2021	0	1.933	0	0	0	0.08319	0	0	
10/26/2021	0	1.85	0	0	0	0.07424	0	0	
10/27/2021	3.781	196	0	0	0.02794	0.09432	0	0	
10/28/2021	223	144.1	0	0	1.813	0.08815	0	0	

Date	SP4 - Water Balance							
	Inflow					Outflow		
	SP4 Pitwall Runoff	TIRI01 Natural to SP4	UG to SP4	TIRI01 to SP4	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SETP	To TIRI01
m3	m3	m3	m3	m3	m3	m3	m3	m3
10/29/2021	0	129.3	0	0	0	0.07749	0	0
10/30/2021	60.39	7.294	0	0	0.6026	0.08837	0	0
10/31/2021	0	19.36	0	0	0	0.09368	0	0
11/1/2021	0	1.488	0	0	0	0.06681	0	0
11/2/2021	0	1.491	0	0	0	0.04857	0	0
11/3/2021	0	1.48	0	0	0	0.04923	0	0
11/4/2021	0	1.455	0	0	0	0.05491	0	0
11/5/2021	0	1.418	0	0	0	0.06473	0	0
11/6/2021	0	0.3919	0	0	0	0.06601	0	0
11/7/2021	0	1.387	0	0	0	0.06175	0	0
11/8/2021	0	0.3785	0	0	0	0.06999	0	0
11/9/2021	0	0.3789	0	0	0	0.05392	0	0
11/10/2021	0	0.3777	0	0	0	0.04537	0	0
11/11/2021	0	0.3753	0	0	0	0.01184	0	0
11/12/2021	0	0.3719	0	0	0	0.005445	0	0
11/13/2021	0	0.3677	0	0	0	0	0	0
11/14/2021	0	0.363	0	0	0	0.001527	0	0
11/15/2021	0	0.3578	0	0	0	0.02856	0	0
11/16/2021	0	0.3524	0	0	0	0.03677	0	0
11/17/2021	0	0.3467	0	0	0	0.0251	0	0
11/18/2021	0	0.3408	0	0	0	0.00673	0	0
11/19/2021	0	0.3348	0	0	0	0	0	0
11/20/2021	0	0.3288	0	0	0	0.001734	0	0
11/21/2021	0	0.3228	0	0	0	0.02284	0	0
11/22/2021	0	0.3168	0	0	0	0.01273	0	0
11/23/2021	0	0.3108	0	0	0	0	0	0
11/24/2021	0	0.3049	0	0	0	0	0	0
11/25/2021	0	0.299	0	0	0	0	0	0
11/26/2021	0	0.2932	0	0	0	0.003259	0	0
11/27/2021	0	0.2875	0	0	0	0	0	0
11/28/2021	0	0.2819	0	0	0	0.01563	0	0
11/29/2021	0	0.2763	0	0	0	0.01113	0	0
11/30/2021	0	0.2709	0	0	0	0	0	0
12/1/2021	0	0.2655	0	0	0	0.002153	0	0
12/2/2021	0	0.2602	0	0	0	0	0	0
12/3/2021	0	0.2551	0	0	0	0	0	0
12/4/2021	0	0.25	0	0	0	0	0	0
12/5/2021	0	0.245	0	0	0	0	0	0
12/6/2021	0	0.2401	0	0	0	0	0	0
12/7/2021	0	0.2354	0	0	0	0	0	0
12/8/2021	0	0.2307	0	0	0	0	0	0
12/9/2021	0	0.2261	0	0	0	0	0	0
12/10/2021	0	0.2215	0	0	0	0.005671	0	0
12/11/2021	0	0.2171	0	0	0	0.01052	0	0
12/12/2021	0	0.2128	0	0	0	0.007694	0	0
12/13/2021	0	0.2085	0	0	0	0.004119	0	0
12/14/2021	0	0.2044	0	0	0	0	0	0
12/15/2021	0	0.2003	0	0	0	0	0	0
12/16/2021	0	0.1963	0	0	0	0	0	0
12/17/2021	0	0.1923	0	0	0	0	0	0
12/18/2021	0	0.1885	0	0	0	0	0	0
12/19/2021	0	0.1847	0	0	0	0	0	0
12/20/2021	0	0.181	0	0	0	0	0	0
12/21/2021	0	0.1774	0	0	0	0	0	0
12/22/2021	0	0.1739	0	0	0	0	0	0
12/23/2021	0	0.1704	0	0	0	0	0	0
12/24/2021	0	0.167	0	0	0	0	0	0
12/25/2021	0	0.1636	0	0	0	0	0	0
12/26/2021	0	0.1604	0	0	0	0	0	0
12/27/2021	0	0.1572	0	0	0	0.004268	0	0
12/28/2021	0	0.154	0	0	0	0	0	0
12/29/2021	0	0.1509	0	0	0	0	0	0
12/30/2021	0	0.1479	0	0	0	0	0	0
12/31/2021	0	0.145	0	0	0	0	0	0
1/1/2022	0	0.1421	0	0	0	0	0	0
1/2/2022	0	0.1392	0	0	0	0	0	0
1/3/2022	0	0.1364	0	0	0	0	0	0
1/4/2022	0	0.1337	0	0	0	0	0	0
1/5/2022	0	0.131	0	0	0	0	0	0
1/6/2022	0	0.1284	0	0	0	0	0	0
1/7/2022	0	0.1259	0	0	0	0	0	0
1/8/2022	0	0.1233	0	0	0	0	0	0
1/9/2022	0	0.1209	0	0	0	0	0	0
1/10/2022	0	0.1184	0	0	0	0	0	0
1/11/2022	0	0.1161	0	0	0	0	0	0
1/12/2022	0	0.1138	0	0	0	0	0	0
1/13/2022	0	0.1115	0	0	0	0	0	0
1/14/2022	0	0.1093	0	0	0	0	0	0
1/15/2022	0	0.1071	0	0	0	0	0	0
1/16/2022	0	0.1049	0	0	0	0	0	0
1/17/2022	0	0.1028	0	0	0	0	0	0
1/18/2022	0	0.1008	0	0	0	0	0	0
1/19/2022	0	0.09876	0	0	0	0.0002361	0	0
1/20/2022	0	0.09678	0	0	0	0.007642	0	0
1/21/2022	0	0.09485	0	0	0	0	0	0
1/22/2022	0	0.09295	0	0	0	0	0	0

Date	SP4 - Water Balance							
	Inflow					Outflow		
	SP4 Pitwall Runoff	TIRI01 Natural to SP4	UG to SP4	TIRI01 to SP4	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SETP	To TIRI01
m3	m3	m3	m3	m3	m3	m3	m3	m3
1/23/2022	0	0.09109	0	0	0	0	0	0
1/24/2022	0	0.08927	0	0	0	0	0	0
1/25/2022	0	0.08748	0	0	0	0	0	0
1/26/2022	0	0.08573	0	0	0	0	0	0
1/27/2022	0	0.08402	0	0	0	0	0	0
1/28/2022	0	0.08234	0	0	0	0	0	0
1/29/2022	0	0.08069	0	0	0	0	0	0
1/30/2022	0	0.07908	0	0	0	0	0	0
1/31/2022	0	0.0775	0	0	0	0	0	0
2/1/2022	0	0.07595	0	0	0	0	0	0
2/2/2022	0	0.07443	0	0	0	0	0	0
2/3/2022	0	0.07294	0	0	0	0	0	0
2/4/2022	0	0.07148	0	0	0	0	0	0
2/5/2022	0	0.07005	0	0	0	0	0	0
2/6/2022	0	0.06865	0	0	0	0	0	0
2/7/2022	0	0.06728	0	0	0	0	0	0
2/8/2022	0	0.06593	0	0	0	0	0	0
2/9/2022	0	0.06461	0	0	0	0	0	0
2/10/2022	0	0.06332	0	0	0	0	0	0
2/11/2022	0	0.06205	0	0	0	0	0	0
2/12/2022	0	0.06081	0	0	0	0	0	0
2/13/2022	0	0.0596	0	0	0	0	0	0
2/14/2022	0	0.0584	0	0	0	0	0	0
2/15/2022	0	0.05724	0	0	0	0	0	0
2/16/2022	0	0.05609	0	0	0	0	0	0
2/17/2022	0	0.05497	0	0	0	0	0	0
2/18/2022	0	0.05387	0	0	0	0	0	0
2/19/2022	0	0.05279	0	0	0	0	0	0
2/20/2022	0	0.05174	0	0	0	0	0	0
2/21/2022	0	0.0507	0	0	0	0	0	0
2/22/2022	0	0.04969	0	0	0	0	0	0
2/23/2022	0	0.04869	0	0	0	0	0	0
2/24/2022	0	0.04772	0	0	0	0	0	0
2/25/2022	0	0.04677	0	0	0	0	0	0
2/26/2022	0	0.04583	0	0	0	0	0	0
2/27/2022	0	0.04491	0	0	0	0	0	0
2/28/2022	0	0.04402	0	0	0	0	0	0
3/1/2022	0	0.04314	0	0	0	0	0	0
3/2/2022	0	0.04227	0	0	0	0	0	0
3/3/2022	0	0.04143	0	0	0	0	0	0
3/4/2022	0	0.0406	0	0	0	0	0	0
3/5/2022	0	0.03979	0	0	0	0	0	0
3/6/2022	0	0.03899	0	0	0	0	0	0
3/7/2022	0	0.03821	0	0	0	0	0	0
3/8/2022	0	0.03745	0	0	0	0	0	0
3/9/2022	0	0.0367	0	0	0	0	0	0
3/10/2022	0	0.03596	0	0	0	0	0	0
3/11/2022	0	0.03524	0	0	0	0	0	0
3/12/2022	0	0.03454	0	0	0	0	0	0
3/13/2022	0	0.03385	0	0	0	0	0	0
3/14/2022	0	0.03317	0	0	0	0	0	0
3/15/2022	0	0.03251	0	0	0	0	0	0
3/16/2022	0	0.03186	0	0	0	0	0	0
3/17/2022	0	0.03122	0	0	0	0	0	0
3/18/2022	0	0.0306	0	0	0	0	0	0
3/19/2022	0	0.02999	0	0	0	0	0	0
3/20/2022	0	0.02939	0	0	0	0	0	0
3/21/2022	0	0.0288	0	0	0	0	0	0
3/22/2022	0	0.02822	0	0	0	0	0	0
3/23/2022	0	0.02766	0	0	0	0.1018	0	0
3/24/2022	0	0.0271	0	0	0	0.2542	0	0
3/25/2022	0	0.02656	0	0	0	0.149	0	0
3/26/2022	0	0.02603	0	0	0	0.04395	0	0
3/27/2022	0	0.02551	0	0	0	0	0	0
3/28/2022	0	0.025	0	0	0	0	0	0
3/29/2022	0	0.0245	0	0	0	0	0	0
3/30/2022	0	0.02401	0	0	0	0	0	0
3/31/2022	0	0.02353	0	0	0	0	0	0
4/1/2022	0	0.02306	0	0	0	0.1119	0	0
4/2/2022	0	0.0226	0	0	0	0.1716	0	0
4/3/2022	0	0.02215	0	0	0	0	0	0
4/4/2022	0	0.0217	0	0	0	0	0	0
4/5/2022	0	0.02127	0	0	0	0	0	0
4/6/2022	0	0.02084	0	0	0	0	0	0
4/7/2022	0	0.02043	0	0	0	0	0	0
4/8/2022	0	0.02002	0	0	0	0	0	0
4/9/2022	0	0.01962	0	0	0	0	0	0
4/10/2022	0	0.01923	0	0	0	0	0	0
4/11/2022	0	0.01884	0	0	0	0	0	0
4/12/2022	0	0.01846	0	0	0	0	0	0
4/13/2022	0	0.01809	0	0	0	0	0	0
4/14/2022	0	0.01773	0	0	0	0.05293	0	0
4/15/2022	0	0.01738	0	0	0	0.1924	0	0
4/16/2022	0	0.01703	0	0	0	0.1852	0	0
4/17/2022	0	0.01669	0	0	0	0.1294	0	0
4/18/2022	0	0.01636	0	0	0	0.08629	0	0

Date	SP4 - Water Balance								
	Inflow					Outflow			
	SP4 Pitwall Runoff	TIRI01 Natural to SP4	UG to SP4	TIRI01 to SP4	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SETP	To TIRI01	
m3	m3	m3	m3	m3	m3	m3	m3	m3	
4/19/2022	0	0.01603	0	0	0	0.06495	0	0	
4/20/2022	0	0.01571	0	0	0	0	0	0	
4/21/2022	0	0.01539	0	0	0	0	0	0	
4/22/2022	0	0.01509	0	0	0	0	0	0	
4/23/2022	0	0.01478	0	0	0	0	0	0	
4/24/2022	0	0.01449	0	0	0	0	0	0	
4/25/2022	0	0.0142	0	0	0	0	0	0	
4/26/2022	0	0.01392	0	0	0	0	0	0	
4/27/2022	0	0.01364	0	0	0	0	0	0	
4/28/2022	0	0.01336	0	0	0	0.1196	0	0	
4/29/2022	0	0.0131	0	0	0	0	0	0	
4/30/2022	0	0.01284	0	0	0	0	0	0	
5/1/2022	0	0.01258	0	0	0	0.08822	0	0	
5/2/2022	0	0.01233	0	0	0	0.3201	0	500	
5/3/2022	0	0.01208	0	0	0	0.3202	0	500	
5/4/2022	0	0.01184	0	0	0	0.3114	0	500	
5/5/2022	0	0.0116	0	0	0	0.1492	0	500	
5/6/2022	0	0.01137	0	0	0	0.2671	0	500	
5/7/2022	0	0.01114	0	0	0	0.2698	0	500	
5/8/2022	0	0.01092	0	0	0	0.2655	0	500	
5/9/2022	0	0.0107	0	0	0	0.4005	0	500	
5/10/2022	0	0.01049	0	0	0	0.4627	0	500	
5/11/2022	0	0.01028	0	0	0	0.4519	0	500	
5/12/2022	0	0.01007	0	0	0	0.4494	0	500	
5/13/2022	0	0.009871	0	0	0	0.4098	0	500	
5/14/2022	0	0.009673	0	0	0	0.467	0	500	
5/15/2022	59.26	26.39	0	0	0.4367	0.368	0	500	
5/16/2022	65.31	82.48	0	0	0.4812	0.4437	0	500	
5/17/2022	173.3	116.9	0	0	1.277	0.4592	0	500	
5/18/2022	12.1	152.8	0	0	0.08917	0.5154	0	500	
5/19/2022	0	9.962	0	0	0	0.4978	0	500	
5/20/2022	0	0.08601	0	0	0	0.5113	0	500	
5/21/2022	50.18	24.93	0	0	0.3698	0.5332	0	500	
5/22/2022	92.53	118.1	0	0	0.6819	0.5746	0	500	
5/23/2022	116.8	268	0	0	0.8605	0.5549	0	500	
5/24/2022	152.6	269.7	0	0	1.125	0.5233	0	500	
5/25/2022	166	162.5	0	0	1.224	0.5368	0	500	
5/26/2022	29.76	131.8	0	0	0.2193	0.5584	0	500	
5/27/2022	67.12	53.61	0	0	0.4946	0.5079	0	500	
5/28/2022	40.61	49.19	0	0	0.2993	0.5034	0	500	
5/29/2022	138	88.61	0	0	1.017	0.5593	0	500	
5/30/2022	194.6	416.3	0	0	1.434	0.6365	0	500	
5/31/2022	259.3	641.3	0	0	2.018	0.7268	0	500	
6/1/2022	287	934.5	0	0	2.662	0.8546	0	500	
6/2/2022	247.3	206.8	0	0	2.958	1.175	0	500	
6/3/2022	126.3	149.5	0	0	1.49	0.9226	0	500	
6/4/2022	159.9	126.3	0	0	1.754	0.9588	0	500	
6/5/2022	169.7	107.5	0	0	1.727	0.8783	0	500	
6/6/2022	222.8	91.53	0	0	2.083	0.8525	0	500	
6/7/2022	288.6	79.1	0	0	2.501	0.855	0	500	
6/8/2022	266.6	76.11	0	0	2.181	0.7006	0	500	
6/9/2022	58.04	185.2	0	0	0.4413	0.6862	0	500	
6/10/2022	0	83.27	0	0	0	0.6717	0	500	
6/11/2022	0	64.5	0	0	0	0.6701	0	500	
6/12/2022	0	61.19	0	0	0	0.6255	0	500	
6/13/2022	0	56.49	0	0	0	0.6225	0	500	
6/14/2022	11.34	51.85	0	0	0.0836	0.6859	0	500	
6/15/2022	20.46	47.55	0	0	0.1508	0.7261	0	500	
6/16/2022	11.34	43.59	0	0	0.0836	0.694	0	500	
6/17/2022	11.34	39.87	0	0	0.0836	0.7416	0	500	
6/18/2022	11.34	36.35	0	0	0.0836	0.7672	0	500	
6/19/2022	11.34	33.05	0	0	0.0836	0.7558	0	500	
6/20/2022	11.34	30	0	0	0.0836	0.7707	0	500	
6/21/2022	11.34	7.755	0	0	0.0836	0.9005	0	500	
6/22/2022	0	7.6	0	0	0	0.7605	0	500	
6/23/2022	0	7.448	0	0	0	0.6911	0	500	
6/24/2022	0	7.299	0	0	0	0.7611	0	500	
6/25/2022	0	7.153	0	0	0	0.7469	0	500	
6/26/2022	0	7.01	0	0	0	0.7729	0	500	
6/27/2022	0	6.869	0	0	0	0.9645	0	500	
6/28/2022	0	6.732	0	0	0	1.172	0	500	
6/29/2022	0	6.597	0	0	0	1.868	0	500	
6/30/2022	0	6.465	0	0	0	3.195	0	500	
7/1/2022	0	6.336	0	0	0	0.8117	0	500	
7/2/2022	0	6.209	0	0	0	0.82	0	500	
7/3/2022	0	6.085	0	0	0	1.367	0	500	
7/4/2022	0	5.963	0	0	0	1.087	0	500	
7/5/2022	0	5.844	0	0	0	0.7918	0	500	
7/6/2022	11.34	5.727	0	0	0.0836	0.812	0	500	
7/7/2022	1154	5.613	0	0	8.507	0.8151	0	500	
7/8/2022	390.1	589.8	0	0	3.841	1.12	0	500	
7/9/2022	20.4	253.6	0	0	0.2375	1.325	0	500	
7/10/2022	0	49.93	0	0	0	1.216	0	500	
7/11/2022	0	56.44	0	0	0	1.042	0	500	
7/12/2022	11.34	42.18	0	0	0.08474	0.9081	0	500	
7/13/2022	0	38.92	0	0	0	0.9079	0	500	

Date	SP4 - Water Balance								
	Inflow					Outflow			
	SP4 Pitwall Runoff	TIRI01 Natural to SP4	UG to SP4	TIRI01 to SP4	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SETP	To TIRI01	
m3	m3	m3	m3	m3	m3	m3	m3	m3	
7/14/2022	0	37.62	0	0	0	0.9047	0	500	
7/15/2022	0	34.26	0	0	0	1.306	0	500	
7/16/2022	0	30.42	0	0	0	0.9074	0	500	
7/17/2022	0	7.798	0	0	0	0.9593	0	500	
7/18/2022	0	7.642	0	0	0	1.093	0	500	
7/19/2022	0	7.489	0	0	0	0.949	0	500	
7/20/2022	0	7.339	0	0	0	0.9241	0	500	
7/21/2022	11.34	7.192	0	0	0.0836	0.929	0	500	
7/22/2022	159.3	7.048	0	0	1.174	0.8218	0	500	
7/23/2022	290.5	59.86	0	0	2.14	0.7893	0	500	
7/24/2022	35.89	142.4	0	0	0.2644	0.7477	0	500	
7/25/2022	1232	10.41	0	0	9.076	0.7942	0	500	
7/26/2022	43.52	643.2	0	0	0.4418	1.083	0	500	
7/27/2022	0	86.48	0	0	0	1.311	0	500	
7/28/2022	97.47	66.86	0	0	0.9068	0.9751	0	500	
7/29/2022	12.74	73.57	0	0	0.1026	0.756	0	500	
7/30/2022	0	46.5	0	0	0	0.7154	0	500	
7/31/2022	0	42.48	0	0	0	0.7535	0	500	
8/1/2022	0	41.31	0	0	0	0.8203	0	500	
8/2/2022	0	38.18	0	0	0	0.9743	0	500	
8/3/2022	0	34.43	0	0	0	0.8427	0	500	
8/4/2022	0	31.09	0	0	0	0.8251	0	500	
8/5/2022	11.34	28	0	0	0.0836	0.7838	0	500	
8/6/2022	11.34	7.221	0	0	0.0836	0.6781	0	500	
8/7/2022	0	7.076	0	0	0	0.7027	0	500	
8/8/2022	359.9	6.935	0	0	2.652	0.6959	0	500	
8/9/2022	1293	168.6	0	0	9.53	0.7018	0	500	
8/10/2022	228.2	683.3	0	0	2.504	0.8329	0	500	
8/11/2022	11.3	200.7	0	0	0.1414	1.024	0	500	
8/12/2022	20.4	88.35	0	0	0.2333	0.9294	0	500	
8/13/2022	20.42	73.49	0	0	0.2037	0.9017	0	500	
8/14/2022	0	60.79	0	0	0	0.9179	0	500	
8/15/2022	0	48.89	0	0	0	0.6679	0	500	
8/16/2022	11.34	48.04	0	0	0.0836	0.6495	0	500	
8/17/2022	0	45.98	0	0	0	0.8282	0	500	
8/18/2022	0	42.18	0	0	0	0.6925	0	500	
8/19/2022	0	38.47	0	0	0	0.6252	0	500	
8/20/2022	390.7	35.08	0	0	2.879	0.5708	0	500	
8/21/2022	12.74	212.3	0	0	0.09391	0.5717	0	500	
8/22/2022	0	29.62	0	0	0	0.5355	0	500	
8/23/2022	113	29.86	0	0	0.8329	0.5281	0	500	
8/24/2022	59.03	61.92	0	0	0.435	0.5589	0	500	
8/25/2022	11.34	42.64	0	0	0.0836	0.4977	0	500	
8/26/2022	11.34	7.695	0	0	0.0836	0.5149	0	500	
8/27/2022	28.17	7.817	0	0	0.2076	0.5027	0	500	
8/28/2022	120.7	7.762	0	0	0.8897	0.4628	0	500	
8/29/2022	11.34	49.89	0	0	0.0836	0.4482	0	500	
8/30/2022	51.31	7.455	0	0	0.3781	0.4449	0	500	
8/31/2022	11.34	13.9	0	0	0.0836	0.4123	0	500	
9/1/2022	11.34	7.379	0	0	0.0836	0.4153	0	500	
9/2/2022	12.74	7.251	0	0	0.09391	0.4199	0	500	
9/3/2022	49.16	7.106	0	0	0.3623	0.4037	0	500	
9/4/2022	33.73	8.845	0	0	0.2486	0.4147	0	500	
9/5/2022	16.9	8.805	0	0	0.1246	0.4067	0	500	
9/6/2022	12.74	6.688	0	0	0.09391	0.3769	0	500	
9/7/2022	0	6.554	0	0	0	0.3573	0	500	
9/8/2022	242	6.423	0	0	1.783	0.3433	0	500	
9/9/2022	18.3	110.3	0	0	0.1349	0.3504	0	500	
9/10/2022	5.559	6.169	0	0	0.04096	0.3235	0	500	
9/11/2022	162.3	6.497	0	0	1.196	0.2622	0	500	
9/12/2022	66.89	73.24	0	0	0.4929	0.2867	0	500	
9/13/2022	0	30.98	0	0	0	0.3191	0	500	
9/14/2022	5.559	7.226	0	0	0.04096	0.2869	0	500	
9/15/2022	32.07	7.603	0	0	0.2363	0.3164	0	500	
9/16/2022	0	0.3911	0	0	0	0.2599	0	500	
9/17/2022	0	0.3947	0	0	0	0.2419	0	500	
9/18/2022	0	1.396	0	0	0	0.2421	0	500	
9/19/2022	28.17	40.77	0	0	0.2076	0.2423	0	500	
9/20/2022	0	17.09	0	0	0	0.2749	0	500	
9/21/2022	35.89	7.625	0	0	0.2644	0.2745	0	500	
9/22/2022	5.559	7.576	0	0	0.04096	0.2429	0	500	
9/23/2022	22.95	7.465	0	0	0.1691	0.2332	0	500	
9/24/2022	0	0.3683	0	0	0	0.2212	0	500	
9/25/2022	0	0.3619	0	0	0	0.2044	0	500	
9/26/2022	0	0.3583	0	0	0	0.1784	0	500	
9/27/2022	0	0.3554	0	0	0	0.1752	0	500	
9/28/2022	0	0.3525	0	0	0	0.1814	0	500	
9/29/2022	0	0.3491	0	0	0	0.1605	0	500	
9/30/2022	513.5	47.67	0	0	3.784	0.1697	0	500	
10/1/2022	0	282.1	0	0	0	0.1708	0	500	
10/2/2022	0	12.38	0	0	0	0.1161	0	500	
10/3/2022	0	5.938	0	0	0	0.1498	0	500	
10/4/2022	0	2.136	0	0	0	0.1473	0	500	
10/5/2022	0	1.59	0	0	0	0.1296	0	500	
10/6/2022	0	1.609	0	0	0	0.09977	0	500	
10/7/2022	0	1.602	0	0	0	0.06988	0	500	

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff m3	TIRI01 Natural m3	Rain and Snowmelt m3	SP4 Pond Surface Evaporation m3	To SP1 m3	To SP4 m3	To CP1 m3
1/1/2019	0	0	0	0	0	0	0
1/2/2019	0	0	0	0	0	0	0
1/3/2019	0	0	0	0	0	0	0
1/4/2019	0	0	0	0	0	0	0
1/5/2019	0	0	0	0	0	0	0
1/6/2019	0	0	0	0	0	0	0
1/7/2019	0	0	0	0	0	0	0
1/8/2019	0	0	0	0	0	0	0
1/9/2019	0	0	0	0	0	0	0
1/10/2019	0	0	0	0	0	0	0
1/11/2019	0	0	0	0	0	0	0
1/12/2019	0	0	0	0	0	0	0
1/13/2019	0	0	0	0	0	0	0
1/14/2019	0	0	0	0	0	0	0
1/15/2019	0	0	0	0	0	0	0
1/16/2019	0	0	0	0	0	0	0
1/17/2019	0	0	0	0	0	0	0
1/18/2019	0	0	0	0	0	0	0
1/19/2019	0	0	0	0	0	0	0
1/20/2019	0	0	0	0	0	0	0
1/21/2019	0	0	0	0	0	0	0
1/22/2019	0	0	0	0	0	0	0
1/23/2019	0	0	0	0	0	0	0
1/24/2019	0	0	0	0	0	0	0
1/25/2019	0	0	0	0	0	0	0
1/26/2019	0	0	0	0	0	0	0
1/27/2019	0	0	0	0	0	0	0
1/28/2019	0	0	0	0	0	0	0
1/29/2019	0	0	0	0	0	0	0
1/30/2019	0	0	0	0	0	0	0
1/31/2019	0	0	0	0	0	0	0
2/1/2019	0	0	0	0	0	0	0
2/2/2019	0	0	0	0	0	0	0
2/3/2019	0	0	0	0	0	0	0
2/4/2019	0	0	0	0	0	0	0
2/5/2019	0	0	0	0	0	0	0
2/6/2019	0	0	0	0	0	0	0
2/7/2019	0	0	0	0	0	0	0
2/8/2019	0	0	0	0	0	0	0
2/9/2019	0	0	0	0	0	0	0
2/10/2019	0	0	0	0	0	0	0
2/11/2019	0	0	0	0	0	0	0
2/12/2019	0	0	0	0	0	0	0
2/13/2019	0	0	0	0	0	0	0
2/14/2019	0	0	0	0	0	0	0
2/15/2019	0	0	0	0	0	0	0
2/16/2019	0	0	0	0	0	0	0
2/17/2019	0	0	0	0	0	0	0
2/18/2019	0	0	0	0	0	0	0
2/19/2019	0	0	0	0	0	0	0
2/20/2019	0	0	0	0	0	0	0
2/21/2019	0	0	0	0	0	0	0
2/22/2019	0	0	0	0	0	0	0
2/23/2019	0	0	0	0	0	0	0
2/24/2019	0	0	0	0	0	0	0
2/25/2019	0	0	0	0	0	0	0
2/26/2019	0	0	0	0	0	0	0
2/27/2019	0	0	0	0	0	0	0
2/28/2019	0	0	0	0	0	0	0
3/1/2019	0	0	0	0	0	0	0
3/2/2019	0	0	0	0	0	0	0
3/3/2019	0	0	0	0	0	0	0
3/4/2019	0	0	0	0	0	0	0
3/5/2019	0	0	0	0	0	0	0
3/6/2019	0	0	0	0	0	0	0
3/7/2019	0	0	0	0	0	0	0
3/8/2019	0	0	0	0	0	0	0
3/9/2019	0	0	0	0	0	0	0
3/10/2019	0	0	0	0	0	0	0
3/11/2019	0	0	0	0	0	0	0
3/12/2019	0	0	0	0.0001693	0	0	0
3/13/2019	0	0	0	0	0	0	0
3/14/2019	0	0	0	0	0	0	0
3/15/2019	0	0	0	0	0	0	0
3/16/2019	0	0	0	0	0	0	0
3/17/2019	0	0	0	0	0	0	0
3/18/2019	0	0	0	0.00137	0	0	0
3/19/2019	0	0	0	0	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
m3	m3	m3	m3	m3	m3	m3	m3
3/20/2019	0	0	0	0.002164	0	0	0
3/21/2019	0	0	0	0	0	0	0
3/22/2019	0	0	0	0.01213	0	0	0
3/23/2019	0	0	0	0	0	0	0
3/24/2019	0	0	0	0	0	0	0
3/25/2019	0	0	0	0	0	0	0
3/26/2019	0	0	0	0.008331	0	0	0
3/27/2019	0	0	0	0	0	0	0
3/28/2019	0	0	0	0	0	0	0
3/29/2019	0	0	0	0	0	0	0
3/30/2019	0	0	0	0	0	0	0
3/31/2019	0	0	0	0.007063	0	0	0
4/1/2019	0	0	0	0.009338	0	0	0
4/2/2019	0	0	0	0	0	0	0
4/3/2019	0	0	0	0	0	0	0
4/4/2019	0	0	0	0	0	0	0
4/5/2019	0	0	0	0	0	0	0
4/6/2019	0	0	0	0	0	0	0
4/7/2019	0	0	0	0	0	0	0
4/8/2019	0	0	0	0	0	0	0
4/9/2019	0	0	0	0.008834	0	0	0
4/10/2019	0	0	0	0.01745	0	0	0
4/11/2019	0	0	0	0.03163	0	0	0
4/12/2019	0	0	0	0.03694	0	0	0
4/13/2019	0	0	0	0.04373	0	0	0
4/14/2019	0	0	0	0.03496	0	0	0
4/15/2019	0	0	0	0.02628	0	0	0
4/16/2019	0	0	0	0.02598	0	0	0
4/17/2019	0	0	0	0.02301	0	0	0
4/18/2019	0	0	0	0.004608	0	0	0
4/19/2019	0	0	0	0.008441	0	0	0
4/20/2019	0	0	0	0	0	0	0
4/21/2019	0	0	0	0	0	0	0
4/22/2019	0	0	0	0	0	0	0
4/23/2019	0	0	0	0.03249	0	0	0
4/24/2019	0	0	0	0.03038	0	0	0
4/25/2019	0	0	0	0	0	0	0
4/26/2019	0	0	0	0	0	0	0
4/27/2019	0	0	0	0	0	0	0
4/28/2019	0	0	0	0	0	0	0
4/29/2019	0	0	0	0	0	0	0
4/30/2019	0	0	0	0.01306	0	0	0
5/1/2019	0	0	0	0.03933	0	0	0
5/2/2019	0	0	0	0.04193	0	0	0
5/3/2019	0	0	0	0.04803	0	0	0
5/4/2019	0	0	0	0.02893	0	0	0
5/5/2019	0	0	0	0.01672	0	0	0
5/6/2019	0	0	0	0.02259	0	0	0
5/7/2019	0	0	0	0.0492	0	0	0
5/8/2019	0	0	0	0.06826	0	0	0
5/9/2019	0	0	0	0.05723	0	0	0
5/10/2019	0	0	0	0.05425	0	0	0
5/11/2019	0	0	0	0.05341	0	0	0
5/12/2019	0	0	0	0.06211	0	0	0
5/13/2019	0	0	0	0.05817	0	0	0
5/14/2019	0	0	0	0.0668	0	0	0
5/15/2019	0	0	0	0.07403	0	0	0
5/16/2019	0	0	0	0.06929	0	0	0
5/17/2019	0	0	0	0.0749	0	0	0
5/18/2019	0	0	0	0.06448	0	0	0
5/19/2019	0	0	0	0.0631	0	0	0
5/20/2019	0	0	0	0.06451	0	0	0
5/21/2019	0	0	0	0.06787	0	0	0
5/22/2019	0	0	0	0.05776	0	0	0
5/23/2019	0	0	0	0.06822	0	0	0
5/24/2019	0	0	0	0.06509	0	0	0
5/25/2019	0	0	0	0.0562	0	0	0
5/26/2019	0	0	0	0.06208	0	0	0
5/27/2019	0	0	0	0.08153	0	0	0
5/28/2019	0	0	0	0.08151	0	0	0
5/29/2019	0	0	0.0201	0.08756	0	0	0
5/30/2019	0	0	0	0.07282	0	0	0
5/31/2019	0	0	0.06643	0.08782	0	0	0
6/1/2019	0	0	0.08392	0.09394	0	0	0
6/2/2019	0	0	0	0.08044	0	0	0
6/3/2019	0	0	0	0.07918	0	0	0
6/4/2019	0	0	0	0.07836	0	0	0
6/5/2019	0	0	0.06294	0.09072	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
m3	m3	m3	m3	m3	m3	m3	m3
6/6/2019	0	0	0.09792	0.09723	0	0	0
6/7/2019	0	0	0.09006	0.09601	0	0	0
6/8/2019	0	0	0.2746	0.08082	0	0	0
6/9/2019	0	0	0.2921	0.1045	0	0	0
6/10/2019	0	0	0.336	0.1079	0	0	0
6/11/2019	0	0	0.2442	0.1077	0	0	0
6/12/2019	0	0	0.2582	0.1068	0	0	0
6/13/2019	0	0	0.3643	0.1135	0	0	0
6/14/2019	0	0	0.3223	0.1087	0	0	0
6/15/2019	0	0	0.2033	0.1008	0	0	0
6/16/2019	0	0	0.2384	0.1033	0	0	0
6/17/2019	0	0	0	0.08756	0	0	0
6/18/2019	0	0	0	0.07275	0	0	0
6/19/2019	0	0	0.4067	0.1156	0	0	0
6/20/2019	0	0	0.2429	0.104	0	0	0
6/21/2019	0	0	0.5886	0.1424	0	0	0
6/22/2019	0	0	0.6249	0.1417	0	0	0
6/23/2019	0	0	0.3724	0.1165	0	0	0
6/24/2019	0	0	0.3163	0.1156	0	0	0
6/25/2019	0	0	0.4719	0.1196	0	0	0
6/26/2019	0	0	0.5768	0.1345	0	0	0
6/27/2019	0	0	0.7249	0.1368	0	0	0
6/28/2019	0	0	0.6691	0.141	0	0	0
6/29/2019	0	0	0.1709	0.1239	0	0	0
6/30/2019	0	0	0.8062	0.1131	0	0	0
7/1/2019	0	0	0.2469	0.1061	0	0	0
7/2/2019	0	0	0.02205	0.105	0	0	0
7/3/2019	0	0	1.054	0.1141	0	0	0
7/4/2019	0	0	0.4238	0.1152	0	0	0
7/5/2019	0	0	0.01325	0.2551	0	0	0
7/6/2019	0	0	0.08833	0.1457	0	0	0
7/7/2019	0	0	0.01325	0.117	0	0	0
7/8/2019	0	0	0.667	0.1096	0	0	0
7/9/2019	0	0	0.8928	0.1091	0	0	0
7/10/2019	0	0	0.01327	0.1266	0	0	0
7/11/2019	0	0	0.02212	0.1377	0	0	0
7/12/2019	0	0	0.1504	0.1573	0	0	0
7/13/2019	0	0	0.01327	0.1351	0	0	0
7/14/2019	0	0	0.01327	0.14	0	0	0
7/15/2019	0	0	0.3717	0.1313	0	0	0
7/16/2019	0	0	0.06197	0.1548	0	0	0
7/17/2019	0	0	0.08853	0.1522	0	0	0
7/18/2019	0	0	0	0.1388	0	0	0
7/19/2019	0	0	0.01328	0.1423	0	0	0
7/20/2019	0	0	0.02213	0.1408	0	0	0
7/21/2019	0	0	0	0.1451	0	0	0
7/22/2019	0	0	0.01328	0.1413	0	0	0
7/23/2019	0	0	0.01328	0.1326	0	0	0
7/24/2019	0	0	0	0.1178	0	0	0
7/25/2019	0	0	0.03984	0.1244	0	0	0
7/26/2019	0	0	0.01328	0.1208	0	0	0
7/27/2019	0	0	0.6198	0.09643	0	0	0
7/28/2019	0	0	0.35	0.1047	0	0	0
7/29/2019	0	0	0	0.1237	0	0	0
7/30/2019	0	0	0.01329	0.1162	0	0	0
7/31/2019	0	0	0.02216	0.1159	0	0	0
8/1/2019	0	0	0	0.1191	0	0	0
8/2/2019	0	0	0	0.1466	0	0	0
8/3/2019	0	0	0.02216	0.09713	0	0	0
8/4/2019	0	0	0.5141	0.06157	0	0	0
8/5/2019	0	0	0.266	0.1027	0	0	0
8/6/2019	0	0	0.01331	0.1131	0	0	0
8/7/2019	0	0	0.01331	0.1197	0	0	0
8/8/2019	0	0	0.03105	0.1231	0	0	0
8/9/2019	0	0	0.03105	0.1139	0	0	0
8/10/2019	0	0	0.08871	0.09869	0	0	0
8/11/2019	0	0	0.8029	0.07999	0	0	0
8/12/2019	0	0	0.4617	0.09898	0	0	0
8/13/2019	0	0	0.2354	0.08335	0	0	0
8/14/2019	0	0	0	0.1005	0	0	0
8/15/2019	0	0	0.01333	0.1016	0	0	0
8/16/2019	0	0	0	0.09291	0	0	0
8/17/2019	0	0	0.01333	0.08827	0	0	0
8/18/2019	0	0	0	0.09818	0	0	0
8/19/2019	0	0	0.03998	0.09955	0	0	0
8/20/2019	0	0	0	0.1003	0	0	0
8/21/2019	0	0	0	0.09987	0	0	0
8/22/2019	0	0	0	0.09457	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
m3	m3	m3	m3	m3	m3	m3	m3
8/23/2019	0	0	0.09774	0.0974	0	0	0
8/24/2019	0	0	0.01333	0.09249	0	0	0
8/25/2019	0	0	0.2088	0.09018	0	0	0
8/26/2019	0	0	0.01333	0.08662	0	0	0
8/27/2019	0	0	0	0.08482	0	0	0
8/28/2019	0	0	1.551	0.0595	0	0	0
8/29/2019	0	0	0.7344	0.07918	0	0	0
8/30/2019	0	0	0.01336	0.06595	0	0	0
8/31/2019	0	0	0.1069	0.06479	0	0	0
9/1/2019	0	0	0.1559	0.06204	0	0	0
9/2/2019	0	0	0.01337	0.06676	0	0	0
9/3/2019	0	0	0.01337	0.06692	0	0	0
9/4/2019	0	0	0	0.06779	0	0	0
9/5/2019	0	0	0	0.06643	0	0	0
9/6/2019	0	0	0.05347	0.06264	0	0	0
9/7/2019	0	0	0	0.0603	0	0	0
9/8/2019	0	0	0	0.05857	0	0	0
9/9/2019	0	0	0	0.06117	0	0	0
9/10/2019	0	0	0.08911	0.06337	0	0	0
9/11/2019	0	0	0.01337	0.06695	0	0	0
9/12/2019	0	0	0	0.06956	0	0	0
9/13/2019	0	0	0	0.0665	0	0	0
9/14/2019	0	0	0.01337	0.06363	0	0	0
9/15/2019	0	0	0.7041	0.04876	0	0	0
9/16/2019	0	0	0.01338	0.05803	0	0	0
9/17/2019	0	0	1.017	0.05532	0	0	0
9/18/2019	0	0	0.04017	0.05574	0	0	0
9/19/2019	0	0	0	0.04997	0	0	0
9/20/2019	0	0	0.1205	0.04885	0	0	0
9/21/2019	0	0	0.5357	0.0461	0	0	0
9/22/2019	0	0	0.0134	0.04374	0	0	0
9/23/2019	0	0	0.08934	0.04305	0	0	0
9/24/2019	0	0	0.1966	0.04869	0	0	0
9/25/2019	0	0	0.4468	0.04227	0	0	0
9/26/2019	0	0	0.09387	0.04183	0	0	0
9/27/2019	0	0	0.1743	0.02936	0	0	0
9/28/2019	0	0	0	0.02741	0	0	0
9/29/2019	0	0	0	0.02495	0	0	0
9/30/2019	0	0	0	0.02645	0	0	0
10/1/2019	0	0	0	0.03365	0	0	0
10/2/2019	0	0	0	0.0311	0	0	0
10/3/2019	0	0	0	0.02689	0	0	0
10/4/2019	0	0	0.01341	0.03233	0	0	0
10/5/2019	0	0	0.004471	0.03178	0	0	0
10/6/2019	0	0	0	0.02541	0	0	0
10/7/2019	0	0	0	0.0219	0	0	0
10/8/2019	0	0	0.1565	0.02682	0	0	0
10/9/2019	0	0	0.06708	0.02593	0	0	0
10/10/2019	0	0	0	0.02063	0	0	0
10/11/2019	0	0	0	0.02051	0	0	0
10/12/2019	0	0	0	0.01994	0	0	0
10/13/2019	0	0	0	0.01971	0	0	0
10/14/2019	0	0	0	0.01754	0	0	0
10/15/2019	0	0	0	0.0156	0	0	0
10/16/2019	0	0	0	0.0136	0	0	0
10/17/2019	0	0	0	0.0169	0	0	0
10/18/2019	0	0	0.5528	0.01653	0	0	0
10/19/2019	0	0	0.4394	0.01689	0	0	0
10/20/2019	0	0	0.08595	0.01594	0	0	0
10/21/2019	0	0	0	0.0143	0	0	0
10/22/2019	0	0	0	0.01038	0	0	0
10/23/2019	0	0	0	0.009208	0	0	0
10/24/2019	0	0	0	0.008205	0	0	0
10/25/2019	0	0	0	0.01163	0	0	0
10/26/2019	0	0	0	0.01103	0	0	0
10/27/2019	0	0	0	0.01081	0	0	0
10/28/2019	0	0	0	0.01143	0	0	0
10/29/2019	0	0	0	0.01088	0	0	0
10/30/2019	0	0	0	0.008413	0	0	0
10/31/2019	0	0	0	0.007507	0	0	0
11/1/2019	0	0	0	0.0049	0	0	0
11/2/2019	0	0	0	0.002539	0	0	0
11/3/2019	0	0	0	0.004878	0	0	0
11/4/2019	0	0	0	0.001973	0	0	0
11/5/2019	0	0	0	0	0	0	0
11/6/2019	0	0	0	0	0	0	0
11/7/2019	0	0	0	0	0	0	0
11/8/2019	0	0	0	0	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff m3	TIRI01 Natural m3	Rain and Snowmelt m3	SP4 Pond Surface Evaporation m3	To SP1 m3	To SP4 m3	To CP1 m3
11/9/2019	0	0	0	0.0007839	0	0	0
11/10/2019	0	0	0	0	0	0	0
11/11/2019	0	0	0	0	0	0	0
11/12/2019	0	0	0	0.001534	0	0	0
11/13/2019	0	0	0	0	0	0	0
11/14/2019	0	0	0	0	0	0	0
11/15/2019	0	0	0	0.0004854	0	0	0
11/16/2019	0	0	0	0.001104	0	0	0
11/17/2019	0	0	0	0	0	0	0
11/18/2019	0	0	0	0	0	0	0
11/19/2019	0	0	0	0.0003727	0	0	0
11/20/2019	0	0	0	0.0005169	0	0	0
11/21/2019	0	0	0	0.0005871	0	0	0
11/22/2019	0	0	0	0.001569	0	0	0
11/23/2019	0	0	0	2.34E-05	0	0	0
11/24/2019	0	0	0	0.001431	0	0	0
11/25/2019	0	0	0	0.0007831	0	0	0
11/26/2019	0	0	0	0	0	0	0
11/27/2019	0	0	0	0	0	0	0
11/28/2019	0	0	0	0.0005547	0	0	0
11/29/2019	0	0	0	0.001131	0	0	0
11/30/2019	0	0	0	0.001114	0	0	0
12/1/2019	0	0	0	8.72E-05	0	0	0
12/2/2019	0	0	0	0	0	0	0
12/3/2019	0	0	0	0	0	0	0
12/4/2019	0	0	0	0	0	0	0
12/5/2019	0	0	0	0	0	0	0
12/6/2019	0	0	0	0	0	0	0
12/7/2019	0	0	0	0	0	0	0
12/8/2019	0	0	0	0	0	0	0
12/9/2019	0	0	0	0	0	0	0
12/10/2019	0	0	0	0	0	0	0
12/11/2019	0	0	0	0	0	0	0
12/12/2019	0	0	0	0	0	0	0
12/13/2019	0	0	0	0	0	0	0
12/14/2019	0	0	0	0	0	0	0
12/15/2019	0	0	0	0	0	0	0
12/16/2019	0	0	0	0	0	0	0
12/17/2019	0	0	0	0	0	0	0
12/18/2019	0	0	0	0	0	0	0
12/19/2019	0	0	0	0	0	0	0
12/20/2019	0	0	0	0	0	0	0
12/21/2019	0	0	0	0	0	0	0
12/22/2019	0	0	0	0.0001095	0	0	0
12/23/2019	0	0	0	0	0	0	0
12/24/2019	0	0	0	0	0	0	0
12/25/2019	0	0	0	0.0008294	0	0	0
12/26/2019	0	0	0	0.0008394	0	0	0
12/27/2019	0	0	0	0.0009417	0	0	0
12/28/2019	0	0	0	0.0005149	0	0	0
12/29/2019	0	0	0	0.0003708	0	0	0
12/30/2019	0	0	0	0	0	0	0
12/31/2019	0	0	0	0	0	0	0
1/1/2020	0	0	0	0.0002243	0	0	0
1/2/2020	0	0	0	0.0002171	0	0	0
1/3/2020	0	0	0	0	0	0	0
1/4/2020	0	0	0	0	0	0	0
1/5/2020	0	0	0	0	0	0	0
1/6/2020	0	0	0	0	0	0	0
1/7/2020	0	0	0	0	0	0	0
1/8/2020	0	0	0	0	0	0	0
1/9/2020	0	0	0	0	0	0	0
1/10/2020	0	0	0	0	0	0	0
1/11/2020	0	0	0	0	0	0	0
1/12/2020	0	0	0	0	0	0	0
1/13/2020	0	0	0	0	0	0	0
1/14/2020	0	0	0	0	0	0	0
1/15/2020	0	0	0	0	0	0	0
1/16/2020	0	0	0	0	0	0	0
1/17/2020	0	0	0	0	0	0	0
1/18/2020	0	0	0	0	0	0	0
1/19/2020	0	0	0	0	0	0	0
1/20/2020	0	0	0	0	0	0	0
1/21/2020	0	0	0	0	0	0	0
1/22/2020	0	0	0	0	0	0	0
1/23/2020	0	0	0	0	0	0	0
1/24/2020	0	0	0	0	0	0	0
1/25/2020	0	0	0	0	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff m3	TIRI01 Natural m3	Rain and Snowmelt m3	SP4 Pond Surface Evaporation m3	To SP1 m3	To SP4 m3	To CP1 m3
1/26/2020	0	0	0	0	0	0	0
1/27/2020	0	0	0	0	0	0	0
1/28/2020	0	0	0	0	0	0	0
1/29/2020	0	0	0	0	0	0	0
1/30/2020	0	0	0	0.00272	0	0	0
1/31/2020	0	0	0	0.003478	0	0	0
2/1/2020	0	0	0	0	0	0	0
2/2/2020	0	0	0	0	0	0	0
2/3/2020	0	0	0	0	0	0	0
2/4/2020	0	0	0	0	0	0	0
2/5/2020	0	0	0	0	0	0	0
2/6/2020	0	0	0	0	0	0	0
2/7/2020	0	0	0	0	0	0	0
2/8/2020	0	0	0	0	0	0	0
2/9/2020	0	0	0	0	0	0	0
2/10/2020	0	0	0	0	0	0	0
2/11/2020	0	0	0	0	0	0	0
2/12/2020	0	0	0	0	0	0	0
2/13/2020	0	0	0	0	0	0	0
2/14/2020	0	0	0	0	0	0	0
2/15/2020	0	0	0	0	0	0	0
2/16/2020	0	0	0	0	0	0	0
2/17/2020	0	0	0	0	0	0	0
2/18/2020	0	0	0	0	0	0	0
2/19/2020	0	0	0	0	0	0	0
2/20/2020	0	0	0	0	0	0	0
2/21/2020	0	0	0	0	0	0	0
2/22/2020	0	0	0	0	0	0	0
2/23/2020	0	0	0	0	0	0	0
2/24/2020	0	0	0	0	0	0	0
2/25/2020	0	0	0	0	0	0	0
2/26/2020	0	0	0	0	0	0	0
2/27/2020	0	0	0	0	0	0	0
2/28/2020	0	0	0	0	0	0	0
2/29/2020	0	0	0	0.001962	0	0	0
3/1/2020	0	0	0	0	0	0	0
3/2/2020	0	0	0	0	0	0	0
3/3/2020	0	0	0	0	0	0	0
3/4/2020	0	0	0	0	0	0	0
3/5/2020	0	0	0	0	0	0	0
3/6/2020	0	0	0	0	0	0	0
3/7/2020	0	0	0	0	0	0	0
3/8/2020	0	0	0	0	0	0	0
3/9/2020	0	0	0	0	0	0	0
3/10/2020	0	0	0	0	0	0	0
3/11/2020	0	0	0	0	0	0	0
3/12/2020	0	0	0	0	0	0	0
3/13/2020	0	0	0	0	0	0	0
3/14/2020	0	0	0	0	0	0	0
3/15/2020	0	0	0	0.001295	0	0	0
3/16/2020	0	0	0	0	0	0	0
3/17/2020	0	0	0	0	0	0	0
3/18/2020	0	0	0	0	0	0	0
3/19/2020	0	0	0	0	0	0	0
3/20/2020	0	0	0	0	0	0	0
3/21/2020	0	0	0	0	0	0	0
3/22/2020	0	0	0	0.008356	0	0	0
3/23/2020	0	0	0	0	0	0	0
3/24/2020	0	0	0	0	0	0	0
3/25/2020	0	0	0	0	0	0	0
3/26/2020	0	0	0	0	0	0	0
3/27/2020	0	0	0	0	0	0	0
3/28/2020	0	0	0	0	0	0	0
3/29/2020	0	0	0	0	0	0	0
3/30/2020	0	0	0	0	0	0	0
3/31/2020	0	0	0	0	0	0	0
4/1/2020	0	0	0	0	0	0	0
4/2/2020	0	0	0	0.01461	0	0	0
4/3/2020	0	0	0	0.01257	0	0	0
4/4/2020	0	0	0	0.01236	0	0	0
4/5/2020	0	0	0	0.01587	0	0	0
4/6/2020	0	0	0	0.007313	0	0	0
4/7/2020	0	0	0	0.004466	0	0	0
4/8/2020	0	0	0	0.01523	0	0	0
4/9/2020	0	0	0	0.007306	0	0	0
4/10/2020	0	0	0	0.003772	0	0	0
4/11/2020	0	0	0	0.001834	0	0	0
4/12/2020	0	0	0	0	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff m3	TIRI01 Natural m3	Rain and Snowmelt m3	SP4 Pond Surface Evaporation m3	To SP1 m3	To SP4 m3	To CP1 m3
4/13/2020	0	0	0	0	0	0	0
4/14/2020	0	0	0	0	0	0	0
4/15/2020	0	0	0	0.0003206	0	0	0
4/16/2020	0	0	0	0	0	0	0
4/17/2020	0	0	0	0	0	0	0
4/18/2020	0	0	0	0	0	0	0
4/19/2020	0	0	0	0	0	0	0
4/20/2020	0	0	0	0	0	0	0
4/21/2020	0	0	0	0	0	0	0
4/22/2020	0	0	0	0.007133	0	0	0
4/23/2020	0	0	0	0.02863	0	0	0
4/24/2020	0	0	0	0.01495	0	0	0
4/25/2020	0	0	0	0.01106	0	0	0
4/26/2020	0	0	0	0.02181	0	0	0
4/27/2020	0	0	0	0	0	0	0
4/28/2020	0	0	0	0	0	0	0
4/29/2020	0	0	0	0.03631	0	0	0
4/30/2020	0	0	0	0.05477	0	0	0
5/1/2020	0	0	0	0.03353	0	0	0
5/2/2020	0	0	0	0.01832	0	0	0
5/3/2020	0	0	0	0.04161	0	0	0
5/4/2020	0	0	0	0.06406	0	0	0
5/5/2020	0	0	0	0.02737	0	0	0
5/6/2020	0	0	0	0.03458	0	0	0
5/7/2020	0	0	0	0.04791	0	0	0
5/8/2020	0	0	0	0.04005	0	0	0
5/9/2020	0	0	0	0.02559	0	0	0
5/10/2020	0	0	0	0.02508	0	0	0
5/11/2020	0	0	0	0.03973	0	0	0
5/12/2020	0	0	0	0.04036	0	0	0
5/13/2020	0	0	0	0.033	0	0	0
5/14/2020	0	0	0	0.03094	0	0	0
5/15/2020	0	0	0	0.0393	0	0	0
5/16/2020	0	0	0	0.06924	0	0	0
5/17/2020	0	0	0	0.07795	0	0	0
5/18/2020	0	0	0	0.0613	0	0	0
5/19/2020	0	0	0	0.06124	0	0	0
5/20/2020	0	0	0	0.06265	0	0	0
5/21/2020	0	0	0	0.06015	0	0	0
5/22/2020	0	0	0	0.05695	0	0	0
5/23/2020	0	0	0	0.07169	0	0	0
5/24/2020	0	0	0	0.06976	0	0	0
5/25/2020	0	0	0	0.07218	0	0	0
5/26/2020	0	0	0	0.04988	0	0	0
5/27/2020	0	0	0	0.05105	0	0	0
5/28/2020	0	0	0	0.0734	0	0	0
5/29/2020	0	0	0	0.0677	0	0	0
5/30/2020	0	0	0	0.07329	0	0	0
5/31/2020	0	0	0	0.07348	0	0	0
6/1/2020	0	0	0	0.06816	0	0	0
6/2/2020	0	0	0	0.06888	0	0	0
6/3/2020	0	0	0.01433	0.07914	0	0	0
6/4/2020	0	0	0	0.08584	0	0	0
6/5/2020	0	0	0	0.0877	0	0	0
6/6/2020	0	0	0.1621	0.09271	0	0	0
6/7/2020	0	0	0.02597	0.07027	0	0	0
6/8/2020	0	0	0.07612	0.09221	0	0	0
6/9/2020	0	0	0.0618	0.09565	0	0	0
6/10/2020	0	0	0.1908	0.1027	0	0	0
6/11/2020	0	0	0.3225	0.1173	0	0	0
6/12/2020	0	0	0.5162	0.1313	0	0	0
6/13/2020	0	0	0.7316	0.145	0	0	0
6/14/2020	0	0	0.4809	0.129	0	0	0
6/15/2020	0	0	0.4308	0.1249	0	0	0
6/16/2020	0	0	0.3161	0.1129	0	0	0
6/17/2020	0	0	0.5533	0.1342	0	0	0
6/18/2020	0	0	0.4862	0.1484	0	0	0
6/19/2020	0	0	0	0.1648	0	0	0
6/20/2020	0	0	0	0.1579	0	0	0
6/21/2020	0	0	0	0.1566	0	0	0
6/22/2020	0	0	0	0.1604	0	0	0
6/23/2020	0	0	0	0.1873	0	0	0
6/24/2020	0	0	0.03147	0.1535	0	0	0
6/25/2020	0	0	0.01349	0.1373	0	0	0
6/26/2020	0	0	0.1888	0.09428	0	0	0
6/27/2020	0	0	0	0.1162	0	0	0
6/28/2020	0	0	0	0.1511	0	0	0
6/29/2020	0	0	0	0.1676	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
m3	m3	m3	m3	m3	m3	m3	m3
6/30/2020	0	0	0	0.1759	0	0	0
7/1/2020	0	0	0	0.1894	0	0	0
7/2/2020	0	0	0	0.1726	0	0	0
7/3/2020	0	0	0	0.1617	0	0	0
7/4/2020	0	0	0	0.1453	0	0	0
7/5/2020	0	0	0	0.1465	0	0	0
7/6/2020	0	0	0	0.133	0	0	0
7/7/2020	0	0	0.1709	0.1379	0	0	0
7/8/2020	0	0	0.01349	0.1417	0	0	0
7/9/2020	0	0	0.01349	0.1456	0	0	0
7/10/2020	0	0	0	0.1715	0	0	0
7/11/2020	0	0	0	0.174	0	0	0
7/12/2020	0	0	0	0.151	0	0	0
7/13/2020	0	0	0	0.1269	0	0	0
7/14/2020	0	0	0.01349	0.1316	0	0	0
7/15/2020	0	0	0.01349	0.1253	0	0	0
7/16/2020	0	0	0.1889	0.1669	0	0	0
7/17/2020	0	0	0.0135	0.14	0	0	0
7/18/2020	0	0	0	0.171	0	0	0
7/19/2020	0	0	0	0.1642	0	0	0
7/20/2020	0	0	0	0.1757	0	0	0
7/21/2020	0	0	0	0.1762	0	0	0
7/22/2020	0	0	0	0.1587	0	0	0
7/23/2020	0	0	0	0.1662	0	0	0
7/24/2020	0	0	0.0135	0.1508	0	0	0
7/25/2020	0	0	0.0135	0.123	0	0	0
7/26/2020	0	0	0	0.1162	0	0	0
7/27/2020	0	0	0	0.1458	0	0	0
7/28/2020	0	0	0	0.1488	0	0	0
7/29/2020	0	0	0.0135	0.138	0	0	0
7/30/2020	0	0	0.0135	0.1654	0	0	0
7/31/2020	0	0	0	0.1169	0	0	0
8/1/2020	0	0	0	0.156	0	0	0
8/2/2020	0	0	0	0.1585	0	0	0
8/3/2020	0	0	0	0.1633	0	0	0
8/4/2020	0	0	0	0.1639	0	0	0
8/5/2020	0	0	0.02249	0.1622	0	0	0
8/6/2020	0	0	0	0.1558	0	0	0
8/7/2020	0	0	0	0.1215	0	0	0
8/8/2020	0	0	0.0135	0.1197	0	0	0
8/9/2020	0	0	0.135	0.09595	0	0	0
8/10/2020	0	0	0.0135	0.1075	0	0	0
8/11/2020	0	0	0	0.1244	0	0	0
8/12/2020	0	0	0	0.1374	0	0	0
8/13/2020	0	0	0.0135	0.1029	0	0	0
8/14/2020	0	0	0.144	0.09753	0	0	0
8/15/2020	0	0	0	0.1238	0	0	0
8/16/2020	0	0	0.09901	0.1231	0	0	0
8/17/2020	0	0	0.0135	0.1194	0	0	0
8/18/2020	0	0	0	0.08812	0	0	0
8/19/2020	0	0	0	0.106	0	0	0
8/20/2020	0	0	0.5356	0.07441	0	0	0
8/21/2020	0	0	0.1441	0.09333	0	0	0
8/22/2020	0	0	0	0.06981	0	0	0
8/23/2020	0	0	0	0.1004	0	0	0
8/24/2020	0	0	0	0.1028	0	0	0
8/25/2020	0	0	0	0.1026	0	0	0
8/26/2020	0	0	0	0.08903	0	0	0
8/27/2020	0	0	0.01351	0.07347	0	0	0
8/28/2020	0	0	0	0.08411	0	0	0
8/29/2020	0	0	0.01351	0.08568	0	0	0
8/30/2020	0	0	0	0.07307	0	0	0
8/31/2020	0	0	0.4504	0.04761	0	0	0
9/1/2020	0	0	0.8065	0.04534	0	0	0
9/2/2020	0	0	0.2074	0.06664	0	0	0
9/3/2020	0	0	0.1894	0.07294	0	0	0
9/4/2020	0	0	0.1985	0.07174	0	0	0
9/5/2020	0	0	0.2842	0.05176	0	0	0
9/6/2020	0	0	0.4784	0.05609	0	0	0
9/7/2020	0	0	0.01355	0.06306	0	0	0
9/8/2020	0	0	0	0.05571	0	0	0
9/9/2020	0	0	0.1806	0.05535	0	0	0
9/10/2020	0	0	0.05419	0.05943	0	0	0
9/11/2020	0	0	0	0.0527	0	0	0
9/12/2020	0	0	0	0.05664	0	0	0
9/13/2020	0	0	0.2981	0.06229	0	0	0
9/14/2020	0	0	0.01355	0.04736	0	0	0
9/15/2020	0	0	0.1672	0.05202	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
m3	m3	m3	m3	m3	m3	m3	m3
9/16/2020	0	0	0.1943	0.04764	0	0	0
9/17/2020	0	0	0.004519	0.04334	0	0	0
9/18/2020	0	0	0.004519	0.04764	0	0	0
9/19/2020	0	0	0	0.05549	0	0	0
9/20/2020	0	0	0	0.05521	0	0	0
9/21/2020	0	0	0.01356	0.03465	0	0	0
9/22/2020	0	0	0.01356	0.04009	0	0	0
9/23/2020	0	0	0.01356	0.04032	0	0	0
9/24/2020	0	0	0	0.05036	0	0	0
9/25/2020	0	0	0.01356	0.02864	0	0	0
9/26/2020	0	0	0	0.02556	0	0	0
9/27/2020	0	0	0	0.04056	0	0	0
9/28/2020	0	0	0.1446	0.03788	0	0	0
9/29/2020	0	0	0.0226	0.03011	0	0	0
9/30/2020	0	0	0.00452	0.03148	0	0	0
10/1/2020	0	0	0	0.03078	0	0	0
10/2/2020	0	0	0.0226	0.02619	0	0	0
10/3/2020	0	0	0.00452	0.02358	0	0	0
10/4/2020	0	0	0.00452	0.02292	0	0	0
10/5/2020	0	0	0	0.02165	0	0	0
10/6/2020	0	0	0	0.02055	0	0	0
10/7/2020	0	0	0	0.02025	0	0	0
10/8/2020	0	0	0	0.02344	0	0	0
10/9/2020	0	0	0	0.02162	0	0	0
10/10/2020	0	0	0	0.01387	0	0	0
10/11/2020	0	0	0.0678	0.02269	0	0	0
10/12/2020	0	0	0.5199	0.01634	0	0	0
10/13/2020	0	0	0.04071	0.01735	0	0	0
10/14/2020	0	0	0.104	0.01726	0	0	0
10/15/2020	0	0	0.0769	0.01662	0	0	0
10/16/2020	0	0	0.004524	0.01756	0	0	0
10/17/2020	0	0	0.004524	0.01579	0	0	0
10/18/2020	0	0	0	0.01673	0	0	0
10/19/2020	0	0	0	0.01227	0	0	0
10/20/2020	0	0	0	0.01113	0	0	0
10/21/2020	0	0	0	0.01161	0	0	0
10/22/2020	0	0	0	0.009516	0	0	0
10/23/2020	0	0	0	0.008422	0	0	0
10/24/2020	0	0	0	0.007654	0	0	0
10/25/2020	0	0	0	0.007489	0	0	0
10/26/2020	0	0	0	0.006825	0	0	0
10/27/2020	0	0	0	0.007518	0	0	0
10/28/2020	0	0	0	0.004272	0	0	0
10/29/2020	0	0	0	0.003787	0	0	0
10/30/2020	0	0	0	0.003663	0	0	0
10/31/2020	0	0	0	0.002538	0	0	0
11/1/2020	0	0	0	0.0008478	0	0	0
11/2/2020	0	0	0	0.000794	0	0	0
11/3/2020	0	0	0	0.004447	0	0	0
11/4/2020	0	0	0	0.006148	0	0	0
11/5/2020	0	0	0	0.002406	0	0	0
11/6/2020	0	0	0	0.001375	0	0	0
11/7/2020	0	0	0	0.003198	0	0	0
11/8/2020	0	0	0	0.0008511	0	0	0
11/9/2020	0	0	0	0.00241	0	0	0
11/10/2020	0	0	0	0.003187	0	0	0
11/11/2020	0	0	0	0	0	0	0
11/12/2020	0	0	0	7.86E-05	0	0	0
11/13/2020	0	0	0	0.00292	0	0	0
11/14/2020	0	0	0	0.0003229	0	0	0
11/15/2020	0	0	0	0	0	0	0
11/16/2020	0	0	0	0.0005079	0	0	0
11/17/2020	0	0	0	0.001007	0	0	0
11/18/2020	0	0	0	0.0001111	0	0	0
11/19/2020	0	0	0	0.0002595	0	0	0
11/20/2020	0	0	0	0	0	0	0
11/21/2020	0	0	0	0	0	0	0
11/22/2020	0	0	0	0	0	0	0
11/23/2020	0	0	0	0	0	0	0
11/24/2020	0	0	0	0	0	0	0
11/25/2020	0	0	0	0.0005072	0	0	0
11/26/2020	0	0	0	0.001029	0	0	0
11/27/2020	0	0	0	0	0	0	0
11/28/2020	0	0	0	0	0	0	0
11/29/2020	0	0	0	0.0005489	0	0	0
11/30/2020	0	0	0	0.0009609	0	0	0
12/1/2020	0	0	0	0.001233	0	0	0
12/2/2020	0	0	0	0.001033	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff m3	TIRI01 Natural m3	Rain and Snowmelt m3	SP4 Pond Surface Evaporation m3	To SP1 m3	To SP4 m3	To CP1 m3
12/3/2020	0	0	0	0.00119	0	0	0
12/4/2020	0	0	0	0.0009467	0	0	0
12/5/2020	0	0	0	0.001327	0	0	0
12/6/2020	0	0	0	0.001385	0	0	0
12/7/2020	0	0	0	0.001566	0	0	0
12/8/2020	0	0	0	0.001513	0	0	0
12/9/2020	0	0	0	0.001258	0	0	0
12/10/2020	0	0	0	0	0	0	0
12/11/2020	0	0	0	0	0	0	0
12/12/2020	0	0	0	0	0	0	0
12/13/2020	0	0	0	0	0	0	0
12/14/2020	0	0	0	0	0	0	0
12/15/2020	0	0	0	0	0	0	0
12/16/2020	0	0	0	0	0	0	0
12/17/2020	0	0	0	0	0	0	0
12/18/2020	0	0	0	0	0	0	0
12/19/2020	0	0	0	0	0	0	0
12/20/2020	0	0	0	0	0	0	0
12/21/2020	0	0	0	0	0	0	0
12/22/2020	0	0	0	0	0	0	0
12/23/2020	0	0	0	0	0	0	0
12/24/2020	0	0	0	0	0	0	0
12/25/2020	0	0	0	0	0	0	0
12/26/2020	0	0	0	0	0	0	0
12/27/2020	0	0	0	0	0	0	0
12/28/2020	0	0	0	0	0	0	0
12/29/2020	0	0	0	0	0	0	0
12/30/2020	0	0	0	0	0	0	0
12/31/2020	0	0	0	0	0	0	0
1/1/2021	0	0	0	0	0	0	0
1/2/2021	0	0	0	0	0	0	0
1/3/2021	0	0	0	0	0	0	0
1/4/2021	0	0	0	0	0	0	0
1/5/2021	0	0	0	0	0	0	0
1/6/2021	0	0	0	0	0	0	0
1/7/2021	0	0	0	0	0	0	0
1/8/2021	0	0	0	0.0008563	0	0	0
1/9/2021	0	0	0	0.0001056	0	0	0
1/10/2021	0	0	0	0	0	0	0
1/11/2021	0	0	0	0	0	0	0
1/12/2021	0	0	0	0	0	0	0
1/13/2021	0	0	0	0.0002835	0	0	0
1/14/2021	0	0	0	0.0009981	0	0	0
1/15/2021	0	0	0	0	0	0	0
1/16/2021	0	0	0	0	0	0	0
1/17/2021	0	0	0	0	0	0	0
1/18/2021	0	0	0	0	0	0	0
1/19/2021	0	0	0	0	0	0	0
1/20/2021	0	0	0	0	0	0	0
1/21/2021	0	0	0	0	0	0	0
1/22/2021	0	0	0	0	0	0	0
1/23/2021	0	0	0	0	0	0	0
1/24/2021	0	0	0	0	0	0	0
1/25/2021	0	0	0	0	0	0	0
1/26/2021	0	0	0	0	0	0	0
1/27/2021	0	0	0	0.000116	0	0	0
1/28/2021	0	0	0	0	0	0	0
1/29/2021	0	0	0	0	0	0	0
1/30/2021	0	0	0	0	0	0	0
1/31/2021	0	0	0	0.0007982	0	0	0
2/1/2021	0	0	0	0	0	0	0
2/2/2021	0	0	0	0	0	0	0
2/3/2021	0	0	0	0	0	0	0
2/4/2021	0	0	0	0	0	0	0
2/5/2021	0	0	0	0	0	0	0
2/6/2021	0	0	0	0	0	0	0
2/7/2021	0	0	0	0	0	0	0
2/8/2021	0	0	0	0.007764	0	0	0
2/9/2021	0	0	0	0	0	0	0
2/10/2021	0	0	0	0	0	0	0
2/11/2021	0	0	0	0	0	0	0
2/12/2021	0	0	0	0.001001	0	0	0
2/13/2021	0	0	0	0	0	0	0
2/14/2021	0	0	0	0	0	0	0
2/15/2021	0	0	0	0	0	0	0
2/16/2021	0	0	0	0	0	0	0
2/17/2021	0	0	0	0	0	0	0
2/18/2021	0	0	0	0	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff m3	TIRI01 Natural m3	Rain and Snowmelt m3	SP4 Pond Surface Evaporation m3	To SP1 m3	To SP4 m3	To CP1 m3
2/19/2021	0	0	0	0	0	0	0
2/20/2021	0	0	0	0	0	0	0
2/21/2021	0	0	0	0.0008099	0	0	0
2/22/2021	0	0	0	0	0	0	0
2/23/2021	0	0	0	0	0	0	0
2/24/2021	0	0	0	0	0	0	0
2/25/2021	0	0	0	0	0	0	0
2/26/2021	0	0	0	0	0	0	0
2/27/2021	0	0	0	0	0	0	0
2/28/2021	0	0	0	0	0	0	0
3/1/2021	0	0	0	0	0	0	0
3/2/2021	0	0	0	0	0	0	0
3/3/2021	0	0	0	0	0	0	0
3/4/2021	0	0	0	0	0	0	0
3/5/2021	0	0	0	0	0	0	0
3/6/2021	0	0	0	0	0	0	0
3/7/2021	0	0	0	0	0	0	0
3/8/2021	0	0	0	0.008724	0	0	0
3/9/2021	0	0	0	0	0	0	0
3/10/2021	0	0	0	0	0	0	0
3/11/2021	0	0	0	0	0	0	0
3/12/2021	0	0	0	0	0	0	0
3/13/2021	0	0	0	0	0	0	0
3/14/2021	0	0	0	0	0	0	0
3/15/2021	0	0	0	0	0	0	0
3/16/2021	0	0	0	0	0	0	0
3/17/2021	0	0	0	0	0	0	0
3/18/2021	0	0	0	0	0	0	0
3/19/2021	0	0	0	0	0	0	0
3/20/2021	0	0	0	0.005113	0	0	0
3/21/2021	0	0	0	0.004433	0	0	0
3/22/2021	0	0	0	0.007436	0	0	0
3/23/2021	0	0	0	0	0	0	0
3/24/2021	0	0	0	0	0	0	0
3/25/2021	0	0	0	0	0	0	0
3/26/2021	0	0	0	0	0	0	0
3/27/2021	0	0	0	0	0	0	0
3/28/2021	0	0	0	0	0	0	0
3/29/2021	0	0	0	0	0	0	0
3/30/2021	0	0	0	0	0	0	0
3/31/2021	0	0	0	0	0	0	0
4/1/2021	0	0	0	0	0	0	0
4/2/2021	0	0	0	0	0	0	0
4/3/2021	0	0	0	0.004855	0	0	0
4/4/2021	0	0	0	0.01597	0	0	0
4/5/2021	0	0	0	0.0005534	0	0	0
4/6/2021	0	0	0	0.006145	0	0	0
4/7/2021	0	0	0	0.02312	0	0	0
4/8/2021	0	0	0	0.01883	0	0	0
4/9/2021	0	0	0	0.01319	0	0	0
4/10/2021	0	0	0	0.03284	0	0	0
4/11/2021	0	0	0	0.02609	0	0	0
4/12/2021	0	0	0	0	0	0	0
4/13/2021	0	0	0	0	0	0	0
4/14/2021	0	0	0	0	0	0	0
4/15/2021	0	0	0	0.02023	0	0	0
4/16/2021	0	0	0	0.02705	0	0	0
4/17/2021	0	0	0	0.02858	0	0	0
4/18/2021	0	0	0	0.007039	0	0	0
4/19/2021	0	0	0	0.000703	0	0	0
4/20/2021	0	0	0	0	0	0	0
4/21/2021	0	0	0	0.01847	0	0	0
4/22/2021	0	0	0	0.0279	0	0	0
4/23/2021	0	0	0	0.015	0	0	0
4/24/2021	0	0	0	0	0	0	0
4/25/2021	0	0	0	0	0	0	0
4/26/2021	0	0	0	0.006085	0	0	0
4/27/2021	0	0	0	0.01567	0	0	0
4/28/2021	0	0	0	0.0518	0	0	0
4/29/2021	0	0	0	0.0233	0	0	0
4/30/2021	0	0	0	0.02489	0	0	0
5/1/2021	0	0	0	0.02091	0	0	0
5/2/2021	0	0	0	0.05772	0	0	0
5/3/2021	0	0	0	0.07415	0	0	0
5/4/2021	0	0	0	0.07518	0	0	0
5/5/2021	226.2	0	0.1077	0.0735	0	0	0
5/6/2021	0	0	0	0.08337	0	0	0
5/7/2021	0	0	0	0.07545	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
m3	m3	m3	m3	m3	m3	m3	m3
5/8/2021	0	0	0	0.0685	0	0	0
5/9/2021	0	0	0	0.06707	0	0	0
5/10/2021	0	0	0	0.07825	0	0	0
5/11/2021	0	0	0	0.08301	0	0	0
5/12/2021	0	0	0	0.08408	0	0	0
5/13/2021	0	0	0	0.04683	0	0	0
5/14/2021	0	0	0	0.04936	0	0	0
5/15/2021	0	0	0	0.0165	0	0	0
5/16/2021	0	0	0	0.03797	0	0	0
5/17/2021	0	0	0	0.04032	0	0	0
5/18/2021	0	0	0	0.03348	0	0	0
5/19/2021	0	0	0	0.04354	0	0	0
5/20/2021	0	0	0	0.03737	0	0	0
5/21/2021	0	0	0	0.0574	0	0	0
5/22/2021	0	0	0	0.06099	0	0	0
5/23/2021	0	0	0	0.05524	0	0	0
5/24/2021	0	0	0	0.07797	0	0	0
5/25/2021	0	0	0	0.07819	0	0	0
5/26/2021	0	0	0	0.07735	0	0	0
5/27/2021	0	0	0	0.07117	0	0	0
5/28/2021	0	0	0	0.09274	0	0	0
5/29/2021	220.4	0	0.1277	0.1107	0	0	0
5/30/2021	212.8	0	0.1447	0.1257	0	0	0
5/31/2021	224.2	0	0.1742	0.1435	0	0	0
6/1/2021	0	0	0	0.1519	0	0	0
6/2/2021	0	0	0	0.1679	0	0	0
6/3/2021	146.3	0	0.1286	0.1727	0	75.38	0
6/4/2021	182.4	0	0.1663	0.1864	0	96.91	0
6/5/2021	152	0	0.1445	0.1948	0	96.91	0
6/6/2021	258.4	0	0.2521	0.1981	0	96.91	0
6/7/2021	0	0	0	0.1966	0	96.91	0
6/8/2021	243.2	0	0.2444	0.2041	0	96.92	0
6/9/2021	380	0	0.4073	0.2302	0	96.92	0
6/10/2021	334.3	0	0.4015	0.2534	0	96.92	0
6/11/2021	623	0	0.8158	0.307	0	96.92	0
6/12/2021	1215	0	1.884	0.5343	0	96.93	0
6/13/2021	1352	0	2.786	0.6004	0	96.93	0
6/14/2021	1594	0	4.201	0.8521	0	96.93	0
6/15/2021	1244	0	4.134	1.013	0	96.93	0
6/16/2021	819.1	0	3.153	0.9384	0	96.93	0
6/17/2021	1122	0	4.692	1.18	0	96.94	0
6/18/2021	1262	0	5.871	1.385	0	96.94	0
6/19/2021	1129	0	5.858	1.366	0	96.94	0
6/20/2021	503.7	0	2.853	1.305	0	96.94	0
6/21/2021	651.3	0	3.812	1.396	0	96.95	0
6/22/2021	863.3	0	5.272	1.507	0	96.95	0
6/23/2021	999.3	0	6.457	1.68	0	96.95	0
6/24/2021	1446	0	9.943	1.715	0	96.95	0
6/25/2021	1123	0	8.429	1.725	0	96.95	0
6/26/2021	650.4	0	5.189	1.946	0	96.96	0
6/27/2021	1104	0	9.091	2.338	0	96.96	0
6/28/2021	1194	0	10.39	2.334	0	96.96	0
6/29/2021	704.6	0	6.491	2.635	0	96.96	0
6/30/2021	0	0	0	3.346	0	96.97	0
7/1/2021	0	0	0	2.659	0	96.97	0
7/2/2021	170	0	1.598	2.828	0	96.97	0
7/3/2021	179.4	0	1.693	2.742	0	96.97	0
7/4/2021	576	0	5.457	2.591	0	96.97	0
7/5/2021	0	0	0	2.562	0	96.98	0
7/6/2021	0	0	0	2.753	0	96.98	0
7/7/2021	0	0	0	3.033	0	96.98	0
7/8/2021	103.9	0	0.9927	2.977	0	96.98	0
7/9/2021	0	0	0	3.144	0	96.98	0
7/10/2021	0	0	0	2.846	0	96.99	0
7/11/2021	0	0	0	3.281	0	96.99	0
7/12/2021	0	0	0	2.986	0	96.99	0
7/13/2021	160.5	0	1.505	2.784	0	96.99	0
7/14/2021	0	0	0	2.835	0	97	0
7/15/2021	0	0	0	5.03	0	97	0
7/16/2021	47.22	0	0.4397	3.109	0	97	0
7/17/2021	1662	0	15.44	2.33	0	64	0
7/18/2021	0	0	0	2.754	0	70	0
7/19/2021	0	0	0	2.931	0	75	0
7/20/2021	0	0	0	3.444	0	80	0
7/21/2021	0	0	0	3.214	0	85	0
7/22/2021	0	0	0	3.023	0	90	0
7/23/2021	0	0	0	3.035	0	72	0
7/24/2021	2370	0	23.23	2.631	0	54	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
7/25/2021	358.5	0	3.902	2.874	0	421.8	0
7/26/2021	264.2	0	2.867	2.75	0	789.7	0
7/27/2021	0	0	0	2.567	0	1158	0
7/28/2021	0	0	0	2.443	0	1525	0
7/29/2021	0	0	0	2.337	0	1893	0
7/30/2021	179.5	0	1.525	2.088	0	2261	0
7/31/2021	47.28	0	0.3563	1.835	0	2629	0
8/1/2021	0	0	0	1.551	0	2997	0
8/2/2021	388.4	0	1.931	1.251	0	3365	0
8/3/2021	56.89	0	0.2053	0.8976	0	3732	0
8/4/2021	256.3	0	0.494	0.4875	0	2482	0
8/5/2021	19	0	0.01732	0.214	0	19.02	0
8/6/2021	0	0	0	0.2056	0	0	0
8/7/2021	0	0	0	0.2093	0	0	0
8/8/2021	0	0	0	0.2241	0	0	0
8/9/2021	437	0	0.3984	0.2164	0	437.4	0
8/10/2021	0	0	0	0.2042	0	0	0
8/11/2021	0	0	0	0.205	0	0	0
8/12/2021	2308	0	2.104	0.1781	0	2311	0
8/13/2021	959.5	0	0.8747	0.1537	0	960.4	0
8/14/2021	332.5	0	0.3031	0.1998	0	332.8	0
8/15/2021	114	0	0.1039	0.2009	0	114.1	0
8/16/2021	1092	0	0.9959	0.1939	0	1093	0
8/17/2021	0	0	0	0.1887	0	0	0
8/18/2021	19	0	0.01732	0.1724	0	19.02	0
8/19/2021	104.5	0	0.09526	0.1824	0	104.6	0
8/20/2021	0	0	0	0.184	0	0	0
8/21/2021	0	0	0	0.1616	0	0	0
8/22/2021	66.5	0	0.06062	0.1712	0	66.56	0
8/23/2021	1729	0	1.576	0.1646	0	1249	0
8/24/2021	0	0	0	0.2103	0	481.2	0
8/25/2021	0	0	0	0.1864	0	0	0
8/26/2021	0	0	0	0.1896	0	0	0
8/27/2021	0	0	0	0.2309	0	0	0
8/28/2021	0	0	0	0.2246	0	0	0
8/29/2021	0	0	0	0.23	0	0	0
8/30/2021	0	0	0	0.1709	0	0	0
8/31/2021	0	0	0	0.1499	0	0	0
9/1/2021	304	0	0.2771	0.1555	0	304.3	0
9/2/2021	9.5	0	0.00866	0.1607	0	9.509	0
9/3/2021	133	0	0.1212	0.1418	0	133.1	0
9/4/2021	199.5	0	0.1819	0.1289	0	199.7	0
9/5/2021	76	0	0.06928	0.1434	0	76.07	0
9/6/2021	0	0	0	0.1309	0	0	0
9/7/2021	19	0	0.01732	0.1288	0	19.02	0
9/8/2021	38	0	0.03464	0.132	0	38.03	0
9/9/2021	66.5	0	0.06062	0.1224	0	66.56	0
9/10/2021	76	0	0.06928	0.1248	0	76.07	0
9/11/2021	0	0	0	0.1194	0	0	0
9/12/2021	475	0	0.433	0.1099	0	475.4	0
9/13/2021	0	0	0	0.1	0	0	0
9/14/2021	1083	0	0.9873	0.1082	0	1084	0
9/15/2021	769.5	0	0.7015	0.112	0	770.2	0
9/16/2021	28.5	0	0.02598	0.1074	0	28.53	0
9/17/2021	19	0	0.01732	0.1028	0	19.02	0
9/18/2021	133	0	0.1212	0.09942	0	133.1	0
9/19/2021	199.5	0	0.1819	0.09333	0	199.7	0
9/20/2021	9.5	0	0.00866	0.07852	0	9.509	0
9/21/2021	19	0	0.01732	0.07602	0	19.02	0
9/22/2021	9.5	0	0.00866	0.07658	0	9.509	0
9/23/2021	0	0	0	0.07387	0	0	0
9/24/2021	0	0	0	0.0762	0	0	0
9/25/2021	807.5	0	0.7361	0.08019	0	568	0
9/26/2021	28.5	0	0.0291	0.08656	0	268.7	0
9/27/2021	0	0	0	0.06651	0	0	0
9/28/2021	0	0	0	0.07274	0	0	0
9/29/2021	0	0	0	0.06432	0	0	0
9/30/2021	57	0	0.05196	0.06404	0	57.05	0
10/1/2021	380	0	0.3464	0.07522	0	380.3	0
10/2/2021	57	0	0.05196	0.06671	0	57.05	0
10/3/2021	76	0	0.06928	0.05837	0	76.07	0
10/4/2021	152	0	0.1386	0.05797	0	152.1	0
10/5/2021	1786	0	1.628	0.06706	0	1691	0
10/6/2021	85.5	0	0.08171	0.06156	0	182.1	0
10/7/2021	19	0	0.01732	0.05341	0	19.02	0
10/8/2021	703	0	0.6409	0.05202	0	703.6	0
10/9/2021	47.5	0	0.0433	0.05849	0	47.54	0
10/10/2021	0	0	0	0.05438	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
m3	m3	m3	m3	m3	m3	m3	m3
10/11/2021	0	0	0	0.05903	0	0	0
10/12/2021	380	0	0.3464	0.04822	0	380.3	0
10/13/2021	598.5	0	0.5456	0.04258	0	456	0
10/14/2021	0	0	0	0.04443	0	143	0
10/15/2021	0	0	0	0.0367	0	0	0
10/16/2021	190	0	0.1732	0.04078	0	190.2	0
10/17/2021	380	0	0.3464	0.03338	0	342	0
10/18/2021	38	0	0.03531	0.03931	0	76.35	0
10/19/2021	0	0	0	0.03679	0	0	0
10/20/2021	0	0	0	0.02919	0	0	0
10/21/2021	0	0	0	0.02628	0	0	0
10/22/2021	0	0	0	0.02258	0	0	0
10/23/2021	0	0	0	0.02375	0	0	0
10/24/2021	0	0	0	0.0238	0	0	0
10/25/2021	0	0	0	0.02583	0	0	0
10/26/2021	0	0	0	0.02303	0	0	0
10/27/2021	9.5	0	0.00866	0.02923	0	9.509	0
10/28/2021	560.5	0	0.511	0.02485	0	341.9	0
10/29/2021	0	0	0	0.02076	0	219	0
10/30/2021	152	0	0.1386	0.02032	0	152.1	0
10/31/2021	0	0	0	0.02101	0	0	0
11/1/2021	0	0	0	0.01488	0	0	0
11/2/2021	0	0	0	0.01081	0	0	0
11/3/2021	0	0	0	0.01095	0	0	0
11/4/2021	0	0	0	0.01221	0	0	0
11/5/2021	0	0	0	0.01439	0	456	0
11/6/2021	0	0	0	0.01467	0	0	0
11/7/2021	0	0	0	0.01372	0	0	0
11/8/2021	0	0	0	0.01554	0	0	0
11/9/2021	0	0	0	0.01197	0	342	0
11/10/2021	0	0	0	0.01007	0	0	0
11/11/2021	0	0	0	0.002628	0	0	0
11/12/2021	0	0	0	0.001208	0	0	0
11/13/2021	0	0	0	0	0	0	0
11/14/2021	0	0	0	0.0003387	0	0	0
11/15/2021	0	0	0	0.006337	0	0	0
11/16/2021	0	0	0	0.008156	0	0	0
11/17/2021	0	0	0	0.005566	0	0	0
11/18/2021	0	0	0	0.001493	0	0	0
11/19/2021	0	0	0	0	0	0	0
11/20/2021	0	0	0	0.0003844	0	0	0
11/21/2021	0	0	0	0.005064	0	0	0
11/22/2021	0	0	0	0.002823	0	0	0
11/23/2021	0	0	0	0	0	0	0
11/24/2021	0	0	0	0	0	0	0
11/25/2021	0	0	0	0	0	0	0
11/26/2021	0	0	0	0.0007222	0	0	0
11/27/2021	0	0	0	0	0	0	0
11/28/2021	0	0	0	0.003462	0	0	0
11/29/2021	0	0	0	0.002466	0	0	0
11/30/2021	0	0	0	0	0	0	0
12/1/2021	0	0	0	0.0004768	0	0	0
12/2/2021	0	0	0	0	0	0	0
12/3/2021	0	0	0	0	0	0	0
12/4/2021	0	0	0	0	0	0	0
12/5/2021	0	0	0	0	0	0	0
12/6/2021	0	0	0	0	0	0	0
12/7/2021	0	0	0	0	0	0	0
12/8/2021	0	0	0	0	0	0	0
12/9/2021	0	0	0	0	0	0	0
12/10/2021	0	0	0	0.001255	0	0	0
12/11/2021	0	0	0	0.002329	0	0	0
12/12/2021	0	0	0	0.001702	0	0	0
12/13/2021	0	0	0	0.0009113	0	0	0
12/14/2021	0	0	0	0	0	0	0
12/15/2021	0	0	0	0	0	0	0
12/16/2021	0	0	0	0	0	0	0
12/17/2021	0	0	0	0	0	0	0
12/18/2021	0	0	0	0	0	0	0
12/19/2021	0	0	0	0	0	0	0
12/20/2021	0	0	0	0	0	0	0
12/21/2021	0	0	0	0	0	0	0
12/22/2021	0	0	0	0	0	0	0
12/23/2021	0	0	0	0	0	0	0
12/24/2021	0	0	0	0	0	0	0
12/25/2021	0	0	0	0	0	0	0
12/26/2021	0	0	0	0	0	0	0
12/27/2021	0	0	0	0.0009435	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff m3	TIRI01 Natural m3	Rain and Snowmelt m3	SP4 Pond Surface Evaporation m3	To SP1 m3	To SP4 m3	To CP1 m3
12/28/2021	0	0	0	0	0	0	0
12/29/2021	0	0	0	0	0	0	0
12/30/2021	0	0	0	0	0	0	0
12/31/2021	0	0	0	0	0	0	0
1/1/2022	0	0	0	0	0	0	0
1/2/2022	0	0	0	0	0	0	0
1/3/2022	0	0	0	0	0	0	0
1/4/2022	0	0	0	0	0	0	0
1/5/2022	0	0	0	0	0	0	0
1/6/2022	0	0	0	0	0	0	0
1/7/2022	0	0	0	0	0	0	0
1/8/2022	0	0	0	0	0	0	0
1/9/2022	0	0	0	0	0	0	0
1/10/2022	0	0	0	0	0	0	0
1/11/2022	0	0	0	0	0	0	0
1/12/2022	0	0	0	0	0	0	0
1/13/2022	0	0	0	0	0	0	0
1/14/2022	0	0	0	0	0	0	0
1/15/2022	0	0	0	0	0	0	0
1/16/2022	0	0	0	0	0	0	0
1/17/2022	0	0	0	0	0	0	0
1/18/2022	0	0	0	0	0	0	0
1/19/2022	0	0	0	5.21E-05	0	0	0
1/20/2022	0	0	0	0.001687	0	0	0
1/21/2022	0	0	0	0	0	0	0
1/22/2022	0	0	0	0	0	0	0
1/23/2022	0	0	0	0	0	0	0
1/24/2022	0	0	0	0	0	0	0
1/25/2022	0	0	0	0	0	0	0
1/26/2022	0	0	0	0	0	0	0
1/27/2022	0	0	0	0	0	0	0
1/28/2022	0	0	0	0	0	0	0
1/29/2022	0	0	0	0	0	0	0
1/30/2022	0	0	0	0	0	0	0
1/31/2022	0	0	0	0	0	0	0
2/1/2022	0	0	0	0	0	0	0
2/2/2022	0	0	0	0	0	0	0
2/3/2022	0	0	0	0	0	0	0
2/4/2022	0	0	0	0	0	0	0
2/5/2022	0	0	0	0	0	0	0
2/6/2022	0	0	0	0	0	0	0
2/7/2022	0	0	0	0	0	0	0
2/8/2022	0	0	0	0	0	0	0
2/9/2022	0	0	0	0	0	0	0
2/10/2022	0	0	0	0	0	0	0
2/11/2022	0	0	0	0	0	0	0
2/12/2022	0	0	0	0	0	0	0
2/13/2022	0	0	0	0	0	0	0
2/14/2022	0	0	0	0	0	0	0
2/15/2022	0	0	0	0	0	0	0
2/16/2022	0	0	0	0	0	0	0
2/17/2022	0	0	0	0	0	0	0
2/18/2022	0	0	0	0	0	0	0
2/19/2022	0	0	0	0	0	0	0
2/20/2022	0	0	0	0	0	0	0
2/21/2022	0	0	0	0	0	0	0
2/22/2022	0	0	0	0	0	0	0
2/23/2022	0	0	0	0	0	0	0
2/24/2022	0	0	0	0	0	0	0
2/25/2022	0	0	0	0	0	0	0
2/26/2022	0	0	0	0	0	0	0
2/27/2022	0	0	0	0	0	0	0
2/28/2022	0	0	0	0	0	0	0
3/1/2022	0	0	0	0	0	0	0
3/2/2022	0	0	0	0	0	0	0
3/3/2022	0	0	0	0	0	0	0
3/4/2022	0	0	0	0	0	0	0
3/5/2022	0	0	0	0	0	0	0
3/6/2022	0	0	0	0	0	0	0
3/7/2022	0	0	0	0	0	0	0
3/8/2022	0	0	0	0	0	0	0
3/9/2022	0	0	0	0	0	0	0
3/10/2022	0	0	0	0	0	0	0
3/11/2022	0	0	0	0	0	0	0
3/12/2022	0	0	0	0	0	0	0
3/13/2022	0	0	0	0	0	0	0
3/14/2022	0	0	0	0	0	0	0
3/15/2022	0	0	0	0	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff m3	TIRI01 Natural m3	Rain and Snowmelt m3	SP4 Pond Surface Evaporation m3	To SP1 m3	To SP4 m3	To CP1 m3
3/16/2022	0	0	0	0	0	0	0
3/17/2022	0	0	0	0	0	0	0
3/18/2022	0	0	0	0	0	0	0
3/19/2022	0	0	0	0	0	0	0
3/20/2022	0	0	0	0	0	0	0
3/21/2022	0	0	0	0	0	0	0
3/22/2022	0	0	0	0	0	0	0
3/23/2022	0	0	0	0.02245	0	0	0
3/24/2022	0	0	0	0.05605	0	0	0
3/25/2022	0	0	0	0.03285	0	0	0
3/26/2022	0	0	0	0.009693	0	0	0
3/27/2022	0	0	0	0	0	0	0
3/28/2022	0	0	0	0	0	0	0
3/29/2022	0	0	0	0	0	0	0
3/30/2022	0	0	0	0	0	0	0
3/31/2022	0	0	0	0	0	0	0
4/1/2022	0	0	0	0.02469	0	0	0
4/2/2022	0	0	0	0.03785	0	0	0
4/3/2022	0	0	0	0	0	0	0
4/4/2022	0	0	0	0	0	0	0
4/5/2022	0	0	0	0	0	0	0
4/6/2022	0	0	0	0	0	0	0
4/7/2022	0	0	0	0	0	0	0
4/8/2022	0	0	0	0	0	0	0
4/9/2022	0	0	0	0	0	0	0
4/10/2022	0	0	0	0	0	0	0
4/11/2022	0	0	0	0	0	0	0
4/12/2022	0	0	0	0	0	0	0
4/13/2022	0	0	0	0	0	0	0
4/14/2022	0	0	0	0.01167	0	0	0
4/15/2022	0	0	0	0.04244	0	0	0
4/16/2022	0	0	0	0.04085	0	0	0
4/17/2022	0	0	0	0.02854	0	0	0
4/18/2022	0	0	0	0.01904	0	0	0
4/19/2022	0	0	0	0.01433	0	0	0
4/20/2022	0	0	0	0	0	0	0
4/21/2022	0	0	0	0	0	0	0
4/22/2022	0	0	0	0	0	0	0
4/23/2022	0	0	0	0	0	0	0
4/24/2022	0	0	0	0	0	0	0
4/25/2022	0	0	0	0	0	0	0
4/26/2022	0	0	0	0	0	0	0
4/27/2022	0	0	0	0	0	0	0
4/28/2022	0	0	0	0.02638	0	0	0
4/29/2022	0	0	0	0	0	0	0
4/30/2022	0	0	0	0	0	0	0
5/1/2022	0	0	0	0.01946	0	0	0
5/2/2022	0	0	0	0.07062	0	0	0
5/3/2022	0	0	0	0.0859	0	0	0
5/4/2022	0	0	0	0.09678	0	0	0
5/5/2022	0	0	0	0.04636	0	0	0
5/6/2022	0	0	0	0.083	0	0	0
5/7/2022	0	0	0	0.08387	0	0	0
5/8/2022	0	0	0	0.08251	0	0	0
5/9/2022	0	0	0	0.1245	0	0	0
5/10/2022	0	0	0	0.1438	0	0	0
5/11/2022	0	0	0	0.1404	0	0	0
5/12/2022	0	0	0	0.1397	0	0	0
5/13/2022	0	0	0	0.1274	0	0	0
5/14/2022	0	0	0	0.1451	0	0	0
5/15/2022	148.9	0	0.1357	0.1144	0	149	0
5/16/2022	164.1	0	0.1496	0.1379	0	164.2	0
5/17/2022	435.4	0	0.3969	0.1427	0	340.9	0
5/18/2022	30.4	0	0.02903	0.1678	0	125.2	0
5/19/2022	0	0	0	0.1547	0	0	0
5/20/2022	0	0	0	0.1589	0	0	0
5/21/2022	126.1	0	0.1149	0.1657	0	126.2	0
5/22/2022	232.5	0	0.2119	0.1786	0	232.7	0
5/23/2022	293.4	0	0.2674	0.1725	0	293.6	0
5/24/2022	383.4	0	0.3495	0.1626	0	340.8	0
5/25/2022	417.1	0	0.3884	0.1704	0	340.8	0
5/26/2022	74.76	0	0.07222	0.1839	0	194.1	0
5/27/2022	168.6	0	0.1537	0.1579	0	168.8	0
5/28/2022	102	0	0.09301	0.1565	0	102.1	0
5/29/2022	346.7	0	0.316	0.1738	0	340.8	0
5/30/2022	488.8	0	0.4469	0.1984	0	340.8	0
5/31/2022	651.7	0	0.6399	0.2304	0	340.8	0
6/1/2022	721.9	0	0.8114	0.2605	0	340.8	847.3

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3		m3	m3
6/2/2022	623.2	0	0.5681	0.2257	0	340.8	283
6/3/2022	318.2	0	0.29	0.1796	0	318.4	0
6/4/2022	402.8	0	0.3672	0.2007	0	340.8	62.38
6/5/2022	427.2	0	0.3895	0.1981	0	340.8	86.82
6/6/2022	560.5	0	0.511	0.2091	0	340.8	220.2
6/7/2022	725.6	0	0.6615	0.2262	0	340.8	385.5
6/8/2022	670.1	0	0.6109	0.1963	0	340.8	330
6/9/2022	145.8	0	0.1329	0.2067	0	146	0
6/10/2022	0	0	0	0.2087	0	0	0
6/11/2022	0	0	0	0.2083	0	0	0
6/12/2022	0	0	0	0.1944	0	0	0
6/13/2022	0	0	0	0.1935	0	0	0
6/14/2022	28.5	0	0.02598	0.2132	0	28.53	0
6/15/2022	51.39	0	0.04685	0.2257	0	51.44	0
6/16/2022	28.5	0	0.02598	0.2157	0	28.53	0
6/17/2022	28.5	0	0.02598	0.2305	0	28.53	0
6/18/2022	28.5	0	0.02598	0.2384	0	28.53	0
6/19/2022	28.5	0	0.02598	0.2349	0	28.53	0
6/20/2022	28.5	0	0.02598	0.2395	0	28.53	0
6/21/2022	28.5	0	0.02598	0.2799	0	28.53	0
6/22/2022	0	0	0	0.2363	0	0	0
6/23/2022	0	0	0	0.2148	0	0	0
6/24/2022	0	0	0	0.2365	0	0	0
6/25/2022	0	0	0	0.2321	0	0	0
6/26/2022	0	0	0	0.2402	0	0	0
6/27/2022	0	0	0	0.2998	0	0	0
6/28/2022	0	0	0	0.3643	0	0	0
6/29/2022	0	0	0	0.5807	0	0	0
6/30/2022	0	0	0	0.9929	0	0	0
7/1/2022	0	0	0	0.2523	0	0	0
7/2/2022	0	0	0	0.2548	0	0	0
7/3/2022	0	0	0	0.4248	0	0	0
7/4/2022	0	0	0	0.3378	0	0	0
7/5/2022	0	0	0	0.2461	0	0	0
7/6/2022	28.5	0	0.02598	0.2524	0	28.53	0
7/7/2022	2900	0	2.644	0.2533	0	340.6	1000
7/8/2022	981.1	0	1.594	0.4649	0	340.6	1000
7/9/2022	51.37	0	0.07505	0.4188	0	340.6	914.5
7/10/2022	0	0	0	0.2586	0	0	0
7/11/2022	0	0	0	0.2621	0	0	0
7/12/2022	28.5	0	0.02598	0.2784	0	28.53	0
7/13/2022	0	0	0	0.2822	0	0	0
7/14/2022	0	0	0	0.2812	0	0	0
7/15/2022	0	0	0	0.4059	0	0	0
7/16/2022	0	0	0	0.282	0	0	0
7/17/2022	0	0	0	0.2981	0	0	0
7/18/2022	0	0	0	0.3397	0	0	0
7/19/2022	0	0	0	0.2949	0	0	0
7/20/2022	0	0	0	0.2872	0	0	0
7/21/2022	28.5	0	0.02598	0.2887	0	28.53	0
7/22/2022	400.2	0	0.3649	0.2554	0	340.5	60.06
7/23/2022	729.7	0	0.6652	0.2453	0	340.5	389.8
7/24/2022	90.15	0	0.08219	0.2324	0	90.24	0
7/25/2022	3094	0	2.821	0.2468	0	340.5	1000
7/26/2022	109.5	0	0.1875	0.4597	0	340.5	1000
7/27/2022	0	0	0	0.3502	0	340.5	184.3
7/28/2022	245.2	0	0.2235	0.2404	0	245.4	0
7/29/2022	32.01	0	0.02919	0.215	0	32.04	0
7/30/2022	0	0	0	0.2223	0	0	0
7/31/2022	0	0	0	0.2342	0	0	0
8/1/2022	0	0	0	0.2549	0	0	0
8/2/2022	0	0	0	0.3028	0	0	0
8/3/2022	0	0	0	0.2619	0	0	0
8/4/2022	0	0	0	0.2564	0	0	0
8/5/2022	28.5	0	0.02598	0.2436	0	28.53	0
8/6/2022	28.5	0	0.02598	0.2107	0	28.53	0
8/7/2022	0	0	0	0.2184	0	0	0
8/8/2022	904.1	0	0.8242	0.2163	0	340.4	564.5
8/9/2022	3249	0	2.962	0.2181	0	340.4	1000
8/10/2022	574.3	0	1.025	0.3408	0	340.4	1000
8/11/2022	28.49	0	0.04087	0.2957	0	340.4	834
8/12/2022	51.39	0	0.04685	0.1867	0	51.44	0
8/13/2022	51.39	0	0.04685	0.2073	0	51.44	0
8/14/2022	0	0	0	0.2485	0	0	0
8/15/2022	0	0	0	0.2076	0	0	0
8/16/2022	28.5	0	0.02598	0.2019	0	28.53	0
8/17/2022	0	0	0	0.2574	0	0	0
8/18/2022	0	0	0	0.2152	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff m3	TIRI01 Natural m3	Rain and Snowmelt m3	SP4 Pond Surface Evaporation m3	To SP1 m3	To SP4 m3	To CP1 m3
8/19/2022	0	0	0	0.1943	0	0	0
8/20/2022	981.6	0	0.8949	0.1774	0	340.4	642.1
8/21/2022	32.01	0	0.02919	0.1777	0	32.04	0
8/22/2022	0	0	0	0.1664	0	0	0
8/23/2022	284	0	0.2589	0.1641	0	284.2	0
8/24/2022	148.3	0	0.1352	0.1737	0	148.4	0
8/25/2022	28.5	0	0.02598	0.1547	0	28.53	0
8/26/2022	28.5	0	0.02598	0.16	0	28.53	0
8/27/2022	70.77	0	0.06452	0.1562	0	70.84	0
8/28/2022	303.3	0	0.2765	0.1438	0	303.6	0
8/29/2022	28.5	0	0.02598	0.1393	0	28.53	0
8/30/2022	128.9	0	0.1175	0.1383	0	129	0
8/31/2022	28.5	0	0.02598	0.1281	0	28.53	0
9/1/2022	28.5	0	0.02598	0.1291	0	28.53	0
9/2/2022	32.01	0	0.02919	0.1305	0	32.04	0
9/3/2022	123.5	0	0.1126	0.1255	0	123.6	0
9/4/2022	84.74	0	0.07725	0.1289	0	84.82	0
9/5/2022	42.46	0	0.03871	0.1264	0	42.5	0
9/6/2022	32.01	0	0.02919	0.1171	0	32.04	0
9/7/2022	0	0	0	0.111	0	0	0
9/8/2022	608	0	0.5543	0.1067	0	340.3	268.3
9/9/2022	45.98	0	0.04192	0.1089	0	46.02	0
9/10/2022	13.96	0	0.01273	0.1005	0	13.98	0
9/11/2022	407.6	0	0.3716	0.0815	0	340.3	67.75
9/12/2022	168.1	0	0.1532	0.08911	0	168.2	0
9/13/2022	0	0	0	0.09917	0	0	0
9/14/2022	13.96	0	0.01273	0.08916	0	13.98	0
9/15/2022	80.56	0	0.07344	0.09832	0	80.63	0
9/16/2022	0	0	0	0.08078	0	0	0
9/17/2022	0	0	0	0.07519	0	0	0
9/18/2022	0	0	0	0.07523	0	0	0
9/19/2022	70.77	0	0.06452	0.07529	0	70.84	0
9/20/2022	0	0	0	0.08543	0	0	0
9/21/2022	90.15	0	0.08219	0.08532	0	90.24	0
9/22/2022	13.96	0	0.01273	0.07549	0	13.98	0
9/23/2022	57.66	0	0.05257	0.07247	0	57.72	0
9/24/2022	0	0	0	0.06874	0	0	0
9/25/2022	0	0	0	0.06352	0	0	0
9/26/2022	0	0	0	0.05545	0	0	0
9/27/2022	0	0	0	0.05446	0	0	0
9/28/2022	0	0	0	0.05639	0	0	0
9/29/2022	0	0	0	0.04989	0	0	0
9/30/2022	1290	0	1.176	0.05273	0	340.2	950.9
10/1/2022	0	0	0	0.05143	0	0	0
10/2/2022	0	0	0	0.03608	0	0	0
10/3/2022	0	0	0	0.04655	0	0	0
10/4/2022	0	0	0	0.04577	0	0	0
10/5/2022	0	0	0	0.04027	0	0	0
10/6/2022	0	0	0	0.03101	0	0	0
10/7/2022	0	0	0	0.02172	0	0	0
10/8/2022	0	0	0	0.02854	0	0	0
10/9/2022	0	0	0	0.02896	0	0	0
10/10/2022	0	0	0	0.02987	0	0	0
10/11/2022	0	0	0	0.03412	0	0	0
10/12/2022	0	0	0	0.03404	0	0	0
10/13/2022	0	0	0	0.03489	0	0	0
10/14/2022	0	0	0	0.0281	0	0	0
10/15/2022	0	0	0	0.02852	0	0	0
10/16/2022	0	0	0	0.02824	0	0	0
10/17/2022	0	0	0	0.02532	0	0	0
10/18/2022	0	0	0	0.02195	0	0	0
10/19/2022	0	0	0	0.01582	0	0	0
10/20/2022	0	0	0	0.01172	0	0	0
10/21/2022	0	0	0	0.01501	0	0	0
10/22/2022	0	0	0	0.0123	0	0	0
10/23/2022	0	0	0	0.009357	0	0	0
10/24/2022	0	0	0	0.01782	0	0	0
10/25/2022	0	0	0	0.02229	0	0	0
10/26/2022	0	0	0	0.01266	0	0	0
10/27/2022	0	0	0	0.01595	0	0	0
10/28/2022	0	0	0	0.01126	0	0	0
10/29/2022	0	0	0	0	0	0	0
10/30/2022	0	0	0	0.01085	0	0	0
10/31/2022	0	0	0	0.007388	0	0	0
11/1/2022	0	0	0	0	0	0	0
11/2/2022	0	0	0	0	0	0	0
11/3/2022	0	0	0	0	0	0	0
11/4/2022	0	0	0	0.0008215	0	0	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff m3	TIRI01 Natural m3	Rain and Snowmelt m3	SP4 Pond Surface Evaporation m3	To SP1 m3	To SP4 m3	To CP1 m3
11/5/2022	0	0	0	0.001187	0	0	0
11/6/2022	0	0	0	0	0	0	0
11/7/2022	0	0	0	0	0	0	0
11/8/2022	0	0	0	0	0	0	0
11/9/2022	0	0	0	0	0	0	0
11/10/2022	0	0	0	0	0	0	0
11/11/2022	0	0	0	0	0	0	0
11/12/2022	0	0	0	0.0007319	0	0	0
11/13/2022	0	0	0	0	0	0	0
11/14/2022	0	0	0	0.002983	0	0	0
11/15/2022	0	0	0	0.005221	0	0	0
11/16/2022	0	0	0	0.006241	0	0	0
11/17/2022	0	0	0	0	0	0	0
11/18/2022	0	0	0	0	0	0	0
11/19/2022	0	0	0	0	0	0	0
11/20/2022	0	0	0	0	0	0	0
11/21/2022	0	0	0	0	0	0	0
11/22/2022	0	0	0	0	0	0	0
11/23/2022	0	0	0	0	0	0	0
11/24/2022	0	0	0	0.00112	0	0	0
11/25/2022	0	0	0	0	0	0	0
11/26/2022	0	0	0	0.00375	0	0	0
11/27/2022	0	0	0	0	0	0	0
11/28/2022	0	0	0	0	0	0	0
11/29/2022	0	0	0	0	0	0	0
11/30/2022	0	0	0	0.001425	0	0	0
12/1/2022	0	0	0	0.0005467	0	0	0
12/2/2022	0	0	0	0	0	0	0
12/3/2022	0	0	0	0	0	0	0
12/4/2022	0	0	0	0	0	0	0
12/5/2022	0	0	0	0	0	0	0
12/6/2022	0	0	0	0.0004496	0	0	0
12/7/2022	0	0	0	0.0006295	0	0	0
12/8/2022	0	0	0	0	0	0	0
12/9/2022	0	0	0	0	0	0	0
12/10/2022	0	0	0	0	0	0	0
12/11/2022	0	0	0	0	0	0	0
12/12/2022	0	0	0	0	0	0	0
12/13/2022	0	0	0	0	0	0	0
12/14/2022	0	0	0	0	0	0	0
12/15/2022	0	0	0	0.0008916	0	0	0
12/16/2022	0	0	0	0	0	0	0
12/17/2022	0	0	0	0.0005985	0	0	0
12/18/2022	0	0	0	0	0	0	0
12/19/2022	0	0	0	0	0	0	0
12/20/2022	0	0	0	0	0	0	0
12/21/2022	0	0	0	0	0	0	0
12/22/2022	0	0	0	0	0	0	0
12/23/2022	0	0	0	0	0	0	0
12/24/2022	0	0	0	0	0	0	0
12/25/2022	0	0	0	0	0	0	0
12/26/2022	0	0	0	0	0	0	0
12/27/2022	0	0	0	0	0	0	0
12/28/2022	0	0	0	0	0	0	0
12/29/2022	0	0	0	0	0	0	0
12/30/2022	0	0	0	0	0	0	0
12/31/2022	0	0	0	0	0	0	0
1/1/2023	0	0.06453	0	0	0	0.06453	0
1/2/2023	0	0.06324	0	0	0	0.06324	0
1/3/2023	0	0.06198	0	0	0	0.06198	0
1/4/2023	0	0.06074	0	0	0	0.06074	0
1/5/2023	0	0.05952	0	0	0	0.05952	0
1/6/2023	0	0.05833	0	0	0	0.05833	0
1/7/2023	0	0.05717	0	0	0	0.05717	0
1/8/2023	0	0.05602	0	0	0	0.05602	0
1/9/2023	0	0.0549	0	0	0	0.0549	0
1/10/2023	0	0.0538	0	0	0	0.0538	0
1/11/2023	0	0.05273	0	0	0	0.05273	0
1/12/2023	0	0.05167	0	0	0	0.05167	0
1/13/2023	0	0.05064	0	0	0	0.05064	0
1/14/2023	0	0.04963	0	0	0	0.04963	0
1/15/2023	0	0.04863	0	0	0	0.04863	0
1/16/2023	0	0.04766	0	0	0	0.04766	0
1/17/2023	0	0.04671	0	0	0	0.04671	0
1/18/2023	0	0.04577	0	0	0	0.04577	0
1/19/2023	0	0.04486	0	5.21E-05	0	0.04486	0
1/20/2023	0	0.04396	0	0.001687	0	0.04396	0
1/21/2023	0	0.04308	0	0	0	0.04308	0

Date	TIRIO1 - Water Balance						
	Inflow			Outflow			
	TIRIO1 Pitwall Runoff	TIRIO1 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
m3	m3	m3	m3	m3	m3	m3	m3
1/22/2023	0	0.04222	0	0	0	0.04222	0
1/23/2023	0	0.04138	0	0	0	0.04138	0
1/24/2023	0	0.04055	0	0	0	0.04055	0
1/25/2023	0	0.03974	0	0	0	0.03974	0
1/26/2023	0	0.03894	0	0	0	0.03894	0
1/27/2023	0	0.03816	0	0	0	0.03816	0
1/28/2023	0	0.0374	0	0	0	0.0374	0
1/29/2023	0	0.03665	0	0	0	0.03665	0
1/30/2023	0	0.03592	0	0	0	0.03592	0
1/31/2023	0	0.0352	0	0	0	0.0352	0
2/1/2023	0	0.0345	0	0	0	0.0345	0
2/2/2023	0	0.03381	0	0	0	0.03381	0
2/3/2023	0	0.03313	0	0	0	0.03313	0
2/4/2023	0	0.03247	0	0	0	0.03247	0
2/5/2023	0	0.03182	0	0	0	0.03182	0
2/6/2023	0	0.03118	0	0	0	0.03118	0
2/7/2023	0	0.03056	0	0	0	0.03056	0
2/8/2023	0	0.02995	0	0	0	0.02995	0
2/9/2023	0	0.02935	0	0	0	0.02935	0
2/10/2023	0	0.02876	0	0	0	0.02876	0
2/11/2023	0	0.02819	0	0	0	0.02819	0
2/12/2023	0	0.02762	0	0	0	0.02762	0
2/13/2023	0	0.02707	0	0	0	0.02707	0
2/14/2023	0	0.02653	0	0	0	0.02653	0
2/15/2023	0	0.026	0	0	0	0.026	0
2/16/2023	0	0.02548	0	0	0	0.02548	0
2/17/2023	0	0.02497	0	0	0	0.02497	0
2/18/2023	0	0.02447	0	0	0	0.02447	0
2/19/2023	0	0.02398	0	0	0	0.02398	0
2/20/2023	0	0.0235	0	0	0	0.0235	0
2/21/2023	0	0.02303	0	0	0	0.02303	0
2/22/2023	0	0.02257	0	0	0	0.02257	0
2/23/2023	0	0.02212	0	0	0	0.02212	0
2/24/2023	0	0.02168	0	0	0	0.02168	0
2/25/2023	0	0.02124	0	0	0	0.02124	0
2/26/2023	0	0.02082	0	0	0	0.02082	0
2/27/2023	0	0.0204	0	0	0	0.0204	0
2/28/2023	0	0.01999	0	0	0	0.01999	0
3/1/2023	0	0.01959	0	0	0	0.01959	0
3/2/2023	0	0.0192	0	0	0	0.0192	0
3/3/2023	0	0.01882	0	0	0	0.01882	0
3/4/2023	0	0.01844	0	0	0	0.01844	0
3/5/2023	0	0.01807	0	0	0	0.01807	0
3/6/2023	0	0.01771	0	0	0	0.01771	0
3/7/2023	0	0.01736	0	0	0	0.01736	0
3/8/2023	0	0.01701	0	0	0	0.01701	0
3/9/2023	0	0.01667	0	0	0	0.01667	0
3/10/2023	0	0.01634	0	0	0	0.01634	0
3/11/2023	0	0.01601	0	0	0	0.01601	0
3/12/2023	0	0.01569	0	0	0	0.01569	0
3/13/2023	0	0.01538	0	0	0	0.01538	0
3/14/2023	0	0.01507	0	0	0	0.01507	0
3/15/2023	0	0.01477	0	0	0	0.01477	0
3/16/2023	0	0.01447	0	0	0	0.01447	0
3/17/2023	0	0.01418	0	0	0	0.01418	0
3/18/2023	0	0.0139	0	0	0	0.0139	0
3/19/2023	0	0.01362	0	0	0	0.01362	0
3/20/2023	0	0.01335	0	0	0	0.01335	0
3/21/2023	0	0.01308	0	0	0	0.01308	0
3/22/2023	0	0.01282	0	0	0	0.01282	0
3/23/2023	0	0.01256	0	0.02245	0	0.01256	0
3/24/2023	0	0.01231	0	0.05605	0	0.01231	0
3/25/2023	0	0.01207	0	0.03285	0	0.01207	0
3/26/2023	0	0.01182	0	0.009693	0	0.01182	0
3/27/2023	0	0.01159	0	0	0	0.01159	0
3/28/2023	0	0.01136	0	0	0	0.01136	0
3/29/2023	0	0.01113	0	0	0	0.01113	0
3/30/2023	0	0.01091	0	0	0	0.01091	0
3/31/2023	0	0.01069	0	0	0	0.01069	0
4/1/2023	0	0.01047	0	0.02469	0	0.01047	0
4/2/2023	0	0.01026	0	0.03785	0	0.01026	0
4/3/2023	0	0.01006	0	0	0	0.01006	0
4/4/2023	0	0.009858	0	0	0	0.009858	0
4/5/2023	0	0.009661	0	0	0	0.009661	0
4/6/2023	0	0.009468	0	0	0	0.009468	0
4/7/2023	0	0.009279	0	0	0	0.009279	0
4/8/2023	0	0.009093	0	0	0	0.009093	0
4/9/2023	0	0.008911	0	0	0	0.008911	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
4/10/2023	0	0.008733	0	0	0	0.008733	0
4/11/2023	0	0.008558	0	0	0	0.008558	0
4/12/2023	0	0.008387	0	0	0	0.008387	0
4/13/2023	0	0.008219	0	0	0	0.008219	0
4/14/2023	0	0.008055	0	0.01167	0	0.008055	0
4/15/2023	0	0.007894	0	0.04244	0	0.007894	0
4/16/2023	0	0.007736	0	0.04085	0	0.007736	0
4/17/2023	0	0.007581	0	0.02854	0	0.007581	0
4/18/2023	0	0.00743	0	0.01904	0	0.00743	0
4/19/2023	0	0.007281	0	0.01433	0	0.007281	0
4/20/2023	0	0.007135	0	0	0	0.007135	0
4/21/2023	0	0.006993	0	0	0	0.006993	0
4/22/2023	0	0.006853	0	0	0	0.006853	0
4/23/2023	0	0.006716	0	0	0	0.006716	0
4/24/2023	0	0.006582	0	0	0	0.006582	0
4/25/2023	0	0.00645	0	0	0	0.00645	0
4/26/2023	0	0.006321	0	0	0	0.006321	0
4/27/2023	0	0.006194	0	0	0	0.006194	0
4/28/2023	0	0.006071	0	0.02638	0	0.006071	0
4/29/2023	0	0.005949	0	0	0	0.005949	0
4/30/2023	0	0.00583	0	0	0	0.00583	0
5/1/2023	0	0.005714	0	0.01946	0	0.005714	0
5/2/2023	0	0.005599	0	0.07062	0	0.005599	0
5/3/2023	0	0.005487	0	0.0859	0	0.005487	0
5/4/2023	0	0.005378	0	0.09678	0	0.005378	0
5/5/2023	0	0.00527	0	0.04636	0	0.00527	0
5/6/2023	0	0.005165	0	0.083	0	0.005165	0
5/7/2023	0	0.005061	0	0.08387	0	0.005061	0
5/8/2023	0	0.00496	0	0.08251	0	0.00496	0
5/9/2023	0	0.004861	0	0.1245	0	0.004861	0
5/10/2023	0	0.004764	0	0.1438	0	0.004764	0
5/11/2023	0	0.004668	0	0.1404	0	0.004668	0
5/12/2023	0	0.004575	0	0.1397	0	0.004575	0
5/13/2023	0	0.004484	0	0.1274	0	0.004484	0
5/14/2023	0	0.004394	0	0.1451	0	0.004394	0
5/15/2023	292.1	20.17	0.1357	0.1144	0	312.4	0
5/16/2023	321.9	63.07	0.1496	0.1379	0	339	0
5/17/2023	854.4	89.41	0.406	0.146	0	339	0
5/18/2023	59.65	116.9	0.03674	0.2123	0	339	0
5/19/2023	0	7.617	0	0.1925	0	339	0
5/20/2023	0	0.06312	0	0.1714	0	157	0
5/21/2023	247.4	19.05	0.1149	0.1657	0	266.6	0
5/22/2023	456.2	90.32	0.2119	0.1786	0	338.9	0
5/23/2023	575.6	204.9	0.2952	0.1904	0	338.9	0
5/24/2023	752.3	206.3	0.463	0.2154	0	338.9	0
5/25/2023	818.4	124.3	0.6216	0.2727	0	338.9	0
5/26/2023	146.7	100.8	0.132	0.3361	0	338.9	0
5/27/2023	330.8	40.98	0.2907	0.2985	0	338.9	0
5/28/2023	200.2	37.61	0.1774	0.2984	0	338.9	0
5/29/2023	680.1	67.7	0.5867	0.3228	0	338.9	0
5/30/2023	958.8	318.3	0.9184	0.4078	0	338.9	0
5/31/2023	1278	518.7	1.503	0.5414	0	338.9	0
6/1/2023	1416	714.7	2.146	0.6889	0	338.9	1000
6/2/2023	1222	876.3	2.077	0.8251	0	338.9	1000
6/3/2023	623.7	593.4	1.171	0.7251	0	338.9	1000
6/4/2023	789.6	223.8	1.46	0.7981	0	338.9	1000
6/5/2023	837.6	179.3	1.485	0.7554	0	338.9	1000
6/6/2023	1099	153.9	1.867	0.7639	0	338.9	1000
6/7/2023	1799	132.9	3.021	0.8167	0	338.9	1000
6/8/2023	1880	115.3	3.417	0.7671	0	338.8	1000
6/9/2023	1195	187.9	2.355	0.8762	0	338.8	1000
6/10/2023	864.1	112.5	1.712	0.8894	0	338.8	1000
6/11/2023	1028	91.2	1.95	0.8497	0	338.8	1000
6/12/2023	536.4	85.05	0.9904	0.7719	0	338.8	1000
6/13/2023	581.1	80.39	0.976	0.6988	0	338.8	1000
6/14/2023	1188	75.22	1.809	0.6978	0	338.8	1000
6/15/2023	1695	69.47	2.551	0.7304	0	338.8	1000
6/16/2023	1263	64.11	2.026	0.7442	0	338.8	1000
6/17/2023	1621	59.12	2.596	0.7941	0	338.8	1000
6/18/2023	754.2	54.42	1.268	0.8623	0	338.8	1000
6/19/2023	55.88	50.04	0.08708	0.7873	0	338.8	1000
6/20/2023	55.89	45.97	0.07106	0.6551	0	338.8	1000
6/21/2023	55.91	42.17	0.05498	0.5922	0	338.8	1000
6/22/2023	0	38.53	0	0.3535	0	338.8	690.8
6/23/2023	0	35.19	0	0.2148	0	35.19	0
6/24/2023	0	32.15	0	0.2365	0	32.15	0
6/25/2023	0	29.25	0	0.2321	0	29.25	0
6/26/2023	0	26.58	0	0.2402	0	26.58	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
m3	m3	m3	m3	m3	m3	m3	m3
6/27/2023	0	24.06	0	0.2998	0	24.06	0
6/28/2023	0	21.57	0	0.3643	0	21.57	0
6/29/2023	0	5.448	0	0.5807	0	5.448	0
6/30/2023	0	5.339	0	0.9929	0	5.339	0
7/1/2023	0	5.232	0	0.2523	0	5.232	0
7/2/2023	0	5.128	0	0.2548	0	5.128	0
7/3/2023	0	5.025	0	0.4248	0	5.025	0
7/4/2023	0	4.925	0	0.3378	0	4.925	0
7/5/2023	0	4.826	0	0.2461	0	4.826	0
7/6/2023	55.93	4.73	0.02598	0.2524	0	60.68	0
7/7/2023	5691	4.635	2.644	0.2533	0	338.7	1000
7/8/2023	1925	451.5	2.846	0.8301	0	338.7	1000
7/9/2023	100.8	194.3	0.1733	0.9673	0	338.7	1000
7/10/2023	0	54.04	0	0.8216	0	338.7	1000
7/11/2023	0	42.91	0	0.6642	0	338.7	1000
7/12/2023	55.91	32.02	0.04901	0.5252	0	338.7	1000
7/13/2023	0	29.54	0	0.3558	0	338.7	212.5
7/14/2023	0	28.56	0	0.2812	0	28.56	0
7/15/2023	0	26.01	0	0.4059	0	26.01	0
7/16/2023	0	23.09	0	0.282	0	23.09	0
7/17/2023	0	5.916	0	0.2981	0	5.916	0
7/18/2023	0	5.797	0	0.3397	0	5.797	0
7/19/2023	0	5.681	0	0.2949	0	5.681	0
7/20/2023	0	5.568	0	0.2872	0	5.568	0
7/21/2023	55.93	5.456	0.02598	0.2887	0	61.41	0
7/22/2023	785.4	5.347	0.3649	0.2554	0	338.6	452.5
7/23/2023	1432	45.74	0.6652	0.2453	0	338.6	1000
7/24/2023	176.9	108.9	0.08792	0.2486	0	338.6	86.72
7/25/2023	6071	7.921	2.821	0.2468	0	338.6	1000
7/26/2023	214.8	492	0.3367	0.8254	0	338.6	1000
7/27/2023	0	66.11	0	0.8477	0	338.6	1000
7/28/2023	480.9	51.01	0.5407	0.5814	0	338.6	1000
7/29/2023	62.8	56.14	0.05882	0.4333	0	338.6	1000
7/30/2023	0	35.45	0	0.3125	0	338.6	507.9
7/31/2023	0	32.38	0	0.2342	0	32.38	0
8/1/2023	0	31.5	0	0.2549	0	31.5	0
8/2/2023	0	29.11	0	0.3028	0	29.11	0
8/3/2023	0	26.25	0	0.2619	0	26.25	0
8/4/2023	0	23.7	0	0.2564	0	23.7	0
8/5/2023	55.93	21.34	0.02598	0.2436	0	77.3	0
8/6/2023	55.93	5.503	0.02598	0.2107	0	61.45	0
8/7/2023	0	5.393	0	0.2184	0	5.393	0
8/8/2023	1774	5.285	0.8242	0.2163	0	338.5	1000
8/9/2023	6375	129	3.616	0.2663	0	338.5	1000
8/10/2023	1127	522.6	1.993	0.6632	0	338.5	1000
8/11/2023	55.87	153.5	0.1029	0.7448	0	338.5	1000
8/12/2023	100.8	67.51	0.1591	0.6339	0	338.5	1000
8/13/2023	100.8	56.15	0.1317	0.5829	0	338.5	1000
8/14/2023	0	46.44	0	0.5516	0	338.5	1000
8/15/2023	0	37.34	0	0.3267	0	338.5	846.4
8/16/2023	55.93	36.7	0.02598	0.2019	0	92.65	0
8/17/2023	0	35.13	0	0.2574	0	35.13	0
8/18/2023	0	32.22	0	0.2152	0	32.22	0
8/19/2023	0	29.38	0	0.1943	0	29.38	0
8/20/2023	1926	26.8	0.8949	0.1774	0	338.5	1000
8/21/2023	62.82	162.3	0.03816	0.2323	0	338.5	502
8/22/2023	0	22.63	0	0.1664	0	22.63	0
8/23/2023	557.2	22.81	0.2589	0.1641	0	338.4	241.8
8/24/2023	291	47.33	0.1352	0.1737	0	338.4	0.02493
8/25/2023	55.93	32.59	0.02598	0.1547	0	88.54	0
8/26/2023	55.93	5.879	0.02598	0.16	0	61.83	0
8/27/2023	138.9	5.973	0.06452	0.1562	0	144.9	0
8/28/2023	595.2	5.931	0.2765	0.1438	0	338.4	263
8/29/2023	55.93	38.15	0.02598	0.1393	0	94.1	0
8/30/2023	253	5.696	0.1175	0.1383	0	258.8	0
8/31/2023	55.93	10.62	0.02598	0.1281	0	66.58	0
9/1/2023	55.93	5.638	0.02598	0.1291	0	61.59	0
9/2/2023	62.82	5.541	0.02919	0.1305	0	68.39	0
9/3/2023	242.3	5.43	0.1126	0.1255	0	247.9	0
9/4/2023	166.3	6.76	0.07725	0.1289	0	173.1	0
9/5/2023	83.33	6.729	0.03871	0.1264	0	90.1	0
9/6/2023	62.82	5.11	0.02919	0.1171	0	67.96	0
9/7/2023	0	5.008	0	0.111	0	5.008	0
9/8/2023	1193	4.908	0.5543	0.1067	0	338.4	860.2
9/9/2023	90.23	84.39	0.04192	0.1089	0	174.7	0
9/10/2023	27.4	4.714	0.01273	0.1005	0	32.13	0
9/11/2023	799.9	4.965	0.3716	0.0815	0	338.3	466.9
9/12/2023	329.8	56.02	0.1532	0.08911	0	338.3	47.6

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
9/13/2023	0	23.69	0	0.09917	0	23.69	0
9/14/2023	27.4	5.523	0.01273	0.08916	0	32.94	0
9/15/2023	158.1	5.811	0.07344	0.09832	0	164	0
9/16/2023	0	0.299	0	0.08078	0	0.299	0
9/17/2023	0	0.3017	0	0.07519	0	0.3017	0
9/18/2023	0	1.067	0	0.07523	0	1.067	0
9/19/2023	138.9	31.18	0.06452	0.07529	0	170.1	0
9/20/2023	0	13.05	0	0.08543	0	13.05	0
9/21/2023	176.9	5.829	0.08219	0.08532	0	182.8	0
9/22/2023	27.4	5.791	0.01273	0.07549	0	33.21	0
9/23/2023	113.2	5.706	0.05257	0.07247	0	118.9	0
9/24/2023	0	0.2815	0	0.06874	0	0.2815	0
9/25/2023	0	0.2766	0	0.06352	0	0.2766	0
9/26/2023	0	0.2739	0	0.05545	0	0.2739	0
9/27/2023	0	0.2717	0	0.05446	0	0.2717	0
9/28/2023	0	0.2694	0	0.05639	0	0.2694	0
9/29/2023	0	0.2669	0	0.04989	0	0.2669	0
9/30/2023	2531	36.44	1.176	0.05273	0	338.2	1000
10/1/2023	0	215.7	0	0.08307	0	338.2	0
10/2/2023	0	9.471	0	0.05606	0	338.2	0
10/3/2023	0	4.542	0	0.06468	0	338.2	0
10/4/2023	0	1.633	0	0.05596	0	338.2	0
10/5/2023	0	1.216	0	0.04246	0	109.9	0
10/6/2023	0	1.23	0	0.03101	0	1.23	0
10/7/2023	0	1.225	0	0.02172	0	1.225	0
10/8/2023	0	1.204	0	0.02854	0	1.204	0
10/9/2023	0	1.173	0	0.02896	0	1.173	0
10/10/2023	0	1.133	0	0.02987	0	1.133	0
10/11/2023	0	1.088	0	0.03412	0	1.088	0
10/12/2023	0	0.2968	0	0.03404	0	0.2968	0
10/13/2023	0	0.2971	0	0.03489	0	0.2971	0
10/14/2023	0	0.2961	0	0.0281	0	0.2961	0
10/15/2023	0	0.2942	0	0.02852	0	0.2942	0
10/16/2023	0	0.2915	0	0.02824	0	0.2915	0
10/17/2023	0	0.2882	0	0.02532	0	0.2882	0
10/18/2023	0	0.2845	0	0.02195	0	0.2845	0
10/19/2023	0	0.2804	0	0.01582	0	0.2804	0
10/20/2023	0	0.2761	0	0.01172	0	0.2761	0
10/21/2023	0	0.2717	0	0.01501	0	0.2717	0
10/22/2023	0	0.2671	0	0.0123	0	0.2671	0
10/23/2023	0	0.2624	0	0.009357	0	0.2624	0
10/24/2023	0	0.2577	0	0.01782	0	0.2577	0
10/25/2023	0	0.253	0	0.02229	0	0.253	0
10/26/2023	0	0.2482	0	0.01266	0	0.2482	0
10/27/2023	0	0.2436	0	0.01595	0	0.2436	0
10/28/2023	0	0.2389	0	0.01126	0	0.2389	0
10/29/2023	0	0.2343	0	0	0	0.2343	0
10/30/2023	0	0.2298	0	0.01085	0	0.2298	0
10/31/2023	0	0.2253	0	0.007388	0	0.2253	0
11/1/2023	0	0.2209	0	0	0	0.2209	0
11/2/2023	0	0.2165	0	0	0	0.2165	0
11/3/2023	0	0.2122	0	0	0	0.2122	0
11/4/2023	0	0.208	0	0.0008215	0	0.208	0
11/5/2023	0	0.2039	0	0.001187	0	0.2039	0
11/6/2023	0	0.1999	0	0	0	0.1999	0
11/7/2023	0	0.1959	0	0	0	0.1959	0
11/8/2023	0	0.192	0	0	0	0.192	0
11/9/2023	0	0.1882	0	0	0	0.1882	0
11/10/2023	0	0.1844	0	0	0	0.1844	0
11/11/2023	0	0.1807	0	0	0	0.1807	0
11/12/2023	0	0.1771	0	0.0007319	0	0.1771	0
11/13/2023	0	0.1736	0	0	0	0.1736	0
11/14/2023	0	0.1701	0	0.002983	0	0.1701	0
11/15/2023	0	0.1667	0	0.005221	0	0.1667	0
11/16/2023	0	0.1634	0	0.006241	0	0.1634	0
11/17/2023	0	0.1601	0	0	0	0.1601	0
11/18/2023	0	0.1569	0	0	0	0.1569	0
11/19/2023	0	0.1538	0	0	0	0.1538	0
11/20/2023	0	0.1507	0	0	0	0.1507	0
11/21/2023	0	0.1477	0	0	0	0.1477	0
11/22/2023	0	0.1448	0	0	0	0.1448	0
11/23/2023	0	0.1419	0	0	0	0.1419	0
11/24/2023	0	0.139	0	0.00112	0	0.139	0
11/25/2023	0	0.1362	0	0	0	0.1362	0
11/26/2023	0	0.1335	0	0.00375	0	0.1335	0
11/27/2023	0	0.1308	0	0	0	0.1308	0
11/28/2023	0	0.1282	0	0	0	0.1282	0
11/29/2023	0	0.1257	0	0	0	0.1257	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
11/30/2023	0	0.1232	0	0.001425	0	0.1232	0
12/1/2023	0	0.1207	0	0.0005467	0	0.1207	0
12/2/2023	0	0.1183	0	0	0	0.1183	0
12/3/2023	0	0.1159	0	0	0	0.1159	0
12/4/2023	0	0.1136	0	0	0	0.1136	0
12/5/2023	0	0.1113	0	0	0	0.1113	0
12/6/2023	0	0.1091	0	0.0004496	0	0.1091	0
12/7/2023	0	0.1069	0	0.0006295	0	0.1069	0
12/8/2023	0	0.1048	0	0	0	0.1048	0
12/9/2023	0	0.1027	0	0	0	0.1027	0
12/10/2023	0	0.1006	0	0	0	0.1006	0
12/11/2023	0	0.09861	0	0	0	0.09861	0
12/12/2023	0	0.09664	0	0	0	0.09664	0
12/13/2023	0	0.09471	0	0	0	0.09471	0
12/14/2023	0	0.09281	0	0	0	0.09281	0
12/15/2023	0	0.09096	0	0.0008916	0	0.09096	0
12/16/2023	0	0.08914	0	0	0	0.08914	0
12/17/2023	0	0.08735	0	0.0005985	0	0.08735	0
12/18/2023	0	0.08561	0	0	0	0.08561	0
12/19/2023	0	0.0839	0	0	0	0.0839	0
12/20/2023	0	0.08222	0	0	0	0.08222	0
12/21/2023	0	0.08057	0	0	0	0.08057	0
12/22/2023	0	0.07896	0	0	0	0.07896	0
12/23/2023	0	0.07738	0	0	0	0.07738	0
12/24/2023	0	0.07583	0	0	0	0.07583	0
12/25/2023	0	0.07432	0	0	0	0.07432	0
12/26/2023	0	0.07283	0	0	0	0.07283	0
12/27/2023	0	0.07138	0	0	0	0.07138	0
12/28/2023	0	0.06995	0	0	0	0.06995	0
12/29/2023	0	0.06855	0	0	0	0.06855	0
12/30/2023	0	0.06718	0	0	0	0.06718	0
12/31/2023	0	0.06583	0	0	0	0.06583	0
1/1/2024	0	0.06452	0	0	0	0.06452	0
1/2/2024	0	0.06323	0	0	0	0.06323	0
1/3/2024	0	0.06196	0	0	0	0.06196	0
1/4/2024	0	0.06072	0	0	0	0.06072	0
1/5/2024	0	0.05951	0	0	0	0.05951	0
1/6/2024	0	0.05832	0	0	0	0.05832	0
1/7/2024	0	0.05715	0	0	0	0.05715	0
1/8/2024	0	0.05601	0	0	0	0.05601	0
1/9/2024	0	0.05489	0	0	0	0.05489	0
1/10/2024	0	0.05379	0	0	0	0.05379	0
1/11/2024	0	0.05272	0	0	0	0.05272	0
1/12/2024	0	0.05166	0	0	0	0.05166	0
1/13/2024	0	0.05063	0	0	0	0.05063	0
1/14/2024	0	0.04962	0	0	0	0.04962	0
1/15/2024	0	0.04862	0	0	0	0.04862	0
1/16/2024	0	0.04765	0	0	0	0.04765	0
1/17/2024	0	0.0467	0	0	0	0.0467	0
1/18/2024	0	0.04576	0	0	0	0.04576	0
1/19/2024	0	0.04485	0	5.21E-05	0	0.04485	0
1/20/2024	0	0.04395	0	0.001687	0	0.04395	0
1/21/2024	0	0.04307	0	0	0	0.04307	0
1/22/2024	0	0.04221	0	0	0	0.04221	0
1/23/2024	0	0.04137	0	0	0	0.04137	0
1/24/2024	0	0.04054	0	0	0	0.04054	0
1/25/2024	0	0.03973	0	0	0	0.03973	0
1/26/2024	0	0.03893	0	0	0	0.03893	0
1/27/2024	0	0.03816	0	0	0	0.03816	0
1/28/2024	0	0.03739	0	0	0	0.03739	0
1/29/2024	0	0.03664	0	0	0	0.03664	0
1/30/2024	0	0.03591	0	0	0	0.03591	0
1/31/2024	0	0.03519	0	0	0	0.03519	0
2/1/2024	0	0.03449	0	0	0	0.03449	0
2/2/2024	0	0.0338	0	0	0	0.0338	0
2/3/2024	0	0.03312	0	0	0	0.03312	0
2/4/2024	0	0.03246	0	0	0	0.03246	0
2/5/2024	0	0.03181	0	0	0	0.03181	0
2/6/2024	0	0.03118	0	0	0	0.03118	0
2/7/2024	0	0.03055	0	0	0	0.03055	0
2/8/2024	0	0.02994	0	0	0	0.02994	0
2/9/2024	0	0.02934	0	0	0	0.02934	0
2/10/2024	0	0.02876	0	0	0	0.02876	0
2/11/2024	0	0.02818	0	0	0	0.02818	0
2/12/2024	0	0.02762	0	0	0	0.02762	0
2/13/2024	0	0.02706	0	0	0	0.02706	0
2/14/2024	0	0.02652	0	0	0	0.02652	0
2/15/2024	0	0.02599	0	0	0	0.02599	0

Date	TIRIO1 - Water Balance						
	Inflow			Outflow			
	TIRIO1 Pitwall Runoff	TIRIO1 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
2/16/2024	0	0.02547	0	0	0	0.02547	0
2/17/2024	0	0.02496	0	0	0	0.02496	0
2/18/2024	0	0.02446	0	0	0	0.02446	0
2/19/2024	0	0.02397	0	0	0	0.02397	0
2/20/2024	0	0.0235	0	0	0	0.0235	0
2/21/2024	0	0.02303	0	0	0	0.02303	0
2/22/2024	0	0.02256	0	0	0	0.02256	0
2/23/2024	0	0.02211	0	0	0	0.02211	0
2/24/2024	0	0.02167	0	0	0	0.02167	0
2/25/2024	0	0.02124	0	0	0	0.02124	0
2/26/2024	0	0.02081	0	0	0	0.02081	0
2/27/2024	0	0.0204	0	0	0	0.0204	0
2/28/2024	0	0.01999	0	0	0	0.01999	0
2/29/2024	0	0.01959	0	0	0	0.01959	0
3/1/2024	0	0.0192	0	0	0	0.0192	0
3/2/2024	0	0.01881	0	0	0	0.01881	0
3/3/2024	0	0.01844	0	0	0	0.01844	0
3/4/2024	0	0.01807	0	0	0	0.01807	0
3/5/2024	0	0.01771	0	0	0	0.01771	0
3/6/2024	0	0.01735	0	0	0	0.01735	0
3/7/2024	0	0.01701	0	0	0	0.01701	0
3/8/2024	0	0.01667	0	0	0	0.01667	0
3/9/2024	0	0.01633	0	0	0	0.01633	0
3/10/2024	0	0.01601	0	0	0	0.01601	0
3/11/2024	0	0.01569	0	0	0	0.01569	0
3/12/2024	0	0.01537	0	0	0	0.01537	0
3/13/2024	0	0.01506	0	0	0	0.01506	0
3/14/2024	0	0.01476	0	0	0	0.01476	0
3/15/2024	0	0.01447	0	0	0	0.01447	0
3/16/2024	0	0.01418	0	0	0	0.01418	0
3/17/2024	0	0.0139	0	0	0	0.0139	0
3/18/2024	0	0.01362	0	0	0	0.01362	0
3/19/2024	0	0.01334	0	0	0	0.01334	0
3/20/2024	0	0.01308	0	0	0	0.01308	0
3/21/2024	0	0.01282	0	0	0	0.01282	0
3/22/2024	0	0.01256	0	0	0	0.01256	0
3/23/2024	0	0.01231	0	0.02292	0	0.01231	0
3/24/2024	0	0.01206	0	0.05721	0	0.01206	0
3/25/2024	0	0.01182	0	0.03352	0	0.01182	0
3/26/2024	0	0.01158	0	0.009886	0	0.01158	0
3/27/2024	0	0.01135	0	0	0	0.01135	0
3/28/2024	0	0.01113	0	0	0	0.01113	0
3/29/2024	0	0.0109	0	0	0	0.0109	0
3/30/2024	0	0.01069	0	0	0	0.01069	0
3/31/2024	0	0.01047	0	0	0	0.01047	0
4/1/2024	0	0.01026	0	0.02514	0	0.01026	0
4/2/2024	0	0.01006	0	0.03852	0	0.01006	0
4/3/2024	0	0.009856	0	0	0	0.009856	0
4/4/2024	0	0.009659	0	0	0	0.009659	0
4/5/2024	0	0.009466	0	0	0	0.009466	0
4/6/2024	0	0.009276	0	0	0	0.009276	0
4/7/2024	0	0.009091	0	0	0	0.009091	0
4/8/2024	0	0.008909	0	0	0	0.008909	0
4/9/2024	0	0.008731	0	0	0	0.008731	0
4/10/2024	0	0.008556	0	0	0	0.008556	0
4/11/2024	0	0.008385	0	0	0	0.008385	0
4/12/2024	0	0.008217	0	0	0	0.008217	0
4/13/2024	0	0.008053	0	0	0	0.008053	0
4/14/2024	0	0.007892	0	0.01184	0	0.007892	0
4/15/2024	0	0.007734	0	0.04304	0	0.007734	0
4/16/2024	0	0.00758	0	0.04142	0	0.00758	0
4/17/2024	0	0.007428	0	0.02893	0	0.007428	0
4/18/2024	0	0.007279	0	0.01929	0	0.007279	0
4/19/2024	0	0.007134	0	0.01452	0	0.007134	0
4/20/2024	0	0.006991	0	0	0	0.006991	0
4/21/2024	0	0.006851	0	0	0	0.006851	0
4/22/2024	0	0.006714	0	0	0	0.006714	0
4/23/2024	0	0.00658	0	0	0	0.00658	0
4/24/2024	0	0.006448	0	0	0	0.006448	0
4/25/2024	0	0.006319	0	0	0	0.006319	0
4/26/2024	0	0.006193	0	0	0	0.006193	0
4/27/2024	0	0.006069	0	0	0	0.006069	0
4/28/2024	0	0.005948	0	0.02667	0	0.005948	0
4/29/2024	0	0.005829	0	0	0	0.005829	0
4/30/2024	0	0.005712	0	0	0	0.005712	0
5/1/2024	0	0.005598	0	0.01966	0	0.005598	0
5/2/2024	0	0.005486	0	0.07133	0	0.005486	0
5/3/2024	0	0.005376	0	0.08675	0	0.005376	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
5/4/2024	0	0.005269	0	0.09771	0	0.005269	0
5/5/2024	0	0.005163	0	0.0468	0	0.005163	0
5/6/2024	0	0.00506	0	0.08377	0	0.00506	0
5/7/2024	0	0.004959	0	0.08462	0	0.004959	0
5/8/2024	0	0.00486	0	0.08324	0	0.00486	0
5/9/2024	0	0.004763	0	0.1255	0	0.004763	0
5/10/2024	0	0.004667	0	0.145	0	0.004667	0
5/11/2024	0	0.004574	0	0.1416	0	0.004574	0
5/12/2024	0	0.004482	0	0.1408	0	0.004482	0
5/13/2024	0	0.004393	0	0.1284	0	0.004393	0
5/14/2024	0	0.004305	0	0.1462	0	0.004305	0
5/15/2024	292.1	20.17	0.1357	0.1152	0	312.4	0
5/16/2024	321.9	63.04	0.1496	0.1389	0	337	0
5/17/2024	854.4	89.37	0.4064	0.1472	0	337	0
5/18/2024	59.65	116.8	0.03679	0.2141	0	337	0
5/19/2024	0	7.529	0	0.1942	0	337	0
5/20/2024	0	0.06285	0	0.1731	0	164.5	0
5/21/2024	247.4	19.05	0.1149	0.1667	0	266.5	0
5/22/2024	456.2	90.27	0.2119	0.1796	0	337	0
5/23/2024	575.6	204.9	0.2954	0.1916	0	337	0
5/24/2024	752.3	206.2	0.4637	0.2169	0	337	0
5/25/2024	818.4	124.2	0.6227	0.2746	0	337	0
5/26/2024	146.7	100.7	0.1323	0.3385	0	337	0
5/27/2024	330.8	40.88	0.2914	0.3007	0	337	0
5/28/2024	200.2	37.52	0.1779	0.3007	0	337	0
5/29/2024	680.1	67.58	0.5888	0.3253	0	337	0
5/30/2024	958.8	318.2	0.9217	0.411	0	337	0
5/31/2024	1278	518.3	1.508	0.5454	0	337	0
6/1/2024	1416	714.5	2.152	0.6935	0	337	1000
6/2/2024	1222	876.1	2.083	0.8304	0	337	1000
6/3/2024	623.7	595.5	1.174	0.7296	0	337	1000
6/4/2024	789.6	224	1.465	0.8033	0	336.9	1000
6/5/2024	837.6	179.4	1.491	0.7605	0	336.9	1000
6/6/2024	1099	153.9	1.874	0.7692	0	336.9	1000
6/7/2024	1799	133	3.034	0.8224	0	336.9	1000
6/8/2024	1880	115.3	3.431	0.7723	0	336.9	1000
6/9/2024	1195	187.9	2.364	0.8818	0	336.9	1000
6/10/2024	864.1	112.5	1.72	0.8951	0	336.9	1000
6/11/2024	1028	91.18	1.96	0.8553	0	336.9	1000
6/12/2024	536.4	85.04	0.9955	0.7772	0	336.9	1000
6/13/2024	581.1	80.37	0.9818	0.704	0	336.9	1000
6/14/2024	1188	75.2	1.821	0.7035	0	336.9	1000
6/15/2024	1695	69.45	2.569	0.7364	0	336.9	1000
6/16/2024	1263	64.1	2.04	0.7501	0	336.9	1000
6/17/2024	1621	59.1	2.615	0.8004	0	336.9	1000
6/18/2024	725.7	54.41	1.229	0.8689	0	336.9	1000
6/19/2024	55.88	50.02	0.08742	0.7905	0	336.9	1000
6/20/2024	55.89	45.95	0.07142	0.6584	0	336.9	1000
6/21/2024	55.91	42.16	0.05537	0.5963	0	336.9	1000
6/22/2024	0	38.52	0	0.357	0	336.9	724.3
6/23/2024	0	35.18	0	0.2147	0	35.18	0
6/24/2024	0	32.14	0	0.2363	0	32.14	0
6/25/2024	0	29.24	0	0.2319	0	29.24	0
6/26/2024	0	26.57	0	0.2399	0	26.57	0
6/27/2024	0	24.06	0	0.2993	0	24.06	0
6/28/2024	0	21.56	0	0.3637	0	21.56	0
6/29/2024	0	5.447	0	0.5796	0	5.447	0
6/30/2024	0	5.338	0	0.9909	0	5.338	0
7/1/2024	0	5.232	0	0.2517	0	5.232	0
7/2/2024	0	5.127	0	0.2542	0	5.127	0
7/3/2024	0	5.024	0	0.4236	0	5.024	0
7/4/2024	0	4.924	0	0.3368	0	4.924	0
7/5/2024	0	4.825	0	0.2453	0	4.825	0
7/6/2024	55.93	4.729	0.02598	0.2515	0	60.68	0
7/7/2024	5691	4.634	2.644	0.2525	0	336.8	1000
7/8/2024	1925	451.5	2.846	0.8273	0	336.8	1000
7/9/2024	100.8	194.3	0.1734	0.9641	0	336.8	1000
7/10/2024	0	54.07	0	0.819	0	336.8	1000
7/11/2024	0	42.97	0	0.6624	0	336.8	1000
7/12/2024	55.91	32.09	0.04914	0.5242	0	336.7	1000
7/13/2024	0	29.56	0	0.3558	0	336.7	226.3
7/14/2024	0	28.6	0	0.2798	0	28.6	0
7/15/2024	0	26.05	0	0.4038	0	26.05	0
7/16/2024	0	23.13	0	0.2805	0	23.13	0
7/17/2024	0	5.928	0	0.2965	0	5.928	0
7/18/2024	0	5.81	0	0.3378	0	5.81	0
7/19/2024	0	5.693	0	0.2932	0	5.693	0
7/20/2024	0	5.579	0	0.2854	0	5.579	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
7/21/2024	55.93	5.468	0.02598	0.2869	0	61.42	0
7/22/2024	785.4	5.359	0.3649	0.2538	0	336.7	454.4
7/23/2024	1432	45.81	0.6652	0.2437	0	336.7	1000
7/24/2024	176.9	109	0.088	0.2471	0	336.7	90.71
7/25/2024	6071	7.992	2.821	0.2451	0	336.7	1000
7/26/2024	214.8	492	0.3368	0.8196	0	336.7	1000
7/27/2024	0	66.29	0	0.842	0	336.7	1000
7/28/2024	480.9	51.2	0.5414	0.5777	0	336.7	1000
7/29/2024	62.8	56.41	0.05894	0.4308	0	336.7	1000
7/30/2024	0	35.66	0	0.3111	0	336.7	520.4
7/31/2024	0	32.49	0	0.2322	0	32.49	0
8/1/2024	0	31.62	0	0.2528	0	31.62	0
8/2/2024	0	29.35	0	0.3002	0	29.35	0
8/3/2024	0	26.48	0	0.2596	0	26.48	0
8/4/2024	0	23.92	0	0.2541	0	23.92	0
8/5/2024	55.93	21.56	0.02598	0.2413	0	77.51	0
8/6/2024	55.93	5.561	0.02598	0.2087	0	61.51	0
8/7/2024	0	5.449	0	0.2163	0	5.449	0
8/8/2024	1774	5.34	0.8242	0.2141	0	336.6	1000
8/9/2024	6375	129.1	3.619	0.2638	0	336.6	1000
8/10/2024	1127	522.8	1.995	0.6567	0	336.6	1000
8/11/2024	55.87	153.7	0.103	0.7375	0	336.6	1000
8/12/2024	100.8	67.79	0.1593	0.6279	0	336.6	1000
8/13/2024	100.8	56.45	0.132	0.5775	0	336.6	1000
8/14/2024	0	46.76	0	0.547	0	336.6	1000
8/15/2024	0	37.55	0	0.3245	0	336.6	863.4
8/16/2024	55.93	36.91	0.02598	0.1995	0	92.86	0
8/17/2024	0	35.35	0	0.2543	0	35.35	0
8/18/2024	0	32.46	0	0.2126	0	32.46	0
8/19/2024	0	29.61	0	0.1919	0	29.61	0
8/20/2024	1926	27.01	0.8949	0.1752	0	336.5	1000
8/21/2024	62.82	162.6	0.0382	0.2296	0	336.5	506.4
8/22/2024	0	22.82	0	0.1643	0	22.82	0
8/23/2024	557.2	23	0.2589	0.1619	0	336.5	243.9
8/24/2024	291	47.66	0.1352	0.1714	0	336.5	2.273
8/25/2024	55.93	32.87	0.02598	0.1525	0	88.82	0
8/26/2024	55.93	5.936	0.02598	0.1578	0	61.89	0
8/27/2024	138.9	6.035	0.06452	0.154	0	145	0
8/28/2024	595.2	6.022	0.2765	0.1417	0	336.5	265
8/29/2024	55.93	38.39	0.02598	0.1372	0	94.34	0
8/30/2024	253	5.784	0.1175	0.1362	0	258.9	0
8/31/2024	55.93	10.83	0.02598	0.1262	0	66.78	0
9/1/2024	55.93	5.728	0.02598	0.1271	0	61.68	0
9/2/2024	62.82	5.657	0.02919	0.1285	0	68.51	0
9/3/2024	242.3	5.544	0.1126	0.1234	0	248	0
9/4/2024	166.3	7.007	0.07725	0.1268	0	173.4	0
9/5/2024	83.33	6.919	0.03871	0.1243	0	90.29	0
9/6/2024	62.82	5.218	0.02919	0.1152	0	68.07	0
9/7/2024	0	5.113	0	0.1091	0	5.113	0
9/8/2024	1193	5.011	0.5543	0.1048	0	336.4	862.2
9/9/2024	90.23	84.55	0.04192	0.107	0	174.8	0
9/10/2024	27.4	4.813	0.01273	0.09873	0	32.23	0
9/11/2024	799.9	5.064	0.3716	0.08001	0	336.4	468.9
9/12/2024	329.8	56.22	0.1532	0.08745	0	336.4	49.73
9/13/2024	0	23.85	0	0.0973	0	23.85	0
9/14/2024	27.4	5.626	0.01273	0.08745	0	33.04	0
9/15/2024	158.1	5.916	0.07344	0.0964	0	164.1	0
9/16/2024	0	1.065	0	0.07918	0	1.065	0
9/17/2024	0	0.2921	0	0.07367	0	0.2921	0
9/18/2024	0	0.2957	0	0.07369	0	0.2957	0
9/19/2024	138.9	31.24	0.06452	0.07373	0	170.2	0
9/20/2024	0	13.04	0	0.08363	0	13.04	0
9/21/2024	176.9	5.961	0.08219	0.08349	0	183	0
9/22/2024	27.4	5.925	0.01273	0.07385	0	33.34	0
9/23/2024	113.2	5.843	0.05257	0.07087	0	119.1	0
9/24/2024	0	0.2885	0	0.0672	0	0.2885	0
9/25/2024	0	0.2837	0	0.06208	0	0.2837	0
9/26/2024	0	0.2811	0	0.05416	0	0.2811	0
9/27/2024	0	0.279	0	0.05318	0	0.279	0
9/28/2024	0	0.2768	0	0.05505	0	0.2768	0
9/29/2024	0	0.2742	0	0.04869	0	0.2742	0
9/30/2024	2531	37.41	1.176	0.05144	0	336.3	1000
10/1/2024	0	215.8	0	0.08108	0	336.3	0
10/2/2024	0	9.528	0	0.05473	0	336.3	0
10/3/2024	0	5.352	0	0.06318	0	336.3	0
10/4/2024	0	1.628	0	0.05472	0	336.3	0
10/5/2024	0	1.189	0	0.04156	0	121.4	0
10/6/2024	0	1.205	0	0.03018	0	1.205	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
m3	m3	m3	m3	m3	m3	m3	m3
10/7/2024	0	1.202	0	0.02113	0	1.202	0
10/8/2024	0	1.183	0	0.02775	0	1.183	0
10/9/2024	0	1.153	0	0.02815	0	1.153	0
10/10/2024	0	1.115	0	0.02902	0	1.115	0
10/11/2024	0	1.071	0	0.03314	0	1.071	0
10/12/2024	0	0.2923	0	0.03305	0	0.2923	0
10/13/2024	0	0.2927	0	0.03386	0	0.2927	0
10/14/2024	0	0.2918	0	0.02726	0	0.2918	0
10/15/2024	0	0.29	0	0.02766	0	0.29	0
10/16/2024	0	0.2874	0	0.02737	0	0.2874	0
10/17/2024	0	0.2842	0	0.02453	0	0.2842	0
10/18/2024	0	0.2805	0	0.02125	0	0.2805	0
10/19/2024	0	0.2766	0	0.01531	0	0.2766	0
10/20/2024	0	0.2724	0	0.01134	0	0.2724	0
10/21/2024	0	0.268	0	0.01452	0	0.268	0
10/22/2024	0	0.2634	0	0.01188	0	0.2634	0
10/23/2024	0	0.2588	0	0.009039	0	0.2588	0
10/24/2024	0	0.2542	0	0.0172	0	0.2542	0
10/25/2024	0	0.2495	0	0.02151	0	0.2495	0
10/26/2024	0	0.2449	0	0.01221	0	0.2449	0
10/27/2024	0	0.2403	0	0.01538	0	0.2403	0
10/28/2024	0	0.2357	0	0.01085	0	0.2357	0
10/29/2024	0	0.2311	0	0	0	0.2311	0
10/30/2024	0	0.2267	0	0.01044	0	0.2267	0
10/31/2024	0	0.2222	0	0.00711	0	0.2222	0
11/1/2024	0	0.2179	0	0	0	0.2179	0
11/2/2024	0	0.2136	0	0	0	0.2136	0
11/3/2024	0	0.2094	0	0	0	0.2094	0
11/4/2024	0	0.2052	0	0.0007892	0	0.2052	0
11/5/2024	0	0.2012	0	0.00114	0	0.2012	0
11/6/2024	0	0.1972	0	0	0	0.1972	0
11/7/2024	0	0.1933	0	0	0	0.1933	0
11/8/2024	0	0.1894	0	0	0	0.1894	0
11/9/2024	0	0.1856	0	0	0	0.1856	0
11/10/2024	0	0.1819	0	0	0	0.1819	0
11/11/2024	0	0.1783	0	0	0	0.1783	0
11/12/2024	0	0.1748	0	0.0007008	0	0.1748	0
11/13/2024	0	0.1713	0	0	0	0.1713	0
11/14/2024	0	0.1678	0	0.002855	0	0.1678	0
11/15/2024	0	0.1645	0	0.004995	0	0.1645	0
11/16/2024	0	0.1612	0	0.00597	0	0.1612	0
11/17/2024	0	0.158	0	0	0	0.158	0
11/18/2024	0	0.1548	0	0	0	0.1548	0
11/19/2024	0	0.1517	0	0	0	0.1517	0
11/20/2024	0	0.1487	0	0	0	0.1487	0
11/21/2024	0	0.1457	0	0	0	0.1457	0
11/22/2024	0	0.1428	0	0	0	0.1428	0
11/23/2024	0	0.14	0	0	0	0.14	0
11/24/2024	0	0.1372	0	0.001071	0	0.1372	0
11/25/2024	0	0.1344	0	0	0	0.1344	0
11/26/2024	0	0.1317	0	0.003589	0	0.1317	0
11/27/2024	0	0.1291	0	0	0	0.1291	0
11/28/2024	0	0.1265	0	0	0	0.1265	0
11/29/2024	0	0.124	0	0	0	0.124	0
11/30/2024	0	0.1215	0	0.001367	0	0.1215	0
12/1/2024	0	0.1191	0	0.000525	0	0.1191	0
12/2/2024	0	0.1167	0	0	0	0.1167	0
12/3/2024	0	0.1144	0	0	0	0.1144	0
12/4/2024	0	0.1121	0	0	0	0.1121	0
12/5/2024	0	0.1098	0	0	0	0.1098	0
12/6/2024	0	0.1076	0	0.0004344	0	0.1076	0
12/7/2024	0	0.1055	0	0.0006093	0	0.1055	0
12/8/2024	0	0.1034	0	0	0	0.1034	0
12/9/2024	0	0.1013	0	0	0	0.1013	0
12/10/2024	0	0.09928	0	0	0	0.09928	0
12/11/2024	0	0.09729	0	0	0	0.09729	0
12/12/2024	0	0.09534	0	0	0	0.09534	0
12/13/2024	0	0.09344	0	0	0	0.09344	0
12/14/2024	0	0.09157	0	0	0	0.09157	0
12/15/2024	0	0.08974	0	0.000879	0	0.08974	0
12/16/2024	0	0.08794	0	0	0	0.08794	0
12/17/2024	0	0.08618	0	0.0005933	0	0.08618	0
12/18/2024	0	0.08446	0	0	0	0.08446	0
12/19/2024	0	0.08277	0	0	0	0.08277	0
12/20/2024	0	0.08112	0	0	0	0.08112	0
12/21/2024	0	0.07949	0	0	0	0.07949	0
12/22/2024	0	0.0779	0	0	0	0.0779	0
12/23/2024	0	0.07635	0	0	0	0.07635	0

Date	TIRIO1 - Water Balance						
	Inflow			Outflow			
	TIRIO1 Pitwall Runoff	TIRIO1 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
12/24/2024	0	0.07482	0	0	0	0.07482	0
12/25/2024	0	0.07332	0	0	0	0.07332	0
12/26/2024	0	0.07186	0	0	0	0.07186	0
12/27/2024	0	0.07042	0	0	0	0.07042	0
12/28/2024	0	0.06901	0	0	0	0.06901	0
12/29/2024	0	0.06763	0	0	0	0.06763	0
12/30/2024	0	0.06628	0	0	0	0.06628	0
12/31/2024	0	0.06495	0	0	0	0.06495	0
1/1/2025	0	0.06365	0	0	0	0.06365	0
1/2/2025	0	0.06238	0	0	0	0.06238	0
1/3/2025	0	0.06113	0	0	0	0.06113	0
1/4/2025	0	0.05991	0	0	0	0.05991	0
1/5/2025	0	0.05871	0	0	0	0.05871	0
1/6/2025	0	0.05754	0	0	0	0.05754	0
1/7/2025	0	0.05639	0	0	0	0.05639	0
1/8/2025	0	0.05526	0	0	0	0.05526	0
1/9/2025	0	0.05415	0	0	0	0.05415	0
1/10/2025	0	0.05307	0	0	0	0.05307	0
1/11/2025	0	0.05201	0	0	0	0.05201	0
1/12/2025	0	0.05097	0	0	0	0.05097	0
1/13/2025	0	0.04995	0	0	0	0.04995	0
1/14/2025	0	0.04895	0	0	0	0.04895	0
1/15/2025	0	0.04797	0	0	0	0.04797	0
1/16/2025	0	0.04701	0	0	0	0.04701	0
1/17/2025	0	0.04607	0	0	0	0.04607	0
1/18/2025	0	0.04515	0	0	0	0.04515	0
1/19/2025	0	0.04425	0	5.21E-05	0	0.04425	0
1/20/2025	0	0.04336	0	0.001687	0	0.04336	0
1/21/2025	0	0.0425	0	0	0	0.0425	0
1/22/2025	0	0.04165	0	0	0	0.04165	0
1/23/2025	0	0.04081	0	0	0	0.04081	0
1/24/2025	0	0.04	0	0	0	0.04	0
1/25/2025	0	0.0392	0	0	0	0.0392	0
1/26/2025	0	0.03841	0	0	0	0.03841	0
1/27/2025	0	0.03764	0	0	0	0.03764	0
1/28/2025	0	0.03689	0	0	0	0.03689	0
1/29/2025	0	0.03615	0	0	0	0.03615	0
1/30/2025	0	0.03543	0	0	0	0.03543	0
1/31/2025	0	0.03472	0	0	0	0.03472	0
2/1/2025	0	0.03403	0	0	0	0.03403	0
2/2/2025	0	0.03335	0	0	0	0.03335	0
2/3/2025	0	0.03268	0	0	0	0.03268	0
2/4/2025	0	0.03203	0	0	0	0.03203	0
2/5/2025	0	0.03139	0	0	0	0.03139	0
2/6/2025	0	0.03076	0	0	0	0.03076	0
2/7/2025	0	0.03014	0	0	0	0.03014	0
2/8/2025	0	0.02954	0	0	0	0.02954	0
2/9/2025	0	0.02895	0	0	0	0.02895	0
2/10/2025	0	0.02837	0	0	0	0.02837	0
2/11/2025	0	0.0278	0	0	0	0.0278	0
2/12/2025	0	0.02725	0	0	0	0.02725	0
2/13/2025	0	0.0267	0	0	0	0.0267	0
2/14/2025	0	0.02617	0	0	0	0.02617	0
2/15/2025	0	0.02564	0	0	0	0.02564	0
2/16/2025	0	0.02513	0	0	0	0.02513	0
2/17/2025	0	0.02463	0	0	0	0.02463	0
2/18/2025	0	0.02414	0	0	0	0.02414	0
2/19/2025	0	0.02365	0	0	0	0.02365	0
2/20/2025	0	0.02318	0	0	0	0.02318	0
2/21/2025	0	0.02272	0	0	0	0.02272	0
2/22/2025	0	0.02226	0	0	0	0.02226	0
2/23/2025	0	0.02182	0	0	0	0.02182	0
2/24/2025	0	0.02138	0	0	0	0.02138	0
2/25/2025	0	0.02095	0	0	0	0.02095	0
2/26/2025	0	0.02053	0	0	0	0.02053	0
2/27/2025	0	0.02012	0	0	0	0.02012	0
2/28/2025	0	0.01972	0	0	0	0.01972	0
3/1/2025	0	0.01933	0	0	0	0.01933	0
3/2/2025	0	0.01894	0	0	0	0.01894	0
3/3/2025	0	0.01856	0	0	0	0.01856	0
3/4/2025	0	0.01819	0	0	0	0.01819	0
3/5/2025	0	0.01783	0	0	0	0.01783	0
3/6/2025	0	0.01747	0	0	0	0.01747	0
3/7/2025	0	0.01712	0	0	0	0.01712	0
3/8/2025	0	0.01678	0	0	0	0.01678	0
3/9/2025	0	0.01644	0	0	0	0.01644	0
3/10/2025	0	0.01611	0	0	0	0.01611	0
3/11/2025	0	0.01579	0	0	0	0.01579	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
3/12/2025	0	0.01548	0	0	0	0.01548	0
3/13/2025	0	0.01517	0	0	0	0.01517	0
3/14/2025	0	0.01486	0	0	0	0.01486	0
3/15/2025	0	0.01457	0	0	0	0.01457	0
3/16/2025	0	0.01427	0	0	0	0.01427	0
3/17/2025	0	0.01399	0	0	0	0.01399	0
3/18/2025	0	0.01371	0	0	0	0.01371	0
3/19/2025	0	0.01343	0	0	0	0.01343	0
3/20/2025	0	0.01317	0	0	0	0.01317	0
3/21/2025	0	0.0129	0	0	0	0.0129	0
3/22/2025	0	0.01264	0	0	0	0.01264	0
3/23/2025	0	0.01239	0	0.02245	0	0.01239	0
3/24/2025	0	0.01214	0	0.05605	0	0.01214	0
3/25/2025	0	0.0119	0	0.03285	0	0.0119	0
3/26/2025	0	0.01166	0	0.009693	0	0.01166	0
3/27/2025	0	0.01143	0	0	0	0.01143	0
3/28/2025	0	0.0112	0	0	0	0.0112	0
3/29/2025	0	0.01098	0	0	0	0.01098	0
3/30/2025	0	0.01076	0	0	0	0.01076	0
3/31/2025	0	0.01054	0	0	0	0.01054	0
4/1/2025	0	0.01033	0	0.02469	0	0.01033	0
4/2/2025	0	0.01012	0	0.03785	0	0.01012	0
4/3/2025	0	0.009922	0	0	0	0.009922	0
4/4/2025	0	0.009724	0	0	0	0.009724	0
4/5/2025	0	0.009529	0	0	0	0.009529	0
4/6/2025	0	0.009339	0	0	0	0.009339	0
4/7/2025	0	0.009152	0	0	0	0.009152	0
4/8/2025	0	0.008969	0	0	0	0.008969	0
4/9/2025	0	0.00879	0	0	0	0.00879	0
4/10/2025	0	0.008614	0	0	0	0.008614	0
4/11/2025	0	0.008442	0	0	0	0.008442	0
4/12/2025	0	0.008273	0	0	0	0.008273	0
4/13/2025	0	0.008107	0	0	0	0.008107	0
4/14/2025	0	0.007945	0	0.01167	0	0.007945	0
4/15/2025	0	0.007786	0	0.04244	0	0.007786	0
4/16/2025	0	0.007631	0	0.04085	0	0.007631	0
4/17/2025	0	0.007478	0	0.02854	0	0.007478	0
4/18/2025	0	0.007328	0	0.01904	0	0.007328	0
4/19/2025	0	0.007182	0	0.01433	0	0.007182	0
4/20/2025	0	0.007038	0	0	0	0.007038	0
4/21/2025	0	0.006897	0	0	0	0.006897	0
4/22/2025	0	0.006759	0	0	0	0.006759	0
4/23/2025	0	0.006624	0	0	0	0.006624	0
4/24/2025	0	0.006492	0	0	0	0.006492	0
4/25/2025	0	0.006362	0	0	0	0.006362	0
4/26/2025	0	0.006235	0	0	0	0.006235	0
4/27/2025	0	0.00611	0	0	0	0.00611	0
4/28/2025	0	0.005988	0	0.02638	0	0.005988	0
4/29/2025	0	0.005868	0	0	0	0.005868	0
4/30/2025	0	0.005751	0	0	0	0.005751	0
5/1/2025	0	0.005636	0	0.01946	0	0.005636	0
5/2/2025	0	0.005523	0	0.07062	0	0.005523	0
5/3/2025	0	0.005412	0	0.0859	0	0.005412	0
5/4/2025	0	0.005304	0	0.09678	0	0.005304	0
5/5/2025	0	0.005198	0	0.04636	0	0.005198	0
5/6/2025	0	0.005094	0	0.083	0	0.005094	0
5/7/2025	0	0.004992	0	0.08387	0	0.004992	0
5/8/2025	0	0.004892	0	0.08251	0	0.004892	0
5/9/2025	0	0.004795	0	0.1245	0	0.004795	0
5/10/2025	0	0.004699	0	0.1438	0	0.004699	0
5/11/2025	0	0.004605	0	0.1404	0	0.004605	0
5/12/2025	0	0.004513	0	0.1397	0	0.004513	0
5/13/2025	0	0.004422	0	0.1274	0	0.004422	0
5/14/2025	0	0.004334	0	0.1451	0	0.004334	0
5/15/2025	292.1	20.17	0.1357	0.1144	0	312.4	0
5/16/2025	321.9	63.07	0.1496	0.1379	0	335.1	0
5/17/2025	854.4	89.41	0.4068	0.1463	0	335.1	0
5/18/2025	59.65	116.9	0.03684	0.2129	0	335.1	0
5/19/2025	0	7.617	0	0.1934	0	335.1	0
5/20/2025	0	0.06307	0	0.1726	0	172.4	0
5/21/2025	247.4	19.05	0.1149	0.1657	0	266.6	0
5/22/2025	456.2	90.32	0.2119	0.1786	0	335.1	0
5/23/2025	575.6	204.9	0.2957	0.1907	0	335.1	0
5/24/2025	752.3	206.3	0.4644	0.2161	0	335.1	0
5/25/2025	818.4	124.3	0.6238	0.2737	0	335.1	0
5/26/2025	146.7	100.8	0.1325	0.3375	0	335.1	0
5/27/2025	330.8	40.98	0.2921	0.3	0	335.1	0
5/28/2025	200.2	37.61	0.1785	0.3002	0	335.1	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
5/29/2025	680.1	67.7	0.591	0.3251	0	335.1	0
5/30/2025	958.8	318.3	0.9253	0.4108	0	335.1	0
5/31/2025	1278	526	1.514	0.5451	0	335	0
6/1/2025	1416	714.7	2.161	0.6938	0	335	1000
6/2/2025	1222	876.3	2.091	0.8307	0	335	1000
6/3/2025	623.7	593.4	1.179	0.7299	0	335	1000
6/4/2025	789.6	223.8	1.471	0.8038	0	335	1000
6/5/2025	837.6	179.3	1.497	0.7615	0	335	1000
6/6/2025	1099	153.9	1.883	0.7707	0	335	1000
6/7/2025	1799	132.9	3.049	0.8244	0	335	1000
6/8/2025	1880	115.3	3.448	0.7742	0	335	1000
6/9/2025	1195	187.9	2.376	0.8841	0	335	1000
6/10/2025	864.1	112.5	1.728	0.8978	0	335	1000
6/11/2025	1028	91.2	1.971	0.8584	0	335	1000
6/12/2025	536.4	85.05	1.001	0.7804	0	335	1000
6/13/2025	581.1	80.39	0.9884	0.7077	0	335	1000
6/14/2025	1188	75.22	1.835	0.708	0	335	1000
6/15/2025	1695	69.47	2.59	0.7416	0	335	1000
6/16/2025	1263	64.11	2.056	0.7554	0	335	1000
6/17/2025	1621	59.12	2.636	0.8064	0	335	1000
6/18/2025	754.1	54.42	1.288	0.8755	0	335	1000
6/19/2025	55.88	50.04	0.08857	0.8008	0	334.9	1000
6/20/2025	55.89	45.97	0.0726	0.6693	0	334.9	1000
6/21/2025	55.9	42.17	0.05657	0.6094	0	334.9	1000
6/22/2025	0	38.53	0	0.3684	0	334.9	820.9
6/23/2025	0	35.19	0	0.2148	0	35.19	0
6/24/2025	0	32.15	0	0.2365	0	32.15	0
6/25/2025	0	29.25	0	0.2321	0	29.25	0
6/26/2025	0	26.58	0	0.2402	0	26.58	0
6/27/2025	0	24.06	0	0.2998	0	24.06	0
6/28/2025	0	21.57	0	0.3643	0	21.57	0
6/29/2025	0	5.448	0	0.5807	0	5.448	0
6/30/2025	0	5.339	0	0.9929	0	5.339	0
7/1/2025	0	5.232	0	0.2523	0	5.232	0
7/2/2025	0	5.128	0	0.2548	0	5.128	0
7/3/2025	0	5.025	0	0.4248	0	5.025	0
7/4/2025	0	4.925	0	0.3378	0	4.925	0
7/5/2025	0	4.826	0	0.2461	0	4.826	0
7/6/2025	55.93	4.73	0.02598	0.2524	0	60.68	0
7/7/2025	5691	4.635	2.644	0.2533	0	334.9	1000
7/8/2025	1925	451.5	2.847	0.8306	0	334.8	1000
7/9/2025	100.8	194.3	0.1735	0.9683	0	334.8	1000
7/10/2025	0	54.04	0	0.8231	0	334.8	1000
7/11/2025	0	42.91	0	0.6663	0	334.8	1000
7/12/2025	55.91	32.02	0.04926	0.5279	0	334.8	1000
7/13/2025	0	29.54	0	0.359	0	334.8	239.4
7/14/2025	0	28.56	0	0.2812	0	28.56	0
7/15/2025	0	26.01	0	0.4059	0	26.01	0
7/16/2025	0	23.09	0	0.282	0	23.09	0
7/17/2025	0	5.915	0	0.2981	0	5.915	0
7/18/2025	0	5.797	0	0.3397	0	5.797	0
7/19/2025	0	5.681	0	0.2949	0	5.681	0
7/20/2025	0	5.568	0	0.2872	0	5.568	0
7/21/2025	55.93	5.456	0.02598	0.2887	0	61.41	0
7/22/2025	785.4	5.347	0.3649	0.2554	0	334.8	456.3
7/23/2025	1432	45.74	0.6652	0.2453	0	334.8	1000
7/24/2025	176.9	108.9	0.08808	0.249	0	334.8	94.4
7/25/2025	6071	7.921	2.821	0.2468	0	334.8	1000
7/26/2025	214.8	492	0.3369	0.8259	0	334.8	1000
7/27/2025	0	66.11	0	0.8488	0	334.7	1000
7/28/2025	480.9	51.01	0.542	0.5828	0	334.7	1000
7/29/2025	62.8	56.14	0.05905	0.4349	0	334.7	1000
7/30/2025	0	35.45	0	0.3146	0	334.7	530.9
7/31/2025	0	32.38	0	0.2342	0	32.38	0
8/1/2025	0	31.5	0	0.2549	0	31.5	0
8/2/2025	0	29.11	0	0.3028	0	29.11	0
8/3/2025	0	26.25	0	0.2619	0	26.25	0
8/4/2025	0	23.7	0	0.2564	0	23.7	0
8/5/2025	55.93	21.34	0.02598	0.2436	0	77.3	0
8/6/2025	55.93	5.503	0.02598	0.2107	0	61.45	0
8/7/2025	0	5.393	0	0.2184	0	5.393	0
8/8/2025	1774	5.285	0.8242	0.2163	0	334.7	1000
8/9/2025	6375	129	3.622	0.2667	0	334.7	1000
8/10/2025	1127	522.6	1.995	0.6639	0	334.7	1000
8/11/2025	55.87	153.5	0.1031	0.7459	0	334.7	1000
8/12/2025	100.8	67.51	0.1595	0.6354	0	334.7	1000
8/13/2025	100.8	56.15	0.1322	0.5849	0	334.7	1000
8/14/2025	0	46.44	0	0.5545	0	334.7	1000

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
8/15/2025	0	37.34	0	0.3295	0	334.6	877.1
8/16/2025	55.93	36.7	0.02598	0.2019	0	92.65	0
8/17/2025	0	35.13	0	0.2574	0	35.13	0
8/18/2025	0	32.22	0	0.2152	0	32.22	0
8/19/2025	0	29.38	0	0.1943	0	29.38	0
8/20/2025	1926	26.8	0.8949	0.1774	0	334.6	1000
8/21/2025	62.82	162.3	0.03822	0.2327	0	334.6	509.7
8/22/2025	0	22.63	0	0.1664	0	22.63	0
8/23/2025	557.2	22.81	0.2589	0.1641	0	334.6	245.7
8/24/2025	291	47.33	0.1352	0.1737	0	334.6	3.866
8/25/2025	55.93	32.59	0.02598	0.1547	0	88.54	0
8/26/2025	55.93	5.879	0.02598	0.16	0	61.83	0
8/27/2025	138.9	5.973	0.06452	0.1562	0	144.9	0
8/28/2025	595.2	5.931	0.2765	0.1438	0	334.6	266.9
8/29/2025	55.93	38.15	0.02598	0.1393	0	94.1	0
8/30/2025	253	5.696	0.1175	0.1383	0	258.8	0
8/31/2025	55.93	10.62	0.02598	0.1281	0	66.58	0
9/1/2025	55.93	5.638	0.02598	0.1291	0	61.59	0
9/2/2025	62.82	5.541	0.02919	0.1305	0	68.39	0
9/3/2025	242.3	5.43	0.1126	0.1255	0	247.9	0
9/4/2025	166.3	6.76	0.07725	0.1289	0	173.1	0
9/5/2025	83.33	6.729	0.03871	0.1264	0	90.1	0
9/6/2025	62.82	5.11	0.02919	0.1171	0	67.96	0
9/7/2025	0	5.008	0	0.111	0	5.008	0
9/8/2025	1193	4.908	0.5543	0.1067	0	334.5	864
9/9/2025	90.23	84.39	0.04192	0.1089	0	174.7	0
9/10/2025	27.4	4.714	0.01273	0.1005	0	32.13	0
9/11/2025	799.9	4.965	0.3716	0.0815	0	334.5	470.8
9/12/2025	329.8	56.02	0.1532	0.08911	0	334.5	51.45
9/13/2025	0	23.69	0	0.09917	0	23.69	0
9/14/2025	27.4	5.523	0.01273	0.08916	0	32.94	0
9/15/2025	158.1	5.811	0.07344	0.09832	0	164	0
9/16/2025	0	0.299	0	0.08078	0	0.299	0
9/17/2025	0	0.3017	0	0.07519	0	0.3017	0
9/18/2025	0	1.067	0	0.07523	0	1.067	0
9/19/2025	138.9	31.18	0.06452	0.07529	0	170.1	0
9/20/2025	0	13.05	0	0.08543	0	13.05	0
9/21/2025	176.9	5.829	0.08219	0.08532	0	182.8	0
9/22/2025	27.4	5.791	0.01273	0.07549	0	33.21	0
9/23/2025	113.2	5.706	0.05257	0.07247	0	118.9	0
9/24/2025	0	0.2815	0	0.06874	0	0.2815	0
9/25/2025	0	0.2766	0	0.06352	0	0.2766	0
9/26/2025	0	0.2739	0	0.05545	0	0.2739	0
9/27/2025	0	0.2717	0	0.05446	0	0.2717	0
9/28/2025	0	0.2694	0	0.05639	0	0.2694	0
9/29/2025	0	0.2669	0	0.04989	0	0.2669	0
9/30/2025	2531	36.44	1.176	0.05273	0	334.4	1000
10/1/2025	0	215.7	0	0.08317	0	334.4	0
10/2/2025	0	9.471	0	0.0562	0	334.4	0
10/3/2025	0	4.542	0	0.06495	0	334.4	0
10/4/2025	0	1.633	0	0.05631	0	334.4	0
10/5/2025	0	1.216	0	0.04284	0	129.1	0
10/6/2025	0	1.23	0	0.03101	0	1.23	0
10/7/2025	0	1.225	0	0.02172	0	1.225	0
10/8/2025	0	1.204	0	0.02854	0	1.204	0
10/9/2025	0	1.173	0	0.02896	0	1.173	0
10/10/2025	0	1.133	0	0.02987	0	1.133	0
10/11/2025	0	1.088	0	0.03412	0	1.088	0
10/12/2025	0	0.2968	0	0.03404	0	0.2968	0
10/13/2025	0	0.2971	0	0.03489	0	0.2971	0
10/14/2025	0	0.2961	0	0.0281	0	0.2961	0
10/15/2025	0	0.2942	0	0.02852	0	0.2942	0
10/16/2025	0	0.2915	0	0.02824	0	0.2915	0
10/17/2025	0	0.2882	0	0.02532	0	0.2882	0
10/18/2025	0	0.2845	0	0.02195	0	0.2845	0
10/19/2025	0	0.2804	0	0.01582	0	0.2804	0
10/20/2025	0	0.2761	0	0.01172	0	0.2761	0
10/21/2025	0	0.2717	0	0.01501	0	0.2717	0
10/22/2025	0	0.2671	0	0.0123	0	0.2671	0
10/23/2025	0	0.2624	0	0.009357	0	0.2624	0
10/24/2025	0	0.2577	0	0.01782	0	0.2577	0
10/25/2025	0	0.253	0	0.02229	0	0.253	0
10/26/2025	0	0.2482	0	0.01266	0	0.2482	0
10/27/2025	0	0.2436	0	0.01595	0	0.2436	0
10/28/2025	0	0.2389	0	0.01126	0	0.2389	0
10/29/2025	0	0.2343	0	0	0	0.2343	0
10/30/2025	0	0.2298	0	0.01085	0	0.2298	0
10/31/2025	0	0.2253	0	0.007388	0	0.2253	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
11/1/2025	0	0.2209	0	0	0	0.2209	0
11/2/2025	0	0.2165	0	0	0	0.2165	0
11/3/2025	0	0.2122	0	0	0	0.2122	0
11/4/2025	0	0.208	0	0.0008215	0	0.208	0
11/5/2025	0	0.2039	0	0.001187	0	0.2039	0
11/6/2025	0	0.1999	0	0	0	0.1999	0
11/7/2025	0	0.1959	0	0	0	0.1959	0
11/8/2025	0	0.192	0	0	0	0.192	0
11/9/2025	0	0.1882	0	0	0	0.1882	0
11/10/2025	0	0.1844	0	0	0	0.1844	0
11/11/2025	0	0.1807	0	0	0	0.1807	0
11/12/2025	0	0.1771	0	0.0007319	0	0.1771	0
11/13/2025	0	0.1736	0	0	0	0.1736	0
11/14/2025	0	0.1701	0	0.002983	0	0.1701	0
11/15/2025	0	0.1667	0	0.005221	0	0.1667	0
11/16/2025	0	0.1634	0	0.006241	0	0.1634	0
11/17/2025	0	0.1601	0	0	0	0.1601	0
11/18/2025	0	0.1569	0	0	0	0.1569	0
11/19/2025	0	0.1538	0	0	0	0.1538	0
11/20/2025	0	0.1507	0	0	0	0.1507	0
11/21/2025	0	0.1477	0	0	0	0.1477	0
11/22/2025	0	0.1448	0	0	0	0.1448	0
11/23/2025	0	0.1419	0	0	0	0.1419	0
11/24/2025	0	0.139	0	0.00112	0	0.139	0
11/25/2025	0	0.1362	0	0	0	0.1362	0
11/26/2025	0	0.1335	0	0.00375	0	0.1335	0
11/27/2025	0	0.1308	0	0	0	0.1308	0
11/28/2025	0	0.1282	0	0	0	0.1282	0
11/29/2025	0	0.1257	0	0	0	0.1257	0
11/30/2025	0	0.1232	0	0.001425	0	0.1232	0
12/1/2025	0	0.1207	0	0.0005467	0	0.1207	0
12/2/2025	0	0.1183	0	0	0	0.1183	0
12/3/2025	0	0.1159	0	0	0	0.1159	0
12/4/2025	0	0.1136	0	0	0	0.1136	0
12/5/2025	0	0.1113	0	0	0	0.1113	0
12/6/2025	0	0.1091	0	0.0004496	0	0.1091	0
12/7/2025	0	0.1069	0	0.0006295	0	0.1069	0
12/8/2025	0	0.1048	0	0	0	0.1048	0
12/9/2025	0	0.1027	0	0	0	0.1027	0
12/10/2025	0	0.1006	0	0	0	0.1006	0
12/11/2025	0	0.09861	0	0	0	0.09861	0
12/12/2025	0	0.09664	0	0	0	0.09664	0
12/13/2025	0	0.09471	0	0	0	0.09471	0
12/14/2025	0	0.09281	0	0	0	0.09281	0
12/15/2025	0	0.09096	0	0.0008916	0	0.09096	0
12/16/2025	0	0.08914	0	0	0	0.08914	0
12/17/2025	0	0.08735	0	0.0005985	0	0.08735	0
12/18/2025	0	0.08561	0	0	0	0.08561	0
12/19/2025	0	0.0839	0	0	0	0.0839	0
12/20/2025	0	0.08222	0	0	0	0.08222	0
12/21/2025	0	0.08057	0	0	0	0.08057	0
12/22/2025	0	0.07896	0	0	0	0.07896	0
12/23/2025	0	0.07738	0	0	0	0.07738	0
12/24/2025	0	0.07583	0	0	0	0.07583	0
12/25/2025	0	0.07432	0	0	0	0.07432	0
12/26/2025	0	0.07283	0	0	0	0.07283	0
12/27/2025	0	0.07138	0	0	0	0.07138	0
12/28/2025	0	0.06995	0	0	0	0.06995	0
12/29/2025	0	0.06855	0	0	0	0.06855	0
12/30/2025	0	0.06718	0	0	0	0.06718	0
12/31/2025	0	0.06583	0	0	0	0.06583	0
1/1/2026	0	0.06452	0	0	0	0.06452	0
1/2/2026	0	0.06323	0	0	0	0.06323	0
1/3/2026	0	0.06196	0	0	0	0.06196	0
1/4/2026	0	0.06072	0	0	0	0.06072	0
1/5/2026	0	0.05951	0	0	0	0.05951	0
1/6/2026	0	0.05832	0	0	0	0.05832	0
1/7/2026	0	0.05715	0	0	0	0.05715	0
1/8/2026	0	0.05601	0	0	0	0.05601	0
1/9/2026	0	0.05489	0	0	0	0.05489	0
1/10/2026	0	0.05379	0	0	0	0.05379	0
1/11/2026	0	0.05272	0	0	0	0.05272	0
1/12/2026	0	0.05166	0	0	0	0.05166	0
1/13/2026	0	0.05063	0	0	0	0.05063	0
1/14/2026	0	0.04962	0	0	0	0.04962	0
1/15/2026	0	0.04862	0	0	0	0.04862	0
1/16/2026	0	0.04765	0	0	0	0.04765	0
1/17/2026	0	0.0467	0	0	0	0.0467	0

Date	TIRIO1 - Water Balance						
	Inflow			Outflow			
	TIRIO1 Pitwall Runoff m3	TIRIO1 Natural m3	Rain and Snowmelt m3	SP4 Pond Surface Evaporation m3	To SP1 m3	To SP4 m3	To CP1 m3
1/18/2026	0	0.04576	0	0	0	0.04576	0
1/19/2026	0	0.04485	0	5.21E-05	0	0.04485	0
1/20/2026	0	0.04395	0	0.001687	0	0.04395	0
1/21/2026	0	0.04307	0	0	0	0.04307	0
1/22/2026	0	0.04221	0	0	0	0.04221	0
1/23/2026	0	0.04137	0	0	0	0.04137	0
1/24/2026	0	0.04054	0	0	0	0.04054	0
1/25/2026	0	0.03973	0	0	0	0.03973	0
1/26/2026	0	0.03893	0	0	0	0.03893	0
1/27/2026	0	0.03816	0	0	0	0.03816	0
1/28/2026	0	0.03739	0	0	0	0.03739	0
1/29/2026	0	0.03664	0	0	0	0.03664	0
1/30/2026	0	0.03591	0	0	0	0.03591	0
1/31/2026	0	0.03519	0	0	0	0.03519	0
2/1/2026	0	0.03449	0	0	0	0.03449	0
2/2/2026	0	0.0338	0	0	0	0.0338	0
2/3/2026	0	0.03312	0	0	0	0.03312	0
2/4/2026	0	0.03246	0	0	0	0.03246	0
2/5/2026	0	0.03181	0	0	0	0.03181	0
2/6/2026	0	0.03118	0	0	0	0.03118	0
2/7/2026	0	0.03055	0	0	0	0.03055	0
2/8/2026	0	0.02994	0	0	0	0.02994	0
2/9/2026	0	0.02934	0	0	0	0.02934	0
2/10/2026	0	0.02876	0	0	0	0.02876	0
2/11/2026	0	0.02818	0	0	0	0.02818	0
2/12/2026	0	0.02762	0	0	0	0.02762	0
2/13/2026	0	0.02706	0	0	0	0.02706	0
2/14/2026	0	0.02652	0	0	0	0.02652	0
2/15/2026	0	0.02599	0	0	0	0.02599	0
2/16/2026	0	0.02547	0	0	0	0.02547	0
2/17/2026	0	0.02496	0	0	0	0.02496	0
2/18/2026	0	0.02446	0	0	0	0.02446	0
2/19/2026	0	0.02397	0	0	0	0.02397	0
2/20/2026	0	0.0235	0	0	0	0.0235	0
2/21/2026	0	0.02303	0	0	0	0.02303	0
2/22/2026	0	0.02256	0	0	0	0.02256	0
2/23/2026	0	0.02211	0	0	0	0.02211	0
2/24/2026	0	0.02167	0	0	0	0.02167	0
2/25/2026	0	0.02124	0	0	0	0.02124	0
2/26/2026	0	0.02081	0	0	0	0.02081	0
2/27/2026	0	0.0204	0	0	0	0.0204	0
2/28/2026	0	0.01999	0	0	0	0.01999	0
3/1/2026	0	0.01959	0	0	0	0.01959	0
3/2/2026	0	0.0192	0	0	0	0.0192	0
3/3/2026	0	0.01881	0	0	0	0.01881	0
3/4/2026	0	0.01844	0	0	0	0.01844	0
3/5/2026	0	0.01807	0	0	0	0.01807	0
3/6/2026	0	0.01771	0	0	0	0.01771	0
3/7/2026	0	0.01735	0	0	0	0.01735	0
3/8/2026	0	0.01701	0	0	0	0.01701	0
3/9/2026	0	0.01667	0	0	0	0.01667	0
3/10/2026	0	0.01633	0	0	0	0.01633	0
3/11/2026	0	0.01601	0	0	0	0.01601	0
3/12/2026	0	0.01569	0	0	0	0.01569	0
3/13/2026	0	0.01537	0	0	0	0.01537	0
3/14/2026	0	0.01506	0	0	0	0.01506	0
3/15/2026	0	0.01476	0	0	0	0.01476	0
3/16/2026	0	0.01447	0	0	0	0.01447	0
3/17/2026	0	0.01418	0	0	0	0.01418	0
3/18/2026	0	0.0139	0	0	0	0.0139	0
3/19/2026	0	0.01362	0	0	0	0.01362	0
3/20/2026	0	0.01334	0	0	0	0.01334	0
3/21/2026	0	0.01308	0	0	0	0.01308	0
3/22/2026	0	0.01282	0	0	0	0.01282	0
3/23/2026	0	0.01256	0	0.02245	0	0.01256	0
3/24/2026	0	0.01231	0	0.05605	0	0.01231	0
3/25/2026	0	0.01206	0	0.03285	0	0.01206	0
3/26/2026	0	0.01182	0	0.009693	0	0.01182	0
3/27/2026	0	0.01158	0	0	0	0.01158	0
3/28/2026	0	0.01135	0	0	0	0.01135	0
3/29/2026	0	0.01113	0	0	0	0.01113	0
3/30/2026	0	0.0109	0	0	0	0.0109	0
3/31/2026	0	0.01069	0	0	0	0.01069	0
4/1/2026	0	0.01047	0	0.02469	0	0.01047	0
4/2/2026	0	0.01026	0	0.03785	0	0.01026	0
4/3/2026	0	0.01006	0	0	0	0.01006	0
4/4/2026	0	0.009856	0	0	0	0.009856	0
4/5/2026	0	0.009659	0	0	0	0.009659	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
4/6/2026	0	0.009466	0	0	0	0.009466	0
4/7/2026	0	0.009276	0	0	0	0.009276	0
4/8/2026	0	0.009091	0	0	0	0.009091	0
4/9/2026	0	0.008909	0	0	0	0.008909	0
4/10/2026	0	0.008731	0	0	0	0.008731	0
4/11/2026	0	0.008556	0	0	0	0.008556	0
4/12/2026	0	0.008385	0	0	0	0.008385	0
4/13/2026	0	0.008217	0	0	0	0.008217	0
4/14/2026	0	0.008053	0	0.01167	0	0.008053	0
4/15/2026	0	0.007892	0	0.04244	0	0.007892	0
4/16/2026	0	0.007734	0	0.04085	0	0.007734	0
4/17/2026	0	0.00758	0	0.02854	0	0.00758	0
4/18/2026	0	0.007428	0	0.01904	0	0.007428	0
4/19/2026	0	0.007279	0	0.01433	0	0.007279	0
4/20/2026	0	0.007134	0	0	0	0.007134	0
4/21/2026	0	0.006991	0	0	0	0.006991	0
4/22/2026	0	0.006851	0	0	0	0.006851	0
4/23/2026	0	0.006714	0	0	0	0.006714	0
4/24/2026	0	0.00658	0	0	0	0.00658	0
4/25/2026	0	0.006448	0	0	0	0.006448	0
4/26/2026	0	0.006319	0	0	0	0.006319	0
4/27/2026	0	0.006193	0	0	0	0.006193	0
4/28/2026	0	0.006069	0	0.02638	0	0.006069	0
4/29/2026	0	0.005948	0	0	0	0.005948	0
4/30/2026	0	0.005829	0	0	0	0.005829	0
5/1/2026	0	0.005712	0	0.01946	0	0.005712	0
5/2/2026	0	0.005598	0	0.07062	0	0.005598	0
5/3/2026	0	0.005486	0	0.0859	0	0.005486	0
5/4/2026	0	0.005376	0	0.09678	0	0.005376	0
5/5/2026	0	0.005269	0	0.04636	0	0.005269	0
5/6/2026	0	0.005163	0	0.083	0	0.005163	0
5/7/2026	0	0.00506	0	0.08387	0	0.00506	0
5/8/2026	0	0.004959	0	0.08251	0	0.004959	0
5/9/2026	0	0.00486	0	0.1245	0	0.00486	0
5/10/2026	0	0.004763	0	0.1438	0	0.004763	0
5/11/2026	0	0.004667	0	0.1404	0	0.004667	0
5/12/2026	0	0.004574	0	0.1397	0	0.004574	0
5/13/2026	0	0.004482	0	0.1274	0	0.004482	0
5/14/2026	0	0.004393	0	0.1451	0	0.004393	0
5/15/2026	292.1	20.17	0.1357	0.1144	0	312.4	0
5/16/2026	321.9	63.07	0.1496	0.1379	0	333.2	0
5/17/2026	854.4	89.41	0.4072	0.1464	0	333.2	0
5/18/2026	59.65	116.9	0.0369	0.2132	0	333.2	0
5/19/2026	0	7.617	0	0.1938	0	333.2	0
5/20/2026	0	0.06312	0	0.1732	0	180.1	0
5/21/2026	247.4	19.05	0.1149	0.1657	0	266.6	0
5/22/2026	456.2	90.32	0.2119	0.1786	0	333.2	0
5/23/2026	575.6	204.9	0.296	0.1908	0	333.2	0
5/24/2026	752.3	206.3	0.465	0.2164	0	333.2	0
5/25/2026	818.4	124.3	0.6249	0.2742	0	333.2	0
5/26/2026	146.7	100.8	0.1328	0.3381	0	333.2	0
5/27/2026	330.8	40.98	0.2929	0.3008	0	333.2	0
5/28/2026	200.2	37.61	0.179	0.3011	0	333.1	0
5/29/2026	680.1	67.7	0.5931	0.3263	0	333.1	0
5/30/2026	958.8	318.3	0.9287	0.4123	0	333.1	0
5/31/2026	1278	518.6	1.519	0.547	0	333.1	0
6/1/2026	1416	714.7	2.165	0.695	0	333.1	1000
6/2/2026	1222	876.3	2.095	0.8322	0	333.1	1000
6/3/2026	623.7	593.4	1.181	0.7313	0	333.1	1000
6/4/2026	789.6	223.8	1.474	0.8056	0	333.1	1000
6/5/2026	837.5	179.3	1.501	0.7634	0	333.1	1000
6/6/2026	1099	153.9	1.889	0.7729	0	333.1	1000
6/7/2026	1799	132.9	3.059	0.8271	0	333.1	1000
6/8/2026	1880	115.3	3.459	0.7767	0	333.1	1000
6/9/2026	1195	187.9	2.383	0.8869	0	333.1	1000
6/10/2026	864	112.5	1.734	0.9008	0	333.1	1000
6/11/2026	1028	91.2	1.978	0.8617	0	333.1	1000
6/12/2026	536.4	85.05	1.005	0.7836	0	333.1	1000
6/13/2026	581.1	80.39	0.9931	0.711	0	333.1	1000
6/14/2026	1188	75.22	1.845	0.7119	0	333.1	1000
6/15/2026	1695	69.47	2.605	0.7459	0	333.1	1000
6/16/2026	1263	64.11	2.068	0.7597	0	333	1000
6/17/2026	1621	59.12	2.652	0.8113	0	333	1000
6/18/2026	754.1	54.42	1.295	0.8808	0	333	1000
6/19/2026	55.88	50.04	0.08917	0.8062	0	333	1000
6/20/2026	55.89	45.97	0.07322	0.6751	0	333	1000
6/21/2026	55.9	42.17	0.05722	0.6164	0	333	1000
6/22/2026	0	38.53	0	0.3745	0	333	874.8

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
m3	m3	m3	m3	m3	m3	m3	m3
6/23/2026	0	35.19	0	0.2148	0	35.19	0
6/24/2026	0	32.15	0	0.2365	0	32.15	0
6/25/2026	0	29.25	0	0.2321	0	29.25	0
6/26/2026	0	26.58	0	0.2402	0	26.58	0
6/27/2026	0	24.06	0	0.2998	0	24.06	0
6/28/2026	0	21.57	0	0.3643	0	21.57	0
6/29/2026	0	5.448	0	0.5807	0	5.448	0
6/30/2026	0	5.339	0	0.9929	0	5.339	0
7/1/2026	0	5.232	0	0.2523	0	5.232	0
7/2/2026	0	5.128	0	0.2548	0	5.128	0
7/3/2026	0	5.025	0	0.4248	0	5.025	0
7/4/2026	0	4.925	0	0.3378	0	4.925	0
7/5/2026	0	4.826	0	0.2461	0	4.826	0
7/6/2026	55.93	4.73	0.02598	0.2524	0	60.68	0
7/7/2026	5691	4.635	2.644	0.2533	0	332.9	1000
7/8/2026	1925	451.5	2.848	0.8308	0	332.9	1000
7/9/2026	100.8	194.3	0.1736	0.9688	0	332.9	1000
7/10/2026	0	54.04	0	0.8238	0	332.9	1000
7/11/2026	0	42.91	0	0.6673	0	332.9	1000
7/12/2026	55.91	32.02	0.04939	0.5292	0	332.9	1000
7/13/2026	0	29.54	0	0.3606	0	332.9	252.8
7/14/2026	0	28.56	0	0.2812	0	28.56	0
7/15/2026	0	26.01	0	0.4059	0	26.01	0
7/16/2026	0	23.09	0	0.282	0	23.09	0
7/17/2026	0	5.916	0	0.2981	0	5.916	0
7/18/2026	0	5.797	0	0.3397	0	5.797	0
7/19/2026	0	5.681	0	0.2949	0	5.681	0
7/20/2026	0	5.568	0	0.2872	0	5.568	0
7/21/2026	55.93	5.456	0.02598	0.2887	0	61.41	0
7/22/2026	785.4	5.347	0.3649	0.2554	0	332.9	458.2
7/23/2026	1432	45.74	0.6652	0.2453	0	332.9	1000
7/24/2026	176.9	108.9	0.08815	0.2492	0	332.8	98.24
7/25/2026	6071	7.921	2.821	0.2468	0	332.8	1000
7/26/2026	214.8	492	0.337	0.8261	0	332.8	1000
7/27/2026	0	66.11	0	0.8493	0	332.8	1000
7/28/2026	480.9	51.01	0.5426	0.5835	0	332.8	1000
7/29/2026	62.8	56.14	0.05916	0.4358	0	332.8	1000
7/30/2026	0	35.45	0	0.3157	0	332.8	542.4
7/31/2026	0	32.38	0	0.2342	0	32.38	0
8/1/2026	0	31.5	0	0.2549	0	31.5	0
8/2/2026	0	29.11	0	0.3028	0	29.11	0
8/3/2026	0	26.25	0	0.2619	0	26.25	0
8/4/2026	0	23.7	0	0.2564	0	23.7	0
8/5/2026	55.93	21.34	0.02598	0.2436	0	77.3	0
8/6/2026	55.93	5.503	0.02598	0.2107	0	61.45	0
8/7/2026	0	5.393	0	0.2184	0	5.393	0
8/8/2026	1774	5.285	0.8242	0.2163	0	332.8	1000
8/9/2026	6375	129	3.624	0.2669	0	332.8	1000
8/10/2026	1127	522.6	1.996	0.6642	0	332.8	1000
8/11/2026	55.87	153.5	0.1031	0.7464	0	332.8	1000
8/12/2026	100.8	67.51	0.1597	0.6361	0	332.7	1000
8/13/2026	100.8	56.15	0.1324	0.5859	0	332.7	1000
8/14/2026	0	46.44	0	0.5559	0	332.7	1000
8/15/2026	0	37.34	0	0.3309	0	332.7	892.4
8/16/2026	55.93	36.7	0.02598	0.2019	0	92.65	0
8/17/2026	0	35.13	0	0.2574	0	35.13	0
8/18/2026	0	32.22	0	0.2152	0	32.22	0
8/19/2026	0	29.38	0	0.1943	0	29.38	0
8/20/2026	1926	26.8	0.8949	0.1774	0	332.7	1000
8/21/2026	62.82	162.3	0.03825	0.2329	0	332.7	513.6
8/22/2026	0	22.63	0	0.1664	0	22.63	0
8/23/2026	557.2	22.81	0.2589	0.1641	0	332.7	247.6
8/24/2026	291	47.33	0.1352	0.1737	0	332.7	5.784
8/25/2026	55.93	32.59	0.02598	0.1547	0	88.54	0
8/26/2026	55.93	5.879	0.02598	0.16	0	61.83	0
8/27/2026	138.9	5.973	0.06452	0.1562	0	144.9	0
8/28/2026	595.2	5.931	0.2765	0.1438	0	332.7	268.8
8/29/2026	55.93	38.15	0.02598	0.1393	0	94.1	0
8/30/2026	253	5.696	0.1175	0.1383	0	258.8	0
8/31/2026	55.93	10.62	0.02598	0.1281	0	66.58	0
9/1/2026	55.93	5.638	0.02598	0.1291	0	61.59	0
9/2/2026	62.82	5.541	0.02919	0.1305	0	68.39	0
9/3/2026	242.3	5.43	0.1126	0.1255	0	247.9	0
9/4/2026	166.3	6.76	0.07725	0.1289	0	173.1	0
9/5/2026	83.33	6.729	0.03871	0.1264	0	90.1	0
9/6/2026	62.82	5.11	0.02919	0.1171	0	67.96	0
9/7/2026	0	5.008	0	0.111	0	5.008	0
9/8/2026	1193	4.908	0.5543	0.1067	0	332.6	865.9

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
9/9/2026	90.23	84.39	0.04192	0.1089	0	174.7	0
9/10/2026	27.4	4.714	0.01273	0.1005	0	32.13	0
9/11/2026	799.9	4.965	0.3716	0.0815	0	332.6	472.7
9/12/2026	329.8	56.02	0.1532	0.08911	0	332.6	53.36
9/13/2026	0	23.69	0	0.09917	0	23.69	0
9/14/2026	27.4	5.523	0.01273	0.08916	0	32.94	0
9/15/2026	158.1	5.811	0.07344	0.09832	0	164	0
9/16/2026	0	0.299	0	0.08078	0	0.299	0
9/17/2026	0	0.3017	0	0.07519	0	0.3017	0
9/18/2026	0	1.067	0	0.07523	0	1.067	0
9/19/2026	138.9	31.18	0.06452	0.07529	0	170.1	0
9/20/2026	0	13.05	0	0.08543	0	13.05	0
9/21/2026	176.9	5.829	0.08219	0.08532	0	182.8	0
9/22/2026	27.4	5.791	0.01273	0.07549	0	33.21	0
9/23/2026	113.2	5.706	0.05257	0.07247	0	118.9	0
9/24/2026	0	0.2815	0	0.06874	0	0.2815	0
9/25/2026	0	0.2766	0	0.06352	0	0.2766	0
9/26/2026	0	0.2739	0	0.05545	0	0.2739	0
9/27/2026	0	0.2717	0	0.05446	0	0.2717	0
9/28/2026	0	0.2694	0	0.05639	0	0.2694	0
9/29/2026	0	0.2669	0	0.04989	0	0.2669	0
9/30/2026	2531	36.44	1.176	0.05273	0	332.5	1000
10/1/2026	0	215.7	0	0.08322	0	332.5	0
10/2/2026	0	9.471	0	0.05627	0	332.5	0
10/3/2026	0	4.542	0	0.06509	0	332.5	0
10/4/2026	0	1.633	0	0.05649	0	332.5	0
10/5/2026	0	1.216	0	0.04303	0	138.7	0
10/6/2026	0	1.23	0	0.03101	0	1.23	0
10/7/2026	0	1.225	0	0.02172	0	1.225	0
10/8/2026	0	1.204	0	0.02854	0	1.204	0
10/9/2026	0	1.173	0	0.02896	0	1.173	0
10/10/2026	0	1.133	0	0.02987	0	1.133	0
10/11/2026	0	1.088	0	0.03412	0	1.088	0
10/12/2026	0	0.2968	0	0.03404	0	0.2968	0
10/13/2026	0	0.2971	0	0.03489	0	0.2971	0
10/14/2026	0	0.2961	0	0.0281	0	0.2961	0
10/15/2026	0	0.2942	0	0.02852	0	0.2942	0
10/16/2026	0	0.2915	0	0.02824	0	0.2915	0
10/17/2026	0	0.2882	0	0.02532	0	0.2882	0
10/18/2026	0	0.2845	0	0.02195	0	0.2845	0
10/19/2026	0	0.2804	0	0.01582	0	0.2804	0
10/20/2026	0	0.2761	0	0.01172	0	0.2761	0
10/21/2026	0	0.2717	0	0.01501	0	0.2717	0
10/22/2026	0	0.2671	0	0.0123	0	0.2671	0
10/23/2026	0	0.2624	0	0.009357	0	0.2624	0
10/24/2026	0	0.2577	0	0.01782	0	0.2577	0
10/25/2026	0	0.253	0	0.02229	0	0.253	0
10/26/2026	0	0.2482	0	0.01266	0	0.2482	0
10/27/2026	0	0.2436	0	0.01595	0	0.2436	0
10/28/2026	0	0.2389	0	0.01126	0	0.2389	0
10/29/2026	0	0.2343	0	0	0	0.2343	0
10/30/2026	0	0.2298	0	0.01085	0	0.2298	0
10/31/2026	0	0.2253	0	0.007388	0	0.2253	0
11/1/2026	0	0.2209	0	0	0	0.2209	0
11/2/2026	0	0.2165	0	0	0	0.2165	0
11/3/2026	0	0.2122	0	0	0	0.2122	0
11/4/2026	0	0.208	0	0.0008215	0	0.208	0
11/5/2026	0	0.2039	0	0.001187	0	0.2039	0
11/6/2026	0	0.1999	0	0	0	0.1999	0
11/7/2026	0	0.1959	0	0	0	0.1959	0
11/8/2026	0	0.192	0	0	0	0.192	0
11/9/2026	0	0.1882	0	0	0	0.1882	0
11/10/2026	0	0.1844	0	0	0	0.1844	0
11/11/2026	0	0.1807	0	0	0	0.1807	0
11/12/2026	0	0.1771	0	0.0007319	0	0.1771	0
11/13/2026	0	0.1736	0	0	0	0.1736	0
11/14/2026	0	0.1701	0	0.002983	0	0.1701	0
11/15/2026	0	0.1667	0	0.005221	0	0.1667	0
11/16/2026	0	0.1634	0	0.006241	0	0.1634	0
11/17/2026	0	0.1601	0	0	0	0.1601	0
11/18/2026	0	0.1569	0	0	0	0.1569	0
11/19/2026	0	0.1538	0	0	0	0.1538	0
11/20/2026	0	0.1507	0	0	0	0.1507	0
11/21/2026	0	0.1477	0	0	0	0.1477	0
11/22/2026	0	0.1448	0	0	0	0.1448	0
11/23/2026	0	0.1419	0	0	0	0.1419	0
11/24/2026	0	0.139	0	0.00112	0	0.139	0
11/25/2026	0	0.1362	0	0	0	0.1362	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
11/26/2026	0	0.1335	0	0.00375	0	0.1335	0
11/27/2026	0	0.1308	0	0	0	0.1308	0
11/28/2026	0	0.1282	0	0	0	0.1282	0
11/29/2026	0	0.1257	0	0	0	0.1257	0
11/30/2026	0	0.1232	0	0.001425	0	0.1232	0
12/1/2026	0	0.1207	0	0.0005467	0	0.1207	0
12/2/2026	0	0.1183	0	0	0	0.1183	0
12/3/2026	0	0.1159	0	0	0	0.1159	0
12/4/2026	0	0.1136	0	0	0	0.1136	0
12/5/2026	0	0.1113	0	0	0	0.1113	0
12/6/2026	0	0.1091	0	0.0004496	0	0.1091	0
12/7/2026	0	0.1069	0	0.0006295	0	0.1069	0
12/8/2026	0	0.1048	0	0	0	0.1048	0
12/9/2026	0	0.1027	0	0	0	0.1027	0
12/10/2026	0	0.1006	0	0	0	0.1006	0
12/11/2026	0	0.09861	0	0	0	0.09861	0
12/12/2026	0	0.09664	0	0	0	0.09664	0
12/13/2026	0	0.09471	0	0	0	0.09471	0
12/14/2026	0	0.09281	0	0	0	0.09281	0
12/15/2026	0	0.09096	0	0.0008916	0	0.09096	0
12/16/2026	0	0.08914	0	0	0	0.08914	0
12/17/2026	0	0.08735	0	0.0005985	0	0.08735	0
12/18/2026	0	0.08561	0	0	0	0.08561	0
12/19/2026	0	0.0839	0	0	0	0.0839	0
12/20/2026	0	0.08222	0	0	0	0.08222	0
12/21/2026	0	0.08057	0	0	0	0.08057	0
12/22/2026	0	0.07896	0	0	0	0.07896	0
12/23/2026	0	0.07738	0	0	0	0.07738	0
12/24/2026	0	0.07583	0	0	0	0.07583	0
12/25/2026	0	0.07432	0	0	0	0.07432	0
12/26/2026	0	0.07283	0	0	0	0.07283	0
12/27/2026	0	0.07138	0	0	0	0.07138	0
12/28/2026	0	0.06995	0	0	0	0.06995	0
12/29/2026	0	0.06855	0	0	0	0.06855	0
12/30/2026	0	0.06718	0	0	0	0.06718	0
12/31/2026	0	0.06583	0	0	0	0.06583	0
1/1/2027	0	0.06452	0	0	0	0.06452	0
1/2/2027	0	0.06323	0	0	0	0.06323	0
1/3/2027	0	0.06196	0	0	0	0.06196	0
1/4/2027	0	0.06072	0	0	0	0.06072	0
1/5/2027	0	0.05951	0	0	0	0.05951	0
1/6/2027	0	0.05832	0	0	0	0.05832	0
1/7/2027	0	0.05715	0	0	0	0.05715	0
1/8/2027	0	0.05601	0	0	0	0.05601	0
1/9/2027	0	0.05489	0	0	0	0.05489	0
1/10/2027	0	0.05379	0	0	0	0.05379	0
1/11/2027	0	0.05272	0	0	0	0.05272	0
1/12/2027	0	0.05166	0	0	0	0.05166	0
1/13/2027	0	0.05063	0	0	0	0.05063	0
1/14/2027	0	0.04962	0	0	0	0.04962	0
1/15/2027	0	0.04862	0	0	0	0.04862	0
1/16/2027	0	0.04765	0	0	0	0.04765	0
1/17/2027	0	0.0467	0	0	0	0.0467	0
1/18/2027	0	0.04576	0	0	0	0.04576	0
1/19/2027	0	0.04485	0	5.21E-05	0	0.04485	0
1/20/2027	0	0.04395	0	0.001687	0	0.04395	0
1/21/2027	0	0.04307	0	0	0	0.04307	0
1/22/2027	0	0.04221	0	0	0	0.04221	0
1/23/2027	0	0.04137	0	0	0	0.04137	0
1/24/2027	0	0.04054	0	0	0	0.04054	0
1/25/2027	0	0.03973	0	0	0	0.03973	0
1/26/2027	0	0.03893	0	0	0	0.03893	0
1/27/2027	0	0.03816	0	0	0	0.03816	0
1/28/2027	0	0.03739	0	0	0	0.03739	0
1/29/2027	0	0.03664	0	0	0	0.03664	0
1/30/2027	0	0.03591	0	0	0	0.03591	0
1/31/2027	0	0.03519	0	0	0	0.03519	0
2/1/2027	0	0.03449	0	0	0	0.03449	0
2/2/2027	0	0.0338	0	0	0	0.0338	0
2/3/2027	0	0.03312	0	0	0	0.03312	0
2/4/2027	0	0.03246	0	0	0	0.03246	0
2/5/2027	0	0.03181	0	0	0	0.03181	0
2/6/2027	0	0.03118	0	0	0	0.03118	0
2/7/2027	0	0.03055	0	0	0	0.03055	0
2/8/2027	0	0.02994	0	0	0	0.02994	0
2/9/2027	0	0.02934	0	0	0	0.02934	0
2/10/2027	0	0.02876	0	0	0	0.02876	0
2/11/2027	0	0.02818	0	0	0	0.02818	0

Date	TIRIO1 - Water Balance						
	Inflow			Outflow			
	TIRIO1 Pitwall Runoff m3	TIRIO1 Natural m3	Rain and Snowmelt m3	SP4 Pond Surface Evaporation m3	To SP1 m3	To SP4 m3	To CP1 m3
2/12/2027	0	0.02762	0	0	0	0.02762	0
2/13/2027	0	0.02706	0	0	0	0.02706	0
2/14/2027	0	0.02652	0	0	0	0.02652	0
2/15/2027	0	0.02599	0	0	0	0.02599	0
2/16/2027	0	0.02547	0	0	0	0.02547	0
2/17/2027	0	0.02496	0	0	0	0.02496	0
2/18/2027	0	0.02446	0	0	0	0.02446	0
2/19/2027	0	0.02397	0	0	0	0.02397	0
2/20/2027	0	0.0235	0	0	0	0.0235	0
2/21/2027	0	0.02303	0	0	0	0.02303	0
2/22/2027	0	0.02256	0	0	0	0.02256	0
2/23/2027	0	0.02211	0	0	0	0.02211	0
2/24/2027	0	0.02167	0	0	0	0.02167	0
2/25/2027	0	0.02124	0	0	0	0.02124	0
2/26/2027	0	0.02081	0	0	0	0.02081	0
2/27/2027	0	0.0204	0	0	0	0.0204	0
2/28/2027	0	0.01999	0	0	0	0.01999	0
3/1/2027	0	0.01959	0	0	0	0.01959	0
3/2/2027	0	0.0192	0	0	0	0.0192	0
3/3/2027	0	0.01881	0	0	0	0.01881	0
3/4/2027	0	0.01844	0	0	0	0.01844	0
3/5/2027	0	0.01807	0	0	0	0.01807	0
3/6/2027	0	0.01771	0	0	0	0.01771	0
3/7/2027	0	0.01735	0	0	0	0.01735	0
3/8/2027	0	0.01701	0	0	0	0.01701	0
3/9/2027	0	0.01667	0	0	0	0.01667	0
3/10/2027	0	0.01633	0	0	0	0.01633	0
3/11/2027	0	0.01601	0	0	0	0.01601	0
3/12/2027	0	0.01569	0	0	0	0.01569	0
3/13/2027	0	0.01537	0	0	0	0.01537	0
3/14/2027	0	0.01506	0	0	0	0.01506	0
3/15/2027	0	0.01476	0	0	0	0.01476	0
3/16/2027	0	0.01447	0	0	0	0.01447	0
3/17/2027	0	0.01418	0	0	0	0.01418	0
3/18/2027	0	0.0139	0	0	0	0.0139	0
3/19/2027	0	0.01362	0	0	0	0.01362	0
3/20/2027	0	0.01334	0	0	0	0.01334	0
3/21/2027	0	0.01308	0	0	0	0.01308	0
3/22/2027	0	0.01282	0	0	0	0.01282	0
3/23/2027	0	0.01256	0	0.02245	0	0.01256	0
3/24/2027	0	0.01231	0	0.05605	0	0.01231	0
3/25/2027	0	0.01206	0	0.03285	0	0.01206	0
3/26/2027	0	0.01182	0	0.009693	0	0.01182	0
3/27/2027	0	0.01158	0	0	0	0.01158	0
3/28/2027	0	0.01135	0	0	0	0.01135	0
3/29/2027	0	0.01113	0	0	0	0.01113	0
3/30/2027	0	0.0109	0	0	0	0.0109	0
3/31/2027	0	0.01069	0	0	0	0.01069	0
4/1/2027	0	0.01047	0	0.02469	0	0.01047	0
4/2/2027	0	0.01026	0	0.03785	0	0.01026	0
4/3/2027	0	0.01006	0	0	0	0.01006	0
4/4/2027	0	0.009856	0	0	0	0.009856	0
4/5/2027	0	0.009659	0	0	0	0.009659	0
4/6/2027	0	0.009466	0	0	0	0.009466	0
4/7/2027	0	0.009276	0	0	0	0.009276	0
4/8/2027	0	0.009091	0	0	0	0.009091	0
4/9/2027	0	0.008909	0	0	0	0.008909	0
4/10/2027	0	0.008731	0	0	0	0.008731	0
4/11/2027	0	0.008556	0	0	0	0.008556	0
4/12/2027	0	0.008385	0	0	0	0.008385	0
4/13/2027	0	0.008217	0	0	0	0.008217	0
4/14/2027	0	0.008053	0	0.01167	0	0.008053	0
4/15/2027	0	0.007892	0	0.04244	0	0.007892	0
4/16/2027	0	0.007734	0	0.04085	0	0.007734	0
4/17/2027	0	0.00758	0	0.02854	0	0.00758	0
4/18/2027	0	0.007428	0	0.01904	0	0.007428	0
4/19/2027	0	0.007279	0	0.01433	0	0.007279	0
4/20/2027	0	0.007134	0	0	0	0.007134	0
4/21/2027	0	0.006991	0	0	0	0.006991	0
4/22/2027	0	0.006851	0	0	0	0.006851	0
4/23/2027	0	0.006714	0	0	0	0.006714	0
4/24/2027	0	0.00658	0	0	0	0.00658	0
4/25/2027	0	0.006448	0	0	0	0.006448	0
4/26/2027	0	0.006319	0	0	0	0.006319	0
4/27/2027	0	0.006193	0	0	0	0.006193	0
4/28/2027	0	0.006069	0	0.02638	0	0.006069	0
4/29/2027	0	0.005948	0	0	0	0.005948	0
4/30/2027	0	0.005829	0	0	0	0.005829	0

Date	TIRI01 - Water Balance							
	Inflow			Outflow				
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1	
	m3	m3	m3	m3	m3	m3	m3	
5/1/2027	0	0.005712	0	0.01946	0	0.005712	0	
5/2/2027	0	0.005598	0	0.07062	0	0.005598	0	
5/3/2027	0	0.005486	0	0.0859	0	0.005486	0	
5/4/2027	0	0.005376	0	0.09678	0	0.005376	0	
5/5/2027	0	0.005269	0	0.04636	0	0.005269	0	
5/6/2027	0	0.005163	0	0.083	0	0.005163	0	
5/7/2027	0	0.00506	0	0.08387	0	0.00506	0	
5/8/2027	0	0.004959	0	0.08251	0	0.004959	0	
5/9/2027	0	0.00486	0	0.1245	0	0.00486	0	
5/10/2027	0	0.004763	0	0.1438	0	0.004763	0	
5/11/2027	0	0.004667	0	0.1404	0	0.004667	0	
5/12/2027	0	0.004574	0	0.1397	0	0.004574	0	
5/13/2027	0	0.004482	0	0.1274	0	0.004482	0	
5/14/2027	0	0.004393	0	0.1451	0	0.004393	0	
5/15/2027	292.1	20.17	0.1357	0.1144	0	312.4	0	
5/16/2027	321.9	63.07	0.1496	0.1379	0	331.3	0	
5/17/2027	854.4	89.41	0.4076	0.1466	0	331.3	0	
5/18/2027	59.65	116.9	0.03695	0.2136	0	331.3	0	
5/19/2027	0	7.617	0	0.1943	0	331.3	0	
5/20/2027	0	0.06312	0	0.1738	0	187.7	0	
5/21/2027	247.4	19.05	0.1149	0.1657	0	266.6	0	
5/22/2027	456.2	90.32	0.2119	0.1786	0	331.3	0	
5/23/2027	575.6	204.9	0.2962	0.191	0	331.3	0	
5/24/2027	752.3	206.3	0.4657	0.2167	0	331.2	0	
5/25/2027	818.4	124.3	0.626	0.2746	0	331.2	0	
5/26/2027	146.7	100.8	0.133	0.3388	0	331.2	0	
5/27/2027	330.8	40.98	0.2936	0.3015	0	331.2	0	
5/28/2027	200.2	37.61	0.1795	0.302	0	331.2	0	
5/29/2027	680.1	67.7	0.5952	0.3274	0	331.2	0	
5/30/2027	958.8	318.3	0.9321	0.4138	0	331.2	0	
5/31/2027	1278	518.6	1.524	0.5488	0	331.2	0	
6/1/2027	1416	714.7	2.171	0.697	0	331.2	1000	
6/2/2027	1222	876.3	2.101	0.8346	0	331.2	1000	
6/3/2027	623.7	593.4	1.184	0.7334	0	331.2	1000	
6/4/2027	789.6	223.8	1.478	0.8081	0	331.2	1000	
6/5/2027	837.5	179.3	1.506	0.766	0	331.2	1000	
6/6/2027	1099	153.9	1.896	0.7759	0	331.2	1000	
6/7/2027	1799	132.9	3.072	0.8305	0	331.2	1000	
6/8/2027	1880	115.3	3.474	0.7799	0	331.2	1000	
6/9/2027	1195	187.9	2.393	0.8904	0	331.2	1000	
6/10/2027	864	112.5	1.741	0.9046	0	331.2	1000	
6/11/2027	1028	91.2	1.987	0.8656	0	331.2	1000	
6/12/2027	536.4	85.05	1.01	0.7875	0	331.1	1000	
6/13/2027	581.1	80.39	0.9988	0.7151	0	331.1	1000	
6/14/2027	1188	75.22	1.857	0.7166	0	331.1	1000	
6/15/2027	1695	69.47	2.624	0.7511	0	331.1	1000	
6/16/2027	1263	64.11	2.082	0.7649	0	331.1	1000	
6/17/2027	1621	59.12	2.671	0.8171	0	331.1	1000	
6/18/2027	754.1	54.42	1.304	0.887	0	331.1	1000	
6/19/2027	55.88	50.04	0.08987	0.8125	0	331.1	1000	
6/20/2027	55.89	45.97	0.07394	0.6818	0	331.1	1000	
6/21/2027	55.9	42.17	0.05797	0.6244	0	331.1	1000	
6/22/2027	0	38.53	0	0.3815	0	331.1	936.1	
6/23/2027	0	35.19	0	0.2148	0	35.19	0	
6/24/2027	0	32.15	0	0.2365	0	32.15	0	
6/25/2027	0	29.25	0	0.2321	0	29.25	0	
6/26/2027	0	26.58	0	0.2402	0	26.58	0	
6/27/2027	0	24.06	0	0.2998	0	24.06	0	
6/28/2027	0	21.57	0	0.3643	0	21.57	0	
6/29/2027	0	5.448	0	0.5807	0	5.448	0	
6/30/2027	0	5.339	0	0.9929	0	5.339	0	
7/1/2027	0	5.232	0	0.2523	0	5.232	0	
7/2/2027	0	5.128	0	0.2548	0	5.128	0	
7/3/2027	0	5.025	0	0.4248	0	5.025	0	
7/4/2027	0	4.925	0	0.3378	0	4.925	0	
7/5/2027	0	4.826	0	0.2461	0	4.826	0	
7/6/2027	55.93	4.73	0.02598	0.2524	0	60.68	0	
7/7/2027	5691	4.635	2.644	0.2533	0	331	1000	
7/8/2027	1925	451.5	2.849	0.8311	0	331	1000	
7/9/2027	100.8	194.3	0.1737	0.9694	0	331	1000	
7/10/2027	0	54.04	0	0.8246	0	331	1000	
7/11/2027	0	42.91	0	0.6683	0	331	1000	
7/12/2027	55.91	32.02	0.04951	0.5306	0	331	1000	
7/13/2027	0	29.54	0	0.3623	0	331	266.3	
7/14/2027	0	28.56	0	0.2812	0	28.56	0	
7/15/2027	0	26.01	0	0.4059	0	26.01	0	
7/16/2027	0	23.09	0	0.282	0	23.09	0	
7/17/2027	0	5.916	0	0.2981	0	5.916	0	

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff m3	TIRI01 Natural m3	Rain and Snowmelt m3	SP4 Pond Surface Evaporation m3	To SP1 m3	To SP4 m3	To CP1 m3
7/18/2027	0	5.797	0	0.3397	0	5.797	0
7/19/2027	0	5.681	0	0.2949	0	5.681	0
7/20/2027	0	5.568	0	0.2872	0	5.568	0
7/21/2027	55.93	5.456	0.02598	0.2887	0	61.41	0
7/22/2027	785.4	5.347	0.3649	0.2554	0	330.9	460.2
7/23/2027	1432	45.74	0.6652	0.2453	0	330.9	1000
7/24/2027	176.9	108.9	0.08823	0.2495	0	330.9	102.1
7/25/2027	6071	7.921	2.821	0.2468	0	330.9	1000
7/26/2027	214.8	492	0.3371	0.8263	0	330.9	1000
7/27/2027	0	66.11	0	0.8499	0	330.9	1000
7/28/2027	480.9	51.01	0.5432	0.5842	0	330.9	1000
7/29/2027	62.8	56.14	0.05927	0.4366	0	330.9	1000
7/30/2027	0	35.45	0	0.3168	0	330.9	553.9
7/31/2027	0	32.38	0	0.2342	0	32.38	0
8/1/2027	0	31.5	0	0.2549	0	31.5	0
8/2/2027	0	29.11	0	0.3028	0	29.11	0
8/3/2027	0	26.25	0	0.2619	0	26.25	0
8/4/2027	0	23.7	0	0.2564	0	23.7	0
8/5/2027	55.93	21.34	0.02598	0.2436	0	77.3	0
8/6/2027	55.93	5.503	0.02598	0.2107	0	61.45	0
8/7/2027	0	5.393	0	0.2184	0	5.393	0
8/8/2027	1774	5.285	0.8242	0.2163	0	330.9	1000
8/9/2027	6375	129	3.627	0.2671	0	330.8	1000
8/10/2027	1127	522.6	1.997	0.6645	0	330.8	1000
8/11/2027	55.87	153.5	0.1032	0.747	0	330.8	1000
8/12/2027	100.8	67.51	0.1599	0.6368	0	330.8	1000
8/13/2027	100.8	56.15	0.1326	0.5868	0	330.8	1000
8/14/2027	0	46.44	0	0.5573	0	330.8	1000
8/15/2027	0	37.34	0	0.3323	0	330.8	907.8
8/16/2027	55.93	36.7	0.02598	0.2019	0	92.65	0
8/17/2027	0	35.13	0	0.2574	0	35.13	0
8/18/2027	0	32.22	0	0.2152	0	32.22	0
8/19/2027	0	29.38	0	0.1943	0	29.38	0
8/20/2027	1926	26.8	0.8949	0.1774	0	330.8	1000
8/21/2027	62.82	162.3	0.03828	0.233	0	330.8	517.4
8/22/2027	0	22.63	0	0.1664	0	22.63	0
8/23/2027	557.2	22.81	0.2589	0.1641	0	330.8	249.5
8/24/2027	291	47.33	0.1352	0.1737	0	330.8	7.701
8/25/2027	55.93	32.59	0.02598	0.1547	0	88.54	0
8/26/2027	55.93	5.879	0.02598	0.16	0	61.83	0
8/27/2027	138.9	5.973	0.06452	0.1562	0	144.9	0
8/28/2027	595.2	5.931	0.2765	0.1438	0	330.7	270.7
8/29/2027	55.93	38.15	0.02598	0.1393	0	94.1	0
8/30/2027	253	5.696	0.1175	0.1383	0	258.8	0
8/31/2027	55.93	10.62	0.02598	0.1281	0	66.58	0
9/1/2027	55.93	5.638	0.02598	0.1291	0	61.59	0
9/2/2027	62.82	5.541	0.02919	0.1305	0	68.39	0
9/3/2027	242.3	5.43	0.1126	0.1255	0	247.9	0
9/4/2027	166.3	6.76	0.07725	0.1289	0	173.1	0
9/5/2027	83.33	6.729	0.03871	0.1264	0	90.1	0
9/6/2027	62.82	5.11	0.02919	0.1171	0	67.96	0
9/7/2027	0	5.008	0	0.111	0	5.008	0
9/8/2027	1193	4.908	0.5543	0.1067	0	330.7	867.9
9/9/2027	90.23	84.39	0.04192	0.1089	0	174.7	0
9/10/2027	27.4	4.714	0.01273	0.1005	0	32.13	0
9/11/2027	799.9	4.965	0.3716	0.0815	0	330.7	474.6
9/12/2027	329.8	56.02	0.1532	0.08911	0	330.7	55.28
9/13/2027	0	23.69	0	0.09917	0	23.69	0
9/14/2027	27.4	5.523	0.01273	0.08916	0	32.94	0
9/15/2027	158.1	5.811	0.07344	0.09832	0	164	0
9/16/2027	0	0.299	0	0.08078	0	0.299	0
9/17/2027	0	0.3017	0	0.07519	0	0.3017	0
9/18/2027	0	1.067	0	0.07523	0	1.067	0
9/19/2027	138.9	31.18	0.06452	0.07529	0	170.1	0
9/20/2027	0	13.05	0	0.08543	0	13.05	0
9/21/2027	176.9	5.829	0.08219	0.08532	0	182.8	0
9/22/2027	27.4	5.791	0.01273	0.07549	0	33.21	0
9/23/2027	113.2	5.706	0.05257	0.07247	0	118.9	0
9/24/2027	0	0.2815	0	0.06874	0	0.2815	0
9/25/2027	0	0.2766	0	0.06352	0	0.2766	0
9/26/2027	0	0.2739	0	0.05545	0	0.2739	0
9/27/2027	0	0.2717	0	0.05446	0	0.2717	0
9/28/2027	0	0.2694	0	0.05639	0	0.2694	0
9/29/2027	0	0.2669	0	0.04989	0	0.2669	0
9/30/2027	2531	36.44	1.176	0.05273	0	330.6	1000
10/1/2027	0	215.7	0	0.08327	0	330.6	0
10/2/2027	0	9.471	0	0.05634	0	330.6	0
10/3/2027	0	4.542	0	0.06522	0	330.6	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
10/4/2027	0	1.633	0	0.05666	0	330.6	0
10/5/2027	0	1.216	0	0.04323	0	148.3	0
10/6/2027	0	1.23	0	0.03101	0	1.23	0
10/7/2027	0	1.225	0	0.02172	0	1.225	0
10/8/2027	0	1.204	0	0.02854	0	1.204	0
10/9/2027	0	1.173	0	0.02896	0	1.173	0
10/10/2027	0	1.133	0	0.02987	0	1.133	0
10/11/2027	0	1.088	0	0.03412	0	1.088	0
10/12/2027	0	0.2968	0	0.03404	0	0.2968	0
10/13/2027	0	0.2971	0	0.03489	0	0.2971	0
10/14/2027	0	0.2961	0	0.0281	0	0.2961	0
10/15/2027	0	0.2942	0	0.02852	0	0.2942	0
10/16/2027	0	0.2915	0	0.02824	0	0.2915	0
10/17/2027	0	0.2882	0	0.02532	0	0.2882	0
10/18/2027	0	0.2845	0	0.02195	0	0.2845	0
10/19/2027	0	0.2804	0	0.01582	0	0.2804	0
10/20/2027	0	0.2761	0	0.01172	0	0.2761	0
10/21/2027	0	0.2717	0	0.01501	0	0.2717	0
10/22/2027	0	0.2671	0	0.0123	0	0.2671	0
10/23/2027	0	0.2624	0	0.009357	0	0.2624	0
10/24/2027	0	0.2577	0	0.01782	0	0.2577	0
10/25/2027	0	0.253	0	0.02229	0	0.253	0
10/26/2027	0	0.2482	0	0.01266	0	0.2482	0
10/27/2027	0	0.2436	0	0.01595	0	0.2436	0
10/28/2027	0	0.2389	0	0.01126	0	0.2389	0
10/29/2027	0	0.2343	0	0	0	0.2343	0
10/30/2027	0	0.2298	0	0.01085	0	0.2298	0
10/31/2027	0	0.2253	0	0.007388	0	0.2253	0
11/1/2027	0	0.2209	0	0	0	0.2209	0
11/2/2027	0	0.2165	0	0	0	0.2165	0
11/3/2027	0	0.2122	0	0	0	0.2122	0
11/4/2027	0	0.208	0	0.0008215	0	0.208	0
11/5/2027	0	0.2039	0	0.001187	0	0.2039	0
11/6/2027	0	0.1999	0	0	0	0.1999	0
11/7/2027	0	0.1959	0	0	0	0.1959	0
11/8/2027	0	0.192	0	0	0	0.192	0
11/9/2027	0	0.1882	0	0	0	0.1882	0
11/10/2027	0	0.1844	0	0	0	0.1844	0
11/11/2027	0	0.1807	0	0	0	0.1807	0
11/12/2027	0	0.1771	0	0.0007319	0	0.1771	0
11/13/2027	0	0.1736	0	0	0	0.1736	0
11/14/2027	0	0.1701	0	0.002983	0	0.1701	0
11/15/2027	0	0.1667	0	0.005221	0	0.1667	0
11/16/2027	0	0.1634	0	0.006241	0	0.1634	0
11/17/2027	0	0.1601	0	0	0	0.1601	0
11/18/2027	0	0.1569	0	0	0	0.1569	0
11/19/2027	0	0.1538	0	0	0	0.1538	0
11/20/2027	0	0.1507	0	0	0	0.1507	0
11/21/2027	0	0.1477	0	0	0	0.1477	0
11/22/2027	0	0.1448	0	0	0	0.1448	0
11/23/2027	0	0.1419	0	0	0	0.1419	0
11/24/2027	0	0.139	0	0.00112	0	0.139	0
11/25/2027	0	0.1362	0	0	0	0.1362	0
11/26/2027	0	0.1335	0	0.00375	0	0.1335	0
11/27/2027	0	0.1308	0	0	0	0.1308	0
11/28/2027	0	0.1282	0	0	0	0.1282	0
11/29/2027	0	0.1257	0	0	0	0.1257	0
11/30/2027	0	0.1232	0	0.001425	0	0.1232	0
12/1/2027	0	0.1207	0	0.0005467	0	0.1207	0
12/2/2027	0	0.1183	0	0	0	0.1183	0
12/3/2027	0	0.1159	0	0	0	0.1159	0
12/4/2027	0	0.1136	0	0	0	0.1136	0
12/5/2027	0	0.1113	0	0	0	0.1113	0
12/6/2027	0	0.1091	0	0.0004496	0	0.1091	0
12/7/2027	0	0.1069	0	0.0006295	0	0.1069	0
12/8/2027	0	0.1048	0	0	0	0.1048	0
12/9/2027	0	0.1027	0	0	0	0.1027	0
12/10/2027	0	0.1006	0	0	0	0.1006	0
12/11/2027	0	0.09861	0	0	0	0.09861	0
12/12/2027	0	0.09664	0	0	0	0.09664	0
12/13/2027	0	0.09471	0	0	0	0.09471	0
12/14/2027	0	0.09281	0	0	0	0.09281	0
12/15/2027	0	0.09096	0	0.0008916	0	0.09096	0
12/16/2027	0	0.08914	0	0	0	0.08914	0
12/17/2027	0	0.08735	0	0.0005985	0	0.08735	0
12/18/2027	0	0.08561	0	0	0	0.08561	0
12/19/2027	0	0.0839	0	0	0	0.0839	0
12/20/2027	0	0.08222	0	0	0	0.08222	0

Date	TIRI01 - Water Balance						
	Inflow			Outflow			
	TIRI01 Pitwall Runoff	TIRI01 Natural	Rain and Snowmelt	SP4 Pond Surface Evaporation	To SP1	To SP4	To CP1
	m3	m3	m3	m3	m3	m3	m3
12/21/2027	0	0.08057	0	0	0	0.08057	0
12/22/2027	0	0.07896	0	0	0	0.07896	0
12/23/2027	0	0.07738	0	0	0	0.07738	0
12/24/2027	0	0.07583	0	0	0	0.07583	0
12/25/2027	0	0.07432	0	0	0	0.07432	0
12/26/2027	0	0.07283	0	0	0	0.07283	0
12/27/2027	0	0.07138	0	0	0	0.07138	0
12/28/2027	0	0.06995	0	0	0	0.06995	0
12/29/2027	0	0.06855	0	0	0	0.06855	0
12/30/2027	0	0.06718	0	0	0	0.06718	0
12/31/2027	0	0.06583	0	0	0	0.06583	0

Date	TIRIO2 - Water Balance										
	Inflow								Outflow		
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
9/21/2020	0	0	0	0	0	0	0	0	0.0	0	
9/22/2020	0	0	0	0	0	0	0	0	0.0	0	
9/23/2020	0	0	0	0	0	0	0	0	0.0	0	
9/24/2020	0	0	0	0	0	0	0	0	0.0	0	
9/25/2020	0	0	0	0	0	0	0	0	0.0	0	
9/26/2020	0	0	0	0	0	0	0	0	0.0	0	
9/27/2020	0	0	0	0	0	0	0	0	0.0	0	
9/28/2020	0	0	0	0	0	0	0	0	0.0	0	
9/29/2020	0	0	0	0	0	0	0	0	0.0	0	
9/30/2020	0	0	0	0	0	0	0	0	0.0	0	
10/1/2020	0	0	0	0	0	0	0	0	0.0	0	
10/2/2020	0	0	0	0	0	0	0	0	0.0	0	
10/3/2020	0	0	0	0	0	0	0	0	0.0	0	
10/4/2020	0	0	0	0	0	0	0	0	0.0	0	
10/5/2020	0	0	0	0	0	0	0	0	0.0	0	
10/6/2020	0	0	0	0	0	0	0	0	0.0	0	
10/7/2020	0	0	0	0	0	0	0	0	0.0	0	
10/8/2020	0	0	0	0	0	0	0	0	0.0	0	
10/9/2020	0	0	0	0	0	0	0	0	0.0	0	
10/10/2020	0	0	0	0	0	0	0	0	0.0	0	
10/11/2020	0	0	0	0	0	0	0	0	0.0	0	
10/12/2020	0	0	0	0	0	0	0	0	0.0	0	
10/13/2020	0	0	0	0	0	0	0	0	0.0	0	
10/14/2020	0	0	0	0	0	0	0	0	0.0	0	
10/15/2020	0	0	0	0	0	0	0	0	0.0	0	
10/16/2020	0	0	0	0	0	0	0	0	0.0	0	
10/17/2020	0	0	0	0	0	0	0	0	0.0	0	
10/18/2020	0	0	0	0	0	0	0	0	0.0	0	
10/19/2020	0	0	0	0	0	0	0	0	0.0	0	
10/20/2020	0	0	0	0	0	0	0	0	0.0	0	
10/21/2020	0	0	0	0	0	0	0	0	0.0	0	
10/22/2020	0	0	0	0	0	0	0	0	0.0	0	
10/23/2020	0	0	0	0	0	0	0	0	0.0	0	
10/24/2020	0	0	0	0	0	0	0	0	0.0	0	
10/25/2020	0	0	0	0	0	0	0	0	0.0	0	
10/26/2020	0	0	0	0	0	0	0	0	0.0	0	
10/27/2020	0	0	0	0	0	0	0	0	0.0	0	
10/28/2020	0	0	0	0	0	0	0	0	0.0	0	
10/29/2020	0	0	0	0	0	0	0	0	0.0	0	
10/30/2020	0	0	0	0	0	0	0	0	0.0	0	
10/31/2020	0	0	0	0	0	0	0	0	0.0	0	
11/1/2020	0	0	0	0	0	0	0	0	0.0	0	
11/2/2020	0	0	0	0	0	0	0	0	0.0	0	
11/3/2020	0	0	0	0	0	0	0	0	0.0	0	
11/4/2020	0	0	0	0	0	0	0	0	0.0	0	
11/5/2020	0	0	0	0	0	0	0	0	0.0	0	
11/6/2020	0	0	0	0	0	0	0	0	0.0	0	
11/7/2020	0	0	0	0	0	0	0	0	0.0	0	
11/8/2020	0	0	0	0	0	0	0	0	0.0	0	
11/9/2020	0	0	0	0	0	0	0	0	0.0	0	
11/10/2020	0	0	0	0	0	0	0	0	0.0	0	
11/11/2020	0	0	0	0	0	0	0	0	0.0	0	
11/12/2020	0	0	0	0	0	0	0	0	0.0	0	
11/13/2020	0	0	0	0	0	0	0	0	0.0	0	
11/14/2020	0	0	0	0	0	0	0	0	0.0	0	
11/15/2020	0	0	0	0	0	0	0	0	0.0	0	
11/16/2020	0	0	0	0	0	0	0	0	0.0	0	
11/17/2020	0	0	0	0	0	0	0	0	0.0	0	
11/18/2020	0	0	0	0	0	0	0	0	0.0	0	
11/19/2020	0	0	0	0	0	0	0	0	0.0	0	
11/20/2020	0	0	0	0	0	0	0	0	0.0	0	
11/21/2020	0	0	0	0	0	0	0	0	0.0	0	
11/22/2020	0	0	0	0	0	0	0	0	0.0	0	
11/23/2020	0	0	0	0	0	0	0	0	0.0	0	
11/24/2020	0	0	0	0	0	0	0	0	0.0	0	
11/25/2020	0	0	0	0	0	0	0	0	0.0	0	
11/26/2020	0	0	0	0	0	0	0	0	0.0	0	
11/27/2020	0	0	0	0	0	0	0	0	0.0	0	
11/28/2020	0	0	0	0	0	0	0	0	0.0	0	
11/29/2020	0	0	0	0	0	0	0	0	0.0	0	
11/30/2020	0	0	0	0	0	0	0	0	0.0	0	
12/1/2020	0	0	0	0	0	0	0	0	0.0	0	
12/2/2020	0	0	0	0	0	0	0	0	0.0	0	
12/3/2020	0	0	0	0	0	0	0	0	0.0	0	
12/4/2020	0	0	0	0	0	0	0	0	0.0	0	
12/5/2020	0	0	0	0	0	0	0	0	0.0	0	
12/6/2020	0	0	0	0	0	0	0	0	0.0	0	
12/7/2020	0	0	0	0	0	0	0	0	0.0	0	
12/8/2020	0	0	0	0	0	0	0	0	0.0	0	
12/9/2020	0	0	0	0	0	0	0	0	0.0	0	
12/10/2020	0	0	0	0	0	0	0	0	0.0	0	
12/11/2020	0	0	0	0	0	0	0	0	0.0	0	
12/12/2020	0	0	0	0	0	0	0	0	0.0	0	
12/13/2020	0	0	0	0	0	0	0	0	0.0	0	
12/14/2020	0	0	0	0	0	0	0	0	0.0	0	
12/15/2020	0	0	0	0	0	0	0	0	0.0	0	
12/16/2020	0	0	0	0	0	0	0	0	0.0	0	
12/17/2020	0	0	0	0	0	0	0	0	0.0	0	
12/18/2020	0	0	0	0	0	0	0	0	0.0	0	
12/19/2020	0	0	0	0	0	0	0	0	0.0	0	
12/20/2020	0	0	0	0	0	0	0	0	0.0	0	
12/21/2020	0	0	0	0	0	0	0	0	0.0	0	
12/22/2020	0	0	0	0	0	0	0	0	0.0	0	
12/23/2020	0	0	0	0	0	0	0	0	0.0	0	
12/24/2020	0	0	0	0	0	0	0	0	0.0	0	
12/25/2020	0	0	0	0	0	0	0	0	0.0	0	
12/26/2020	0	0	0	0	0	0	0	0	0.0	0	
12/27/2020	0	0	0	0	0	0	0	0	0.0	0	
12/28/2020	0	0	0	0	0	0	0	0	0.0	0	
12/29/2020	0	0	0	0	0	0	0	0	0.0	0	
12/30/2020	0	0	0	0	0	0	0	0	0.0	0	
12/31/2020	0	0	0	0	0	0	0	0	0.0	0	
1/1/2021	0	0	0.09984	0	0	0	0	0	0.0	0	
1/2/2021	0	0	0.09785	0	0	0	0	0	0.0	0	
1/3/2021	0	0	0.09589	0	0	0	0	0	0.0	0	

Date	TIRIO2 - Water Balance									
	Inflow							Outflow		
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
1/4/2021	0	0	0.09397	0	0	0	0	0	0.0	0
1/5/2021	0	0	0.09209	0	0	0	0	0	0.0	0
1/6/2021	0	0	0.09025	0	0	0	0	0	0.0	0
1/7/2021	0	0	0.08844	0	0	0	0	0	0.0	0
1/8/2021	0	0	0.08668	0	0	0	0	0	0.0	0
1/9/2021	0	0	0.08494	0	0	0	0	0	0.0	0
1/10/2021	0	0	0.08324	0	0	0	0	0	0.0	0
1/11/2021	0	0	0.08158	0	0	0	0	0	0.0	0
1/12/2021	0	0	0.07995	0	0	0	0	0	0.0	0
1/13/2021	0	0	0.07835	0	0	0	0	0	0.0	0
1/14/2021	0	0	0.07678	0	0	0	0	0	0.0	0
1/15/2021	0	0	0.07525	0	0	0	0	0	0.0	0
1/16/2021	0	0	0.07374	0	0	0	0	0	0.0	0
1/17/2021	0	0	0.07227	0	0	0	0	0	0.0	0
1/18/2021	0	0	0.07082	0	0	0	0	0	0.0	0
1/19/2021	0	0	0.0694	0	0	0	0	0	0.0	0
1/20/2021	0	0	0.06802	0	0	0	0	0	0.0	0
1/21/2021	0	0	0.06666	0	0	0	0	0	0.0	0
1/22/2021	0	0	0.06532	0	0	0	0	0	0.0	0
1/23/2021	0	0	0.06402	0	0	0	0	0	0.0	0
1/24/2021	0	0	0.06274	0	0	0	0	0	0.0	0
1/25/2021	0	0	0.06148	0	0	0	0	0	0.0	0
1/26/2021	0	0	0.06025	0	0	0	0	0	0.0	0
1/27/2021	0	0	0.05905	0	0	0	0	0	0.0	0
1/28/2021	0	0	0.05787	0	0	0	0	0	0.0	0
1/29/2021	0	0	0.05671	0	0	0	0	0	0.0	0
1/30/2021	0	0	0.05557	0	0	0	0	0	0.0	0
1/31/2021	0	0	0.05446	0	0	0	0	0	0.0	0
2/1/2021	0	0	0.05337	0	0	0	0	0	0.0	0
2/2/2021	0	0	0.05231	0	0	0	0	0	0.0	0
2/3/2021	0	0	0.05126	0	0	0	0	0	0.0	0
2/4/2021	0	0	0.05023	0	0	0	0	0	0.0	0
2/5/2021	0	0	0.04923	0	0	0	0	0	0.0	0
2/6/2021	0	0	0.04825	0	0	0	0	0	0.0	0
2/7/2021	0	0	0.04728	0	0	0	0	0	0.0	0
2/8/2021	0	0	0.04633	0	0	0	0	0	0.0	0
2/9/2021	0	0	0.04541	0	0	0	0	0	0.0	0
2/10/2021	0	0	0.0445	0	0	0	0	0	0.0	0
2/11/2021	0	0	0.04361	0	0	0	0	0	0.0	0
2/12/2021	0	0	0.04274	0	0	0	0	0	0.0	0
2/13/2021	0	0	0.04188	0	0	0	0	0	0.0	0
2/14/2021	0	0	0.04105	0	0	0	0	0	0.0	0
2/15/2021	0	0	0.04022	0	0	0	0	0	0.0	0
2/16/2021	0	0	0.03942	0	0	0	0	0	0.0	0
2/17/2021	0	0	0.03863	0	0	0	0	0	0.0	0
2/18/2021	0	0	0.03786	0	0	0	0	0	0.0	0
2/19/2021	0	0	0.0371	0	0	0	0	0	0.0	0
2/20/2021	0	0	0.03636	0	0	0	0	0	0.0	0
2/21/2021	0	0	0.03563	0	0	0	0	0	0.0	0
2/22/2021	0	0	0.03492	0	0	0	0	0	0.0	0
2/23/2021	0	0	0.03422	0	0	0	0	0	0.0	0
2/24/2021	0	0	0.03354	0	0	0	0	0	0.0	0
2/25/2021	0	0	0.03287	0	0	0	0	0	0.0	0
2/26/2021	0	0	0.03221	0	0	0	0	0	0.0	0
2/27/2021	0	0	0.03156	0	0	0	0	0	0.0	0
2/28/2021	0	0	0.03093	0	0	0	0	0	0.0	0
3/1/2021	0	0	0.03031	0	0	0	0	0	0.0	0
3/2/2021	0	0	0.02971	0	0	0	0	0	0.0	0
3/3/2021	0	0	0.02911	0	0	0	0	0	0.0	0
3/4/2021	0	0	0.02853	0	0	0	0	0	0.0	0
3/5/2021	0	0	0.02796	0	0	0	0	0	0.0	0
3/6/2021	0	0	0.0274	0	0	0	0	0	0.0	0
3/7/2021	0	0	0.02685	0	0	0	0	0	0.0	0
3/8/2021	0	0	0.02632	0	0	0	0	0	0.0	0
3/9/2021	0	0	0.02579	0	0	0	0	0	0.0	0
3/10/2021	0	0	0.02527	0	0	0	0	0	0.0	0
3/11/2021	0	0	0.02477	0	0	0	0	0	0.0	0
3/12/2021	0	0	0.02427	0	0	0	0	0	0.0	0
3/13/2021	0	0	0.02379	0	0	0	0	0	0.0	0
3/14/2021	0	0	0.02331	0	0	0	0	0	0.0	0
3/15/2021	0	0	0.02285	0	0	0	0	0	0.0	0
3/16/2021	0	0	0.02239	0	0	0	0	0	0.0	0
3/17/2021	0	0	0.02194	0	0	0	0	0	0.0	0
3/18/2021	0	0	0.0215	0	0	0	0	0	0.0	0
3/19/2021	0	0	0.02107	0	0	0	0	0	0.0	0
3/20/2021	0	0	0.02065	0	0	0	0	0	0.0	0
3/21/2021	0	0	0.02024	0	0	0	0	0	0.0	0
3/22/2021	0	0	0.01983	0	0	0	0	0	0.0	0
3/23/2021	0	0	0.01944	0	0	0	0	0	0.0	0
3/24/2021	0	0	0.01905	0	0	0	0	0	0.0	0
3/25/2021	0	0	0.01867	0	0	0	0	0	0.0	0
3/26/2021	0	0	0.01829	0	0	0	0	0	0.0	0
3/27/2021	0	0	0.01793	0	0	0	0	0	0.0	0
3/28/2021	0	0	0.01757	0	0	0	0	0	0.0	0
3/29/2021	0	0	0.01722	0	0	0	0	0	0.0	0
3/30/2021	0	0	0.01687	0	0	0	0	0	0.0	0
3/31/2021	0	0	0.01654	0	0	0	0	0	0.0	0
4/1/2021	0	0	0.01621	0	0	0	0	0	0.0	0
4/2/2021	0	0	0.01588	0	0	0	0	0	0.0	0
4/3/2021	0	0	0.01556	0	0	0	0	0	0.0	0
4/4/2021	0	0	0.01525	0	0	0	0	0	0.0	0
4/5/2021	0	0	0.01495	0	0	0	0	0	0.0	0
4/6/2021	0	0	0.01465	0	0	0	0	0	0.0	0
4/7/2021	0	0	0.01436	0	0	0	0	0	0.0	0
4/8/2021	0	0	0.01407	0	0	0	0	0	0.0	0
4/9/2021	0	0	0.01379	0	0	0	0	0	0.0	0
4/10/2021	0	0	0.01351	0	0	0	0	0	0.0	0
4/11/2021	0	0	0.01324	0	0	0	0	0	0.0	0
4/12/2021	0	0	0.01298	0	0	0	0	0	0.0	0
4/13/2021	0	0	0.01272	0	0	0	0	0	0.0	0
4/14/2021	0	0	0.01246	0	0	0	0	0	0.0	0
4/15/2021	0	0	0.01221	0	0	0	0	0	0.0	0
4/16/2021	0	0	0.01197	0	0	0	0	0	0.0	0
4/17/2021	0	0	0.01173	0	0	0	0	0	0.0	0
4/18/2021	0	0	0.01149	0	0	0	0	0	0.0	0

Date	TIRIO2 - Water Balance										
	Inflow								Outflow		
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
4/19/2021	0	0	0.01126	0	0	0	0	0	0.0	0	
4/20/2021	0	0	0.01104	0	0	0	0	0	0.0	0	
4/21/2021	0	0	0.01082	0	0	0	0	0	0.0	0	
4/22/2021	0	0	0.0106	0	0	0	0	0	0.0	0	
4/23/2021	0	0	0.01039	0	0	0	0	0	0.0	0	
4/24/2021	0	0	0.01018	0	0	0	0	0	0.0	0	
4/25/2021	0	0	0.009979	0	0	0	0	0	0.0	0	
4/26/2021	0	0	0.009779	0	0	0	0	0	0.0	0	
4/27/2021	0	0	0.009584	0	0	0	0	0	0.0	0	
4/28/2021	0	0	0.009392	0	0	0	0	0	0.0	0	
4/29/2021	0	0	0.009204	0	0	0	0	0	0.0	0	
4/30/2021	0	0	0.00902	0	0	0	0	0	0.0	0	
5/1/2021	0	0	0.00884	0	0	0	0	0	0.0	0	
5/2/2021	0	0	0.008663	0	0	0	0	0	0.0	0	
5/3/2021	0	0	0.00849	0	0	0	0	0	0.0	0	
5/4/2021	0	0	0.00832	0	0	0	0	0	0.0	0	
5/5/2021	117	0	12.16	0	0	12.92	0	0	0.0	0	
5/6/2021	0	0	38.61	0	0	0	0	0	0.0	0	
5/7/2021	0	0	0.007831	0	0	0	0	0	0.0	0	
5/8/2021	0	0	0.02011	0	0	0	0	0	0.0	0	
5/9/2021	0	0	0.03201	0	0	0	0	0	0.0	0	
5/10/2021	0	0	0.0424	0	0	0	0	0	0.0	0	
5/11/2021	0	0	0.05096	0	0	0	0	0	0.0	0	
5/12/2021	0	0	0.05776	0	0	0	0	0	0.0	0	
5/13/2021	0	0	0.06301	0	0	0	0	0	0.0	0	
5/14/2021	0	0	0.06695	0	0	0	0	0	0.0	0	
5/15/2021	0	0	0.0698	0	0	0	0	0	0.0	0	
5/16/2021	0	0	0.07178	0	0	0	0	0	0.0	0	
5/17/2021	0	0	0.07305	0	0	0	0	0	0.0	0	
5/18/2021	0	0	0.07376	0	0	0	0	0	0.0	0	
5/19/2021	0	0	0.07403	0	0	0	0	0	0.0	0	
5/20/2021	0	0	0.07394	0	0	0	0	0	0.0	0	
5/21/2021	0	0	0.07358	0	0	0	0	0	0.0	0	
5/22/2021	0	0	0.073	0	0	0	0	0	0.0	0	
5/23/2021	0	0	0.07225	0	0	0	0	0	0.0	0	
5/24/2021	0	0	0.07138	0	0	0	0	0	0.0	0	
5/25/2021	0	0	0.07041	0	0	0	0	0	0.0	0	
5/26/2021	0	0	0.06936	0	0	0	0	0	0.0	0	
5/27/2021	0	0	0.06827	0	0	0	0	0	0.0	0	
5/28/2021	0	0	0.06714	0	0	0	0	0	0.0	0	
5/29/2021	114	0	8.279	0	0	12.6	0	0	0.0	0	
5/30/2021	110.1	0	66.73	0	0	12.16	0	0	0.0	0	
5/31/2021	116	0	87.41	0	0	12.81	0	0	0.0	0	
6/1/2021	0	0	37.09	0	0	0	0	0	0.0	0	
6/2/2021	0	0	0.0842	0	0	0	0	0	0.0	0	
6/3/2021	75.68	0	37.45	0	0	8.362	0	0	0.0	0	
6/4/2021	94.35	0	128.3	0	0	10.43	0	0	0.0	0	
6/5/2021	78.62	0	175.9	0	0	8.688	0	0	0.0	0	
6/6/2021	133.7	0	210.7	0	0	14.77	0	0	0.0	0	
6/7/2021	0	0	279	0	0	0	0	0	0.0	0	
6/8/2021	125.8	0	149.8	0	0	13.9	0	0	0.0	0	
6/9/2021	196.6	0	441.4	0	0	21.72	0	0	0.0	0	
6/10/2021	173	0	518	0	0	19.11	0	0	0.0	0	
6/11/2021	322.4	0	510.4	0	0	35.62	0	0	0.0	0	
6/12/2021	629	0	889.1	0	0	69.5	0	0	0.0	0	
6/13/2021	699.8	0	1685	0	0	77.32	0	0	0.0	0	
6/14/2021	825.6	0	1412	0	0	91.22	0	0	0.0	0	
6/15/2021	644.7	0	411.9	0	0	71.24	0	0	0.0	0	
6/16/2021	424.6	0	334.4	0	0	46.92	0	0	0.0	0	
6/17/2021	581.8	0	286.7	0	0	64.29	0	0	0.0	0	
6/18/2021	654.5	0	247.5	0	0	72.33	0	0	0.0	0	
6/19/2021	585.7	0	215.5	0	0	64.73	0	0	0.0	0	
6/20/2021	261.4	0	190	0	0	28.89	0	0	0.0	0	
6/21/2021	338.1	0	168.6	0	0	37.36	0	0	0.0	0	
6/22/2021	448.2	0	153.4	0	0	49.52	0	0	0.0	0	
6/23/2021	518.9	0	144.6	0	0	57.34	0	0	0.0	0	
6/24/2021	750.9	0	135.2	0	0	82.97	0	0	0.0	0	
6/25/2021	583.8	0	223.2	0	0	64.51	0	0	0.0	0	
6/26/2021	338.1	0	239.4	0	0	37.36	0	0	0.0	0	
6/27/2021	574	0	108.9	0	0	63.42	0	0	0.0	0	
6/28/2021	621.1	0	103.5	0	0	68.64	0	0	0.0	0	
6/29/2021	366.6	0	97.08	0	0	40.51	0	0	0.0	0	
6/30/2021	0	0	89.53	0	0	0	0	0	0.0	0	
7/1/2021	0	0	82.21	0	0	0	0	0	0.0	0	
7/2/2021	88.45	0	75.61	0	0	9.774	0	0	0.0	0	
7/3/2021	93.37	0	72.63	0	0	10.32	0	0	0.0	0	
7/4/2021	299.8	0	78.91	0	0	33.12	0	0	0.0	0	
7/5/2021	0	0	153.3	0	0	0	0	0	0.0	0	
7/6/2021	0	0	54.83	0	0	0	0	0	0.0	0	
7/7/2021	0	0	51.66	0	0	0	0	0	0.0	0	
7/8/2021	54.05	0	47.12	0	0	5.973	0	0	0.0	0	
7/9/2021	0	0	43.08	0	0	0	0	0	0.0	0	
7/10/2021	0	0	39.2	0	0	0	0	0	0.0	0	
7/11/2021	0	0	35.56	0	0	0	0	0	0.0	0	
7/12/2021	0	0	32.03	0	0	0	0	0	0.0	0	
7/13/2021	83.54	0	28.84	0	0	9.231	0	0	0.0	0	
7/14/2021	0	0	27.43	0	0	0	0	0	0.0	0	
7/15/2021	0	0	6.763	0	0	0	0	0	0.0	0	
7/16/2021	24.57	0	6.628	0	0	2.715	0	0	0.0	0	
7/17/2021	864.9	0	6.496	0	0	95.57	0	0	0.0	0	
7/18/2021	0	0	305.3	0	0	0	0	0	0.0	0	
7/19/2021	0	0	15.83	0	0	0	0	0	0.0	0	
7/20/2021	0	0	25.57	0	0	0	0	0	0.0	0	
7/21/2021	0	0	25.75	0	0	0	0	0	0.0	0	
7/22/2021	0	0	6.699	0	0	0	0	0	0.0	0	
7/23/2021	0	0	6.565	0	0	0	0	0	0.0	0	
7/24/2021	1233	0	6.434	250	0	136.3	0	0	0.0	0	
7/25/2021	186.7	0	444	0	0	20.63	0	0	0.0	0	
7/26/2021	137.6	0	99.52	250	0	15.2	0	0	0.0	0	
7/27/2021	0	0	81.52	0	0	0	0	0	0.0	0	
7/28/2021	0	0	41.34	0	0	0	0	0	0.0	0	
7/29/2021	0	0	32.52	0	0	0	0	0	0.0	0	
7/30/2021	93.37	0	32.47	0	0	10.32	0	0	0.0	0	
7/31/2021	24.57	0	38.3	28.43	0	2.715	0	0	0.0	0	
8/1/2021	0	0	29.23	0	0	0	0	0	0.0	0	

Date	TIRIO2 - Water Balance										
	Inflow							Outflow			
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
8/2/2021	201.5	0	26.69	0	0	22.26	0	0	0.0	0	
8/3/2021	29.48	0	54.7	0	0	3.258	0	0	0.0	0	
8/4/2021	132.7	0	6.781	0	0	14.66	0	0	0.0	0	
8/5/2021	9.828	0	34.67	0	0	1.086	0	0	0.0	0	
8/6/2021	0	0	6.519	0	0	0	0	0	0.0	0	
8/7/2021	0	0	6.389	0	0	0	0	0	0.0	0	
8/8/2021	0	0	6.261	0	0	0	0	0	0.0	0	
8/9/2021	226	0	6.136	0	0	24.98	0	0	0.0	0	
8/10/2021	0	0	63.69	0	0	0	0	0	0.0	0	
8/11/2021	0	0	5.893	0	0	0	0	0	0.0	0	
8/12/2021	1120	0	5.775	0	0	131.9	0	105.2	8.9	0	
8/13/2021	465.3	0	431.4	0	0	54.84	0	44.33	7.8	0	
8/14/2021	161.1	0	219.8	0	0	19	0	15.51	10.2	0	
8/15/2021	55.23	0	94.48	0	0	6.516	0	5.339	10.3	0	
8/16/2021	529.2	0	61.72	0	4000	62.45	0	51.24	10.0	0	
8/17/2021	0	0	243.4	0	4000	0	0	0	10.2	0	
8/18/2021	9.15	0	60.99	0	4000	1.086	0	0.9685	9.6	0	
8/19/2021	50.19	0	50.92	0	4000	5.973	0	5.52	10.6	0	
8/20/2021	0	0	41.87	0	8000	0	0	0	11.0	0	
8/21/2021	0	0	41.5	0	8000	0	0	0	10.3	0	
8/22/2021	31.51	0	40.25	0	4000	3.801	0	4.124	11.7	0	
8/23/2021	817	0	38.22	0	8000	98.83	0	110.4	11.5	0	
8/24/2021	0	0	351.1	0	4000	0	0	0	12.6	0	
8/25/2021	0	0	45.65	0	0	0	0	0	14.3	0	
8/26/2021	0	0	37.79	0	0	0	0	0	14.6	0	
8/27/2021	0	0	35.31	0	0	0	0	0	17.7	0	
8/28/2021	0	0	34.4	0	0	0	0	0	17.2	0	
8/29/2021	0	0	31.93	0	0	0	0	0	17.7	0	
8/30/2021	0	0	28.94	0	0	0	0	0	13.1	0	
8/31/2021	0	0	26.36	0	0	0	0	0	11.5	0	
9/1/2021	142.3	0	6.863	0	0	17.38	0	21.29	12.0	0	
9/2/2021	4.448	0	40.97	0	0	0.543	0	0.6661	12.4	0	
9/3/2021	62.27	0	6.592	0	4000	7.602	0	9.327	10.9	0	
9/4/2021	93.14	0	10.73	0	4000	11.4	0	14.36	10.2	0	
9/5/2021	35.38	0	30.84	0	8000	4.344	0	5.614	11.6	0	
9/6/2021	0	0	6.719	0	4000	0	0	0	11.1	0	
9/7/2021	8.772	0	6.283	0	0	1.086	0	1.508	11.2	0	
9/8/2021	17.54	0	6.157	0	0	2.172	0	3.016	11.5	0	
9/9/2021	30.7	0	6.034	0	0	3.801	342	5.278	10.7	0	
9/10/2021	35.08	0	5.913	0	0	4.344	1026	6.045	10.9	0	
9/11/2021	0	0	5.795	0	3000	0	969	0	10.5	0	
9/12/2021	218.5	0	5.679	0	7000	27.15	741	38.87	9.9	0	
9/13/2021	0	0	76.15	0	8000	0	741	0	9.4	0	
9/14/2021	492.3	903.8	5.454	0	8000	61.9	684	96.94	10.6	0	
9/15/2021	347.3	390.1	198.4	0	8000	43.98	912	72.47	11.6	0	
9/16/2021	12.77	372.1	154.8	0	8000	1.629	912	2.813	11.6	0	
9/17/2021	8.458	220.9	21.6	0	8000	1.086	1368	1.957	11.6	0	
9/18/2021	58.8	252.9	33.93	0	8640	7.602	0	14.28	11.7	0	
9/19/2021	87.62	210.2	36.14	0	4000	11.4	0	22.24	11.4	0	
9/20/2021	4.159	107.1	55.89	0	8000	0.543	0	1.078	9.8	0	
9/21/2021	8.269	170.8	30	0	4000	1.086	0	2.227	9.8	0	
9/22/2021	4.122	25.88	30.14	0	8000	0.543	0	1.132	10.0	0	
9/23/2021	0	240.2	29.73	0	0	0	0	0	9.9	0	
9/24/2021	0	200	28.85	0	0	0	0	0	10.3	0	
9/25/2021	348.2	197.2	27.53	0	6260	46.16	0	99.33	10.8	0	
9/26/2021	12.22	205.3	162	0	5820	1.629	0	3.596	10.7	0	
9/27/2021	0	211.2	6.892	0	0	0	0	0	9.4	0	
9/28/2021	0	123	25.89	0	2590	0	0	0	10.3	0	
9/29/2021	0	141.3	25.86	0	4430	0	0	0	9.2	0	
9/30/2021	24.2	126.2	7.24	0	0	3.258	0	7.549	9.3	0	
10/1/2021	161.3	142.9	25.74	0	4000	21.72	0	50.35	10.9	0	
10/2/2021	24.12	214.5	63.75	0	5000	3.258	0	7.667	9.8	0	
10/3/2021	32.03	41	8.203	0	5000	4.344	0	10.41	8.8	0	
10/4/2021	63.81	214	10.29	0	4000	8.688	0	21.17	8.9	0	
10/5/2021	747.3	197.7	43.83	0	8000	102.1	0	252.2	10.4	0	
10/6/2021	35.52	259.6	345.4	0	6000	4.887	0	12.44	9.4	0	
10/7/2021	7.853	247.9	68.94	0	0	1.086	0	2.821	8.7	0	
10/8/2021	290.5	256.3	46.47	0	7000	40.18	0	104.5	8.5	0	
10/9/2021	19.51	252.6	163.3	0	7000	2.715	0	7.228	9.8	0	
10/10/2021	0	131.7	52.56	0	8000	0	0	0	9.3	0	
10/11/2021	0	217.4	45.24	0	8000	0	0	0	10.3	0	
10/12/2021	153.2	428.6	39.71	0	7395	21.72	0	61.95	8.6	0	
10/13/2021	239.7	242.9	91.45	0	795.2	34.21	0	99.79	7.8	0	
10/14/2021	0	448.2	139.4	0	151.3	0	0	0	7.7	0	
10/15/2021	0	214.3	55.65	0	60.39	0	0	0	6.9	0	
10/16/2021	75.95	353.4	42.44	0	0	10.86	0	31.9	7.7	0	
10/17/2021	151.8	123.8	59.06	0	0	21.72	0	63.89	6.3	0	
10/18/2021	15.18	263.6	104.1	0	0	2.172	0	6.396	7.3	0	
10/19/2021	0	357.2	41.62	0	0	0	0	0	7.0	0	
10/20/2021	0	174.5	1.984	0	0	0	0	0	5.6	0	
10/21/2021	0	26.52	1.979	0	857.8	0	0	0	5.0	0	
10/22/2021	0	204.7	1.952	0	2.118	0	0	0	4.4	0	
10/23/2021	0	0	1.908	0	2.07	0	0	0	4.7	0	
10/24/2021	0	0.07	1.849	0	0	0	0	0	4.8	0	
10/25/2021	0	2.48	1.781	0	0	0	0	0	5.2	0	
10/26/2021	0	274.2	1.705	0	0	0	0	0	4.6	0	
10/27/2021	3.788	33.28	180.6	0	0	0.543	0	1.609	5.9	0	
10/28/2021	223.4	150.7	132.7	0	0	32.04	0	94.98	5.0	0	
10/29/2021	0	322.5	119.1	0	0	0	0	0	3.8	0	
10/30/2021	60.54	68.23	6.722	0	0	8.688	0	25.83	4.1	0	
10/31/2021	0	208.1	17.84	0	0	0	0	0	4.2	0	
11/1/2021	0	245.1	1.371	0	0	0	0	0	3.0	0	
11/2/2021	0	52.7	1.374	0	0	0	0	0	2.2	0	
11/3/2021	0	112.5	1.363	0	0	0	0	0	2.2	0	
11/4/2021	0	9.15	1.341	0	0	0	0	0	2.5	0	
11/5/2021	0	6.27	1.307	0	0	0	0	0	2.9	0	
11/6/2021	0	105.4	0.3612	0	0	0	0	0	3.0	0	
11/7/2021	0	131.6	1.278	0	0	0	0	0	2.8	0	
11/8/2021	0	52.05	0.3488	0	0	0	0	0	3.1	0	
11/9/2021	0	79.2	0.3492	0	0	0	0	0	2.4	0	
11/10/2021	0	239.1	0.3481	0	0	0	0	0	2.0	0	
11/11/2021	0	105.2	0.3458	0	0	0	0	0	0.5	0	
11/12/2021	0	139.6	0.3427	0	0	0	0	0	0.2	0	
11/13/2021	0	92.93	0.3389	0	0	0	0	0	0.0	0	
11/14/2021	0	217.1	0.3345	0	0	0	0	0	0.1	0	

Date	TIRIO2 - Water Balance										
	Inflow								Outflow		
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
11/15/2021	0	286.7	0.3297	0	0	0	0	0	1.3	0	
11/16/2021	0	275	0.3247	0	0	0	0	0	1.7	0	
11/17/2021	0	158.1	0.3194	0	0	0	0	0	1.1	0	
11/18/2021	0	198.8	0.314	0	0	0	0	0	0.3	0	
11/19/2021	0	18.35	0.3086	0	0	0	0	0	0.0	0	
11/20/2021	0	92.12	0.303	0	0	0	0	0	0.1	0	
11/21/2021	0	20.66	0.2975	0	0	0	0	0	1.0	0	
11/22/2021	0	13.76	0.2919	0	0	0	0	0	0.6	0	
11/23/2021	0	33.61	0.2864	0	0	0	0	0	0.0	0	
11/24/2021	0	39.15	0.2809	0	0	0	0	0	0.0	0	
11/25/2021	0	88.24	0.2755	0	0	0	0	0	0.0	0	
11/26/2021	0	221.2	0.2702	0	0	0	0	0	0.1	0	
11/27/2021	0	284.6	0.2649	0	0	0	0	0	0.0	0	
11/28/2021	0	78.3	0.2597	0	0	0	0	0	0.7	0	
11/29/2021	0	45.17	0.2546	0	0	0	0	0	0.5	0	
11/30/2021	0	52.53	0.2496	0	0	0	0	0	0.0	0	
12/1/2021	0	0	0.2447	0	0	0	0	0	0.1	0	
12/2/2021	0	0	0.2398	0	0	0	0	0	0.0	0	
12/3/2021	0	20.29	0.235	0	0	0	0	0	0.0	0	
12/4/2021	0	169.6	0.2304	0	0	0	0	0	0.0	0	
12/5/2021	0	0.83	0.2258	0	0	0	0	0	0.0	0	
12/6/2021	0	274.9	0.2213	0	0	0	0	0	0.0	0	
12/7/2021	0	139	0.2169	0	0	0	0	0	0.0	0	
12/8/2021	0	74.62	0.2126	0	0	0	0	0	0.0	0	
12/9/2021	0	79.77	0.2083	0	0	0	0	0	0.0	0	
12/10/2021	0	221.6	0.2042	0	0	0	0	0	0.3	0	
12/11/2021	0	145.6	0.2001	0	0	0	0	0	0.5	0	
12/12/2021	0	64.98	0.1961	0	0	0	0	0	0.3	0	
12/13/2021	0	118	0.1922	0	0	0	0	0	0.2	0	
12/14/2021	0	181.6	0.1883	0	0	0	0	0	0.0	0	
12/15/2021	0	141	0.1846	0	0	0	0	0	0.0	0	
12/16/2021	0	25.29	0.1809	0	0	0	0	0	0.0	0	
12/17/2021	0	175.4	0.1772	0	0	0	0	0	0.0	0	
12/18/2021	0	92.4	0.1737	0	0	0	0	0	0.0	0	
12/19/2021	0	56.89	0.1702	0	0	0	0	0	0.0	0	
12/20/2021	0	102.1	0.1668	0	0	0	0	0	0.0	0	
12/21/2021	0	15.37	0.1635	0	0	0	0	0	0.0	0	
12/22/2021	0	156.2	0.1602	0	0	0	0	0	0.0	0	
12/23/2021	0	75.7	0.157	0	0	0	0	0	0.0	0	
12/24/2021	0	38.11	0.1539	0	0	0	0	0	0.0	0	
12/25/2021	0	38.17	0.1508	0	0	0	0	0	0.0	0	
12/26/2021	0	162.8	0.1478	0	0	0	0	0	0.0	0	
12/27/2021	0	206.1	0.1448	0	0	0	0	0	0.2	0	
12/28/2021	0	150.3	0.1419	0	0	0	0	0	0.0	0	
12/29/2021	0	52.84	0.1391	0	0	0	0	0	0.0	0	
12/30/2021	0	234.8	0.1363	0	0	0	0	0	0.0	0	
12/31/2021	0	160.2	0.1336	0	0	0	0	0	0.0	0	
1/1/2022	0	80.65	0.1309	0	0	0	0	0	0.0	0	
1/2/2022	0	136.8	0.1283	0	0	0	0	0	0.0	0	
1/3/2022	0	142.8	0.1257	0	0	0	0	0	0.0	0	
1/4/2022	0	183	0.1232	0	0	0	0	0	0.0	0	
1/5/2022	0	285.9	0.1208	0	0	0	0	0	0.0	0	
1/6/2022	0	301.2	0.1183	0	0	0	0	0	0.0	0	
1/7/2022	0	125.9	0.116	0	0	0	0	0	0.0	0	
1/8/2022	0	117	0.1137	0	0	0	0	0	0.0	0	
1/9/2022	0	34.39	0.1114	0	0	0	0	0	0.0	0	
1/10/2022	0	255.6	0.1092	0	0	0	0	0	0.0	0	
1/11/2022	0	214.3	0.107	0	0	0	0	0	0.0	0	
1/12/2022	0	200.9	0.1048	0	0	0	0	0	0.0	0	
1/13/2022	0	61.25	0.1027	0	0	0	0	0	0.0	0	
1/14/2022	0	71.84	0.1007	0	0	0	0	0	0.0	0	
1/15/2022	0	209.7	0.09866	0	0	0	0	0	0.0	0	
1/16/2022	0	202.7	0.09669	0	0	0	0	0	0.0	0	
1/17/2022	0	318.9	0.09476	0	0	0	0	0	0.0	0	
1/18/2022	0	52.28	0.09286	0	0	0	0	0	0.0	0	
1/19/2022	0	5.02	0.091	0	0	0	0	0	0.0	0	
1/20/2022	0	18.46	0.08918	0	0	0	0	0	0.3	0	
1/21/2022	0	9.14	0.0874	0	0	0	0	0	0.0	0	
1/22/2022	0	223.7	0.08565	0	0	0	0	0	0.0	0	
1/23/2022	0	313.4	0.08394	0	0	0	0	0	0.0	0	
1/24/2022	0	112.7	0.08226	0	0	0	0	0	0.0	0	
1/25/2022	0	182	0.08062	0	0	0	0	0	0.0	0	
1/26/2022	0	134.1	0.079	0	0	0	0	0	0.0	0	
1/27/2022	0	94.06	0.07742	0	0	0	0	0	0.0	0	
1/28/2022	0	260.5	0.07587	0	0	0	0	0	0.0	0	
1/29/2022	0	190.9	0.07436	0	0	0	0	0	0.0	0	
1/30/2022	0	12.54	0.07287	0	0	0	0	0	0.0	0	
1/31/2022	0	155	0.07141	0	0	0	0	0	0.0	0	
2/1/2022	0	154.1	0.06998	0	0	0	0	0	0.0	0	
2/2/2022	0	356.1	0.06858	0	0	0	0	0	0.0	0	
2/3/2022	0	460	0.06721	0	0	0	0	0	0.0	0	
2/4/2022	0	460	0.06587	0	0	0	0	0	0.0	0	
2/5/2022	0	460	0.06455	0	0	0	0	0	0.0	0	
2/6/2022	0	460	0.06326	0	0	0	0	0	0.0	0	
2/7/2022	0	460	0.062	0	0	0	0	0	0.0	0	
2/8/2022	0	460	0.06076	0	0	0	0	0	0.0	0	
2/9/2022	0	460	0.05954	0	0	0	0	0	0.0	0	
2/10/2022	0	460	0.05835	0	0	0	0	0	0.0	0	
2/11/2022	0	460	0.05718	0	0	0	0	0	0.0	0	
2/12/2022	0	460	0.05604	0	0	0	0	0	0.0	0	
2/13/2022	0	460	0.05492	0	0	0	0	0	0.0	0	
2/14/2022	0	460	0.05382	0	0	0	0	0	0.0	0	
2/15/2022	0	460	0.05274	0	0	0	0	0	0.0	0	
2/16/2022	0	460	0.05169	0	0	0	0	0	0.0	0	
2/17/2022	0	460	0.05065	0	0	0	0	0	0.0	0	
2/18/2022	0	460	0.04964	0	0	0	0	0	0.0	0	
2/19/2022	0	460	0.04865	0	0	0	0	0	0.0	0	
2/20/2022	0	460	0.04768	0	0	0	0	0	0.0	0	
2/21/2022	0	460	0.04672	0	0	0	0	0	0.0	0	
2/22/2022	0	460	0.04579	0	0	0	0	0	0.0	0	
2/23/2022	0	460	0.04487	0	0	0	0	0	0.0	0	
2/24/2022	0	460	0.04397	0	0	0	0	0	0.0	0	
2/25/2022	0	460	0.0431	0	0	0	0	0	0.0	0	
2/26/2022	0	460	0.04223	0	0	0	0	0	0.0	0	
2/27/2022	0	460	0.04139	0	0	0	0	0	0.0	0	

Date	TIRIO2 - Water Balance									
	Inflow							Outflow		
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
2/28/2022	0	460	0.04056	0	0	0	0	0	0.0	0
3/1/2022	0	460	0.03975	0	0	0	0	0	0.0	0
3/2/2022	0	460	0.03895	0	0	0	0	0	0.0	0
3/3/2022	0	460	0.03818	0	0	0	0	0	0.0	0
3/4/2022	0	460	0.03741	0	0	0	0	0	0.0	0
3/5/2022	0	460	0.03666	0	0	0	0	0	0.0	0
3/6/2022	0	460	0.03593	0	0	0	0	0	0.0	0
3/7/2022	0	460	0.03521	0	0	0	0	0	0.0	0
3/8/2022	0	460	0.03451	0	0	0	0	0	0.0	0
3/9/2022	0	460	0.03382	0	0	0	0	0	0.0	0
3/10/2022	0	460	0.03314	0	0	0	0	0	0.0	0
3/11/2022	0	460	0.03248	0	0	0	0	0	0.0	0
3/12/2022	0	460	0.03183	0	0	0	0	0	0.0	0
3/13/2022	0	460	0.03119	0	0	0	0	0	0.0	0
3/14/2022	0	460	0.03057	0	0	0	0	0	0.0	0
3/15/2022	0	460	0.02996	0	0	0	0	0	0.0	0
3/16/2022	0	460	0.02936	0	0	0	0	0	0.0	0
3/17/2022	0	460	0.02877	0	0	0	0	0	0.0	0
3/18/2022	0	460	0.0282	0	0	0	0	0	0.0	0
3/19/2022	0	460	0.02763	0	0	0	0	0	0.0	0
3/20/2022	0	460	0.02708	0	0	0	0	0	0.0	0
3/21/2022	0	460	0.02654	0	0	0	0	0	0.0	0
3/22/2022	0	460	0.02601	0	0	0	0	0	0.0	0
3/23/2022	0	460	0.02549	0	0	0	0	0	4.9	0
3/24/2022	0	460	0.02498	0	0	0	0	0	12.3	0
3/25/2022	0	460	0.02448	0	0	0	0	0	7.2	0
3/26/2022	0	460	0.02399	0	0	0	0	0	2.1	0
3/27/2022	0	460	0.02351	0	0	0	0	0	0.0	0
3/28/2022	0	460	0.02304	0	0	0	0	0	0.0	0
3/29/2022	0	460	0.02258	0	0	0	0	0	0.0	0
3/30/2022	0	460	0.02213	0	0	0	0	0	0.0	0
3/31/2022	0	460	0.02168	0	0	0	0	0	0.0	0
4/1/2022	0	460	0.02125	0	0	0	0	0	5.4	0
4/2/2022	0	460	0.02082	0	0	0	0	0	8.4	0
4/3/2022	0	460	0.02041	0	0	0	0	0	0.0	0
4/4/2022	0	460	0.02	0	0	0	0	0	0.0	0
4/5/2022	0	460	0.0196	0	0	0	0	0	0.0	0
4/6/2022	0	460	0.01921	0	0	0	0	0	0.0	0
4/7/2022	0	460	0.01882	0	0	0	0	0	0.0	0
4/8/2022	0	460	0.01845	0	0	0	0	0	0.0	0
4/9/2022	0	460	0.01808	0	0	0	0	0	0.0	0
4/10/2022	0	460	0.01772	0	0	0	0	0	0.0	0
4/11/2022	0	460	0.01736	0	0	0	0	0	0.0	0
4/12/2022	0	460	0.01701	0	0	0	0	0	0.0	0
4/13/2022	0	460	0.01667	0	0	0	0	0	0.0	0
4/14/2022	0	460	0.01634	0	0	0	0	0	2.6	0
4/15/2022	0	460	0.01601	0	0	0	0	0	9.5	0
4/16/2022	0	460	0.01569	0	0	0	0	0	9.2	0
4/17/2022	0	460	0.01538	0	0	0	0	0	6.4	0
4/18/2022	0	460	0.01507	0	0	0	0	0	4.3	0
4/19/2022	0	460	0.01477	0	0	0	0	0	3.2	0
4/20/2022	0	460	0.01448	0	0	0	0	0	0.0	0
4/21/2022	0	460	0.01419	0	0	0	0	0	0.0	0
4/22/2022	0	460	0.0139	0	0	0	0	0	0.0	0
4/23/2022	0	460	0.01362	0	0	0	0	0	0.0	0
4/24/2022	0	460	0.01335	0	0	0	0	0	0.0	0
4/25/2022	0	460	0.01308	0	0	0	0	0	0.0	0
4/26/2022	0	460	0.01282	0	0	0	0	0	0.0	0
4/27/2022	0	460	0.01257	0	0	0	0	0	0.0	0
4/28/2022	0	460	0.01232	0	0	0	0	0	6.0	0
4/29/2022	0	460	0.01207	0	0	0	0	0	0.0	0
4/30/2022	0	460	0.01183	0	0	0	0	0	0.0	0
5/1/2022	0	460	0.01159	0	0	0	0	0	4.4	0
5/2/2022	0	460	0.01136	0	500	0	0	0	16.1	0
5/3/2022	0	460	0.01113	0	317.2	0	0	0	19.6	0
5/4/2022	0	460	0.01091	0	0.01184	0	0	0	22.1	0
5/5/2022	0	460	0.01069	0	0.0116	0	0	0	10.6	0
5/6/2022	0	460	0.01048	0	0.01137	0	0	0	19.0	0
5/7/2022	0	460	0.01027	0	0.01114	0	0	0	19.2	0
5/8/2022	0	460	0.01006	0	0.01092	0	0	0	18.9	0
5/9/2022	0	460	0.009861	0	0.0107	0	0	0	28.6	0
5/10/2022	0	460	0.009654	0	0.01049	0	0	0	33.1	0
5/11/2022	0	460	0.009471	0	0.01028	0	0	0	32.3	0
5/12/2022	0	460	0.009281	0	0.01007	0	0	0	32.2	0
5/13/2022	0	460	0.009096	0	0.009871	0	0	0	29.4	0
5/14/2022	0	460	0.008914	0	0.009673	0	0	0	33.5	0
5/15/2022	56.47	460	24.32	0	86.09	0	0	29.33	26.4	0
5/16/2022	62.21	460	76.01	0	148.3	0	0	32.37	31.9	0
5/17/2022	165	460	107.7	0	291.5	0	0	86.05	33.1	0
5/18/2022	11.51	460	140.8	0	165	0	0	6.023	37.2	0
5/19/2022	0	460	9.18	0	9.962	0	0	0	36.0	0
5/20/2022	0	460	0.07925	0	0.08601	0	0	0	37.0	0
5/21/2022	47.66	460	22.98	0	75.48	0	0	25.07	38.6	0
5/22/2022	87.84	460	108.8	0	211.3	0	0	46.29	41.7	0
5/23/2022	110.8	460	246.9	0	385.6	0	0	58.53	40.3	0
5/24/2022	144.6	460	248.6	0	423.5	0	0	76.72	38.1	0
5/25/2022	157.2	460	149.7	0	329.7	0	0	83.72	39.2	0
5/26/2022	28.14	460	121.5	0	161.8	0	0	15.04	40.8	0
5/27/2022	63.43	460	49.4	0	121.2	0	0	33.99	37.2	0
5/28/2022	38.36	460	45.33	0	90.1	0	0	20.6	36.9	0
5/29/2022	130.3	460	81.65	0	227.6	0	0	70.08	41.1	0
5/30/2022	183.5	460	383.7	0	500	0	0	99.01	46.8	0
5/31/2022	244.4	460	590.9	0	500	0	0	132.5	50.8	0
6/1/2022	270.3	460	861.1	0	500	0	0	147.4	50.3	0
6/2/2022	232.9	460	190.6	0	500	0	0	127.9	53.9	0
6/3/2022	118.7	460	137.8	0	500	0	0	65.48	43.0	0
6/4/2022	150.2	460	116.3	0	500	0	0	83.13	48.2	0
6/5/2022	159.1	460	99.05	0	500	0	0	88.42	47.6	0
6/6/2022	208.5	460	84.35	0	500	0	0	116.3	50.3	0
6/7/2022	269.6	460	72.89	0	500	0	0	151	54.6	0
6/8/2022	248.7	460	70.13	0	500	0	0	139.9	47.4	0
6/9/2022	54.05	460	170.6	0	306.9	0	0	30.54	50.1	0
6/10/2022	0	460	76.73	0	83.27	0	0	0	50.6	0
6/11/2022	0	460	59.43	0	64.5	0	0	0	50.6	0
6/12/2022	0	460	56.39	0	61.19	0	0	0	47.3	0

Date	TIRI02 - Water Balance									
	Inflow							Outflow		
	TIRI02 Pitwall Runoff	UG to TIRI02	TIRI02 Natural Runoff	SP1 to TIRI02	SP4 to TIRI02	Stockpile to	J6 to TIRI02	Rain and Snowmelt	TIRI02 Pond Surface Evaporation	To SETP
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
6/13/2022	0	460	52.05	0	56.49	0	0	0	47.1	0
6/14/2022	10.54	460	47.78	0	63.28	0	0	6.009	52.0	0
6/15/2022	18.99	460	43.82	0	68.16	0	0	10.85	55.1	960
6/16/2022	10.53	460	40.16	0	55.01	0	0	6.01	52.6	960
6/17/2022	10.54	460	36.74	0	51.3	0	0	6.005	56.2	960
6/18/2022	10.54	460	33.5	0	47.78	0	0	5.999	58.0	960
6/19/2022	10.55	460	30.46	0	44.48	0	0	5.993	57.1	960
6/20/2022	10.55	460	27.64	0	41.43	0	0	5.987	58.2	960
6/21/2022	10.56	460	7.146	0	19.18	0	0	5.981	67.9	960
6/22/2022	0	460	7.003	0	7.6	0	0	0	57.3	960
6/23/2022	0	460	6.863	0	7.448	0	0	0	52.1	960
6/24/2022	0	460	6.726	0	7.299	0	0	0	57.3	960
6/25/2022	0	460	6.591	0	7.153	0	0	0	56.2	960
6/26/2022	0	460	6.459	0	7.01	0	0	0	58.1	960
6/27/2022	0	460	6.33	0	6.869	0	0	0	72.4	960
6/28/2022	0	460	6.203	0	6.732	0	0	0	87.9	960
6/29/2022	0	460	6.079	0	6.597	0	0	0	139.9	960
6/30/2022	0	460	5.958	0	6.465	0	0	0	239.0	960
7/1/2022	0	460	5.839	0	6.336	0	0	0	60.6	960
7/2/2022	0	460	5.722	0	6.209	0	0	0	61.2	960
7/3/2022	0	460	5.607	0	6.085	0	0	0	101.9	960
7/4/2022	0	460	5.495	0	5.963	0	0	0	81.0	960
7/5/2022	0	460	5.385	0	5.844	0	0	0	58.9	960
7/6/2022	10.63	460	5.278	0	17.16	0	0	5.871	60.4	960
7/7/2022	1082	460	5.172	0	500	0	0	596.8	60.6	960
7/8/2022	365.9	460	543.5	0	500	0	0	202.7	62.6	960
7/9/2022	19.14	460	233.7	0	500	0	0	10.64	62.7	960
7/10/2022	0	460	46.01	0	500	0	0	0	62.0	960
7/11/2022	0	460	52.01	0	500	0	0	0	62.8	960
7/12/2022	10.61	460	38.87	0	80.93	0	0	5.901	66.7	960
7/13/2022	0	460	35.86	0	38.92	0	0	0	67.5	960
7/14/2022	0	460	34.67	0	37.62	0	0	0	67.2	960
7/15/2022	0	460	31.57	0	34.26	0	0	0	96.9	960
7/16/2022	0	460	28.03	0	30.42	0	0	0	67.3	960
7/17/2022	0	460	7.186	0	7.798	0	0	0	71.1	960
7/18/2022	0	460	7.042	0	7.642	0	0	0	80.9	960
7/19/2022	0	460	6.901	0	7.489	0	0	0	70.2	960
7/20/2022	0	460	6.763	0	7.339	0	0	0	68.2	960
7/21/2022	10.65	460	6.628	0	18.62	0	0	5.841	68.5	960
7/22/2022	149.7	460	6.495	0	167.5	0	0	81.93	60.6	960
7/23/2022	272.9	460	55.16	0	352.5	0	0	149.3	58.2	960
7/24/2022	33.71	460	131.2	0	178.6	0	0	18.46	55.1	960
7/25/2022	1157	460	9.593	0	500	0	0	633.3	58.5	960
7/26/2022	40.9	460	592.7	0	500	0	0	22.51	58.2	960
7/27/2022	0	460	79.7	0	500	0	0	0	66.0	960
7/28/2022	91.52	460	61.61	0	500	0	0	50.45	57.1	960
7/29/2022	11.95	460	67.79	0	272.2	0	0	6.589	51.0	960
7/30/2022	0	460	42.85	0	46.5	0	0	0	52.7	960
7/31/2022	0	460	39.15	0	42.48	0	0	0	55.5	960
8/1/2022	0	460	38.07	0	41.31	0	0	0	60.4	960
8/2/2022	0	460	35.18	0	38.18	0	0	0	71.6	960
8/3/2022	0	460	31.73	0	34.43	0	0	0	61.9	960
8/4/2022	0	460	28.65	0	31.09	0	0	0	60.6	960
8/5/2022	10.66	460	25.81	0	39.43	0	0	5.826	57.5	960
8/6/2022	10.67	460	6.654	0	18.65	0	0	5.82	49.7	960
8/7/2022	0	460	6.521	0	7.076	0	0	0	51.4	960
8/8/2022	338.7	460	6.39	0	369.5	0	0	184.2	50.9	960
8/9/2022	1217	460	155.4	0	500	0	0	662.4	51.3	960
8/10/2022	214.9	460	629.7	0	500	0	0	117.7	41.2	960
8/11/2022	10.65	460	184.9	0	500	0	0	5.849	44.5	960
8/12/2022	19.2	460	81.41	0	500	0	0	10.55	44.1	960
8/13/2022	19.2	460	67.72	0	500	0	0	10.55	49.0	960
8/14/2022	0	460	56.02	0	357	0	0	0	58.6	960
8/15/2022	0	460	45.05	0	48.89	0	0	0	48.9	960
8/16/2022	10.65	460	44.27	0	59.47	0	0	5.844	47.6	960
8/17/2022	0	460	42.37	0	45.98	0	0	0	60.6	960
8/18/2022	0	460	38.87	0	42.18	0	0	0	50.6	960
8/19/2022	0	460	35.45	0	38.47	0	0	0	45.6	960
8/20/2022	367.4	460	32.33	0	428.7	0	0	200.5	41.6	960
8/21/2022	11.98	460	195.6	0	225.1	0	0	6.546	41.7	960
8/22/2022	0	460	27.3	0	29.62	0	0	0	39.1	960
8/23/2022	106.3	460	27.51	0	143.7	0	0	57.98	38.5	960
8/24/2022	55.52	460	57.06	0	121.4	0	0	30.27	40.7	960
8/25/2022	10.67	460	39.29	0	54.07	0	0	5.813	36.2	960
8/26/2022	10.68	460	7.091	0	19.12	0	0	5.808	37.5	960
8/27/2022	26.52	460	7.203	0	36.2	0	0	14.41	36.5	960
8/28/2022	113.7	460	7.153	0	129.4	0	0	61.68	33.6	960
8/29/2022	10.69	460	45.97	0	61.32	0	0	5.793	32.5	960
8/30/2022	48.36	460	6.869	0	59.15	0	0	26.18	32.3	960
8/31/2022	10.69	460	12.81	0	25.33	0	0	5.782	29.9	960
9/1/2022	10.7	460	6.8	0	18.81	0	0	5.776	30.1	960
9/2/2022	12.02	460	6.682	0	20.09	0	0	6.481	30.4	960
9/3/2022	46.4	460	6.548	0	56.63	0	0	24.98	29.2	960
9/4/2022	31.85	460	8.15	0	42.82	0	0	17.12	30.0	960
9/5/2022	15.97	460	8.113	0	25.83	0	0	8.572	29.3	960
9/6/2022	12.04	460	6.163	0	19.53	0	0	6.455	27.2	960
9/7/2022	0	460	6.04	0	6.554	0	0	0	25.7	960
9/8/2022	228.9	460	5.919	0	250.2	0	0	122.3	24.7	960
9/9/2022	17.31	460	101.7	0	128.8	0	0	9.252	25.2	960
9/10/2022	5.258	460	5.685	0	11.77	0	0	2.808	23.3	960
9/11/2022	153.5	460	5.987	0	170	0	0	81.89	18.8	960
9/12/2022	63.3	460	67.49	0	140.6	0	0	33.75	20.6	960
9/13/2022	0	460	28.54	0	30.98	0	0	0	22.9	960
9/14/2022	5.263	460	6.659	0	12.83	0	0	2.8	20.6	960
9/15/2022	30.38	460	7.006	0	39.91	0	0	16.14	22.7	960
9/16/2022	0	460	0.3604	0	0.3911	0	0	0	18.6	960
9/17/2022	0	460	0.3637	0	0.3947	0	0	0	17.3	960
9/18/2022	0	460	1.286	0	1.396	0	0	0	17.3	960
9/19/2022	26.73	460	37.57	0	69.15	0	0	14.11	17.3	960
9/20/2022	0	460	15.75	0	17.09	0	0	0	19.6	960
9/21/2022	34.08	460	7.027	0	43.78	0	0	17.94	19.6	960
9/22/2022	5.28	460	6.981	0	13.18	0	0	2.776	17.3	960
9/23/2022	21.81	460	6.879	0	30.59	0	0	11.45	16.6	960
9/24/2022	0	460	0.3394	0	0.3683	0	0	0	15.7	960
9/25/2022	0	460	0.3335	0	0.3619	0	0	0	14.5	960

Date	TIRIO2 - Water Balance									
	Inflow						Outflow			
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
9/26/2022	0	460	0.3301	0	0.3583	0	0	0	12.7	960
9/27/2022	0	460	0.3275	0	0.3554	0	0	0	12.4	960
9/28/2022	0	460	0.3248	0	0.3525	0	0	0	12.9	960
9/29/2022	0	460	0.3217	0	0.3491	0	0	0	11.4	960
9/30/2022	489.4	460	43.93	0	500	0	0	254.1	12.0	960
10/1/2022	0	460	259.9	0	346.8	0	0	0	11.7	960
10/2/2022	0	460	11.41	0	12.38	0	0	0	8.2	960
10/3/2022	0	460	5.472	0	5.938	0	0	0	10.6	960
10/4/2022	0	460	1.968	0	2.136	0	0	0	10.4	960
10/5/2022	0	460	1.466	0	1.59	0	0	0	9.1	960
10/6/2022	0	460	1.482	0	1.609	0	0	0	7.0	960
10/7/2022	0	460	1.476	0	1.602	0	0	0	4.9	960
10/8/2022	0	460	1.451	0	1.575	0	0	0	6.5	960
10/9/2022	0	460	1.413	0	1.534	0	0	0	6.6	960
10/10/2022	0	460	1.365	0	1.482	0	0	0	6.8	960
10/11/2022	0	460	1.311	0	1.422	0	0	0	7.7	960
10/12/2022	0	460	0.3576	0	0.3881	0	0	0	7.7	960
10/13/2022	0	460	0.358	0	0.3885	0	0	0	7.9	960
10/14/2022	0	460	0.3568	0	0.3872	0	0	0	6.3	960
10/15/2022	0	460	0.3545	0	0.3847	0	0	0	6.4	960
10/16/2022	0	460	0.3513	0	0.3812	0	0	0	6.4	0
10/17/2022	0	460	0.3473	0	0.3769	0	0	0	5.7	0
10/18/2022	0	460	0.3428	0	0.372	0	0	0	4.9	0
10/19/2022	0	460	0.3379	0	0.3667	0	0	0	3.6	0
10/20/2022	0	460	0.3328	0	0.3611	0	0	0	2.6	0
10/21/2022	0	460	0.3274	0	0.3553	0	0	0	3.4	0
10/22/2022	0	460	0.3218	0	0.3492	0	0	0	2.8	0
10/23/2022	0	460	0.3162	0	0.3431	0	0	0	2.1	0
10/24/2022	0	460	0.3105	0	0.337	0	0	0	4.0	0
10/25/2022	0	460	0.3048	0	0.3308	0	0	0	5.1	0
10/26/2022	0	460	0.2991	0	0.3246	0	0	0	2.9	0
10/27/2022	0	460	0.2935	0	0.3185	0	0	0	3.6	0
10/28/2022	0	460	0.2879	0	0.3124	0	0	0	2.6	0
10/29/2022	0	460	0.2823	0	0.3064	0	0	0	0.0	0
10/30/2022	0	460	0.2769	0	0.3004	0	0	0	2.5	0
10/31/2022	0	460	0.2715	0	0.2946	0	0	0	1.7	0
11/1/2022	0	460	0.2661	0	0.2888	0	0	0	0.0	0
11/2/2022	0	460	0.2609	0	0.2831	0	0	0	0.0	0
11/3/2022	0	460	0.2558	0	0.2775	0	0	0	0.0	0
11/4/2022	0	460	0.2507	0	0.272	0	0	0	0.2	0
11/5/2022	0	460	0.2457	0	0.2667	0	0	0	0.3	0
11/6/2022	0	460	0.2408	0	0.2614	0	0	0	0.0	0
11/7/2022	0	460	0.2361	0	0.2562	0	0	0	0.0	0
11/8/2022	0	460	0.2314	0	0.2511	0	0	0	0.0	0
11/9/2022	0	460	0.2267	0	0.2461	0	0	0	0.0	0
11/10/2022	0	460	0.2222	0	0.2412	0	0	0	0.0	0
11/11/2022	0	460	0.2178	0	0.2363	0	0	0	0.0	0
11/12/2022	0	460	0.2134	0	0.2316	0	0	0	0.2	0
11/13/2022	0	460	0.2092	0	0.227	0	0	0	0.0	0
11/14/2022	0	460	0.205	0	0.2225	0	0	0	0.7	0
11/15/2022	0	460	0.2009	0	0.218	0	0	0	1.2	0
11/16/2022	0	460	0.1969	0	0.2137	0	0	0	1.5	0
11/17/2022	0	460	0.193	0	0.2094	0	0	0	0.0	0
11/18/2022	0	460	0.1891	0	0.2052	0	0	0	0.0	0
11/19/2022	0	460	0.1853	0	0.2011	0	0	0	0.0	0
11/20/2022	0	460	0.1816	0	0.1971	0	0	0	0.0	0
11/21/2022	0	460	0.178	0	0.1932	0	0	0	0.0	0
11/22/2022	0	460	0.1744	0	0.1893	0	0	0	0.0	0
11/23/2022	0	460	0.1709	0	0.1855	0	0	0	0.0	0
11/24/2022	0	460	0.1675	0	0.1818	0	0	0	0.3	0
11/25/2022	0	460	0.1642	0	0.1782	0	0	0	0.0	0
11/26/2022	0	460	0.1609	0	0.1746	0	0	0	0.9	0
11/27/2022	0	460	0.1577	0	0.1711	0	0	0	0.0	0
11/28/2022	0	460	0.1545	0	0.1677	0	0	0	0.0	0
11/29/2022	0	460	0.1514	0	0.1643	0	0	0	0.0	0
11/30/2022	0	460	0.1484	0	0.161	0	0	0	0.3	0
12/1/2022	0	460	0.1454	0	0.1578	0	0	0	0.1	0
12/2/2022	0	460	0.1425	0	0.1547	0	0	0	0.0	0
12/3/2022	0	460	0.1397	0	0.1516	0	0	0	0.0	0
12/4/2022	0	460	0.1369	0	0.1485	0	0	0	0.0	0
12/5/2022	0	460	0.1341	0	0.1456	0	0	0	0.0	0
12/6/2022	0	460	0.1315	0	0.1427	0	0	0	0.1	0
12/7/2022	0	460	0.1288	0	0.1398	0	0	0	0.2	0
12/8/2022	0	460	0.1263	0	0.137	0	0	0	0.0	0
12/9/2022	0	460	0.1237	0	0.1343	0	0	0	0.0	0
12/10/2022	0	460	0.1213	0	0.1316	0	0	0	0.0	0
12/11/2022	0	460	0.1188	0	0.129	0	0	0	0.0	0
12/12/2022	0	460	0.1165	0	0.1264	0	0	0	0.0	0
12/13/2022	0	460	0.1141	0	0.1238	0	0	0	0.0	0
12/14/2022	0	460	0.1118	0	0.1214	0	0	0	0.0	0
12/15/2022	0	460	0.1096	0	0.1189	0	0	0	0.2	0
12/16/2022	0	460	0.1074	0	0.1166	0	0	0	0.0	0
12/17/2022	0	460	0.1053	0	0.1142	0	0	0	0.1	0
12/18/2022	0	460	0.1032	0	0.1119	0	0	0	0.0	0
12/19/2022	0	460	0.1011	0	0.1097	0	0	0	0.0	0
12/20/2022	0	460	0.09908	0	0.1075	0	0	0	0.0	0
12/21/2022	0	460	0.09709	0	0.1054	0	0	0	0.0	0
12/22/2022	0	460	0.09515	0	0.1033	0	0	0	0.0	0
12/23/2022	0	460	0.09325	0	0.1012	0	0	0	0.0	0
12/24/2022	0	460	0.09138	0	0.09917	0	0	0	0.0	0
12/25/2022	0	460	0.08956	0	0.09719	0	0	0	0.0	0
12/26/2022	0	460	0.08777	0	0.09524	0	0	0	0.0	0
12/27/2022	0	460	0.08601	0	0.09334	0	0	0	0.0	0
12/28/2022	0	460	0.08429	0	0.09147	0	0	0	0.0	0
12/29/2022	0	460	0.0826	0	0.08964	0	0	0	0.0	0
12/30/2022	0	460	0.08095	0	0.08785	0	0	0	0.0	0
12/31/2022	0	460	0.07933	0	0.08609	0	0	0	0.0	0
1/1/2023	0	460	0.07775	0	0	0	0	0	0.0	0
1/2/2023	0	460	0.07619	0	0	0	0	0	0.0	0
1/3/2023	0	460	0.07467	0	0	0	0	0	0.0	0
1/4/2023	0	460	0.07317	0	0	0	0	0	0.0	0
1/5/2023	0	460	0.07171	0	0	0	0	0	0.0	0
1/6/2023	0	460	0.07028	0	0	0	0	0	0.0	0
1/7/2023	0	460	0.06887	0	0	0	0	0	0.0	0
1/8/2023	0	460	0.06749	0	0	0	0	0	0.0	0

Date	TIRIO2 - Water Balance										
	Inflow								Outflow		
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
1/9/2023	0	460	0.06614	0	0	0	0	0	0.0	0	
1/10/2023	0	460	0.06482	0	0	0	0	0	0.0	0	
1/11/2023	0	460	0.06352	0	0	0	0	0	0.0	0	
1/12/2023	0	460	0.06225	0	0	0	0	0	0.0	0	
1/13/2023	0	460	0.06101	0	0	0	0	0	0.0	0	
1/14/2023	0	460	0.05979	0	0	0	0	0	0.0	0	
1/15/2023	0	460	0.05859	0	0	0	0	0	0.0	0	
1/16/2023	0	460	0.05742	0	0	0	0	0	0.0	0	
1/17/2023	0	460	0.05627	0	0	0	0	0	0.0	0	
1/18/2023	0	460	0.05515	0	0	0	0	0	0.0	0	
1/19/2023	0	460	0.05404	0	0	0	0	0	0.0	0	
1/20/2023	0	460	0.05296	0	0	0	0	0	0.4	0	
1/21/2023	0	460	0.0519	0	0	0	0	0	0.0	0	
1/22/2023	0	460	0.05087	0	0	0	0	0	0.0	0	
1/23/2023	0	460	0.04985	0	0	0	0	0	0.0	0	
1/24/2023	0	460	0.04885	0	0	0	0	0	0.0	0	
1/25/2023	0	460	0.04787	0	0	0	0	0	0.0	0	
1/26/2023	0	460	0.04692	0	0	0	0	0	0.0	0	
1/27/2023	0	460	0.04598	0	0	0	0	0	0.0	0	
1/28/2023	0	460	0.04506	0	0	0	0	0	0.0	0	
1/29/2023	0	460	0.04416	0	0	0	0	0	0.0	0	
1/30/2023	0	460	0.04327	0	0	0	0	0	0.0	0	
1/31/2023	0	550	0.04241	0	0	0	0	0	0.0	0	
2/1/2023	0	550	0.04156	0	0	0	0	0	0.0	0	
2/2/2023	0	550	0.04073	0	0	0	0	0	0.0	0	
2/3/2023	0	550	0.03992	0	0	0	0	0	0.0	0	
2/4/2023	0	550	0.03912	0	0	0	0	0	0.0	0	
2/5/2023	0	550	0.03833	0	0	0	0	0	0.0	0	
2/6/2023	0	550	0.03757	0	0	0	0	0	0.0	0	
2/7/2023	0	550	0.03682	0	0	0	0	0	0.0	0	
2/8/2023	0	550	0.03608	0	0	0	0	0	0.0	0	
2/9/2023	0	550	0.03536	0	0	0	0	0	0.0	0	
2/10/2023	0	550	0.03465	0	0	0	0	0	0.0	0	
2/11/2023	0	550	0.03396	0	0	0	0	0	0.0	0	
2/12/2023	0	550	0.03328	0	0	0	0	0	0.0	0	
2/13/2023	0	550	0.03261	0	0	0	0	0	0.0	0	
2/14/2023	0	550	0.03196	0	0	0	0	0	0.0	0	
2/15/2023	0	550	0.03132	0	0	0	0	0	0.0	0	
2/16/2023	0	550	0.0307	0	0	0	0	0	0.0	0	
2/17/2023	0	550	0.03008	0	0	0	0	0	0.0	0	
2/18/2023	0	550	0.02948	0	0	0	0	0	0.0	0	
2/19/2023	0	550	0.02889	0	0	0	0	0	0.0	0	
2/20/2023	0	550	0.02831	0	0	0	0	0	0.0	0	
2/21/2023	0	550	0.02775	0	0	0	0	0	0.0	0	
2/22/2023	0	550	0.02719	0	0	0	0	0	0.0	0	
2/23/2023	0	550	0.02665	0	0	0	0	0	0.0	0	
2/24/2023	0	550	0.02611	0	0	0	0	0	0.0	0	
2/25/2023	0	550	0.02559	0	0	0	0	0	0.0	0	
2/26/2023	0	550	0.02508	0	0	0	0	0	0.0	0	
2/27/2023	0	550	0.02458	0	0	0	0	0	0.0	0	
2/28/2023	0	550	0.02409	0	0	0	0	0	0.0	0	
3/1/2023	0	550	0.02361	0	0	0	0	0	0.0	0	
3/2/2023	0	550	0.02313	0	0	0	0	0	0.0	0	
3/3/2023	0	550	0.02267	0	0	0	0	0	0.0	0	
3/4/2023	0	550	0.02222	0	0	0	0	0	0.0	0	
3/5/2023	0	550	0.02177	0	0	0	0	0	0.0	0	
3/6/2023	0	550	0.02134	0	0	0	0	0	0.0	0	
3/7/2023	0	550	0.02091	0	0	0	0	0	0.0	0	
3/8/2023	0	550	0.02049	0	0	0	0	0	0.0	0	
3/9/2023	0	550	0.02008	0	0	0	0	0	0.0	0	
3/10/2023	0	550	0.01968	0	0	0	0	0	0.0	0	
3/11/2023	0	550	0.01929	0	0	0	0	0	0.0	0	
3/12/2023	0	550	0.0189	0	0	0	0	0	0.0	0	
3/13/2023	0	550	0.01852	0	0	0	0	0	0.0	0	
3/14/2023	0	550	0.01815	0	0	0	0	0	0.0	0	
3/15/2023	0	550	0.01779	0	0	0	0	0	0.0	0	
3/16/2023	0	550	0.01743	0	0	0	0	0	0.0	0	
3/17/2023	0	550	0.01709	0	0	0	0	0	0.0	0	
3/18/2023	0	550	0.01674	0	0	0	0	0	0.0	0	
3/19/2023	0	550	0.01641	0	0	0	0	0	0.0	0	
3/20/2023	0	550	0.01608	0	0	0	0	0	0.0	0	
3/21/2023	0	550	0.01576	0	0	0	0	0	0.0	0	
3/22/2023	0	550	0.01544	0	0	0	0	0	0.0	0	
3/23/2023	0	550	0.01514	0	0	0	0	0	6.0	0	
3/24/2023	0	550	0.01483	0	0	0	0	0	15.0	0	
3/25/2023	0	550	0.01454	0	0	0	0	0	8.8	0	
3/26/2023	0	550	0.01425	0	0	0	0	0	2.6	0	
3/27/2023	0	550	0.01396	0	0	0	0	0	0.0	0	
3/28/2023	0	550	0.01368	0	0	0	0	0	0.0	0	
3/29/2023	0	550	0.01341	0	0	0	0	0	0.0	0	
3/30/2023	0	550	0.01314	0	0	0	0	0	0.0	0	
3/31/2023	0	550	0.01288	0	0	0	0	0	0.0	0	
4/1/2023	0	550	0.01262	0	0	0	0	0	6.7	0	
4/2/2023	0	550	0.01237	0	0	0	0	0	10.3	0	
4/3/2023	0	550	0.01212	0	0	0	0	0	0.0	0	
4/4/2023	0	550	0.01188	0	0	0	0	0	0.0	0	
4/5/2023	0	550	0.01164	0	0	0	0	0	0.0	0	
4/6/2023	0	550	0.01141	0	0	0	0	0	0.0	0	
4/7/2023	0	550	0.01118	0	0	0	0	0	0.0	0	
4/8/2023	0	550	0.01095	0	0	0	0	0	0.0	0	
4/9/2023	0	550	0.01074	0	0	0	0	0	0.0	0	
4/10/2023	0	550	0.01052	0	0	0	0	0	0.0	0	
4/11/2023	0	550	0.01031	0	0	0	0	0	0.0	0	
4/12/2023	0	550	0.0101	0	0	0	0	0	0.0	0	
4/13/2023	0	550	0.009902	0	0	0	0	0	0.0	0	
4/14/2023	0	550	0.009704	0	0	0	0	0	3.2	0	
4/15/2023	0	550	0.00951	0	0	0	0	0	11.6	0	
4/16/2023	0	550	0.00932	0	0	0	0	0	11.2	0	
4/17/2023	0	550	0.009134	0	0	0	0	0	7.8	0	
4/18/2023	0	550	0.008951	0	0	0	0	0	5.2	0	
4/19/2023	0	550	0.008772	0	0	0	0	0	3.9	0	
4/20/2023	0	550	0.008597	0	0	0	0	0	0.0	0	
4/21/2023	0	550	0.008425	0	0	0	0	0	0.0	0	
4/22/2023	0	550	0.008256	0	0	0	0	0	0.0	0	
4/23/2023	0	550	0.008091	0	0	0	0	0	0.0	0	

Date	TIRIO2 - Water Balance										
	Inflow							Outflow			
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
4/24/2023	0	550	0.007929	0	0	0	0	0	0.0	0	
4/25/2023	0	550	0.007771	0	0	0	0	0	0.0	0	
4/26/2023	0	550	0.007615	0	0	0	0	0	0.0	0	
4/27/2023	0	550	0.007463	0	0	0	0	0	0.0	0	
4/28/2023	0	550	0.007314	0	0	0	0	0	7.3	0	
4/29/2023	0	550	0.007167	0	0	0	0	0	0.0	0	
4/30/2023	0	550	0.007024	0	0	0	0	0	0.0	0	
5/1/2023	0	550	0.006883	0	0	0	0	0	5.4	0	
5/2/2023	0	550	0.006746	0	0	0	0	0	19.7	0	
5/3/2023	0	550	0.006611	0	0	0	0	0	24.0	0	
5/4/2023	0	550	0.006479	0	0	0	0	0	27.0	0	
5/5/2023	0	550	0.006349	0	0	0	0	0	13.0	0	
5/6/2023	0	550	0.006222	0	0	0	0	0	23.2	0	
5/7/2023	0	550	0.006098	0	0	0	0	0	23.5	0	
5/8/2023	0	550	0.005976	0	0	0	0	0	23.1	0	
5/9/2023	0	550	0.005856	0	0	0	0	0	35.0	0	
5/10/2023	0	550	0.005739	0	0	0	0	0	40.4	0	
5/11/2023	0	550	0.005624	0	0	0	0	0	39.5	0	
5/12/2023	0	550	0.005512	0	0	0	0	0	39.3	0	
5/13/2023	0	550	0.005402	0	0	0	0	0	35.9	0	
5/14/2023	0	550	0.005294	0	0	0	0	0	40.9	0	
5/15/2023	51.74	550	24.3	0	0	0	0	36.09	32.3	0	
5/16/2023	56.99	550	75.98	0	0	0	0	39.83	39.0	0	
5/17/2023	151.1	550	107.7	0	0	0	0	105.8	40.4	0	
5/18/2023	10.54	550	140.8	0	0	0	0	7.402	45.4	0	
5/19/2023	0	550	9.177	0	0	0	0	0	43.9	0	
5/20/2023	0	550	0.07605	0	0	0	0	0	45.1	0	
5/21/2023	43.66	550	22.96	0	0	0	0	30.79	47.1	0	
5/22/2023	80.46	550	108.8	0	0	0	0	56.84	50.8	0	
5/23/2023	101.5	550	246.9	0	0	0	0	71.83	49.1	0	
5/24/2023	132.5	550	248.5	0	0	0	0	94.04	46.4	0	
5/25/2023	144	550	149.7	0	0	0	0	102.5	47.7	0	
5/26/2023	25.79	550	121.4	0	0	0	0	18.4	49.7	0	
5/27/2023	58.13	550	49.37	0	0	0	0	41.55	45.3	0	
5/28/2023	35.15	550	45.31	0	0	0	0	25.17	44.9	0	
5/29/2023	119.4	550	81.56	0	0	0	0	85.63	49.9	0	
5/30/2023	168.2	550	383.5	0	0	0	0	120.9	56.9	0	
5/31/2023	224	550	624.9	0	0	0	0	161.6	61.7	0	
6/1/2023	247.8	550	861	0	0	0	0	179.5	61.1	0	
6/2/2023	213.6	550	1056	0	0	0	0	155.4	65.4	0	
6/3/2023	108.8	550	714.9	0	0	0	0	79.63	52.3	0	
6/4/2023	137.6	550	269.7	0	0	0	0	101.1	58.5	0	
6/5/2023	145.8	550	216.1	0	0	0	0	107.4	57.9	0	
6/6/2023	191.1	550	185.4	0	0	0	0	141.1	61.2	0	
6/7/2023	312.6	550	160.2	0	0	0	0	231.5	66.3	0	
6/8/2023	326.3	550	138.9	0	0	0	0	242.4	57.6	0	
6/9/2023	207.1	550	226.4	0	0	0	0	154.4	60.8	0	
6/10/2023	149.7	550	135.6	0	0	0	0	111.9	61.5	0	
6/11/2023	177.9	550	109.9	0	0	0	0	133.3	61.5	0	
6/12/2023	92.75	550	102.5	0	0	0	0	69.68	57.5	0	
6/13/2023	100.4	550	96.85	0	0	0	0	75.59	57.3	0	
6/14/2023	205.2	550	90.62	0	0	0	0	154.8	63.2	0	
6/15/2023	292.4	550	83.69	0	0	0	0	221.2	67.0	960	
6/16/2023	217.8	550	77.24	0	0	0	0	164.8	64.1	960	
6/17/2023	279.5	550	71.22	0	0	0	0	211.5	68.5	960	
6/18/2023	130.1	550	65.57	0	0	0	0	98.43	70.8	960	
6/19/2023	9.639	550	60.28	0	0	0	0	7.291	69.8	960	
6/20/2023	9.642	550	55.38	0	0	0	0	7.285	71.1	960	
6/21/2023	9.646	550	50.81	0	0	0	0	7.28	83.0	960	
6/22/2023	0	550	46.42	0	0	0	0	0	70.0	960	
6/23/2023	0	550	42.4	0	0	0	0	0	63.6	960	
6/24/2023	0	550	38.73	0	0	0	0	0	70.0	960	
6/25/2023	0	550	35.24	0	0	0	0	0	68.6	960	
6/26/2023	0	550	32.02	0	0	0	0	0	71.0	960	
6/27/2023	0	550	28.99	0	0	0	0	0	88.5	960	
6/28/2023	0	550	25.98	0	0	0	0	0	107.5	960	
6/29/2023	0	550	6.564	0	0	0	0	0	171.2	960	
6/30/2023	0	550	6.432	0	0	0	0	0	292.4	960	
7/1/2023	0	550	6.304	0	0	0	0	0	74.2	960	
7/2/2023	0	550	6.178	0	0	0	0	0	74.9	960	
7/3/2023	0	550	6.054	0	0	0	0	0	124.7	960	
7/4/2023	0	550	5.933	0	0	0	0	0	99.1	960	
7/5/2023	0	550	5.814	0	0	0	0	0	72.1	960	
7/6/2023	9.712	550	5.698	0	0	0	0	7.186	73.9	960	
7/7/2023	988.7	550	5.584	0	0	0	0	730.7	74.1	960	
7/8/2023	334.3	550	543.9	0	0	0	0	247.9	76.6	960	
7/9/2023	17.49	550	234.1	0	0	0	0	12.99	76.8	960	
7/10/2023	0	550	65.1	0	0	0	0	0	75.9	960	
7/11/2023	0	550	51.7	0	0	0	0	0	76.9	960	
7/12/2023	9.708	550	38.57	0	0	0	0	7.191	81.6	960	
7/13/2023	0	550	35.59	0	0	0	0	0	82.6	960	
7/14/2023	0	550	34.41	0	0	0	0	0	82.3	960	
7/15/2023	0	550	31.33	0	0	0	0	0	118.7	960	
7/16/2023	0	550	27.81	0	0	0	0	0	82.4	960	
7/17/2023	0	550	7.127	0	0	0	0	0	87.0	960	
7/18/2023	0	550	6.984	0	0	0	0	0	99.1	960	
7/19/2023	0	550	6.845	0	0	0	0	0	85.9	960	
7/20/2023	0	550	6.708	0	0	0	0	0	83.6	960	
7/21/2023	9.747	550	6.573	0	0	0	0	7.136	84.0	960	
7/22/2023	136.9	550	6.442	0	0	0	0	100.1	74.2	960	
7/23/2023	249.7	550	55.11	0	0	0	0	182.5	71.3	960	
7/24/2023	30.85	550	131.2	0	0	0	0	22.54	67.5	960	
7/25/2023	1059	550	9.543	0	0	0	0	773.3	71.7	960	
7/26/2023	37.45	550	592.7	0	0	0	0	27.44	71.3	960	
7/27/2023	0	550	79.65	0	0	0	0	0	80.8	960	
7/28/2023	83.84	550	61.45	0	0	0	0	61.41	69.9	960	
7/29/2023	10.95	550	67.64	0	0	0	0	8.014	62.5	960	
7/30/2023	0	550	42.71	0	0	0	0	0	64.6	960	
7/31/2023	0	550	39.01	0	0	0	0	0	68.0	960	
8/1/2023	0	550	37.95	0	0	0	0	0	74.0	960	
8/2/2023	0	550	35.07	0	0	0	0	0	87.8	960	
8/3/2023	0	550	31.62	0	0	0	0	0	75.9	960	
8/4/2023	0	550	28.55	0	0	0	0	0	74.2	960	
8/5/2023	9.776	550	25.71	0	0	0	0	7.095	70.5	960	
8/6/2023	9.78	550	6.629	0	0	0	0	7.089	60.9	960	

Date	TIRIO2 - Water Balance										
	Inflow							Outflow			
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
8/7/2023	0	550	6.497	0	0	0	0	0	63.1	960	
8/8/2023	310.5	550	6.367	0	0	0	0	224.5	62.4	960	
8/9/2023	1116	550	155.4	0	0	0	0	807	63.0	960	
8/10/2023	197	550	629.6	0	0	0	0	143.1	50.5	960	
8/11/2023	9.768	550	184.9	0	0	0	0	7.106	54.5	960	
8/12/2023	17.62	550	81.34	0	0	0	0	12.81	54.1	960	
8/13/2023	17.62	550	67.65	0	0	0	0	12.8	60.0	960	
8/14/2023	0	550	55.95	0	0	0	0	0	71.9	960	
8/15/2023	0	550	44.99	0	0	0	0	0	60.0	960	
8/16/2023	9.784	550	44.21	0	0	0	0	7.082	58.3	960	
8/17/2023	0	550	42.32	0	0	0	0	0	74.3	960	
8/18/2023	0	550	38.82	0	0	0	0	0	62.1	960	
8/19/2023	0	550	35.4	0	0	0	0	0	56.0	960	
8/20/2023	337.5	550	32.29	0	0	0	0	243.2	51.1	960	
8/21/2023	11.01	550	195.6	0	0	0	0	7.933	51.2	960	
8/22/2023	0	550	27.26	0	0	0	0	0	47.9	960	
8/23/2023	97.69	550	27.48	0	0	0	0	70.28	47.2	960	
8/24/2023	51.03	550	57.02	0	0	0	0	36.68	50.0	960	
8/25/2023	9.81	550	39.26	0	0	0	0	7.046	44.5	960	
8/26/2023	9.813	550	7.083	0	0	0	0	7.041	46.0	960	
8/27/2023	24.38	550	7.195	0	0	0	0	17.47	44.8	960	
8/28/2023	104.5	550	7.145	0	0	0	0	74.82	41.3	960	
8/29/2023	9.823	550	45.97	0	0	0	0	7.027	39.9	960	
8/30/2023	44.45	550	6.862	0	0	0	0	31.76	39.6	960	
8/31/2023	9.83	550	12.8	0	0	0	0	7.017	36.7	960	
9/1/2023	9.834	550	6.793	0	0	0	0	7.012	36.9	960	
9/2/2023	11.05	550	6.675	0	0	0	0	7.87	37.3	960	
9/3/2023	42.65	550	6.542	0	0	0	0	30.34	35.8	960	
9/4/2023	29.27	550	8.144	0	0	0	0	20.8	36.8	960	
9/5/2023	14.67	550	8.107	0	0	0	0	10.42	36.1	960	
9/6/2023	11.07	550	6.157	0	0	0	0	7.847	33.4	960	
9/7/2023	0	550	6.034	0	0	0	0	0	31.6	960	
9/8/2023	210.3	550	5.913	0	0	0	0	148.8	30.4	960	
9/9/2023	15.91	550	101.7	0	0	0	0	11.25	31.0	960	
9/10/2023	4.833	550	5.679	0	0	0	0	3.415	28.6	960	
9/11/2023	141.1	550	5.982	0	0	0	0	99.61	23.2	960	
9/12/2023	58.19	550	67.49	0	0	0	0	41.05	25.3	960	
9/13/2023	0	550	28.54	0	0	0	0	0	28.2	960	
9/14/2023	4.839	550	6.654	0	0	0	0	3.407	25.3	960	
9/15/2023	27.92	550	7	0	0	0	0	19.64	27.9	960	
9/16/2023	0	550	0.3602	0	0	0	0	0	22.9	960	
9/17/2023	0	550	0.3634	0	0	0	0	0	21.3	960	
9/18/2023	0	550	1.285	0	0	0	0	0	21.3	960	
9/19/2023	24.57	550	37.57	0	0	0	0	17.2	21.3	960	
9/20/2023	0	550	15.72	0	0	0	0	0	24.1	960	
9/21/2023	31.32	550	7.022	0	0	0	0	21.88	24.1	960	
9/22/2023	4.853	550	6.977	0	0	0	0	3.386	21.3	960	
9/23/2023	20.05	550	6.875	0	0	0	0	13.97	20.4	960	
9/24/2023	0	550	0.3392	0	0	0	0	0	19.4	960	
9/25/2023	0	550	0.3333	0	0	0	0	0	17.9	960	
9/26/2023	0	550	0.3299	0	0	0	0	0	15.6	960	
9/27/2023	0	550	0.3273	0	0	0	0	0	15.3	960	
9/28/2023	0	550	0.3246	0	0	0	0	0	15.8	960	
9/29/2023	0	550	0.3215	0	0	0	0	0	14.0	960	
9/30/2023	449.7	550	43.9	0	0	0	0	310.8	14.8	960	
10/1/2023	0	550	259.9	0	0	0	0	0	14.4	960	
10/2/2023	0	550	11.41	0	0	0	0	0	10.1	960	
10/3/2023	0	550	5.471	0	0	0	0	0	13.1	960	
10/4/2023	0	550	1.967	0	0	0	0	0	12.8	960	
10/5/2023	0	550	1.465	0	0	0	0	0	11.3	960	
10/6/2023	0	550	1.482	0	0	0	0	0	8.7	960	
10/7/2023	0	550	1.476	0	0	0	0	0	6.1	960	
10/8/2023	0	550	1.451	0	0	0	0	0	8.0	960	
10/9/2023	0	550	1.413	0	0	0	0	0	8.1	960	
10/10/2023	0	550	1.365	0	0	0	0	0	8.3	960	
10/11/2023	0	550	1.31	0	0	0	0	0	9.5	960	
10/12/2023	0	550	0.3576	0	0	0	0	0	9.5	960	
10/13/2023	0	550	0.3579	0	0	0	0	0	9.7	960	
10/14/2023	0	550	0.3567	0	0	0	0	0	7.8	960	
10/15/2023	0	550	0.3544	0	0	0	0	0	7.9	960	
10/16/2023	0	550	0.3512	0	0	0	0	0	7.8	0	
10/17/2023	0	550	0.3472	0	0	0	0	0	7.0	0	
10/18/2023	0	550	0.3427	0	0	0	0	0	6.1	0	
10/19/2023	0	550	0.3379	0	0	0	0	0	4.4	0	
10/20/2023	0	550	0.3327	0	0	0	0	0	3.3	0	
10/21/2023	0	550	0.3273	0	0	0	0	0	4.2	0	
10/22/2023	0	550	0.3217	0	0	0	0	0	3.4	0	
10/23/2023	0	550	0.3161	0	0	0	0	0	2.6	0	
10/24/2023	0	550	0.3104	0	0	0	0	0	5.0	0	
10/25/2023	0	550	0.3048	0	0	0	0	0	6.2	0	
10/26/2023	0	550	0.2991	0	0	0	0	0	3.6	0	
10/27/2023	0	550	0.2934	0	0	0	0	0	4.5	0	
10/28/2023	0	550	0.2878	0	0	0	0	0	3.2	0	
10/29/2023	0	550	0.2823	0	0	0	0	0	0.0	0	
10/30/2023	0	550	0.2768	0	0	0	0	0	3.1	0	
10/31/2023	0	550	0.2714	0	0	0	0	0	2.1	0	
11/1/2023	0	550	0.2661	0	0	0	0	0	0.0	0	
11/2/2023	0	550	0.2608	0	0	0	0	0	0.0	0	
11/3/2023	0	550	0.2557	0	0	0	0	0	0.0	0	
11/4/2023	0	550	0.2506	0	0	0	0	0	0.2	0	
11/5/2023	0	550	0.2457	0	0	0	0	0	0.3	0	
11/6/2023	0	550	0.2408	0	0	0	0	0	0.0	0	
11/7/2023	0	550	0.236	0	0	0	0	0	0.0	0	
11/8/2023	0	550	0.2313	0	0	0	0	0	0.0	0	
11/9/2023	0	550	0.2267	0	0	0	0	0	0.0	0	
11/10/2023	0	550	0.2222	0	0	0	0	0	0.0	0	
11/11/2023	0	550	0.2177	0	0	0	0	0	0.0	0	
11/12/2023	0	550	0.2134	0	0	0	0	0	0.2	0	
11/13/2023	0	550	0.2091	0	0	0	0	0	0.0	0	
11/14/2023	0	550	0.205	0	0	0	0	0	0.9	0	
11/15/2023	0	550	0.2009	0	0	0	0	0	1.5	0	
11/16/2023	0	550	0.1969	0	0	0	0	0	1.8	0	
11/17/2023	0	550	0.1929	0	0	0	0	0	0.0	0	
11/18/2023	0	550	0.1891	0	0	0	0	0	0.0	0	
11/19/2023	0	550	0.1853	0	0	0	0	0	0.0	0	

Date	TIRIO2 - Water Balance										
	Inflow							Outflow			
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
11/20/2023	0	550	0.1816	0	0	0	0	0	0.0	0	
11/21/2023	0	550	0.1779	0	0	0	0	0	0.0	0	
11/22/2023	0	550	0.1744	0	0	0	0	0	0.0	0	
11/23/2023	0	550	0.1709	0	0	0	0	0	0.0	0	
11/24/2023	0	550	0.1675	0	0	0	0	0	0.3	0	
11/25/2023	0	550	0.1641	0	0	0	0	0	0.0	0	
11/26/2023	0	550	0.1609	0	0	0	0	0	1.1	0	
11/27/2023	0	550	0.1576	0	0	0	0	0	0.0	0	
11/28/2023	0	550	0.1545	0	0	0	0	0	0.0	0	
11/29/2023	0	550	0.1514	0	0	0	0	0	0.0	0	
11/30/2023	0	550	0.1484	0	0	0	0	0	0.4	0	
12/1/2023	0	550	0.1454	0	0	0	0	0	0.2	0	
12/2/2023	0	550	0.1425	0	0	0	0	0	0.0	0	
12/3/2023	0	550	0.1396	0	0	0	0	0	0.0	0	
12/4/2023	0	550	0.1369	0	0	0	0	0	0.0	0	
12/5/2023	0	550	0.1341	0	0	0	0	0	0.0	0	
12/6/2023	0	550	0.1314	0	0	0	0	0	0.1	0	
12/7/2023	0	550	0.1288	0	0	0	0	0	0.2	0	
12/8/2023	0	550	0.1262	0	0	0	0	0	0.0	0	
12/9/2023	0	550	0.1237	0	0	0	0	0	0.0	0	
12/10/2023	0	550	0.1212	0	0	0	0	0	0.0	0	
12/11/2023	0	550	0.1188	0	0	0	0	0	0.0	0	
12/12/2023	0	550	0.1164	0	0	0	0	0	0.0	0	
12/13/2023	0	550	0.1141	0	0	0	0	0	0.0	0	
12/14/2023	0	550	0.1118	0	0	0	0	0	0.0	0	
12/15/2023	0	550	0.1096	0	0	0	0	0	0.3	0	
12/16/2023	0	550	0.1074	0	0	0	0	0	0.0	0	
12/17/2023	0	550	0.1052	0	0	0	0	0	0.2	0	
12/18/2023	0	550	0.1031	0	0	0	0	0	0.0	0	
12/19/2023	0	550	0.1011	0	0	0	0	0	0.0	0	
12/20/2023	0	550	0.09905	0	0	0	0	0	0.0	0	
12/21/2023	0	550	0.09707	0	0	0	0	0	0.0	0	
12/22/2023	0	550	0.09513	0	0	0	0	0	0.0	0	
12/23/2023	0	550	0.09323	0	0	0	0	0	0.0	0	
12/24/2023	0	550	0.09136	0	0	0	0	0	0.0	0	
12/25/2023	0	550	0.08954	0	0	0	0	0	0.0	0	
12/26/2023	0	550	0.08774	0	0	0	0	0	0.0	0	
12/27/2023	0	550	0.08599	0	0	0	0	0	0.0	0	
12/28/2023	0	550	0.08427	0	0	0	0	0	0.0	0	
12/29/2023	0	550	0.08258	0	0	0	0	0	0.0	0	
12/30/2023	0	550	0.08093	0	0	0	0	0	0.0	0	
12/31/2023	0	550	0.07931	0	0	0	0	0	0.0	0	
1/1/2024	0	550	0.07773	0	0	0	0	0	0.0	0	
1/2/2024	0	550	0.07617	0	0	0	0	0	0.0	0	
1/3/2024	0	550	0.07465	0	0	0	0	0	0.0	0	
1/4/2024	0	550	0.07316	0	0	0	0	0	0.0	0	
1/5/2024	0	550	0.07169	0	0	0	0	0	0.0	0	
1/6/2024	0	550	0.07026	0	0	0	0	0	0.0	0	
1/7/2024	0	550	0.06885	0	0	0	0	0	0.0	0	
1/8/2024	0	550	0.06748	0	0	0	0	0	0.0	0	
1/9/2024	0	550	0.06613	0	0	0	0	0	0.0	0	
1/10/2024	0	550	0.06481	0	0	0	0	0	0.0	0	
1/11/2024	0	550	0.06351	0	0	0	0	0	0.0	0	
1/12/2024	0	550	0.06224	0	0	0	0	0	0.0	0	
1/13/2024	0	550	0.06099	0	0	0	0	0	0.0	0	
1/14/2024	0	550	0.05977	0	0	0	0	0	0.0	0	
1/15/2024	0	550	0.05858	0	0	0	0	0	0.0	0	
1/16/2024	0	550	0.05741	0	0	0	0	0	0.0	0	
1/17/2024	0	550	0.05626	0	0	0	0	0	0.0	0	
1/18/2024	0	550	0.05513	0	0	0	0	0	0.0	0	
1/19/2024	0	550	0.05403	0	0	0	0	0	0.0	0	
1/20/2024	0	550	0.05295	0	0	0	0	0	0.5	0	
1/21/2024	0	550	0.05189	0	0	0	0	0	0.0	0	
1/22/2024	0	550	0.05085	0	0	0	0	0	0.0	0	
1/23/2024	0	550	0.04984	0	0	0	0	0	0.0	0	
1/24/2024	0	550	0.04884	0	0	0	0	0	0.0	0	
1/25/2024	0	550	0.04786	0	0	0	0	0	0.0	0	
1/26/2024	0	550	0.04691	0	0	0	0	0	0.0	0	
1/27/2024	0	550	0.04597	0	0	0	0	0	0.0	0	
1/28/2024	0	550	0.04505	0	0	0	0	0	0.0	0	
1/29/2024	0	550	0.04415	0	0	0	0	0	0.0	0	
1/30/2024	0	550	0.04326	0	0	0	0	0	0.0	0	
1/31/2024	0	700	0.0424	0	0	0	0	0	0.0	0	
2/1/2024	0	700	0.04155	0	0	0	0	0	0.0	0	
2/2/2024	0	700	0.04072	0	0	0	0	0	0.0	0	
2/3/2024	0	700	0.03991	0	0	0	0	0	0.0	0	
2/4/2024	0	700	0.03911	0	0	0	0	0	0.0	0	
2/5/2024	0	700	0.03833	0	0	0	0	0	0.0	0	
2/6/2024	0	700	0.03756	0	0	0	0	0	0.0	0	
2/7/2024	0	700	0.03681	0	0	0	0	0	0.0	0	
2/8/2024	0	700	0.03607	0	0	0	0	0	0.0	0	
2/9/2024	0	700	0.03535	0	0	0	0	0	0.0	0	
2/10/2024	0	700	0.03464	0	0	0	0	0	0.0	0	
2/11/2024	0	700	0.03395	0	0	0	0	0	0.0	0	
2/12/2024	0	700	0.03327	0	0	0	0	0	0.0	0	
2/13/2024	0	700	0.03261	0	0	0	0	0	0.0	0	
2/14/2024	0	700	0.03195	0	0	0	0	0	0.0	0	
2/15/2024	0	700	0.03131	0	0	0	0	0	0.0	0	
2/16/2024	0	700	0.03069	0	0	0	0	0	0.0	0	
2/17/2024	0	700	0.03007	0	0	0	0	0	0.0	0	
2/18/2024	0	700	0.02947	0	0	0	0	0	0.0	0	
2/19/2024	0	700	0.02888	0	0	0	0	0	0.0	0	
2/20/2024	0	700	0.02831	0	0	0	0	0	0.0	0	
2/21/2024	0	700	0.02774	0	0	0	0	0	0.0	0	
2/22/2024	0	700	0.02719	0	0	0	0	0	0.0	0	
2/23/2024	0	700	0.02664	0	0	0	0	0	0.0	0	
2/24/2024	0	700	0.02611	0	0	0	0	0	0.0	0	
2/25/2024	0	700	0.02559	0	0	0	0	0	0.0	0	
2/26/2024	0	700	0.02507	0	0	0	0	0	0.0	0	
2/27/2024	0	700	0.02457	0	0	0	0	0	0.0	0	
2/28/2024	0	700	0.02408	0	0	0	0	0	0.0	0	
2/29/2024	0	700	0.0236	0	0	0	0	0	0.0	0	
3/1/2024	0	700	0.02313	0	0	0	0	0	0.0	0	
3/2/2024	0	700	0.02267	0	0	0	0	0	0.0	0	
3/3/2024	0	700	0.02221	0	0	0	0	0	0.0	0	

Date	TIRIO2 - Water Balance										
	Inflow								Outflow		
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
3/4/2024	0	700	0.02177	0	0	0	0	0	0.0	0	
3/5/2024	0	700	0.02133	0	0	0	0	0	0.0	0	
3/6/2024	0	700	0.02091	0	0	0	0	0	0.0	0	
3/7/2024	0	700	0.02049	0	0	0	0	0	0.0	0	
3/8/2024	0	700	0.02008	0	0	0	0	0	0.0	0	
3/9/2024	0	700	0.01968	0	0	0	0	0	0.0	0	
3/10/2024	0	700	0.01928	0	0	0	0	0	0.0	0	
3/11/2024	0	700	0.0189	0	0	0	0	0	0.0	0	
3/12/2024	0	700	0.01852	0	0	0	0	0	0.0	0	
3/13/2024	0	700	0.01815	0	0	0	0	0	0.0	0	
3/14/2024	0	700	0.01779	0	0	0	0	0	0.0	0	
3/15/2024	0	700	0.01743	0	0	0	0	0	0.0	0	
3/16/2024	0	700	0.01708	0	0	0	0	0	0.0	0	
3/17/2024	0	700	0.01674	0	0	0	0	0	0.0	0	
3/18/2024	0	700	0.01641	0	0	0	0	0	0.0	0	
3/19/2024	0	700	0.01608	0	0	0	0	0	0.0	0	
3/20/2024	0	700	0.01576	0	0	0	0	0	0.0	0	
3/21/2024	0	700	0.01544	0	0	0	0	0	0.0	0	
3/22/2024	0	700	0.01513	0	0	0	0	0	0.0	0	
3/23/2024	0	700	0.01483	0	0	0	0	0	7.5	0	
3/24/2024	0	700	0.01453	0	0	0	0	0	18.7	0	
3/25/2024	0	700	0.01424	0	0	0	0	0	11.0	0	
3/26/2024	0	700	0.01396	0	0	0	0	0	3.2	0	
3/27/2024	0	700	0.01368	0	0	0	0	0	0.0	0	
3/28/2024	0	700	0.0134	0	0	0	0	0	0.0	0	
3/29/2024	0	700	0.01314	0	0	0	0	0	0.0	0	
3/30/2024	0	700	0.01287	0	0	0	0	0	0.0	0	
3/31/2024	0	700	0.01262	0	0	0	0	0	0.0	0	
4/1/2024	0	700	0.01236	0	0	0	0	0	8.3	0	
4/2/2024	0	700	0.01212	0	0	0	0	0	12.7	0	
4/3/2024	0	700	0.01187	0	0	0	0	0	0.0	0	
4/4/2024	0	700	0.01164	0	0	0	0	0	0.0	0	
4/5/2024	0	700	0.0114	0	0	0	0	0	0.0	0	
4/6/2024	0	700	0.01118	0	0	0	0	0	0.0	0	
4/7/2024	0	700	0.01095	0	0	0	0	0	0.0	0	
4/8/2024	0	700	0.01073	0	0	0	0	0	0.0	0	
4/9/2024	0	700	0.01052	0	0	0	0	0	0.0	0	
4/10/2024	0	700	0.01031	0	0	0	0	0	0.0	0	
4/11/2024	0	700	0.0101	0	0	0	0	0	0.0	0	
4/12/2024	0	700	0.0099	0	0	0	0	0	0.0	0	
4/13/2024	0	700	0.009702	0	0	0	0	0	0.0	0	
4/14/2024	0	700	0.009508	0	0	0	0	0	4.0	0	
4/15/2024	0	700	0.009318	0	0	0	0	0	14.4	0	
4/16/2024	0	700	0.009131	0	0	0	0	0	13.9	0	
4/17/2024	0	700	0.008949	0	0	0	0	0	9.7	0	
4/18/2024	0	700	0.00877	0	0	0	0	0	6.5	0	
4/19/2024	0	700	0.008594	0	0	0	0	0	4.9	0	
4/20/2024	0	700	0.008423	0	0	0	0	0	0.0	0	
4/21/2024	0	700	0.008254	0	0	0	0	0	0.0	0	
4/22/2024	0	700	0.008089	0	0	0	0	0	0.0	0	
4/23/2024	0	700	0.007927	0	0	0	0	0	0.0	0	
4/24/2024	0	700	0.007769	0	0	0	0	0	0.0	0	
4/25/2024	0	700	0.007613	0	0	0	0	0	0.0	0	
4/26/2024	0	700	0.007461	0	0	0	0	0	0.0	0	
4/27/2024	0	700	0.007312	0	0	0	0	0	0.0	0	
4/28/2024	0	700	0.007166	0	0	0	0	0	9.0	0	
4/29/2024	0	700	0.007022	0	0	0	0	0	0.0	0	
4/30/2024	0	700	0.006882	0	0	0	0	0	0.0	0	
5/1/2024	0	700	0.006744	0	0	0	0	0	6.7	0	
5/2/2024	0	700	0.006609	0	0	0	0	0	24.3	0	
5/3/2024	0	700	0.006477	0	0	0	0	0	29.6	0	
5/4/2024	0	700	0.006348	0	0	0	0	0	33.3	0	
5/5/2024	0	700	0.006221	0	0	0	0	0	16.0	0	
5/6/2024	0	700	0.006096	0	0	0	0	0	28.6	0	
5/7/2024	0	700	0.005974	0	0	0	0	0	28.9	0	
5/8/2024	0	700	0.005855	0	0	0	0	0	28.5	0	
5/9/2024	0	700	0.005738	0	0	0	0	0	43.0	0	
5/10/2024	0	700	0.005623	0	0	0	0	0	49.7	0	
5/11/2024	0	700	0.005511	0	0	0	0	0	48.6	0	
5/12/2024	0	700	0.0054	0	0	0	0	0	48.4	0	
5/13/2024	0	700	0.005292	0	0	0	0	0	44.2	0	
5/14/2024	0	700	0.005186	0	0	0	0	0	50.4	0	
5/15/2024	45.9	700	24.3	0	0	0	0	44.43	39.7	0	
5/16/2024	50.55	700	75.94	0	0	0	0	49.02	47.9	0	
5/17/2024	134	700	107.7	0	0	0	0	130.3	49.6	0	
5/18/2024	9.349	700	140.8	0	0	0	0	9.109	55.8	0	
5/19/2024	0	700	9.071	0	0	0	0	0	53.9	0	
5/20/2024	0	700	0.07571	0	0	0	0	0	55.4	0	
5/21/2024	38.68	700	22.95	0	0	0	0	37.9	57.9	0	
5/22/2024	71.27	700	108.8	0	0	0	0	69.96	62.4	0	
5/23/2024	89.86	700	246.8	0	0	0	0	88.4	60.3	0	
5/24/2024	117.3	700	248.4	0	0	0	0	115.7	57.0	0	
5/25/2024	127.5	700	149.6	0	0	0	0	126.1	58.5	0	
5/26/2024	22.83	700	121.3	0	0	0	0	22.64	61.0	0	
5/27/2024	51.43	700	49.25	0	0	0	0	51.13	55.5	0	
5/28/2024	31.1	700	45.2	0	0	0	0	30.97	55.1	0	
5/29/2024	105.6	700	81.42	0	0	0	0	105.4	61.2	0	
5/30/2024	148.7	700	383.4	0	0	0	0	148.7	69.8	0	
5/31/2024	198	700	624.4	0	0	0	0	198.7	75.6	0	
6/1/2024	219	700	860.8	0	0	0	0	220.7	74.8	0	
6/2/2024	188.6	700	1056	0	0	0	0	191	80.1	0	
6/3/2024	96.09	700	717.4	0	0	0	0	97.83	63.9	0	
6/4/2024	121.5	700	269.9	0	0	0	0	124.1	71.6	0	
6/5/2024	128.7	700	216.1	0	0	0	0	131.9	70.7	0	
6/6/2024	168.6	700	185.5	0	0	0	0	173.3	74.8	0	
6/7/2024	275.7	700	160.2	0	0	0	0	284.3	81.0	0	
6/8/2024	287.7	700	138.9	0	0	0	0	297.6	70.4	0	
6/9/2024	182.6	700	226.4	0	0	0	0	189.5	74.3	0	
6/10/2024	131.9	700	135.5	0	0	0	0	137.3	75.1	0	
6/11/2024	156.7	700	109.8	0	0	0	0	163.6	75.0	0	
6/12/2024	81.67	700	102.5	0	0	0	0	85.5	70.1	0	
6/13/2024	88.39	700	96.83	0	0	0	0	92.75	69.9	0	
6/14/2024	180.6	700	90.6	0	0	0	0	189.9	77.0	0	
6/15/2024	257.3	700	83.67	0	0	0	0	271.3	81.7	0	
6/16/2024	191.4	700	77.22	0	0	0	0	202.5	78.2	0	

Date	TIRIO2 - Water Balance										
	Inflow								Outflow		
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
6/17/2024	245.3	700	71.2	0	0	0	0	260.3	83.7	0	
6/18/2024	109.7	700	65.55	0	0	0	0	116.7	86.7	0	
6/19/2024	8.441	700	60.26	0	0	0	0	9.002	85.5	0	
6/20/2024	8.434	700	55.36	0	0	0	0	9.011	87.2	0	
6/21/2024	8.428	700	50.79	0	0	0	0	9.02	102.0	0	
6/22/2024	0	700	46.4	0	0	0	0	0	86.2	0	
6/23/2024	0	700	42.38	0	0	0	0	0	78.4	0	
6/24/2024	0	700	38.72	0	0	0	0	0	86.4	0	
6/25/2024	0	700	35.23	0	0	0	0	0	84.8	0	
6/26/2024	0	700	32.01	0	0	0	0	0	87.8	0	
6/27/2024	0	700	28.98	0	0	0	0	0	109.7	0	
6/28/2024	0	700	25.98	0	0	0	0	0	133.4	0	
6/29/2024	0	700	6.563	0	0	0	0	0	212.7	0	
6/30/2024	0	700	6.431	0	0	0	0	0	363.9	0	
7/1/2024	0	700	6.303	0	0	0	0	0	92.5	0	
7/2/2024	0	700	6.177	0	0	0	0	0	93.5	0	
7/3/2024	0	700	6.053	0	0	0	0	0	155.9	0	
7/4/2024	0	700	5.932	0	0	0	0	0	124.1	0	
7/5/2024	0	700	5.813	0	0	0	0	0	90.4	0	
7/6/2024	8.346	700	5.697	0	0	0	0	9.137	92.8	0	
7/7/2024	848.7	700	5.583	0	0	0	0	930.7	93.2	0	
7/8/2024	286.5	700	543.9	0	0	0	0	316.1	96.3	0	
7/9/2024	14.97	700	234.1	0	0	0	0	16.59	96.7	0	
7/10/2024	0	700	65.14	0	0	0	0	0	95.7	0	
7/11/2024	0	700	51.77	0	0	0	0	0	97.1	0	
7/12/2024	8.282	700	38.66	0	0	0	0	9.228	103.2	0	
7/13/2024	0	700	35.62	0	0	0	0	0	104.7	0	
7/14/2024	0	700	34.45	0	0	0	0	0	104.4	0	
7/15/2024	0	700	31.38	0	0	0	0	0	150.8	9000	
7/16/2024	0	700	27.86	0	0	0	0	0	103.6	9000	
7/17/2024	0	700	7.142	0	0	0	0	0	108.2	9000	
7/18/2024	0	700	6.999	0	0	0	0	0	121.9	9000	
7/19/2024	0	700	6.859	0	0	0	0	0	104.5	9000	
7/20/2024	0	700	6.722	0	0	0	0	0	100.6	9000	
7/21/2024	8.723	700	6.587	0	0	0	0	8.599	99.9	9000	
7/22/2024	123.6	700	6.456	0	0	0	0	119.2	87.3	9000	
7/23/2024	227.2	700	55.19	0	0	0	0	214.7	82.8	9000	
7/24/2024	28.29	700	131.3	0	0	0	0	26.2	77.5	9000	
7/25/2024	979.1	700	9.628	0	0	0	0	887.6	81.3	9000	
7/26/2024	34.89	700	592.8	0	0	0	0	31.1	79.9	9000	
7/27/2024	0	700	79.86	0	0	0	0	0	89.4	9000	
7/28/2024	79.36	700	61.69	0	0	0	0	67.82	76.5	9000	
7/29/2024	10.44	700	67.96	0	0	0	0	8.736	67.5	9000	
7/30/2024	0	700	42.96	0	0	0	0	0	68.9	9000	
7/31/2024	0	700	39.15	0	0	0	0	0	71.6	9000	
8/1/2024	0	700	38.09	0	0	0	0	0	76.9	9000	
8/2/2024	0	700	35.35	0	0	0	0	0	90.0	9000	
8/3/2024	0	700	31.9	0	0	0	0	0	76.8	9000	
8/4/2024	0	700	28.82	0	0	0	0	0	74.1	9000	
8/5/2024	9.828	700	25.97	0	0	0	0	7.02	69.4	9000	
8/6/2024	9.904	700	6.699	0	0	0	0	6.912	59.1	9000	
8/7/2024	0	700	6.565	0	0	0	0	0	60.4	9000	
8/8/2024	319	700	6.434	0	0	0	0	212.4	58.9	9000	
8/9/2024	1154	700	155.5	0	0	0	0	751.7	58.5	9000	
8/10/2024	205.3	700	629.8	0	0	0	0	131.3	46.2	9000	
8/11/2024	10.25	700	185.1	0	0	0	0	6.416	49.1	9000	
8/12/2024	18.62	700	81.68	0	0	0	0	11.38	48.0	9000	
8/13/2024	18.75	700	68.01	0	0	0	0	11.19	52.5	9000	
8/14/2024	0	700	56.34	0	0	0	0	0	61.9	9000	
8/15/2024	0	700	45.24	0	0	0	0	0	50.8	9000	
8/16/2024	10.63	700	44.47	0	0	0	0	5.88	48.6	9000	
8/17/2024	0	700	42.59	0	0	0	0	0	60.9	9000	
8/18/2024	0	700	39.1	0	0	0	0	0	50.0	9000	
8/19/2024	0	700	35.67	0	0	0	0	0	44.3	9000	
8/20/2024	376.4	700	32.55	0	0	0	0	187.7	39.7	9000	
8/21/2024	12.35	700	195.9	0	0	0	0	6.008	39.1	9000	
8/22/2024	0	700	27.49	0	0	0	0	0	36.0	9000	
8/23/2024	111.1	700	27.71	0	0	0	0	51.16	34.8	9000	
8/24/2024	58.39	700	57.42	0	0	0	0	26.17	36.1	9000	
8/25/2024	11.3	700	39.6	0	0	0	0	4.923	31.5	9000	
8/26/2024	11.37	700	7.152	0	0	0	0	4.815	32.0	9000	
8/27/2024	28.43	700	7.271	0	0	0	0	11.69	30.5	9000	
8/28/2024	122.6	700	7.255	0	0	0	0	48.96	27.5	9000	
8/29/2024	11.6	700	46.25	0	0	0	0	4.494	26.1	9000	
8/30/2024	52.79	700	6.968	0	0	0	0	19.84	25.3	9000	
8/31/2024	11.75	700	13.04	0	0	0	0	4.28	23.0	9000	
9/1/2024	11.82	700	6.9	0	0	0	0	4.172	22.6	9000	
9/2/2024	13.36	700	6.815	0	0	0	0	4.565	22.3	9000	
9/3/2024	51.88	700	6.679	0	0	0	0	17.14	20.9	9000	
9/4/2024	35.82	700	8.442	0	0	0	0	11.44	21.0	9000	
9/5/2024	18.06	700	8.336	0	0	0	0	5.575	20.0	9000	
9/6/2024	13.7	700	6.286	0	0	0	0	4.082	18.1	9000	
9/7/2024	0	700	6.16	0	0	0	0	0	16.7	9000	
9/8/2024	263.4	700	6.037	0	0	0	0	72.93	15.6	9000	
9/9/2024	20.04	700	101.9	0	0	0	0	5.348	15.5	9000	
9/10/2024	6.123	700	5.798	0	0	0	0	1.572	13.9	9000	
9/11/2024	179.8	700	6.1	0	0	0	0	44.35	10.9	9000	
9/12/2024	74.56	700	67.73	0	0	0	0	17.67	11.6	9000	
9/13/2024	0	700	28.74	0	0	0	0	0	12.5	9000	
9/14/2024	6.269	700	6.778	0	0	0	0	1.363	10.9	9000	
9/15/2024	36.38	700	7.128	0	0	0	0	7.56	11.6	9000	
9/16/2024	0	700	1.284	0	0	0	0	0	9.2	9000	
9/17/2024	0	700	0.3519	0	0	0	0	0	8.2	9000	
9/18/2024	0	700	0.3562	0	0	0	0	0	7.9	9000	
9/19/2024	32.71	700	37.64	0	0	0	0	5.572	7.6	9000	
9/20/2024	0	700	15.71	0	0	0	0	0	8.3	9000	
9/21/2024	42.14	700	7.182	0	0	0	0	6.418	8.0	9000	
9/22/2024	6.564	700	7.139	0	0	0	0	0.9417	6.7	9000	
9/23/2024	27.26	700	7.039	0	0	0	0	3.671	6.2	9000	
9/24/2024	0	700	0.3476	0	0	0	0	0	5.6	9000	
9/25/2024	0	700	0.3418	0	0	0	0	0	4.9	9000	
9/26/2024	0	700	0.3386	0	0	0	0	0	4.0	9000	
9/27/2024	0	700	0.3361	0	0	0	0	0	3.7	9000	
9/28/2024	0	700	0.3335	0	0	0	0	0	3.6	9000	
9/29/2024	0	700	0.3304	0	0	0	0	0	3.0	9000	

Date	TIRIO2 - Water Balance										
	Inflow							Outflow			
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
9/30/2024	626.1	700	45.07	0	0	0	0	58.8	3.0	9000	
10/1/2024	0	700	260	0	0	0	0	0	2.7	9000	
10/2/2024	0	700	11.48	0	0	0	0	0	1.8	0	
10/3/2024	0	700	6.447	0	0	0	0	0	2.3	0	
10/4/2024	0	700	1.961	0	0	0	0	0	2.3	0	
10/5/2024	0	700	1.433	0	0	0	0	0	2.0	0	
10/6/2024	0	700	1.452	0	0	0	0	0	1.6	0	
10/7/2024	0	700	1.448	0	0	0	0	0	1.1	0	
10/8/2024	0	700	1.426	0	0	0	0	0	1.4	0	
10/9/2024	0	700	1.389	0	0	0	0	0	1.5	0	
10/10/2024	0	700	1.343	0	0	0	0	0	1.5	0	
10/11/2024	0	700	1.29	0	0	0	0	0	1.8	0	
10/12/2024	0	700	0.3522	0	0	0	0	0	1.8	0	
10/13/2024	0	700	0.3526	0	0	0	0	0	1.8	0	
10/14/2024	0	700	0.3516	0	0	0	0	0	1.5	0	
10/15/2024	0	700	0.3494	0	0	0	0	0	1.5	0	
10/16/2024	0	700	0.3462	0	0	0	0	0	1.5	0	
10/17/2024	0	700	0.3424	0	0	0	0	0	1.4	0	
10/18/2024	0	700	0.338	0	0	0	0	0	1.2	0	
10/19/2024	0	700	0.3332	0	0	0	0	0	0.9	0	
10/20/2024	0	700	0.3281	0	0	0	0	0	0.6	0	
10/21/2024	0	700	0.3228	0	0	0	0	0	0.8	0	
10/22/2024	0	700	0.3174	0	0	0	0	0	0.7	0	
10/23/2024	0	700	0.3118	0	0	0	0	0	0.5	0	
10/24/2024	0	700	0.3062	0	0	0	0	0	1.0	0	
10/25/2024	0	700	0.3006	0	0	0	0	0	1.3	0	
10/26/2024	0	700	0.295	0	0	0	0	0	0.7	0	
10/27/2024	0	700	0.2895	0	0	0	0	0	0.9	0	
10/28/2024	0	700	0.2839	0	0	0	0	0	0.6	0	
10/29/2024	0	700	0.2785	0	0	0	0	0	0.0	0	
10/30/2024	0	700	0.2731	0	0	0	0	0	0.6	0	
10/31/2024	0	700	0.2677	0	0	0	0	0	0.4	0	
11/1/2024	0	700	0.2625	0	0	0	0	0	0.0	0	
11/2/2024	0	700	0.2573	0	0	0	0	0	0.0	0	
11/3/2024	0	700	0.2523	0	0	0	0	0	0.0	0	
11/4/2024	0	700	0.2473	0	0	0	0	0	0.0	0	
11/5/2024	0	700	0.2424	0	0	0	0	0	0.1	0	
11/6/2024	0	700	0.2376	0	0	0	0	0	0.0	0	
11/7/2024	0	700	0.2328	0	0	0	0	0	0.0	0	
11/8/2024	0	700	0.2282	0	0	0	0	0	0.0	0	
11/9/2024	0	700	0.2237	0	0	0	0	0	0.0	0	
11/10/2024	0	700	0.2192	0	0	0	0	0	0.0	0	
11/11/2024	0	700	0.2148	0	0	0	0	0	0.0	0	
11/12/2024	0	700	0.2105	0	0	0	0	0	0.0	0	
11/13/2024	0	700	0.2063	0	0	0	0	0	0.0	0	
11/14/2024	0	700	0.2022	0	0	0	0	0	0.2	0	
11/15/2024	0	700	0.1982	0	0	0	0	0	0.3	0	
11/16/2024	0	700	0.1942	0	0	0	0	0	0.4	0	
11/17/2024	0	700	0.1903	0	0	0	0	0	0.0	0	
11/18/2024	0	700	0.1865	0	0	0	0	0	0.0	0	
11/19/2024	0	700	0.1828	0	0	0	0	0	0.0	0	
11/20/2024	0	700	0.1791	0	0	0	0	0	0.0	0	
11/21/2024	0	700	0.1756	0	0	0	0	0	0.0	0	
11/22/2024	0	700	0.1721	0	0	0	0	0	0.0	0	
11/23/2024	0	700	0.1686	0	0	0	0	0	0.0	0	
11/24/2024	0	700	0.1652	0	0	0	0	0	0.1	0	
11/25/2024	0	700	0.1619	0	0	0	0	0	0.0	0	
11/26/2024	0	700	0.1587	0	0	0	0	0	0.2	0	
11/27/2024	0	700	0.1555	0	0	0	0	0	0.0	0	
11/28/2024	0	700	0.1524	0	0	0	0	0	0.0	0	
11/29/2024	0	700	0.1494	0	0	0	0	0	0.0	0	
11/30/2024	0	700	0.1464	0	0	0	0	0	0.1	0	
12/1/2024	0	700	0.1435	0	0	0	0	0	0.0	0	
12/2/2024	0	700	0.1406	0	0	0	0	0	0.0	0	
12/3/2024	0	700	0.1378	0	0	0	0	0	0.0	0	
12/4/2024	0	700	0.135	0	0	0	0	0	0.0	0	
12/5/2024	0	700	0.1323	0	0	0	0	0	0.0	0	
12/6/2024	0	700	0.1297	0	0	0	0	0	0.0	0	
12/7/2024	0	700	0.1271	0	0	0	0	0	0.0	0	
12/8/2024	0	700	0.1245	0	0	0	0	0	0.0	0	
12/9/2024	0	700	0.122	0	0	0	0	0	0.0	0	
12/10/2024	0	700	0.1196	0	0	0	0	0	0.0	0	
12/11/2024	0	700	0.1172	0	0	0	0	0	0.0	0	
12/12/2024	0	700	0.1149	0	0	0	0	0	0.0	0	
12/13/2024	0	700	0.1126	0	0	0	0	0	0.0	0	
12/14/2024	0	700	0.1103	0	0	0	0	0	0.0	0	
12/15/2024	0	700	0.1081	0	0	0	0	0	0.1	0	
12/16/2024	0	700	0.1059	0	0	0	0	0	0.0	0	
12/17/2024	0	700	0.1038	0	0	0	0	0	0.0	0	
12/18/2024	0	700	0.1018	0	0	0	0	0	0.0	0	
12/19/2024	0	700	0.09972	0	0	0	0	0	0.0	0	
12/20/2024	0	700	0.09772	0	0	0	0	0	0.0	0	
12/21/2024	0	700	0.09577	0	0	0	0	0	0.0	0	
12/22/2024	0	700	0.09385	0	0	0	0	0	0.0	0	
12/23/2024	0	700	0.09198	0	0	0	0	0	0.0	0	
12/24/2024	0	700	0.09014	0	0	0	0	0	0.0	0	
12/25/2024	0	700	0.08833	0	0	0	0	0	0.0	0	
12/26/2024	0	700	0.08657	0	0	0	0	0	0.0	0	
12/27/2024	0	700	0.08484	0	0	0	0	0	0.0	0	
12/28/2024	0	700	0.08314	0	0	0	0	0	0.0	0	
12/29/2024	0	700	0.08148	0	0	0	0	0	0.0	0	
12/30/2024	0	700	0.07985	0	0	0	0	0	0.0	0	
12/31/2024	0	700	0.07825	0	0	0	0	0	0.0	0	
1/1/2025	0	700	0.07669	0	0	0	0	0	0.0	0	
1/2/2025	0	700	0.07515	0	0	0	0	0	0.0	0	
1/3/2025	0	700	0.07365	0	0	0	0	0	0.0	0	
1/4/2025	0	700	0.07218	0	0	0	0	0	0.0	0	
1/5/2025	0	700	0.07073	0	0	0	0	0	0.0	0	
1/6/2025	0	700	0.06932	0	0	0	0	0	0.0	0	
1/7/2025	0	700	0.06793	0	0	0	0	0	0.0	0	
1/8/2025	0	700	0.06657	0	0	0	0	0	0.0	0	
1/9/2025	0	700	0.06524	0	0	0	0	0	0.0	0	
1/10/2025	0	700	0.06394	0	0	0	0	0	0.0	0	
1/11/2025	0	700	0.06266	0	0	0	0	0	0.0	0	
1/12/2025	0	700	0.0614	0	0	0	0	0	0.0	0	

Date	TIRIO2 - Water Balance										
	Inflow							Outflow			
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
1/13/2025	0	700	0.06018	0	0	0	0	0	0.0	0	
1/14/2025	0	700	0.05897	0	0	0	0	0	0.0	0	
1/15/2025	0	700	0.05779	0	0	0	0	0	0.0	0	
1/16/2025	0	700	0.05664	0	0	0	0	0	0.0	0	
1/17/2025	0	700	0.05551	0	0	0	0	0	0.0	0	
1/18/2025	0	700	0.05439	0	0	0	0	0	0.0	0	
1/19/2025	0	700	0.05331	0	0	0	0	0	0.0	0	
1/20/2025	0	700	0.05224	0	0	0	0	0	0.2	0	
1/21/2025	0	700	0.0512	0	0	0	0	0	0.0	0	
1/22/2025	0	700	0.05017	0	0	0	0	0	0.0	0	
1/23/2025	0	700	0.04917	0	0	0	0	0	0.0	0	
1/24/2025	0	700	0.04819	0	0	0	0	0	0.0	0	
1/25/2025	0	700	0.04722	0	0	0	0	0	0.0	0	
1/26/2025	0	700	0.04628	0	0	0	0	0	0.0	0	
1/27/2025	0	700	0.04535	0	0	0	0	0	0.0	0	
1/28/2025	0	700	0.04444	0	0	0	0	0	0.0	0	
1/29/2025	0	700	0.04356	0	0	0	0	0	0.0	0	
1/30/2025	0	700	0.04268	0	0	0	0	0	0.0	0	
1/31/2025	0	810	0.04183	0	0	0	0	0	0.0	0	
2/1/2025	0	810	0.04099	0	0	0	0	0	0.0	0	
2/2/2025	0	810	0.04017	0	0	0	0	0	0.0	0	
2/3/2025	0	810	0.03937	0	0	0	0	0	0.0	0	
2/4/2025	0	810	0.03858	0	0	0	0	0	0.0	0	
2/5/2025	0	810	0.03781	0	0	0	0	0	0.0	0	
2/6/2025	0	810	0.03706	0	0	0	0	0	0.0	0	
2/7/2025	0	810	0.03631	0	0	0	0	0	0.0	0	
2/8/2025	0	810	0.03559	0	0	0	0	0	0.0	0	
2/9/2025	0	810	0.03488	0	0	0	0	0	0.0	0	
2/10/2025	0	810	0.03418	0	0	0	0	0	0.0	0	
2/11/2025	0	810	0.0335	0	0	0	0	0	0.0	0	
2/12/2025	0	810	0.03283	0	0	0	0	0	0.0	0	
2/13/2025	0	810	0.03217	0	0	0	0	0	0.0	0	
2/14/2025	0	810	0.03153	0	0	0	0	0	0.0	0	
2/15/2025	0	810	0.0309	0	0	0	0	0	0.0	0	
2/16/2025	0	810	0.03028	0	0	0	0	0	0.0	0	
2/17/2025	0	810	0.02967	0	0	0	0	0	0.0	0	
2/18/2025	0	810	0.02908	0	0	0	0	0	0.0	0	
2/19/2025	0	810	0.0285	0	0	0	0	0	0.0	0	
2/20/2025	0	810	0.02793	0	0	0	0	0	0.0	0	
2/21/2025	0	810	0.02737	0	0	0	0	0	0.0	0	
2/22/2025	0	810	0.02682	0	0	0	0	0	0.0	0	
2/23/2025	0	810	0.02628	0	0	0	0	0	0.0	0	
2/24/2025	0	810	0.02576	0	0	0	0	0	0.0	0	
2/25/2025	0	810	0.02524	0	0	0	0	0	0.0	0	
2/26/2025	0	810	0.02474	0	0	0	0	0	0.0	0	
2/27/2025	0	810	0.02424	0	0	0	0	0	0.0	0	
2/28/2025	0	810	0.02376	0	0	0	0	0	0.0	0	
3/1/2025	0	810	0.02328	0	0	0	0	0	0.0	0	
3/2/2025	0	810	0.02282	0	0	0	0	0	0.0	0	
3/3/2025	0	810	0.02236	0	0	0	0	0	0.0	0	
3/4/2025	0	810	0.02191	0	0	0	0	0	0.0	0	
3/5/2025	0	810	0.02148	0	0	0	0	0	0.0	0	
3/6/2025	0	810	0.02105	0	0	0	0	0	0.0	0	
3/7/2025	0	810	0.02063	0	0	0	0	0	0.0	0	
3/8/2025	0	810	0.02021	0	0	0	0	0	0.0	0	
3/9/2025	0	810	0.01981	0	0	0	0	0	0.0	0	
3/10/2025	0	810	0.01941	0	0	0	0	0	0.0	0	
3/11/2025	0	810	0.01902	0	0	0	0	0	0.0	0	
3/12/2025	0	810	0.01864	0	0	0	0	0	0.0	0	
3/13/2025	0	810	0.01827	0	0	0	0	0	0.0	0	
3/14/2025	0	810	0.01791	0	0	0	0	0	0.0	0	
3/15/2025	0	810	0.01755	0	0	0	0	0	0.0	0	
3/16/2025	0	810	0.0172	0	0	0	0	0	0.0	0	
3/17/2025	0	810	0.01685	0	0	0	0	0	0.0	0	
3/18/2025	0	810	0.01652	0	0	0	0	0	0.0	0	
3/19/2025	0	810	0.01619	0	0	0	0	0	0.0	0	
3/20/2025	0	810	0.01586	0	0	0	0	0	0.0	0	
3/21/2025	0	810	0.01554	0	0	0	0	0	0.0	0	
3/22/2025	0	810	0.01523	0	0	0	0	0	0.0	0	
3/23/2025	0	810	0.01493	0	0	0	0	0	2.6	0	
3/24/2025	0	810	0.01463	0	0	0	0	0	6.4	0	
3/25/2025	0	810	0.01434	0	0	0	0	0	3.8	0	
3/26/2025	0	810	0.01405	0	0	0	0	0	1.1	0	
3/27/2025	0	810	0.01377	0	0	0	0	0	0.0	0	
3/28/2025	0	810	0.01349	0	0	0	0	0	0.0	0	
3/29/2025	0	810	0.01322	0	0	0	0	0	0.0	0	
3/30/2025	0	810	0.01296	0	0	0	0	0	0.0	0	
3/31/2025	0	810	0.0127	0	0	0	0	0	0.0	0	
4/1/2025	0	810	0.01245	0	0	0	0	0	2.9	0	
4/2/2025	0	810	0.0122	0	0	0	0	0	4.5	0	
4/3/2025	0	810	0.01195	0	0	0	0	0	0.0	0	
4/4/2025	0	810	0.01171	0	0	0	0	0	0.0	0	
4/5/2025	0	810	0.01148	0	0	0	0	0	0.0	0	
4/6/2025	0	810	0.01125	0	0	0	0	0	0.0	0	
4/7/2025	0	810	0.01103	0	0	0	0	0	0.0	0	
4/8/2025	0	810	0.01081	0	0	0	0	0	0.0	0	
4/9/2025	0	810	0.01059	0	0	0	0	0	0.0	0	
4/10/2025	0	810	0.01038	0	0	0	0	0	0.0	0	
4/11/2025	0	810	0.01017	0	0	0	0	0	0.0	0	
4/12/2025	0	810	0.009967	0	0	0	0	0	0.0	0	
4/13/2025	0	810	0.009767	0	0	0	0	0	0.0	0	
4/14/2025	0	810	0.009572	0	0	0	0	0	1.4	0	
4/15/2025	0	810	0.009381	0	0	0	0	0	5.2	0	
4/16/2025	0	810	0.009193	0	0	0	0	0	5.1	0	
4/17/2025	0	810	0.009009	0	0	0	0	0	3.5	0	
4/18/2025	0	810	0.008829	0	0	0	0	0	2.4	0	
4/19/2025	0	810	0.008652	0	0	0	0	0	1.8	0	
4/20/2025	0	810	0.008479	0	0	0	0	0	0.0	0	
4/21/2025	0	810	0.00831	0	0	0	0	0	0.0	0	
4/22/2025	0	810	0.008143	0	0	0	0	0	0.0	0	
4/23/2025	0	810	0.007981	0	0	0	0	0	0.0	0	
4/24/2025	0	810	0.007821	0	0	0	0	0	0.0	0	
4/25/2025	0	810	0.007665	0	0	0	0	0	0.0	0	
4/26/2025	0	810	0.007511	0	0	0	0	0	0.0	0	
4/27/2025	0	810	0.007361	0	0	0	0	0	0.0	0	

Date	TIRI02 - Water Balance										
	Inflow							Outflow			
	TIRI02 Pitwall Runoff	UG to TIRI02	TIRI02 Natural Runoff	SP1 to TIRI02	SP4 to TIRI02	Stockpile to	J6 to TIRI02	Rain and Snowmelt	TIRI02 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
4/28/2025	0	810	0.007214	0	0	0	0	0	3.4	0	
4/29/2025	0	810	0.00707	0	0	0	0	0	0.0	0	
4/30/2025	0	810	0.006928	0	0	0	0	0	0.0	0	
5/1/2025	0	810	0.00679	0	0	0	0	0	2.5	0	
5/2/2025	0	810	0.006654	0	0	0	0	0	9.2	0	
5/3/2025	0	810	0.006521	0	0	0	0	0	11.2	0	
5/4/2025	0	810	0.00639	0	0	0	0	0	12.7	0	
5/5/2025	0	810	0.006263	0	0	0	0	0	6.1	0	
5/6/2025	0	810	0.006137	0	0	0	0	0	10.9	0	
5/7/2025	0	810	0.006015	0	0	0	0	0	11.1	0	
5/8/2025	0	810	0.005894	0	0	0	0	0	10.9	0	
5/9/2025	0	810	0.005776	0	0	0	0	0	16.5	0	
5/10/2025	0	810	0.005661	0	0	0	0	0	19.2	0	
5/11/2025	0	810	0.005548	0	0	0	0	0	18.8	0	
5/12/2025	0	810	0.005437	0	0	0	0	0	18.7	0	
5/13/2025	0	810	0.005328	0	0	0	0	0	17.1	0	
5/14/2025	0	810	0.005221	0	0	0	0	0	19.6	0	
5/15/2025	64.24	810	24.3	0	0	0	0	18.23	15.5	0	
5/16/2025	70.75	810	75.98	0	0	0	0	20.16	18.7	0	
5/17/2025	187.6	810	107.7	0	0	0	0	53.7	19.4	0	
5/18/2025	13.09	810	140.8	0	0	0	0	3.765	21.9	0	
5/19/2025	0	810	9.177	0	0	0	0	0	21.2	0	
5/20/2025	0	810	0.07598	0	0	0	0	0	21.9	0	
5/21/2025	54.18	810	22.96	0	0	0	0	15.76	22.9	0	
5/22/2025	99.84	810	108.8	0	0	0	0	29.15	24.7	0	
5/23/2025	125.9	810	246.9	0	0	0	0	36.93	24.0	0	
5/24/2025	164.4	810	248.5	0	0	0	0	48.47	22.7	0	
5/25/2025	178.7	810	149.7	0	0	0	0	52.97	23.4	0	
5/26/2025	32	810	121.4	0	0	0	0	9.534	24.4	0	
5/27/2025	72.12	810	49.37	0	0	0	0	21.58	22.3	0	
5/28/2025	43.61	810	45.31	0	0	0	0	13.1	22.2	0	
5/29/2025	148.1	810	81.56	0	0	0	0	44.64	24.7	0	
5/30/2025	208.6	810	383.5	0	0	0	0	63.18	28.2	0	
5/31/2025	277.8	810	633.7	0	0	0	0	84.67	30.7	0	
6/1/2025	307.4	810	861	0	0	0	0	94.39	30.5	0	
6/2/2025	264.9	810	1056	0	0	0	0	82.05	32.8	0	
6/3/2025	135	810	714.9	0	0	0	0	42.21	26.3	0	
6/4/2025	170.7	810	269.6	0	0	0	0	53.74	29.6	0	
6/5/2025	180.9	810	216.1	0	0	0	0	57.25	29.3	0	
6/6/2025	237.1	810	185.4	0	0	0	0	75.42	31.1	0	
6/7/2025	387.9	810	160.2	0	0	0	0	124	33.7	0	
6/8/2025	404.9	810	138.9	0	0	0	0	130.2	29.4	0	
6/9/2025	257	810	226.4	0	0	0	0	83.17	31.1	0	
6/10/2025	185.7	810	135.6	0	0	0	0	60.43	31.6	0	
6/11/2025	220.7	810	109.9	0	0	0	0	72.16	31.6	0	
6/12/2025	115.1	810	102.5	0	0	0	0	37.8	29.6	0	
6/13/2025	124.6	810	96.85	0	0	0	0	41.09	29.6	0	
6/14/2025	254.5	810	90.62	0	0	0	0	84.31	32.7	0	
6/15/2025	362.7	810	83.69	0	0	0	0	120.7	34.8	0	
6/16/2025	269.9	810	77.24	0	0	0	0	90.34	33.4	0	
6/17/2025	346	810	71.22	0	0	0	0	116.4	35.8	0	
6/18/2025	160.9	810	65.57	0	0	0	0	54.39	37.2	0	
6/19/2025	11.91	810	60.28	0	0	0	0	4.044	36.8	0	
6/20/2025	11.9	810	55.38	0	0	0	0	4.055	37.6	0	
6/21/2025	11.9	810	50.8	0	0	0	0	4.066	44.1	0	
6/22/2025	0	810	46.42	0	0	0	0	0	37.3	0	
6/23/2025	0	810	42.4	0	0	0	0	0	34.0	0	
6/24/2025	0	810	38.73	0	0	0	0	0	37.5	0	
6/25/2025	0	810	35.24	0	0	0	0	0	36.9	0	
6/26/2025	0	810	32.02	0	0	0	0	0	38.3	0	
6/27/2025	0	810	28.99	0	0	0	0	0	47.9	0	
6/28/2025	0	810	25.98	0	0	0	0	0	58.4	0	
6/29/2025	0	810	6.563	0	0	0	0	0	93.3	0	
6/30/2025	0	810	6.432	0	0	0	0	0	159.9	0	
7/1/2025	0	810	6.304	0	0	0	0	0	40.7	0	
7/2/2025	0	810	6.177	0	0	0	0	0	41.2	0	
7/3/2025	0	810	6.054	0	0	0	0	0	68.9	0	
7/4/2025	0	810	5.933	0	0	0	0	0	54.9	0	
7/5/2025	0	810	5.814	0	0	0	0	0	40.1	0	
7/6/2025	11.79	810	5.698	0	0	0	0	4.218	41.2	0	
7/7/2025	1199	810	5.584	0	0	0	0	430.2	41.5	0	
7/8/2025	405.1	810	543.9	0	0	0	0	146.7	43.0	0	
7/9/2025	21.18	810	234.1	0	0	0	0	7.724	43.4	0	
7/10/2025	0	810	65.1	0	0	0	0	0	43.0	0	
7/11/2025	0	810	51.7	0	0	0	0	0	43.7	0	
7/12/2025	11.72	810	38.57	0	0	0	0	4.318	46.5	0	
7/13/2025	0	810	35.59	0	0	0	0	0	47.3	0	
7/14/2025	0	810	34.41	0	0	0	0	0	47.2	0	
7/15/2025	0	810	31.33	0	0	0	0	0	68.3	0	
7/16/2025	0	810	27.81	0	0	0	0	0	47.6	9000	
7/17/2025	0	810	7.127	0	0	0	0	0	49.1	9000	
7/18/2025	0	810	6.984	0	0	0	0	0	54.5	9000	
7/19/2025	0	810	6.844	0	0	0	0	0	46.1	9000	
7/20/2025	0	810	6.708	0	0	0	0	0	43.7	9000	
7/21/2025	12.06	810	6.573	0	0	0	0	3.825	42.8	9000	
7/22/2025	170.5	810	6.442	0	0	0	0	52.22	36.8	9000	
7/23/2025	312.7	810	55.11	0	0	0	0	92.55	34.4	9000	
7/24/2025	38.85	810	131.2	0	0	0	0	11.12	31.6	9000	
7/25/2025	1341	810	9.543	0	0	0	0	370.1	32.6	9000	
7/26/2025	47.71	810	592.7	0	0	0	0	12.78	31.6	9000	
7/27/2025	0	810	79.65	0	0	0	0	0	34.7	9000	
7/28/2025	108	810	61.45	0	0	0	0	26.85	29.1	9000	
7/29/2025	14.19	810	67.64	0	0	0	0	3.389	25.2	9000	
7/30/2025	0	810	42.71	0	0	0	0	0	25.1	9000	
7/31/2025	0	810	39.01	0	0	0	0	0	25.5	9000	
8/1/2025	0	810	37.95	0	0	0	0	0	26.7	9000	
8/2/2025	0	810	35.06	0	0	0	0	0	30.5	9000	
8/3/2025	0	810	31.62	0	0	0	0	0	25.3	9000	
8/4/2025	0	810	28.55	0	0	0	0	0	23.7	9000	
8/5/2025	13.15	810	25.71	0	0	0	0	2.273	21.5	9000	
8/6/2025	13.22	810	6.629	0	0	0	0	2.167	17.8	9000	
8/7/2025	0	810	6.497	0	0	0	0	0	17.5	9000	
8/8/2025	424.3	810	6.367	0	0	0	0	62	16.5	9000	
8/9/2025	1533	810	155.4	0	0	0	0	211.4	15.8	9000	
8/10/2025	272.2	810	629.6	0	0	0	0	35.73	12.1	9000	

Date	TIRIO2 - Water Balance										
	Inflow							Outflow			
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
8/11/2025	13.57	810	184.9	0	0	0	0	1.678	12.3	9000	
8/12/2025	24.6	810	81.34	0	0	0	0	2.838	11.5	9000	
8/13/2025	24.73	810	67.65	0	0	0	0	2.649	11.9	9000	
8/14/2025	0	810	55.95	0	0	0	0	0	13.3	7653	
8/15/2025	0	810	44.99	0	0	0	0	0	10.4	855	
8/16/2025	13.83	810	44.21	0	0	0	0	1.299	10.1	869.3	
8/17/2025	0	810	42.32	0	0	0	0	0	12.9	852.3	
8/18/2025	0	810	38.82	0	0	0	0	0	10.8	848.8	
8/19/2025	0	810	35.4	0	0	0	0	0	9.7	845.4	
8/20/2025	476.4	810	32.29	0	0	0	0	44.74	8.9	1363	
8/21/2025	15.54	810	195.6	0	0	0	0	1.459	8.9	1023	
8/22/2025	0	810	27.26	0	0	0	0	0	8.3	837.3	
8/23/2025	137.8	810	27.48	0	0	0	0	12.94	8.2	988.2	
8/24/2025	71.98	810	57.02	0	0	0	0	6.759	8.7	945.8	
8/25/2025	13.83	810	39.26	0	0	0	0	1.299	7.7	864.4	
8/26/2025	13.83	810	7.083	0	0	0	0	1.299	8.0	832.2	
8/27/2025	34.35	810	7.195	0	0	0	0	3.226	7.8	854.8	
8/28/2025	147.2	810	7.145	0	0	0	0	13.83	7.2	978.2	
8/29/2025	13.83	810	45.97	0	0	0	0	1.299	7.0	871.1	
8/30/2025	62.57	810	6.862	0	0	0	0	5.876	6.9	885.3	
8/31/2025	13.83	810	12.8	0	0	0	0	1.299	6.4	837.9	
9/1/2025	13.83	810	6.793	0	0	0	0	1.299	6.5	831.9	
9/2/2025	15.54	810	6.675	0	0	0	0	1.459	6.5	833.7	
9/3/2025	59.94	810	6.542	0	0	0	0	5.629	6.3	882.1	
9/4/2025	41.13	810	8.144	0	0	0	0	3.863	6.4	863.1	
9/5/2025	20.61	810	8.107	0	0	0	0	1.936	6.3	840.7	
9/6/2025	15.54	810	6.157	0	0	0	0	1.459	5.9	833.2	
9/7/2025	0	810	6.034	0	0	0	0	0	5.6	816	
9/8/2025	295.1	810	5.913	0	0	0	0	27.71	5.3	1139	
9/9/2025	22.32	810	101.7	0	0	0	0	2.096	5.4	936.1	
9/10/2025	6.778	810	5.679	0	0	0	0	0.6365	5.0	823.1	
9/11/2025	197.9	810	5.982	0	0	0	0	18.58	4.1	1032	
9/12/2025	81.57	810	67.49	0	0	0	0	7.66	4.5	966.7	
9/13/2025	0	810	28.54	0	0	0	0	0	5.0	838.5	
9/14/2025	6.778	810	6.654	0	0	0	0	0.6365	4.5	824.1	
9/15/2025	39.1	810	7	0	0	0	0	3.672	4.9	859.8	
9/16/2025	0	810	0.3602	0	0	0	0	0	4.0	810.4	
9/17/2025	0	810	0.3634	0	0	0	0	0	3.8	810.4	
9/18/2025	0	810	1.285	0	0	0	0	0	3.8	811.3	
9/19/2025	34.35	810	37.57	0	0	0	0	3.226	3.8	885.1	
9/20/2025	0	810	15.72	0	0	0	0	0	4.3	825.7	
9/21/2025	43.76	810	7.022	0	0	0	0	4.109	4.3	864.9	
9/22/2025	6.778	810	6.977	0	0	0	0	0.6365	3.8	824.4	
9/23/2025	27.99	810	6.875	0	0	0	0	2.628	3.6	847.5	
9/24/2025	0	810	0.3392	0	0	0	0	0	3.4	810.3	
9/25/2025	0	810	0.3333	0	0	0	0	0	3.2	810.3	
9/26/2025	0	810	0.3299	0	0	0	0	0	2.8	810.3	
9/27/2025	0	810	0.3273	0	0	0	0	0	2.7	810.3	
9/28/2025	0	810	0.3246	0	0	0	0	0	2.8	810.3	
9/29/2025	0	810	0.3215	0	0	0	0	0	2.5	810.3	
9/30/2025	626.1	810	43.9	0	0	0	0	58.8	2.6	1539	
10/1/2025	0	810	259.9	0	0	0	0	0	2.6	1067	
10/2/2025	0	810	11.41	0	0	0	0	0	1.8	821.2	
10/3/2025	0	810	5.471	0	0	0	0	0	2.3	0	
10/4/2025	0	810	1.967	0	0	0	0	0	2.3	0	
10/5/2025	0	810	1.465	0	0	0	0	0	2.0	0	
10/6/2025	0	810	1.482	0	0	0	0	0	1.6	0	
10/7/2025	0	810	1.476	0	0	0	0	0	1.1	0	
10/8/2025	0	810	1.451	0	0	0	0	0	1.5	0	
10/9/2025	0	810	1.413	0	0	0	0	0	1.5	0	
10/10/2025	0	810	1.365	0	0	0	0	0	1.6	0	
10/11/2025	0	810	1.31	0	0	0	0	0	1.8	0	
10/12/2025	0	810	0.3576	0	0	0	0	0	1.8	0	
10/13/2025	0	810	0.3579	0	0	0	0	0	1.9	0	
10/14/2025	0	810	0.3567	0	0	0	0	0	1.5	0	
10/15/2025	0	810	0.3544	0	0	0	0	0	1.6	0	
10/16/2025	0	810	0.3512	0	0	0	0	0	1.6	0	
10/17/2025	0	810	0.3472	0	0	0	0	0	1.4	0	
10/18/2025	0	810	0.3427	0	0	0	0	0	1.2	0	
10/19/2025	0	810	0.3379	0	0	0	0	0	0.9	0	
10/20/2025	0	810	0.3327	0	0	0	0	0	0.7	0	
10/21/2025	0	810	0.3273	0	0	0	0	0	0.9	0	
10/22/2025	0	810	0.3217	0	0	0	0	0	0.7	0	
10/23/2025	0	810	0.3161	0	0	0	0	0	0.5	0	
10/24/2025	0	810	0.3104	0	0	0	0	0	1.0	0	
10/25/2025	0	810	0.3048	0	0	0	0	0	1.3	0	
10/26/2025	0	810	0.2991	0	0	0	0	0	0.8	0	
10/27/2025	0	810	0.2934	0	0	0	0	0	1.0	0	
10/28/2025	0	810	0.2878	0	0	0	0	0	0.7	0	
10/29/2025	0	810	0.2823	0	0	0	0	0	0.0	0	
10/30/2025	0	810	0.2768	0	0	0	0	0	0.7	0	
10/31/2025	0	810	0.2714	0	0	0	0	0	0.5	0	
11/1/2025	0	810	0.2661	0	0	0	0	0	0.0	0	
11/2/2025	0	810	0.2608	0	0	0	0	0	0.0	0	
11/3/2025	0	810	0.2557	0	0	0	0	0	0.0	0	
11/4/2025	0	810	0.2506	0	0	0	0	0	0.1	0	
11/5/2025	0	810	0.2457	0	0	0	0	0	0.1	0	
11/6/2025	0	810	0.2408	0	0	0	0	0	0.0	0	
11/7/2025	0	810	0.236	0	0	0	0	0	0.0	0	
11/8/2025	0	810	0.2313	0	0	0	0	0	0.0	0	
11/9/2025	0	810	0.2267	0	0	0	0	0	0.0	0	
11/10/2025	0	810	0.2222	0	0	0	0	0	0.0	0	
11/11/2025	0	810	0.2177	0	0	0	0	0	0.0	0	
11/12/2025	0	810	0.2134	0	0	0	0	0	0.0	0	
11/13/2025	0	810	0.2091	0	0	0	0	0	0.0	0	
11/14/2025	0	810	0.205	0	0	0	0	0	0.2	0	
11/15/2025	0	810	0.2009	0	0	0	0	0	0.4	0	
11/16/2025	0	810	0.1969	0	0	0	0	0	0.4	0	
11/17/2025	0	810	0.1929	0	0	0	0	0	0.0	0	
11/18/2025	0	810	0.1891	0	0	0	0	0	0.0	0	
11/19/2025	0	810	0.1853	0	0	0	0	0	0.0	0	
11/20/2025	0	810	0.1816	0	0	0	0	0	0.0	0	
11/21/2025	0	810	0.1779	0	0	0	0	0	0.0	0	
11/22/2025	0	810	0.1744	0	0	0	0	0	0.0	0	
11/23/2025	0	810	0.1709	0	0	0	0	0	0.0	0	

Date	TIRI02 - Water Balance										
	Inflow							Outflow			
	TIRI02 Pitwall Runoff	UG to TIRI02	TIRI02 Natural Runoff	SP1 to TIRI02	SP4 to TIRI02	Stockpile to	J6 to TIRI02	Rain and Snowmelt	TIRI02 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
11/24/2025	0	810	0.1675	0	0	0	0	0	0.1	0	
11/25/2025	0	810	0.1641	0	0	0	0	0	0.0	0	
11/26/2025	0	810	0.1609	0	0	0	0	0	0.3	0	
11/27/2025	0	810	0.1576	0	0	0	0	0	0.0	0	
11/28/2025	0	810	0.1545	0	0	0	0	0	0.0	0	
11/29/2025	0	810	0.1514	0	0	0	0	0	0.0	0	
11/30/2025	0	810	0.1484	0	0	0	0	0	0.1	0	
12/1/2025	0	810	0.1454	0	0	0	0	0	0.0	0	
12/2/2025	0	810	0.1425	0	0	0	0	0	0.0	0	
12/3/2025	0	810	0.1396	0	0	0	0	0	0.0	0	
12/4/2025	0	810	0.1369	0	0	0	0	0	0.0	0	
12/5/2025	0	810	0.1341	0	0	0	0	0	0.0	0	
12/6/2025	0	810	0.1314	0	0	0	0	0	0.0	0	
12/7/2025	0	810	0.1288	0	0	0	0	0	0.0	0	
12/8/2025	0	810	0.1262	0	0	0	0	0	0.0	0	
12/9/2025	0	810	0.1237	0	0	0	0	0	0.0	0	
12/10/2025	0	810	0.1212	0	0	0	0	0	0.0	0	
12/11/2025	0	810	0.1188	0	0	0	0	0	0.0	0	
12/12/2025	0	810	0.1164	0	0	0	0	0	0.0	0	
12/13/2025	0	810	0.1141	0	0	0	0	0	0.0	0	
12/14/2025	0	810	0.1118	0	0	0	0	0	0.0	0	
12/15/2025	0	810	0.1096	0	0	0	0	0	0.1	0	
12/16/2025	0	810	0.1074	0	0	0	0	0	0.0	0	
12/17/2025	0	810	0.1052	0	0	0	0	0	0.0	0	
12/18/2025	0	810	0.1031	0	0	0	0	0	0.0	0	
12/19/2025	0	810	0.1011	0	0	0	0	0	0.0	0	
12/20/2025	0	810	0.09905	0	0	0	0	0	0.0	0	
12/21/2025	0	810	0.09707	0	0	0	0	0	0.0	0	
12/22/2025	0	810	0.09513	0	0	0	0	0	0.0	0	
12/23/2025	0	810	0.09323	0	0	0	0	0	0.0	0	
12/24/2025	0	810	0.09136	0	0	0	0	0	0.0	0	
12/25/2025	0	810	0.08954	0	0	0	0	0	0.0	0	
12/26/2025	0	810	0.08774	0	0	0	0	0	0.0	0	
12/27/2025	0	810	0.08599	0	0	0	0	0	0.0	0	
12/28/2025	0	810	0.08427	0	0	0	0	0	0.0	0	
12/29/2025	0	810	0.08258	0	0	0	0	0	0.0	0	
12/30/2025	0	810	0.08093	0	0	0	0	0	0.0	0	
12/31/2025	0	810	0.07931	0	0	0	0	0	0.0	0	
1/1/2026	0	810	0.07773	0	0	0	0	0	0.0	0	
1/2/2026	0	810	0.07617	0	0	0	0	0	0.0	0	
1/3/2026	0	810	0.07465	0	0	0	0	0	0.0	0	
1/4/2026	0	810	0.07316	0	0	0	0	0	0.0	0	
1/5/2026	0	810	0.07169	0	0	0	0	0	0.0	0	
1/6/2026	0	810	0.07026	0	0	0	0	0	0.0	0	
1/7/2026	0	810	0.06885	0	0	0	0	0	0.0	0	
1/8/2026	0	810	0.06748	0	0	0	0	0	0.0	0	
1/9/2026	0	810	0.06613	0	0	0	0	0	0.0	0	
1/10/2026	0	810	0.06481	0	0	0	0	0	0.0	0	
1/11/2026	0	810	0.06351	0	0	0	0	0	0.0	0	
1/12/2026	0	810	0.06224	0	0	0	0	0	0.0	0	
1/13/2026	0	810	0.06099	0	0	0	0	0	0.0	0	
1/14/2026	0	810	0.05977	0	0	0	0	0	0.0	0	
1/15/2026	0	810	0.05858	0	0	0	0	0	0.0	0	
1/16/2026	0	810	0.05741	0	0	0	0	0	0.0	0	
1/17/2026	0	810	0.05626	0	0	0	0	0	0.0	0	
1/18/2026	0	810	0.05513	0	0	0	0	0	0.0	0	
1/19/2026	0	810	0.05403	0	0	0	0	0	0.0	0	
1/20/2026	0	810	0.05295	0	0	0	0	0	0.2	0	
1/21/2026	0	810	0.05189	0	0	0	0	0	0.0	0	
1/22/2026	0	810	0.05085	0	0	0	0	0	0.0	0	
1/23/2026	0	810	0.04984	0	0	0	0	0	0.0	0	
1/24/2026	0	810	0.04884	0	0	0	0	0	0.0	0	
1/25/2026	0	810	0.04786	0	0	0	0	0	0.0	0	
1/26/2026	0	810	0.04691	0	0	0	0	0	0.0	0	
1/27/2026	0	810	0.04597	0	0	0	0	0	0.0	0	
1/28/2026	0	810	0.04505	0	0	0	0	0	0.0	0	
1/29/2026	0	810	0.04415	0	0	0	0	0	0.0	0	
1/30/2026	0	810	0.04326	0	0	0	0	0	0.0	0	
1/31/2026	0	850	0.0424	0	0	0	0	0	0.0	0	
2/1/2026	0	850	0.04155	0	0	0	0	0	0.0	0	
2/2/2026	0	850	0.04072	0	0	0	0	0	0.0	0	
2/3/2026	0	850	0.03991	0	0	0	0	0	0.0	0	
2/4/2026	0	850	0.03911	0	0	0	0	0	0.0	0	
2/5/2026	0	850	0.03833	0	0	0	0	0	0.0	0	
2/6/2026	0	850	0.03756	0	0	0	0	0	0.0	0	
2/7/2026	0	850	0.03681	0	0	0	0	0	0.0	0	
2/8/2026	0	850	0.03607	0	0	0	0	0	0.0	0	
2/9/2026	0	850	0.03535	0	0	0	0	0	0.0	0	
2/10/2026	0	850	0.03464	0	0	0	0	0	0.0	0	
2/11/2026	0	850	0.03395	0	0	0	0	0	0.0	0	
2/12/2026	0	850	0.03327	0	0	0	0	0	0.0	0	
2/13/2026	0	850	0.03261	0	0	0	0	0	0.0	0	
2/14/2026	0	850	0.03195	0	0	0	0	0	0.0	0	
2/15/2026	0	850	0.03131	0	0	0	0	0	0.0	0	
2/16/2026	0	850	0.03069	0	0	0	0	0	0.0	0	
2/17/2026	0	850	0.03007	0	0	0	0	0	0.0	0	
2/18/2026	0	850	0.02947	0	0	0	0	0	0.0	0	
2/19/2026	0	850	0.02888	0	0	0	0	0	0.0	0	
2/20/2026	0	850	0.02831	0	0	0	0	0	0.0	0	
2/21/2026	0	850	0.02774	0	0	0	0	0	0.0	0	
2/22/2026	0	850	0.02719	0	0	0	0	0	0.0	0	
2/23/2026	0	850	0.02664	0	0	0	0	0	0.0	0	
2/24/2026	0	850	0.02611	0	0	0	0	0	0.0	0	
2/25/2026	0	850	0.02559	0	0	0	0	0	0.0	0	
2/26/2026	0	850	0.02507	0	0	0	0	0	0.0	0	
2/27/2026	0	850	0.02457	0	0	0	0	0	0.0	0	
2/28/2026	0	850	0.02408	0	0	0	0	0	0.0	0	
3/1/2026	0	850	0.0236	0	0	0	0	0	0.0	0	
3/2/2026	0	850	0.02313	0	0	0	0	0	0.0	0	
3/3/2026	0	850	0.02267	0	0	0	0	0	0.0	0	
3/4/2026	0	850	0.02221	0	0	0	0	0	0.0	0	
3/5/2026	0	850	0.02177	0	0	0	0	0	0.0	0	
3/6/2026	0	850	0.02133	0	0	0	0	0	0.0	0	
3/7/2026	0	850	0.02091	0	0	0	0	0	0.0	0	
3/8/2026	0	850	0.02049	0	0	0	0	0	0.0	0	

Date	TIRIO2 - Water Balance										
	Inflow							Outflow			
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
3/9/2026	0	850	0.02008	0	0	0	0	0	0.0	0	
3/10/2026	0	850	0.01968	0	0	0	0	0	0.0	0	
3/11/2026	0	850	0.01928	0	0	0	0	0	0.0	0	
3/12/2026	0	850	0.0189	0	0	0	0	0	0.0	0	
3/13/2026	0	850	0.01852	0	0	0	0	0	0.0	0	
3/14/2026	0	850	0.01815	0	0	0	0	0	0.0	0	
3/15/2026	0	850	0.01779	0	0	0	0	0	0.0	0	
3/16/2026	0	850	0.01743	0	0	0	0	0	0.0	0	
3/17/2026	0	850	0.01708	0	0	0	0	0	0.0	0	
3/18/2026	0	850	0.01674	0	0	0	0	0	0.0	0	
3/19/2026	0	850	0.01641	0	0	0	0	0	0.0	0	
3/20/2026	0	850	0.01608	0	0	0	0	0	0.0	0	
3/21/2026	0	850	0.01576	0	0	0	0	0	0.0	0	
3/22/2026	0	850	0.01544	0	0	0	0	0	0.0	0	
3/23/2026	0	850	0.01513	0	0	0	0	0	2.7	0	
3/24/2026	0	850	0.01483	0	0	0	0	0	6.8	0	
3/25/2026	0	850	0.01453	0	0	0	0	0	4.0	0	
3/26/2026	0	850	0.01424	0	0	0	0	0	1.2	0	
3/27/2026	0	850	0.01396	0	0	0	0	0	0.0	0	
3/28/2026	0	850	0.01368	0	0	0	0	0	0.0	0	
3/29/2026	0	850	0.0134	0	0	0	0	0	0.0	0	
3/30/2026	0	850	0.01314	0	0	0	0	0	0.0	0	
3/31/2026	0	850	0.01287	0	0	0	0	0	0.0	0	
4/1/2026	0	850	0.01262	0	0	0	0	0	3.1	0	
4/2/2026	0	850	0.01236	0	0	0	0	0	4.7	0	
4/3/2026	0	850	0.01212	0	0	0	0	0	0.0	0	
4/4/2026	0	850	0.01187	0	0	0	0	0	0.0	0	
4/5/2026	0	850	0.01164	0	0	0	0	0	0.0	0	
4/6/2026	0	850	0.0114	0	0	0	0	0	0.0	0	
4/7/2026	0	850	0.01118	0	0	0	0	0	0.0	0	
4/8/2026	0	850	0.01095	0	0	0	0	0	0.0	0	
4/9/2026	0	850	0.01073	0	0	0	0	0	0.0	0	
4/10/2026	0	850	0.01052	0	0	0	0	0	0.0	0	
4/11/2026	0	850	0.01031	0	0	0	0	0	0.0	0	
4/12/2026	0	850	0.0101	0	0	0	0	0	0.0	0	
4/13/2026	0	850	0.0099	0	0	0	0	0	0.0	0	
4/14/2026	0	850	0.009702	0	0	0	0	0	1.5	0	
4/15/2026	0	850	0.009508	0	0	0	0	0	5.5	0	
4/16/2026	0	850	0.009318	0	0	0	0	0	5.3	0	
4/17/2026	0	850	0.009131	0	0	0	0	0	3.7	0	
4/18/2026	0	850	0.008949	0	0	0	0	0	2.5	0	
4/19/2026	0	850	0.00877	0	0	0	0	0	1.9	0	
4/20/2026	0	850	0.008594	0	0	0	0	0	0.0	0	
4/21/2026	0	850	0.008423	0	0	0	0	0	0.0	0	
4/22/2026	0	850	0.008254	0	0	0	0	0	0.0	0	
4/23/2026	0	850	0.008089	0	0	0	0	0	0.0	0	
4/24/2026	0	850	0.007927	0	0	0	0	0	0.0	0	
4/25/2026	0	850	0.007769	0	0	0	0	0	0.0	0	
4/26/2026	0	850	0.007613	0	0	0	0	0	0.0	0	
4/27/2026	0	850	0.007461	0	0	0	0	0	0.0	0	
4/28/2026	0	850	0.007312	0	0	0	0	0	3.6	0	
4/29/2026	0	850	0.007166	0	0	0	0	0	0.0	0	
4/30/2026	0	850	0.007022	0	0	0	0	0	0.0	0	
5/1/2026	0	850	0.006882	0	0	0	0	0	2.7	0	
5/2/2026	0	850	0.006744	0	0	0	0	0	9.7	0	
5/3/2026	0	850	0.006609	0	0	0	0	0	11.9	0	
5/4/2026	0	850	0.006477	0	0	0	0	0	13.4	0	
5/5/2026	0	850	0.006348	0	0	0	0	0	6.4	0	
5/6/2026	0	850	0.006221	0	0	0	0	0	11.6	0	
5/7/2026	0	850	0.006096	0	0	0	0	0	11.7	0	
5/8/2026	0	850	0.005974	0	0	0	0	0	11.6	0	
5/9/2026	0	850	0.005855	0	0	0	0	0	17.5	0	
5/10/2026	0	850	0.005738	0	0	0	0	0	20.3	0	
5/11/2026	0	850	0.005623	0	0	0	0	0	19.9	0	
5/12/2026	0	850	0.005511	0	0	0	0	0	19.8	0	
5/13/2026	0	850	0.0054	0	0	0	0	0	18.1	0	
5/14/2026	0	850	0.005292	0	0	0	0	0	20.7	0	
5/15/2026	63.45	850	24.3	0	0	0	0	19.36	16.4	0	
5/16/2026	69.88	850	75.98	0	0	0	0	21.41	19.8	0	
5/17/2026	185.3	850	107.7	0	0	0	0	57.01	20.5	0	
5/18/2026	12.93	850	140.8	0	0	0	0	3.997	23.2	0	
5/19/2026	0	850	9.177	0	0	0	0	0	22.4	0	
5/20/2026	0	850	0.07605	0	0	0	0	0	23.1	0	
5/21/2026	53.5	850	22.96	0	0	0	0	16.73	24.2	0	
5/22/2026	98.58	850	108.8	0	0	0	0	30.94	26.1	0	
5/23/2026	124.3	850	246.9	0	0	0	0	39.19	25.3	0	
5/24/2026	162.3	850	248.5	0	0	0	0	51.44	24.0	0	
5/25/2026	176.4	850	149.7	0	0	0	0	56.21	24.7	0	
5/26/2026	31.59	850	121.4	0	0	0	0	10.12	25.8	0	
5/27/2026	71.2	850	49.37	0	0	0	0	22.89	23.6	0	
5/28/2026	43.05	850	45.31	0	0	0	0	13.9	23.4	0	
5/29/2026	146.2	850	81.56	0	0	0	0	47.36	26.1	0	
5/30/2026	205.9	850	383.5	0	0	0	0	67.02	29.8	0	
5/31/2026	274.2	850	624.8	0	0	0	0	89.8	32.4	0	
6/1/2026	303.4	850	861	0	0	0	0	100.1	32.2	0	
6/2/2026	261.5	850	1056	0	0	0	0	86.98	34.6	0	
6/3/2026	133.3	850	714.9	0	0	0	0	44.72	27.8	0	
6/4/2026	168.5	850	269.7	0	0	0	0	56.94	31.2	0	
6/5/2026	178.5	850	216.1	0	0	0	0	60.65	30.9	0	
6/6/2026	234	850	185.4	0	0	0	0	79.89	32.8	0	
6/7/2026	382.7	850	160.2	0	0	0	0	131.4	35.6	0	
6/8/2026	399.5	850	138.9	0	0	0	0	137.9	31.0	0	
6/9/2026	253.6	850	226.4	0	0	0	0	88.06	32.8	0	
6/10/2026	183.2	850	135.6	0	0	0	0	63.97	33.3	0	
6/11/2026	217.8	850	109.9	0	0	0	0	76.39	33.3	0	
6/12/2026	113.5	850	102.5	0	0	0	0	40.01	31.2	0	
6/13/2026	122.9	850	96.85	0	0	0	0	43.49	31.2	0	
6/14/2026	251.1	850	90.62	0	0	0	0	89.23	34.5	0	
6/15/2026	357.8	850	83.69	0	0	0	0	127.8	36.7	0	
6/16/2026	266.3	850	77.24	0	0	0	0	95.59	35.2	0	
6/17/2026	341.3	850	71.22	0	0	0	0	123.1	37.7	0	
6/18/2026	158.7	850	65.57	0	0	0	0	57.54	39.2	0	
6/19/2026	11.75	850	60.28	0	0	0	0	4.278	38.8	0	
6/20/2026	11.74	850	55.38	0	0	0	0	4.289	39.6	0	
6/21/2026	11.73	850	50.81	0	0	0	0	4.301	46.4	0	

Date	TIRIO2 - Water Balance										
	Inflow								Outflow		
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
6/22/2026	0	850	46.42	0	0	0	0	0	39.3	0	
6/23/2026	0	850	42.4	0	0	0	0	0	35.8	0	
6/24/2026	0	850	38.73	0	0	0	0	0	39.5	0	
6/25/2026	0	850	35.24	0	0	0	0	0	38.9	0	
6/26/2026	0	850	32.02	0	0	0	0	0	40.4	0	
6/27/2026	0	850	28.99	0	0	0	0	0	50.5	0	
6/28/2026	0	850	25.98	0	0	0	0	0	61.5	0	
6/29/2026	0	850	6.564	0	0	0	0	0	98.3	0	
6/30/2026	0	850	6.432	0	0	0	0	0	168.4	0	
7/1/2026	0	850	6.304	0	0	0	0	0	42.9	0	
7/2/2026	0	850	6.178	0	0	0	0	0	43.4	0	
7/3/2026	0	850	6.054	0	0	0	0	0	72.5	0	
7/4/2026	0	850	5.933	0	0	0	0	0	57.8	0	
7/5/2026	0	850	5.814	0	0	0	0	0	42.2	0	
7/6/2026	11.62	850	5.698	0	0	0	0	4.46	43.4	0	
7/7/2026	1182	850	5.584	0	0	0	0	454.9	43.7	0	
7/8/2026	399.2	850	543.9	0	0	0	0	155.1	45.3	0	
7/9/2026	20.87	850	234.1	0	0	0	0	8.164	45.6	0	
7/10/2026	0	850	65.1	0	0	0	0	0	45.3	0	
7/11/2026	0	850	51.7	0	0	0	0	0	46.0	0	
7/12/2026	11.55	850	38.57	0	0	0	0	4.563	49.0	0	
7/13/2026	0	850	35.59	0	0	0	0	0	49.8	0	
7/14/2026	0	850	34.41	0	0	0	0	0	49.7	0	
7/15/2026	0	850	31.33	0	0	0	0	0	71.9	0	
7/16/2026	0	850	27.81	0	0	0	0	0	50.1	9000	
7/17/2026	0	850	7.127	0	0	0	0	0	51.7	9000	
7/18/2026	0	850	6.984	0	0	0	0	0	57.6	9000	
7/19/2026	0	850	6.845	0	0	0	0	0	48.8	9000	
7/20/2026	0	850	6.708	0	0	0	0	0	46.3	9000	
7/21/2026	11.89	850	6.573	0	0	0	0	4.075	45.4	9000	
7/22/2026	168	850	6.442	0	0	0	0	55.73	39.1	9000	
7/23/2026	308.2	850	55.11	0	0	0	0	98.96	36.6	9000	
7/24/2026	38.3	850	131.2	0	0	0	0	11.91	33.7	9000	
7/25/2026	1322	850	9.543	0	0	0	0	397.4	34.9	9000	
7/26/2026	47.04	850	592.7	0	0	0	0	13.75	33.8	9000	
7/27/2026	0	850	79.65	0	0	0	0	0	37.2	9000	
7/28/2026	106.5	850	61.45	0	0	0	0	29.03	31.3	9000	
7/29/2026	13.99	850	67.64	0	0	0	0	3.673	27.1	9000	
7/30/2026	0	850	42.71	0	0	0	0	0	27.2	9000	
7/31/2026	0	850	39.01	0	0	0	0	0	27.6	9000	
8/1/2026	0	850	37.95	0	0	0	0	0	29.1	9000	
8/2/2026	0	850	35.07	0	0	0	0	0	33.3	9000	
8/3/2026	0	850	31.62	0	0	0	0	0	27.7	9000	
8/4/2026	0	850	28.55	0	0	0	0	0	26.1	9000	
8/5/2026	12.97	850	25.71	0	0	0	0	2.53	23.8	9000	
8/6/2026	13.04	850	6.629	0	0	0	0	2.425	19.7	9000	
8/7/2026	0	850	6.497	0	0	0	0	0	19.6	9000	
8/8/2026	418.5	850	6.367	0	0	0	0	70.2	18.5	9000	
8/9/2026	1512	850	155.4	0	0	0	0	240.9	17.8	9000	
8/10/2026	268.6	850	629.6	0	0	0	0	40.97	13.7	9000	
8/11/2026	13.39	850	184.9	0	0	0	0	1.938	14.1	9000	
8/12/2026	24.27	850	81.34	0	0	0	0	3.308	13.2	9000	
8/13/2026	24.4	850	67.65	0	0	0	0	3.119	13.9	9000	
8/14/2026	0	850	55.95	0	0	0	0	0	15.6	9000	
8/15/2026	0	850	44.99	0	0	0	0	0	12.2	9000	
8/16/2026	13.75	850	44.21	0	0	0	0	1.414	11.1	9000	
8/17/2026	0	850	42.32	0	0	0	0	0	13.1	2253	
8/18/2026	0	850	38.82	0	0	0	0	0	10.8	888.8	
8/19/2026	0	850	35.4	0	0	0	0	0	9.7	885.4	
8/20/2026	476.4	850	32.29	0	0	0	0	44.74	8.9	1403	
8/21/2026	15.54	850	195.6	0	0	0	0	1.459	8.9	1063	
8/22/2026	0	850	27.26	0	0	0	0	0	8.3	877.3	
8/23/2026	137.8	850	27.48	0	0	0	0	12.94	8.2	1028	
8/24/2026	71.98	850	57.02	0	0	0	0	6.759	8.7	985.8	
8/25/2026	13.83	850	39.26	0	0	0	0	1.299	7.7	904.4	
8/26/2026	13.83	850	7.083	0	0	0	0	1.299	8.0	872.2	
8/27/2026	34.35	850	7.195	0	0	0	0	3.226	7.8	894.8	
8/28/2026	147.2	850	7.145	0	0	0	0	13.83	7.2	1018	
8/29/2026	13.83	850	45.97	0	0	0	0	1.299	7.0	911.1	
8/30/2026	62.57	850	6.862	0	0	0	0	5.876	6.9	925.3	
8/31/2026	13.83	850	12.8	0	0	0	0	1.299	6.4	877.9	
9/1/2026	13.83	850	6.793	0	0	0	0	1.299	6.5	871.9	
9/2/2026	15.54	850	6.675	0	0	0	0	1.459	6.5	873.7	
9/3/2026	59.94	850	6.542	0	0	0	0	5.629	6.3	922.1	
9/4/2026	41.13	850	8.144	0	0	0	0	3.863	6.4	903.1	
9/5/2026	20.61	850	8.107	0	0	0	0	1.936	6.3	880.7	
9/6/2026	15.54	850	6.157	0	0	0	0	1.459	5.9	873.2	
9/7/2026	0	850	6.034	0	0	0	0	0	5.6	856	
9/8/2026	295.1	850	5.913	0	0	0	0	27.71	5.3	1179	
9/9/2026	22.32	850	101.7	0	0	0	0	2.096	5.4	976.1	
9/10/2026	6.778	850	5.679	0	0	0	0	0.6365	5.0	863.1	
9/11/2026	197.9	850	5.982	0	0	0	0	18.58	4.1	1072	
9/12/2026	81.57	850	67.49	0	0	0	0	7.66	4.5	1007	
9/13/2026	0	850	28.54	0	0	0	0	0	5.0	878.5	
9/14/2026	6.778	850	6.654	0	0	0	0	0.6365	4.5	864.1	
9/15/2026	39.1	850	7	0	0	0	0	3.672	4.9	899.8	
9/16/2026	0	850	0.3602	0	0	0	0	0	4.0	850.4	
9/17/2026	0	850	0.3634	0	0	0	0	0	3.8	850.4	
9/18/2026	0	850	1.285	0	0	0	0	0	3.8	851.3	
9/19/2026	34.35	850	37.57	0	0	0	0	3.226	3.8	925.1	
9/20/2026	0	850	15.72	0	0	0	0	0	4.3	865.7	
9/21/2026	43.76	850	7.022	0	0	0	0	4.109	4.3	904.9	
9/22/2026	6.778	850	6.977	0	0	0	0	0.6365	3.8	864.4	
9/23/2026	27.99	850	6.875	0	0	0	0	2.628	3.6	887.5	
9/24/2026	0	850	0.3392	0	0	0	0	0	3.4	850.3	
9/25/2026	0	850	0.3333	0	0	0	0	0	3.2	850.3	
9/26/2026	0	850	0.3299	0	0	0	0	0	2.8	850.3	
9/27/2026	0	850	0.3273	0	0	0	0	0	2.7	850.3	
9/28/2026	0	850	0.3246	0	0	0	0	0	2.8	850.3	
9/29/2026	0	850	0.3215	0	0	0	0	0	2.5	850.3	
9/30/2026	626.1	850	43.9	0	0	0	0	58.8	2.6	1579	
10/1/2026	0	850	259.9	0	0	0	0	0	2.6	1107	
10/2/2026	0	850	11.41	0	0	0	0	0	1.8	861.2	
10/3/2026	0	850	5.471	0	0	0	0	0	2.3	0	
10/4/2026	0	850	1.967	0	0	0	0	0	2.3	0	

Date	TIRI02 - Water Balance										
	Inflow							Outflow			
	TIRI02 Pitwall Runoff	UG to TIRI02	TIRI02 Natural Runoff	SP1 to TIRI02	SP4 to TIRI02	Stockpile to	J6 to TIRI02	Rain and Snowmelt	TIRI02 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
10/5/2026	0	850	1.465	0	0	0	0	0	2.0	0	
10/6/2026	0	850	1.482	0	0	0	0	0	1.6	0	
10/7/2026	0	850	1.476	0	0	0	0	0	1.1	0	
10/8/2026	0	850	1.451	0	0	0	0	0	1.5	0	
10/9/2026	0	850	1.413	0	0	0	0	0	1.5	0	
10/10/2026	0	850	1.365	0	0	0	0	0	1.6	0	
10/11/2026	0	850	1.31	0	0	0	0	0	1.8	0	
10/12/2026	0	850	0.3576	0	0	0	0	0	1.8	0	
10/13/2026	0	850	0.3579	0	0	0	0	0	1.9	0	
10/14/2026	0	850	0.3567	0	0	0	0	0	1.5	0	
10/15/2026	0	850	0.3544	0	0	0	0	0	1.6	0	
10/16/2026	0	850	0.3512	0	0	0	0	0	1.6	0	
10/17/2026	0	850	0.3472	0	0	0	0	0	1.4	0	
10/18/2026	0	850	0.3427	0	0	0	0	0	1.2	0	
10/19/2026	0	850	0.3379	0	0	0	0	0	0.9	0	
10/20/2026	0	850	0.3327	0	0	0	0	0	0.7	0	
10/21/2026	0	850	0.3273	0	0	0	0	0	0.9	0	
10/22/2026	0	850	0.3217	0	0	0	0	0	0.7	0	
10/23/2026	0	850	0.3161	0	0	0	0	0	0.5	0	
10/24/2026	0	850	0.3104	0	0	0	0	0	1.1	0	
10/25/2026	0	850	0.3048	0	0	0	0	0	1.3	0	
10/26/2026	0	850	0.2991	0	0	0	0	0	0.8	0	
10/27/2026	0	850	0.2934	0	0	0	0	0	1.0	0	
10/28/2026	0	850	0.2878	0	0	0	0	0	0.7	0	
10/29/2026	0	850	0.2823	0	0	0	0	0	0.0	0	
10/30/2026	0	850	0.2768	0	0	0	0	0	0.7	0	
10/31/2026	0	850	0.2714	0	0	0	0	0	0.5	0	
11/1/2026	0	850	0.2661	0	0	0	0	0	0.0	0	
11/2/2026	0	850	0.2608	0	0	0	0	0	0.0	0	
11/3/2026	0	850	0.2557	0	0	0	0	0	0.0	0	
11/4/2026	0	850	0.2506	0	0	0	0	0	0.1	0	
11/5/2026	0	850	0.2457	0	0	0	0	0	0.1	0	
11/6/2026	0	850	0.2408	0	0	0	0	0	0.0	0	
11/7/2026	0	850	0.236	0	0	0	0	0	0.0	0	
11/8/2026	0	850	0.2313	0	0	0	0	0	0.0	0	
11/9/2026	0	850	0.2267	0	0	0	0	0	0.0	0	
11/10/2026	0	850	0.2222	0	0	0	0	0	0.0	0	
11/11/2026	0	850	0.2177	0	0	0	0	0	0.0	0	
11/12/2026	0	850	0.2134	0	0	0	0	0	0.0	0	
11/13/2026	0	850	0.2091	0	0	0	0	0	0.0	0	
11/14/2026	0	850	0.205	0	0	0	0	0	0.2	0	
11/15/2026	0	850	0.2009	0	0	0	0	0	0.4	0	
11/16/2026	0	850	0.1969	0	0	0	0	0	0.4	0	
11/17/2026	0	850	0.1929	0	0	0	0	0	0.0	0	
11/18/2026	0	850	0.1891	0	0	0	0	0	0.0	0	
11/19/2026	0	850	0.1853	0	0	0	0	0	0.0	0	
11/20/2026	0	850	0.1816	0	0	0	0	0	0.0	0	
11/21/2026	0	850	0.1779	0	0	0	0	0	0.0	0	
11/22/2026	0	850	0.1744	0	0	0	0	0	0.0	0	
11/23/2026	0	850	0.1709	0	0	0	0	0	0.0	0	
11/24/2026	0	850	0.1675	0	0	0	0	0	0.1	0	
11/25/2026	0	850	0.1641	0	0	0	0	0	0.0	0	
11/26/2026	0	850	0.1609	0	0	0	0	0	0.3	0	
11/27/2026	0	850	0.1576	0	0	0	0	0	0.0	0	
11/28/2026	0	850	0.1545	0	0	0	0	0	0.0	0	
11/29/2026	0	850	0.1514	0	0	0	0	0	0.0	0	
11/30/2026	0	850	0.1484	0	0	0	0	0	0.1	0	
12/1/2026	0	850	0.1454	0	0	0	0	0	0.0	0	
12/2/2026	0	850	0.1425	0	0	0	0	0	0.0	0	
12/3/2026	0	850	0.1396	0	0	0	0	0	0.0	0	
12/4/2026	0	850	0.1369	0	0	0	0	0	0.0	0	
12/5/2026	0	850	0.1341	0	0	0	0	0	0.0	0	
12/6/2026	0	850	0.1314	0	0	0	0	0	0.0	0	
12/7/2026	0	850	0.1288	0	0	0	0	0	0.0	0	
12/8/2026	0	850	0.1262	0	0	0	0	0	0.0	0	
12/9/2026	0	850	0.1237	0	0	0	0	0	0.0	0	
12/10/2026	0	850	0.1212	0	0	0	0	0	0.0	0	
12/11/2026	0	850	0.1188	0	0	0	0	0	0.0	0	
12/12/2026	0	850	0.1164	0	0	0	0	0	0.0	0	
12/13/2026	0	850	0.1141	0	0	0	0	0	0.0	0	
12/14/2026	0	850	0.1118	0	0	0	0	0	0.0	0	
12/15/2026	0	850	0.1096	0	0	0	0	0	0.1	0	
12/16/2026	0	850	0.1074	0	0	0	0	0	0.0	0	
12/17/2026	0	850	0.1052	0	0	0	0	0	0.0	0	
12/18/2026	0	850	0.1031	0	0	0	0	0	0.0	0	
12/19/2026	0	850	0.1011	0	0	0	0	0	0.0	0	
12/20/2026	0	850	0.09905	0	0	0	0	0	0.0	0	
12/21/2026	0	850	0.09707	0	0	0	0	0	0.0	0	
12/22/2026	0	850	0.09513	0	0	0	0	0	0.0	0	
12/23/2026	0	850	0.09323	0	0	0	0	0	0.0	0	
12/24/2026	0	850	0.09136	0	0	0	0	0	0.0	0	
12/25/2026	0	850	0.08954	0	0	0	0	0	0.0	0	
12/26/2026	0	850	0.08774	0	0	0	0	0	0.0	0	
12/27/2026	0	850	0.08599	0	0	0	0	0	0.0	0	
12/28/2026	0	850	0.08427	0	0	0	0	0	0.0	0	
12/29/2026	0	850	0.08258	0	0	0	0	0	0.0	0	
12/30/2026	0	850	0.08093	0	0	0	0	0	0.0	0	
12/31/2026	0	850	0.07931	0	0	0	0	0	0.0	0	
1/1/2027	0	850	0.07773	0	0	0	0	0	0.0	0	
1/2/2027	0	850	0.07617	0	0	0	0	0	0.0	0	
1/3/2027	0	850	0.07465	0	0	0	0	0	0.0	0	
1/4/2027	0	850	0.07316	0	0	0	0	0	0.0	0	
1/5/2027	0	850	0.07169	0	0	0	0	0	0.0	0	
1/6/2027	0	850	0.07026	0	0	0	0	0	0.0	0	
1/7/2027	0	850	0.06885	0	0	0	0	0	0.0	0	
1/8/2027	0	850	0.06748	0	0	0	0	0	0.0	0	
1/9/2027	0	850	0.06613	0	0	0	0	0	0.0	0	
1/10/2027	0	850	0.06481	0	0	0	0	0	0.0	0	
1/11/2027	0	850	0.06351	0	0	0	0	0	0.0	0	
1/12/2027	0	850	0.06224	0	0	0	0	0	0.0	0	
1/13/2027	0	850	0.06099	0	0	0	0	0	0.0	0	
1/14/2027	0	850	0.05977	0	0	0	0	0	0.0	0	
1/15/2027	0	850	0.05858	0	0	0	0	0	0.0	0	
1/16/2027	0	850	0.05741	0	0	0	0	0	0.0	0	
1/17/2027	0	850	0.05626	0	0	0	0	0	0.0	0	

Date	TIRIO2 - Water Balance										
	Inflow							Outflow			
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
1/18/2027	0	850	0.05513	0	0	0	0	0	0.0	0	
1/19/2027	0	850	0.05403	0	0	0	0	0	0.0	0	
1/20/2027	0	850	0.05295	0	0	0	0	0	0.2	0	
1/21/2027	0	850	0.05189	0	0	0	0	0	0.0	0	
1/22/2027	0	850	0.05085	0	0	0	0	0	0.0	0	
1/23/2027	0	850	0.04984	0	0	0	0	0	0.0	0	
1/24/2027	0	850	0.04884	0	0	0	0	0	0.0	0	
1/25/2027	0	850	0.04786	0	0	0	0	0	0.0	0	
1/26/2027	0	850	0.04691	0	0	0	0	0	0.0	0	
1/27/2027	0	850	0.04597	0	0	0	0	0	0.0	0	
1/28/2027	0	850	0.04505	0	0	0	0	0	0.0	0	
1/29/2027	0	850	0.04415	0	0	0	0	0	0.0	0	
1/30/2027	0	850	0.04326	0	0	0	0	0	0.0	0	
1/31/2027	0	920	0.0424	0	0	0	0	0	0.0	0	
2/1/2027	0	920	0.04155	0	0	0	0	0	0.0	0	
2/2/2027	0	920	0.04072	0	0	0	0	0	0.0	0	
2/3/2027	0	920	0.03991	0	0	0	0	0	0.0	0	
2/4/2027	0	920	0.03911	0	0	0	0	0	0.0	0	
2/5/2027	0	920	0.03833	0	0	0	0	0	0.0	0	
2/6/2027	0	920	0.03756	0	0	0	0	0	0.0	0	
2/7/2027	0	920	0.03681	0	0	0	0	0	0.0	0	
2/8/2027	0	920	0.03607	0	0	0	0	0	0.0	0	
2/9/2027	0	920	0.03535	0	0	0	0	0	0.0	0	
2/10/2027	0	920	0.03464	0	0	0	0	0	0.0	0	
2/11/2027	0	920	0.03395	0	0	0	0	0	0.0	0	
2/12/2027	0	920	0.03327	0	0	0	0	0	0.0	0	
2/13/2027	0	920	0.03261	0	0	0	0	0	0.0	0	
2/14/2027	0	920	0.03195	0	0	0	0	0	0.0	0	
2/15/2027	0	920	0.03131	0	0	0	0	0	0.0	0	
2/16/2027	0	920	0.03069	0	0	0	0	0	0.0	0	
2/17/2027	0	920	0.03007	0	0	0	0	0	0.0	0	
2/18/2027	0	920	0.02947	0	0	0	0	0	0.0	0	
2/19/2027	0	920	0.02888	0	0	0	0	0	0.0	0	
2/20/2027	0	920	0.02831	0	0	0	0	0	0.0	0	
2/21/2027	0	920	0.02774	0	0	0	0	0	0.0	0	
2/22/2027	0	920	0.02719	0	0	0	0	0	0.0	0	
2/23/2027	0	920	0.02664	0	0	0	0	0	0.0	0	
2/24/2027	0	920	0.02611	0	0	0	0	0	0.0	0	
2/25/2027	0	920	0.02559	0	0	0	0	0	0.0	0	
2/26/2027	0	920	0.02507	0	0	0	0	0	0.0	0	
2/27/2027	0	920	0.02457	0	0	0	0	0	0.0	0	
2/28/2027	0	920	0.02408	0	0	0	0	0	0.0	0	
3/1/2027	0	920	0.0236	0	0	0	0	0	0.0	0	
3/2/2027	0	920	0.02313	0	0	0	0	0	0.0	0	
3/3/2027	0	920	0.02267	0	0	0	0	0	0.0	0	
3/4/2027	0	920	0.02221	0	0	0	0	0	0.0	0	
3/5/2027	0	920	0.02177	0	0	0	0	0	0.0	0	
3/6/2027	0	920	0.02133	0	0	0	0	0	0.0	0	
3/7/2027	0	920	0.02091	0	0	0	0	0	0.0	0	
3/8/2027	0	920	0.02049	0	0	0	0	0	0.0	0	
3/9/2027	0	920	0.02008	0	0	0	0	0	0.0	0	
3/10/2027	0	920	0.01968	0	0	0	0	0	0.0	0	
3/11/2027	0	920	0.01928	0	0	0	0	0	0.0	0	
3/12/2027	0	920	0.01889	0	0	0	0	0	0.0	0	
3/13/2027	0	920	0.01852	0	0	0	0	0	0.0	0	
3/14/2027	0	920	0.01815	0	0	0	0	0	0.0	0	
3/15/2027	0	920	0.01779	0	0	0	0	0	0.0	0	
3/16/2027	0	920	0.01743	0	0	0	0	0	0.0	0	
3/17/2027	0	920	0.01708	0	0	0	0	0	0.0	0	
3/18/2027	0	920	0.01674	0	0	0	0	0	0.0	0	
3/19/2027	0	920	0.01641	0	0	0	0	0	0.0	0	
3/20/2027	0	920	0.01608	0	0	0	0	0	0.0	0	
3/21/2027	0	920	0.01576	0	0	0	0	0	0.0	0	
3/22/2027	0	920	0.01544	0	0	0	0	0	0.0	0	
3/23/2027	0	920	0.01513	0	0	0	0	0	2.8	0	
3/24/2027	0	920	0.01483	0	0	0	0	0	7.0	0	
3/25/2027	0	920	0.01453	0	0	0	0	0	4.1	0	
3/26/2027	0	920	0.01424	0	0	0	0	0	1.2	0	
3/27/2027	0	920	0.01396	0	0	0	0	0	0.0	0	
3/28/2027	0	920	0.01368	0	0	0	0	0	0.0	0	
3/29/2027	0	920	0.0134	0	0	0	0	0	0.0	0	
3/30/2027	0	920	0.01314	0	0	0	0	0	0.0	0	
3/31/2027	0	920	0.01287	0	0	0	0	0	0.0	0	
4/1/2027	0	920	0.01262	0	0	0	0	0	3.2	0	
4/2/2027	0	920	0.01236	0	0	0	0	0	4.9	0	
4/3/2027	0	920	0.01212	0	0	0	0	0	0.0	0	
4/4/2027	0	920	0.01187	0	0	0	0	0	0.0	0	
4/5/2027	0	920	0.01164	0	0	0	0	0	0.0	0	
4/6/2027	0	920	0.0114	0	0	0	0	0	0.0	0	
4/7/2027	0	920	0.01118	0	0	0	0	0	0.0	0	
4/8/2027	0	920	0.01095	0	0	0	0	0	0.0	0	
4/9/2027	0	920	0.01073	0	0	0	0	0	0.0	0	
4/10/2027	0	920	0.01052	0	0	0	0	0	0.0	0	
4/11/2027	0	920	0.01031	0	0	0	0	0	0.0	0	
4/12/2027	0	920	0.0101	0	0	0	0	0	0.0	0	
4/13/2027	0	920	0.0099	0	0	0	0	0	0.0	0	
4/14/2027	0	920	0.009702	0	0	0	0	0	1.6	0	
4/15/2027	0	920	0.009508	0	0	0	0	0	5.8	0	
4/16/2027	0	920	0.009318	0	0	0	0	0	5.6	0	
4/17/2027	0	920	0.009131	0	0	0	0	0	3.9	0	
4/18/2027	0	920	0.008949	0	0	0	0	0	2.6	0	
4/19/2027	0	920	0.00877	0	0	0	0	0	2.0	0	
4/20/2027	0	920	0.008594	0	0	0	0	0	0.0	0	
4/21/2027	0	920	0.008423	0	0	0	0	0	0.0	0	
4/22/2027	0	920	0.008254	0	0	0	0	0	0.0	0	
4/23/2027	0	920	0.008089	0	0	0	0	0	0.0	0	
4/24/2027	0	920	0.007927	0	0	0	0	0	0.0	0	
4/25/2027	0	920	0.007769	0	0	0	0	0	0.0	0	
4/26/2027	0	920	0.007613	0	0	0	0	0	0.0	0	
4/27/2027	0	920	0.007461	0	0	0	0	0	0.0	0	
4/28/2027	0	920	0.007312	0	0	0	0	0	3.7	0	
4/29/2027	0	920	0.007166	0	0	0	0	0	0.0	0	
4/30/2027	0	920	0.007022	0	0	0	0	0	0.0	0	
5/1/2027	0	920	0.006882	0	0	0	0	0	2.8	0	
5/2/2027	0	920	0.006744	0	0	0	0	0	10.1	0	

Date	TIRIO2 - Water Balance										
	Inflow							Outflow			
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
5/3/2027	0	920	0.006609	0	0	0	0	0	12.4	0	
5/4/2027	0	920	0.006477	0	0	0	0	0	14.0	0	
5/5/2027	0	920	0.006348	0	0	0	0	0	6.7	0	
5/6/2027	0	920	0.006221	0	0	0	0	0	12.1	0	
5/7/2027	0	920	0.006096	0	0	0	0	0	12.2	0	
5/8/2027	0	920	0.005974	0	0	0	0	0	12.1	0	
5/9/2027	0	920	0.005855	0	0	0	0	0	18.2	0	
5/10/2027	0	920	0.005738	0	0	0	0	0	21.1	0	
5/11/2027	0	920	0.005623	0	0	0	0	0	20.7	0	
5/12/2027	0	920	0.005511	0	0	0	0	0	20.7	0	
5/13/2027	0	920	0.0054	0	0	0	0	0	18.9	0	
5/14/2027	0	920	0.005292	0	0	0	0	0	21.6	0	
5/15/2027	62.88	920	24.3	0	0	0	0	20.18	17.1	0	
5/16/2027	69.24	920	75.98	0	0	0	0	22.32	20.7	0	
5/17/2027	183.6	920	107.7	0	0	0	0	59.44	21.5	0	
5/18/2027	12.81	920	140.8	0	0	0	0	4.168	24.2	0	
5/19/2027	0	920	9.177	0	0	0	0	0	23.4	0	
5/20/2027	0	920	0.07605	0	0	0	0	0	24.1	0	
5/21/2027	53	920	22.96	0	0	0	0	17.45	25.2	0	
5/22/2027	97.65	920	108.8	0	0	0	0	32.28	27.3	0	
5/23/2027	123.1	920	246.9	0	0	0	0	40.88	26.5	0	
5/24/2027	160.8	920	248.5	0	0	0	0	53.66	25.1	0	
5/25/2027	174.7	920	149.7	0	0	0	0	58.64	25.8	0	
5/26/2027	31.29	920	121.4	0	0	0	0	10.55	27.0	0	
5/27/2027	70.5	920	49.37	0	0	0	0	23.88	24.6	0	
5/28/2027	42.63	920	45.31	0	0	0	0	14.5	24.5	0	
5/29/2027	144.7	920	81.56	0	0	0	0	49.42	27.3	0	
5/30/2027	203.9	920	383.5	0	0	0	0	69.94	31.2	0	
5/31/2027	271.5	920	624.8	0	0	0	0	93.71	33.9	0	
6/1/2027	300.4	920	861	0	0	0	0	104.4	33.7	0	
6/2/2027	258.8	920	1056	0	0	0	0	90.76	36.2	0	
6/3/2027	131.9	920	714.9	0	0	0	0	46.67	29.0	0	
6/4/2027	166.8	920	269.7	0	0	0	0	59.41	32.6	0	
6/5/2027	176.7	920	216.1	0	0	0	0	63.28	32.3	0	
6/6/2027	231.6	920	185.4	0	0	0	0	83.37	34.2	0	
6/7/2027	378.7	920	160.2	0	0	0	0	137.1	37.2	0	
6/8/2027	395.3	920	138.9	0	0	0	0	143.9	32.4	0	
6/9/2027	250.9	920	226.4	0	0	0	0	91.9	34.3	0	
6/10/2027	181.3	920	135.6	0	0	0	0	66.76	34.8	0	
6/11/2027	215.4	920	109.9	0	0	0	0	79.73	34.8	0	
6/12/2027	112.3	920	102.5	0	0	0	0	41.76	32.7	0	
6/13/2027	121.5	920	96.85	0	0	0	0	45.39	32.6	0	
6/14/2027	248.3	920	90.62	0	0	0	0	93.14	36.0	0	
6/15/2027	353.9	920	83.69	0	0	0	0	133.4	38.3	0	
6/16/2027	263.3	920	77.24	0	0	0	0	99.79	36.8	0	
6/17/2027	337.5	920	71.22	0	0	0	0	128.5	39.4	0	
6/18/2027	156.9	920	65.57	0	0	0	0	60.07	41.0	0	
6/19/2027	11.62	920	60.28	0	0	0	0	4.466	40.5	0	
6/20/2027	11.61	920	55.38	0	0	0	0	4.479	41.4	0	
6/21/2027	11.6	920	50.81	0	0	0	0	4.491	48.5	0	
6/22/2027	0	920	46.42	0	0	0	0	0	41.1	0	
6/23/2027	0	920	42.4	0	0	0	0	0	37.4	0	
6/24/2027	0	920	38.73	0	0	0	0	0	41.3	0	
6/25/2027	0	920	35.24	0	0	0	0	0	40.7	0	
6/26/2027	0	920	32.02	0	0	0	0	0	42.2	0	
6/27/2027	0	920	28.99	0	0	0	0	0	52.8	0	
6/28/2027	0	920	25.98	0	0	0	0	0	64.3	0	
6/29/2027	0	920	6.564	0	0	0	0	0	102.8	0	
6/30/2027	0	920	6.432	0	0	0	0	0	176.2	0	
7/1/2027	0	920	6.304	0	0	0	0	0	44.9	0	
7/2/2027	0	920	6.178	0	0	0	0	0	45.4	0	
7/3/2027	0	920	6.054	0	0	0	0	0	75.9	0	
7/4/2027	0	920	5.933	0	0	0	0	0	60.5	0	
7/5/2027	0	920	5.814	0	0	0	0	0	44.2	0	
7/6/2027	11.48	920	5.698	0	0	0	0	4.663	45.4	0	
7/7/2027	1167	920	5.584	0	0	0	0	475.7	45.7	0	
7/8/2027	394.3	920	543.9	0	0	0	0	162.1	47.4	0	
7/9/2027	20.61	920	234.1	0	0	0	0	8.535	47.8	0	
7/10/2027	0	920	65.1	0	0	0	0	0	47.4	0	
7/11/2027	0	920	51.7	0	0	0	0	0	48.2	0	
7/12/2027	11.4	920	38.57	0	0	0	0	4.772	51.3	0	
7/13/2027	0	920	35.59	0	0	0	0	0	52.1	0	
7/14/2027	0	920	34.41	0	0	0	0	0	52.1	0	
7/15/2027	0	920	31.33	0	0	0	0	0	75.3	0	
7/16/2027	0	920	27.81	0	0	0	0	0	52.5	9000	
7/17/2027	0	920	7.127	0	0	0	0	0	54.3	9000	
7/18/2027	0	920	6.984	0	0	0	0	0	60.4	9000	
7/19/2027	0	920	6.845	0	0	0	0	0	51.3	9000	
7/20/2027	0	920	6.708	0	0	0	0	0	48.8	9000	
7/21/2027	11.74	920	6.573	0	0	0	0	4.291	47.8	9000	
7/22/2027	165.9	920	6.442	0	0	0	0	58.78	41.3	9000	
7/23/2027	304.3	920	55.11	0	0	0	0	104.6	38.7	9000	
7/24/2027	37.81	920	131.2	0	0	0	0	12.6	35.8	9000	
7/25/2027	1306	920	9.543	0	0	0	0	421.3	37.0	9000	
7/26/2027	46.44	920	592.7	0	0	0	0	14.6	35.9	9000	
7/27/2027	0	920	79.65	0	0	0	0	0	39.7	9000	
7/28/2027	105.2	920	61.45	0	0	0	0	30.94	33.4	9000	
7/29/2027	13.81	920	67.64	0	0	0	0	3.925	29.0	9000	
7/30/2027	0	920	42.71	0	0	0	0	0	29.1	9000	
7/31/2027	0	920	39.01	0	0	0	0	0	29.7	9000	
8/1/2027	0	920	37.95	0	0	0	0	0	31.3	9000	
8/2/2027	0	920	35.07	0	0	0	0	0	36.0	9000	
8/3/2027	0	920	31.62	0	0	0	0	0	30.1	9000	
8/4/2027	0	920	28.55	0	0	0	0	0	28.4	9000	
8/5/2027	12.81	920	25.71	0	0	0	0	2.76	26.0	9000	
8/6/2027	12.88	920	6.629	0	0	0	0	2.655	21.7	9000	
8/7/2027	0	920	6.497	0	0	0	0	0	21.6	9000	
8/8/2027	413.4	920	6.367	0	0	0	0	77.58	20.5	9000	
8/9/2027	1493	920	155.4	0	0	0	0	267.5	19.8	9000	
8/10/2027	265.3	920	629.6	0	0	0	0	45.7	15.3	9000	
8/11/2027	13.22	920	184.9	0	0	0	0	2.173	15.8	9000	
8/12/2027	23.97	920	81.34	0	0	0	0	3.734	15.0	9000	
8/13/2027	24.1	920	67.65	0	0	0	0	3.547	15.8	9000	
8/14/2027	0	920	55.95	0	0	0	0	0	18.0	9000	
8/15/2027	0	920	44.99	0	0	0	0	0	14.2	9000	

Date	TIRI02 - Water Balance										
	Inflow							Outflow			
	TIRI02 Pitwall Runoff	UG to TIRI02	TIRI02 Natural Runoff	SP1 to TIRI02	SP4 to TIRI02	Stockpile to	J6 to TIRI02	Rain and Snowmelt	TIRI02 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
8/16/2027	13.58	920	44.21	0	0	0	0	1.654	13.0	9000	
8/17/2027	0	920	42.32	0	0	0	0	0	15.5	9000	
8/18/2027	0	920	38.82	0	0	0	0	0	12.1	9000	
8/19/2027	0	920	35.4	0	0	0	0	0	10.1	5188	
8/20/2027	476.4	920	32.29	0	0	0	0	44.74	8.9	1473	
8/21/2027	15.54	920	195.6	0	0	0	0	1.459	8.9	1133	
8/22/2027	0	920	27.26	0	0	0	0	0	8.3	947.3	
8/23/2027	137.8	920	27.48	0	0	0	0	12.94	8.2	1098	
8/24/2027	71.98	920	57.02	0	0	0	0	6.759	8.7	1056	
8/25/2027	13.83	920	39.26	0	0	0	0	1.299	7.7	974.4	
8/26/2027	13.83	920	7.083	0	0	0	0	1.299	8.0	942.2	
8/27/2027	34.35	920	7.195	0	0	0	0	3.226	7.8	964.8	
8/28/2027	147.2	920	7.145	0	0	0	0	13.83	7.2	1088	
8/29/2027	13.83	920	45.97	0	0	0	0	1.299	7.0	981.1	
8/30/2027	62.57	920	6.862	0	0	0	0	5.876	6.9	995.3	
8/31/2027	13.83	920	12.8	0	0	0	0	1.299	6.4	947.9	
9/1/2027	13.83	920	6.793	0	0	0	0	1.299	6.5	941.9	
9/2/2027	15.54	920	6.675	0	0	0	0	1.459	6.5	943.7	
9/3/2027	59.94	920	6.542	0	0	0	0	5.629	6.3	992.1	
9/4/2027	41.13	920	8.144	0	0	0	0	3.863	6.4	973.1	
9/5/2027	20.61	920	8.107	0	0	0	0	1.936	6.3	950.7	
9/6/2027	15.54	920	6.157	0	0	0	0	1.459	5.9	943.2	
9/7/2027	0	920	6.034	0	0	0	0	0	5.6	926	
9/8/2027	295.1	920	5.913	0	0	0	0	27.71	5.3	1249	
9/9/2027	22.32	920	101.7	0	0	0	0	2.096	5.4	1046	
9/10/2027	6.778	920	5.679	0	0	0	0	0.6365	5.0	933.1	
9/11/2027	197.9	920	5.982	0	0	0	0	18.58	4.1	1142	
9/12/2027	81.57	920	67.49	0	0	0	0	7.66	4.5	1077	
9/13/2027	0	920	28.54	0	0	0	0	0	5.0	948.5	
9/14/2027	6.778	920	6.654	0	0	0	0	0.6365	4.5	934.1	
9/15/2027	39.1	920	7	0	0	0	0	3.672	4.9	969.8	
9/16/2027	0	920	0.3602	0	0	0	0	0	4.0	920.4	
9/17/2027	0	920	0.3634	0	0	0	0	0	3.8	920.4	
9/18/2027	0	920	1.285	0	0	0	0	0	3.8	921.3	
9/19/2027	34.35	920	37.57	0	0	0	0	3.226	3.8	995.1	
9/20/2027	0	920	15.72	0	0	0	0	0	4.3	935.7	
9/21/2027	43.76	920	7.022	0	0	0	0	4.109	4.3	974.9	
9/22/2027	6.778	920	6.977	0	0	0	0	0.6365	3.8	934.4	
9/23/2027	27.99	920	6.875	0	0	0	0	2.628	3.6	957.5	
9/24/2027	0	920	0.3392	0	0	0	0	0	3.4	920.3	
9/25/2027	0	920	0.3333	0	0	0	0	0	3.2	920.3	
9/26/2027	0	920	0.3299	0	0	0	0	0	2.8	920.3	
9/27/2027	0	920	0.3273	0	0	0	0	0	2.7	920.3	
9/28/2027	0	920	0.3246	0	0	0	0	0	2.8	920.3	
9/29/2027	0	920	0.3215	0	0	0	0	0	2.5	920.3	
9/30/2027	626.1	920	43.9	0	0	0	0	58.8	2.6	1649	
10/1/2027	0	920	259.9	0	0	0	0	0	2.6	1177	
10/2/2027	0	920	11.41	0	0	0	0	0	1.8	931.2	
10/3/2027	0	920	5.471	0	0	0	0	0	2.3	0	
10/4/2027	0	920	1.967	0	0	0	0	0	2.3	0	
10/5/2027	0	920	1.465	0	0	0	0	0	2.1	0	
10/6/2027	0	920	1.482	0	0	0	0	0	1.6	0	
10/7/2027	0	920	1.476	0	0	0	0	0	1.1	0	
10/8/2027	0	920	1.451	0	0	0	0	0	1.5	0	
10/9/2027	0	920	1.413	0	0	0	0	0	1.5	0	
10/10/2027	0	920	1.365	0	0	0	0	0	1.6	0	
10/11/2027	0	920	1.31	0	0	0	0	0	1.8	0	
10/12/2027	0	920	0.3576	0	0	0	0	0	1.8	0	
10/13/2027	0	920	0.3579	0	0	0	0	0	1.9	0	
10/14/2027	0	920	0.3567	0	0	0	0	0	1.5	0	
10/15/2027	0	920	0.3544	0	0	0	0	0	1.6	0	
10/16/2027	0	920	0.3512	0	0	0	0	0	1.6	0	
10/17/2027	0	920	0.3472	0	0	0	0	0	1.4	0	
10/18/2027	0	920	0.3427	0	0	0	0	0	1.2	0	
10/19/2027	0	920	0.3379	0	0	0	0	0	0.9	0	
10/20/2027	0	920	0.3327	0	0	0	0	0	0.7	0	
10/21/2027	0	920	0.3273	0	0	0	0	0	0.9	0	
10/22/2027	0	920	0.3217	0	0	0	0	0	0.7	0	
10/23/2027	0	920	0.3161	0	0	0	0	0	0.6	0	
10/24/2027	0	920	0.3104	0	0	0	0	0	1.1	0	
10/25/2027	0	920	0.3048	0	0	0	0	0	1.3	0	
10/26/2027	0	920	0.2991	0	0	0	0	0	0.8	0	
10/27/2027	0	920	0.2934	0	0	0	0	0	1.0	0	
10/28/2027	0	920	0.2878	0	0	0	0	0	0.7	0	
10/29/2027	0	920	0.2823	0	0	0	0	0	0.0	0	
10/30/2027	0	920	0.2768	0	0	0	0	0	0.7	0	
10/31/2027	0	920	0.2714	0	0	0	0	0	0.5	0	
11/1/2027	0	920	0.2661	0	0	0	0	0	0.0	0	
11/2/2027	0	920	0.2608	0	0	0	0	0	0.0	0	
11/3/2027	0	920	0.2557	0	0	0	0	0	0.0	0	
11/4/2027	0	920	0.2506	0	0	0	0	0	0.1	0	
11/5/2027	0	920	0.2457	0	0	0	0	0	0.1	0	
11/6/2027	0	920	0.2408	0	0	0	0	0	0.0	0	
11/7/2027	0	920	0.236	0	0	0	0	0	0.0	0	
11/8/2027	0	920	0.2313	0	0	0	0	0	0.0	0	
11/9/2027	0	920	0.2267	0	0	0	0	0	0.0	0	
11/10/2027	0	920	0.2222	0	0	0	0	0	0.0	0	
11/11/2027	0	920	0.2177	0	0	0	0	0	0.0	0	
11/12/2027	0	920	0.2134	0	0	0	0	0	0.1	0	
11/13/2027	0	920	0.2091	0	0	0	0	0	0.0	0	
11/14/2027	0	920	0.205	0	0	0	0	0	0.2	0	
11/15/2027	0	920	0.2009	0	0	0	0	0	0.4	0	
11/16/2027	0	920	0.1969	0	0	0	0	0	0.4	0	
11/17/2027	0	920	0.1929	0	0	0	0	0	0.0	0	
11/18/2027	0	920	0.1891	0	0	0	0	0	0.0	0	
11/19/2027	0	920	0.1853	0	0	0	0	0	0.0	0	
11/20/2027	0	920	0.1816	0	0	0	0	0	0.0	0	
11/21/2027	0	920	0.1779	0	0	0	0	0	0.0	0	
11/22/2027	0	920	0.1744	0	0	0	0	0	0.0	0	
11/23/2027	0	920	0.1709	0	0	0	0	0	0.0	0	
11/24/2027	0	920	0.1675	0	0	0	0	0	0.1	0	
11/25/2027	0	920	0.1641	0	0	0	0	0	0.0	0	
11/26/2027	0	920	0.1609	0	0	0	0	0	0.3	0	
11/27/2027	0	920	0.1576	0	0	0	0	0	0.0	0	
11/28/2027	0	920	0.1545	0	0	0	0	0	0.0	0	

Date	TIRIO2 - Water Balance										
	Inflow							Outflow			
	TIRIO2 Pitwall Runoff	UG to TIRIO2	TIRIO2 Natural Runoff	SP1 to TIRIO2	SP4 to TIRIO2	Stockpile to	J6 to TIRIO2	Rain and Snowmelt	TIRIO2 Pond Surface Evaporation	To SETP	
m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	m3	
11/29/2027	0	920	0.1514	0	0	0	0	0	0.0	0	
11/30/2027	0	920	0.1484	0	0	0	0	0	0.1	0	
12/1/2027	0	920	0.1454	0	0	0	0	0	0.0	0	
12/2/2027	0	920	0.1425	0	0	0	0	0	0.0	0	
12/3/2027	0	920	0.1396	0	0	0	0	0	0.0	0	
12/4/2027	0	920	0.1369	0	0	0	0	0	0.0	0	
12/5/2027	0	920	0.1341	0	0	0	0	0	0.0	0	
12/6/2027	0	920	0.1314	0	0	0	0	0	0.0	0	
12/7/2027	0	920	0.1288	0	0	0	0	0	0.1	0	
12/8/2027	0	920	0.1262	0	0	0	0	0	0.0	0	
12/9/2027	0	920	0.1237	0	0	0	0	0	0.0	0	
12/10/2027	0	920	0.1212	0	0	0	0	0	0.0	0	
12/11/2027	0	920	0.1188	0	0	0	0	0	0.0	0	
12/12/2027	0	920	0.1164	0	0	0	0	0	0.0	0	
12/13/2027	0	920	0.1141	0	0	0	0	0	0.0	0	
12/14/2027	0	920	0.1118	0	0	0	0	0	0.0	0	
12/15/2027	0	920	0.1096	0	0	0	0	0	0.1	0	
12/16/2027	0	920	0.1074	0	0	0	0	0	0.0	0	
12/17/2027	0	920	0.1052	0	0	0	0	0	0.1	0	
12/18/2027	0	920	0.1031	0	0	0	0	0	0.0	0	
12/19/2027	0	920	0.1011	0	0	0	0	0	0.0	0	
12/20/2027	0	920	0.09905	0	0	0	0	0	0.0	0	
12/21/2027	0	920	0.09707	0	0	0	0	0	0.0	0	
12/22/2027	0	920	0.09513	0	0	0	0	0	0.0	0	
12/23/2027	0	920	0.09323	0	0	0	0	0	0.0	0	
12/24/2027	0	920	0.09136	0	0	0	0	0	0.0	0	
12/25/2027	0	920	0.08954	0	0	0	0	0	0.0	0	
12/26/2027	0	920	0.08774	0	0	0	0	0	0.0	0	
12/27/2027	0	920	0.08599	0	0	0	0	0	0.0	0	
12/28/2027	0	920	0.08427	0	0	0	0	0	0.0	0	
12/29/2027	0	920	0.08258	0	0	0	0	0	0.0	0	
12/30/2027	0	920	0.08093	0	0	0	0	0	0.0	0	
12/31/2027	0	920	0.07931	0	0	0	0	0	0.0	0	

WBWQM forecasted mean annual concentrations and observed mean annual concentration changes between 2020 to 2021.

Year	TDS			Maximum Authorized Monthly Mean Concentration	Total Ammonia (NH3-N)			
	Observed Mean Annual Concentration	YOY Change	Forecasted Mean Annual Concentration		Observed Mean Annual Concentration	YOY Change	Forecasted Mean Annual Concentration	Maximum Authorized Monthly Mean Concentration
	mg/L	%	mg/L		mg/L	%	mg/L	mg/L
2020	1744		1460	3500	3.6		4.7	14
2021	1494	-14	1713	3500	0.9	-74	5.9	14
2022			2369	3500			8.6	14
2023			2563	3500			9.5	14
2024			2531	3500			9.5	14
2025			2552	3500			9.5	14
2026			2516	3500			9.4	14
2027			2494	3500			9.3	14

WBWQM forecasted mean annual concentrations and observed mean annual concentration changes between 2020 to 2021.

Year	Total Phosphorous (P)				Total Aluminum (Al)			
	Observed Mean Annual Concentration	YOY Change	Forecasted Mean Annual Concentration	Maximum Authorized Monthly Mean Concentration	Observed Mean Annual Concentration	YOY Change	Forecasted Mean Annual Concentration	Maximum Authorized Monthly Mean Concentration
	mg/L	%	mg/L	mg/L	mg/L	%	mg/L	mg/L
2020	0.03		0.29	2.0	0.56		0.96	2.0
2021	0.03	-4	0.51	2.0	0.38	-33	0.95	2.0
2022			0.53	2.0			0.96	2.0
2023			0.46	2.0			0.96	2.0
2024			0.45	2.0			0.96	2.0
2025			0.45	2.0			0.96	2.0
2026			0.45	2.0			0.96	2.0
2027			0.45	2.0			0.96	2.0

WBWQM forecasted mean annual concentrations and observed mean annual concentration changes between 2020 to 2021.

Year	Total Arsenic (As)				Total Cyanide (CN)			
	Observed Mean Annual Concentration	YOY Change	Forecasted Mean Annual Concentration	Maximum Authorized Monthly Mean Concentration	Observed Mean Annual Concentration	YOY Change	Forecasted Mean Annual Concentration	Maximum Authorized Monthly Mean Concentration
	mg/L	%	mg/L	mg/L	mg/L	%	mg/L	mg/L
2020	0.015		0.018	0.3	0.0062		0.0015	0.5
2021	0.004	-71	0.022	0.3	0.0050	-19	0.0019	0.5
2022			0.035	0.3			0.0036	0.5
2023			0.039	0.3			0.0045	0.5
2024			0.039	0.3			0.0045	0.5
2025			0.039	0.3			0.0045	0.5
2026			0.039	0.3			0.0045	0.5
2027			0.039	0.3			0.0045	0.5

WBWQM forecasted mean annual concentrations and observed mean annual concentration changes between 2020 to 2021.

Year	Total Copper (Cu)				Total Lead (Pb)			
	Observed Mean Annual Concentration	YOY Change	Forecasted Mean Annual Concentration	Maximum Authorized Monthly Mean Concentration	Observed Mean Annual Concentration	YOY Change	Forecasted Mean Annual Concentration	Maximum Authorized Monthly Mean Concentration
	mg/L	%	mg/L	mg/L	mg/L	%	mg/L	mg/L
2020	0.0020		0.0044	0.2	0.00047		0.00032	0.1
2021	0.0020	1	0.0045	0.2	0.00034	-28	0.00032	0.1
2022			0.0057	0.2			0.00038	0.1
2023			0.0057	0.2			0.00038	0.1
2024			0.0057	0.2			0.00038	0.1
2025			0.0056	0.2			0.00038	0.1
2026			0.0057	0.2			0.00038	0.1
2027			0.0057	0.2			0.00038	0.1

WBWQM forecasted mean annual concentrations and observed mean annual concentration changes between 2020 to 2021.

Year	Total Nickel (Ni)				Total Zinc (Zn)			
	Observed Mean Annual Concentration	YOY Change	Forecasted Mean Annual Concentration	Maximum Authorized Monthly Mean Concentration	Observed Mean Annual Concentration	YOY Change	Forecasted Mean Annual Concentration	Maximum Authorized Monthly Mean Concentration
	mg/L	%	mg/L	mg/L	mg/L	%	mg/L	mg/L
2020	0.007		0.016	0.5	0.0121		0.0079	0.4
2021	0.006	-13	0.018	0.5	0.0119	-2	0.0080	0.4
2022			0.024	0.5			0.0092	0.4
2023			0.025	0.5			0.0090	0.4
2024			0.025	0.5			0.0090	0.4
2025			0.025	0.5			0.0090	0.4
2026			0.025	0.5			0.0090	0.4
2027			0.026	0.5			0.0090	0.4

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
Unit	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
8/12/2021	-	580.2	-	0.8722	-	0.001698
8/13/2021	-	608.8	-	0.9128	-	0.001799
8/14/2021	-	620.7	-	0.9313	-	0.001832
8/15/2021	-	624.9	-	0.938	-	0.001842
8/16/2021	-	626.4	-	0.9405	-	0.001846
8/17/2021	-	2061	-	3.33	-	0.01477
8/18/2021	6040	3369	16	5.511	0	0.0266
8/19/2021	-	4587	-	7.544	-	0.03762
8/20/2021	-	5723	-	9.44	-	0.04787
8/21/2021	-	7783	-	12.88	-	0.06647
8/22/2021	-	9603	-	15.92	-	0.08288
8/23/2021	-	10432	-	17.31	-	0.09034
8/24/2021	-	11899	-	19.76	-	0.1034
8/25/2021	-	12568	-	20.89	-	0.1094
8/26/2021	-	12566	-	20.88	-	0.1094
8/27/2021	-	12564	-	20.88	-	0.1094
8/28/2021	-	12563	-	20.88	-	0.1094
8/29/2021	-	12561	-	20.87	-	0.1094
8/30/2021	-	12560	-	20.87	-	0.1094
8/31/2021	-	12559	-	20.87	-	0.1094
9/1/2021	-	12558	-	20.87	-	0.1094
9/2/2021	-	12547	-	20.85	-	0.1092
9/3/2021	-	12544	-	20.85	-	0.1092
9/4/2021	-	13198	-	21.94	-	0.115
9/5/2021	-	13815	-	22.98	-	0.1205
9/6/2021	-	14971	-	24.93	-	0.1308
9/7/2021	-	15512	-	25.84	-	0.1356
9/8/2021	-	15511	-	25.84	-	0.1356
9/9/2021	-	15510	-	25.84	-	0.1356
9/10/2021	-	15479	-	25.78	-	0.1353
9/11/2021	-	15389	-	25.64	-	0.1345
9/12/2021	-	15698	-	26.16	-	0.1372
9/13/2021	-	16473	-	27.47	-	0.144
9/14/2021	-	17303	-	28.87	-	0.1514
9/15/2021	-	18205	-	30.5	-	0.1583
9/16/2021	15900	18894	39	31.7	0	0.164
9/17/2021	-	19546	-	32.84	-	0.1695
9/18/2021	-	20094	-	33.78	-	0.1741
9/19/2021	-	20754	-	34.91	-	0.1798
9/20/2021	-	21049	-	35.42	-	0.1823
9/21/2021	-	21580	-	36.32	-	0.1869
9/22/2021	-	21849	-	36.78	-	0.1892
9/23/2021	-	22321	-	37.58	-	0.1934
9/24/2021	-	22353	-	37.65	-	0.1935
9/25/2021	-	22379	-	37.71	-	0.1936
9/26/2021	-	22714	-	38.28	-	0.1964
9/27/2021	-	23030	-	38.83	-	0.1991
9/28/2021	-	23057	-	38.89	-	0.1992
9/29/2021	-	23201	-	39.14	-	0.2004
9/30/2021	-	23431	-	39.54	-	0.2024
10/1/2021	-	23445	-	39.57	-	0.2024
10/2/2021	-	23631	-	39.89	-	0.204
10/3/2021	-	23873	-	40.31	-	0.206
10/4/2021	-	24090	-	40.67	-	0.208
10/5/2021	-	24274	-	40.99	-	0.2095
10/6/2021	-	24533	-	41.43	-	0.2117
10/7/2021	-	24741	-	41.79	-	0.2134
10/8/2021	22900	24762	56	41.85	0	0.2134
10/9/2021	-	24983	-	42.23	-	0.2153

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
10/10/2021	-	25203	-	42.61	-	0.2171
10/11/2021	-	25437	-	43	-	0.2192
10/12/2021	-	25668	-	43.39	-	0.2212
10/13/2021	-	25893	-	43.79	-	0.223
10/14/2021	-	25978	-	43.94	-	0.2236
10/15/2021	-	26093	-	44.16	-	0.2244
10/16/2021	-	26188	-	44.32	-	0.2252
10/17/2021	-	26209	-	44.38	-	0.2252
10/18/2021	-	26201	-	44.37	-	0.225
10/19/2021	-	26217	-	44.41	-	0.225
10/20/2021	-	26245	-	44.48	-	0.2251
10/21/2021	-	26261	-	44.52	-	0.2251
10/22/2021	-	26389	-	44.73	-	0.2263
10/23/2021	-	26529	-	44.96	-	0.2275
10/24/2021	-	26575	-	45.03	-	0.228
10/25/2021	-	26575	-	45.03	-	0.228
10/26/2021	-	26575	-	45.04	-	0.228
10/27/2021	-	26598	-	45.09	-	0.228
10/28/2021	-	26589	-	45.08	-	0.2279
10/29/2021	-	26572	-	45.05	-	0.2277
10/30/2021	-	26591	-	45.1	-	0.2277
10/31/2021	-	26590	-	45.11	-	0.2276
11/1/2021	-	26606	-	45.15	-	0.2277
11/2/2021	-	26627	-	45.19	-	0.2277
11/3/2021	-	26631	-	45.2	-	0.2277
11/4/2021	-	26640	-	45.23	-	0.2278
11/5/2021	-	26641	-	45.23	-	0.2278
11/6/2021	-	26642	-	45.23	-	0.2278
11/7/2021	-	26650	-	45.25	-	0.2278
11/8/2021	-	26661	-	45.28	-	0.2278
11/9/2021	-	26666	-	45.29	-	0.2278
11/10/2021	-	26672	-	45.3	-	0.2278
11/11/2021	-	26692	-	45.35	-	0.2279
11/12/2021	-	26700	-	45.37	-	0.2279
11/13/2021	-	26712	-	45.39	-	0.2279
11/14/2021	-	26719	-	45.41	-	0.2279
11/15/2021	-	26737	-	45.45	-	0.228
11/16/2021	-	26760	-	45.51	-	0.228
11/17/2021	-	26782	-	45.56	-	0.2281
11/18/2021	-	26795	-	45.59	-	0.2281
11/19/2021	-	26811	-	45.63	-	0.2282
11/20/2021	-	26813	-	45.63	-	0.2282
11/21/2021	-	26820	-	45.65	-	0.2282
11/22/2021	-	26822	-	45.66	-	0.2282
11/23/2021	-	26823	-	45.66	-	0.2282
11/24/2021	-	26825	-	45.66	-	0.2282
11/25/2021	-	26829	-	45.67	-	0.2282
11/26/2021	-	26836	-	45.69	-	0.2282
11/27/2021	-	26854	-	45.73	-	0.2283
11/28/2021	-	26876	-	45.78	-	0.2283
11/29/2021	-	26883	-	45.8	-	0.2283
11/30/2021	-	26886	-	45.81	-	0.2283
12/1/2021	-	26891	-	45.82	-	0.2283
12/2/2021	-	26891	-	45.82	-	0.2283
12/3/2021	-	26890	-	45.82	-	0.2283
12/4/2021	-	26892	-	45.82	-	0.2284
12/5/2021	-	26906	-	45.85	-	0.2284
12/6/2021	-	26906	-	45.85	-	0.2284
12/7/2021	-	26928	-	45.91	-	0.2284
12/8/2021	-	26939	-	45.93	-	0.2285

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
12/9/2021	-	26945	-	45.95	-	0.2285
12/10/2021	-	26951	-	45.96	-	0.2285
12/11/2021	-	26969	-	46	-	0.2285
12/12/2021	-	26981	-	46.03	-	0.2286
12/13/2021	-	26986	-	46.04	-	0.2286
12/14/2021	-	26995	-	46.07	-	0.2286
12/15/2021	-	27010	-	46.1	-	0.2286
12/16/2021	-	27021	-	46.13	-	0.2286
12/17/2021	-	27023	-	46.13	-	0.2287
12/18/2021	-	27037	-	46.16	-	0.2287
12/19/2021	-	27044	-	46.18	-	0.2287
12/20/2021	28750	27049	64.3	46.19	0.36	0.2287
12/21/2021	-	27057	-	46.21	-	0.2287
12/22/2021	-	27058	-	46.21	-	0.2287
12/23/2021	-	27070	-	46.24	-	0.2288
12/24/2021	-	27076	-	46.26	-	0.2288
12/25/2021	-	27079	-	46.26	-	0.2288
12/26/2021	-	27082	-	46.27	-	0.2288
12/27/2021	-	27095	-	46.3	-	0.2288
12/28/2021	-	27112	-	46.34	-	0.2289
12/29/2021	-	27123	-	46.37	-	0.2289
12/30/2021	-	27128	-	46.38	-	0.2289
12/31/2021	-	27146	-	46.42	-	0.2289
1/1/2022	-	27159	-	46.45	-	0.229
1/2/2022	-	27165	-	46.46	-	0.229
1/3/2022	-	27176	-	46.47	-	0.229
1/4/2022	-	27187	-	46.48	-	0.229
1/5/2022	-	27202	-	46.5	-	0.2291
1/6/2022	-	27224	-	46.52	-	0.2291
1/7/2022	-	27248	-	46.55	-	0.2292
1/8/2022	-	27258	-	46.56	-	0.2292
1/9/2022	-	27267	-	46.57	-	0.2292
1/10/2022	-	27269	-	46.57	-	0.2292
1/11/2022	-	27289	-	46.6	-	0.2293
1/12/2022	-	27306	-	46.61	-	0.2293
1/13/2022	-	27322	-	46.63	-	0.2293
1/14/2022	-	27327	-	46.64	-	0.2294
1/15/2022	-	27332	-	46.64	-	0.2294
1/16/2022	-	27349	-	46.66	-	0.2294
1/17/2022	-	27364	-	46.68	-	0.2294
1/18/2022	-	27389	-	46.71	-	0.2295
1/19/2022	-	27393	-	46.71	-	0.2295
1/20/2022	-	27394	-	46.71	-	0.2295
1/21/2022	-	27395	-	46.71	-	0.2295
1/22/2022	-	27396	-	46.71	-	0.2295
1/23/2022	-	27413	-	46.73	-	0.2296
1/24/2022	-	27438	-	46.76	-	0.2296
1/25/2022	-	27446	-	46.77	-	0.2296
1/26/2022	-	27460	-	46.78	-	0.2297
1/27/2022	-	27471	-	46.79	-	0.2297
1/28/2022	-	27478	-	46.8	-	0.2297
1/29/2022	-	27498	-	46.82	-	0.2298
1/30/2022	-	27513	-	46.84	-	0.2298
1/31/2022	-	27514	-	46.84	-	0.2298
2/1/2022	-	27526	-	46.86	-	0.2298
2/2/2022	-	27538	-	46.87	-	0.2298
2/3/2022	-	27565	-	46.9	-	0.2299
2/4/2022	-	27600	-	46.94	-	0.23
2/5/2022	-	27636	-	46.98	-	0.2301
2/6/2022	-	27671	-	47.01	-	0.2302

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
2/7/2022	-	27706	-	47.05	-	0.2302
2/8/2022	-	27741	-	47.09	-	0.2303
2/9/2022	-	27776	-	47.13	-	0.2304
2/10/2022	-	27811	-	47.17	-	0.2305
2/11/2022	-	27846	-	47.21	-	0.2306
2/12/2022	-	27880	-	47.24	-	0.2306
2/13/2022	-	27915	-	47.28	-	0.2307
2/14/2022	-	27950	-	47.32	-	0.2308
2/15/2022	-	27984	-	47.36	-	0.2309
2/16/2022	-	28019	-	47.4	-	0.231
2/17/2022	-	28053	-	47.43	-	0.231
2/18/2022	-	28087	-	47.47	-	0.2311
2/19/2022	-	28121	-	47.51	-	0.2312
2/20/2022	-	28156	-	47.55	-	0.2313
2/21/2022	-	28190	-	47.58	-	0.2314
2/22/2022	-	28224	-	47.62	-	0.2314
2/23/2022	-	28258	-	47.66	-	0.2315
2/24/2022	-	28291	-	47.69	-	0.2316
2/25/2022	-	28325	-	47.73	-	0.2317
2/26/2022	-	28359	-	47.77	-	0.2317
2/27/2022	-	28392	-	47.81	-	0.2318
2/28/2022	-	28426	-	47.84	-	0.2319
3/1/2022	-	28459	-	47.88	-	0.232
3/2/2022	-	28493	-	47.92	-	0.2321
3/3/2022	-	28526	-	47.95	-	0.2321
3/4/2022	-	28559	-	47.99	-	0.2322
3/5/2022	-	28593	-	48.02	-	0.2323
3/6/2022	-	28626	-	48.06	-	0.2324
3/7/2022	-	28659	-	48.1	-	0.2324
3/8/2022	-	28692	-	48.13	-	0.2325
3/9/2022	-	28725	-	48.17	-	0.2326
3/10/2022	-	28758	-	48.21	-	0.2327
3/11/2022	-	28790	-	48.24	-	0.2328
3/12/2022	-	28823	-	48.28	-	0.2328
3/13/2022	-	28856	-	48.31	-	0.2329
3/14/2022	-	28888	-	48.35	-	0.233
3/15/2022	-	28921	-	48.38	-	0.2331
3/16/2022	-	28953	-	48.42	-	0.2331
3/17/2022	-	28985	-	48.45	-	0.2332
3/18/2022	-	29018	-	48.49	-	0.2333
3/19/2022	-	29050	-	48.53	-	0.2334
3/20/2022	-	29082	-	48.56	-	0.2334
3/21/2022	-	29114	-	48.6	-	0.2335
3/22/2022	-	29146	-	48.63	-	0.2336
3/23/2022	-	29178	-	48.67	-	0.2337
3/24/2022	-	29210	-	48.7	-	0.2337
3/25/2022	-	29243	-	48.74	-	0.2338
3/26/2022	-	29275	-	48.77	-	0.2339
3/27/2022	-	29307	-	48.81	-	0.234
3/28/2022	-	29339	-	48.84	-	0.234
3/29/2022	-	29370	-	48.88	-	0.2341
3/30/2022	-	29402	-	48.91	-	0.2342
3/31/2022	-	29433	-	48.95	-	0.2343
4/1/2022	-	29464	-	48.98	-	0.2343
4/2/2022	-	29496	-	49.02	-	0.2344
4/3/2022	-	29528	-	49.05	-	0.2345
4/4/2022	-	29559	-	49.08	-	0.2345
4/5/2022	-	29590	-	49.12	-	0.2346
4/6/2022	-	29621	-	49.15	-	0.2347
4/7/2022	-	29652	-	49.19	-	0.2348

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
4/8/2022	-	29683	-	49.22	-	0.2348
4/9/2022	-	29714	-	49.25	-	0.2349
4/10/2022	-	29744	-	49.29	-	0.235
4/11/2022	-	29775	-	49.32	-	0.2351
4/12/2022	-	29806	-	49.36	-	0.2351
4/13/2022	-	29836	-	49.39	-	0.2352
4/14/2022	-	29867	-	49.42	-	0.2353
4/15/2022	-	29897	-	49.46	-	0.2353
4/16/2022	-	29928	-	49.49	-	0.2354
4/17/2022	-	29959	-	49.52	-	0.2355
4/18/2022	-	29990	-	49.56	-	0.2356
4/19/2022	-	30021	-	49.59	-	0.2356
4/20/2022	-	30051	-	49.63	-	0.2357
4/21/2022	-	30081	-	49.66	-	0.2358
4/22/2022	-	30111	-	49.69	-	0.2358
4/23/2022	-	30141	-	49.72	-	0.2359
4/24/2022	-	30171	-	49.76	-	0.236
4/25/2022	-	30201	-	49.79	-	0.2361
4/26/2022	-	30231	-	49.82	-	0.2361
4/27/2022	-	30260	-	49.85	-	0.2362
4/28/2022	-	30290	-	49.89	-	0.2363
4/29/2022	-	30320	-	49.92	-	0.2363
4/30/2022	-	30349	-	49.95	-	0.2364
5/1/2022	-	30379	-	49.99	-	0.2365
5/2/2022	-	30409	-	50.02	-	0.2365
5/3/2022	-	30439	-	50.05	-	0.2366
5/4/2022	-	30469	-	50.09	-	0.2367
5/5/2022	-	30499	-	50.12	-	0.2368
5/6/2022	-	30529	-	50.15	-	0.2369
5/7/2022	-	30559	-	50.19	-	0.2369
5/8/2022	-	30589	-	50.22	-	0.237
5/9/2022	-	30619	-	50.25	-	0.2371
5/10/2022	-	30649	-	50.29	-	0.2372
5/11/2022	-	30680	-	50.32	-	0.2373
5/12/2022	-	30711	-	50.36	-	0.2374
5/13/2022	-	30741	-	50.39	-	0.2374
5/14/2022	-	30771	-	50.43	-	0.2375
5/15/2022	-	30802	-	50.46	-	0.2376
5/16/2022	-	30825	-	50.48	-	0.2376
5/17/2022	-	30844	-	50.5	-	0.2376
5/18/2022	-	30851	-	50.49	-	0.2375
5/19/2022	-	30871	-	50.51	-	0.2376
5/20/2022	-	30900	-	50.54	-	0.2376
5/21/2022	-	30929	-	50.58	-	0.2377
5/22/2022	-	30953	-	50.6	-	0.2377
5/23/2022	-	30967	-	50.61	-	0.2377
5/24/2022	-	30970	-	50.6	-	0.2376
5/25/2022	-	30969	-	50.58	-	0.2374
5/26/2022	-	30973	-	50.57	-	0.2373
5/27/2022	-	30991	-	50.59	-	0.2373
5/28/2022	-	31010	-	50.6	-	0.2373
5/29/2022	-	31031	-	50.62	-	0.2373
5/30/2022	-	31042	-	50.63	-	0.2372
5/31/2022	-	31028	-	50.59	-	0.237
6/1/2022	-	30995	-	50.52	-	0.2366
6/2/2022	-	30942	-	50.42	-	0.236
6/3/2022	-	30936	-	50.39	-	0.2358
6/4/2022	-	30943	-	50.39	-	0.2357
6/5/2022	-	30949	-	50.38	-	0.2356
6/6/2022	-	30954	-	50.38	-	0.2355

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
6/7/2022	-	30956	-	50.37	-	0.2354
6/8/2022	-	30953	-	50.35	-	0.2352
6/9/2022	-	30952	-	50.33	-	0.2351
6/10/2022	-	30962	-	50.33	-	0.235
6/11/2022	-	30984	-	50.36	-	0.2351
6/12/2022	-	31007	-	50.38	-	0.2351
6/13/2022	-	31030	-	50.4	-	0.2351
6/14/2022	-	31053	-	50.43	-	0.2352
6/15/2022	-	31075	-	50.45	-	0.2352
6/16/2022	-	31098	-	50.47	-	0.2352
6/17/2022	-	31121	-	50.49	-	0.2353
6/18/2022	-	31144	-	50.52	-	0.2353
6/19/2022	-	31168	-	50.54	-	0.2353
6/20/2022	-	31191	-	50.57	-	0.2354
6/21/2022	-	31215	-	50.59	-	0.2354
6/22/2022	-	31241	-	50.62	-	0.2355
6/23/2022	-	31268	-	50.65	-	0.2356
6/24/2022	-	31294	-	50.68	-	0.2356
6/25/2022	-	31320	-	50.71	-	0.2357
6/26/2022	-	31346	-	50.74	-	0.2357
6/27/2022	-	31372	-	50.77	-	0.2358
6/28/2022	-	31400	-	50.8	-	0.2359
6/29/2022	-	31428	-	50.83	-	0.236
6/30/2022	-	31460	-	50.87	-	0.2361
7/1/2022	-	31498	-	50.91	-	0.2362
7/2/2022	-	31524	-	50.94	-	0.2363
7/3/2022	-	31551	-	50.97	-	0.2363
7/4/2022	-	31580	-	51.01	-	0.2364
7/5/2022	-	31608	-	51.04	-	0.2365
7/6/2022	-	31635	-	51.07	-	0.2366
7/7/2022	-	31660	-	51.09	-	0.2366
7/8/2022	-	31581	-	50.95	-	0.2359
7/9/2022	-	31537	-	50.86	-	0.2354
7/10/2022	-	31547	-	50.87	-	0.2353
7/11/2022	-	31571	-	50.89	-	0.2354
7/12/2022	-	31594	-	50.92	-	0.2354
7/13/2022	-	31617	-	50.94	-	0.2355
7/14/2022	-	31642	-	50.97	-	0.2355
7/15/2022	-	31667	-	50.99	-	0.2356
7/16/2022	-	31694	-	51.02	-	0.2356
7/17/2022	-	31719	-	51.05	-	0.2357
7/18/2022	-	31746	-	51.08	-	0.2358
7/19/2022	-	31773	-	51.11	-	0.2358
7/20/2022	-	31800	-	51.14	-	0.2359
7/21/2022	-	31826	-	51.17	-	0.236
7/22/2022	-	31852	-	51.2	-	0.236
7/23/2022	-	31863	-	51.2	-	0.236
7/24/2022	-	31859	-	51.18	-	0.2358
7/25/2022	-	31873	-	51.19	-	0.2358
7/26/2022	-	31784	-	51.03	-	0.235
7/27/2022	-	31767	-	50.99	-	0.2347
7/28/2022	-	31789	-	51.01	-	0.2347
7/29/2022	-	31802	-	51.02	-	0.2347
7/30/2022	-	31822	-	51.04	-	0.2347
7/31/2022	-	31844	-	51.06	-	0.2348
8/1/2022	-	31868	-	51.09	-	0.2348
8/2/2022	-	31891	-	51.11	-	0.2349
8/3/2022	-	31916	-	51.14	-	0.2349
8/4/2022	-	31940	-	51.16	-	0.235
8/5/2022	-	31965	-	51.19	-	0.235

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
8/6/2022	-	31988	-	51.21	-	0.235
8/7/2022	-	32012	-	51.24	-	0.2351
8/8/2022	-	32037	-	51.27	-	0.2351
8/9/2022	-	32028	-	51.24	-	0.2349
8/10/2022	-	31921	-	51.05	-	0.234
8/11/2022	-	31883	-	50.98	-	0.2336
8/12/2022	-	31895	-	50.98	-	0.2336
8/13/2022	-	31912	-	51	-	0.2336
8/14/2022	-	31931	-	51.02	-	0.2336
8/15/2022	-	31953	-	51.04	-	0.2336
8/16/2022	-	31975	-	51.06	-	0.2336
8/17/2022	-	31997	-	51.08	-	0.2337
8/18/2022	-	32020	-	51.11	-	0.2337
8/19/2022	-	32042	-	51.13	-	0.2337
8/20/2022	-	32065	-	51.15	-	0.2338
8/21/2022	-	32050	-	51.12	-	0.2335
8/22/2022	-	32061	-	51.12	-	0.2335
8/23/2022	-	32083	-	51.14	-	0.2335
8/24/2022	-	32095	-	51.15	-	0.2335
8/25/2022	-	32110	-	51.16	-	0.2335
8/26/2022	-	32131	-	51.18	-	0.2335
8/27/2022	-	32154	-	51.2	-	0.2335
8/28/2022	-	32175	-	51.23	-	0.2336
8/29/2022	-	32187	-	51.23	-	0.2335
8/30/2022	-	32206	-	51.25	-	0.2335
8/31/2022	-	32225	-	51.27	-	0.2335
9/1/2022	-	32247	-	51.29	-	0.2336
9/2/2022	-	32269	-	51.31	-	0.2336
9/3/2022	-	32291	-	51.33	-	0.2336
9/4/2022	-	32309	-	51.35	-	0.2337
9/5/2022	-	32329	-	51.37	-	0.2337
9/6/2022	-	32351	-	51.39	-	0.2337
9/7/2022	-	32372	-	51.41	-	0.2337
9/8/2022	-	32395	-	51.44	-	0.2338
9/9/2022	-	32395	-	51.42	-	0.2337
9/10/2022	-	32409	-	51.43	-	0.2336
9/11/2022	-	32432	-	51.46	-	0.2337
9/12/2022	-	32438	-	51.46	-	0.2336
9/13/2022	-	32450	-	51.46	-	0.2336
9/14/2022	-	32471	-	51.48	-	0.2336
9/15/2022	-	32493	-	51.51	-	0.2336
9/16/2022	-	32513	-	51.52	-	0.2336
9/17/2022	-	32536	-	51.55	-	0.2337
9/18/2022	-	32558	-	51.57	-	0.2337
9/19/2022	-	32581	-	51.59	-	0.2338
9/20/2022	-	32598	-	51.61	-	0.2338
9/21/2022	-	32620	-	51.63	-	0.2338
9/22/2022	-	32639	-	51.65	-	0.2338
9/23/2022	-	32660	-	51.67	-	0.2338
9/24/2022	-	32680	-	51.69	-	0.2339
9/25/2022	-	32703	-	51.71	-	0.2339
9/26/2022	-	32725	-	51.74	-	0.2339
9/27/2022	-	32747	-	51.76	-	0.234
9/28/2022	-	32770	-	51.78	-	0.234
9/29/2022	-	32792	-	51.81	-	0.234
9/30/2022	-	32814	-	51.83	-	0.2341
10/1/2022	-	32782	-	51.76	-	0.2337
10/2/2022	-	32786	-	51.76	-	0.2336
10/3/2022	-	32807	-	51.78	-	0.2337
10/4/2022	-	32829	-	51.8	-	0.2337

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
10/5/2022	-	32851	-	51.82	-	0.2337
10/6/2022	-	32873	-	51.85	-	0.2338
10/7/2022	-	32894	-	51.87	-	0.2338
10/8/2022	-	32916	-	51.89	-	0.2338
10/9/2022	-	32937	-	51.91	-	0.2339
10/10/2022	-	32959	-	51.94	-	0.2339
10/11/2022	-	32981	-	51.96	-	0.2339
10/12/2022	-	33002	-	51.98	-	0.234
10/13/2022	-	33024	-	52	-	0.234
10/14/2022	-	33046	-	52.02	-	0.234
10/15/2022	-	33068	-	52.05	-	0.2341
10/16/2022	-	33089	-	52.07	-	0.2341
10/17/2022	-	33111	-	52.09	-	0.2341
10/18/2022	-	33133	-	52.11	-	0.2342
10/19/2022	-	33154	-	52.13	-	0.2342
10/20/2022	-	33175	-	52.16	-	0.2343
10/21/2022	-	33197	-	52.18	-	0.2343
10/22/2022	-	33218	-	52.2	-	0.2343
10/23/2022	-	33239	-	52.22	-	0.2343
10/24/2022	-	33260	-	52.24	-	0.2344
10/25/2022	-	33281	-	52.26	-	0.2344
10/26/2022	-	33302	-	52.29	-	0.2344
10/27/2022	-	33323	-	52.31	-	0.2345
10/28/2022	-	33344	-	52.33	-	0.2345
10/29/2022	-	33364	-	52.35	-	0.2345
10/30/2022	-	33385	-	52.37	-	0.2346
10/31/2022	-	33406	-	52.39	-	0.2346
11/1/2022	-	33426	-	52.41	-	0.2346
11/2/2022	-	33447	-	52.43	-	0.2347
11/3/2022	-	33467	-	52.45	-	0.2347
11/4/2022	-	33487	-	52.47	-	0.2347
11/5/2022	-	33507	-	52.49	-	0.2348
11/6/2022	-	33528	-	52.51	-	0.2348
11/7/2022	-	33548	-	52.53	-	0.2348
11/8/2022	-	33568	-	52.55	-	0.2348
11/9/2022	-	33588	-	52.57	-	0.2349
11/10/2022	-	33608	-	52.6	-	0.2349
11/11/2022	-	33628	-	52.62	-	0.2349
11/12/2022	-	33648	-	52.64	-	0.235
11/13/2022	-	33667	-	52.66	-	0.235
11/14/2022	-	33687	-	52.68	-	0.235
11/15/2022	-	33707	-	52.7	-	0.2351
11/16/2022	-	33727	-	52.72	-	0.2351
11/17/2022	-	33747	-	52.74	-	0.2351
11/18/2022	-	33766	-	52.76	-	0.2351
11/19/2022	-	33786	-	52.78	-	0.2352
11/20/2022	-	33805	-	52.79	-	0.2352
11/21/2022	-	33825	-	52.81	-	0.2352
11/22/2022	-	33844	-	52.83	-	0.2353
11/23/2022	-	33863	-	52.85	-	0.2353
11/24/2022	-	33883	-	52.87	-	0.2353
11/25/2022	-	33902	-	52.89	-	0.2353
11/26/2022	-	33921	-	52.91	-	0.2354
11/27/2022	-	33941	-	52.93	-	0.2354
11/28/2022	-	33960	-	52.95	-	0.2354
11/29/2022	-	33979	-	52.97	-	0.2355
11/30/2022	-	33998	-	52.99	-	0.2355
12/1/2022	-	34017	-	53.01	-	0.2355
12/2/2022	-	34036	-	53.03	-	0.2355
12/3/2022	-	34055	-	53.05	-	0.2356

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
12/4/2022	-	34074	-	53.07	-	0.2356
12/5/2022	-	34092	-	53.09	-	0.2356
12/6/2022	-	34111	-	53.1	-	0.2357
12/7/2022	-	34130	-	53.12	-	0.2357
12/8/2022	-	34149	-	53.14	-	0.2357
12/9/2022	-	34167	-	53.16	-	0.2357
12/10/2022	-	34186	-	53.18	-	0.2358
12/11/2022	-	34205	-	53.2	-	0.2358
12/12/2022	-	34223	-	53.22	-	0.2358
12/13/2022	-	34242	-	53.24	-	0.2358
12/14/2022	-	34260	-	53.25	-	0.2359
12/15/2022	-	34278	-	53.27	-	0.2359
12/16/2022	-	34297	-	53.29	-	0.2359
12/17/2022	-	34315	-	53.31	-	0.236
12/18/2022	-	34333	-	53.33	-	0.236
12/19/2022	-	34352	-	53.35	-	0.236
12/20/2022	-	34370	-	53.37	-	0.236
12/21/2022	-	34388	-	53.38	-	0.2361
12/22/2022	-	34406	-	53.4	-	0.2361
12/23/2022	-	34424	-	53.42	-	0.2361
12/24/2022	-	34442	-	53.44	-	0.2361
12/25/2022	-	34460	-	53.46	-	0.2362
12/26/2022	-	34478	-	53.48	-	0.2362
12/27/2022	-	34496	-	53.49	-	0.2362
12/28/2022	-	34514	-	53.51	-	0.2363
12/29/2022	-	34532	-	53.53	-	0.2363
12/30/2022	-	34549	-	53.55	-	0.2363
12/31/2022	-	34567	-	53.57	-	0.2363
1/1/2023	-	34585	-	53.58	-	0.2364
1/2/2023	-	34608	-	53.6	-	0.2364
1/3/2023	-	34631	-	53.62	-	0.2365
1/4/2023	-	34654	-	53.64	-	0.2365
1/5/2023	-	34677	-	53.66	-	0.2366
1/6/2023	-	34701	-	53.68	-	0.2367
1/7/2023	-	34724	-	53.7	-	0.2367
1/8/2023	-	34747	-	53.72	-	0.2368
1/9/2023	-	34769	-	53.73	-	0.2369
1/10/2023	-	34792	-	53.75	-	0.2369
1/11/2023	-	34815	-	53.77	-	0.237
1/12/2023	-	34838	-	53.79	-	0.237
1/13/2023	-	34861	-	53.81	-	0.2371
1/14/2023	-	34883	-	53.83	-	0.2372
1/15/2023	-	34906	-	53.85	-	0.2372
1/16/2023	-	34929	-	53.86	-	0.2373
1/17/2023	-	34951	-	53.88	-	0.2374
1/18/2023	-	34974	-	53.9	-	0.2374
1/19/2023	-	34996	-	53.92	-	0.2375
1/20/2023	-	35019	-	53.94	-	0.2375
1/21/2023	-	35041	-	53.96	-	0.2376
1/22/2023	-	35064	-	53.97	-	0.2377
1/23/2023	-	35086	-	53.99	-	0.2377
1/24/2023	-	35108	-	54.01	-	0.2378
1/25/2023	-	35131	-	54.03	-	0.2378
1/26/2023	-	35153	-	54.05	-	0.2379
1/27/2023	-	35175	-	54.06	-	0.238
1/28/2023	-	35197	-	54.08	-	0.238
1/29/2023	-	35219	-	54.1	-	0.2381
1/30/2023	-	35241	-	54.12	-	0.2381
1/31/2023	-	35263	-	54.14	-	0.2382
2/1/2023	-	35290	-	54.16	-	0.2383

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
2/2/2023	-	35316	-	54.18	-	0.2383
2/3/2023	-	35342	-	54.2	-	0.2384
2/4/2023	-	35368	-	54.22	-	0.2385
2/5/2023	-	35394	-	54.24	-	0.2386
2/6/2023	-	35420	-	54.26	-	0.2386
2/7/2023	-	35446	-	54.29	-	0.2387
2/8/2023	-	35472	-	54.31	-	0.2388
2/9/2023	-	35498	-	54.33	-	0.2388
2/10/2023	-	35524	-	54.35	-	0.2389
2/11/2023	-	35550	-	54.37	-	0.239
2/12/2023	-	35575	-	54.39	-	0.239
2/13/2023	-	35601	-	54.41	-	0.2391
2/14/2023	-	35626	-	54.43	-	0.2392
2/15/2023	-	35652	-	54.45	-	0.2393
2/16/2023	-	35677	-	54.47	-	0.2393
2/17/2023	-	35703	-	54.49	-	0.2394
2/18/2023	-	35728	-	54.52	-	0.2395
2/19/2023	-	35753	-	54.54	-	0.2395
2/20/2023	-	35779	-	54.56	-	0.2396
2/21/2023	-	35804	-	54.58	-	0.2397
2/22/2023	-	35829	-	54.6	-	0.2397
2/23/2023	-	35854	-	54.62	-	0.2398
2/24/2023	-	35879	-	54.64	-	0.2399
2/25/2023	-	35904	-	54.66	-	0.2399
2/26/2023	-	35929	-	54.68	-	0.24
2/27/2023	-	35954	-	54.7	-	0.2401
2/28/2023	-	35979	-	54.72	-	0.2401
3/1/2023	-	36003	-	54.74	-	0.2402
3/2/2023	-	36028	-	54.76	-	0.2403
3/3/2023	-	36053	-	54.78	-	0.2403
3/4/2023	-	36077	-	54.8	-	0.2404
3/5/2023	-	36102	-	54.82	-	0.2405
3/6/2023	-	36126	-	54.84	-	0.2405
3/7/2023	-	36151	-	54.86	-	0.2406
3/8/2023	-	36175	-	54.88	-	0.2407
3/9/2023	-	36199	-	54.9	-	0.2407
3/10/2023	-	36224	-	54.92	-	0.2408
3/11/2023	-	36248	-	54.94	-	0.2409
3/12/2023	-	36272	-	54.96	-	0.2409
3/13/2023	-	36296	-	54.98	-	0.241
3/14/2023	-	36320	-	55	-	0.2411
3/15/2023	-	36345	-	55.02	-	0.2411
3/16/2023	-	36369	-	55.04	-	0.2412
3/17/2023	-	36392	-	55.06	-	0.2413
3/18/2023	-	36416	-	55.08	-	0.2413
3/19/2023	-	36440	-	55.1	-	0.2414
3/20/2023	-	36464	-	55.12	-	0.2415
3/21/2023	-	36488	-	55.14	-	0.2415
3/22/2023	-	36511	-	55.15	-	0.2416
3/23/2023	-	36535	-	55.17	-	0.2417
3/24/2023	-	36559	-	55.19	-	0.2417
3/25/2023	-	36584	-	55.21	-	0.2418
3/26/2023	-	36608	-	55.23	-	0.2419
3/27/2023	-	36631	-	55.25	-	0.2419
3/28/2023	-	36655	-	55.27	-	0.242
3/29/2023	-	36678	-	55.29	-	0.242
3/30/2023	-	36701	-	55.31	-	0.2421
3/31/2023	-	36725	-	55.33	-	0.2422
4/1/2023	-	36748	-	55.35	-	0.2422
4/2/2023	-	36772	-	55.37	-	0.2423

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
4/3/2023	-	36795	-	55.39	-	0.2424
4/4/2023	-	36818	-	55.41	-	0.2424
4/5/2023	-	36842	-	55.43	-	0.2425
4/6/2023	-	36864	-	55.44	-	0.2426
4/7/2023	-	36887	-	55.46	-	0.2426
4/8/2023	-	36910	-	55.48	-	0.2427
4/9/2023	-	36933	-	55.5	-	0.2427
4/10/2023	-	36956	-	55.52	-	0.2428
4/11/2023	-	36979	-	55.54	-	0.2429
4/12/2023	-	37001	-	55.56	-	0.2429
4/13/2023	-	37024	-	55.57	-	0.243
4/14/2023	-	37047	-	55.59	-	0.2431
4/15/2023	-	37069	-	55.61	-	0.2431
4/16/2023	-	37093	-	55.63	-	0.2432
4/17/2023	-	37116	-	55.65	-	0.2432
4/18/2023	-	37139	-	55.67	-	0.2433
4/19/2023	-	37162	-	55.69	-	0.2434
4/20/2023	-	37184	-	55.71	-	0.2434
4/21/2023	-	37207	-	55.73	-	0.2435
4/22/2023	-	37229	-	55.74	-	0.2436
4/23/2023	-	37251	-	55.76	-	0.2436
4/24/2023	-	37273	-	55.78	-	0.2437
4/25/2023	-	37295	-	55.8	-	0.2437
4/26/2023	-	37317	-	55.82	-	0.2438
4/27/2023	-	37339	-	55.83	-	0.2439
4/28/2023	-	37361	-	55.85	-	0.2439
4/29/2023	-	37384	-	55.87	-	0.244
4/30/2023	-	37406	-	55.89	-	0.244
5/1/2023	-	37428	-	55.91	-	0.2441
5/2/2023	-	37450	-	55.92	-	0.2442
5/3/2023	-	37473	-	55.94	-	0.2442
5/4/2023	-	37496	-	55.96	-	0.2443
5/5/2023	-	37520	-	55.98	-	0.2444
5/6/2023	-	37542	-	56	-	0.2444
5/7/2023	-	37565	-	56.02	-	0.2445
5/8/2023	-	37589	-	56.04	-	0.2446
5/9/2023	-	37612	-	56.06	-	0.2446
5/10/2023	-	37635	-	56.08	-	0.2447
5/11/2023	-	37660	-	56.11	-	0.2448
5/12/2023	-	37684	-	56.13	-	0.2449
5/13/2023	-	37708	-	56.15	-	0.2449
5/14/2023	-	37731	-	56.17	-	0.245
5/15/2023	-	37755	-	56.19	-	0.2451
5/16/2023	-	37771	-	56.2	-	0.2451
5/17/2023	-	37784	-	56.2	-	0.2451
5/18/2023	-	37784	-	56.19	-	0.245
5/19/2023	-	37798	-	56.2	-	0.245
5/20/2023	-	37821	-	56.22	-	0.2451
5/21/2023	-	37845	-	56.24	-	0.2452
5/22/2023	-	37863	-	56.25	-	0.2452
5/23/2023	-	37871	-	56.25	-	0.2452
5/24/2023	-	37868	-	56.23	-	0.2451
5/25/2023	-	37861	-	56.21	-	0.245
5/26/2023	-	37859	-	56.19	-	0.2449
5/27/2023	-	37873	-	56.2	-	0.2449
5/28/2023	-	37887	-	56.2	-	0.2449
5/29/2023	-	37904	-	56.21	-	0.2449
5/30/2023	-	37909	-	56.21	-	0.2449
5/31/2023	-	37890	-	56.17	-	0.2447
6/1/2023	-	37850	-	56.09	-	0.2443

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
6/2/2023	-	37792	-	55.99	-	0.2439
6/3/2023	-	37726	-	55.88	-	0.2434
6/4/2023	-	37692	-	55.82	-	0.2431
6/5/2023	-	37685	-	55.79	-	0.2429
6/6/2023	-	37679	-	55.77	-	0.2428
6/7/2023	-	37671	-	55.75	-	0.2427
6/8/2023	-	37652	-	55.7	-	0.2425
6/9/2023	-	37632	-	55.66	-	0.2423
6/10/2023	-	37619	-	55.63	-	0.2421
6/11/2023	-	37619	-	55.62	-	0.2421
6/12/2023	-	37617	-	55.6	-	0.242
6/13/2023	-	37625	-	55.6	-	0.2419
6/14/2023	-	37632	-	55.59	-	0.2419
6/15/2023	-	37628	-	55.58	-	0.2418
6/16/2023	-	37616	-	55.54	-	0.2417
6/17/2023	-	37612	-	55.52	-	0.2416
6/18/2023	-	37601	-	55.5	-	0.2414
6/19/2023	-	37608	-	55.49	-	0.2414
6/20/2023	-	37628	-	55.51	-	0.2414
6/21/2023	-	37648	-	55.53	-	0.2415
6/22/2023	-	37670	-	55.54	-	0.2416
6/23/2023	-	37691	-	55.56	-	0.2416
6/24/2023	-	37713	-	55.58	-	0.2417
6/25/2023	-	37735	-	55.6	-	0.2418
6/26/2023	-	37758	-	55.62	-	0.2418
6/27/2023	-	37781	-	55.64	-	0.2419
6/28/2023	-	37805	-	55.67	-	0.242
6/29/2023	-	37830	-	55.69	-	0.2421
6/30/2023	-	37861	-	55.72	-	0.2422
7/1/2023	-	37900	-	55.77	-	0.2424
7/2/2023	-	37924	-	55.79	-	0.2425
7/3/2023	-	37949	-	55.82	-	0.2426
7/4/2023	-	37977	-	55.84	-	0.2427
7/5/2023	-	38003	-	55.87	-	0.2428
7/6/2023	-	38028	-	55.89	-	0.2428
7/7/2023	-	38051	-	55.92	-	0.2429
7/8/2023	-	37967	-	55.78	-	0.2423
7/9/2023	-	37921	-	55.7	-	0.2419
7/10/2023	-	37929	-	55.7	-	0.2419
7/11/2023	-	37951	-	55.71	-	0.242
7/12/2023	-	37972	-	55.73	-	0.242
7/13/2023	-	37994	-	55.75	-	0.2421
7/14/2023	-	38018	-	55.77	-	0.2422
7/15/2023	-	38041	-	55.8	-	0.2423
7/16/2023	-	38067	-	55.82	-	0.2424
7/17/2023	-	38091	-	55.84	-	0.2424
7/18/2023	-	38116	-	55.87	-	0.2425
7/19/2023	-	38143	-	55.89	-	0.2426
7/20/2023	-	38168	-	55.92	-	0.2427
7/21/2023	-	38193	-	55.94	-	0.2428
7/22/2023	-	38217	-	55.97	-	0.2429
7/23/2023	-	38227	-	55.97	-	0.2429
7/24/2023	-	38220	-	55.95	-	0.2428
7/25/2023	-	38233	-	55.95	-	0.2428
7/26/2023	-	38140	-	55.8	-	0.2421
7/27/2023	-	38123	-	55.76	-	0.2419
7/28/2023	-	38143	-	55.78	-	0.242
7/29/2023	-	38154	-	55.78	-	0.242
7/30/2023	-	38173	-	55.8	-	0.242
7/31/2023	-	38195	-	55.82	-	0.2421

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
8/1/2023	-	38217	-	55.84	-	0.2422
8/2/2023	-	38240	-	55.86	-	0.2423
8/3/2023	-	38263	-	55.88	-	0.2423
8/4/2023	-	38287	-	55.9	-	0.2424
8/5/2023	-	38310	-	55.93	-	0.2425
8/6/2023	-	38332	-	55.95	-	0.2426
8/7/2023	-	38355	-	55.97	-	0.2426
8/8/2023	-	38379	-	55.99	-	0.2427
8/9/2023	-	38368	-	55.96	-	0.2426
8/10/2023	-	38258	-	55.79	-	0.2418
8/11/2023	-	38218	-	55.72	-	0.2415
8/12/2023	-	38229	-	55.72	-	0.2415
8/13/2023	-	38246	-	55.73	-	0.2415
8/14/2023	-	38264	-	55.75	-	0.2416
8/15/2023	-	38285	-	55.76	-	0.2416
8/16/2023	-	38306	-	55.78	-	0.2417
8/17/2023	-	38326	-	55.8	-	0.2417
8/18/2023	-	38349	-	55.82	-	0.2418
8/19/2023	-	38370	-	55.84	-	0.2419
8/20/2023	-	38392	-	55.86	-	0.242
8/21/2023	-	38376	-	55.82	-	0.2418
8/22/2023	-	38385	-	55.82	-	0.2418
8/23/2023	-	38407	-	55.84	-	0.2418
8/24/2023	-	38418	-	55.85	-	0.2418
8/25/2023	-	38432	-	55.86	-	0.2419
8/26/2023	-	38451	-	55.87	-	0.2419
8/27/2023	-	38473	-	55.89	-	0.242
8/28/2023	-	38493	-	55.91	-	0.242
8/29/2023	-	38504	-	55.91	-	0.242
8/30/2023	-	38522	-	55.93	-	0.2421
8/31/2023	-	38540	-	55.94	-	0.2421
9/1/2023	-	38560	-	55.96	-	0.2422
9/2/2023	-	38581	-	55.98	-	0.2423
9/3/2023	-	38602	-	56	-	0.2423
9/4/2023	-	38620	-	56.01	-	0.2424
9/5/2023	-	38639	-	56.02	-	0.2424
9/6/2023	-	38659	-	56.04	-	0.2425
9/7/2023	-	38680	-	56.06	-	0.2425
9/8/2023	-	38702	-	56.08	-	0.2426
9/9/2023	-	38700	-	56.06	-	0.2425
9/10/2023	-	38713	-	56.07	-	0.2425
9/11/2023	-	38734	-	56.09	-	0.2426
9/12/2023	-	38740	-	56.09	-	0.2426
9/13/2023	-	38750	-	56.09	-	0.2426
9/14/2023	-	38771	-	56.11	-	0.2426
9/15/2023	-	38791	-	56.13	-	0.2427
9/16/2023	-	38810	-	56.14	-	0.2428
9/17/2023	-	38831	-	56.16	-	0.2428
9/18/2023	-	38853	-	56.18	-	0.2429
9/19/2023	-	38875	-	56.2	-	0.243
9/20/2023	-	38891	-	56.21	-	0.243
9/21/2023	-	38911	-	56.23	-	0.2431
9/22/2023	-	38929	-	56.24	-	0.2431
9/23/2023	-	38950	-	56.26	-	0.2432
9/24/2023	-	38968	-	56.27	-	0.2432
9/25/2023	-	38990	-	56.29	-	0.2433
9/26/2023	-	39011	-	56.31	-	0.2433
9/27/2023	-	39032	-	56.33	-	0.2434
9/28/2023	-	39053	-	56.35	-	0.2435
9/29/2023	-	39074	-	56.37	-	0.2435

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
9/30/2023	-	39095	-	56.39	-	0.2436
10/1/2023	-	39062	-	56.33	-	0.2433
10/2/2023	-	39065	-	56.32	-	0.2433
10/3/2023	-	39085	-	56.34	-	0.2433
10/4/2023	-	39106	-	56.36	-	0.2434
10/5/2023	-	39127	-	56.37	-	0.2435
10/6/2023	-	39147	-	56.39	-	0.2435
10/7/2023	-	39168	-	56.41	-	0.2436
10/8/2023	-	39188	-	56.43	-	0.2437
10/9/2023	-	39209	-	56.45	-	0.2437
10/10/2023	-	39229	-	56.46	-	0.2438
10/11/2023	-	39250	-	56.48	-	0.2438
10/12/2023	-	39270	-	56.5	-	0.2439
10/13/2023	-	39291	-	56.52	-	0.244
10/14/2023	-	39312	-	56.54	-	0.244
10/15/2023	-	39332	-	56.55	-	0.2441
10/16/2023	-	39353	-	56.57	-	0.2442
10/17/2023	-	39373	-	56.59	-	0.2442
10/18/2023	-	39394	-	56.61	-	0.2443
10/19/2023	-	39414	-	56.62	-	0.2443
10/20/2023	-	39434	-	56.64	-	0.2444
10/21/2023	-	39454	-	56.66	-	0.2445
10/22/2023	-	39474	-	56.68	-	0.2445
10/23/2023	-	39494	-	56.69	-	0.2446
10/24/2023	-	39514	-	56.71	-	0.2446
10/25/2023	-	39534	-	56.73	-	0.2447
10/26/2023	-	39554	-	56.75	-	0.2448
10/27/2023	-	39574	-	56.76	-	0.2448
10/28/2023	-	39594	-	56.78	-	0.2449
10/29/2023	-	39613	-	56.8	-	0.2449
10/30/2023	-	39633	-	56.81	-	0.245
10/31/2023	-	39653	-	56.83	-	0.2451
11/1/2023	-	39672	-	56.85	-	0.2451
11/2/2023	-	39691	-	56.87	-	0.2452
11/3/2023	-	39711	-	56.88	-	0.2452
11/4/2023	-	39730	-	56.9	-	0.2453
11/5/2023	-	39749	-	56.91	-	0.2454
11/6/2023	-	39768	-	56.93	-	0.2454
11/7/2023	-	39788	-	56.95	-	0.2455
11/8/2023	-	39807	-	56.96	-	0.2455
11/9/2023	-	39826	-	56.98	-	0.2456
11/10/2023	-	39845	-	57	-	0.2456
11/11/2023	-	39864	-	57.01	-	0.2457
11/12/2023	-	39883	-	57.03	-	0.2457
11/13/2023	-	39902	-	57.05	-	0.2458
11/14/2023	-	39921	-	57.06	-	0.2459
11/15/2023	-	39940	-	57.08	-	0.2459
11/16/2023	-	39958	-	57.09	-	0.246
11/17/2023	-	39977	-	57.11	-	0.246
11/18/2023	-	39996	-	57.13	-	0.2461
11/19/2023	-	40015	-	57.14	-	0.2461
11/20/2023	-	40034	-	57.16	-	0.2462
11/21/2023	-	40052	-	57.18	-	0.2463
11/22/2023	-	40071	-	57.19	-	0.2463
11/23/2023	-	40089	-	57.21	-	0.2464
11/24/2023	-	40108	-	57.22	-	0.2464
11/25/2023	-	40126	-	57.24	-	0.2465
11/26/2023	-	40145	-	57.26	-	0.2465
11/27/2023	-	40163	-	57.27	-	0.2466
11/28/2023	-	40182	-	57.29	-	0.2466

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
11/29/2023	-	40200	-	57.3	-	0.2467
11/30/2023	-	40219	-	57.32	-	0.2467
12/1/2023	-	40237	-	57.33	-	0.2468
12/2/2023	-	40255	-	57.35	-	0.2469
12/3/2023	-	40273	-	57.37	-	0.2469
12/4/2023	-	40292	-	57.38	-	0.247
12/5/2023	-	40310	-	57.4	-	0.247
12/6/2023	-	40328	-	57.41	-	0.2471
12/7/2023	-	40346	-	57.43	-	0.2471
12/8/2023	-	40364	-	57.44	-	0.2472
12/9/2023	-	40382	-	57.46	-	0.2472
12/10/2023	-	40400	-	57.47	-	0.2473
12/11/2023	-	40418	-	57.49	-	0.2473
12/12/2023	-	40436	-	57.51	-	0.2474
12/13/2023	-	40454	-	57.52	-	0.2474
12/14/2023	-	40472	-	57.54	-	0.2475
12/15/2023	-	40489	-	57.55	-	0.2476
12/16/2023	-	40507	-	57.57	-	0.2476
12/17/2023	-	40525	-	57.58	-	0.2477
12/18/2023	-	40543	-	57.6	-	0.2477
12/19/2023	-	40560	-	57.61	-	0.2478
12/20/2023	-	40578	-	57.63	-	0.2478
12/21/2023	-	40596	-	57.64	-	0.2479
12/22/2023	-	40613	-	57.66	-	0.2479
12/23/2023	-	40631	-	57.67	-	0.248
12/24/2023	-	40648	-	57.69	-	0.248
12/25/2023	-	40666	-	57.7	-	0.2481
12/26/2023	-	40683	-	57.72	-	0.2481
12/27/2023	-	40701	-	57.73	-	0.2482
12/28/2023	-	40718	-	57.75	-	0.2482
12/29/2023	-	40736	-	57.76	-	0.2483
12/30/2023	-	40753	-	57.78	-	0.2483
12/31/2023	-	40770	-	57.79	-	0.2484
1/1/2024	-	40787	-	57.81	-	0.2484
1/2/2024	-	40805	-	57.81	-	0.2485
1/3/2024	-	40822	-	57.81	-	0.2485
1/4/2024	-	40839	-	57.81	-	0.2486
1/5/2024	-	40856	-	57.82	-	0.2486
1/6/2024	-	40873	-	57.82	-	0.2487
1/7/2024	-	40890	-	57.82	-	0.2487
1/8/2024	-	40907	-	57.82	-	0.2488
1/9/2024	-	40924	-	57.82	-	0.2488
1/10/2024	-	40941	-	57.83	-	0.2489
1/11/2024	-	40958	-	57.83	-	0.2489
1/12/2024	-	40975	-	57.83	-	0.249
1/13/2024	-	40992	-	57.83	-	0.249
1/14/2024	-	41009	-	57.83	-	0.2491
1/15/2024	-	41026	-	57.84	-	0.2491
1/16/2024	-	41043	-	57.84	-	0.2492
1/17/2024	-	41060	-	57.84	-	0.2492
1/18/2024	-	41076	-	57.84	-	0.2493
1/19/2024	-	41093	-	57.84	-	0.2493
1/20/2024	-	41110	-	57.85	-	0.2494
1/21/2024	-	41126	-	57.85	-	0.2494
1/22/2024	-	41143	-	57.85	-	0.2495
1/23/2024	-	41160	-	57.85	-	0.2495
1/24/2024	-	41176	-	57.86	-	0.2496
1/25/2024	-	41193	-	57.86	-	0.2496
1/26/2024	-	41209	-	57.86	-	0.2497
1/27/2024	-	41226	-	57.86	-	0.2497

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
1/28/2024	-	41242	-	57.86	-	0.2498
1/29/2024	-	41258	-	57.87	-	0.2498
1/30/2024	-	41275	-	57.87	-	0.2499
1/31/2024	-	41291	-	57.87	-	0.2499
2/1/2024	-	41312	-	57.87	-	0.25
2/2/2024	-	41333	-	57.87	-	0.2501
2/3/2024	-	41353	-	57.88	-	0.2501
2/4/2024	-	41374	-	57.88	-	0.2502
2/5/2024	-	41395	-	57.88	-	0.2502
2/6/2024	-	41415	-	57.88	-	0.2503
2/7/2024	-	41436	-	57.89	-	0.2504
2/8/2024	-	41456	-	57.89	-	0.2504
2/9/2024	-	41476	-	57.89	-	0.2505
2/10/2024	-	41497	-	57.89	-	0.2505
2/11/2024	-	41517	-	57.9	-	0.2506
2/12/2024	-	41537	-	57.9	-	0.2507
2/13/2024	-	41558	-	57.9	-	0.2507
2/14/2024	-	41578	-	57.9	-	0.2508
2/15/2024	-	41598	-	57.91	-	0.2508
2/16/2024	-	41618	-	57.91	-	0.2509
2/17/2024	-	41638	-	57.91	-	0.251
2/18/2024	-	41658	-	57.91	-	0.251
2/19/2024	-	41678	-	57.92	-	0.2511
2/20/2024	-	41698	-	57.92	-	0.2511
2/21/2024	-	41718	-	57.92	-	0.2512
2/22/2024	-	41738	-	57.92	-	0.2513
2/23/2024	-	41757	-	57.93	-	0.2513
2/24/2024	-	41777	-	57.93	-	0.2514
2/25/2024	-	41797	-	57.93	-	0.2514
2/26/2024	-	41816	-	57.93	-	0.2515
2/27/2024	-	41836	-	57.94	-	0.2515
2/28/2024	-	41855	-	57.94	-	0.2516
2/29/2024	-	41875	-	57.94	-	0.2517
3/1/2024	-	41894	-	57.94	-	0.2517
3/2/2024	-	41914	-	57.95	-	0.2518
3/3/2024	-	41933	-	57.95	-	0.2518
3/4/2024	-	41953	-	57.95	-	0.2519
3/5/2024	-	41972	-	57.95	-	0.252
3/6/2024	-	41991	-	57.95	-	0.252
3/7/2024	-	42010	-	57.96	-	0.2521
3/8/2024	-	42029	-	57.96	-	0.2521
3/9/2024	-	42049	-	57.96	-	0.2522
3/10/2024	-	42068	-	57.96	-	0.2522
3/11/2024	-	42087	-	57.97	-	0.2523
3/12/2024	-	42106	-	57.97	-	0.2523
3/13/2024	-	42125	-	57.97	-	0.2524
3/14/2024	-	42144	-	57.97	-	0.2525
3/15/2024	-	42162	-	57.98	-	0.2525
3/16/2024	-	42181	-	57.98	-	0.2526
3/17/2024	-	42200	-	57.98	-	0.2526
3/18/2024	-	42219	-	57.98	-	0.2527
3/19/2024	-	42238	-	57.99	-	0.2527
3/20/2024	-	42256	-	57.99	-	0.2528
3/21/2024	-	42275	-	57.99	-	0.2529
3/22/2024	-	42293	-	57.99	-	0.2529
3/23/2024	-	42312	-	57.99	-	0.253
3/24/2024	-	42331	-	58	-	0.253
3/25/2024	-	42351	-	58	-	0.2531
3/26/2024	-	42370	-	58	-	0.2531
3/27/2024	-	42388	-	58.01	-	0.2532

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
3/28/2024	-	42407	-	58.01	-	0.2533
3/29/2024	-	42425	-	58.01	-	0.2533
3/30/2024	-	42443	-	58.01	-	0.2534
3/31/2024	-	42462	-	58.02	-	0.2534
4/1/2024	-	42480	-	58.02	-	0.2535
4/2/2024	-	42498	-	58.02	-	0.2535
4/3/2024	-	42517	-	58.02	-	0.2536
4/4/2024	-	42535	-	58.03	-	0.2536
4/5/2024	-	42554	-	58.03	-	0.2537
4/6/2024	-	42572	-	58.03	-	0.2537
4/7/2024	-	42589	-	58.03	-	0.2538
4/8/2024	-	42607	-	58.04	-	0.2539
4/9/2024	-	42625	-	58.04	-	0.2539
4/10/2024	-	42643	-	58.04	-	0.254
4/11/2024	-	42661	-	58.04	-	0.254
4/12/2024	-	42679	-	58.04	-	0.2541
4/13/2024	-	42696	-	58.05	-	0.2541
4/14/2024	-	42714	-	58.05	-	0.2542
4/15/2024	-	42732	-	58.05	-	0.2542
4/16/2024	-	42751	-	58.05	-	0.2543
4/17/2024	-	42769	-	58.06	-	0.2543
4/18/2024	-	42787	-	58.06	-	0.2544
4/19/2024	-	42805	-	58.06	-	0.2544
4/20/2024	-	42823	-	58.07	-	0.2545
4/21/2024	-	42840	-	58.07	-	0.2546
4/22/2024	-	42858	-	58.07	-	0.2546
4/23/2024	-	42875	-	58.07	-	0.2547
4/24/2024	-	42893	-	58.07	-	0.2547
4/25/2024	-	42910	-	58.08	-	0.2548
4/26/2024	-	42927	-	58.08	-	0.2548
4/27/2024	-	42944	-	58.08	-	0.2549
4/28/2024	-	42961	-	58.08	-	0.2549
4/29/2024	-	42979	-	58.09	-	0.255
4/30/2024	-	42996	-	58.09	-	0.255
5/1/2024	-	43013	-	58.09	-	0.2551
5/2/2024	-	43031	-	58.09	-	0.2551
5/3/2024	-	43049	-	58.1	-	0.2552
5/4/2024	-	43068	-	58.1	-	0.2552
5/5/2024	-	43087	-	58.11	-	0.2553
5/6/2024	-	43105	-	58.11	-	0.2554
5/7/2024	-	43124	-	58.11	-	0.2554
5/8/2024	-	43142	-	58.12	-	0.2555
5/9/2024	-	43161	-	58.12	-	0.2555
5/10/2024	-	43181	-	58.13	-	0.2556
5/11/2024	-	43200	-	58.13	-	0.2557
5/12/2024	-	43220	-	58.14	-	0.2557
5/13/2024	-	43240	-	58.15	-	0.2558
5/14/2024	-	43259	-	58.15	-	0.2559
5/15/2024	-	43279	-	58.16	-	0.2559
5/16/2024	-	43291	-	58.15	-	0.256
5/17/2024	-	43300	-	58.15	-	0.256
5/18/2024	-	43296	-	58.12	-	0.2559
5/19/2024	-	43306	-	58.11	-	0.2559
5/20/2024	-	43325	-	58.12	-	0.256
5/21/2024	-	43345	-	58.13	-	0.256
5/22/2024	-	43359	-	58.13	-	0.2561
5/23/2024	-	43364	-	58.11	-	0.2561
5/24/2024	-	43358	-	58.08	-	0.256
5/25/2024	-	43348	-	58.05	-	0.2559
5/26/2024	-	43343	-	58.03	-	0.2558

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
5/27/2024	-	43353	-	58.02	-	0.2558
5/28/2024	-	43363	-	58.01	-	0.2558
5/29/2024	-	43376	-	58.01	-	0.2558
5/30/2024	-	43378	-	57.99	-	0.2558
5/31/2024	-	43357	-	57.95	-	0.2556
6/1/2024	-	43316	-	57.87	-	0.2553
6/2/2024	-	43258	-	57.78	-	0.2549
6/3/2024	-	43192	-	57.67	-	0.2545
6/4/2024	-	43158	-	57.6	-	0.2542
6/5/2024	-	43147	-	57.57	-	0.2541
6/6/2024	-	43139	-	57.54	-	0.254
6/7/2024	-	43128	-	57.51	-	0.2539
6/8/2024	-	43106	-	57.46	-	0.2538
6/9/2024	-	43083	-	57.41	-	0.2536
6/10/2024	-	43068	-	57.37	-	0.2534
6/11/2024	-	43065	-	57.35	-	0.2534
6/12/2024	-	43060	-	57.32	-	0.2533
6/13/2024	-	43064	-	57.31	-	0.2533
6/14/2024	-	43068	-	57.3	-	0.2533
6/15/2024	-	43062	-	57.27	-	0.2532
6/16/2024	-	43046	-	57.23	-	0.253
6/17/2024	-	43039	-	57.2	-	0.2529
6/18/2024	-	43027	-	57.17	-	0.2528
6/19/2024	-	43030	-	57.15	-	0.2528
6/20/2024	-	43047	-	57.16	-	0.2529
6/21/2024	-	43064	-	57.16	-	0.2529
6/22/2024	-	43082	-	57.17	-	0.253
6/23/2024	-	43100	-	57.17	-	0.253
6/24/2024	-	43118	-	57.18	-	0.2531
6/25/2024	-	43136	-	57.18	-	0.2532
6/26/2024	-	43155	-	57.19	-	0.2532
6/27/2024	-	43174	-	57.2	-	0.2533
6/28/2024	-	43194	-	57.21	-	0.2534
6/29/2024	-	43216	-	57.22	-	0.2535
6/30/2024	-	43244	-	57.24	-	0.2536
7/1/2024	-	43281	-	57.27	-	0.2537
7/2/2024	-	43301	-	57.28	-	0.2538
7/3/2024	-	43322	-	57.29	-	0.2539
7/4/2024	-	43346	-	57.3	-	0.254
7/5/2024	-	43369	-	57.31	-	0.2541
7/6/2024	-	43389	-	57.32	-	0.2542
7/7/2024	-	43408	-	57.33	-	0.2542
7/8/2024	-	43326	-	57.2	-	0.2537
7/9/2024	-	43280	-	57.13	-	0.2534
7/10/2024	-	43286	-	57.12	-	0.2534
7/11/2024	-	43303	-	57.12	-	0.2534
7/12/2024	-	43321	-	57.13	-	0.2535
7/13/2024	-	43339	-	57.13	-	0.2536
7/14/2024	-	43358	-	57.14	-	0.2536
7/15/2024	-	43378	-	57.15	-	0.2537
7/16/2024	-	43400	-	57.16	-	0.2538
7/17/2024	-	43420	-	57.17	-	0.2539
7/18/2024	-	43441	-	57.18	-	0.254
7/19/2024	-	43464	-	57.19	-	0.2541
7/20/2024	-	43486	-	57.2	-	0.2541
7/21/2024	-	43508	-	57.21	-	0.2542
7/22/2024	-	43529	-	57.22	-	0.2543
7/23/2024	-	43535	-	57.21	-	0.2543
7/24/2024	-	43526	-	57.18	-	0.2542
7/25/2024	-	43535	-	57.18	-	0.2542

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
7/26/2024	-	43436	-	57.02	-	0.2536
7/27/2024	-	43415	-	56.98	-	0.2534
7/28/2024	-	43433	-	56.98	-	0.2535
7/29/2024	-	43442	-	56.97	-	0.2535
7/30/2024	-	43459	-	56.98	-	0.2535
7/31/2024	-	43479	-	56.98	-	0.2536
8/1/2024	-	43500	-	56.99	-	0.2536
8/2/2024	-	43521	-	57	-	0.2537
8/3/2024	-	43544	-	57.01	-	0.2538
8/4/2024	-	43566	-	57.01	-	0.2539
8/5/2024	-	43589	-	57.02	-	0.254
8/6/2024	-	43611	-	57.03	-	0.254
8/7/2024	-	43634	-	57.04	-	0.2541
8/8/2024	-	43658	-	57.05	-	0.2542
8/9/2024	-	43641	-	57	-	0.254
8/10/2024	-	43502	-	56.79	-	0.2532
8/11/2024	-	43449	-	56.7	-	0.2528
8/12/2024	-	43458	-	56.69	-	0.2528
8/13/2024	-	43475	-	56.69	-	0.2528
8/14/2024	-	43493	-	56.69	-	0.2529
8/15/2024	-	43516	-	56.69	-	0.253
8/16/2024	-	43540	-	56.7	-	0.253
8/17/2024	-	43562	-	56.7	-	0.2531
8/18/2024	-	43587	-	56.71	-	0.2532
8/19/2024	-	43612	-	56.72	-	0.2533
8/20/2024	-	43638	-	56.72	-	0.2534
8/21/2024	-	43610	-	56.66	-	0.2531
8/22/2024	-	43618	-	56.64	-	0.2531
8/23/2024	-	43645	-	56.65	-	0.2532
8/24/2024	-	43655	-	56.64	-	0.2532
8/25/2024	-	43671	-	56.63	-	0.2532
8/26/2024	-	43696	-	56.63	-	0.2533
8/27/2024	-	43725	-	56.64	-	0.2534
8/28/2024	-	43751	-	56.64	-	0.2535
8/29/2024	-	43763	-	56.63	-	0.2535
8/30/2024	-	43789	-	56.63	-	0.2535
8/31/2024	-	43812	-	56.63	-	0.2536
9/1/2024	-	43842	-	56.63	-	0.2537
9/2/2024	-	43874	-	56.64	-	0.2538
9/3/2024	-	43906	-	56.64	-	0.2539
9/4/2024	-	43932	-	56.64	-	0.2539
9/5/2024	-	43961	-	56.64	-	0.254
9/6/2024	-	43994	-	56.65	-	0.2541
9/7/2024	-	44028	-	56.66	-	0.2542
9/8/2024	-	44066	-	56.67	-	0.2544
9/9/2024	-	44055	-	56.61	-	0.2542
9/10/2024	-	44076	-	56.6	-	0.2542
9/11/2024	-	44116	-	56.61	-	0.2544
9/12/2024	-	44121	-	56.57	-	0.2543
9/13/2024	-	44138	-	56.55	-	0.2543
9/14/2024	-	44178	-	56.56	-	0.2544
9/15/2024	-	44222	-	56.57	-	0.2545
9/16/2024	-	44261	-	56.57	-	0.2546
9/17/2024	-	44310	-	56.58	-	0.2548
9/18/2024	-	44361	-	56.6	-	0.255
9/19/2024	-	44413	-	56.61	-	0.2552
9/20/2024	-	44451	-	56.6	-	0.2552
9/21/2024	-	44505	-	56.61	-	0.2554
9/22/2024	-	44551	-	56.61	-	0.2555
9/23/2024	-	44609	-	56.63	-	0.2557

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
9/24/2024	-	44664	-	56.63	-	0.2559
9/25/2024	-	44731	-	56.65	-	0.2561
9/26/2024	-	44801	-	56.67	-	0.2563
9/27/2024	-	44875	-	56.69	-	0.2566
9/28/2024	-	44954	-	56.71	-	0.2568
9/29/2024	-	45037	-	56.73	-	0.2571
9/30/2024	-	45125	-	56.75	-	0.2574
10/1/2024	-	44932	-	56.41	-	0.2561
10/2/2024	-	44919	-	56.3	-	0.2557
10/3/2024	-	45016	-	56.32	-	0.2561
10/4/2024	-	45115	-	56.34	-	0.2564
10/5/2024	-	45213	-	56.37	-	0.2567
10/6/2024	-	45311	-	56.39	-	0.257
10/7/2024	-	45407	-	56.42	-	0.2573
10/8/2024	-	45501	-	56.44	-	0.2577
10/9/2024	-	45595	-	56.47	-	0.258
10/10/2024	-	45687	-	56.49	-	0.2583
10/11/2024	-	45778	-	56.52	-	0.2586
10/12/2024	-	45868	-	56.54	-	0.2589
10/13/2024	-	45957	-	56.56	-	0.2592
10/14/2024	-	46045	-	56.59	-	0.2595
10/15/2024	-	46132	-	56.61	-	0.2598
10/16/2024	-	46218	-	56.63	-	0.26
10/17/2024	-	46302	-	56.66	-	0.2603
10/18/2024	-	46386	-	56.68	-	0.2606
10/19/2024	-	46468	-	56.7	-	0.2609
10/20/2024	-	46550	-	56.72	-	0.2611
10/21/2024	-	46630	-	56.74	-	0.2614
10/22/2024	-	46709	-	56.76	-	0.2617
10/23/2024	-	46787	-	56.78	-	0.2619
10/24/2024	-	46864	-	56.8	-	0.2622
10/25/2024	-	46941	-	56.82	-	0.2624
10/26/2024	-	47016	-	56.84	-	0.2627
10/27/2024	-	47091	-	56.86	-	0.2629
10/28/2024	-	47165	-	56.88	-	0.2632
10/29/2024	-	47238	-	56.9	-	0.2634
10/30/2024	-	47309	-	56.92	-	0.2637
10/31/2024	-	47380	-	56.94	-	0.2639
11/1/2024	-	47450	-	56.96	-	0.2641
11/2/2024	-	47520	-	56.98	-	0.2644
11/3/2024	-	47588	-	56.99	-	0.2646
11/4/2024	-	47656	-	57.01	-	0.2648
11/5/2024	-	47723	-	57.03	-	0.265
11/6/2024	-	47789	-	57.05	-	0.2652
11/7/2024	-	47854	-	57.06	-	0.2655
11/8/2024	-	47919	-	57.08	-	0.2657
11/9/2024	-	47983	-	57.1	-	0.2659
11/10/2024	-	48046	-	57.11	-	0.2661
11/11/2024	-	48109	-	57.13	-	0.2663
11/12/2024	-	48170	-	57.15	-	0.2665
11/13/2024	-	48232	-	57.16	-	0.2667
11/14/2024	-	48292	-	57.18	-	0.2669
11/15/2024	-	48352	-	57.19	-	0.2671
11/16/2024	-	48412	-	57.21	-	0.2673
11/17/2024	-	48470	-	57.22	-	0.2675
11/18/2024	-	48528	-	57.24	-	0.2677
11/19/2024	-	48586	-	57.25	-	0.2679
11/20/2024	-	48643	-	57.27	-	0.2681
11/21/2024	-	48699	-	57.28	-	0.2683
11/22/2024	-	48755	-	57.3	-	0.2684

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
11/23/2024	-	48810	-	57.31	-	0.2686
11/24/2024	-	48864	-	57.33	-	0.2688
11/25/2024	-	48918	-	57.34	-	0.269
11/26/2024	-	48972	-	57.35	-	0.2692
11/27/2024	-	49025	-	57.37	-	0.2693
11/28/2024	-	49077	-	57.38	-	0.2695
11/29/2024	-	49129	-	57.39	-	0.2697
11/30/2024	-	49180	-	57.41	-	0.2698
12/1/2024	-	49231	-	57.42	-	0.27
12/2/2024	-	49281	-	57.43	-	0.2702
12/3/2024	-	49331	-	57.45	-	0.2703
12/4/2024	-	49380	-	57.46	-	0.2705
12/5/2024	-	49429	-	57.47	-	0.2707
12/6/2024	-	49478	-	57.49	-	0.2708
12/7/2024	-	49526	-	57.5	-	0.271
12/8/2024	-	49573	-	57.51	-	0.2711
12/9/2024	-	49620	-	57.52	-	0.2713
12/10/2024	-	49667	-	57.53	-	0.2715
12/11/2024	-	49713	-	57.55	-	0.2716
12/12/2024	-	49759	-	57.56	-	0.2718
12/13/2024	-	49804	-	57.57	-	0.2719
12/14/2024	-	49849	-	57.58	-	0.2721
12/15/2024	-	49893	-	57.59	-	0.2722
12/16/2024	-	49937	-	57.61	-	0.2723
12/17/2024	-	49981	-	57.62	-	0.2725
12/18/2024	-	50024	-	57.63	-	0.2726
12/19/2024	-	50067	-	57.64	-	0.2728
12/20/2024	-	50110	-	57.65	-	0.2729
12/21/2024	-	50152	-	57.66	-	0.2731
12/22/2024	-	50194	-	57.67	-	0.2732
12/23/2024	-	50235	-	57.68	-	0.2733
12/24/2024	-	50276	-	57.69	-	0.2735
12/25/2024	-	50316	-	57.7	-	0.2736
12/26/2024	-	50357	-	57.71	-	0.2737
12/27/2024	-	50397	-	57.72	-	0.2739
12/28/2024	-	50436	-	57.74	-	0.274
12/29/2024	-	50476	-	57.75	-	0.2741
12/30/2024	-	50514	-	57.76	-	0.2743
12/31/2024	-	50553	-	57.77	-	0.2744
1/1/2025	-	50591	-	57.78	-	0.2745
1/2/2025	-	50621	-	57.69	-	0.2746
1/3/2025	-	50650	-	57.6	-	0.2747
1/4/2025	-	50679	-	57.51	-	0.2747
1/5/2025	-	50707	-	57.43	-	0.2748
1/6/2025	-	50736	-	57.34	-	0.2749
1/7/2025	-	50764	-	57.26	-	0.275
1/8/2025	-	50792	-	57.17	-	0.275
1/9/2025	-	50820	-	57.09	-	0.2751
1/10/2025	-	50847	-	57.01	-	0.2752
1/11/2025	-	50874	-	56.92	-	0.2753
1/12/2025	-	50901	-	56.84	-	0.2753
1/13/2025	-	50928	-	56.76	-	0.2754
1/14/2025	-	50955	-	56.68	-	0.2755
1/15/2025	-	50981	-	56.6	-	0.2756
1/16/2025	-	51007	-	56.52	-	0.2756
1/17/2025	-	51033	-	56.44	-	0.2757
1/18/2025	-	51059	-	56.37	-	0.2758
1/19/2025	-	51085	-	56.29	-	0.2758
1/20/2025	-	51110	-	56.21	-	0.2759
1/21/2025	-	51135	-	56.14	-	0.276

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
1/22/2025	-	51160	-	56.06	-	0.276
1/23/2025	-	51185	-	55.99	-	0.2761
1/24/2025	-	51209	-	55.91	-	0.2762
1/25/2025	-	51234	-	55.84	-	0.2762
1/26/2025	-	51258	-	55.77	-	0.2763
1/27/2025	-	51282	-	55.7	-	0.2764
1/28/2025	-	51306	-	55.62	-	0.2764
1/29/2025	-	51330	-	55.55	-	0.2765
1/30/2025	-	51353	-	55.48	-	0.2765
1/31/2025	-	51376	-	55.41	-	0.2766
2/1/2025	-	51403	-	55.33	-	0.2767
2/2/2025	-	51429	-	55.25	-	0.2768
2/3/2025	-	51456	-	55.17	-	0.2768
2/4/2025	-	51482	-	55.1	-	0.2769
2/5/2025	-	51508	-	55.02	-	0.277
2/6/2025	-	51533	-	54.94	-	0.277
2/7/2025	-	51559	-	54.86	-	0.2771
2/8/2025	-	51584	-	54.79	-	0.2772
2/9/2025	-	51609	-	54.71	-	0.2772
2/10/2025	-	51633	-	54.64	-	0.2773
2/11/2025	-	51658	-	54.57	-	0.2774
2/12/2025	-	51682	-	54.49	-	0.2774
2/13/2025	-	51706	-	54.42	-	0.2775
2/14/2025	-	51730	-	54.35	-	0.2776
2/15/2025	-	51754	-	54.28	-	0.2776
2/16/2025	-	51778	-	54.21	-	0.2777
2/17/2025	-	51801	-	54.14	-	0.2777
2/18/2025	-	51824	-	54.07	-	0.2778
2/19/2025	-	51847	-	54	-	0.2779
2/20/2025	-	51870	-	53.93	-	0.2779
2/21/2025	-	51892	-	53.86	-	0.278
2/22/2025	-	51915	-	53.79	-	0.2781
2/23/2025	-	51937	-	53.73	-	0.2781
2/24/2025	-	51959	-	53.66	-	0.2782
2/25/2025	-	51981	-	53.59	-	0.2782
2/26/2025	-	52003	-	53.53	-	0.2783
2/27/2025	-	52024	-	53.46	-	0.2783
2/28/2025	-	52046	-	53.4	-	0.2784
3/1/2025	-	52067	-	53.34	-	0.2785
3/2/2025	-	52088	-	53.27	-	0.2785
3/3/2025	-	52109	-	53.21	-	0.2786
3/4/2025	-	52130	-	53.15	-	0.2786
3/5/2025	-	52150	-	53.09	-	0.2787
3/6/2025	-	52171	-	53.02	-	0.2787
3/7/2025	-	52191	-	52.96	-	0.2788
3/8/2025	-	52211	-	52.9	-	0.2788
3/9/2025	-	52231	-	52.84	-	0.2789
3/10/2025	-	52251	-	52.78	-	0.279
3/11/2025	-	52270	-	52.72	-	0.279
3/12/2025	-	52290	-	52.66	-	0.2791
3/13/2025	-	52309	-	52.61	-	0.2791
3/14/2025	-	52328	-	52.55	-	0.2792
3/15/2025	-	52348	-	52.49	-	0.2792
3/16/2025	-	52366	-	52.43	-	0.2793
3/17/2025	-	52385	-	52.38	-	0.2793
3/18/2025	-	52404	-	52.32	-	0.2794
3/19/2025	-	52422	-	52.27	-	0.2794
3/20/2025	-	52441	-	52.21	-	0.2795
3/21/2025	-	52459	-	52.16	-	0.2795
3/22/2025	-	52477	-	52.1	-	0.2796

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
3/23/2025	-	52495	-	52.05	-	0.2796
3/24/2025	-	52514	-	51.99	-	0.2797
3/25/2025	-	52533	-	51.94	-	0.2797
3/26/2025	-	52551	-	51.89	-	0.2798
3/27/2025	-	52569	-	51.84	-	0.2798
3/28/2025	-	52586	-	51.79	-	0.2799
3/29/2025	-	52604	-	51.73	-	0.2799
3/30/2025	-	52621	-	51.68	-	0.2799
3/31/2025	-	52638	-	51.63	-	0.28
4/1/2025	-	52655	-	51.58	-	0.28
4/2/2025	-	52672	-	51.53	-	0.2801
4/3/2025	-	52690	-	51.48	-	0.2801
4/4/2025	-	52706	-	51.43	-	0.2802
4/5/2025	-	52723	-	51.38	-	0.2802
4/6/2025	-	52739	-	51.33	-	0.2803
4/7/2025	-	52755	-	51.28	-	0.2803
4/8/2025	-	52771	-	51.24	-	0.2804
4/9/2025	-	52787	-	51.19	-	0.2804
4/10/2025	-	52803	-	51.14	-	0.2804
4/11/2025	-	52819	-	51.09	-	0.2805
4/12/2025	-	52834	-	51.05	-	0.2805
4/13/2025	-	52850	-	51	-	0.2806
4/14/2025	-	52865	-	50.95	-	0.2806
4/15/2025	-	52881	-	50.91	-	0.2807
4/16/2025	-	52897	-	50.86	-	0.2807
4/17/2025	-	52914	-	50.82	-	0.2807
4/18/2025	-	52929	-	50.77	-	0.2808
4/19/2025	-	52945	-	50.73	-	0.2808
4/20/2025	-	52960	-	50.68	-	0.2809
4/21/2025	-	52975	-	50.64	-	0.2809
4/22/2025	-	52990	-	50.59	-	0.281
4/23/2025	-	53004	-	50.55	-	0.281
4/24/2025	-	53019	-	50.51	-	0.281
4/25/2025	-	53033	-	50.46	-	0.2811
4/26/2025	-	53047	-	50.42	-	0.2811
4/27/2025	-	53061	-	50.38	-	0.2811
4/28/2025	-	53075	-	50.34	-	0.2812
4/29/2025	-	53090	-	50.29	-	0.2812
4/30/2025	-	53104	-	50.25	-	0.2813
5/1/2025	-	53118	-	50.21	-	0.2813
5/2/2025	-	53132	-	50.17	-	0.2813
5/3/2025	-	53148	-	50.13	-	0.2814
5/4/2025	-	53163	-	50.09	-	0.2814
5/5/2025	-	53179	-	50.05	-	0.2815
5/6/2025	-	53194	-	50.01	-	0.2815
5/7/2025	-	53210	-	49.98	-	0.2816
5/8/2025	-	53225	-	49.94	-	0.2816
5/9/2025	-	53240	-	49.9	-	0.2817
5/10/2025	-	53257	-	49.86	-	0.2817
5/11/2025	-	53273	-	49.83	-	0.2818
5/12/2025	-	53290	-	49.79	-	0.2818
5/13/2025	-	53306	-	49.76	-	0.2819
5/14/2025	-	53323	-	49.72	-	0.2819
5/15/2025	-	53339	-	49.69	-	0.282
5/16/2025	-	53354	-	49.65	-	0.2819
5/17/2025	-	53369	-	49.61	-	0.2818
5/18/2025	-	53384	-	49.57	-	0.2818
5/19/2025	-	53399	-	49.53	-	0.2815
5/20/2025	-	53414	-	49.49	-	0.2815
5/21/2025	-	53429	-	49.45	-	0.2814
5/22/2025	-	53444	-	49.41	-	0.2814
5/23/2025	-	53459	-	49.37	-	0.2814
5/24/2025	-	53474	-	49.33	-	0.2814
5/25/2025	-	53489	-	49.29	-	0.2815
5/26/2025	-	53504	-	49.25	-	0.2815
5/27/2025	-	53519	-	49.21	-	0.2815
5/28/2025	-	53534	-	49.17	-	0.2815
5/29/2025	-	53549	-	49.13	-	0.2815
5/30/2025	-	53564	-	49.09	-	0.2815
5/31/2025	-	53579	-	49.05	-	0.2815

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
5/22/2025	-	53285	-	49.3	-	0.2815
5/23/2025	-	53257	-	49.22	-	0.2813
5/24/2025	-	53197	-	49.12	-	0.2809
5/25/2025	-	53127	-	49.01	-	0.2805
5/26/2025	-	53074	-	48.92	-	0.2802
5/27/2025	-	53061	-	48.86	-	0.2801
5/28/2025	-	53051	-	48.8	-	0.28
5/29/2025	-	53050	-	48.76	-	0.28
5/30/2025	-	53017	-	48.68	-	0.2798
5/31/2025	-	52915	-	48.54	-	0.2792
6/1/2025	-	52754	-	48.35	-	0.2783
6/2/2025	-	52546	-	48.12	-	0.2772
6/3/2025	-	52317	-	47.87	-	0.2759
6/4/2025	-	52179	-	47.7	-	0.2752
6/5/2025	-	52113	-	47.6	-	0.2748
6/6/2025	-	52055	-	47.51	-	0.2745
6/7/2025	-	51990	-	47.4	-	0.2741
6/8/2025	-	51896	-	47.28	-	0.2736
6/9/2025	-	51803	-	47.15	-	0.273
6/10/2025	-	51728	-	47.04	-	0.2726
6/11/2025	-	51685	-	46.96	-	0.2724
6/12/2025	-	51639	-	46.88	-	0.2721
6/13/2025	-	51618	-	46.82	-	0.2719
6/14/2025	-	51595	-	46.76	-	0.2718
6/15/2025	-	51545	-	46.68	-	0.2715
6/16/2025	-	51475	-	46.57	-	0.2711
6/17/2025	-	51425	-	46.49	-	0.2708
6/18/2025	-	51361	-	46.39	-	0.2704
6/19/2025	-	51338	-	46.33	-	0.2703
6/20/2025	-	51347	-	46.3	-	0.2703
6/21/2025	-	51358	-	46.27	-	0.2704
6/22/2025	-	51370	-	46.25	-	0.2704
6/23/2025	-	51385	-	46.22	-	0.2704
6/24/2025	-	51399	-	46.2	-	0.2705
6/25/2025	-	51414	-	46.17	-	0.2705
6/26/2025	-	51430	-	46.15	-	0.2706
6/27/2025	-	51447	-	46.13	-	0.2707
6/28/2025	-	51465	-	46.11	-	0.2707
6/29/2025	-	51486	-	46.09	-	0.2708
6/30/2025	-	51515	-	46.08	-	0.271
7/1/2025	-	51555	-	46.08	-	0.2711
7/2/2025	-	51575	-	46.06	-	0.2712
7/3/2025	-	51595	-	46.04	-	0.2713
7/4/2025	-	51620	-	46.03	-	0.2714
7/5/2025	-	51643	-	46.01	-	0.2715
7/6/2025	-	51663	-	45.99	-	0.2716
7/7/2025	-	51680	-	45.97	-	0.2717
7/8/2025	-	51451	-	45.74	-	0.2704
7/9/2025	-	51305	-	45.57	-	0.2696
7/10/2025	-	51287	-	45.52	-	0.2695
7/11/2025	-	51299	-	45.5	-	0.2696
7/12/2025	-	51313	-	45.48	-	0.2696
7/13/2025	-	51327	-	45.46	-	0.2697
7/14/2025	-	51344	-	45.44	-	0.2697
7/15/2025	-	51361	-	45.42	-	0.2698
7/16/2025	-	51381	-	45.4	-	0.2699
7/17/2025	-	51399	-	45.39	-	0.2699
7/18/2025	-	51421	-	45.37	-	0.27
7/19/2025	-	51444	-	45.36	-	0.2701
7/20/2025	-	51467	-	45.34	-	0.2702

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
7/21/2025	-	51490	-	45.32	-	0.2703
7/22/2025	-	51510	-	45.3	-	0.2704
7/23/2025	-	51493	-	45.25	-	0.2703
7/24/2025	-	51434	-	45.16	-	0.27
7/25/2025	-	51425	-	45.11	-	0.2699
7/26/2025	-	51122	-	44.8	-	0.2683
7/27/2025	-	51020	-	44.67	-	0.2677
7/28/2025	-	51032	-	44.64	-	0.2677
7/29/2025	-	51019	-	44.58	-	0.2676
7/30/2025	-	51029	-	44.55	-	0.2676
7/31/2025	-	51049	-	44.52	-	0.2677
8/1/2025	-	51071	-	44.48	-	0.2678
8/2/2025	-	51094	-	44.45	-	0.2679
8/3/2025	-	51119	-	44.42	-	0.268
8/4/2025	-	51146	-	44.39	-	0.2681
8/5/2025	-	51173	-	44.36	-	0.2682
8/6/2025	-	51198	-	44.32	-	0.2683
8/7/2025	-	51228	-	44.28	-	0.2684
8/8/2025	-	51265	-	44.25	-	0.2685
8/9/2025	-	51141	-	44.07	-	0.2678
8/10/2025	-	50523	-	43.47	-	0.2646
8/11/2025	-	50226	-	43.14	-	0.2629
8/12/2025	-	50201	-	43.04	-	0.2627
8/13/2025	-	50212	-	42.97	-	0.2627
8/14/2025	-	50230	-	42.89	-	0.2628
8/15/2025	-	50261	-	42.83	-	0.2629
8/16/2025	-	50297	-	42.76	-	0.263
8/17/2025	-	50326	-	42.69	-	0.2631
8/18/2025	-	50363	-	42.63	-	0.2632
8/19/2025	-	50401	-	42.57	-	0.2634
8/20/2025	-	50441	-	42.51	-	0.2635
8/21/2025	-	50231	-	42.24	-	0.2623
8/22/2025	-	50185	-	42.11	-	0.262
8/23/2025	-	50230	-	42.06	-	0.2622
8/24/2025	-	50203	-	41.95	-	0.262
8/25/2025	-	50196	-	41.85	-	0.2619
8/26/2025	-	50228	-	41.79	-	0.262
8/27/2025	-	50276	-	41.74	-	0.2622
8/28/2025	-	50313	-	41.69	-	0.2624
8/29/2025	-	50289	-	41.58	-	0.2622
8/30/2025	-	50317	-	41.52	-	0.2623
8/31/2025	-	50339	-	41.45	-	0.2623
9/1/2025	-	50383	-	41.41	-	0.2625
9/2/2025	-	50430	-	41.36	-	0.2627
9/3/2025	-	50475	-	41.32	-	0.2629
9/4/2025	-	50497	-	41.26	-	0.2629
9/5/2025	-	50528	-	41.2	-	0.263
9/6/2025	-	50569	-	41.15	-	0.2632
9/7/2025	-	50613	-	41.11	-	0.2634
9/8/2025	-	50666	-	41.08	-	0.2636
9/9/2025	-	50562	-	40.92	-	0.263
9/10/2025	-	50555	-	40.83	-	0.2629
9/11/2025	-	50605	-	40.8	-	0.2631
9/12/2025	-	50553	-	40.68	-	0.2628
9/13/2025	-	50532	-	40.59	-	0.2627
9/14/2025	-	50574	-	40.55	-	0.2628
9/15/2025	-	50623	-	40.52	-	0.263
9/16/2025	-	50654	-	40.47	-	0.2631
9/17/2025	-	50709	-	40.44	-	0.2634
9/18/2025	-	50764	-	40.41	-	0.2636

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
9/19/2025	-	50817	-	40.38	-	0.2639
9/20/2025	-	50834	-	40.33	-	0.2639
9/21/2025	-	50880	-	40.3	-	0.2641
9/22/2025	-	50906	-	40.25	-	0.2642
9/23/2025	-	50952	-	40.22	-	0.2644
9/24/2025	-	50987	-	40.18	-	0.2645
9/25/2025	-	51039	-	40.15	-	0.2647
9/26/2025	-	51091	-	40.12	-	0.265
9/27/2025	-	51143	-	40.1	-	0.2652
9/28/2025	-	51194	-	40.07	-	0.2654
9/29/2025	-	51244	-	40.05	-	0.2656
9/30/2025	-	51295	-	40.02	-	0.2659
10/1/2025	-	50987	-	39.72	-	0.2642
10/2/2025	-	50910	-	39.6	-	0.2638
10/3/2025	-	50957	-	39.58	-	0.264
10/4/2025	-	51008	-	39.56	-	0.2642
10/5/2025	-	51060	-	39.54	-	0.2644
10/6/2025	-	51111	-	39.52	-	0.2647
10/7/2025	-	51162	-	39.5	-	0.2649
10/8/2025	-	51211	-	39.48	-	0.2651
10/9/2025	-	51259	-	39.46	-	0.2653
10/10/2025	-	51307	-	39.44	-	0.2655
10/11/2025	-	51354	-	39.42	-	0.2657
10/12/2025	-	51401	-	39.4	-	0.2659
10/13/2025	-	51448	-	39.38	-	0.2661
10/14/2025	-	51493	-	39.37	-	0.2664
10/15/2025	-	51538	-	39.35	-	0.2666
10/16/2025	-	51582	-	39.33	-	0.2667
10/17/2025	-	51626	-	39.32	-	0.2669
10/18/2025	-	51669	-	39.3	-	0.2671
10/19/2025	-	51711	-	39.28	-	0.2673
10/20/2025	-	51753	-	39.27	-	0.2675
10/21/2025	-	51793	-	39.25	-	0.2677
10/22/2025	-	51834	-	39.24	-	0.2679
10/23/2025	-	51873	-	39.22	-	0.268
10/24/2025	-	51912	-	39.21	-	0.2682
10/25/2025	-	51951	-	39.19	-	0.2684
10/26/2025	-	51990	-	39.18	-	0.2686
10/27/2025	-	52027	-	39.16	-	0.2687
10/28/2025	-	52064	-	39.15	-	0.2689
10/29/2025	-	52101	-	39.13	-	0.2691
10/30/2025	-	52137	-	39.12	-	0.2692
10/31/2025	-	52172	-	39.11	-	0.2694
11/1/2025	-	52207	-	39.09	-	0.2695
11/2/2025	-	52242	-	39.08	-	0.2697
11/3/2025	-	52276	-	39.06	-	0.2698
11/4/2025	-	52309	-	39.05	-	0.27
11/5/2025	-	52342	-	39.04	-	0.2701
11/6/2025	-	52375	-	39.02	-	0.2703
11/7/2025	-	52407	-	39.01	-	0.2704
11/8/2025	-	52439	-	39	-	0.2706
11/9/2025	-	52470	-	38.99	-	0.2707
11/10/2025	-	52501	-	38.97	-	0.2708
11/11/2025	-	52532	-	38.96	-	0.271
11/12/2025	-	52562	-	38.95	-	0.2711
11/13/2025	-	52592	-	38.94	-	0.2712
11/14/2025	-	52622	-	38.93	-	0.2714
11/15/2025	-	52651	-	38.91	-	0.2715
11/16/2025	-	52680	-	38.9	-	0.2716
11/17/2025	-	52709	-	38.89	-	0.2717

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
11/18/2025	-	52737	-	38.88	-	0.2719
11/19/2025	-	52765	-	38.87	-	0.272
11/20/2025	-	52793	-	38.86	-	0.2721
11/21/2025	-	52820	-	38.85	-	0.2722
11/22/2025	-	52847	-	38.84	-	0.2724
11/23/2025	-	52873	-	38.83	-	0.2725
11/24/2025	-	52900	-	38.82	-	0.2726
11/25/2025	-	52926	-	38.81	-	0.2727
11/26/2025	-	52951	-	38.8	-	0.2728
11/27/2025	-	52977	-	38.79	-	0.2729
11/28/2025	-	53002	-	38.78	-	0.273
11/29/2025	-	53027	-	38.77	-	0.2732
11/30/2025	-	53052	-	38.76	-	0.2733
12/1/2025	-	53076	-	38.75	-	0.2734
12/2/2025	-	53100	-	38.74	-	0.2735
12/3/2025	-	53124	-	38.73	-	0.2736
12/4/2025	-	53147	-	38.72	-	0.2737
12/5/2025	-	53171	-	38.71	-	0.2738
12/6/2025	-	53194	-	38.7	-	0.2739
12/7/2025	-	53217	-	38.69	-	0.274
12/8/2025	-	53239	-	38.68	-	0.2741
12/9/2025	-	53261	-	38.67	-	0.2742
12/10/2025	-	53284	-	38.66	-	0.2743
12/11/2025	-	53305	-	38.66	-	0.2744
12/12/2025	-	53327	-	38.65	-	0.2745
12/13/2025	-	53348	-	38.64	-	0.2746
12/14/2025	-	53370	-	38.63	-	0.2747
12/15/2025	-	53391	-	38.62	-	0.2748
12/16/2025	-	53411	-	38.61	-	0.2749
12/17/2025	-	53432	-	38.61	-	0.275
12/18/2025	-	53452	-	38.6	-	0.275
12/19/2025	-	53473	-	38.59	-	0.2751
12/20/2025	-	53493	-	38.58	-	0.2752
12/21/2025	-	53512	-	38.57	-	0.2753
12/22/2025	-	53532	-	38.57	-	0.2754
12/23/2025	-	53551	-	38.56	-	0.2755
12/24/2025	-	53570	-	38.55	-	0.2756
12/25/2025	-	53589	-	38.54	-	0.2757
12/26/2025	-	53608	-	38.54	-	0.2757
12/27/2025	-	53627	-	38.53	-	0.2758
12/28/2025	-	53645	-	38.52	-	0.2759
12/29/2025	-	53664	-	38.51	-	0.276
12/30/2025	-	53682	-	38.51	-	0.2761
12/31/2025	-	53700	-	38.5	-	0.2761
1/1/2026	-	53718	-	38.49	-	0.2762
1/2/2026	-	53728	-	38.41	-	0.2763
1/3/2026	-	53739	-	38.34	-	0.2763
1/4/2026	-	53749	-	38.26	-	0.2764
1/5/2026	-	53759	-	38.18	-	0.2764
1/6/2026	-	53770	-	38.11	-	0.2764
1/7/2026	-	53780	-	38.03	-	0.2765
1/8/2026	-	53790	-	37.96	-	0.2765
1/9/2026	-	53800	-	37.88	-	0.2766
1/10/2026	-	53810	-	37.81	-	0.2766
1/11/2026	-	53819	-	37.74	-	0.2767
1/12/2026	-	53829	-	37.66	-	0.2767
1/13/2026	-	53839	-	37.59	-	0.2767
1/14/2026	-	53848	-	37.52	-	0.2768
1/15/2026	-	53858	-	37.45	-	0.2768
1/16/2026	-	53867	-	37.38	-	0.2769

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
1/17/2026	-	53876	-	37.31	-	0.2769
1/18/2026	-	53886	-	37.25	-	0.2769
1/19/2026	-	53895	-	37.18	-	0.277
1/20/2026	-	53904	-	37.11	-	0.277
1/21/2026	-	53913	-	37.04	-	0.2771
1/22/2026	-	53922	-	36.98	-	0.2771
1/23/2026	-	53930	-	36.91	-	0.2771
1/24/2026	-	53939	-	36.85	-	0.2772
1/25/2026	-	53948	-	36.78	-	0.2772
1/26/2026	-	53956	-	36.72	-	0.2772
1/27/2026	-	53965	-	36.66	-	0.2773
1/28/2026	-	53973	-	36.6	-	0.2773
1/29/2026	-	53982	-	36.53	-	0.2774
1/30/2026	-	53990	-	36.47	-	0.2774
1/31/2026	-	53998	-	36.41	-	0.2774
2/1/2026	-	54007	-	36.35	-	0.2775
2/2/2026	-	54015	-	36.28	-	0.2775
2/3/2026	-	54024	-	36.22	-	0.2775
2/4/2026	-	54032	-	36.16	-	0.2776
2/5/2026	-	54041	-	36.1	-	0.2776
2/6/2026	-	54049	-	36.04	-	0.2776
2/7/2026	-	54057	-	35.98	-	0.2777
2/8/2026	-	54065	-	35.92	-	0.2777
2/9/2026	-	54073	-	35.86	-	0.2777
2/10/2026	-	54081	-	35.8	-	0.2778
2/11/2026	-	54089	-	35.74	-	0.2778
2/12/2026	-	54097	-	35.68	-	0.2778
2/13/2026	-	54104	-	35.62	-	0.2779
2/14/2026	-	54112	-	35.57	-	0.2779
2/15/2026	-	54120	-	35.51	-	0.2779
2/16/2026	-	54127	-	35.45	-	0.278
2/17/2026	-	54135	-	35.4	-	0.278
2/18/2026	-	54142	-	35.34	-	0.278
2/19/2026	-	54150	-	35.29	-	0.2781
2/20/2026	-	54157	-	35.23	-	0.2781
2/21/2026	-	54164	-	35.18	-	0.2781
2/22/2026	-	54172	-	35.13	-	0.2782
2/23/2026	-	54179	-	35.07	-	0.2782
2/24/2026	-	54186	-	35.02	-	0.2782
2/25/2026	-	54193	-	34.97	-	0.2783
2/26/2026	-	54200	-	34.92	-	0.2783
2/27/2026	-	54207	-	34.87	-	0.2783
2/28/2026	-	54214	-	34.82	-	0.2783
3/1/2026	-	54221	-	34.76	-	0.2784
3/2/2026	-	54227	-	34.71	-	0.2784
3/3/2026	-	54234	-	34.66	-	0.2784
3/4/2026	-	54241	-	34.62	-	0.2785
3/5/2026	-	54247	-	34.57	-	0.2785
3/6/2026	-	54254	-	34.52	-	0.2785
3/7/2026	-	54260	-	34.47	-	0.2785
3/8/2026	-	54267	-	34.42	-	0.2786
3/9/2026	-	54273	-	34.37	-	0.2786
3/10/2026	-	54280	-	34.33	-	0.2786
3/11/2026	-	54286	-	34.28	-	0.2787
3/12/2026	-	54292	-	34.23	-	0.2787
3/13/2026	-	54299	-	34.19	-	0.2787
3/14/2026	-	54305	-	34.14	-	0.2787
3/15/2026	-	54311	-	34.09	-	0.2788
3/16/2026	-	54317	-	34.05	-	0.2788
3/17/2026	-	54323	-	34	-	0.2788

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
3/18/2026	-	54329	-	33.96	-	0.2788
3/19/2026	-	54335	-	33.92	-	0.2789
3/20/2026	-	54341	-	33.87	-	0.2789
3/21/2026	-	54347	-	33.83	-	0.2789
3/22/2026	-	54353	-	33.78	-	0.2789
3/23/2026	-	54359	-	33.74	-	0.279
3/24/2026	-	54365	-	33.7	-	0.279
3/25/2026	-	54372	-	33.66	-	0.279
3/26/2026	-	54379	-	33.62	-	0.2791
3/27/2026	-	54385	-	33.57	-	0.2791
3/28/2026	-	54390	-	33.53	-	0.2791
3/29/2026	-	54396	-	33.49	-	0.2791
3/30/2026	-	54402	-	33.45	-	0.2792
3/31/2026	-	54407	-	33.41	-	0.2792
4/1/2026	-	54413	-	33.37	-	0.2792
4/2/2026	-	54419	-	33.33	-	0.2792
4/3/2026	-	54425	-	33.29	-	0.2793
4/4/2026	-	54430	-	33.25	-	0.2793
4/5/2026	-	54436	-	33.21	-	0.2793
4/6/2026	-	54441	-	33.17	-	0.2793
4/7/2026	-	54446	-	33.13	-	0.2793
4/8/2026	-	54451	-	33.09	-	0.2794
4/9/2026	-	54457	-	33.06	-	0.2794
4/10/2026	-	54462	-	33.02	-	0.2794
4/11/2026	-	54467	-	32.98	-	0.2794
4/12/2026	-	54472	-	32.94	-	0.2795
4/13/2026	-	54477	-	32.91	-	0.2795
4/14/2026	-	54482	-	32.87	-	0.2795
4/15/2026	-	54487	-	32.83	-	0.2795
4/16/2026	-	54493	-	32.8	-	0.2795
4/17/2026	-	54499	-	32.76	-	0.2796
4/18/2026	-	54505	-	32.72	-	0.2796
4/19/2026	-	54510	-	32.69	-	0.2796
4/20/2026	-	54515	-	32.65	-	0.2796
4/21/2026	-	54520	-	32.62	-	0.2797
4/22/2026	-	54525	-	32.58	-	0.2797
4/23/2026	-	54529	-	32.55	-	0.2797
4/24/2026	-	54534	-	32.51	-	0.2797
4/25/2026	-	54539	-	32.48	-	0.2797
4/26/2026	-	54543	-	32.44	-	0.2798
4/27/2026	-	54548	-	32.41	-	0.2798
4/28/2026	-	54553	-	32.38	-	0.2798
4/29/2026	-	54558	-	32.34	-	0.2798
4/30/2026	-	54562	-	32.31	-	0.2798
5/1/2026	-	54567	-	32.28	-	0.2799
5/2/2026	-	54572	-	32.24	-	0.2799
5/3/2026	-	54578	-	32.21	-	0.2799
5/4/2026	-	54585	-	32.18	-	0.2799
5/5/2026	-	54592	-	32.15	-	0.28
5/6/2026	-	54597	-	32.12	-	0.28
5/7/2026	-	54604	-	32.09	-	0.28
5/8/2026	-	54610	-	32.06	-	0.2801
5/9/2026	-	54617	-	32.03	-	0.2801
5/10/2026	-	54624	-	32	-	0.2801
5/11/2026	-	54632	-	31.97	-	0.2802
5/12/2026	-	54640	-	31.94	-	0.2802
5/13/2026	-	54648	-	31.91	-	0.2802
5/14/2026	-	54656	-	31.88	-	0.2803
5/15/2026	-	54664	-	31.85	-	0.2803
5/16/2026	-	54651	-	31.81	-	0.2802

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
5/17/2026	-	54627	-	31.77	-	0.2801
5/18/2026	-	54571	-	31.7	-	0.2798
5/19/2026	-	54550	-	31.66	-	0.2797
5/20/2026	-	54557	-	31.63	-	0.2797
5/21/2026	-	54565	-	31.6	-	0.2798
5/22/2026	-	54557	-	31.57	-	0.2797
5/23/2026	-	54523	-	31.52	-	0.2796
5/24/2026	-	54457	-	31.45	-	0.2792
5/25/2026	-	54382	-	31.38	-	0.2788
5/26/2026	-	54323	-	31.31	-	0.2785
5/27/2026	-	54303	-	31.27	-	0.2784
5/28/2026	-	54287	-	31.23	-	0.2783
5/29/2026	-	54278	-	31.2	-	0.2783
5/30/2026	-	54239	-	31.15	-	0.2781
5/31/2026	-	54134	-	31.06	-	0.2775
6/1/2026	-	53972	-	30.94	-	0.2767
6/2/2026	-	53764	-	30.79	-	0.2756
6/3/2026	-	53536	-	30.64	-	0.2744
6/4/2026	-	53396	-	30.53	-	0.2737
6/5/2026	-	53325	-	30.46	-	0.2733
6/6/2026	-	53262	-	30.4	-	0.273
6/7/2026	-	53192	-	30.33	-	0.2726
6/8/2026	-	53095	-	30.25	-	0.2721
6/9/2026	-	52997	-	30.17	-	0.2716
6/10/2026	-	52918	-	30.1	-	0.2712
6/11/2026	-	52870	-	30.04	-	0.271
6/12/2026	-	52819	-	29.99	-	0.2707
6/13/2026	-	52791	-	29.95	-	0.2705
6/14/2026	-	52763	-	29.9	-	0.2704
6/15/2026	-	52709	-	29.85	-	0.2701
6/16/2026	-	52633	-	29.78	-	0.2697
6/17/2026	-	52579	-	29.72	-	0.2694
6/18/2026	-	52510	-	29.66	-	0.2691
6/19/2026	-	52482	-	29.62	-	0.2689
6/20/2026	-	52485	-	29.6	-	0.2689
6/21/2026	-	52489	-	29.57	-	0.269
6/22/2026	-	52495	-	29.55	-	0.269
6/23/2026	-	52503	-	29.53	-	0.269
6/24/2026	-	52511	-	29.51	-	0.2691
6/25/2026	-	52520	-	29.49	-	0.2691
6/26/2026	-	52530	-	29.47	-	0.2692
6/27/2026	-	52540	-	29.45	-	0.2692
6/28/2026	-	52552	-	29.43	-	0.2693
6/29/2026	-	52566	-	29.42	-	0.2693
6/30/2026	-	52589	-	29.4	-	0.2694
7/1/2026	-	52623	-	29.4	-	0.2696
7/2/2026	-	52637	-	29.38	-	0.2697
7/3/2026	-	52651	-	29.37	-	0.2698
7/4/2026	-	52669	-	29.35	-	0.2699
7/5/2026	-	52686	-	29.34	-	0.2699
7/6/2026	-	52699	-	29.32	-	0.27
7/7/2026	-	52711	-	29.3	-	0.2701
7/8/2026	-	52483	-	29.16	-	0.2689
7/9/2026	-	52336	-	29.06	-	0.2681
7/10/2026	-	52313	-	29.02	-	0.268
7/11/2026	-	52319	-	29	-	0.268
7/12/2026	-	52328	-	28.98	-	0.2681
7/13/2026	-	52336	-	28.96	-	0.2681
7/14/2026	-	52347	-	28.95	-	0.2682
7/15/2026	-	52358	-	28.93	-	0.2682

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
7/16/2026	-	52373	-	28.92	-	0.2683
7/17/2026	-	52385	-	28.9	-	0.2684
7/18/2026	-	52401	-	28.89	-	0.2684
7/19/2026	-	52418	-	28.87	-	0.2685
7/20/2026	-	52434	-	28.86	-	0.2686
7/21/2026	-	52450	-	28.84	-	0.2687
7/22/2026	-	52463	-	28.83	-	0.2687
7/23/2026	-	52442	-	28.79	-	0.2686
7/24/2026	-	52379	-	28.73	-	0.2683
7/25/2026	-	52363	-	28.69	-	0.2682
7/26/2026	-	52068	-	28.51	-	0.2667
7/27/2026	-	51964	-	28.42	-	0.2662
7/28/2026	-	51969	-	28.4	-	0.2662
7/29/2026	-	51950	-	28.36	-	0.2661
7/30/2026	-	51952	-	28.33	-	0.2661
7/31/2026	-	51964	-	28.31	-	0.2661
8/1/2026	-	51976	-	28.28	-	0.2662
8/2/2026	-	51990	-	28.25	-	0.2663
8/3/2026	-	52005	-	28.23	-	0.2663
8/4/2026	-	52021	-	28.2	-	0.2664
8/5/2026	-	52038	-	28.17	-	0.2665
8/6/2026	-	52051	-	28.14	-	0.2666
8/7/2026	-	52069	-	28.11	-	0.2667
8/8/2026	-	52093	-	28.08	-	0.2668
8/9/2026	-	51971	-	27.97	-	0.2661
8/10/2026	-	51406	-	27.63	-	0.2632
8/11/2026	-	51131	-	27.44	-	0.2618
8/12/2026	-	51096	-	27.38	-	0.2616
8/13/2026	-	51092	-	27.33	-	0.2616
8/14/2026	-	51094	-	27.27	-	0.2616
8/15/2026	-	51113	-	27.23	-	0.2617
8/16/2026	-	51137	-	27.18	-	0.2618
8/17/2026	-	51155	-	27.12	-	0.2619
8/18/2026	-	51175	-	27.07	-	0.262
8/19/2026	-	51196	-	27.01	-	0.2621
8/20/2026	-	51219	-	26.96	-	0.2622
8/21/2026	-	50989	-	26.77	-	0.261
8/22/2026	-	50925	-	26.67	-	0.2607
8/23/2026	-	50954	-	26.62	-	0.2608
8/24/2026	-	50910	-	26.54	-	0.2606
8/25/2026	-	50886	-	26.46	-	0.2604
8/26/2026	-	50902	-	26.41	-	0.2605
8/27/2026	-	50934	-	26.36	-	0.2607
8/28/2026	-	50955	-	26.31	-	0.2608
8/29/2026	-	50916	-	26.23	-	0.2606
8/30/2026	-	50928	-	26.18	-	0.2606
8/31/2026	-	50934	-	26.12	-	0.2607
9/1/2026	-	50963	-	26.07	-	0.2608
9/2/2026	-	50995	-	26.03	-	0.261
9/3/2026	-	51026	-	25.99	-	0.2611
9/4/2026	-	51033	-	25.93	-	0.2611
9/5/2026	-	51048	-	25.88	-	0.2612
9/6/2026	-	51075	-	25.84	-	0.2613
9/7/2026	-	51105	-	25.8	-	0.2615
9/8/2026	-	51144	-	25.76	-	0.2617
9/9/2026	-	51024	-	25.65	-	0.2611
9/10/2026	-	51003	-	25.58	-	0.261
9/11/2026	-	51039	-	25.55	-	0.2611
9/12/2026	-	50972	-	25.46	-	0.2608
9/13/2026	-	50938	-	25.39	-	0.2606

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
9/14/2026	-	50966	-	25.35	-	0.2607
9/15/2026	-	51002	-	25.32	-	0.2609
9/16/2026	-	51020	-	25.27	-	0.261
9/17/2026	-	51061	-	25.24	-	0.2612
9/18/2026	-	51103	-	25.21	-	0.2614
9/19/2026	-	51144	-	25.18	-	0.2616
9/20/2026	-	51148	-	25.13	-	0.2616
9/21/2026	-	51181	-	25.1	-	0.2618
9/22/2026	-	51195	-	25.06	-	0.2619
9/23/2026	-	51228	-	25.02	-	0.262
9/24/2026	-	51250	-	24.99	-	0.2621
9/25/2026	-	51290	-	24.96	-	0.2623
9/26/2026	-	51330	-	24.93	-	0.2625
9/27/2026	-	51369	-	24.9	-	0.2627
9/28/2026	-	51408	-	24.87	-	0.2629
9/29/2026	-	51446	-	24.85	-	0.2631
9/30/2026	-	51485	-	24.82	-	0.2633
10/1/2026	-	51164	-	24.62	-	0.2617
10/2/2026	-	51075	-	24.54	-	0.2612
10/3/2026	-	51111	-	24.51	-	0.2614
10/4/2026	-	51151	-	24.49	-	0.2616
10/5/2026	-	51191	-	24.46	-	0.2618
10/6/2026	-	51231	-	24.44	-	0.262
10/7/2026	-	51271	-	24.42	-	0.2622
10/8/2026	-	51309	-	24.39	-	0.2624
10/9/2026	-	51347	-	24.37	-	0.2626
10/10/2026	-	51384	-	24.35	-	0.2628
10/11/2026	-	51421	-	24.33	-	0.263
10/12/2026	-	51458	-	24.3	-	0.2631
10/13/2026	-	51494	-	24.28	-	0.2633
10/14/2026	-	51530	-	24.26	-	0.2635
10/15/2026	-	51565	-	24.24	-	0.2637
10/16/2026	-	51599	-	24.22	-	0.2638
10/17/2026	-	51633	-	24.2	-	0.264
10/18/2026	-	51667	-	24.18	-	0.2642
10/19/2026	-	51700	-	24.16	-	0.2644
10/20/2026	-	51732	-	24.15	-	0.2645
10/21/2026	-	51763	-	24.13	-	0.2647
10/22/2026	-	51795	-	24.11	-	0.2648
10/23/2026	-	51825	-	24.09	-	0.265
10/24/2026	-	51856	-	24.07	-	0.2651
10/25/2026	-	51886	-	24.05	-	0.2653
10/26/2026	-	51915	-	24.04	-	0.2654
10/27/2026	-	51944	-	24.02	-	0.2656
10/28/2026	-	51973	-	24	-	0.2657
10/29/2026	-	52001	-	23.99	-	0.2659
10/30/2026	-	52029	-	23.97	-	0.266
10/31/2026	-	52056	-	23.95	-	0.2661
11/1/2026	-	52083	-	23.94	-	0.2663
11/2/2026	-	52110	-	23.92	-	0.2664
11/3/2026	-	52136	-	23.91	-	0.2665
11/4/2026	-	52161	-	23.89	-	0.2667
11/5/2026	-	52187	-	23.88	-	0.2668
11/6/2026	-	52212	-	23.86	-	0.2669
11/7/2026	-	52237	-	23.85	-	0.2671
11/8/2026	-	52261	-	23.83	-	0.2672
11/9/2026	-	52285	-	23.82	-	0.2673
11/10/2026	-	52309	-	23.8	-	0.2674
11/11/2026	-	52332	-	23.79	-	0.2675
11/12/2026	-	52356	-	23.77	-	0.2677

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
11/13/2026	-	52378	-	23.76	-	0.2678
11/14/2026	-	52401	-	23.75	-	0.2679
11/15/2026	-	52423	-	23.73	-	0.268
11/16/2026	-	52446	-	23.72	-	0.2681
11/17/2026	-	52468	-	23.71	-	0.2682
11/18/2026	-	52489	-	23.7	-	0.2683
11/19/2026	-	52510	-	23.68	-	0.2684
11/20/2026	-	52531	-	23.67	-	0.2685
11/21/2026	-	52552	-	23.66	-	0.2686
11/22/2026	-	52573	-	23.64	-	0.2687
11/23/2026	-	52593	-	23.63	-	0.2688
11/24/2026	-	52613	-	23.62	-	0.269
11/25/2026	-	52633	-	23.61	-	0.2691
11/26/2026	-	52652	-	23.6	-	0.2691
11/27/2026	-	52672	-	23.59	-	0.2692
11/28/2026	-	52691	-	23.57	-	0.2693
11/29/2026	-	52710	-	23.56	-	0.2694
11/30/2026	-	52728	-	23.55	-	0.2695
12/1/2026	-	52747	-	23.54	-	0.2696
12/2/2026	-	52765	-	23.53	-	0.2697
12/3/2026	-	52783	-	23.52	-	0.2698
12/4/2026	-	52801	-	23.51	-	0.2699
12/5/2026	-	52819	-	23.5	-	0.27
12/6/2026	-	52836	-	23.49	-	0.2701
12/7/2026	-	52854	-	23.48	-	0.2702
12/8/2026	-	52871	-	23.47	-	0.2702
12/9/2026	-	52888	-	23.46	-	0.2703
12/10/2026	-	52904	-	23.45	-	0.2704
12/11/2026	-	52921	-	23.44	-	0.2705
12/12/2026	-	52937	-	23.43	-	0.2706
12/13/2026	-	52953	-	23.42	-	0.2707
12/14/2026	-	52969	-	23.41	-	0.2707
12/15/2026	-	52985	-	23.4	-	0.2708
12/16/2026	-	53001	-	23.39	-	0.2709
12/17/2026	-	53017	-	23.38	-	0.271
12/18/2026	-	53032	-	23.37	-	0.2711
12/19/2026	-	53047	-	23.36	-	0.2711
12/20/2026	-	53062	-	23.35	-	0.2712
12/21/2026	-	53077	-	23.34	-	0.2713
12/22/2026	-	53092	-	23.33	-	0.2714
12/23/2026	-	53106	-	23.33	-	0.2714
12/24/2026	-	53121	-	23.32	-	0.2715
12/25/2026	-	53135	-	23.31	-	0.2716
12/26/2026	-	53149	-	23.3	-	0.2717
12/27/2026	-	53163	-	23.29	-	0.2717
12/28/2026	-	53177	-	23.28	-	0.2718
12/29/2026	-	53191	-	23.27	-	0.2719
12/30/2026	-	53205	-	23.27	-	0.2719
12/31/2026	-	53218	-	23.26	-	0.272
1/1/2027	-	53232	-	23.25	-	0.2721
1/2/2027	-	53245	-	23.24	-	0.2721
1/3/2027	-	53258	-	23.23	-	0.2722
1/4/2027	-	53271	-	23.21	-	0.2723
1/5/2027	-	53284	-	23.2	-	0.2723
1/6/2027	-	53297	-	23.19	-	0.2724
1/7/2027	-	53309	-	23.18	-	0.2725
1/8/2027	-	53322	-	23.16	-	0.2725
1/9/2027	-	53334	-	23.15	-	0.2726
1/10/2027	-	53346	-	23.14	-	0.2726
1/11/2027	-	53359	-	23.13	-	0.2727

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
1/12/2027	-	53371	-	23.12	-	0.2728
1/13/2027	-	53383	-	23.11	-	0.2728
1/14/2027	-	53394	-	23.09	-	0.2729
1/15/2027	-	53406	-	23.08	-	0.2729
1/16/2027	-	53418	-	23.07	-	0.273
1/17/2027	-	53429	-	23.06	-	0.2731
1/18/2027	-	53441	-	23.05	-	0.2731
1/19/2027	-	53452	-	23.04	-	0.2732
1/20/2027	-	53463	-	23.03	-	0.2732
1/21/2027	-	53475	-	23.02	-	0.2733
1/22/2027	-	53486	-	23.01	-	0.2733
1/23/2027	-	53497	-	23	-	0.2734
1/24/2027	-	53507	-	22.99	-	0.2735
1/25/2027	-	53518	-	22.98	-	0.2735
1/26/2027	-	53529	-	22.97	-	0.2736
1/27/2027	-	53539	-	22.96	-	0.2736
1/28/2027	-	53550	-	22.95	-	0.2737
1/29/2027	-	53560	-	22.94	-	0.2737
1/30/2027	-	53570	-	22.93	-	0.2738
1/31/2027	-	53581	-	22.92	-	0.2738
2/1/2027	-	53592	-	22.91	-	0.2739
2/2/2027	-	53603	-	22.89	-	0.2739
2/3/2027	-	53613	-	22.88	-	0.274
2/4/2027	-	53624	-	22.87	-	0.274
2/5/2027	-	53635	-	22.86	-	0.2741
2/6/2027	-	53645	-	22.85	-	0.2741
2/7/2027	-	53655	-	22.84	-	0.2742
2/8/2027	-	53666	-	22.83	-	0.2742
2/9/2027	-	53676	-	22.82	-	0.2743
2/10/2027	-	53686	-	22.81	-	0.2744
2/11/2027	-	53696	-	22.81	-	0.2744
2/12/2027	-	53706	-	22.8	-	0.2745
2/13/2027	-	53716	-	22.79	-	0.2745
2/14/2027	-	53726	-	22.78	-	0.2746
2/15/2027	-	53735	-	22.77	-	0.2746
2/16/2027	-	53745	-	22.76	-	0.2746
2/17/2027	-	53754	-	22.75	-	0.2747
2/18/2027	-	53764	-	22.74	-	0.2747
2/19/2027	-	53773	-	22.73	-	0.2748
2/20/2027	-	53783	-	22.72	-	0.2748
2/21/2027	-	53792	-	22.71	-	0.2749
2/22/2027	-	53801	-	22.7	-	0.2749
2/23/2027	-	53810	-	22.7	-	0.275
2/24/2027	-	53819	-	22.69	-	0.275
2/25/2027	-	53828	-	22.68	-	0.2751
2/26/2027	-	53837	-	22.67	-	0.2751
2/27/2027	-	53845	-	22.66	-	0.2752
2/28/2027	-	53854	-	22.65	-	0.2752
3/1/2027	-	53863	-	22.65	-	0.2752
3/2/2027	-	53871	-	22.64	-	0.2753
3/3/2027	-	53880	-	22.63	-	0.2753
3/4/2027	-	53888	-	22.62	-	0.2754
3/5/2027	-	53897	-	22.61	-	0.2754
3/6/2027	-	53905	-	22.61	-	0.2755
3/7/2027	-	53913	-	22.6	-	0.2755
3/8/2027	-	53921	-	22.59	-	0.2755
3/9/2027	-	53929	-	22.58	-	0.2756
3/10/2027	-	53937	-	22.57	-	0.2756
3/11/2027	-	53945	-	22.57	-	0.2757
3/12/2027	-	53953	-	22.56	-	0.2757

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
3/13/2027	-	53961	-	22.55	-	0.2757
3/14/2027	-	53969	-	22.54	-	0.2758
3/15/2027	-	53977	-	22.54	-	0.2758
3/16/2027	-	53984	-	22.53	-	0.2759
3/17/2027	-	53992	-	22.52	-	0.2759
3/18/2027	-	53999	-	22.51	-	0.2759
3/19/2027	-	54007	-	22.51	-	0.276
3/20/2027	-	54014	-	22.5	-	0.276
3/21/2027	-	54022	-	22.49	-	0.276
3/22/2027	-	54029	-	22.49	-	0.2761
3/23/2027	-	54036	-	22.48	-	0.2761
3/24/2027	-	54044	-	22.47	-	0.2762
3/25/2027	-	54053	-	22.47	-	0.2762
3/26/2027	-	54061	-	22.46	-	0.2762
3/27/2027	-	54068	-	22.45	-	0.2763
3/28/2027	-	54075	-	22.45	-	0.2763
3/29/2027	-	54082	-	22.44	-	0.2763
3/30/2027	-	54089	-	22.43	-	0.2764
3/31/2027	-	54096	-	22.43	-	0.2764
4/1/2027	-	54103	-	22.42	-	0.2765
4/2/2027	-	54110	-	22.41	-	0.2765
4/3/2027	-	54118	-	22.41	-	0.2765
4/4/2027	-	54125	-	22.4	-	0.2766
4/5/2027	-	54131	-	22.39	-	0.2766
4/6/2027	-	54138	-	22.39	-	0.2766
4/7/2027	-	54144	-	22.38	-	0.2767
4/8/2027	-	54151	-	22.38	-	0.2767
4/9/2027	-	54157	-	22.37	-	0.2767
4/10/2027	-	54164	-	22.36	-	0.2768
4/11/2027	-	54170	-	22.36	-	0.2768
4/12/2027	-	54176	-	22.35	-	0.2768
4/13/2027	-	54183	-	22.35	-	0.2769
4/14/2027	-	54189	-	22.34	-	0.2769
4/15/2027	-	54195	-	22.33	-	0.2769
4/16/2027	-	54202	-	22.33	-	0.277
4/17/2027	-	54210	-	22.32	-	0.277
4/18/2027	-	54216	-	22.32	-	0.277
4/19/2027	-	54223	-	22.31	-	0.2771
4/20/2027	-	54229	-	22.31	-	0.2771
4/21/2027	-	54235	-	22.3	-	0.2771
4/22/2027	-	54241	-	22.3	-	0.2771
4/23/2027	-	54247	-	22.29	-	0.2772
4/24/2027	-	54253	-	22.28	-	0.2772
4/25/2027	-	54258	-	22.28	-	0.2772
4/26/2027	-	54264	-	22.27	-	0.2773
4/27/2027	-	54270	-	22.27	-	0.2773
4/28/2027	-	54276	-	22.26	-	0.2773
4/29/2027	-	54282	-	22.26	-	0.2774
4/30/2027	-	54287	-	22.25	-	0.2774
5/1/2027	-	54293	-	22.25	-	0.2774
5/2/2027	-	54299	-	22.24	-	0.2774
5/3/2027	-	54306	-	22.24	-	0.2775
5/4/2027	-	54314	-	22.23	-	0.2775
5/5/2027	-	54322	-	22.23	-	0.2776
5/6/2027	-	54329	-	22.22	-	0.2776
5/7/2027	-	54336	-	22.22	-	0.2776
5/8/2027	-	54344	-	22.22	-	0.2777
5/9/2027	-	54351	-	22.21	-	0.2777
5/10/2027	-	54360	-	22.21	-	0.2777
5/11/2027	-	54369	-	22.2	-	0.2778

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
5/12/2027	-	54378	-	22.2	-	0.2778
5/13/2027	-	54386	-	22.2	-	0.2779
5/14/2027	-	54395	-	22.19	-	0.2779
5/15/2027	-	54404	-	22.19	-	0.278
5/16/2027	-	54393	-	22.18	-	0.2779
5/17/2027	-	54372	-	22.16	-	0.2778
5/18/2027	-	54318	-	22.14	-	0.2775
5/19/2027	-	54300	-	22.12	-	0.2774
5/20/2027	-	54308	-	22.12	-	0.2775
5/21/2027	-	54317	-	22.12	-	0.2775
5/22/2027	-	54310	-	22.11	-	0.2775
5/23/2027	-	54279	-	22.09	-	0.2773
5/24/2027	-	54217	-	22.06	-	0.277
5/25/2027	-	54147	-	22.02	-	0.2766
5/26/2027	-	54091	-	22	-	0.2764
5/27/2027	-	54074	-	21.98	-	0.2763
5/28/2027	-	54059	-	21.97	-	0.2762
5/29/2027	-	54052	-	21.96	-	0.2762
5/30/2027	-	54016	-	21.94	-	0.276
5/31/2027	-	53917	-	21.9	-	0.2755
6/1/2027	-	53763	-	21.83	-	0.2747
6/2/2027	-	53566	-	21.75	-	0.2736
6/3/2027	-	53349	-	21.66	-	0.2725
6/4/2027	-	53216	-	21.6	-	0.2718
6/5/2027	-	53149	-	21.57	-	0.2715
6/6/2027	-	53090	-	21.54	-	0.2712
6/7/2027	-	53024	-	21.51	-	0.2709
6/8/2027	-	52932	-	21.47	-	0.2704
6/9/2027	-	52840	-	21.43	-	0.2699
6/10/2027	-	52765	-	21.39	-	0.2695
6/11/2027	-	52720	-	21.37	-	0.2693
6/12/2027	-	52673	-	21.34	-	0.2691
6/13/2027	-	52647	-	21.33	-	0.2689
6/14/2027	-	52621	-	21.31	-	0.2688
6/15/2027	-	52571	-	21.29	-	0.2685
6/16/2027	-	52500	-	21.26	-	0.2682
6/17/2027	-	52448	-	21.23	-	0.2679
6/18/2027	-	52384	-	21.2	-	0.2676
6/19/2027	-	52358	-	21.18	-	0.2674
6/20/2027	-	52362	-	21.18	-	0.2675
6/21/2027	-	52367	-	21.18	-	0.2675
6/22/2027	-	52374	-	21.17	-	0.2675
6/23/2027	-	52383	-	21.17	-	0.2676
6/24/2027	-	52392	-	21.17	-	0.2676
6/25/2027	-	52402	-	21.17	-	0.2677
6/26/2027	-	52412	-	21.17	-	0.2677
6/27/2027	-	52423	-	21.17	-	0.2678
6/28/2027	-	52436	-	21.17	-	0.2678
6/29/2027	-	52451	-	21.17	-	0.2679
6/30/2027	-	52475	-	21.17	-	0.268
7/1/2027	-	52509	-	21.18	-	0.2682
7/2/2027	-	52524	-	21.18	-	0.2683
7/3/2027	-	52538	-	21.18	-	0.2684
7/4/2027	-	52558	-	21.19	-	0.2685
7/5/2027	-	52574	-	21.19	-	0.2685
7/6/2027	-	52589	-	21.19	-	0.2686
7/7/2027	-	52601	-	21.19	-	0.2687
7/8/2027	-	52383	-	21.1	-	0.2676
7/9/2027	-	52244	-	21.04	-	0.2668
7/10/2027	-	52223	-	21.03	-	0.2667

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
7/11/2027	-	52230	-	21.03	-	0.2668
7/12/2027	-	52239	-	21.03	-	0.2668
7/13/2027	-	52248	-	21.02	-	0.2669
7/14/2027	-	52260	-	21.02	-	0.2669
7/15/2027	-	52272	-	21.02	-	0.267
7/16/2027	-	52287	-	21.03	-	0.2671
7/17/2027	-	52300	-	21.03	-	0.2671
7/18/2027	-	52316	-	21.03	-	0.2672
7/19/2027	-	52334	-	21.03	-	0.2673
7/20/2027	-	52351	-	21.03	-	0.2674
7/21/2027	-	52367	-	21.03	-	0.2675
7/22/2027	-	52382	-	21.03	-	0.2675
7/23/2027	-	52362	-	21.02	-	0.2674
7/24/2027	-	52303	-	20.99	-	0.2671
7/25/2027	-	52290	-	20.98	-	0.2671
7/26/2027	-	52012	-	20.87	-	0.2657
7/27/2027	-	51915	-	20.83	-	0.2652
7/28/2027	-	51922	-	20.82	-	0.2652
7/29/2027	-	51905	-	20.81	-	0.2651
7/30/2027	-	51909	-	20.81	-	0.2651
7/31/2027	-	51921	-	20.81	-	0.2652
8/1/2027	-	51934	-	20.8	-	0.2652
8/2/2027	-	51949	-	20.8	-	0.2653
8/3/2027	-	51965	-	20.8	-	0.2654
8/4/2027	-	51981	-	20.8	-	0.2655
8/5/2027	-	51999	-	20.8	-	0.2656
8/6/2027	-	52013	-	20.8	-	0.2656
8/7/2027	-	52031	-	20.8	-	0.2657
8/8/2027	-	52054	-	20.8	-	0.2659
8/9/2027	-	51945	-	20.75	-	0.2653
8/10/2027	-	51435	-	20.54	-	0.2627
8/11/2027	-	51190	-	20.44	-	0.2614
8/12/2027	-	51161	-	20.42	-	0.2613
8/13/2027	-	51160	-	20.41	-	0.2613
8/14/2027	-	51164	-	20.4	-	0.2613
8/15/2027	-	51183	-	20.4	-	0.2614
8/16/2027	-	51206	-	20.4	-	0.2615
8/17/2027	-	51224	-	20.39	-	0.2616
8/18/2027	-	51252	-	20.39	-	0.2617
8/19/2027	-	51282	-	20.39	-	0.2619
8/20/2027	-	51307	-	20.39	-	0.262
8/21/2027	-	51077	-	20.28	-	0.2608
8/22/2027	-	51016	-	20.25	-	0.2605
8/23/2027	-	51048	-	20.24	-	0.2607
8/24/2027	-	51006	-	20.22	-	0.2605
8/25/2027	-	50984	-	20.19	-	0.2604
8/26/2027	-	51003	-	20.19	-	0.2605
8/27/2027	-	51038	-	20.19	-	0.2606
8/28/2027	-	51061	-	20.18	-	0.2607
8/29/2027	-	51024	-	20.15	-	0.2606
8/30/2027	-	51039	-	20.15	-	0.2606
8/31/2027	-	51047	-	20.14	-	0.2607
9/1/2027	-	51079	-	20.14	-	0.2608
9/2/2027	-	51113	-	20.14	-	0.261
9/3/2027	-	51146	-	20.14	-	0.2612
9/4/2027	-	51155	-	20.13	-	0.2612
9/5/2027	-	51173	-	20.12	-	0.2613
9/6/2027	-	51202	-	20.12	-	0.2615
9/7/2027	-	51234	-	20.12	-	0.2616
9/8/2027	-	51275	-	20.12	-	0.2618

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
9/9/2027	-	51156	-	20.07	-	0.2612
9/10/2027	-	51138	-	20.05	-	0.2611
9/11/2027	-	51176	-	20.05	-	0.2613
9/12/2027	-	51111	-	20.02	-	0.261
9/13/2027	-	51078	-	19.99	-	0.2608
9/14/2027	-	51108	-	19.99	-	0.261
9/15/2027	-	51146	-	20	-	0.2612
9/16/2027	-	51166	-	19.99	-	0.2613
9/17/2027	-	51210	-	20	-	0.2615
9/18/2027	-	51254	-	20	-	0.2617
9/19/2027	-	51296	-	20.01	-	0.2619
9/20/2027	-	51302	-	20	-	0.262
9/21/2027	-	51337	-	20	-	0.2622
9/22/2027	-	51353	-	20	-	0.2622
9/23/2027	-	51388	-	20	-	0.2624
9/24/2027	-	51412	-	20	-	0.2625
9/25/2027	-	51453	-	20	-	0.2627
9/26/2027	-	51495	-	20.01	-	0.263
9/27/2027	-	51536	-	20.02	-	0.2632
9/28/2027	-	51576	-	20.02	-	0.2634
9/29/2027	-	51617	-	20.03	-	0.2636
9/30/2027	-	51657	-	20.03	-	0.2638
10/1/2027	-	51336	-	19.9	-	0.2622
10/2/2027	-	51248	-	19.86	-	0.2617
10/3/2027	-	51285	-	19.87	-	0.2619
10/4/2027	-	51327	-	19.87	-	0.2621
10/5/2027	-	51369	-	19.88	-	0.2623
10/6/2027	-	51411	-	19.89	-	0.2625
10/7/2027	-	51452	-	19.89	-	0.2627
10/8/2027	-	51491	-	19.9	-	0.2629
10/9/2027	-	51531	-	19.9	-	0.2631
10/10/2027	-	51570	-	19.91	-	0.2633
10/11/2027	-	51608	-	19.92	-	0.2635
10/12/2027	-	51645	-	19.92	-	0.2637
10/13/2027	-	51683	-	19.93	-	0.2639
10/14/2027	-	51719	-	19.93	-	0.2641
10/15/2027	-	51755	-	19.94	-	0.2643
10/16/2027	-	51791	-	19.95	-	0.2645
10/17/2027	-	51826	-	19.95	-	0.2646
10/18/2027	-	51860	-	19.96	-	0.2648
10/19/2027	-	51894	-	19.96	-	0.265
10/20/2027	-	51926	-	19.97	-	0.2652
10/21/2027	-	51959	-	19.97	-	0.2653
10/22/2027	-	51991	-	19.98	-	0.2655
10/23/2027	-	52022	-	19.98	-	0.2657
10/24/2027	-	52053	-	19.99	-	0.2658
10/25/2027	-	52083	-	19.99	-	0.266
10/26/2027	-	52114	-	20	-	0.2661
10/27/2027	-	52143	-	20	-	0.2663
10/28/2027	-	52172	-	20.01	-	0.2664
10/29/2027	-	52201	-	20.01	-	0.2666
10/30/2027	-	52229	-	20.01	-	0.2667
10/31/2027	-	52256	-	20.02	-	0.2669
11/1/2027	-	52284	-	20.02	-	0.267
11/2/2027	-	52310	-	20.03	-	0.2671
11/3/2027	-	52337	-	20.03	-	0.2673
11/4/2027	-	52363	-	20.03	-	0.2674
11/5/2027	-	52388	-	20.04	-	0.2675
11/6/2027	-	52413	-	20.04	-	0.2677
11/7/2027	-	52438	-	20.05	-	0.2678

Table 4: Observed versus forecasted concentration in TIRI02

Date	TIRI02					
	TDS		Ammonia (NH3-N)		Radium (Ra226)	
	Observed	Forecasted	Observed	Forecasted	Observed	Forecasted
11/8/2027	-	52463	-	20.05	-	0.2679
11/9/2027	-	52487	-	20.05	-	0.268
11/10/2027	-	52511	-	20.06	-	0.2682
11/11/2027	-	52534	-	20.06	-	0.2683
11/12/2027	-	52558	-	20.06	-	0.2684
11/13/2027	-	52581	-	20.07	-	0.2685
11/14/2027	-	52603	-	20.07	-	0.2686
11/15/2027	-	52626	-	20.08	-	0.2687
11/16/2027	-	52648	-	20.08	-	0.2689
11/17/2027	-	52670	-	20.08	-	0.269
11/18/2027	-	52691	-	20.09	-	0.2691
11/19/2027	-	52712	-	20.09	-	0.2692
11/20/2027	-	52733	-	20.09	-	0.2693
11/21/2027	-	52754	-	20.1	-	0.2694
11/22/2027	-	52774	-	20.1	-	0.2695
11/23/2027	-	52794	-	20.1	-	0.2696
11/24/2027	-	52814	-	20.1	-	0.2697
11/25/2027	-	52834	-	20.11	-	0.2698
11/26/2027	-	52853	-	20.11	-	0.2699
11/27/2027	-	52873	-	20.11	-	0.27
11/28/2027	-	52892	-	20.12	-	0.2701
11/29/2027	-	52910	-	20.12	-	0.2702
11/30/2027	-	52929	-	20.12	-	0.2703
12/1/2027	-	52947	-	20.13	-	0.2704
12/2/2027	-	52965	-	20.13	-	0.2705
12/3/2027	-	52983	-	20.13	-	0.2706
12/4/2027	-	53001	-	20.13	-	0.2707
12/5/2027	-	53018	-	20.14	-	0.2707
12/6/2027	-	53035	-	20.14	-	0.2708
12/7/2027	-	53052	-	20.14	-	0.2709
12/8/2027	-	53069	-	20.14	-	0.271
12/9/2027	-	53086	-	20.15	-	0.2711
12/10/2027	-	53102	-	20.15	-	0.2712
12/11/2027	-	53119	-	20.15	-	0.2713
12/12/2027	-	53135	-	20.15	-	0.2713
12/13/2027	-	53151	-	20.16	-	0.2714
12/14/2027	-	53166	-	20.16	-	0.2715
12/15/2027	-	53182	-	20.16	-	0.2716
12/16/2027	-	53197	-	20.16	-	0.2717
12/17/2027	-	53212	-	20.17	-	0.2717
12/18/2027	-	53228	-	20.17	-	0.2718
12/19/2027	-	53242	-	20.17	-	0.2719
12/20/2027	-	53257	-	20.17	-	0.272
12/21/2027	-	53272	-	20.18	-	0.272
12/22/2027	-	53286	-	20.18	-	0.2721
12/23/2027	-	53300	-	20.18	-	0.2722
12/24/2027	-	53315	-	20.18	-	0.2723
12/25/2027	-	53329	-	20.18	-	0.2723
12/26/2027	-	53342	-	20.19	-	0.2724
12/27/2027	-	53356	-	20.19	-	0.2725
12/28/2027	-	53370	-	20.19	-	0.2725
12/29/2027	-	53383	-	20.19	-	0.2726
12/30/2027	-	53396	-	20.2	-	0.2727
12/31/2027	-	53409	-	20.2	-	0.2727

Appendix 5: Figures.

Water Balance




Figure 1 CP1 Observed and predicted pond volume




Figure 2 CP2 Observed and predicted pond volume




Figure 3 CP3 Observed and predicted pond volume




Figure 4 CP4 Observed and predicted pond volume




Figure 5 CP5 Observed and predicted pond volume




Figure 6 CP6 Observed and predicted pond volume




Figure 7 SP4 Observed and predicted pond volume




Figure 8 TIRI02 Observed and predicted pond volume

Water Quality




Figure 9 CP1 Observed and forecasted TDS concentrations




Figure 10 CP1 Observed and forecasted total ammonia concentrations




Figure 11 CP1 Observed and forecasted Phosphorous concentrations




Figure 12 CP1 Observed and forecasted Arsenic concentrations




Figure 13 CP1 Observed and forecasted Aluminum concentrations




Figure 14 CP1 Observed and forecasted Cyanide concentrations




Figure 15 CP1 Observed and forecasted Copper concentrations




Figure 16 CP1 Observed and forecasted Lead concentrations




Figure 17 CP1 Observed and forecasted Nickel concentrations




Figure 18 CP1 Observed and forecasted Zinc concentrations




Figure 19 TIRI021 Observed and forecasted TDS concentrations




Figure 20 TIRI02 Observed and forecasted ammonia concentrations




Figure 21 TIRI021 Observed and forecasted radium concentrations